

## Specifications

### Bobcat S595

#### Engine

Emissions Tier (EPA)	Tier 4
Engine Cooling	Liquid
Engine Fuel	Diesel
Horsepower	74 hp
Turbocharged Engine	<input checked="" type="checkbox"/>
Engine Model	2.4L Bobcat Engine
Engine Make	Bobcat
Cooling System	2.8 gal
Gross HP	74 hp
Net HP	65 hp
Number of Cylinders	4
Displacement	146 in <sup>3</sup>
Torque (SAE NET)	206.5 ft-lbf
Torque RPM	1,800 rpm
Starter Horsepower	3.6 hp

#### Performance

Rated Operating Capacity (SAE)	2,200 lb
Tipping Load	4400 lb
Operating Weight	6793 lb
Travel Speed	7.4 mph
Travel Speed (2-speed option)	11 mph
Bucket Breakout Force	5,620 lbf
Lift Breakout Force (SAE)	4,796 lbf

#### Capacities

Fuel Tank	24.8 gal
Engine Oil with Filter	2.3 gal

Hydraulic Reservoir	2 gal
Hyd System Capacity	9.5 gal
Transmission (Final Drive)	8.5 gal

## Hydraulic System

System Relief @ Quick Couplers	3,500 psi
Auxiliary Std Flow	17.1 gal/min
Auxiliary High Flow	26.7 gal/min
Pump Capacity	17.1 gal/min
Raise Lift Arm	3.8 s
Lower Lift Arm	2.5 s
Bucket Dump	2.3 s
Bucket Rollback	1.7 s

## General

Contract Codes	Skid-Steer Loader
----------------	-------------------

## Controls

Vehicle Steering	Dual Levers
Hydraulic (Lift and Tilt)	Dual Pedals
Control Option	ACS, SJC
Auxiliary Hydraulics Type	Finger Tip Control

## Dimension

Length	133 in
Length without Attachment	104.6 in
Length with Standard Bucket	133 in
Width	65.2 in
Width (with bucket)	68 in
Height	77.8 in
Height with Operator Cab	77.8 in
Height to Bucket Hinge Pin	119 in
Reach @ Maximum Height	32.6 in

Turning Radius	79.7 in
Wheelbase	42.6 in
ROC with Counterweight Option	2250 lb
Dump Angle @ Maximum Height	42°
Ground Clearance	0.61 ft

## Features

Joystick Control	<input checked="" type="checkbox"/>
Air Conditioning	<input checked="" type="checkbox"/>
Adjustable Seat	<input type="checkbox"/>
Backup Alarm	<input type="checkbox"/>
BICS System (Interlock)	<input type="checkbox"/>
Cab Enclosure	<input checked="" type="checkbox"/>
Sound Option	<input checked="" type="checkbox"/>
Cab Heater	<input checked="" type="checkbox"/>
Operating Lights	<input type="checkbox"/>
Parking Brake	<input type="checkbox"/>
Radio	<input checked="" type="checkbox"/>
Rear Window	<input type="checkbox"/>
Top Window	<input type="checkbox"/>
Lift-Arm Support	<input type="checkbox"/>
Seat Belt	<input type="checkbox"/>
Suspension Seat	<input type="checkbox"/>
Two Speed Travel	<input type="checkbox"/>
Deluxe Instrumentation	<input checked="" type="checkbox"/>
Engine Shutdown	<input type="checkbox"/>
Hydraulic Bucket Positioning	<input checked="" type="checkbox"/>
High Flow Option	<input checked="" type="checkbox"/>
Auxiliary Hydraulics	<input type="checkbox"/>
Bob-Tach Attachment System	<input type="checkbox"/>
Power Bob-Tach	<input checked="" type="checkbox"/>
ACS (Switchable Controls)	<input checked="" type="checkbox"/>
Ride Control	<input checked="" type="checkbox"/>
Rear Hydraulics	<input checked="" type="checkbox"/>
Horn	<input type="checkbox"/>

Standard
  Optional
  Not available

## Compatible Attachments

Pallet Fork		
Pallet Fork Frame		■
Pallet Fork, Hydraulic - 42"		■
Pallet Fork, Hydraulic - 48"		■
Brush Saw		
Brush Saw		■
Utility Fork - Loaders and Toolcat		
Utility Fork, 10 Teeth - 72"		■
Utility Fork, 11 Teeth - 80"		■
Utility Fork, 8 Teeth - 60"		■
Utility Fork, 9 Teeth - 66"		■
Buckets, Grading X-Change - Excavator		
Bucket, X-Change Grading - 39"		■
Wheel Saw		
Wheel Saw - WS18		■
Grapple, Utility - Loaders and Toolcat		
Grapple, Utility - 55"		■
Planer		
Planer, High Flow - 18"		■
Planer, High Flow - 24"		■
Planer, Standard Flow - 14"		■
Steel Tracks		
Steel Track, 10 X 16.5		■
Steel Track, 31 - 12 X 16.5		■
Buckets, Trenching X-Change - Excavator		
Trenching Bucket, Class 3 - 12"		■
Trenching Bucket, Class 3 - 16"		■
Trenching Bucket, Class 3 - 18"		■
Trenching Bucket, Class 3 - 20"		■
Trenching Bucket, Class 3 - 24"		■

Trenching Bucket, Class 3 - 24"		■
Trenching Bucket, Class 3 - 30"		■
Trenching Bucket, Class 3 - 36"		■
X-Change Trenching Bucket - 13"		■
X-Change Trenching Bucket - 16"		■
X-Change Trenching Bucket - 20"		■

**Grapple, Industrial**

Grapple, Industrial Bucket - 62"		■
Grapple, Industrial Bucket - 68"		■
Grapple, Industrial Fork, 7 Tines - 66"		■

**Bucket, Fertilizer and Grain - Loaders**

Fertilizer & Grain Bucket - 60"		■
Fertilizer & Grain Bucket - 66"		■
Fertilizer/Grain Bucket - 72"		■

**Bucket, Snow and Light Material - Loaders**

Snow & Light Material Bucket - 68"		■
Snow & Light Material Bucket - 74"		■
Snow & Light Material Bucket - 80"		■
Snow & Light Material Bucket - 88"		■

**Grapple, Root**

Grapple, Root - 66"		■
Grapple, Root - 72"		■

**Bucket, Const./Ind. (C/I) - Loaders**

68" C/I Heavy Duty Bucket		■
Const./Ind. Bucket - 74"		■
Constr/Ind Bucket - 62"		■
Constr/Ind Bucket - 68"		■

**Bucket, Low Profile - Loaders**

Low Profile Bucket - 62"		■
Low Profile Bucket - 68"		■
Low Profile Bucket - 74"		■

**Flail Cutter**

Flail Cutter, FC200		■
---------------------	--	---

<b>Bucket, Combination - Loaders/Telehandlers</b>	
62"	■
Combination Bucket - 68"	■
Combination Bucket - 74"	■
<b>Angle Broom</b>	
Angle Broom - 68"	■
Angle Broom - 84"	■
<b>Push Broom</b>	
Push Broom, Whiskers - 72"	■
Push Broom, Whiskers - 90"	■
<b>Bucket, Rock - Loaders</b>	
Bucket, Rock - 62"	■
Bucket, Rock - 68"	■
<b>Auger</b>	
Auger - 35PH	■
Auger - 50PH	■
Auger Drive Unit - 15C	■
Auger Drive Unit - 30C	■
<b>Backhoe</b>	
Backhoe - 9BH	■
Backhoe - 8811	■
<b>Snow Pusher</b>	
Snow Pusher - 10'	■
Snow Pusher - 8'	■
<b>Concrete Pump</b>	
Concrete Pump	■
<b>Concrete Mixer</b>	
Concrete Mixer	■
<b>Packer Wheel</b>	
Packer Wheel	■
<b>Dumping Hopper</b>	
Dumping Hopper, Model 25	■

<b>Digger</b>		
Digger - 25"		■
Digger - 30"		■
Digger - 36"		■
<b>Box Blade</b>		
Box Blade		■
Box Blade, Laser Mounting		■
<b>Snow Blade</b>		
Snow Blade - 60"		■
Snow Blade - 72"		■
Snow Blade - 84"		■
Snow Blade - 96"		■
Snow Blade, Heavy Duty - 86"		■
Snow Blade, Heavy Duty - 96"		■
<b>Dozer Blade</b>		
Dozer Blade, 6-Way - 80"		■
Dozer Blade, 6-Way - 90"		■
<b>Chipper</b>		
Chipper, 5A Standard Flow		■
Chipper, 8B High Flow		■
<b>Brushcat 153; Rotary Cutter</b>		
Brushcat, HF - 72"		■
Brushcat, High Flow - 66"		■
Brushcat, Standard Flow - 66"		■
Brushcat, Std Flow - 72"		■
<b>Breaker</b>		
Breaker - HB980		■
Breaker, Nail Point - HB880		■
<b>3-Point Adapter</b>		
Three-Point Hitch, Category I & II		■
<b>Grader</b>		
Grader - 84"		■

<b>Landplane</b>		
Landplane, Deluxe - 72"		■
Landplane, Deluxe - 78"		■
<b>Landscape Rake</b>		
Rake, Landscape - 5B		■
Rake, Landscape - 6B		■
<b>Tiller</b>		
Rotary Tiller - 62"		■
Rotary Tiller - 76"		■
<b>Sweeper</b>		
Sweeper - 60"		■
Sweeper - 72"		■
<b>Tilt-Tatch</b>		
Tilt-Tatch		■
<b>Stump Grinder</b>		
Stump Grinder, SG 60		■
Stump Grinder, SGX 60		■
<b>Spreader</b>		
HS8 Spreader		■
SP5 Spreader		■
<b>Bale Fork</b>		
Bale Forks		■
<b>Sod Layer</b>		
Sod Layer		■
<b>Snowblower</b>		
Snowblower, SB200 - 60"		■
Snowblower, SB200 - 66"		■
Snowblower, SB200 - 78"		■
Snowblower, SB240 - 72"		■
<b>Rear Stabilizer</b>		
Quick-Tach Rear Stabilizer Kit		■
<b>Soil Conditioner</b>		



Soil Conditioner, High Flow - 72"		■
Soil Conditioner, Hydraulic - 72"		■
Soil Conditioner, Hydraulic - 84"		■
Soil Conditioner, Manual - 72"		■
<b>Scarifier</b>		
Scarifier, Front Mount		■
<b>Scraper</b>		
Scraper		■
<b>Vibratory Roller</b>		
Vibratory Roller, Padded Drum - 48"		■
Vibratory Roller, Padded Drum - 73"		■
Vibratory Roller, Smooth Drum - 48"		■
Vibratory Roller, Smooth Drum - 73"		■
<b>Tree Spade</b>		
Tree Spade, ACD Cone - 24"		■
Tree Spade, ACD Cone - 28"		■
Tree Spade, ACD Cone - 32"		■
Tree Spade, ACD Modified - 24"		■
Tree Spade, ACD Modified - 28"		■
Tree Spade, ACD Modified - 32"		■
Tree Spade, ACD Truncated - 24"		■
Tree Spade, ACD Truncated - 28"		■
Tree Spade, ACD Truncated - 32"		■
<b>Trench Compactor</b>		
Trench Compactor		■
<b>Trencher</b>		
Trencher, LT313		■
Trencher, LT405		■
Trencher, LT414		■
<b>Backhoe, Bob-Tach™</b>		
Backhoe - Bob-Tach Mounted		■
<b>Drop Hammer</b>		
Drop Hammer		■

**Rebar Bender**

Rebar Bender	■
--------------	---

**Mower**

Mower - 72"	■
-------------	---

Mower - 90"	■
-------------	---

**Snow V-Blade**

Snow V-Blade - 72"	■
--------------------	---

Snow V-Blade - 84"	■
--------------------	---

Snow V-Blade - 96"	■
--------------------	---

Snow V-Blade, 7 Pin - 60"	■
---------------------------	---

**Seeder (Attachment or 3 pt.)**

Seeder - 72"	■
--------------	---

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.