

TABLE OF CONTENTS

APPLICATIONS

REBAR DOWELING	04
BASEPLATE / BRACING	08
DEMOLITION - CORING	14
DEMOLITION - BREAKING	16
GRINDING	18
LAYOUT	20

SERVICES

ON!TRACK ASSET MANAGEMENT	22
HILTI TOOL WARRANTY	24
SOFTWARE SOLUTIONS & SERVICES	26
110000000000000000000000000000000000000	





ABOUT HILTI

Building Construction

At Hilti, we make and design leading cutting-edge technology, software, and services, empowering the professional construction industry. With a global presence in over 120 countries and more than 23,000 employees, we offer a 360 degrees service for your build – from software for design, products, and tools for work onsite to training, repairs, testing, and consultancy. We create technologies, software, and services, which are aimed to drive innovation and stand out from the competition out technologies are known to support the achievement of many admirable feats in the field of engineering across the world.

Our commitment to our customers is the epitome, and that is why two-thirds of our Hilti team members are focused on working directly with our customers every day. With our one-of-a-kind services, the industry's best warranty, and specialists in areas like structural engineering and fire protection, we have become a brand to be reckoned with among Construction professionals.



REBAR DOWELING

Concrete & **Foundations**



6777-7887



PRODUCTS

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT

SERVICES

ON!TRACK ASSET

MANAGEMENT

HILTI TOOL WARRANTY

SOFTWARE **SOLUTIONS**

& SERVICES

SDS-MAX COMBIHAMMERS: TE 70 / TE 50

- Best in their weight class with up to 40% faster drilling than the competition.
- Unmatched operator safety and comfort with advanced Active Vibration Reduction (AVR) technology and Active Torque Control (ATC)



SDS-PLUS COMBIHAMMERS TE 30-ATC / AVR

- Brushless motor for exceptionally high performance
- Drilling holes for rebar doweling diameter holes 4 28mm, optimum 10 20mm

More Info →

DUST REMOVAL TE DRS-Y

CONCRETE DRILL BITS

SDS-MAX: TE-YX / TE-Y SDS-PLUS: TE-CX / TE-C

easy drilling through steel rebars

Heat-treated helix for less wear and maximum durability gurantees the best lifetime in its class

Innovative TE-YX & TE-CX solid carbide head for

- Removes up to 99% of fine dust for a clean workplace
- Dust removal for concrete drilling and chiselling with Hilti SDS-Max combihammers

More Info →

More Info →



CORDLESS COMBIHAMMER TE 60-A36

- Active Torque Control (ATC) stops the tool body from spinning uncontrolledly if the drill bit jams - helping to reduce a common safety hazard
- Drilling anchor and through-holes in concrete and masonry (recommended diameter range 18-80 mm)

More Info → Watch Now ▷



VACUUM CLEANERS

- Universal and sturdy vacuum cleaner for use with all Hilti tools
- Hilti AirBoost automatic filter cleaning technology for consistently high suction

More Info → Watch Now ▷



Battery pack B 36/9.0 Li-ion

- All demanding applications requiring corded power and extreme run time
- Compatible with the entire Hilti 36 V cordless tool range

More Info →

REBAR DOWELING

Concrete & Foundatio



PRODUCTS

REBAR DOWELING

6777-7887

WRITE TO US

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT



Up to 40,000 ml of injection with one battery (80 packs x 500ml / foil)

More Info →



INJECTABLE ADHESIVE ANCHORS: HIT-RE 500 V3 & RE 100

- Suitable for use in wet and water-filled holes
- Highest bond strength of RE 500 V3 provides opportunity for reduced hole depth


More Info →



MANUAL DISPENSER HDM 500

- Easy & fast foil pack loading
- Ruggedly built to withstand tough jobsite conditions

More Info →





SERVICES

ON!TRACK ASSET MANAGEMENT

HILTI TOOL WARRANTY





REBAR DOWELING

Concrete & Foundations





CORDLESS RECIPROCATING SAW SR 6-A22

- High-performance cordless saw optimized for metal and wood demolition
- Keyless clamp for fast and easy blade changes





CORDLESS CIRCULAR SAW SCM 22-A

- Sparkless and cold cutting features for maximum safety and a clean working environment
- More than 100 cuts of M10 rebar with one battery charge



Watch Now >



ANGLE GRINDER AG 100-D

- Equipped with a dead man switch for maximum safety
- Low-profile design for easier access to tight spaces

More Info →



ROTARY HAMMER TE 3-CL

- Innovative Hilti Cooltec with active cooling to extend tool lifetime
- Outperforms other models in its class with a drilling range of 5 28mm

More Info →



RECIPROCATING BLADES

- Industry-leading bi-metal blades for long lifetime and speed
- Highly flexible bi-metal construction

More Info →



CIRCULAR SAW BLADES

Premium circular saw blades for straight, fast, cold cutting in metal

More Info →



ABRASIVE DISCS

- Designed to offer the best balance between long lifetime and high stock removal rate
- OSA-certified product complying with the highest safety standards

More Info →







PRODUCTS

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT

SERVICES

ON!TRACK ASSET
MANAGEMENT

HILTI TOOL WARRANTY





BASEPLATE / BRACING

Concreting



6777-7887



PRODUCTS

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT



CORDLESS ROTARY HAMMER TE 4-A22

- Ergonomically designed D-grip for comfortable use over long periods
- Robustly built and superbly engineered for cordless optimization





CORDLESS ROTARY HAMMER TE 6-A36

- Extremely powerful rotary hammer, designed for serial anchor drilling
- Active Vibration Reduction (AVR) system designed to increase user comfort and productivity





CORDLESS RECIPROCATING SAW SR 6-A22

- High-performance cordless saw optimized for metal and wood demolition
- Recommended for flush cutting of rebars

More Info →



CORDLESS IMPACT WRENCH SIW 22T-A

- Compact design with excellent balance for precise handling
- ½" square drive with heavy-duty ball-notch retention for security and quick socket changing



Watch Now **▷**



ROTARY HAMMER TE 3-CL

- Innovative Hilti Cooltec with active cooling to extend tool lifetime
- Outperforms other models in its class with a drilling range of 5 - 28mm

More Info →

SDS-PLUS CONCRETE DRILL BITS: TE-CX / TE-C

- Heat-treated helix for less wear and maximum durability gurantees the best lifetime in its class
- Innovative TE-CX solid carbide head for easy drilling through steel rebars

More Info →

RECIPROCATING BLADES

- Industry-leading bi-metal blades for long lifetime and speed
- Highly flexible bi-metal construction

More Info →

SCREW ANCHORS HUS-3

- Higher productivity less drilling and fewer operations than with conventional anchors
- Reduced edge and spacing distances

More Info →

SERVICES

ON!TRACK ASSET MANAGEMENT

HILTI TOOL WARRANTY



BASEPLATE / **BRACING**

Concreting



6777-7887



PRODUCTS

REBAR DOWELING

BASEPLATE / **BRACING**

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT

SERVICES

HILTI TOOL

WARRANTY

SOFTWARE

SOLUTIONS

ON!TRACK ASSET MANAGEMENT



VACUUM CLEANERS

Hilti SDS-Max combihammers

DUST REMOVAL TE DRS-Y

Removes up to 99% of fine dust for a clean workplace

Dust removal for concrete drilling and chiselling with

- Universal and sturdy vacuum cleaner for use with all Hilti tools
- Hilti AirBoost automatic filter cleaning technology for consistently high suction



More Info →



CONCRETE DRILL BITS SDS-MAX: TE-YX / TE-Y SDS-PLUS: TE-CX / TE-C

- Heat-treated helix for less wear and maximum durability gurantees the best lifetime in its class
- Innovative TE-YX & TE-CX solid carbide head for easy drilling through steel rebars





INJECTABLE ADHESIVE ANCHORS: HIT-RE 500 V3 / HY 200-R

- RE 500 V3 for slow cure applications such as water
- HY 200-R for fast cure applications such as bracing of reinforced concrete buildings
- More Info →



SDS-MAX COMBIHAMMERS: TE 70 / TE 50

- Best in their weight class with up to 40% faster drilling than the competition.
- Unmatched operator safety and comfort with advanced Active Vibration Reduction (AVR) technology and Active Torque Control (ATC)



SDS-MAX CORDLESS COMBITE 60-A36

- Drilling anchor and through-holes in concrete and masonry (recommended diameter range 18-80 mm
- Active Torque Control (ATC) stops the tool body from spinning uncontrolledly if the drill bit jams - helping to reduce a common safety hazard





SDS-PLUS CORDLESS ROTARY TE 30-A36

- Brushless motor for exceptionally high performance
- Drilling holes for rebar doweling diameter holes 4 28mm, optimum 10 20mm

More Info →



CORDLESS DISPENSER HDE 500-A22

- Extremely fast & accurate dispensing with no mortar wastage, perfect for serial injection with the same amount
- Up to 40,000 ml of injection with one battery (80 packs x 500ml / foil)

More Info →







BASEPLATE / **BRACING**

Concreting



6777-7887



PRODUCTS

REBAR DOWELING

BASEPLATE / **BRACING**

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT

SERVICES

ON!TRACK ASSET

MANAGEMENT

HILTI TOOL WARRANTY

SOFTWARE SOLUTIONS

& SERVICES



CORDLESS IMPACT WRENCH SIW 6AT-A22

- High-efficiency brushless motor means the tool lasts longer and gets more work done per charge
- Tightening and releasing nuts and bolts in sizes M8 to M16





CORDLESS DRILL SF 8M-A22

- Extremely durable 4-speed, all-metal gearing providing the optimum speeds for various drilling applications in metal
- Drilling in metal with HSS bits up to 20 mm diameter

More Info →



FLUSH ANCHORS HKD

Excellent edge and spacing distances

Suitable for hammer-drilled and diamond-cored holes

(such as from DD-30W and DD EC-1 diamond drilling

STUD ANCHORS

- "Intelligent" stepped expansion cone allows easy, correct setting even in harder materials
- Features a lip for flush setting regardless of hole depth

More Info →

tools)

More Info →



DIAMOND CORING MACHINE DD 30-W

- Fast drilling through rebar thanks to the unique TopSpin technology
- Compact, light diamond drilling machine for handheld coring of heavy-duty anchor and rebar holes in diameters up to 35 mm

More Info →



DIAMOND DRILLING INSERTS

Diamond drilling inserts for a wide range of applications, different base materials and all tool power classes

More Info →



WATER MANAGEMENT SYSTEM **DD-WMS 100**

- Keeps jobsites clean all slurry is collected with Hilti water collection systems
- Maintenance-free

More Info →

Watch Now >



DIAMOND CORING MACHINE DD 120

- Power control LED shows even inexperienced users how to achieve the optimum drilling speed and maximise core bit life
- Extremely compact, light and mobile diamond drilling for installing railings and barriers

More Info →





DEMOLITION - CORING

Demolition



6777-7887



PRODUCTS

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT

SERVICES

ON!TRACK ASSET MANAGEMENT

HILTI TOOL WARRANTY

SOFTWARE SOLUTIONS & SERVICES



- Keeps jobsites clean all slurry is collected with Hilti water collection systems
- Provides up to one full day of water autonomy for wet diamond coring applications
- Manufacture A

DIAMOND CORING MACHINE DD 200

- Air-cooled, heavy-duty drive unit with three-speed gearing and convenient controls
- Optional BL quick-release connection lets you change core bits in seconds no tools required (keyless system)



Watch Now >





DIAMOND X-CHANGE MODULE SYSTEM CORE BITS

DIAMOND DRILLING CORE BITS

applications, different base materials and all tool

Diamond drilling inserts for a wide range of

power classes

Unique Hilti X-Change module system enables easy core removal, fast stuck core bit recovery and on-site retipping using just a flat-tip screwdriver

More Info →

More Info →



- Sturdy three-speed gearing for outstanding coring performance across the entire diameter range
- A wide range of applications including through holes and stitch drilling

More Info →

Watch Now | >









DEMOLITION -BREAKING



6777-7887



PRODUCTS

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -

GRINDING

LAYOUT

SERVICES

ON!TRACK ASSET MANAGEMENT

> HILTI TOOL WARRANTY

SOFTWARE SOLUTIONS & SERVICES

BREAKING

Demolition



SDS-MAX (TE-Y) CHISELS

TE-S / HEX 28 CHISELS

Increased productivity with an array of selfsharpening pointed chisels to wave design

technology for faster removal with less sticking.

TE-S & HEX 28 chisels designed for our TE 2000 & TE

- Increased productivity with an array of selfsharpening pointed chisels to wave design technology for faster removal with less sticking.
- TE-Y chisels designed for our TE 500, TE 700 & TE 800 breakers.



3000 breakers

More Info →





- Removes up to 99% of fine dust for a clean workplace
- Dust removal for concrete drilling and chiselling with Hilti SDS-Max combihammers

More Info →





VACUUM CLEANERS

- Universal and sturdy vacuum cleaner for use with all
- Hilti AirBoost automatic filter cleaning technology for consistently high suction

More Info →



WALL DEMOLITION BREAKERS: TE 500 / TE 700 / TE 800

Subchassis AVR (Active Vibration Reduction) for greater working comfort

FLOOR DEMOLITION BREAKERS: TE 1000/

Medium to heavy-duty demolition of concrete slabs and foundations

Watch Now >

Subchassis AVR (Active Vibration Reduction) for greater working comfort

TE 2000 / TE 3000

More Info →

The innovative brushless SR motor eliminates the need to change carbon brushes and extends the period between repairs



More Info → Watch Now ▷



GRINDING

/ Demolition





DIAMOND GRINDER DG 150

- Dedicated grinding system for floor purpose-built to deliver the highest productivity, faster concrete grinding and coating removal compared to conventional angle grinders
- Heavy duty concrete grinding, paint and coating removal work





CONCRETE FINISHING DGH 130

- Lightweight dedicated concrete grinding tool for wall to deliver maximum productivity and top quality surface finishes for wall and small floor surfaces
- Heavy duty removal of concrete bleeding, joints and imperfections and concrete preparation for painting





ANGLE GRINDER AG 125 13-S

- Universal angle grinder ergonomically designed for cutting and grinding concrete and other material
- Medium duty removal of concrete bleeding and light duty concrete floor grinding





ANGLE GRINDER AG 100-D

- Universal angle grinder equipped with dead man switch
- Light duty removal of concrete bleeding

More Info →



6" DIAMOND CUP WHEELS

 Designed for superior lifetime and removal rate on concrete and a variety of other base materials





5" DIAMOND CUP WHEELS

 Designed for superior lifetime and removal rate on concrete and a variety of other base materials

More Info →



4" DIAMOND CUP WHEELS

 Designed for superior lifetime and removal rate on concrete and a variety of other base materials

More Info →



VACUUM CLEANERS

- Universal and sturdy vacuum cleaner for use with all Hilti tools
- Hilti AirBoost automatic filter cleaning technology for consistently high suction

More Info →

6777-7887



PRODUCTS

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT

SERVICES

ON!TRACK ASSET
MANAGEMENT

HILTI TOOL WARRANTY



Concrete & Foundations LAYOUT /



PRODUCTS

REBAR DOWELING

6777-7887

WRITE TO US

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT

SERVICES

ON!TRACK ASSET

MANAGEMENT

HILTI TOOL

WARRANTY

SOFTWARE SOLUTIONS & SERVICES



MEASURING LASER PD-E





- Provides accurate depth of cover measurements for
- Displays a clear 2D image of the reinforcement on the





ROTATING LASER PR 3-HVSG

- Provides four times better laser visibility thanks to the latest Laser Class 2 green diode technology – with no loss of performance
- The lithium-ion battery, featuring CPC technology for unique power management, charges within 35 minutes





ROTATING LASER PR 2-HS

- Lithium-ion battery, featuring Cordless Power Care (CPC) for longer-lasting power output, can be charged while operating or in vehicles using the PUA 82 power adapter
- PulsePower technology enables outstanding visibility even in bright daylight







Measures up to 200 m even under the toughest

Built-in optical viewfinder for outdoor measurements





REBAR SCANNER PS 250

- reinforcement at depths of up to 100 mm
- monitor for on-the-spot structural analysis and depth of cover assessment



ON!TRACK ASSET MANAGEMENT

With transparency comes efficiency!

Stay on top of your tools and critical assets.



PRODUCTS

6777-7887

WRITE TO US

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT

WHAT ON!TRACK CUSTOMERS ARE SAYING

We get to track our tools which gives us transparency on all our tools. Now we know exactly how many tools we have and where they are. It is cost saving.

- Cliff Tan Director, THI Engineering & **Construction Pte Ltd** Some of the biggest jobsite efficiency killers are tools and assets that are broken, misplaced or mismanaged. These problems don't just slow you down, they also cost you money. Our ON!Track Asset Management can help you keep track of your tools and other assets and streamline your business.

HOW ASSET MANAGEMENT WORKS

Our specially trained team members will visit your worksite to understand your unique needs and design and implement a solution that's tailored just for you. We combine the latest technology with jobsite-friendly processes to make sure that you always know the answers to questions like, "Where is that tool?" and "Who was using it last?"





HARDWARE

Smart Tags



SOFTWARE

Free smartphone app (iOS and Android) for an unlimited number of users



SERVICE

Onsite consultation and training, asset tagging, data upload, and bestin-class customer support

WHAT IT TRACKS

ON!Track is designed to manage all of your assets irrespective of its brand or manufacturer. This tracking solution is adept at tracking more than just tools.



Service Maintenance Schedules



Inventory Min/Max for consumables



Track **Delivery Equipment**



Employee Trainings & Certification



Track Commodities



Jobsite Cost Allocation



Rental Equipment Return Dates



SERVICES

ON!TRACK ASSET MANAGEMENT

HILTI TOOL WARRANTY

SOFTWARE **SOLUTIONS** & SERVICES



CONTACT OUR ON!TRACK TEAM

Phone: 67777887 | Email: sgallontrack@hilti.com







WHY 2-1-3

We don't forget our customers after we make a sale. On the contrary, our relationship with our customers has just begun. Our 2-1-3 model is a way by which we nurture this relationship and assure our customers their money's worth. We deliver our customers the best quality in the engineering of products that guarantee top-notch standards of the tool-make. We are so confident of our products' caliber; we can give our customers an exemplary warranty model that leaves you worry-free for years.



DECODING THE 2-1-3 WARRANTY MODEL



2 Years No Cost Warranty on Heavy Duty Tools

 Hilti resolves to repair your tool free of cost for 2 years from the date of purchase. This includes replacement of defective parts, wear and tear parts, labor cost, etc. It also includes free pick-up and delivery.



1 Month Repair Warranty

 Hilti will repair your tool for free within a month after your last charged repair. This also includes parts for wear and



3 Days or Free

 We'll collect, repair and return your tool to site, faster than any other tool repair service. We even guarantee 3 working days turnaround time. If we fail, your repair is free
 *Conditions apply. Refer to T&Cs for details.

Terms and Conditions

View PDF →

6777-7887



PRODUCTS

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT

SERVICES

ON!TRACK ASSET MANAGEMENT

HILTI TOOL WARRANTY

SOFTWARE SOLUTIONS & SERVICES





FASTENING SOFTWARE AND SERVICES

Simple, easy to use, and accurate solutions to meet your design requirements

Design Software

PROFIS Anchor

A downloadable software solution that lets you perform post-installed anchor design with Hilti's post-installed mechanical or adhesive anchors, that are in accordance with latest European Technical approval guidelines.

Download Profis Anchor



PROFIS Rebar

A downloadable software solution that lets you perform post-installed rebar design with Hilti's post-installed rebar systems, that are in accordance with latest European Technical approval guidelines - Technical Reports and European codes.

Download Profis Rebar



PROFIS Anchor Channel

Provides the best features to quickly model and design embeds for a variety of geometries, base materials, and loading conditions. It is the industry leader in Anchor Channel design providing the user a simple and intuitive way to apply design considerations.

Download Profis Anchor Channel



Engineering Competence Center (ECC)

ECC is a competent and comprehensive team of technical specialists dedicated to resolving all your technical queries regarding anchors, rebar, firestop, and installation systems. Our team prepares a variety of reports on site testing, as well as Profis Anchor/Rebar and Installation System design reports.

On-site Testing Service

Whether it is testing anchors in unknown strata or evaluating the installation quality, our range of testers gives you the peace of mind by ensuring structural safety during execution.

Find Out More

Firestop software and services

Document Manager

Document Manager enables documentation of firestop penetrations, joints, fire doors, and other custom categories. It is a Cloud-based software used by back office administrators in combination with a mobile device application for installers/documenters.

Contact Us For More Information

CONTACT US

teamengineering.sg@hilti.com

6777-7887



PRODUCTS

REBAR DOWELING

BASEPLATE / BRACING

DEMOLITION - CORING

DEMOLITION -BREAKING

GRINDING

LAYOUT

SERVICES

ON!TRACK ASSET MANAGEMENT

> HILTI TOOL WARRANTY





HILTI STORE



Blk 52, Ubi Avenue 3, Frontier, #01-43 408866 Singapore Singapore

Opening Hours

Sun Closed

Mon 8:30 AM - 6:00 PM Tue 8:30 AM - 6:00 PM Wed 8:30 AM - 6:00 PM Thu 8:30 AM - 6:00 PM Fri 8:30 AM - 6:00 PM Sat 9:00 AM - 12:00 PM

CONTACT US ▼



You can reach us at:

6777-7887

Customer Service hours of operation:

9:00 AM - 5:00 PM

Email:

Sg-customerservice@hilti.com



Hilti Far East Pte Ltd PSA Vista No.20 Harbour Drive #06-06 Singapore 117612

www.hilti.com.sg www.hilti.group