

COMFRAME

Robert C. Cain, MVP

COMFRAME
precision software innovation


Business Intelligence for the SharePoint Professional

Microsoft
GOLD CERTIFIED

Partner

Data Management Solutions
Information Worker Solutions
Business Intelligence
Custom Development Solutions

BIRMINGHAM • NASHVILLE • BEIJING





Your Presenter

- Robert C. Cain
- Senior BI Architect COMFRAME
 - Offices in Birmingham, Nashville & Beijing
 - Microsoft Partner, 1 of 37 Nationally Managed
 - Systems Integrator
 - App Dev, SharePoint, BI, EPM
- 5 years BI at Nuclear Power Co.
- 10 years as a consultant in the B'ham Market
- Wide range of .Net applications, ASP & Win
- SQL Server Data Warehouse
- <http://arcanecode.com>
- <http://twitter.com/arcanecode>





Why learn about Data Warehousing?

- SharePoint Administrator
 - New features will require new configurations
 - Install and configure BI tools (PowerPivot, SSRS, SSAS)
- SharePoint Developer
 - Front end for many BI solutions
 - PerformancePoint Dashboards
 - PowerPivot web parts
 - Reporting Services reports



Business Intelligence is HOT

- According to [Computerworld](#), BI is the 5th hottest IT Skill for 2009
- Dice.com over 2,800 job openings





What is a Data Warehouse

- A giant storehouse for your data
- ALL of your data
- Aggregation of data from multiple systems





What is Business Intelligence

- Leveraging data you already have to convert knowledge into informed actions
- Providing ways to measure the health of your business
- Examining the data in your warehouse to look for three main areas of interest.
- Aggregations
- Trends
- Corrolations (Data Mining)






Why Have a Data Warehouse?


- Combine data from multiple systems and resolve inconsistencies between those systems
- Make reporting easier
- Reduce the load on production systems
- Provide for long term storage of data
- Provide consistency among system transitions





Some More Reasons for a Data Warehouse

- Make the data available for analysis
 - Ability to apply advanced data mining tools
 - To extract further value from the data you already own
- Business Intelligence





What's wrong with reporting from a Transactional System?

- OLTP – On Line Transaction Processing
- Designed for working with single record at a time.
- Data is highly “normalized”, i.e. duplicate values have been removed.
- Getting all data for a record can involve many table joins
- Can be quite confusing for ‘ad-hoc’ reporting
- Can also be slow, having an impact on the OLTP system




What's different about a Data Warehouse?

- Data Warehouses typically use a design called OLAP
- On-Line Analytical Processing
- Data is de-normalized into structures easier to work with.
- Number of tables are reduced, reducing number of joins and increasing simplicity
- Often a Star Schema or Snowflake Schema




Star Schema





Snowflake Schema





Types of Tables in a Warehouse

- Facts
- Dimensions
- Both require the concept of Surrogate Keys
- A new key, typically some type of INT, that is used in place of any other key as the Primary Key



Reasons for Surrogate Keys


- Preserve data in case of source system change
- Combine data from multiple sources into a single table
- Source System keys can be multi-column and complex, slowing response time
- Often the key is not needed for many data warehousing functions such as aggregations



Fact Tables

- A Fact marks an event, a discrete happening in time
- Facts join dimensions, “who” did an action (SoldBy, SoldTo) to the “what”, what object was acted upon (Product).
- Facts also hold numeric measures to quantify the fact: Quantity, SaleAmt, SaleDate

Fact Table Example - Sales



ID	SoldByID	SoldToID	ProductID	Qty	SaleAmt	SaleDate
3456	1234	6789	987	3	156.00	7/17/2009



Dimensions

- Dimensions hold the values that describe facts
- “Look Up Values”
- Some examples: Time, Geography, Employees, Products, Customers
- When a Dimension can change over time, it’s known as a Slowly Changing Dimension
- Dimensions typically apply to the column, not the row.
- Many types of Dimensions



Type 0 Dimension (Fixed)

- Type 0 Dimensions are also called Fixed
- For data that will not change. Ever.
- Best used for static data like colors, sizes, etc.

ID	Description
1	Blue
2	Black
3	Green
4	Yellow



Type 1 Dimension

- When a dimension's value is updated, the old one is simply overwritten

Original Value

ID	EmployeeID	Last	First
1234	PQ1894958	McGillicutty	Hortence

New Value

ID	EmployeeID	Last	First
1234	PQ1894958	Hollywoger	Hortence



Type 2 Dimension

- When a dimension is changed, a new record is inserted and old one dated

Original Value

ID	EmployeeID	Last	First	FromDate	ThruDate
1234	PQ1894958	McGillicuty	Hortence	12/1/1998	<NULL>

New Value

ID	EmployeeID	Last	First	FromDate	ThruDate
2468	PQ1894958	Hollywoger	Hortence	7/6/2008	<NULL>
1234	PQ1894958	McGillicuty	Hortence	12/1/1998	7/5/2008



Type 3 – Just Say NO

- When a dimensions value is updated, a new column is added



Original Value

ID	EmployeeID	Last1	Last2	First
1234	PQ1894958	McGillicutty	<NULL>	Hortence

New Value

ID	EmployeeID	Last1	Last2	First
1234	PQ1894958	Hollywoger	McGillicutty	Hortence

- Almost never used



Type 4 Dimension

- When a dimension is changed, a old record is copied to history table and current one updated

Original Value in DimEmployee

ID	EmployeeID	Last	First
1234	PQ1894958	McGillicuty	Hortence

New Value in DimEmployee

ID	EmployeeID	Last	First
1234	PQ1894958	Hollywoger	Hortence

New Value in DimEmployee_History

ID	EmployeeID	Last	First	FromDate	ThruDate
1234	PQ1894958	McGillicuty	Hortence	12/1/1998	7/5/2008

Type 4 Dimension (Another Way)

- When a dimension is changed, old record is updated in history table, current one copied in

New Value in DimEmployee

ID	EmployeeID	Last	First
1234	PQ1894958	Hollywoger	Hortence

New Value in DimEmployee_History

ID	EmployeeID	Last	First	FromDate	ThruDate
1234	PQ1894958	Hollywoger	Hortence	7/6/2008	<NULL>
1234	PQ1894958	McGillicuty	Hortence	12/1/1998	7/5/2008

Different Dimension Types in a Table

- Often a single row holds multiple Dimensional Types
- The business should determine what data is significant enough to track changes on.

Example

ID	EmployeeID	Last	First	HrsLastMo	FromDate	ThruDate
1234	PQ1894958	McGillicuty	Hortence	200	12/1/1998	<NULL>

- Hours Last Month = Type 1
- Last Name = Type 2

Different Dimension Types in a Table

Original Value

ID	EmployeeID	Last	First	HrsLastMo	FromDate	ThruDate
1234	PQ1894958	McGillicuty	Hortence	200	12/1/1998	<NULL>

Update to Hours Last Month (Type 1)

ID	EmployeeID	Last	First	HrsLastMo	FromDate	ThruDate
1234	PQ1894958	McGillicuty	Hortence	280	12/1/1998	<NULL>

Update to Last Name (Type 2)

ID	EmployeeID	Last	First	HrsLastMo	FromDate	ThruDate
1234	PQ1894958	McGillicuty	Hortence	200	12/1/1998	4/22/2010
6789	PQ1894958	Hollywoger	Hortence	200	4/23/2010	<NULL>



Conformed Dimensions

- When pulling in data from multiple systems, you often have to reconcile different primary keys.
- This process is known as conforming your dimensions.

ID	Product	InventoryID	PurchasingID	WorkMgtID
9876	Widget	459684932	Wid45968	602X56VV1

Dimensions in a Star Schema


ID	SoldByID	SoldToID	ProductID	Qty	SaleAmt	SaleDate
3456	1234	6789	987	3	156.00	7/17/2009

Column	Value
ProductID	987
BusinessID	SHBL4X
Description	Knit Shirt
Color	Blue
Size	4XL
Sleeve	Long

- Flattened model easier to link
- Simpler for ad-hoc reporting
- Takes more database space
- Updates take more work (4XL to XXXXL requires 1 update per record)

Dimensions in a Snowflake Schema

ID	SoldByID	SoldToID	ProductID	Qty	SaleAmt	SaleDate
3456	1234	6789	987	3	156.00	7/17/2009



- Takes less database space. Linked Dimensions reusable .
- Easier to update (change 4XL to XXXXL requires 1 Update)
- More difficult as it requires many links
- More links makes it difficult for ad-hoc reporting (views can help with this)



Getting Data Into A Warehouse

- ETL
- Extract
- Transform
- Load
- SSIS – SQL Server Integration Services



Getting Data Out of Your Warehouse

- SSRS – SQL Server Reporting Services
- SSAS – SQL Server Analysis Services
- SharePoint
 - SSRS Web Parts
 - PowerPivot
 - Performance Point



KPI

- Key Performance Indicators
- Dashboards
- Quick, at a glance indicator of system health

Region	Sales (USD)	Trending	Status
US	482m	↑	●
Europe	399m	↓	●
Asia	123m	↔	●
South America	225m	↓	●



Warehousing Methodologies

- Inmon – Bill Inmon - Top down
- Kimball – Ralph Kimball - Bottom up



What Next?



- A variety of resources to further your learning








Resources - Demos

- Demo Site -
<http://www.codeplex.com/Wiki/View.aspx?ProjectName=SqlServerSamples>
- Sample DBs - <http://www.codeplex.com/MSFTDBProdSamples/>
- SSAS -
<http://msftasprodsamples.codeplex.com/Release/ProjectReleases.aspx?ReleaseId=18652>
- SSIS - <http://www.codeplex.com/MSFTISProdSamples/>
- SSRS - <http://www.codeplex.com/MSFTRSPProdSamples/>

The Data Warehouse Toolkit and The Microsoft Data Warehouse Toolkit by the Kimball Group




- http://www.amazon.com/Data-Warehouse-Toolkit-Complete-Dimensional/dp/0471200247/ref=pd_bbs_sr_1?ie=UTF8&s=books&qid=1239580212&sr=8-1
- http://www.amazon.com/MicrosoftData-Warehouse-Toolkit-MicrosoftBusiness-Intelligence/dp/0471267155/ref=sr_1_fkmr0_1?ie=UTF8&qid=1264636802&sr=8-1-fkmr0



Professional SharePoint 2010 Development

Chapter 13 – Business Intelligence

http://www.amazon.com/Professional-SharePoint-2010-Development-Rizzo/dp/0470529423/ref=sr_1_14?ie=UTF8&s=books&qid=1272590402&sr=8-14




- Pro PerformancePoint Server 2007

http://www.amazon.com/Pro-PerformancePoint-Server-2007-Intelligence/dp/1590599616/ref=sr_1_2?ie=UTF8&s=books&qid=1272590402&sr=8-2





Resources





Smart Business Intelligence Solutions with Microsoft SQL Server 2008

- http://www.amazon.com/Business-Intelligence-Solutions-Microsoft%C2%AE-PRO-Developer/dp/0735625808/ref=sr_1_1?ie=UTF8&s=books&qid=1239580654&sr=1-1






Resources - SSRS



- http://www.amazon.com/Microsoft-Server-Reporting-Services-Recipes/dp/0470563117/ref=sr_1_4?ie=UTF8&s=books&qid=1272591225&sr=8-4
- http://www.amazon.com/Pro-Server-2008-Reporting-Services/dp/1590599926/ref=sr_1_11?ie=UTF8&s=books&qid=1252100749&sr=1-11
- http://www.amazon.com/Microsoft%C2%AE-Server%C2%AE-Reporting-Services-Microsoft/dp/0735626472/ref=sr_1_10?ie=UTF8&s=books&qid=1252100749&sr=1-10
- http://www.amazon.com/Professional-Microsoft-Reporting-Services-Programmer/dp/0470242019/ref=sr_1_15?ie=UTF8&s=books&qid=1252100793&sr=1-15






Resources - SSIS



- Erik Veerman /
Brian Knight Books

- http://www.amazon.com/Expert-Server-Integration-Services-Programmer/dp/0470134119/ref=sr_1_5?ie=UTF8&s=books&qid=1239833324&sr=8-5
- http://www.amazon.com/Professional-Microsoft-Integration-Services-Programmer/dp/0470247959/ref=sr_1_1?ie=UTF8&s=books&qid=1239833324&sr=8-1
- http://www.amazon.com/MCTS-Self-Paced-Training-Exam-70-445/dp/0735623414/ref=sr_1_7?ie=UTF8&s=books&qid=1239833324&sr=8-7#
- http://www.amazon.com/MCTS-Self-Paced-Training-Exam-70-448/dp/0735626367/ref=sr_1_4?ie=UTF8&s=books&qid=1239833324&sr=8-4
- http://www.amazon.com/reader/0470496924?encoding=UTF8&ref=sib_dp_pop_fc&page=1#reader

Resources - SSAS



- http://www.amazon.com/Microsoft%C2%AE-Server%C2%AE-Analysis-Services-Microsoft/dp/0735626200/ref=sr_1_5?ie=UTF8&s=books&qid=1252100419&sr=1-5
- http://www.amazon.com/Microsoft-Server-2005-Analysis-Services/dp/0672327821/ref=sr_1_2?ie=UTF8&s=books&qid=1252100419&sr=1-2
- http://www.amazon.com/Professional-Microsoft-Analysis-Services-Programmer/dp/0470247983/ref=sr_1_4?ie=UTF8&s=books&qid=1252100419&sr=1-4



Resources

Blogs

SSIS Junkie - <http://blogs.conchango.com/jamiethomson/default.aspx>

Brian Knight - <http://pragmaticworks.com/community/blogs/brianknight/default.aspx>

Podcast

SQL Down Under - <http://www.sqldownunder.com/PreviousShows/tabid/98/Default.aspx>

SQL Share (formerly JumpstartTV) – <http://sqlshare.com>

Forums

MSDN SSIS Forum - <http://forums.microsoft.com/MSDN/ShowForum.aspx?ForumID=80&SiteID=1>

Other

Microsoft BI Site - <http://www.microsoft.com/events/series/bi.aspx>

Wikipedia Article - http://en.wikipedia.org/wiki/Data_Warehouse

SQL Serverpedia - <http://sqlserverpedia.com/>

COMFRAME BI – <http://www.comframe.com/bi>



War Child International

COMFRAME
precision software innovation

SQL SERVER MVP DEEP DIVES

MANNING




EDITED BY
Paul Nielsen • Kalen Delaney • Greg Low • Adam Machanic • Paul S. Randal • Kimberly L. Tripp

MVP CONTRIBUTORS
John Baird • Bob Beauchemin • Itzik Ben-Gan • Glenn Berry • Aaron Bertrand • Phil Brummer • Robert C. Cain • Michael Coles • John Paul Cook • Hilary Cotter • Louis Davidson • Christopher Fairbairn • Rob Farley • Denis Goho • Bill Graziano • Dan Guzman • Paul Hison • Tibor Karasz • Kathi Kellenberger • Don Kiehl • Kevin Kline • Hugo Kornetski • Alex Kuznetsov • Marijo Lab • Cristian Leifer • Andy Leonard • Greg Limwood • Bruce Loeble-Conger • Brad McGehee • Paul Nielsen • Pawel Potaszinski • Matthew Roche • Dejan Sarka • Edwin Sarmiento • Gail Shaw • Linchi Shea • Richard Siddaway • Jasper Smith • Eland Sommarskyg • Scott Stauffer • Gert-Jan Strik • Ron Talmage • Tom Van Stiphout • William R. Vaughn • Joe Webb • John Welch • Erin Welker • Allen White

WAR child 100% of author royalties go to support War Child International

You can take a child out of war,
but how do you take
the war out of a child?



WAR
child
INTERNATIONAL

<http://www.warchild.org>

<http://www.SQLServerMVPDeepDives.com>



Thanks Again!

- Questions?
- All material available at <http://arcanecode.com>
- rcain@comframe.com