SEATING AT ITS BEST










# Have you heard the Buzz?....www.buzzseating.com



# **INDEX**

SIDE CHAIRS	
Flite	5
Start	6
Jem	7
Caboodle	12
Melo Side	22
SPECIALITY STOOLS/URETHANE	
Jem	7
Polyurethane	17
General Purpose	18
Medical	18
Dental	19
Pronto Sit Stand	37
EXECUTIVE TASK	
Leather On Demand	
Bailey	
Rika	26
MESH BACK TASK	
Dandy	
Nifty	
Melo Task	
Rika	
Pronto Mesh Heavy Duty	36
PRONTO SERIES	
Sit/Stand	
Bantam	
Petite	
Mid Back	
High Back	50

HEAVY DUTY TASK
Big & Tall
Shield
Pronto 24/7
SMALL FOOT PRINT TASK
Snap
Dandy
MISCELLANEOUS PARTS/ACCESSORIES
Arm Options
Caster Options
Arm Pad Options59
Accessories
Parts List60
STOOLS
Nifty21
Melo Task
Rika
Snap
Pronto Mesh Heavy Duty



#### **BUSINESS DONE RIGHT!**

#### **Prices**

All prices are suggested manufacturer's list and are subject to change without notice. Prices in effect at the time of the order acceptance shall apply.

#### **Shipping Cartons/Blanket Wrap**

All products are delivered in a box and assembly may be required. Blanket wrapped shipments can be prearranged with Customer Service for full truckload quantities only. Additional fees may apply.

#### **Freight Terms & Claims**

All shipments are subject to the standard freight program which requires a minimum of twelve (12) chairs for free freight in the contiguous 48 United States. Prepaid freight is based upon standard ground shipments. Shipping charges may apply for any special delivery requests such as inside or residential delivery or liftgate service. A \$40 charge applies for all "Call Before Delivery" requests. Buzz Seating reserves the right to determine the most economical shipment method and is not responsible for delays that may occur during transit. If any delivered product arrives damaged or missing parts, Buzz Seating must be notified within fourteen (14) calendar days of receipt of product. Purchaser waives any right to claim damage or missing parts and incurred charges will be the responsibility of the receiver for claims received after fourteen (14) calendar days.

#### **Product Design**

Buzz Seating reserves the right to make changes in design or material to discontinue products and/or change components at its discretion. Chair dimensions are often interpreted differently depending upon the manner in which measured. Actual dimensions can vary slightly depending on model and options selected.

#### To Order

Specify model number and all other applicable information on a purchase order. Orders will be immediately acknowledged identifying the products ordered, price and scheduled ship date. Customers are responsible to review order acknowledgments for accuracy. Please note that verbal orders cannot be accepted.

#### **Changes and Cancellations**

Orders that have entered any stage of production cannot be canceled without penalty. Order changes must be in writing and, upon review, a decision will be made if the change can be accepted and/or calculation of applicable or additional costs or fees due to change(s).

#### Returns

Authorization for return must be requested and approved by Buzz Seating prior to the return of the product. Returns are subject to a 35% restocking charge of the net sale and applicable shipping costs. Unauthorized returns will not be accepted.

#### **Shipping Terms**

Orders are shipped as soon as possible or as requested by the purchaser. Factors such as quantity or fabric selection can affect shipping schedules. Buzz Seating is not responsible or liable for any financial consequences resulting from production, shipping or delivery delays.

#### CAL 117-2013 and CAL 133

Buzz Seating's entire line meets CAL 117-2013 fire standards. CAL 133 is available on most models. Burn certificates available upon request. Check with Customer Service for additional information.

#### **Authorized Dealer Requirement**

To become an authorized Buzz Seating dealer, a dealer must be willing and able to provide full dealer services to the end user, including, but not limited to, design, product demonstrations, on-site installation, delivery, repairs, service, and warranty work. Additionally, Buzz Seating reserves the right to designate and authorize a dealer of record of its choice as it relates to a specific project, order or contract.

#### E-Commerce

Buzz Seating does not permit the marketing or sale of its products via e-commerce websites without the express written consent of the company.

#### **Credit Terms and Policy**

Where credit has been established, terms are net 30 days. A service charge of 1-1/2% per month or the maximum allowed by law will be imposed on all past due accounts. New accounts are required to submit a dealer application before an order can be processed. A minimum 50% deposit is required with the first order. Initial orders of \$1,000 or less require full prepayment. Once credit has been established, deposits are only required based upon payment history, unusual circumstances, or large orders. Payments made by credit card are subject to a 4% fee.

#### Warranty

Buzz Seating warrants to the original purchaser that components and workmanship will be free from defects under normal use from the date of original purchase as described below. As the sole remedy under this warranty, the company will repair or replace, at its discretion, without charge to original purchaser only the defective products or parts as follows:

#### Components

<u>LIFETIME WARRANTY</u> which is the entire time owned by the original end user for all chair components including pneumatic cylinder, mechanism, base, and casters.

#### **Upholstery and Foam**

5 year warranty on upholstery and foam; 10 year warranty on mesh. COM is not covered under the Buzz Seating warranty.

Normal use is defined under this warranty as standard commercial use based upon the product being properly utilized in a typical office environment, 8 hours per day, 5 days per week, with a weight limit not to exceed specified chair model weight. See specific chair series price book pages for weight limits and/or amended warranty information.

Normal wear and tear is not warrantied. Damages from misuse, abuse, alterations, accident or negligence are not covered. Buzz Seating is not responsible for incidental or consequential damages. Any labor or travel cost regarding installation, service, or repairs are the full responsibility of the dealer. Orders processed by Buzz Seating are done so with unconditional and full acceptance by the purchaser of Buzz Seating's published terms, conditions, and warranties. Absent Buzz Seating's willful misconduct or gross negligence, Buzz Seating shall not be liable for any damages or loss arising from the products, including personal injury or damage to property.

Except for the express representations and warranties set forth herein, Buzz Seating expressly disclaims and makes no warranties or representations, either express or implied on the products, including, but not limited to, any warranty of quality, design, condition, merchantability, or fitness for any purpose, or any warranty against patent infringement or latent defects. Except as expressly contained herein, all products are acquired as is, where is, with all faults, and without express or implied warranty of any kind.

#### Force Majeur

Buzz Seating shall not be liable for delay or failure to perform due to any event reasonably beyond its control, including but not limited to: fire, flood, strike, act of God, act of any governmental authority or of customer, riot, embargo, fuel or energy shortage, wrecks or delay in transportation, inability to obtain necessary labor, materials or manufacturing facilities from usual sources or failure of suppliers to meet their contractual obligations. In the event of a delay due to any such cause, Buzz Seating, at its sole discretion, may extend the date of delivery or time from completion as reasonably necessary to overcome the effect of such delay, to allocate any available supply of goods in a manner it deems reasonable, or to cancel any order. Should a qualifying event occur, Buzz Seating will immediately notify the customer's authorized representative by phone and email.

Buzz Seating strives to utilize North American manufactured components and labor whenever possible.

NAFTA Compliant / TAA Compliant All products meet or exceed ANSI/BIFMA Standards

©2003-2022 Buzz Seating, Inc. All rights reserved.

#### **COM (Customer's Own Material)**

#### **COM Approval**

All COM fabric must be approved for use by Buzz Seating. It is recommended that a full yard of sample upholstery be submitted for testing and approval prior to processing an order. Many upholsteries are already pre-approved and do not require sampling. Please check with Customer Service for direction.

#### Yardage Requirements

For plain, non-directional, solid color or non-patterned upholstery, please follow the yardage requirements printed in this price book for each chair; however orders of 10 chairs or more usually require less yardage due to upholstery yield. Some repeat or patterned upholstery may require additional yardage. Contact Customer Service for exact yardage requirements.

#### **Production Scheduling and Shipping**

COM fabrics will be scheduled immediately into production upon receipt of the fabric at our plant location.

#### **Submitting COM Upholstery**

For identification purposes, it is important to reference the dealer's name and purchase order number on all upholstery rolls. Upholstery that requires special application or direction must be clearly explained by completion and submission of the form below. It is very important to follow all instructions listed regarding submission of COM upholstery.

#### **Please Note**

COM fabric will be inspected at our plant for quality issues. Buzz Seating will not be held responsible for defects, color, dye lot variations, or material flaws regarding COM fabric. Buzz Seating does not provide warranty for COM fabrics. Excess yardage will not be returned unless requested. A written request must be received at the time of order for return of excess COM yardage. Shipping charges are applicable.

#### **Custom Upholstery Requests**

Buzz Seating offers a graded-in program for many upholstery suppliers that is published on the website. For any COM not listed, contact Customer Service for direction. Buzz Seating assumes no liability or warranty for any COM material. Only upholstery specifically carded within the Buzz Seating program will retain the published warranty.

Unhalstery and form for pre-testing and approval only

# COM Form Please Check One:

	Upholstery and form for actual order
Name	Phone
Contact Person	Fax
Address	Email
Purchase Order Number	
Chair Model	
Qty Ordered	
Yardage Required Per Chair	
COM Mill Supplier	
COM Upholstery Name/Number	
COM Upholstery Color	
Total Yardage Shipped	

#### PLEASE CONTACT CUSTOMER SERVICE FOR ADDRESS TO SHIP COM UPHOLSTERY

# Please circle for correct upholstery direction application Horizontal Vertical Be sure to follow COM instructions above

#### **Top of Chair**

#### **Attach Upholstery Here**

(Place upholstery in the direction it should be applied to the chair.

If not returned with upholstery direction specified, factory will make judgment.)

**Bottom of Chair** 

#### **GSA CONTRACT**



GSA Contract No. GS-28F-0040U TIN# 03-053-1579 SIN# 33721 Schedule MAS Office Furniture Contract Period: September 01, 2008 – August 31, 2023 Business Size: Small

Special Item Numbers Awarded:33721 Multipurpose Seating33721 Stacking Chairs

1b. Lowest Priced Item: 33721 PRB01 \$535.00

33721 FL00 \$395.00

1c. Hourly rates: Not Applicable

 Maximum order: \$200,000.00

3. Mimimum order: \$100.00

Georgaphic coverage:
 The 48 contiguous states and the District of Columbia,
 Alaska, Hawaii, Puerto Rico, and the Virgin Islands

5. Point of production: Cincinnati, OH and Cambridge, ON

6. Discount from list: 60%

7. Quantity discounts: \$50,000.00-\$99,999.00

\$50,000.00-\$99,999.00 extra 1% off net \$100,000.00-\$149,000.00 extra 2% off net \$150,000.00-\$200,000.00 extra 3% off net

8. Prompt payment terms: Net 30 Days

9a. Notification that government purchase cards are accepted or not accepted above the micro-purchase threshold Yes-Credit Cards accepted-Visa and Mastercard

9b. Notification whether government purchase cards are accepted or not accepted above the micro-purchase threshold

Yes-Credit Cards accepted-Visa and Mastercard

10. Foreign items: None

11a. Time of delivery:

14 days after receipt of order

11b. Expedited delivery: Available on all produce

Available on all products-Contact Factory

11c. Overnight and 2-day delivery: Available on all products-Contact Factory

11d. Urgent requirements:
 As per clause I-FSS-100 A, to effect a faster delivery,
 please contact the local dealer or factory

F.O.B. points:
 Destination/CONUS, within the 48 contiguous states and the District of Columbia. Port of embarkation for delivery to Alaska, Hawaii, Puerto Rico and the Virgin Islands

a. Ordering address:
Buzz Seating, Inc.
4774 Interstate Drive
Cincinnati, OH 45246
Tel: (877) 263-5737
Fax: (513) 772-7328

Email: customerservice@buzzseating.com Authorized dealer should be noted on order

13b. Ordering procedures:

For supplies and services, the ordering procedures, information on Blanket Purchase Agreements (BPA's) are found in Federal Acquisition Regulation (FAR) 8.405-3

14. Payment address:
Buzz Seating, Inc.
PO Box 31379
Cincinnati, OH 45231
Tel: (877) 263-5737
Fax: (513) 772-7328

15. Warranty provisions:

Buzz Seating offers a lifetime warranty against manufacturer's defects on components and 5 years on fabric and foam

16. Export packing charges: Quoted on request

17. Terms and conditions of government purchase card acceptance:

A. Credit card number

B. Credit card expiration date

C. Individual's name as it appears on credit card & CVC code

D. Telephone number to whom credit card is issued

18. Terms and conditions of rental, maintenance and repair: Not applicable

19. Terms and conditions of installation: Contact Factory

20. Terms and conditions of repair parts: Contact Factory

20a. Terms and conditions for any other services: Contact Factory

21. Servicing Dealers:
Available upon request

22. List of participating dealers: Available upon request

23. Preventive maintenance: Contact Factory

24a. Special attributes such as environmental attributes: Not Applicable

24b. Not Applicable:

Data Universal Number System Number (DUNS):
 14-298-7200

Central Contractor Registration: Buzz Seating, Inc. is registered with the Central Contractor Registration (CCR) database Cage Code 51S38

# **Flite®** Stacking Series

SQUARE BACK ARMLESS VERSION

**RADIUS BACK** 

ARM VERSION

#### Perfect meeting room chair

- 7/8" steel frame
- 14 gauge steel
- Arm or armless
- · Black frame

- Stackable 3-4 high
- Multiple options
- Ships fully assembled

300 lb. Capacity

All prices are LIST

Model	Arm Options	1	COM 2	Uphol 3	stery Gr	ade 5	6
FLS00	armless	395	425	455	490	535	590
FLS10	with arms	450	480	510	545	590	645

#### 300 lb. Capacity

All prices are LIST

Model	Arm Options		COM 2	Uphol 3	stery Gr 4	ade 5	6
FLR00	armless	395	425	455	490	535	590
<u>FLR10</u>	with arms	450	480	510	545	590	645

#### Options

back height 16"

overall outside width 19.75" armless

overall outside depth 21.25" overall outside height 31.5"

overall outside width 23.5" with arms



Ganging Brackets



1" Extra Seat Foam

#### **Back Panel Options**

- SB Standard upholstered back panel. (DEFAULT)
- **BB** Ballistic nylon back recommended (no upcharge)
- BP Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** or **BP** is recommended. One option is provided without an additional upcharge. If both options are ordered, a **45** list upcharge applies. Refer to web site for **BP** color selections.

#### DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

	Additional Options	
MODEL#		ADD
CAL133	California Technical Bulletin 133	115
MF	Memory foam 1" layered seat	105
EF	1" Extra seat foam	46
GB	Adjustable width ganging brackets	35 / pair
GLSLG2	Self leveling chrome glides (set of 4)	29
CF/CFC	Chrome and custom color frame finish available. Minimum order quantity and extended lead time applies. Contact Customer Service for further information	-

TO ORDER, please specify: model back panel options fabric pattern fabric color price
EXAMPLE FLR00 SB GLSLG2 MOGULS FLARE 2188 424



Actual dimensions will vary depending on model and options selected.

**Dimensions:** seat width 19.5" seat height from floor

seat depth 20"

COM Requirements: 1.25 yards per chair

17.5 lbs



14 gauge steel tube frame 20" wide seat (actual seat)

#### Strong and solid lobby or side chair

- 7/8" steel frame
- 14 gauge steel
- Arm or armless
- Black frame

- · Sled base
- Easy mobility
- · Timeless design
- Ships fully assembled

300 lb. Capacity

All prices are LIST

Model	Arm Options	1	COM 2	Uphols 3	stery Gra 4	ade 5	6
<u>ST00</u>	armless	465	495	525	560	605	660
<u>ST10</u>	urethane arm pads	510	540	570	605	650	705

**Arm Options** 



**Options** 





#### **Back Panel Options**

SB Standard upholstered back panel. (DEFAULT)

**BB** Ballistic nylon back – recommended (no upcharge)

Bumper back trim – recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered, a 35 list upcharge applies. Refer to web site for BP color selections.

#### **DEFAULT IS SB UNLESS SPECIFIED OTHERWISE**

Additional Options										
MODEL#		ADD								
CAL133	California Technical Bulletin 133	115								
MF	Memory foam 1" layered seat	105								
EF	1" Extra seat foam	46								
GB	Adjustable width ganging brackets	35 / pair								
CF/CFC	Chrome and custom color frame finish available. Minimum order quantity and extended lead time applies. Contact Customer Service for further informati	Ė								

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 20"

COM Requirements: 1.50 yards per chair

seat height from floor

back width 20" overall outside width 22"

seat depth 18" back height 17.5" 25 lbs.

TO ORDER, please specify: back panel fabric pattern fabric color model options price EXAMPLE ST10 MF MOGULS **FLARE 2188** 615 BB







#### The chair that sits like a gem.

- 1" oval steel frame tubing for added strength
- Arm or armless
- · Black or gray frame
- Black or gray arms
- Stack 3-4 high

- Full sized back
- Compound double curved back
- for extreme comfort
- Optional casters

- Waterfall seat front
- Wall saver legs
- Nylon black glides (standard)
- Ships fully assembled

#### 750 lb. Capacity

All prices are LIST

Model	Frame Color	Description	1	COM 2	Uphol 3	stery Gr	ade 5	6
JEM00BK	black	armless	455	495	545	595	655	725
JEM00GR	gray	armless	455	495	545	595	655	725



750 lb. Capacity

All prices are LIST

Model	Frame Color	Description	1	COM 2	Uphol 3	stery Gr	ade 5	6
JEM10BK	black	with arms	520	560	610	660	720	790
JEM10GR	gray	with arms	520	560	610	660	720	790

Black arms are default unless gray arms are specified.

<u>ADD</u>

115

46


46

46



Shown with CC09 carpet casters





Adjustable width ganging brackets 35 / pair **CF/CFC** Chrome and custom color frame finishes available. Minimum order quantity and extended lead time applies. Contact Customer Service for further information.

**Back Panel Options** 

- SB Standard upholstered back panel. (DEFAULT)
- **BB** Ballistic nylon back recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB is recommended. BP is not available on Jem chairs.



Adjustable Width

Ganging Brackets

Polyurethane Version: • Extended lead time

- · Minimum order quantity
- Grade 4 pricing

Actual dimensions will vary depending on model and options selected.

**Dimensions:** seat width 19.5" seat height from floor 17.5" seat depth 18.5" Weight:

JEM00 18 lbs. JEM10 21 lbs.

COM Requirements: 1.25 yards per chair

back height 16"

overall outside width 21.5" armless overall outside width 25" with arms

overall outside depth 24" overall outside height 33.5" overall height at arm 27"

TO ORDER, please specify: fabric pattern fabric color model options price **EXAMPLE** JEM10BK EF MOGULS **FLARE 2188** 566



**Polyurethane Version** 



#### The chair that sits like a gem.

- 1" oval steel frame tubing for added strength
- Arm or armless
- · Black or gray frame
- · Black or gray arms
- Stackable 3-4 high

- Full sized back
- Compound double curved back for extreme comfort
- Optional casters

- · Waterfall seat front
- Wall saver legs
- Nylon black glides (standard)
- Ships fully assembled

#### 750 lb. Capacity

All prices are LIST

All prices are LIST

Model	Frame Color	Description	1	COM 2	Upholstery Grade 3 4 5			6
<u>JEM00+3BK</u>	black	armless	695	745	825	935	1045	1170
JEM00+3GR	gray	armless	695	745	825	935	1045	1170



**Additional Options** 

CAL133 California Technical Bulletin 133

1" Extra seat foam

Black carpet casters (set of 4)

Black hard floor casters (set of 4)

Adjustable width ganging brackets

available. Minimum order quantity and

extended lead time applies. Contact Customer Service for further information.

**CF/CFC** Chrome and custom color frame finishes

MODEL#

CC09

HC09

EF

GB

Model	Frame Color	Description	1	2	3	4	5 5	6
<u>JEM10+3BK</u>	black	with arms	760	810	890	1000	1110	1235
JEM10+3GR	gray	with arms	760	810	890	1000	1110	1235

Black arms are default unless gray arms are specified.



Shown with CC09 black carpet casters

#### Back Panel Options

SB Standard upholstered back panel. (DEFAULT)

**BB** Ballistic nylon back – recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** is recommended. **BP** is not available on Jem chairs.





price

760

Actual dimensions will vary depending on model and options selected.

			J		
Dimer	nsions:	seat width 22.5"	seat height from floor	back width 22.5"	
		seat depth 18.5"	17.5"	back height 16"	
Weigh	ıt:			overall outside width	24.5" armless
JEM00	0+3	24 lbs.		overall outside width	28" with arms
JEM10	0+3	28 lbs.		overall outside depth	24"
				overall outside height	33.5"
COM	Require	ments: 2.25 yards po	er chair	overall height at arm	27"

<u>ADD</u>

130

46

46

52

TO ORDER, please specify: model options fabric pattern fabric color

EXAMPLE JEM10+3BK - MOGULS FLARE 2188





#### The chair that sits like a gem.

- 1" oval steel frame tubing for added strength
- Arm or armless

**Jem+6**<sup>™</sup> Side Chair

- · Black or gray frame
- Black or gray arms

- Stackable 3-4 high
- Full sized back
- Compound double curved back for extreme comfort
- Waterfall seat front
- Wall saver legs
- Nylon black glidesShips fully assembled

930

930

**Upholstery Grade** 

1040

1040

1150

1150

#### 750 lb. Capacity

COM


850

850

All prices are LIST

1275

1275





All prices are LIST

Model	Frame Color	Description	1	COM 2	Upho 3	Istery Gra 4	ade 5	6
JEM10+6BK	black	with arms	865	915	995	1105	1215	1340
JEM10+6GR	gray	with arms	865	915	995	1105	1215	1340

Black arms are default unless gray arms are specified.

#### Additional Options

MODE	<u>ADD</u>				
CAL133	California Technical Bulletin 133	145			
EF	1" Extra seat foam	64			
GB	Adjustable width ganging brackets	35 / pair			
CF/CFC Chrome and custom color frame finishes available. Minimum order quantity and					

extended lead time applies. Contact Customer Service for further information.

#### Back Panel Options

SB Standard upholstered back panel. (DEFAULT)

**BB** Ballistic nylon back – recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** is recommended. **BP** is not available on Jem chairs.



1" Extra Seat Foam



Seat Foam

Adjustable Width Ganging Brackets

Actual dimensions will vary depending on model and options selected.

Dimensions:	seat width 25.5"	seat height from floor	back width 25.5"	
	seat depth 18.5"	17.5"	back height 16"	
Weight:			overall outside width	27.5" armless
JEM00+6	30 lbs.		overall outside width	31" with arms
JEM10+6	34 lbs.		overall outside depth	24"
			overall outside height	33.5"
COM Require	ements: 3 yards per o	chair	overall height at arm	27"

TO ORDER, please specify:modeloptionsfabric patternfabric colorpriceEXAMPLEJEM10+6BK-MOGULSFLARE 2188865





- 1" oval steel frame tubing for added strength
- Arm or armless
- · Black or gray frame
- · Black or gray arms

- · Stackable 3-4 high
- Full sized back
- Compound double curved back for extreme comfort
- · Waterfall seat front
- Wall saver legs
- Soft black multi surface glides (standard)

ery Grade

845

845

910

Ships fully assembled

#### 350 lb. Capacity

All prices are LIST

6

915

915

980

980

Model	Frame Color	Description	1	COM 2	Uphol 3	stery G 4
JEM24S00BK	black	armless	650	690	740	785
JEM24S00GR	gray	armless	650	690	740	785
JEM24S10BK	black	with arms	715	755	805	850
JEM24S10GR	gray	with arms	715	755	805	850

#### 350 lb. Capacity

All prices are LIST

				' '			,	
Model	Frame Color	Description	1	COM 2	Uphol 3	stery Gr	ade 5	6
JEM27S00BK	black	armless	650	690	740	785	845	915
JEM27S00GR	gray	armless	650	690	740	785	845	915
JEM27S10BK	black	with arms	715	755	805	850	910	980
JEM27S10GR	gray	with arms	715	755	805	850	910	980

Black arms are default unless gray arms are specified.

5	

24" seat height

27" seat height

Use for work surfaces up to 36" high

Additional Options	Back Panel O

**ADD** 

115

46

SB Standard upholstered back panel. (DEF	FAULT)
--	--------

**BB** Ballistic nylon back – recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB is recommended. BP is not available on Jem chairs.

ptions



Adjustable Width Ganging Brackets



1" Extra Seat Foam

Actual dimensions will vary depending on model and options selected. overall outside width 21.5" armless

overall outside width 25" with arms seat depth 18.5" back height 16" Weight: overall outside height 40" JFM24S 25 lbs. seat height from floor 24" JEM27S 27 lbs. seat height from floor 27" overall outside height 43"

back width 19.5"

CAL133 California Technical Bulletin 133

1" Extra seat foam

**CF/CFC** Chrome and custom color frame finishes

Adjustable width ganging brackets 35 / pair

available. Minimum order quantity and extended lead time applies. Contact

Customer Service for further information.

COM Requirements: 1.25 yards per chair

Dimensions: seat width 19.5"

MODEL#

EF

GB

TO ORDER, please specify:	model	options	fabric pattern	fabric color	price
EXAMPLE	JEM24S00BK	EF	MOGULS	FLARE 2188	696





- 1" oval steel frame tubing for added strength
- Arm or armless
- Black or gray frame
- Black or gray arms

- Stackable 3-4 high
- Full sized back
- Compound double curved back for extreme comfort
- · Waterfall seat front
- Wall saver legs
- Soft black multisurface glides (standard)
- Ships fully assembled



30" seat height

Use for work surfaces up to 42" high

350 lb. Capacity

All prices are LIST

Model	Frame Color	Description	1	COM 2	Uphol 3	stery Gra 4	ade 5	6
JEM30S00BK	black	armless	650	690	740	785	845	915
JEM30S00GR	gray	armless	650	690	740	785	845	915
JEM30S10BK	black	with arms	715	755	805	850	910	980
JEM30S10GR	gray	with arms	715	755	805	850	910	980

Black arms are default unless gray arms are specified.

Additional Options						
MODE	<u>_#</u>	ADD				
CAL133	California Technical Bulletin 133	115				
EF	1" Extra seat foam	46				
GB	Adjustable width ganging brackets	35 / pair				
CF/CFC	Chrome and custom color frame fir available. Minimum order quantity a extended lead time applies. Contact Customer Service for further inform	and ct				

**Back Panel Options** 

SB Standard upholstered back panel. (DEFAULT)

**BB** Ballistic nylon back – recommended (no upcharge)

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** is recommended. **BP** is not available on Jem chairs.



1" Extra Seat Foam



Ganging Brackets

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 19.5" back width 19.5" overall outside width 21.5" armless seat depth 18.5" back height 16" overall outside width 25" with arms Weight: overall outside height 46" JEM30S 30 lbs. seat height from floor 30"

COM Requirements: 1.25 yards per chair

TO ORDER, please specify: options fabric pattern fabric color price MOGULS EXAMPLE JEM30S00BK EF **FLARE 2188** 696







# **Caboodle**<sup>®</sup> Nesting Chair Mesh Back Series





#### Extreme comfort, quality construction, value priced.

- · Solid overall construction
- Arm or armless
- Black or silver frame
- Durable poly mesh back
- Ships KD with assembly required





All prices are LIST

Model	Frame Color	Description	Stock Black	1	COM 2	Upho 3	Istery Gra 4	ade 5	6
CA00BK	black	armless	420	470	495	520	545	570	600
CA00SR	silver	armless	420	470	495	520	545	570	600

Ships with CC02 hooded carpet casters

300 lb. Capacity

All prices are LIST



Model	Frame Color	Description	Stock Black	1	COM 2	Upho 3	Istery Gra 4	ade 5	6
CA10BK	black	with arms	440	490	515	540	565	590	620
CA10SR	silver	with arms	440	490	515	540	565	590	620

Ships with CC02 hooded carpet casters

	Additional Options	
MODEL#		ADD
CAL133	California Technical Bulletin 133 (not available with stock black mesh seat)	58
HC02	Black hard floor casters (set of 4)	46

Actual dimensions will vary depending on model and options selected.

**Dimensions:** seat width 18.5" seat height from floor

CAL133

seat depth 18"

back width 18.25" back height 17"

Weight: CA00 18 lbs. CA10 21 lbs. overall outside width 22.75" armless overall outside width 24.75" with arms overall outside depth 24"

COM Requirements: .5 yard per chair

overall outside height 34" overall height at arm 25.25"

CA10BK

fabric color **FLARE 2188** 

FREIGHT PROGRAM 11 or fewer \$25 net per chair













TO ORDER, please specify:

**EXAMPLE** 

fabric pattern

MOGULS

List

690

690

690

1190

1185

1185

1185

1290

1290

1290

895

895

1010

1185

1185

1185

1290

1290

1290

1185

1185

1290

1290

1245

1245

1245

1245

1385

1385

1385

1385

395

395

1495

1495

1495

Ships KD with assembly required Note: Ships with all purpose casters.

LOD20BK BLACK lobby

**LOD20TP** TAUPE lobby

LOD28BK BLACK

LOD20BN BROWN lobby

LOD45BK BLACK midback

LOD45GR2T GRAY midback

LOD45LA2T LATTE midback

LOD48BK BLACK highback

LOD48GR2T GRAY highback

LOD48LA2T LATTE highback

LOD50BK BLACK side chair

LOD55BK BLACK midback

LOD58BK BLACK highback

LOD65BK BLACK midback

LOD65BN BROWN midback

LOD65WH WHITE midback

LOD68BK BLACK highback

LOD68BN BROWN highback

LOD68WH WHITE highback

LOD75BK BLACK midback

LOD75GR GRAY midback

LOD78BK BLACK highback

LOD78GR GRAY highback

LOD85BK BLACK midback

LOD85BN BROWN midback

LOD85AL ALMOND midback

LOD85WH WHITE midback

LOD88BK BLACK highback

LOD88BN BROWN highback

LOD88AL ALMOND midback

LOD88WH WHITE highback

LOD151BK BLACK ottoman

LOD151AL ALMOND ottoman

LOD157BK BLACK highback

LOD157AL ALMOND highback

LOD189BK BLACK

Model



LOD189BK BLACK



LOD45BK BLACK **LOD45GR2T** GRAY LOD45LA2T LATTE midback



**LOD48BK** BLACK **LOD48GR2T** GRAY LOD48LA2T LATTE highback



**LOD75BK** BLACK **LOD75GR** GRAY midback



**LOD78BK** BLACK **LOD78GR** GRAY highback



**LOD88BK** BLACK **LOD88BN** BROWN **LOD88AL** ALMOND **LOD88WH** WHITE highback





LOD28BK BLACK

See www.leatherondemand.com for actual leather colors



LOD50BK BLACK side chair



LOD55BK BLACK midback



LOD58BK BLACK highback



LOD20BK BLACK **LOD20BN** BROWN



LOD85BK BLACK

**LOD85BN** BROWN

**LOD85AL** ALMOND

midback

**LOD85WH** WHITE

**LOD20TP** TAUPE lobby

FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more **free** shipping

		Additional Options	
n	MODEL# BACO	Base collar (adds 3/4" to seat height)	<b>ADD</b> 6



**LOD65BK** BLACK **LOD65BN** BROWN **LOD65WH** WHITE midback



**LOD68BK** BLACK **LOD68BN** BROWN **LOD68WH** WHITE highback



LOD151BK BLACK LOD157BK BLACK LOD151AL ALMOND LOD157AL ALMOND highback ottoman

Chair

24" base

Stool

26" base



- Simple synchro tilt
- Optional drop-away or height-adjustable arms

- Convex back
- Back and seat upholstered in same or contrasting fabrics
- Ships KD with assembly required

# 300 lb. Capacity

All prices are LIST

	Arm Pad Options		СОМ	Upholstery Grade			
Arm Options	(default pad in bold)	1	2	3	4	5	6
armless	-	795	820	845	870	895	920
DA drop away	<b>BAP</b> , BT	920	945	970	995	1020	1045
<b>VF</b> fixed	-	900	925	950	975	1000	1025
ATS adj. T	BAP, <b>BT</b>	920	945	970	995	1020	1045
ATS/AW adj. T	BAP, <b>BT</b>	935	960	985	1010	1035	1060
	DA drop away VF fixed ATS adj. T	Arm Options (default pad in bold)  armless -  DA drop away BAP, BT  VF fixed -  ATS adj. T BAP, BT	Arm Options         (default pad in bold)         1           armless         -         795           DA drop away         BAP, BT         920           VF fixed         -         900           ATS adj. T         BAP, BT         920	Arm Options         (default pad in bold)         1         2           armless         -         795         820           DA drop away         BAP, BT         920         945           VF fixed         -         900         925           ATS adj. T         BAP, BT         920         945	Arm Options         (default pad in bold)         1         2         3           armless         -         795         820         845           DA drop away         BAP, BT         920         945         970           VF fixed         -         900         925         950           ATS adj. T         BAP, BT         920         945         970	Arm Options         (default pad in bold)         1         2         3         4           armless         -         795         820         845         870           DA drop away         BAP, BT         920         945         970         995           VF fixed         -         900         925         950         975           ATS adj. T         BAP, BT         920         945         970         995	Arm Options         (default pad in bold)         1         2         3         4         5           armless         -         795         820         845         870         895           DA drop away         BAP, BT         920         945         970         995         1020           VF fixed         -         900         925         950         975         1000           ATS adj. T         BAP, BT         920         945         970         995         1020

Ships with CC07-SL black & silver non-hooded carpet casters and CY06 height cylinder

#### **Mechanism Functions**

#### **Synchro Tilter**

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, locks in upright position, tilt tension control.



BT bullet arm pad (default pad if none specified)

**Arm Pad Options** 

BAP Buzz arm pad

	Additional Options	
MODEL#		ADD
GLBG	Stationary bell glides (set of 5)	41
HC07	Hard floor casters (set of 5) Black only	46
ALUM PKG	Includes: Base25-THA, Cylinder (CY02-CH), Casters (CCCH or HCCH)	175

#### **Arm Options**





VF fixed chrome with soft urethane pad


TO ORDER, please specify:

**EXAMPLE** 

16



(BT pad recommended)



ATS/AW adj. T includes height and width adjustment (BT pad recommended)

Actual dimensions will vary depending on model and options selected.

arm

ATS

Dimensions:

seat width 20.5" seat depth 18" seat height from floor 16"-215" back width 20.5" back height 22"

arm pad

BT

Weight: 38 lbs.

COM Requirements: 2.25 yards per chair

model

BA02



fabric pattern

MOGULS

options

OPTION 1

Option 2 use pricing for highest fabric grade selected

fabric color

**FLARE 2188** 

seat and back upholstered

back upholstery

seat upholstery

in like material

back faux color **BLACK** 

price 920



OPTION 2

Self-skinned polyurethane

- · Chair or stool version
- · Hard floor soft wheel casters
- · Industrial, medical or lab applications
- Easy cleaning
- · Ships KD with assembly required

#### **Chair Version**

All prices are LIST

price

579

17

Model	Description	Chair
<u>UR4001</u>	Basic Task (1 paddle) Swivels 360°, pneumatic cylinder seat height adjustment	345
<u>UR4003</u>	Posture Back (2 paddles) Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle adjustment, back height adjustment	455

Ships with CY02 height cylinder and includes HC01 hard floor casters.

#### **Stool Version**

300 lb. Capacity All price
----------------------------

Stool version	300 lb. Capacity	All prices are LIST
Model	Description	Chair
UR4001-XSP	Basic Task (1 paddle) Swivels 360°, pneumatic cylinder seat height adjustment	510
UR4003-XSP	Posture Back (2 paddles) Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle adjustment, back height adjustment	620

Ships with CY05 10" cylinder, footring and HC01 hard floor casters.

	Additional Options	
MODEL#		ADD
GLBG	Stationary bell glides (set of 5)	41
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
CC01	Carpet casters-black only (set of 5)	N/C

Actual dimensions will vary depending on model and options selected.

UR4001-XSP

Dimensions: seat width 18" seat height from floor chair 15.5"-20.5" back width 16" seat depth 17" seat height from floor stool 21"-31" back height 18"-20"

approx. 30 lbs. chair approx. 33 lbs. stool


options

MSLC



TO ORDER, please specify:

EXAMPLE



# General Purpose/Medical/Dental Series

- 3" Back height adjustment
- 16" diameter seat
- · Dual seat height adjustment handles
- Self pivoting spring back

- Coordinating colors back bar, control & handles, base and casters
- Partial assembly required

#### Only available in medical grade high performance upholstery.

300 lb. Capacity

300 lb. Capacity

All prices are LIST

All prices are LIST



General Purpos	Medical 2	High C	Gr Vinyl 5		
MDS26	Basic unit, 22" base	18-23" seat height	320	340	380
MDS26-CY04	Stool height, 24" base	21-29" seat height	361	381	421
MDS26-CY05	Extended stool height, 24" base	24-34" seat height	384	404	444

Ships with matching color HC01 soft wheel hard floor casters.



		• •			
General Purpo	se Stool With Back		Medica 2	l High ( 3	Gr Vinyl 5
MDS36	Basic unit, 22" base	18-23" seat height	475	505	565
MDS36-CY04	Stool height, 24" base	21-29" seat height	516	546	606
MDS36-CY05	Extended stool height, 24" base	24-34" seat height	539	569	629
MDS36-SP	Stool height with 18" adjustable footring, 24" base	21-29" seat height	608	638	698
MDS36-XSP	Extended stool height with 18" adjustable footring, 24" base	24-34" seat height	631	661	721

Ships with matching color HC01 soft wheel hard floor casters.

300 lb. Capacity

All prices are LIST



Assistant Stool			Medical 2	High G	r Vinyl 5
MDS16	Basic unit, 24" base	17-22" seat height	695	720	770
MDS16-CY04	Stool height, 24" base	20-28" seat height	736	761	811

Ships with matching color **HC01** soft wheel hard floor casters.



3" back height adjustment view



18" footring

TO ORDER, please specify: color combo options fabric pattern fabric color model price MDS26 320 EXAMPLE BLACK SPIRIT 413 DOVE





Not available on

MDS16

Lt Grav base/casters







#### **REQUIRED Specify the following:**

**Black Combo:** Black mechanism, base, casters and cylinder Lt Gray Combo: Lt Gray mechanism, base, casters and chrome cylinder \*Dk Gray Combo: Dk Gray mechanism, base, casters and chrome cylinder \*Sand Combo: Sand mechanism, base, casters and chrome cylinder

\* limited stock - discontinuing. Call customer service





#### **Back Panel Options**

**BP** Ships with black bumper trim unless another color is specified. Choose from 6 colors. Refer to web site for

Buzz Seating is not responsible for back panel wear or tear.



Stool

Basic unit seat height seat height

**Extended stool** seat height



seat height



seat height seat height

Actual dimensions will vary depending on model and options selected.

MDS36 back width 15.5" MDS36 back height 11.5"

Seat width 16"

COM Requirements: Seat: .75 yards Back: 1.25 yards Actual dimensions will vary depending on model and options selected.

MDS16 back width 15.5" MDS16 back height 11.5"

Seat width 16"

COM Requirements: Seat: .75 yards Arm: .5 yards











Upholstered seat and black mesh back

Simple synchro tilt

Tilt tension adjustment

Height adjustable arms

· Ships KD with assembly required

	300 lb. Capacity	All prices are LIST
Model		Stock Black
DANDY		575

Ships with CC07 hooded carpet casters and CY10 height cylinder



	Additional Option	
MODEL#		<u>ADD</u>
HC07	Hard floor casters (set of 5)	46

Actual dimensions will vary depending on model and options selected.

Dimensions:

seat width 21" seat depth 20.5" back width 19.5" back height 20"

seat height from floor 19"-23"

Weight: 34 lbs.

COM Requirements: 1 yard per chair

TO ORDER, please specify:	model	options	fabric pattern	fabric color	price
EXAMPLE	DANDY	-	MOGULS	FLARE 2188	575





# **Nifty Series**™ Upholstered Seat Mesh



- Upholstered seat and black mesh back
- Synchro tilt with 4 position lock
- Tilt tension adjustment
- Seat slider

Height and width adjustable arms

Lumbar adjustment

Ships KD with assembly required



		300 гр. Сарасіту					All price	s are LIST
Madal		Charle Black		СОМ	Uph	olstery	Grade	
Model		Stock Black	1	2	3	4	5	6
NIFTY-L	synchro tilt	850	960	990	1020	1055	1110	1170

Ships with CC07 non-hooded carpet casters and CY07 height cylinder



	300 lb. Capacity						All price	es are LIST
Madel		Ctook Blook		СОМ	Uph	olstery	Grade	
Model		Stock Black	1	2	3	4	5	6
NIFTY-L-SP	seat height from floor 23"-31"	983	1093	1123	1153	1188	1243	1303
NIFTY-L-XSP	seat height from floor 25"-35"	1006	1116	1146	1176	1211	1266	1326

Ships with CC07 non-hooded carpet casters and CY04 or CY05 height cylinder

Stool version non-tilting. Seat height adjustment only.

	Additional Option	
MODEL#		ADD
HC07	Hard floor casters (set of 5)	46

Actual dimensions will vary depending on model and options selected.

Dimensions:

seat width 20.5" back width 19.7 seat depth 19"-21.5" (stool 19") back height 23" seat height from floor 19"-21.5" (chair) back width 19.75"

seat height from floor 23"-31" (stool) seat height from floor 25"-35" (extended stool)

Weight: 43 lbs.

COM Requirements: 1 yard per chair

TO ORDER, please specify:	model	options	fabric pattern	fabric color	price
EXAMPLE	NIFTY-L	HC07	MOGULS	FLARE 2188	896





# Melo® Basic

#### Mesh back companion chair

- 7/8" steel frame • 14 gauge steel
- Black frame
- Stackable
- Durable mesh back
- · Deep waterfall front seat edge

All prices are LIST

Multiple mesh colors

Ships fully assembled.

Arm or armless



			300 ID. C	apacity			All plice	3 are Lioi
Model	Frame Color	Description	1	COM 2	Uphol 3	stery Gra 4	ade 5	6
ME00BK	black	armless	380	400	420	440	460	480

300 lh Cabacity



			300 lb. Capacity A			All price	es are LIST	
Model	Frame Color	Description	1	COM 2	Uphol 3	stery Gra 4	ade 5	6
ME10BK	black	with arms	435	455	475	495	515	535



Additional Options								
MODEL	ADD							
CAL133	California Technical Bulletin 133	60						
CC09	Black carpet casters (set of 4)	46						
HC09	Black hard floor casters (set of 4)	46						
GB	Adjustable width ganging brackets	35 / pair						
CF/CFC	Chrome and custom color frame fil available. Minimum order quantity extended lead time applies. Contar Customer Service for further inform	and ct						

Additional Options								
MODEL	<u>ADD</u>							
CAL133	California Technical Bulletin 133	60						
CC09	Black carpet casters (set of 4)	46						
HC09	Black hard floor casters (set of 4)	46						
GB	Adjustable width ganging brackets	35 / pair						
CF/CFC	Chrome and custom color frame fin available. Minimum order quantity a extended lead time applies. Contac Customer Service for further inform	and t						



Actual dimens	ions will vary	depe	ending on model and options	selected.
Dimensions:	seat width	18"	seat height from floor	back wic

model

ME10BK

Dimensions:	seat width	18"	
	seat depth	18.5"	
Weight:			

ME00 15 lbs. ME10 17 lbs.

COM Requirements: 1 yard per chair

Ganging Brackets

options

back width 17.5" back height 17" overall outside width 18.5" armless overall outside width 22.25" with arms overall outside depth 24" overall outside height 33.5" arm height

**Colored Mesh** MODEL# **COLOR** <u>ADD</u> MM001 Red 65 MM002 65 MM003 65 Green MM004 65 Lt Gray MM005 Dk Gray MM000 Black mesh is default

#### See www.melochair.com for actual mesh colors



Dk Gray

fabric pattern	fabric color	back mesh color	price
MOGULS	FLARE 2188	MM001	500

Lt Gray

#### FREIGHT PROGRAM 11 or fewer \$25 net per chair 12 or more **free** shipping

Black

#### Poly mesh back

- Upholstered seat
- Free floats in unlocked position
- Tilt tension adjustment
- · Ships KD with assembly required

All prices are LIST

275	lb.	Capacity

			, ,	All price	s are LIST		
Model	Arm Options	1	COM 2	Upholste 3	ery Grade 4	5	6
MEHB02 swivel tilt	armless	525	540	555	570	595	630
	<b>ZH</b> fixed conference room	555	570	585	600	625	660
	FH fixed with pad	560	575	590	605	630	665
T	AT adj. T with pad	650	665	680	695	720	755

Ships with CC01 hooded carpet casters and CY14 height cylinder

#### **Swivel Tilter**

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, tilt tension control, tilt free floats or locks in upright position.

#### **Arm Options**

**HIGHBACK** 



ZH fixed conference room



FH fixed with pad



AT adj. T height adjustment w/BAP

	Additional Options	
	MELO BASIC	
MODEL#		ADD
CAL133	California Technical Bulletin 133	60
HC01	Hard floor casters (set of 5)	41


Colored Mesh								
MODEL#	COLOR	ADD						
MM001	Red	65						
MM002	Blue	65						
MM003	Green	65						
MM004	Lt Gray	65						
MM005	Dk Gray	65						
MM000	Black mesh is default	0						

See www.melochair.com for actual mesh colors



Lt Gray





Dk Gray

Black

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 21" back width 20.5" seat depth 21" back height 22" highback

approx. 36-38 lbs. COM Requirements: 1 yard per chair

TO ORDER, please specify:	model	arm	options	fabric pattern	fabric color	back mesh color	price
EXAMPLE	MEHB02	ZH	HC01	MOGULS	FLARE 2188	MM000	596



TO ORDER, please specify:

**EXAMPLE** 

#### Ships partially assembled.

835

895

870

930

Poly Mesh Back						lb. Capaci	All prices are LIST		
Model		Arm Options	Arm Pad Options (default pad in bold)	1	COM 2	Uphol 3	stery Gr	ade 5	6
MEMB04	synchro tilt	armless	-	625	640	655	670	695	730
		DA drop away	<b>BAP</b> , BT	750	765	780	795	820	855
		<b>VF</b> fixed	-	730	745	760	775	800	835
17	T	ATS adj. T	BAP, <b>BT</b>	750	765	780	795	820	855

Ships with CC07-SL black & silver non-hooded carpet casters and CY06 height cylinder

BAP, BT

ATS/AW adj. T

MAT/AW multi-function

MEHB04 synchro tilt **HIGHBACK** 

Most popular

**MIDBACK** 

	armless	-	650	665	680	695	720	755
	<b>DA</b> drop away	BAP, BT	775	790	805	820	845	880
	<b>VF</b> fixed	-	755	770	785	800	825	860
	ATS adj. T	BAP, <b>BT</b>	775	790	805	820	845	880
	ATS/AW adj. T	BAP, <b>BT</b>	790	805	820	835	860	895
	MAT/AW multi-function	-	850	865	880	895	920	955

765

825

780

840

795

855

810

870

Ships with CC07-SL non-hooded carpet casters and CY06 height cylinder

#### Weight activated automatically adapts to the users weight for optimal chair tilting balance

MEHBWA	weight activated tension control	armless	-	745	760	775	790	815	850
	DA drop away	<b>BAP</b> , BT	870	885	900	915	940	975	
T		<b>VF</b> fixed	-	850	865	880	895	920	955
		ATS adj. T	BAP, <b>BT</b>	870	885	900	915	940	975
		ATS/AW adi T	R∆P <b>RT</b>	885	900	015	930	955	aan



MAT/AW multi-function

Stool version non-tilting. Seat height adjustment only.

#### **Melo Seat Sizes**


975

990

1015

1050

960



Standard Default unless otherwise specified

Petite Specify PTS



#### TO ORDER, please specify: options fabric pattern fabric color back mesh color model arm pad price **EXAMPLE** MEMB04 ATS BT SS MOGULS **FLARE 2188** MM000 837

#### **Mechanism Functions**

#### Synchro Tilter

**Synchro Tilter** 

tilt tension control.

(2 paddles)

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 4 position tilt lock, tilt tension control.

Swivels 360°, pneumatic cylinder seat

height adjustment, synchronized tilt

between seat and back, free floats in

unlocked position, 4 position tilt lock,



**Arm Options** 

# DA drop away

**VF** fixed



chrome with soft urethane pad




ATS adj. T height adjustment (BT pad recommended)

#### Weight Activated Tension Control

(2 paddles)

Swivels 360°, pneumatic cylinder height adjustment, synchro tilt self-adjusting user weight balance, tilt tension control, tilt travel limiter.



ATS/AW adj. T includes height and width adjustment (BT pad recommended)



MAT/AW multi-function (no arm pad option)

Actual dimensions will vary depending on model and options selected.

back width 20.5" Dimensions: seat width 21" seat depth 21" seat height Highback 22" Petite (PTS) seat width 19" Midback 18" seat depth 19"

seat height from floor 16"-23" (chair) seat height from floor 24"-32" (stool) approx. 36-38 lbs.

COM Requirements: 1 yard per chair


#### **Arm Pad Options**



BT bullet arm pad (default pad if none specified)



BAP Buzz arm pad



\*When converting to a stool, the tilt feature is disengaged by the factory before shipping.

	Colored Mesh	
MODEL#	COLOR	<u>ADD</u>
MM001	Red	65
MM002	Blue	65
MM003	Green	65
MM004	Lt Gray	65
MM005	Dk Gray	65
MM000	Black mesh is default	0

See www.melochair.com for actual mesh colors



Red

Lt Gray



Blue Green



Dk Gray

Black



# Rika Chair® Upholstered Seat Mesh Back



- Upholstered seat and black mesh back
- · Synchro tilt with 4 position lock
- Free floats in unlocked position
- Tilt tension adjustment
- Seat slider

- Adjustable lumbar support
- Multifunction arms on chair

300 lb. Cabacity

- Height and width adjustable arms on stool
- Ships KD with assembly required



 All prices are LIST

 Model
 COM Stock Black
 COM 1 Upholstery Grade

 1
 2
 3
 4
 5
 6

 RIK-FAB
 995
 1105
 1135
 1165
 1200
 1255
 1315

Ships with CC07 non-hooded carpet casters and CY08 height cylinder



			5 0 0 1D. O	7 III priodo dio Elor					
		Otrada Blasch	СОМ		Upholstery Gra		y Grade	ade	
Model		Stock Black	1	2	3	4	5	6	
RIK-FAB-SP	seat height from floor 23"-31"	1128	1238	1268	1298	1333	1388	1448	
RIK-FAB-XSP	seat height from floor 25"-35"	1151	1261	1291	1321	1356	1411	1471	

Ships with CC07 non-hooded carpet casters and CY04 or CY05 height cylinder

Stool version non-tilting. Seat height adjustment only.



	Additional Options						
MODEL#		ADD					
RAHR	Adj. headrest black mesh	130					
BASE-PAB	Polished aluminum base (raises seat height)	130					
HC07	Hard floor casters (set of 5)	46					





All prices are LIST

Stock Black Mesh Back

Stock Black

Actual dimensions will vary depending on model and options selected.

Dimensions:

seat width 20" back width 21" seat depth 20"-22.25" back height 7" back height 23.5" seat height from floor 17"-20" with short cylinder (CY07) 18"-22" with standard cylinder

19"-24" with tall cylinder (CY09)

If upgrading to PAB please add 1" to seat height.

Please specify if CY07 or CY09 is needed.

seat height from floor 23"-31" (stool) seat height from floor 25"-35" (extended stool)

Weight: 45 lbs. COM Requirements: 1 yard per chair

TO ORDER, please specify: model options fabric pattern fabric color price
EXAMPLE RIK-FAB RAHR MOGULS FLARE 2188 1125









- · Mesh seat and back
- 2 mesh colors
- Synchro tilt with 4 position lock
- · Free floats in unlocked position
- · Tilt tension adjustment

- Seat slider
- Adjustable lumbar support
- · Multifunction arms on chair
- · Height and width adjustable arms on stool
- Ships KD with assembly required



	300 lb. Capacity	All prices are LIST
Model	Mesh Color	List
RIK-B	Black	1140
RIK-G	Gray	1140
Ships with CC07 non-h	nooded carpet casters and CY08 height cylinder	

			300 lb. Capacity	All prices are LIST
	Model	Mesh Color		List
	RIK-B-SP	Black	seat height from floor 23"-31"	1273
	RIK-B-XSP	Black	seat height from floor 25"-35"	1296

Ships with CC07 non-hooded carpet casters and CY04 or CY05 height cylinder

Stool version non-tilting. Seat height adjustment only.



Additional Options							
MODEL#		ADD					
RAHR	Adj. headrest black or gray mesh	130					
BASE-PAB	Polished aluminum base (raises seat height)	130					
HC07	Hard floor casters (set of 5)	46					



See www.rikachair.com for actual mesh colors

Actual dimensions will vary depending on model and options selected.

Dimensions:

seat width 21.5" back width 21"
seat depth 20"-22.25" back height 23.5"
seat height from floor 16"-19" with short cylinder (CY07)
17"-21" with standard cylinder

18"-23" with tall cylinder (CY09)

If upgrading to PAB please add 1" to seat height.

Please specify if CY07 or CY09 is needed.

seat height from floor 23"-31" (stool) seat height from floor 25"-35" (extended stool)

TO ORDER, please specify: model options Price
EXAMPLE RIK-B RAHR 1270





#### Rika Chair® Leather Seat Mesh Back



- Leather seat and black mesh back
- Aluminum package
- 3 leather colors
- Synchro tilt with 4 position lock
- · Free floats in unlocked position
- Tilt tension adjustment
- Seat slider
- Adjustable lumbar support
- Multifunction arms
- Ships KD with assembly required



300 lb. Capacity All prices are LIST Model **Leather Color** List RIK-BL Black 1270 1270 **RIK-GL** Gray 1270 **RIK-RL** Red

Ships with CC07 non-hooded carpet casters and CY08 height cylinder











See www.rikachair.com for actual leather colors

Actual dimensions will vary depending on model and options selected.

seat width 20" back width 21" seat depth 20"-22.25" back height 23.5" seat height from floor 18"-21" with short cylinder (CY07)

19"-23" with standard cylinder 20"-25" with tall cylinder (CY09)

If upgrading to RIK-PBB please subtract 1" from seat height.

Please specify if CY07 or CY09 is needed.

46 lbs. Weight:

TO ORDER, please specify:	model	options	Price
EXAMPLE	RIK-BL	RAHR	1400





Ships partially assembled.

All prices are LIST

275 lb. Capacity

Model		Arm Options		СОМ	Uphol	stery Gra	ıde	
		Time Options	1	2	3	4	5	6
<u>SN</u>	base chair includes	armless chair, plastic back	495	515	535	555	575	595
		FA cantilevered fixed arms	525	545	565	585	605	625

Ships with CC01 hooded carpet casters and CY13 height cylinder



Model	A Outlines	COM Upholstery Grade							
	Arm Options	1	2	3	4	5	6		
SN-UPB	armless chair, upholstered back	590	610	630	650	670	690		
	FA upholstered back, fixed arms	620	640	660	680	700	720		

Ships with CC01 hooded carpet casters and CY13 height cylinder









URSEAT

Urethane seat option



Seat height 22.5"-33"

COM Requirements: Seat .75 yards per chair

Upholstered Back

MODEL# <u>ADD</u> URSEAT Black urethane seat 60 XSP 156 Extended stool package GLBG Stationary bell glides (set of 5) 41 HC01 Hard floor casters (set of 5) 41 Self-braking hard floor casters brake when unoccupied (set of 5) MSLC 69 MSRLC Self-braking hard floor casters 75 brake when occupied (set of 5) (use with plastic base only) BASE22-A Aluminum base 130 (not available on stools) CCCH Chrome hooded carpet casters 52 (set of 5) нссн Chrome hooded hard floor casters (set of 5) CAL133 California Technical Bulletin 133 Seat & Back 120

**Additional Options** 





Cantilevered Fixed

BASE22-A Aluminum Base (not available on stools)

TO ORDER, please specify: fabric pattern fabric color mode options price **EXAMPLE** SN FA MSLC MOGULS **FLARE 2188** 594

Back .75 yards per chair



Weight: approx. 24 lbs.



Big & Tall 350 lb. Series

basic task ratchet back

# Heavy Duty 24/7 Multi-Shift

1580

1520



Model

BC01

Heavy duty components

 Basic or full function mechanism · CY02-HD2 height cylinder

1135

1260

1260

1320

**Arm Pad Options** 

(default pad in bold)

BAP, BT

BAP. BT

• 5 prong 27" nylon base

**Arm Options** 

**DA** drop away

AT/AW adj. T

AL adj. loop

armless

Heavy duty CC01-HD casters

1360

1400

Built to last

Partial assembly required

350 lb. Capacity				ices are LIST
	СОМ	Uphols		
2	3	4	5	6
1175	1215	1275	1335	1395
1300	1340	1400	1460	1520
1300	1340	1400	1460	1520

1460

BC08	multi tilter ratchet back	armless	-	1265	1305	1345	1405	1465	1525
		<b>DA</b> drop away	BAP, BT	1390	1430	1470	1530	1590	1650
		AT/AW adj. T	BAP, BT	1390	1430	1470	1530	1590	1650
		AL adj. loop	-	1450	1490	1530	1590	1650	1710

#### Most popular (recommended)

BC09	multi tilt ratchet back integrated seat slider	armless	-	1300	1340	1380	1440	1500	1560
		<b>DA</b> drop away	BAP, BT	1425	1465	1505	1565	1625	1685
		AT/AW adj. T	BAP, BT	1425	1465	1505	1565	1625	1685
		AL adi loop		1/05	1505	1565	1605	1695	17/15

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 25" seat height from floor chair 19"-24"

seat depth 23" approx. 49 lbs. chair COM Requirements: 2 yards per chair back height 23"-25.5"

back width 22"

TO ORDER, please specify: model back panel options fabric pattern fabric color arm pad price **EXAMPLE** BC08 AL BB **MOGULS FLARE 2188** 1450

#### **Mechanism Functions**

#### Basic Task - Heavy Duty Version

(1 paddle)

(3 paddles)

(4 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment, internal ratchet back height adjustment.

**Multi Tilter - Heavy Duty Version** 

Swivels 360°, pneumatic cylinder seat height

adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt

lock, tilt tension control, internal ratchet back

height adjustment, infinite back angle adjust-

Multi Tilt w/Integrated Seat

Slider - Heavy Duty Version

Swivels 360°, pneumatic cylinder seat height

adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.



**Arm Options** 

DA drop away

BAP Buzz arm pad (default pad if none specified except for ATS)



AL adi. loop arm



BT bullet arm pad



AT/AW adj. T includes height and width adjustment

#### **Arm Pad Options**

#### Standard upholstered back panel. (DEFAULT)

#### Ballistic nylon back - recommended (no upcharge)

**Back Panel Options** 

Bumper back trim - recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for **BP** color selections.

#### DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

#### **Additional Options** MODEL# **ADD** CAL133 California Technical Bulletin 133 140 GLBG 41 Stationary bell glides (set of 5) HC01-HD 75 Hard floor casters (set of 5) MSLC Self-braking hard floor casters 69 brake when unoccupied (set of 5) MSRLC Self-braking hard floor casters 75 brake when occupied (set of 5) FR20 "Sure Grip" footring only 92 **ESD** Gr 6 + 144 Electrostatic dissipation. Dissipates static electricity from chair. Includes: conductive fabric, conductive casters. \*Specify hard floor or carpet casters

#### Warranty: Big & Tall Series

Standard published warranty terms and conditions apply with the following changes: 10 years on all components, 5 years on fabric and foam. If chairs are to be used for multi-shift applications which is defined as use exceeding 8 hours per day, 5 days per week, then multi-shift warranty applies: 5 years on components and 2 years on fabric and foam.



31

Big & Tall 500 lb. Series

# Heavy Duty 24/7 Multi-Shift

All prices are LIST



- Heavy duty components
- Basic or full function mechanism
- 6 prong 27" steel base
- Chair or stool
- Built to last
- Heavy duty MSSHD castersCY02-SHD height cylinder
  - Partial assembly required

#### Extended shipping time required.

\*Ships in 2 boxes on a skid via LTL.

500 lb. Capacity

Model			Arm Pad Options			СОМ	Uphols	stery Grade	
		Arm Options	(default pad in bold)	1	2	3	4	5	6
BC01HD	basic task ratchet back	armless	-	1570	1610	1650	1710	1770	1830
Stool package available 350 lb. capacity		<b>DA</b> drop away	BAP, BT	1695	1735	1775	1835	1895	1955
		AT/AW adj. T	BAP, BT	1695	1735	1775	1835	1895	1955
		AL adj. loop	-	1755	1795	1835	1895	1955	2015

BC08HD	multi tilter ratchet back	armless	-	1700	1740	1780	1840	1900	1960
		<b>DA</b> drop away	<b>BAP</b> , BT	1825	1865	1905	1965	2025	2085
		AT/AW adj. T	BAP, BT	1825	1865	1905	1965	2025	2085
		AL adj. loop	-	1885	1925	1965	2025	2085	2145

#### Most popular (recommended)

BC09HD	multi tilt ratchet back integrated seat slider	armless	-	1735	1775	1815	1875	1935	1995
		<b>DA</b> drop away	BAP, BT	1860	1900	1940	2000	2060	2120
		AT/AW adj. T	BAP, BT	1860	1900	1940	2000	2060	2120
		AL adj. loop	-	1920	1960	2000	2060	2120	2180

Actual dimensions will vary depending on model and options selected.

**Dimensions:** seat width 25" seat height from floor chair 19"-24"

seat depth 23"
Weight: approx. 79 lbs. heavy duty chair
COM Requirements: 2 yards per chair

back width 22" back height 23"-25.5" TO ORDER, please specify:modelarmarm padback paneloptionsfabric patternfabric colorpriceEXAMPLEBC08HDAL-BB-MOGULSFLARE 21881885

#### **Mechanism Functions**

#### Basic Task - Heavy Duty Version

(1 paddle)

(3 paddles)

ment.

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment, internal ratchet back height adjustment.

**Multi Tilter - Heavy Duty Version** 

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjust-



**Arm Options** 

DA drop away



**Arm Pad Options** 

**BAP** Buzz arm pad (default pad if none specified except for ATS)



AL adj. loop arm (recommended)



BT bullet arm pad



AT/AW adj. T includes height and width adjustment

# Multi Tilt w/Integrated Seat Slider - Heavy Duty Version

(4 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

#### **Back Panel Options**

Standard upholstered back panel. (DEFAULT)

B Ballistic nylon back – recommended (no upcharge)

Bumper back trim – recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, **BB** or **BP** is recommended. One option is provided without an additional upcharge. If both options are ordered a **45** list upcharge applies. Refer to web site for **BP** color selections.

#### DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

	Additional Options	
MODEL#		ADD
CAL133	California Technical Bulletin 133	140
GLBG	Stationary bell glides (set of 5)	41
FR20	"Sure Grip" footring only	92
SP-HD	Stool package (350 lb. capacity) (Available on <b>BC01HD</b> only)	196

#### Warranty: Big & Tall Series

Standard published warranty terms and conditions apply with the following changes: 10 years on all components, 5 years on fabric and foam. If chairs are to be used for multi-shift applications which is defined as use exceeding 8 hours per day, 5 days per week, then multi-shift warranty applies: 5 years on components and 2 years on fabric and foam.



- Provides freedom of movement
- Heavy duty components
- Synchro mechanism
- Standard and heavy duty version
- Ballistic nylon
- Built to last
- Drop away arms
- Partial assembly required

#### Extended shipping time required.

\*Ships in 2 boxes on a skid via LTL.

	ľ
	3
J	1
•	

			350 lb. Capacity	All prices are LIST
Model		Arm Options	Ballistic Nylon 3	
<u>SH04</u>	synchro/seat slider ratchet back	armless	1635	
19-23.5" seat height ra	ange.	DA drop away	1760	
		AL adj. loop	1825	

Ships with 5 prong 27" **nylon** base, heavy duty **CC01-HD** hooded carpet casters and **CY02-HD2** height cylinder



Chair Version 350 lb. capacity

			500 lb. Capacity	All prices are LIST
Model		Arm Options	Ballistic Nylon 3	
SH04HD	synchro/seat slider ratchet back	armless	2085	
19-23.5" seat heigh	t range.	<b>DA</b> drop away	2210	
		AL adj. loop	2275	

Ships with 6 prong 27" **steel** base, **MSSHD** non-hooded multipurpose casters and **CY02-SHD** height cylinder

#### **Ballistic Colors**









Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 22" seat depth 21"-23.5"
Weight: approx. 59 lbs. chair

approx. 90 lbs. heavy duty chair

back width 22" back height range 24"-29" seat height range 19.5"-24" TO ORDER, please specify: EXAMPLE

model SH04HD

DA

options

fabric color BLUE

**2210** 

#### **Mechanism Functions**

#### Synchro Tilter -Heavy Duty Version

2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 4 position tilt lock, tilt tension control, internal 5" ratchet back height adjustment, integrated seat slider.





**DA** drop away

AL adj. loop arm



**Arm Pad** 

#### Back Panel Options

BB Ballistic nylon back standard

Buzz Seating is not responsible for back panel wear or tear.

# **Additional Options**

	ADD
California Technical Bulletin 133	140
Stationary bell glides (set of 5)	41
Hard floor heavy duty casters (set of 5) (SH04 only)	75
Self-braking hard floor casters brake when unoccupied (set of 5) (SH04 only)	69
Self-braking hard floor casters brake when occupied (set of 5) (SH04 only)	75
Lumbar Pillow	175
	Stationary bell glides (set of 5)  Hard floor heavy duty casters (set of 5) (SH04 only)  Self-braking hard floor casters brake when unoccupied (set of 5) (SH04 only)  Self-braking hard floor casters brake when occupied (set of 5) (SH04 only)



outer back panel
lower inner front

3/4 of seat

Standard with ballistic nylon. Buzz Seating is not responsible for back panel or seat fabric normal wear and tear.



#### **Warranty: Shield Series**

Standard published warranty terms and conditions apply with the following changes: 10 years on all components, 5 years on fabric and foam. If chairs are to be used for multi-shift applications which is defined as use exceeding 8 hours per day, 5 days per week, then multi-shift warranty applies: 5 years on components and 2 years on fabric and foam.





#### Ships partially assembled.

Poly Mesh Back 350 lb. Capacity All prices are LIST

,						-	-		
Model		Arm Options	Arm Pad Options		СОМ	Upholstery Grade			
Model		Aim Options	(default pad in bold)	1	2	3	4	5	6
PRM04HD synchro fixed by		armless	-	855	875	895	915	945	985
HIGHBAC	:K	<b>DA</b> drop away	BAP, BT	980	1000	1020	1040	1070	1110
NIGHBACK	<b>VF</b> fixed	-	960	980	1000	1020	1050	1090	
		ATS adj. T	BAP, <b>BT</b>	980	1000	1020	1040	1070	1110
		ATS/AW adj. T	BAP, <b>BT</b>	995	1015	1035	1055	1085	1125
	1	MAT/AW multi-function	-	1055	1075	1095	1115	1145	1185
		Heavy	y duty mechanism y density seat foam with me y duty pneumatic height cyl	,	n topper				
		Ships with <b>CC07-SL</b> non-hoods	ed carpet casters and CY02-HD	) height					

#### **Mechanism Functions**

#### Synchro Tilter


(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 4 position tilt lock, tilt tension control.

#### **Arm Options**



**DA** drop away



ATS/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



**MAT/AW** multi-function (no arm pad option)



**VF** fixed chrome with soft urethane pad

#### **Arm Pad Options**



**BAP** Buzz arm pad (default pad if none specified except for ATS)



BT bullet arm pad (recommended & default for ATS)

	Additional Options	
MODEL#		ADD
CAL133	California Technical Bulletin 133	60
MF	Memory foam 1" top added to seat	105
EF	1" extra seat foam	46
SS (MESH)	Sliding seat depth adjustment (Not available on stools. AW (adj. width arm brackets) cannot be included if SS (sliding seat depth adjustment) is ordered)	87
GLBG	Stationary bell glides (set of 5)	41
HC07	Hard floor casters (set of 5)	46
*SP	Stool package includes 8" cylinder and "Sure Grip" footring. Seat height extends from 24"-32".	133
FR20	"Sure Grip" footring	92

\*When converting to a stool, the tilt feature is disengaged by the factory before shipping.

#### Warranty: 24/7 Multi-Shift Series

Standard published warranty terms and conditions apply with the following changes: 5 years on all components and 2 years on fabric and foam.

Actual dimensions will vary depending on model and options selected. **Dimensions:** seat width 21" back width 20.5" seat depth 21" back height 22"

seat height from floor 16"-23"

Neight: approx. 40 lbs.

Weight: approx. 40 lbs.

COM Requirements: 1 yard per chair

TO ORDER, please specify:	model	arm	arm pad	options	fabric pattern	fabric color	price
EXAMPLE	PRM04HD	ATS	ВТ	EF	ANCHORAGE	ONYX	1026



#### Upholstered seat

- Infinite angle lock
- Tension adjustment

- Weight activated locking casters
- · Partial assembly required



All prices are LIST

Model			СОМ	Upholstery Grade				
Model		1	2	3	4	5	6	
PR00-CY05	10" cylinder only	885	900	915	930	950	980	
PR00-XSP	10" cylinder and foot ring	980	995	1010	1025	1045	1075	

Ships with **MSRLC** hooded multipurpose casters

	Additional Options	
MODEL#		<u>ADD</u>
CAL133	California Technical Bulletin 133	60
GLBG	Stationary bell glides (set of 5)	N/C





20" Footring

Actual dimensions will vary depending on model and options selected.


Dimensions: seat width 18"

seat depth 16" seat height from floor 26"-36"

Weight: approx. 29 lbs.

COM Requirements: 1 yard per chair

TO ORDER, please specify:	model	options	fabric pattern	fabric color	price
EXAMPLE	PR00-XSP	GLBG	MOGULS	FLARE 2188	980





**Pronto** Bantam Series



basic task fixed back

Use for basic task and minimal use situations.

PRB01

Simple adjustments.

- For the person 4'10" or smaller
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit
- · Partial assembly required

300 lb. Capacity All prices are LIST **Arm Pad Options** COM **Upholstery Grade Arm Options** (default pad in bold) 2 3 5 6 armless 535 575 615 670 725 780 **DA** drop away BAP. BT 660 700 740 795 850 905 **VF** fixed 640 680 720 775 830 885 AT/AW adj. T BAP, BT 660 700 740 795 850 905 ATS adj. T BAP, BT 660 700 740 795 850 905 ATS/AW adj. T BAP, BT 680 720 760 815 870 925 MAT/AW multi-function 735 775 815 870 925 980

Ships with CC01 hooded carpet casters and CY01 height cylinder

PRB02	swivel tilter ratchet back
Great for mid man	agement, conference

and meeting applications. Simple adjust-

armless	-	580	620	660	715	770	825
<b>DA</b> drop away	BAP, BT	705	745	785	840	895	950
<b>VF</b> fixed	-	685	725	765	820	875	930
AT/AW adj. T	BAP, BT	705	745	785	840	895	950
ATS adj. T	BAP, <b>BT</b>	705	745	785	840	895	950
ATS/AW adj. T	BAP, <b>BT</b>	725	765	805	860	915	970
MAT/AW multi-function	-	780	820	860	915	970	1025

Ships with CC01 hooded carpet casters and CY01 height cylinder

PRB03	posture back ratchet back

Perfect for clerical use and tasking situations that require some adjustability. Ideal control for stools.

\*\*AW (adj. width arm brackets) cannot be included with PRB03 series if SS (sliding seat depth adjustment) is ordered.

armless	-	645	685	725	780	835	890
<b>DA</b> drop away	BAP, BT	770	810	850	905	960	1015
<b>VF</b> fixed	-	750	790	830	885	940	995
AT/AW adj. T	BAP, BT	770	810	850	905	960	1015
ATS adj. T	BAP, <b>BT</b>	770	810	850	905	960	1015
ATS/AW adj. T	BAP, <b>BT</b>	790	830	870	925	980	1035
MAT/AW multi-function	-	845	885	925	980	1035	1090

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 16" seat height from floor back width 16" seat depth 14" 14"-17" back height 19"-22"

Weight: 45 lbs.

COM Requirements: 2 yards per chair



NOTE: Pronto Bantam ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

#### **Mechanism Functions**

#### **Basic Task**

**Swivel Tilter** (1 paddle)

back height adjustment.

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.

Swivels 360°, pneumatic cylinder seat

height adjustment, seat and back tilt as unit, tilt tension control, tilt free floats or locks in upright position, internal ratchet



**Arm Options** 

DA drop away



**Arm Pad Options** 

BAP Buzz arm pad (default pad if none specified except for ATS)



**VF** fixed chrome with soft urethane pad



BT bullet arm pad



AT/AW adj. T includes height and width adjustment




**Posture Back** 

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle adjustment, internal ratchet back height adjustment.



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

#### **Back Panel Options**

- Standard upholstered back panel. (DEFAULT)
- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for **BP** color selections.

#### DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

	Additional Options	
MODEL#		ADD
CAL133	California Technical Bulletin 133	115
MF	1" layer memory foam over upgraded high density foam seat	105
EF	1" extra seat foam	46
SS	Sliding seat depth adjustment (not available with <b>PRB01</b> , <b>PRB02</b> and stools)	98
GLBG	Stationary bell glides (set of 5)	41
HC01	Hard floor/multisurface casters (set of 5	5) 41
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
FR20	"Sure Grip" footring	92
ESD	Electrostatic dissipation.  Dissipates static electricity from chair. Includes conductive fabric, conductive casters.  *Specify hard floor or carpet casters	Gr 6 +144
	dth arm brackets) cannot be included with P	RB03

series if SS (sliding seat depth adjustment) is ordered.

**Pronto** Bantam Series



- For the person 4'10" or smaller
- · Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit
- · Partial assembly required

300 lb. Capacity

All	prices	are	LIST
-----	--------	-----	------

Smaller Than Petite

		Arm Pad Options		СОМ	Uphol	stery Gra	de	
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6
PRB04 synchro tilter ratchet back	armless	-	645	685	725	780	835	890
Smooth and simple ride. Synchronized	DA drop away	BAP, BT	770	810	850	905	960	1015
movement between seat and back. Any application.	<b>VF</b> fixed	-	750	790	830	885	940	995
**AW (adj. width arm brackets) cannot be	AT/AW adj. T	BAP, BT	770	810	850	905	960	1015
included with <b>PRB24</b> series if SS (sliding seat depth adjustment) is ordered.	ATS adj. T	BAP, <b>BT</b>	770	810	850	905	960	1015
	ATS/AW adj. T	BAP, <b>BT</b>	790	830	870	925	980	1035
	MAT/AW multi-function	-	845	885	925	980	1035	1090

Ships with CC01 hooded carpet casters and CY01 height cylinder

PRB08	multi tilter
Phbuo	ratchet back

Use in applications that require maximum adjustability. Multipurpose full 6 function ergonomic control. Recommended for its infinite range and ease of adjustments.

armless	-	785	825	865	920	975	1030
<b>DA</b> drop away	BAP, BT	910	950	990	1045	1100	1155
<b>VF</b> fixed	-	890	930	970	1025	1080	1135
AT/AW adj. T	BAP, BT	910	950	990	1045	1100	1155
ATS adj. T	BAP, <b>BT</b>	910	950	990	1045	1100	1155
ATS/AW adj. T	BAP, <b>BT</b>	930	970	1010	1065	1120	1175
MAT/AW multi-function	-	985	1025	1065	1120	1175	1230

Ships with CC01 hooded carpet casters and CY01 height cylinder

#### Most popular (recommended)

PRB09 multi tilt ratchet back integrated seat slider				
, ,	oplication. An all inclusive price. Includes an internal			
ratchet back heid	ght adjustment and seat			

armless	-	810	850	890	945	1000	1055
<b>DA</b> drop away	BAP, BT	935	975	1015	1070	1125	1180
<b>VF</b> fixed	-	915	955	995	1050	1105	1160
<b>AT</b> adj. T	BAP, BT	935	975	1015	1070	1125	1180
ATS adj. T	BAP, <b>BT</b>	935	975	1015	1070	1125	1180
MAT multi-function	-	1010	1050	1090	1145	1200	1255

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 16"

seat depth 14"

seat height from floor back width 16" 14"-17" back height 19"-22"

Weight: 45 lbs.

COM Requirements: 2 yards per chair

FREIGHT PROGRAM 1 or fewer \$25 net per chair 12 or more **free** shipping

TO ORDER, please specify: model arm pad back panel options fabric pattern fabric color price **EXAMPLE** PRB08 BAP ВВ MOGULS **FLARE 2188** 910

> NOTE: Pronto Bantam ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

#### **Mechanism Functions**

#### Synchro Tilter

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back height adjustment.

#### **Arm Options**



DA drop away



**Arm Pad Options** 

BAP Buzz arm pad (default pad if none specified except for ATS)



VF fixed chrome with soft urethane pad



BT bullet arm pad

#### **Multi Tilter**

(3 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment.

Multi Tilt w/Integrated

Swivels 360°, pneumatic cylinder seat

height adjustment, seat and back tilt

as unit, free floats in unlocked position,

infinite position tilt lock, tilt tension

control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

**Seat Slider** 


(4 paddles)



AT/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

#### **Back Panel Options**

Standard upholstered back panel. (DEFAULT)

Ballistic nylon back – recommended (no upcharge)

Bumper back trim - recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

#### DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

#### **Additional Options** MODEL# ADD CAL133 California Technical Bulletin 133 115 MF 1" layer memory foam over 105 upgraded high density foam seat EF 1" extra seat foam 46 SS Sliding seat depth adjustment 98 (not available with PRB08 & stools) GLBG Stationary bell glides (set of 5) 41 HC01 Hard floor/multisurface casters (set of 5) 41 MSLC Self-braking hard floor casters 69 brake when unoccupied (set of 5) **MSRLC** Self-braking hard floor casters 75

brake when occupied (set of 5)

Dissipates static electricity from

chair. Includes conductive fabric,

\*Specify hard floor or carpet casters

"Sure Grip" footring

conductive casters.

Electrostatic dissipation.

FR20

ESD

\*\* AW (adj. width arm brackets) cannot be included with PRB08 series if SS (sliding seat depth adjustment) is ordered.

slider.

92

Gr 6 +144



Use for basic task and minimal use situations.

Stool options available on PRP01

PRP01

Simple adjustments.

- Sized for the petite individual
- · Proportionally scaled seat and back
- Convex back

MAT/AW multi-function

- 4" seat foam
- Soft and supple sit
- · Partial assembly required

785

825

935

990

		3	800 lb. Cap	All price	s are LIST		
A Outions	Arm Pad Options		СОМ	Uphol	stery Gra	de	
Arm Options	(default pad in bold)	1	2	3	4	5	6
armless	-	545	585	625	680	735	790
<b>DA</b> drop away	BAP, BT	670	710	750	805	860	915
<b>VF</b> fixed	-	650	690	730	785	840	895
AT/AW adj. T	BAP, BT	670	710	750	805	860	915
ATS adj. T	BAP, <b>BT</b>	670	710	750	805	860	915
ATS/AW adj. T	BAP, <b>BT</b>	690	730	770	825	880	935

Ships with CC01 hooded carpet casters and CY01 height cylinder

PRP02	swivel tilter ratchet back	armless	-	590	630	670	725	780	835
	gement, conference room	<b>DA</b> drop away	BAP, BT	715	755	795	850	905	960
and meeting applications. Simple adjustments.	<b>VF</b> fixed	-	695	735	775	830	885	940	
		AT/AW adj. T	BAP, BT	715	755	795	850	905	960
		ATS adj. T	BAP, <b>BT</b>	715	755	795	850	905	960
		ATS/AW adj. T	BAP, <b>BT</b>	735	775	815	870	925	980
		MAT/AW multi-function	-	790	830	870	925	980	1035

Ships with CC01 hooded carpet casters and CY01 height cylinder

PRP03	posture back ratchet back	armless	-	655	695	735	790	845	900
Perfect for clerical use and tasking situations that require some adjustability. Ideal control for stools.		<b>DA</b> drop away	BAP, BT	780	820	860	915	970	1025
		<b>VF</b> fixed	-	760	800	840	895	950	1005
		AT/AW adj. T	BAP, BT	780	820	860	915	970	1025
Stool options av	ailable on PRP03	ATS adj. T	BAP, <b>BT</b>	780	820	860	915	970	1025
		ATS/AW adj. T	BAP, <b>BT</b>	800	840	880	935	990	1045
		MAT/AW multi-function	-	855	895	935	990	1045	1100

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 18" seat height from floor back width 17" seat depth 16" 15.5"-19" back height 19"-22"

Weight: 47 lbs.

COM Requirements: 2 yards per chair

TO ORDER, please specify: model arm pad back panel options fabric pattern fabric color price **EXAMPLE** PRP01 AT/AW BAP SB SP MOGULS **FLARE 2188** 803

> NOTE: Pronto Petite ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

#### **Mechanism Functions**

#### **Basic Task**

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.





DA drop away



**Arm Pad Options** 

BAP Buzz arm pad (default pad if none specified except for ATS)



VF fixed chrome with soft urethane pad



BT bullet arm pad

#### **Swivel Tilter**

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, tilt tension control, tilt free floats or locks in upright position, internal ratchet back height adjustment.



height and width adjustment


**Posture Back** 

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle adjustment, internal ratchet back height adjustment.



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

#### **Back Panel Options**

Standard upholstered back panel. (DEFAULT)

Ballistic nylon back – recommended (no upcharge)

Bumper back trim - recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

#### **DEFAULT IS SB UNLESS SPECIFIED OTHERWISE**

#### **Additional Options** MODEL# ADD CAL133 California Technical Bulletin 133 115 MF 1" layer memory foam over 105 upgraded high density foam seat 1" extra seat foam SS Sliding seat depth adjustment 98 (not available with PRP01, PRP02 & stools) GLBG Stationary bell glides (set of 5) 41 HC01 Hard floor/multisurface casters (set of 5) 41 MSLC Self-braking hard floor casters 69 brake when unoccupied (set of 5) MSRLC 75 Self-braking hard floor casters brake when occupied (set of 5) SP Stool package (with PRP01, PRP03 133 controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28". XSP Ext. stool package (with PRP01, PRP03 controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32". FR20 "Sure Grip" footring 92 ESD Electrostatic dissipation. Gr 6 +144 Dissipates static electricity from chair. Includes conductive fabric. conductive casters. \*Specify hard floor or carpet casters \*\* AW (adj. width arm brackets) cannot be included with PRP03

series if SS (sliding seat depth adjustment) is ordered.



FREIGHT PROGRAM

All prices are LIST

1025

1045

1100

970

990

1045



synchro tilter ratchet back

Smooth and simple ride. Synchronized

movement between seat and back. Any

\*\*AW (adi. width arm brackets) cannot be

included with PRP04 series if SS (sliding seat

depth adjustment) is ordered.

Model

PRP04

application.

- Sized for the petite individual
- · Proportionally scaled seat and back
- Convex back

**Arm Options** 

**DA** drop away

AT/AW adj. T

ATS/AW adj. T

MAT/AW multi-function

ATS adj. T

armless

**VF** fixed

• 4" seat foam

780

800

855

- · Soft and supple sit
- · Partial assembly required

300 lb. Capacity

820

840

895

**Arm Pad Options** COM **Upholstery Grade** (default pad in bold) 2 3 5 6 655 695 735 790 845 900 BAP, BT 780 820 860 915 970 1025 760 800 840 895 1005 950 BAP, BT 780 820 860 915 970 1025

860

880

935

915

935

990

Ships with CC01 hooded carpet casters and CY01 height cylinder

BAP, BT

BAP, BT

Use in applications that require maximum adjustability. Multipurpose full 6 function ergonomic control. Recommended for its infinite range and ease of adjustments.

armless	-	795	835	875	930	985	1040
<b>DA</b> drop away	BAP, BT	920	960	1000	1055	1110	1165
<b>VF</b> fixed	-	900	940	980	1035	1090	1145
AT/AW adj. T	BAP, BT	920	960	1000	1055	1110	1165
ATS adj. T	BAP, <b>BT</b>	920	960	1000	1055	1110	1165
ATS/AW adj. T	BAP, <b>BT</b>	940	980	1020	1075	1130	1185
MAT/AW multi-function	-	995	1035	1075	1130	1185	1240

Ships with CC01 hooded carpet casters and CY01 height cylinder

#### Most popular (recommended)

PRP09	multi tilt ratchet back integrated seat slider
,	application. An all inclusive

Perfect for any application. An all inclusive	
control at a value price. Includes an internal	
ratchet back height adjustment and seat slider.	

armless	-	820	860	900	955	1010	1065
<b>DA</b> drop away	BAP, BT	945	985	1025	1080	1135	1190
<b>VF</b> fixed	-	925	965	1005	1060	1115	1170
<b>AT</b> adj. T	BAP, BT	945	985	1025	1080	1135	1190
ATS adj. T	BAP, <b>BT</b>	945	985	1025	1080	1135	1190
MAT multi-function	-	1020	1060	1100	1155	1210	1265

Ships with CC01 hooded carpet casters and CY01 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 18"

seat depth 16"

seat height from floor back width 17" back height 19"-22"

Weight: 47 lbs.

COM Requirements: 2 yards per chair



NOTE: Pronto Petite ships standard with a CY01 lower seat height 3" travel cylinder. Optional 5" travel CY02 available without upcharge and must be specified.

#### **Mechanism Functions**

#### Synchro Tilter

(2 paddles)

**Multi Tilter** 

(3 paddles)

adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back height adjustment.

Swivels 360°, pneumatic cylinder seat

height adjustment, seat and back

tilt as unit, free floats in unlocked

position, infinite position tilt lock, tilt

tension control, internal ratchet back height adjustment, infinite back angle

Multi Tilt w/Integrated

Swivels 360°, pneumatic cylinder seat

height adjustment, seat and back tilt

as unit, free floats in unlocked position,

infinite position tilt lock, tilt tension

control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

**Seat Slider** 

(4 paddles)





DA drop away



**Arm Pad Options** 

BAP Buzz arm pad (default pad if none specified except for ATS)



VF fixed chrome with soft urethane pad




BT bullet arm pad



AT/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

#### **Back Panel Options**

- Standard upholstered back panel. (DEFAULT)
- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection. BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

#### **DEFAULT IS SB UNLESS SPECIFIED OTHERWISE**

#### **Additional Options** MODEL# ADD CAL133 California Technical Bulletin 133 115 MF 1" layer memory foam over 105 upgraded high density foam seat EF 1" extra seat foam 46 SS Sliding seat depth adjustment 98 (not available with PRP08 & stools) GLBG Stationary bell glides (set of 5) 41 HC01 Hard floor/multisurface casters (set of 5) 41 MSLC Self-braking hard floor casters 69 brake when unoccupied (set of 5) **MSRLC** Self-braking hard floor casters 75 brake when occupied (set of 5) FR20 "Sure Grip" footring 92 ESD Electrostatic dissipation. Gr 6 +144 Dissipates static electricity from chair. Includes conductive fabric, conductive casters. \*Specify hard floor or carpet casters \*\* AW (adj. width arm brackets) cannot be included with PRP04 series if SS (sliding seat depth adjustment) is ordered.



- · Accommodates most individuals as a mid-sized chair
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit
- · Partial assembly required

300 lb. Capacity

All prices are LIST

	•							, poc	, o a, o 2, o .
Model		Arm Options	Arm Pad Options (default pad in bold)	1	COM 2	Upho 3	Istery Gra 4	ide 5	6
PRMB01	basic task fixed back	armless	-	565	605	645	700	755	810
Use for basic task and minimal use situations.		<b>DA</b> drop away	BAP, BT	690	730	770	825	880	935
Simple adjustme	nts.	<b>VF</b> fixed	-	670	710	750	805	860	915
Stool options	available on PRMB01	AT/AW adj. T	<b>BAP</b> , BT	690	730	770	825	880	935
		ATS adj. T	BAP, <b>BT</b>	690	730	770	825	880	935
		ATS/AW adj. T	BAP, <b>BT</b>	710	750	790	845	900	955
		MAT/AW multi-function	-	765	805	845	900	955	1010

Ships with CC01 hooded carpet casters and CY02 height cylinder

DDMDOO	swivel tilter
PRMB02	ratchet hack

Great for mid management, conference room and meeting applications. Simple adjustments.

armless	-	610	650	690	745	800	855
<b>DA</b> drop away	BAP, BT	735	775	815	870	925	980
<b>VF</b> fixed	-	715	755	795	850	905	960
AT/AW adj. T	BAP, BT	735	775	815	870	925	980
ATS adj. T	BAP, <b>BT</b>	735	775	815	870	925	980
ATS/AW adj. T	BAP, <b>BT</b>	755	795	835	890	945	1000
MAT/AW multi-function	-	810	850	890	945	1000	1055

Ships with CC01 hooded carpet casters and CY02 height cylinder

PRMB03	posture back ratchet back
	use and tasking situations adjustability. Ideal control

#### Stool options available on PRMB03

armless	-	675	715	755	810	865	920
<b>DA</b> drop away	BAP, BT	800	840	880	935	990	1045
<b>VF</b> fixed	-	780	820	860	915	970	1025
AT/AW adj. T	BAP, BT	800	840	880	935	990	1045
ATS adj. T	BAP, <b>BT</b>	800	840	880	935	990	1045
ATS/AW adj. T	BAP, <b>BT</b>	820	860	900	955	1010	1065
MAT/AW multi-function	-	875	915	955	1010	1065	1120

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

**Dimensions:** seat width 21" seat height from floor back width 20" seat depth 19.5"

16"-21"

back height 20.5"-23.5"

49 lbs. Weight:

COM Requirements: 2 yards per chair



TO ORDER, please specify: model back panel options fabric pattern fabric color price **EXAMPLE** PRMB02 MOGULS **FLARE 2188** 715

#### **Mechanism Functions**

#### **Basic Task**

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.

#### **Arm Options**



DA drop away



**Arm Pad Options** 

BAP Buzz arm pad (default pad if none specified except for ATS)



VF fixed chrome with soft urethane pad




BT bullet arm pad

#### **Swivel Tilter**

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, tilt tension control, tilt free floats or locks in upright position, internal ratchet back height adjustment.



AT/AW adj. T includes height and width adjustment




**Posture Back** 

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle adjustment, internal ratchet back height adjustment.



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

#### **Back Panel Options**

- Standard upholstered back panel. (DEFAULT)
- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for **BP** color selections.

#### **DEFAULT IS SB UNLESS SPECIFIED OTHERWISE**

# Additional Options

	Additional Options	
MODEL#		<u>ADD</u>
CAL133	California Technical Bulletin 133	115
MF	1" layer memory foam over upgraded high density foam seat	105
EF	1" extra seat foam	46
ss	Sliding seat depth adjustment (not available with <b>PRMB01</b> , <b>PRMB02</b> & stools)	98
GLBG	Stationary bell glides (set of 5)	41
HC01	Hard floor/multisurface casters (set of 5)	41
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
SP	Stool package (with <b>PRMB01</b> , <b>PRMB03</b> controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28".	133
XSP	Ext. stool package (with <b>PRMB01</b> , <b>PRMB03</b> controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32".	156
FR20	"Sure Grip" footring	92
ESD	Electrostatic dissipation. G Dissipates static electricity from chair. Includes conductive fabric, conductive casters.  *Specify hard floor or carpet casters	r 6 +144
THORBACK	Thoracic back (with <b>PRMB03</b> only)	105

**Pronto** Midback Series



- · Accommodates most individuals as a mid-sized chair
- Proportionally scaled seat and back
- Convex back

- 4" seat foam
- · Soft and supple sit
- · Partial assembly required

300 lb. Capacity

All prices are LIST

		Arm Pad Options		СОМ	Upho			
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6
PRMB04 synchro tilter ratchet back	armless	-	675	715	755	810	865	920
Smooth and simple ride. Synchronized movement between seat and back. Any application.	DA drop away	BAP, BT	800	840	880	935	990	1045
	<b>VF</b> fixed	-	780	820	860	915	970	1025
**AW (adj. width arm brackets) cannot be included with <b>PRMB04</b> series if SS (sliding seat depth adjustment) is ordered.	AT/AW adj. T	BAP, BT	800	840	880	935	990	1045
	ATS adj. T	BAP, <b>BT</b>	800	840	880	935	990	1045
	ATS/AW adj. T	BAP, <b>BT</b>	820	860	900	955	1010	1065
	MAT/AW multi-function	-	875	915	955	1010	1065	1120

Ships with CC01 hooded carpet casters and CY02 height cylinder

DDMADOO	multi tilter				
PRMB08	ratchet back				

Use in applications that require maximum adjustability. Multipurpose full 6 function ergonomic control. Recommended for its infinite range and ease of adjustments.

armless	-	815	855	895	950	1005	1060
<b>DA</b> drop away	BAP, BT	940	980	1020	1075	1130	1185
<b>VF</b> fixed	-	920	960	1000	1055	1110	1165
AT/AW adj. T	BAP, BT	940	980	1020	1075	1130	1185
ATS adj. T	BAP, <b>BT</b>	940	980	1020	1075	1130	1185
ATS/AW adj. T	BAP, <b>BT</b>	960	1000	1040	1095	1150	1205
MAT/AW multi-function	-	1015	1055	1095	1150	1205	1260

Ships with CC01 hooded carpet casters and CY02 height cylinder

#### Most popular (recommended)

PRMB09	multi tilt ratchet back integrated seat slider					
Perfect for any application. An all inclusive control at a value price. Includes an internal						
ratchet back hei	ight adjustment and seat					

armless	-	840	880	920	975	1030	1085
<b>DA</b> drop away	BAP, BT	965	1005	1045	1100	1155	1210
<b>VF</b> fixed	-	945	985	1025	1080	1135	1190
AT/AW adj. T	BAP, BT	965	1005	1045	1100	1155	1210
ATS adj. T	BAP, <b>BT</b>	965	1005	1045	1100	1155	1210
ATS/AW adj. T	BAP, <b>BT</b>	985	1025	1065	1120	1175	1230
MAT/AW multi-function	-	1040	1080	1120	1175	1230	1285

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 21" seat height from floor back width 20" seat depth 19.5" back height 20.5"-23.5"

Weight: 49 lbs.

COM Requirements: 2 yards per chair

FREIGHT PROGRAM 1 or fewer \$25 net per chair 12 or more free shipping

TO ORDER, please specify: model arm pad back panel options fabric pattern fabric color **EXAMPLE** PRMB09 ATS SB MF MOGULS **FLARE 2188** 1070

#### **Mechanism Functions**

#### **Synchro Tilter**

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back height adjustment.

#### **Arm Options**



DA drop away



**Arm Pad Options** 

BAP Buzz arm pad (default pad if none specified except for ATS)



VF fixed chrome with soft urethane pad



BT bullet arm pad

#### **Multi Tilter**

(3 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment.


Multi Tilt w/Integrated

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position,

infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

Seat Slider


(4 paddles)



AT/AW adj. T includes height and width adjustment



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

#### **Back Panel Options**

- Standard upholstered back panel. (DEFAULT)
- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for **BP** color selections.

#### DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

# **Additional Options**

	·	
MODEL#		ADD
CAL133	California Technical Bulletin 133	115
MF	1" layer memory foam over upgraded high density foam seat	105
EF	1" extra seat foam	46
SS	Sliding seat depth adjustment (not available with <b>PRMB08</b> & stools)	98
GLBG	Stationary bell glides (set of 5)	41
HC01	Hard floor/multisurface casters (set of 5)	41
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
FR20	"Sure Grip" footring	92
ESD	Electrostatic dissipation. G Dissipates static electricity from chair. Includes conductive fabric, conductive casters. "Specify hard floor or carpet casters	r 6 +144
LINBACK	Linear back shape width 20"/height 20.5"-23.5" (PRMB04 Only)	N/C
THORBACK	Thoracic back (with PRMB09 only)	105

slider.

# **Pronto** Highback Series



- Designed for the larger sized individual as a high back chair
- · Proportionally scaled seat and back
- Convex back

- 4" seat foam
- Soft and supple sit
- · Partial assembly required

300 lb. Capacity

All prices are LIST

	•				200 .2. Cap			7 111 1011100	0 4.0 2.0.
Model		Arm Options	Arm Pad Options (default pad in bold)	1	COM 2	Upho 3	Istery Gra 4	ide 5	6
	basic task								
PRHB01	fixed back	armless	-	645	685	725	780	835	890
Use for basic task and minimal use situations.		<b>DA</b> drop away	BAP, BT	770	810	850	905	960	1015
Simple adjustme	nts.	<b>VF</b> fixed	-	750	790	830	885	940	995
Stool options available on PRHB01		AT/AW adj. T	BAP, BT	770	810	850	905	960	1015
		ATS adj. T	BAP, <b>BT</b>	770	810	850	905	960	1015
		ATS/AW adj. T	BAP, <b>BT</b>	790	830	870	925	980	1035
		MAT/AW multi-function	-	845	885	925	980	1035	1090

Ships with CC01 hooded carpet casters and CY02 height cylinder

Great for mid management, conference room and meeting applications. Simple adjustments.

armless	-	690	730	770	825	880	935
DA drop away	BAP, BT	815	855	895	950	1005	1060
<b>VF</b> fixed	-	795	835	875	930	985	1040
AT/AW adj. T	BAP, BT	815	855	895	950	1005	1060
ATS adj. T	BAP, <b>BT</b>	815	855	895	950	1005	1060
ATS/AW adj. T	BAP, <b>BT</b>	835	875	915	970	1025	1080
MAT/AW multi-function	-	890	930	970	1025	1080	1135

Ships with CC01 hooded carpet casters and CY02 height cylinder

PRHB03	ratchet back
	I use and tasking situations adjustability. Ideal control
for stools.	

#### Stool options available on PRHB03

armless	-	755	795	835	890	945	1000
<b>DA</b> drop away	BAP, BT	880	920	960	1015	1070	1125
<b>VF</b> fixed	-	860	900	940	995	1050	1105
AT/AW adj. T	BAP, BT	880	920	960	1015	1070	1125
ATS adj. T	BAP, <b>BT</b>	880	920	960	1015	1070	1125
ATS/AW adj. T	BAP, <b>BT</b>	900	940	980	1035	1090	1145
MAT/AW multi-function	-	955	995	1035	1090	1145	1200

back height 25.5"-28.5"

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 22" seat depth 23"

Weight: 52 lbs.

COM Requirements: 2 yards per chair

seat height from floor back width 21"

> FREIGHT PROGRAM 1 or fewer \$25 net per chair 12 or more **free** shipping

TO ORDER, please specify: **EXAMPLE** 

model PRHB03

AT/AW

back panel

options MSLC fabric pattern MOGULS

fabric color price **FLARE 2188** 949

#### **Mechanism Functions**

#### **Basic Task**

(1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjust-



**Arm Options** 

**DA** drop away



**Arm Pad Options** 

BAP Buzz arm pad (default pad if none specified except for ATS)




VF fixed chrome with soft urethane pad



BT bullet arm pad

#### **Swivel Tilter** (1 paddle)

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, tilt tension control, tilt free floats or locks in upright position, internal ratchet back height adjustment.



AT/AW adj. T includes height and width adjustment




**Posture Back** 

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, infinite back angle adjustment, internal ratchet back height adjustment.



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

#### **Back Panel Options**

Standard upholstered back panel. (DEFAULT)

Ballistic nylon back - recommended (no upcharge)

Bumper back trim – recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for **BP** color selections.

#### **DEFAULT IS SB UNLESS SPECIFIED OTHERWISE**

	Additional Options	
MODEL#		ADD
CAL133	California Technical Bulletin 133	115
MF	1" layer memory foam over upgraded high density foam seat	105
EF	1" extra seat foam	46
SS	Sliding seat depth adjustment (not available with <b>PRHB01</b> , <b>PRHB02</b> & stools)	98
GLBG	Stationary bell glides (set of 5)	41
HC01	Hard floor/multisurface casters (set of 5	) 41
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
SP	Stool package (with <b>PRHB01</b> , <b>PRHB03</b> controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28".	133
XSP	Ext. stool package (with <b>PRHB01</b> , <b>PRHB03</b> controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32".	156
FR20	"Sure Grip" footring	92
ESD	Electrostatic dissipation.  Dissipates static electricity from chair. Includes conductive fabric, conductive casters.  *Specify hard floor or carpet casters	âr 6 +144

# **Pronto** Highback Series



- Designed for the larger sized individual as a high back chair
- · Proportionally scaled seat and back
- Convex back

- 4" seat foam
- · Soft and supple sit
- Partial assembly required

300 lb. Capacity

All prices are LIST

1340

1285

		Arm Pad Options		СОМ	Upholstery Grade				
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6	
PRHB04 synchro tilter ratchet back	armless	-	755	795	835	890	945	1000	
Smooth and simple ride. Synchronized movement between seat and back. Any application.	DA drop away	BAP, BT	880	920	960	1015	1070	1125	
	<b>VF</b> fixed	-	860	900	940	995	1050	1105	
	AT/AW adj. T	BAP, BT	880	920	960	1015	1070	1125	
	ATS adj. T	BAP, <b>BT</b>	880	920	960	1015	1070	1125	
	ATS/AW adj. T	BAP, <b>BT</b>	900	940	980	1035	1090	1145	
	MAT/AW multi-function	-	955	995	1035	1090	1145	1200	

Ships with CC01 hooded carpet casters and CY02 height cylinder

PRHB08	multi tilter ratchet back	armless	-	895	935	975	1030	1085	1140
Use in applications that require maximum adjustability. Multipurpose full 6 function ergonomic control. Recommended for its infinite range and ease of adjustments.	DA drop away	BAP, BT	1020	1060	1100	1155	1210	1265	
	<b>VF</b> fixed	-	1000	1040	1080	1135	1190	1245	
	AT/AW adj. T	BAP, BT	1020	1060	1100	1155	1210	1265	
	ATS adj. T	BAP, <b>BT</b>	1020	1060	1100	1155	1210	1265	
	ATS/AW adj. T	BAP, <b>BT</b>	1040	1080	1120	1175	1230	1285	

Ships with CC01 hooded carpet casters and CY02 height cylinder

MAT/AW multi-function

#### Most popular (recommended)

multi tilt ratchet back

РКПВОЭ	integrated seat slider	arm
	plication. An all inclusive	
ratchet back heig	orice. Includes an interna ht adjustment and sea	3.7
slider.		AT/

armless	-	920	960	1000	1055	1110	1165
<b>DA</b> drop away	BAP, BT	1045	1085	1125	1180	1235	1290
<b>VF</b> fixed	-	1025	1065	1105	1160	1215	1270
AT/AW adj. T	BAP, BT	1045	1085	1125	1180	1235	1290
ATS adj. T	BAP, <b>BT</b>	1045	1085	1125	1180	1235	1290
ATS/AW adj. T	BAP, <b>BT</b>	1065	1105	1145	1200	1255	1310
MAT/AW multi-function	-	1120	1160	1200	1255	1310	1365

1095

Ships with CC01 hooded carpet casters and CY02 height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 22" seat height from floor

seat depth 23"

back width 21" back height 25.5"-28.5"

1135

1175

1230

52 lbs.

COM Requirements: 2 yards per chair



TO ORDER, please specify: model back panel options fabric pattern fabric color price **EXAMPLE** PRHB08 MAT/AW SB/BP06 MOGULS **FLARE 2188** 1095

#### **Mechanism Functions**

#### **Synchro Tilter**

(2 paddles)

Swivels 360°, pneumatic cylinder seat height adjustment, synchronized tilt between seat and back, free floats in unlocked position, 3 position tilt lock, tilt tension control, internal ratchet back height adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle

#### **Arm Options**

DA drop away



**Arm Pad Options** 

BAP Buzz arm pad (default pad if none specified except for ATS)



VF fixed chrome with soft urethane pad



BT bullet arm pad



AT/AW adj. T includes height and width adjustment



Multi Tilt w/Integrated Seat Slider

(4 paddles)


**Multi Tilter** (3 paddles)

adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

#### **Back Panel Options**

- Standard upholstered back panel. (DEFAULT)
- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for **BP** color selections.

#### DEFAULT IS SB UNLESS SPECIFIED OTHERWISE

	Additional Options	
MODEL#		ADD
CAL133	California Technical Bulletin 133	115
MF	1" layer memory foam over upgraded high density foam seat	105
EF	1" extra seat foam	46
SS	Sliding seat depth adjustment (not available with <b>PRHB08</b> & stools)	98
GLBG	Stationary bell glides (set of 5)	41
HC01	Hard floor/multisurface casters (set of 5	6) 41
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
FR20	"Sure Grip" footring	92
ESD	Electrostatic dissipation.  Dissipates static electricity from chair. Includes conductive fabric, conductive casters.  *Specify hard floor or carpet casters	àr 6 + 144



- 24/7 Multi-shift intensive use environments
- Heavy duty components
- · Accommodates most individuals as a mid-sized chair
- · Proportionally scaled seat and back
- · Built for extreme conditions
- Partial assembly required
- Memory foam seat

350 lb. Capacity

All prices are LIST

		Arm Pad Options		СОМ	Upholstery Grade			
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6
PRMB01HD basic task fixed back	armless	-	885	925	965	1020	1075	1130
Basic task situations that require minimal adjustments.	<b>DA</b> drop away	BAP, BT	1010	1050	1090	1145	1200	1255
	<b>VF</b> fixed	-	990	1030	1070	1125	1180	1235
Stool options available on PRMB01HD	AT/AW adj. T	BAP, BT	1010	1050	1090	1145	1200	1255
	ATS adj. T	BAP, <b>BT</b>	1010	1050	1090	1145	1200	1255
	ATS/AW adj. T	BAP, <b>BT</b>	1025	1065	1105	1160	1215	1270
	MAT/AW multi-function	-	1085	1125	1165	1220	1275	1330

Ships with CC01-HD hooded carpet casters and CY02-HD height cylinder

		_	
2 5 7	IL.	Cab	:
350	ID.	Cabe	ICILV

				- up u c.c)				
PRMB08HD multi tilter ratchet back	armless	-	1015	1055	1095	1150	1205	1260
Use in applications that require maximum adjustability. Multipurpose full 6 function ergonomic control. Recommended for its infinite range and ease of adjustments.	<b>DA</b> drop away	BAP, BT	1140	1180	1220	1275	1330	1385
	<b>VF</b> fixed	-	1120	1160	1200	1255	1310	1365
	AT/AW adj. T	BAP, BT	1140	1180	1220	1275	1330	1385
	ATS adj. T	BAP, <b>BT</b>	1140	1180	1220	1275	1330	1385
	ATS/AW adj. T	BAP, <b>BT</b>	1155	1195	1235	1290	1345	1400
	MAT/AW multi-function	-	1215	1255	1295	1350	1405	1460

Ships with CC01-HD hooded carpet casters and CY02-HD height cylinder

#### Most popular (recommended)

PRMB09HD	multi tilter ratchet back integrated seat slider
control at a value p	plication. An all inclusive orice. Includes an internal ht adjustment and seat

		350 lb.	Capacity				
armless	-	1035	1075	1115	1170	1225	1280
DA drop away	BAP, BT	1160	1200	1240	1295	1350	1405
<b>VF</b> fixed	-	1140	1180	1220	1275	1330	1385
AT/AW adj. T	BAP, BT	1160	1200	1240	1295	1350	1405
ATS adj. T	BAP, <b>BT</b>	1160	1200	1240	1295	1350	1405
ATS/AW adj. T	BAP, <b>BT</b>	1175	1215	1255	1310	1365	1420
MAT/AW multi-function	-	1235	1275	1315	1370	1425	1480

Ships with CC01-HD hooded carpet casters and CY02-HD height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 20.5" seat height from floor chair version 16.5"-20.5" seat depth 17.5"

Weight: approx. 54-58 lbs. stool version 23"-31"

COM Requirements: 2 yards per chair

back width 18" back height 20.5"-23.5" TO ORDER, please specify: model arm pad back panel options fabric pattern fabric color price **EXAMPLE** PRMB01HD BAP HC01-HD **ANCHORAGE** ONYX 1085

#### **Mechanism Functions**

# Basic Task -Heavy Duty Version

(1 paddle)

Multi Tilter -**Heavy Duty Version** 

(3 paddles)

adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back

tilt as unit, free floats in unlocked

position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle

#### **Arm Options**



DA drop away




**Arm Pad Options** 

BAP Buzz arm pad (default pad if none specified except for ATS)





VF fixed chrome with soft urethane pad



AT/AW adj. T includes height and width adjustment




Multi Tilt w/Integrated **Heavy Duty Version** 

Seat Slider

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

#### **Back Panel Options**

- Standard upholstered back panel. (DEFAULT)
- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for **BP** color selections.

#### **DEFAULT IS SB UNLESS SPECIFIED OTHERWISE**

# Additional Options

	Additional Options	
MODEL#		ADD
CAL133	California Technical Bulletin 133	115
EF	1" extra seat foam	46
GLBG	Stationary bell glides (set of 5)	41
HC01-HD	Hard floor casters (set of 5)	75
MSLC	Self-braking hard floor casters brake when unoccupied (set of 5)	69
MSRLC	Self-braking hard floor casters brake when occupied (set of 5)	75
SP-HD	Stool package (with <b>PRMB01HD</b> controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28".	196
XSP-HD	Ext. stool package (with <b>PRMB01HD</b> controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32".	219
FR20	"Sure Grip" footring	92
ESD	Electrostatic dissipation.  Dissipates static electricity from chair. Includes conductive fabric, conductive casters.  *Specify hard floor or carpet casters	Gr 6 + 144

#### Warranty: 24/7 Multi-Shift Series

Standard published warranty terms and conditions apply with the following changes: 5 years on all components and 2 years on fabric and foam.



- 24/7 Multi-shift intensive use environments
- Heavy duty components
- · Accommodates most individuals as a high-back chair
- · Proportionally scaled seat and back
- Built for extreme conditions
- Partial assembly required
- · Memory foam seat

350 lb. Capacity

All prices are LIST

		Arm Pad Options		СОМ	Uphol	stery Gra	de	
Model	Arm Options	(default pad in bold)	1	2	3	4	5	6
PRHB01HD basic task fixed back	armless	-	965	1005	1045	1100	1155	1210
Basic task situations that require minimal	DA drop away	BAP, BT	1090	1130	1170	1225	1280	1335
adjustments.  Stool options available on PRHB01HD	<b>VF</b> fixed	-	1065	1105	1145	1200	1255	1310
Stool options available on FAHBOTHD	AT/AW adj. T	BAP, BT	1090	1130	1170	1225	1280	1335
	ATS adj. T	BAP, <b>BT</b>	1090	1130	1170	1225	1280	1335
	ATS/AW adj. T	BAP, <b>BT</b>	1105	1145	1185	1240	1295	1350
	MAT/AW multi-function	-	1165	1205	1245	1300	1355	1410

Ships with heavy duty CC01-HD hooded carpet casters and CY02-HD height cylinder

250	"	Cabacity
< 5/1	ın	( abacity
220	ID.	CUDUCIL

			330 ID.	capacity				
PRHB08HD multi tilter ratchet back	armless	-	1095	1135	1175	1230	1285	1340
Use in applications that require maximum adjustability. Multipurpose full 6 function	DA drop away	BAP, BT	1220	1260	1300	1355	1410	1465
ergonomic control. Recommended for its infinite range and ease of adjustments.	<b>VF</b> fixed	-	1195	1235	1275	1330	1385	1440
milline range and ease of adjustments.	AT/AW adj. T	BAP, BT	1220	1260	1300	1355	1410	1465
	ATS adj. T	BAP, <b>BT</b>	1220	1260	1300	1355	1410	1465
	ATS/AW adj. T	BAP, <b>BT</b>	1235	1275	1315	1370	1425	1480
	MAT/AW multi-function	-	1295	1335	1375	1430	1485	1540

Ships with heavy duty CC01-HD hooded carpet casters and CY02-HD height cylinder

#### Most popular (recommended)

slider.

PRHB09HD	multi tilter ratchet back integrated seat slider
control at a value p	plication. An all inclusive

		350 lb.	Capacity				
armless	-	1115	1155	1195	1250	1305	1360
<b>DA</b> drop away	BAP, BT	1240	1280	1320	1375	1430	1485
<b>VF</b> fixed	-	1215	1255	1295	1350	1405	1460
AT/AW adj. T	BAP, BT	1240	1280	1320	1375	1430	1485
ATS adj. T	BAP, <b>BT</b>	1240	1280	1320	1375	1430	1485
ATS/AW adj. T	BAP, <b>BT</b>	1255	1295	1335	1390	1445	1500
MAT/AW multi-function	-	1315	1355	1395	1450	1505	1560

Ships with heavy duty CC01-HD hooded carpet casters and CY02-HD height cylinder

Actual dimensions will vary depending on model and options selected.

Dimensions: seat width 22" seat height from floor chair version 16.5"-20.5" seat depth 20"

Weight: approx. 56-60 lbs. stool version 23"-31"

COM Requirements: 2 yards per chair

back width 20" back height 23.5"-26.5"

> FREIGHT PROGRAM 1 or fewer \$25 net per chair 12 or more **free** shipping

TO ORDER, please specify: model back panel options fabric pattern fabric color price **EXAMPLE** PRHB01HD HC01-HD **ANCHORAGE** ONYX 1140

#### **Mechanism Functions**

# Basic Task -Heavy Duty Version

(1 paddle)

Multi Tilter -

(3 paddles)

adjustment.

**Heavy Duty Version** 

Swivels 360°, pneumatic cylinder seat

height adjustment, seat and back

tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt

tension control, internal ratchet back height adjustment, infinite back angle

Swivels 360°, pneumatic cylinder seat height adjustment, back depth adjustment.

#### **Arm Options**



**DA** drop away



**Arm Pad Options** 

BAP Buzz arm pad (default pad if none specified except for ATS)



VF fixed chrome with soft urethane pad





AT/AW adj. T includes height and width adjustment




Seat Slider **Heavy Duty Version** 

Swivels 360°, pneumatic cylinder seat height adjustment, seat and back tilt as unit, free floats in unlocked position, infinite position tilt lock, tilt tension control, internal ratchet back height adjustment, infinite back angle adjustment, side activated sliding seat pan.

Multi Tilt w/Integrated



ATS adj. T height adjustment



ATS/AW adj. T includes height and width adjustment



MAT/AW multi-function (no arm pad option)

#### **Back Panel Options**

- Standard upholstered back panel. (DEFAULT)
- Ballistic nylon back recommended (no upcharge)
- Bumper back trim recommended (no upcharge) Choose from 6 colors. Refer to web site for selection.

Buzz Seating is not responsible for back panel wear or tear regardless of option chosen. For additional back wear protection, BB or BP is recommended. One option is provided without an additional upcharge. If both options are ordered a 45 list upcharge applies. Refer to web site for BP color selections.

#### **DEFAULT IS SB UNLESS SPECIFIED OTHERWISE**

#### **Additional Options** MODEL# ADD CAL133 California Technical Bulletin 133 115 EF 1" extra seat foam 46 GLBG Stationary bell glides (set of 5) 41 HC01-HD Hard floor casters (set of 5) 75 MSLC Self-braking hard floor casters 69 brake when unoccupied (set of 5) **MSRLC** Self-braking hard floor casters brake when occupied (set of 5)) SP-HD Stool package (with PRHB01HD controls only). Includes 8" cylinder and "Sure Grip" footring. Seat height extends from 20"-28". XSP-HD Ext. stool package (with PRHB01HD 219 controls only). Includes 10" cylinder and "Sure Grip" footring. Seat height extends from 22"-32". FR20 "Sure Grip" footring 92 ESD Electrostatic dissipation. Gr 6 + 144 Dissipates static electricity from chair. Includes conductive fabric, conductive casters. \*Specify hard floor or carpet casters

#### Warranty: 24/7 Multi-Shift Series

Standard published warranty terms and conditions apply with the following changes: 5 years on all components and 2 years on fabric and foam.

57 56

# Arm Options



#### DA Drop Away Adjustable T-Arm

Adjustable 2.5" in height and can be dropped completely rearward with tension adjustment. Available with any arm pad option.

DA add 125 list



#### VF Fixed Arm

Non-adjustable. Urethane pad with chromed uprights. Front sloped for under desk or table access.

VF add 105 list



#### AT/AW Adjustable T-Arm

Traditional style. Adjustable 2.5" in height. Arms can be adjusted out from the seat an additional 2" on each side. Available with any arm pad

AT/AW add 125 list



#### ATS Adjustable T-Arm

Contemporary style. Adjustable 2.5" in height. Available with any arm pad option.

ATS add 125 list



#### ATS/AW Adjustable T-Arm including Width

Adjustment Brackets


ATS contemporary style adjustable T-Arm includes AW adjustable width brackets. Adjustable 2.5" in height. Arms can be adjusted out from the seat an additional 2" on each side. Available with any arm pad option.





#### MAT/AW Multi-Function Arm

Adjusts 2.5" in height. Pads have center pivot point and rotate 22" in and out (2 separate directions). Additionally, pads slide forward and rearward with 2" of travel. Width adjustable brackets included.





#### AL Adjustable Loop Arm

Urethane. Adjust 2.5" in height Use with Big & Tall, Shield, Pronto 24/7.

Reverse Locking Caster - Casters do not allow the chair to roll when some-

AL add 185 list

#### **Casters**

#### **Definitions**

Carpet Caster - Hard wheel for use on soft surfaces such as carpet

Hard Floor Caster - Soft wheel for use on tile, wood, vinyl, concrete or any other hard surface

Multi-Surface Caster - Hard wheel for use on all floor types

Locking Caster - Casters do not allow the chair to roll when nobody is seated in chair



#### Pronto/Snap/Melo Basic & Medical Stool

Black hooded caster

CC01 - Carpet casters add 41 list / set of 5

**HC01** – Hard floor casters add **41** list / set of 5

#### Jem/Caboodle

Large wheel black hooded caster

CC02 - Carpet casters add 46 list / set of 4

HC02 – Hard floor casters add 46 list / set of 4

#### Rika/Melo/Pronto Mesh/Dandy/Nifty

Black non-hooded caster CC07 - Black carpet casters

add 46 list / set of 5 CC07-SL - Black & silver carpet casters

add 46 list / set of 5 **HC07** – Hard floor casters add **46** list / set of 5

#### Jem/Melo Side

Small wheel black caster

CC09 - Black carpet casters add 46 list / set of 4

HC09 - Hard floor casters add 46 list / set of 4



#### Non-Hooded Caster

#### Pronto HD/Shield/Big & Tall

Black non-hooded caster

MSSHD - Multi-surface add 75 list / set of 6

#### **Universal Chrome Caster**

Chrome hooded caster


**HCCH** – Hard floor casters add **52** list / set of 5

Black hooded caster

CCESD - Carpet casters add 144 list / set of 5

Black hooded caster

MSLC - Multi-surface add 69 list / set of 5



one is seated in chair

Black non-hooded caster

CC01-HD - Carpet casters add 75 list / set of 5

**HC01-HD** – Hard floor casters add **75** list / set of 5

#### Shield HD/Big & Tall HD

**CCCH** – Carpet casters add **52** list / set of 5

#### Universal Electrostatic Dissipation Caster

**HCESD** – Hard floor casters add **144** list / set of 5

#### Universal Locking Caster



#### Bell Glide

#### Universal Reverse Locking Caster

Black hooded caster

MSRLC - Multi-surface casters add 75 list / set of 5

Black nylon glide caster

GL01 add 12 list / set of 4

#### Jem/Melo Side

Black nylon caster

GL07 add 29 list / set of 4

Black nylon glide caster GL04 add 12 list / set of 4

#### Universal Bell Glide

Black nylon glide caster GLBG add 41 list / set of 5

# Arm Pad Options



BAP Buzz arm pad profile (default pad if none specified except for ATS) add 35 list per pair



BT bullet arm pad profile (recommended and default for ATS) add 35 list per pair

#### Accessories



#### Ballistic nylon back

Can be applied for added strength. Prevents scratching or tearing of fabric. Black in color. Used in place of plastic

**BB** No upcharge

\*ordered in conjunction with **BP** bumper guard add 45 list



#### Bumper back trim

Vinyl strip attached to the outer perimeter of the rear back panel of chair to protect against edge back wear. Available in 6 colors that can be color coordinated with fabric or vinvl. Refer to web site for color selections.

**BP** No upcharge

\*ordered in conjunction with BB ballistic nylon add 45 list



#### Thoracic back

Provides additional pronounced support throughout the thoracic area of the back. (On PRMB03, 09 only)

THORBACK add 105 list

Ordered separately contact customer service



#### Sliding seat pan

Allows the seat to be adjusted to different depth settings. Permits 2.5" of travel at multiple lock-in points.

SS (MESH) add 87 list add 98 list

\*Not available on stools



#### 1" Additional seat foam

Add for increased seat comfort.

EF standard foam add 46-64 list depending on model

MF 1" layer memory foam over upgraded high density foam seat add 105 list



#### Standard stool package

Seat height from floor ranges from 20" to 28". Actual seat heights can vary depending upon model. Footring and 8" travel cylinder included.

SP add 133 list SP-HD add 196 list



#### Extended stool package

Seat height from floor ranges from 22" to 32". Actual seat heights can vary depending upon model. Footring and 10" travel cylinder included.

XSP add 156 list XSP-HD add 219 list



#### CAL 133

Fire blocker is upholstered over seat and back foam. CAL133 add 60-140 list

depending on model



#### Electrostatic dissipation

Dissipates static electricity from chair, includes conductive fabric, conductive casters. For ESD applications see "Additional Options" as applicable to chair models.



#### Headrest Rika series

RAHR add 130 list

Please refer to specific chair models for available accessory options.

Parts List Customer is responsible for shipping cost for parts and upholstery.

MODEL#	ITEM	LIST PRICE
ARMS		
DA	Drop away (complete) - specify pad	125 pair
VF	V shaped fixed	105 pair
AT/AW	Adjustable height & width (complete) - specify pad	125 pair
ATS	Contemporary adjustable height (complete) - specify pad	125 pair
ATS/AW	Contemporary adjustable height & width (complete) - specify pad	140 pair
MAT/AW	Multi-Function height & weight (complete)	200 pair
AW	Adjustable width brackets *when purchased separately	29 pair
AL	Adjustable height loop	185 pair
BAP	Buzz Arm Pad (replaced Diamond Pad)	35 pair
ВТ	Bullet Pad	35 pair
RMFA	Rika multi function height adjustable	115 pair
CYLINDER		
CY00	Specialty - 2.5" Travel	35 ea
CY01	Bantam/Petite - 3" Travel	35 ea
CY02	Pronto MB & HB - 5" Travel	41 ea
CY02-CH	Pronto MB & HB/Pronto Mesh/Melo/Medical Chrome - 5" Travel	52 ea
CY02-HD	Pronto Heavy Duty - 5" Travel	58 ea
CY02-HD2	Shield/Big & Tall - 5" Travel	58 ea
CY02-SHD	Shield/Big & Tall Super Heavy Duty - 5" Travel	127 ea
CY03	Chair/Stool - 7.5" Travel	46 ea
CY04	Stool - 8" Travel	41 ea
CY04-CH	Stool Chrome - 8" Travel	58 ea
CY04-HD	Stool Heavy Duty - 8" Travel	104 ea
CY05	Extended Stool - 10" Travel	64 ea
CY05-CH	Extended Stool Chrome - 10" Travel	81 ea
CY05-HD	Extended Stool Heavy Duty - 10" Travel	127 ea
CY06	Melo/Pronto Mesh - 4" Travel	46 ea
CY06-CH	Melo/Pronto Mesh Chrome - 4" Travel	46 ea
CY06-HD	Melo/Pronto Mesh Heavy Duty - 4" Travel	58 ea
CY07	Rika Short - 3" Travel	46 ea
CY08	Rika Standard - 4" Travel	46 ea
CY09	Rika Tall - 5" Travel	46 ea
CY10	Dandy - 5" Travel	46 ea
CY13	Medical/Snap - 5" Travel	41 ea
CY14	Melo Basic - 5" Travel	41 ea
CY16	LOD20 - Auto Return	46 ea
CY17	LOD40 - 2.5" Travel	46 ea
CY18	Nifty - 4" Travel	46 ea
CY19	LOD50/60/70 - 5" Travel	46 ea
CY20	LOD80 - 2.75" Travel	46 ea
CY22	Rika Short Leather - 3.5" Travel	46 ea
COVER	Cylinder Cover Can	35 ea

parts and uph	loistery.	
MODEL#	ITEM	LIST PRICE
BASE		
BASE22	22" Poly Base in Blk, Dk Gray, Lt Gray, Sand Medical	52 ea
BASE22-A	22" Polished Aluminum Base Medical/Snap (not availabe on stools)	115 ea
BASE23	23" Poly Black Base Snap	52 ea
BASE24	24" Poly Black Base Bantam/Petite/Urethane	52 ea
BASE24-M	24" Poly Base in Blk, Dk Gray,Lt Gray, Sand Medical/Snap	52 ea
BASE25-TH	25" Thunder Poly Black Base Melo/Pronto Mesh	52 ea
BASE25-THA	25" Thunder Polished Aluminum Base Melo/Pronto Mesh	115 ea
BASE26	26" Poly Black Base Pronto MB/HB	52 ea
BASE26-A	26" Polished Aluminum Base Pronto MB/HB	115 ea
BASE27.5-HD	27.5" Poly Black Base Big & Tall/Shield	75 ea
BASE27.5-SHD	27.5" Steel Black Base Big & Tall HD/Shield HD	219 ea
BASE-PAB	Rika Polished Aluminum Base	115 ea
BASE-PBB	Rika Poly Black Base	52 ea
BACO	Base Collar (adds 3/4" to seat height	6 ea
MISCELLANE FR18	EOUS 18" Sure Grip Foot Ring Medical Stool Only	92 ea
FR20	20" Sure Grip Foot Ring	92 ea
Contac	ct Customer Service for parts not show	vn.
	SHIPPING COST APPLIES	
	0-0-0	
S	Customer is responsible for shipping cost for parts and upholstery.	

Parts List Customer is responsible for shipping cost for parts and upholstery.

CC01-HD         Carpet Heavy Duty Caster (Black) Pronto HD/Big & Tall/ Shield         75 set of 5	MODEL#	ITEM	LIST PRICE
Pronto/Urethane/Snap/Melo Basic   Set of 5	CARPET CA	<u>STERS</u>	
Pronto HD/Big & Tall/ Shield   Set of 5	CC01	. ,	41 set of 5
Caboodle/Jem	CC01-HD		75 set of 5
Dandy/Nifty/Melo/Pronto Mesh/Rika	CC02		46 set of 5
Melo/Pronto Mesh	CC07		46 set of 5
Jem/Melo Side	CC07-SL		46 set of 5
Set of 5	CC09		46 set of 5
HARD FLOOR CASTERS  HC01 Hooded Hard Floor Caster (Black) 41 Pronto/Urethane/Snap/Melo Basic set of 5 Pronto HD/Big & Tall/Shield set of 5 HC02 Hooded Hard Floor Caster (Black) Large Wheel 46 Caboodle/Jem set of 5 HC07 Hard Floor Caster (Black) 46 Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HC09 Hard Floor Caster (Black) Small Wheel 46 Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 52 set of 5 HCESD ESD Hard Floor Caster (Black) 144 set of 5  GLIDES  GLIDES  GL01 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL04 Glide (Black Nylon) 12 Start set of 4 GL05 Glide (Black Nylon) 12 CD020 set of 4 GL06 Glide (Black Nylon) 12 LOD20 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL07 Glide (Black Nylon) 29 Jem/Melo Side (tall) set of 4 GLBG Stationary Bell Glide 41 set of 5 GLRF Rubber Feet 35	СССН	Carpet Caster (Chrome)	52 set of 5
HC01 Hooded Hard Floor Caster (Black) Pronto/Urethane/Snap/Melo Basic set of 5 Pronto HD/Big & Tall/Shield set of 5 Pronto Hard Floor Caster (Black) Additionally Hard Floor Caster (Black) Small Wheel Additionally Hard Floor Caster (Chrome) Additionally Hard Floor Caster (Chrome) Set of 5 Pronto HD/Big Additionally Hard Floor Caster (Black) Addition	CCESD	ESD Carpet Caster (Black)	144 set of 5
Pronto/Urethane/Snap/Melo Basic set of 5 HC01-HD Hard Floor Heavy Duty Caster (Black) 75 Pronto HD/Big & Tall/Shield set of 5 Pronto HD/Big & Tall/Shield set of 5 HC02 Hooded Hard Floor Caster (Black) Large Wheel 46 Caboodle/Jem set of 5 HC07 Hard Floor Caster (Black) 46 Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HC09 Hard Floor Caster (Black) Small Wheel 46 Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 52 set of 5 HCESD ESD Hard Floor Caster (Black) 144 set of 5  GLIDES GL01 Glide (Black Nylon) 12 Flite set of 4 GL02 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Melo Side (short) 12 Start set of 4 GL04 Glide (Black Nylon) 12 Start set of 4 GL05 Glide (Black Nylon) 12 LOD20 set of 4 GL06 Glide (White Nylon) 12 LOD20 set of 4 GL07 Glide (Black Nylon) 29 Jem/Melo Side (tall) set of 5 GLBG Stationary Bell Glide 41 set of 5 GLBG GLRF Rubber Feet 35	HARD FLOO	R CASTERS	
Pronto HD/Big & Tall/Shield set of 5 HC02 Hooded Hard Floor Caster (Black) Large Wheel 46 Caboodle/Jem set of 5 HC07 Hard Floor Caster (Black) 46 Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HC09 Hard Floor Caster (Black) Small Wheel 46 Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 52 Set of 5 HCESD ESD Hard Floor Caster (Black) 144 Set of 5  GLIDES GL01 Glide (Black Nylon) 12 Flite set of 4 GL02 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GL03 Glide (Black Nylon) 12 Melo Side (short) 12 GL04 Glide (Black Nylon) 12 Start set of 4 GL05 Glide (Black Nylon) 12 Start set of 4 GL06 Glide (Black Nylon) 12 LOD20 set of 4 GL07 Glide (Black Nylon) 12 LOD151/157 set of 4 GL08 Stationary Bell Glide 41 Set of 5 GLRF Rubber Feet 35	HC01	,	41 set of 5
Caboodle/Jem   Set of 5	HC01-HD		75 set of 5
Dandy/Nifty/Melo/Pronto Mesh/Rika set of 5 HCO9 Hard Floor Caster (Black) Small Wheel Jem/Melo Side set of 5 HCCH Hard Floor Caster (Chrome) 52 Set of 5 HCESD ESD Hard Floor Caster (Black) 144 Set of 5  GLIDES GLO1 Glide (Black Nylon) 12 Flite Set of 4 GLO2 Glide (Black Nylon) 12 Jem (short)/Jem Arm Hole Covers set of 4 GLO3 Glide (Black Nylon) 12 Melo Side (short) 12 Start Set of 4 GLO4 Glide (Black Nylon) 12 Start Set of 4 GLO5 Glide (Black Nylon) 12 Start Set of 4 GLO6 Glide (White Nylon) 12 LOD20 Set of 4 GLO7 Glide (Black Nylon) 29 Jem/Melo Side (tall) 29 Jem/Melo Side (tall) 35 GLRF Rubber Feet 35	HC02	` , ,	eel 46 set of 5
Jem/Melo Side	HC07	` '	46 set of 5
### Set of 5  ### SET OF 6  ##	HC09	` '	46 set of 5
Set of 5	нссн	Hard Floor Caster (Chrome)	52 set of 5
GL01 Glide (Black Nylon) Flite Set of 4  GL02 Glide (Black Nylon) Jem (short)/Jem Arm Hole Covers  GL03 Glide (Black Nylon) Melo Side (short)  GL04 Glide (Black Nylon) Start GL05 Glide (Black Nylon) LOD20 GL06 Glide (White Nylon) LOD20 GL07 Glide (Black Nylon) Set of 4  GL07 Glide (Black Nylon) Set of 5  GL07 GL07 Stationary Bell Glide Stationary Bell Glide	HCESD	ESD Hard Floor Caster (Black)	144 set of 5
Flite	GLIDES		
Jem (short)/Jem Arm Hole Covers   set of 2	GL01	· · · · · · · · · · · · · · · · · · ·	12 set of 4
Melo Side (short)       set of 4         GL04       Glide (Black Nylon)       12         Start       set of 4         GL05       Glide (Black Nylon)       12         LOD20       set of 4         GL06       Glide (White Nylon)       12         LOD151/157       set of 4         GL07       Glide (Black Nylon)       29         Jem/Melo Side (tall)       set of 4         GLBG       Stationary Bell Glide       41         GLRF       Rubber Feet       35	GL02		12 set of 4
Start         set of 4           GL05         Glide (Black Nylon) LOD20         12 set of 4           GL06         Glide (White Nylon) LOD151/157         12 set of 4           GL07         Glide (Black Nylon) Jem/Melo Side (tall)         29 set of 4           GLBG         Stationary Bell Glide         41 set of 5           GLRF         Rubber Feet         35	GL03	· ,	12 set of 4
LOD20 set of 4  GL06 Glide (White Nylon) 12 LOD151/157 set of 4  GL07 Glide (Black Nylon) 29 Jem/Melo Side (tall) set of 4  GLBG Stationary Bell Glide 41 set of 5  GLRF Rubber Feet 35	GL04		12 set of 4
LOD151/157 set of 4  GL07 Glide (Black Nylon) 29	GL05	` ,	12 set of 4
Jem/Melo Side (tall) set of 4  GLBG Stationary Bell Glide 41 set of 5  GLRF Rubber Feet 35	GL06	· · · · · · · · · · · · · · · · · · ·	12 set of 4
Set of 5  GLRF Rubber Feet 35	GL07	· ,	29 set of 4
GLRF Rubber Feet 35	GLBG	` '	41 set of 5
set of 4	GLRF	Rubber Feet	

	prioistery.	LIST
MODEL#	ITEM	PRICE
MULTI-SU	RFACE CASTERS	
MS02	Multi-Surface Caster (Black) LOD40/LOD50	46 set of 5
MS03	Multi-Surface Caster (Black) LOD60/LOD70/LOD80	46 set of 5
MSLC	Multi-Surface Locking Caster (Black) *Breaks when not seated	69 set of 5
MSRLC	Multi-Surface Reverse Locking Caster (Black) *Breaks when seated	75 set of 5
MSSHD	Multi-Surface Super Heavy Duty Caster (Black) Big & Tall HD/Shield HD	75 set of 6
UPHOLSTI	ERY	Net Price
Grade 1	Specify Pattern/Color	35 per yd
Grade 2	· · ·	45 per yd
Grade 3	• •	50 per yd
Grade 4	·	60 per yd
Grade 5		75 per yd
Grade 6		95 per yd
Ballistic N		50 per yd
Con	tact Customer Service for parts not sho	wn.
	SHIPPING COST APPLIES	
	Customer is responsible for shipping cost for parts and upholstery.	









