


Avem
Quirks
Pty Ltd.



CATALOGUE

2017





Avem Quirks Pty Ltd is an Australian company specialising in equipment solutions for the Food & Medical Equipment Industry.

AvemQuirks provide a complete service solution for any sized-business, anywhere, anytime.

We are a full service company, offering a broad range of capabilities to the food & medical service and food & medical industries. Avem Quirks are importers and distributors of innovative products, with a medical and technical emphasis. We are the distributors of vaccine & blood refrigerators. Combine this with our unique data-logging products, alarm systems and second to none service & technical support for a total solution for your temperature sensitive storage needs.

With our fleet of **65 dedicated technicians and** vehicles, supported by a network of 300 contractors, we span the far reaches of every state in Australia, across a platform of diverse medical and commercial food & beverage equipment, **24 hours a day, 7 days a week.**

To obtain information regarding Avem Quirks **SERVICES** and equipment please call our toll free number - **1800 658 120** and ask to speak to any of our experienced sales people.

OUR SERVICES

INTEGRATED SOLUTIONS



PRODUCT LISTING

CHILLING SOLUTIONS	3
FREEZING SOLUTIONS	14
DISPLAY SOLUTIONS	17
BAKING SOLUTIONS	22
BAKING & COOKING SOLUTIONS	28
COOKING SOLUTIONS	32
DISPENSING SOLUTIONS	36
TERMS & CONDITIONS	41



CHILLING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

AVEM QUIRKS

AQ ME S6A AVEM QUIRKS

If you want to showcase your products in front of house or reclaiming floor space as a storage outback, it will be easy for your clients and staff to find exactly what they are looking for. This new glass one door chiller combines modern engineering with modern design, keeping products at an optimum temperature and providing market leading energy savings along with new features to deliver optimal performance, efficiency and reliability.



AQ ME S6A - AVEM QUIRKS

FEATURES

Forced air circulation, Adjustable shelves, Interior LED Lights, Universal wheels, front with brakes, Door with lock & key, Double glazing tempered glass, Self closing door, Self evaporating drip tray.

Temp Control	:	Digital,
Defrost Type	:	Auto Defrost,
Options	:	Stickers / Digital Control,
Ambient Rating	:	43°
Power Supply	:	10 amp

DIMENSIONS & WEIGHT:

Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
690	800	2092	143	128

SPECIFICATIONS :

Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
650	527	0 to +10	5,4	R134a



CHILLING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

AVEM QUIRKS

AQ ME D10A AVEM QUIRKS

Providing the same functionality as the AQ ME S6A, this new glass two door chiller combines modern engineering with modern design, keeping products at an optimum temperature and providing market leading energy savings along with new features to deliver optimal performance, efficiency and reliability. This unit is a functional unit ideal for showcasing your products in front of house or reclaiming floor space as a storage outback.



AQ ME D10A - AVEM QUIRKS

FEATURES

Forced air circulation, Adjustable shelves Interior LED Lights, Universal wheels, front with brakes, Door with lock & key, Double glazing tempered glass, Self closing door, Self evaporating drip tray.

Temp Control	:	Digital,
Defrost Type	:	Auto Defrost,
Options	:	Stickers / Digital Control,
Ambient Rating	:	43°
Power Supply	:	10 amp

DIMENSIONS & WEIGHT:

Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
1160	720	2092	200	180

SPECIFICATIONS :

Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
1020	827	0 to +10	6,3	R134a



CHILLING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

AVEM QUIRKS

AQ ME T16A AVEM QUIRKS

The largest and most popular cooler in the AQ ME series. This unit is a functional unit ideal for showcasing your products in front of house or reclaiming floor space as a storage outback. They use innovative cooling technology which makes maintenance of the cooler easier and faster, keeping products at an optimum temperature and providing market leading energy savings along with new features to deliver optimal performance, efficiency and reliability.



AQ ME T16A - AVEM QUIRKS

FEATURES

Forced air circulation, Adjustable shelves Interior LED Lights, Universal wheels, front with brakes, Door with lock & key, Double glazing tempered glass, Self closing door, Self evaporating drip tray.

Temp Control	:	Digital,
Defrost Type	:	Auto Defrost,
Options	:	Stickers / Digital Control,
Ambient Rating	:	43°
Power Supply	:	10 amp

DIMENSIONS & WEIGHT:

Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
1750	720	2092	275	245

SPECIFICATIONS :

Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
1590	1281	0 to +10	9,6	R134a



CHILLING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

VESTFROST

FKG 311 VESTFROST

Providing strong, stable and adjustable shelves, this unit is suitable for the hygienic and convenient storage of both bottles and food products. With features such as automatic defrosting and adjustable wire shelves, this cooler is a functional unit ideal for sandwich bars, kiosks and service stations.

ISO 9001, 14001 & OHSAS 18001 CERTIFIED

FEATURES

Adjustable thermostat, Automatic defrosting, Ventilated cooling, Interior light, Reversible door, Robust handle, Adjustable wire shelves, Adjustable feet, Door lock.

Ambient Rating : 32°
Power Supply : 10 amp



FKG 311 - VESTFROST

DIMENSIONS & WEIGHT:

Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
595	595	1550	74	71

SPECIFICATIONS :

Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
306	281	+3 to +10	2,3	R134a



CHILLING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

VESTFROST

FKG 371 VESTFROST

Providing the same functionality as the FKG 311 with added storage space. This cooler is a functional unit ideal for sandwich bars, kiosks and service stations who require added storage space for their products.

ISO 9001, 14001 & OHSAS 18001 CERTIFIED

FEATURES

Adjustable thermostat, Automatic defrosting, Ventilated cooling, Interior light, Reversible door, Robust handle, Adjustable wire shelves, Adjustable feet, Door lock.

Ambient Rating : 32°
Power Supply : 10 amp



FKG 371 - VESTFROST

DIMENSIONS & WEIGHT:

Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
595	595	1850	88	85

SPECIFICATIONS :

Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
381	351	+3 to +10	2,8	R134a



CHILLING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

VESTFROST

FKG 410 VESTFROST

The largest and most popular cooler in the FKG series. Reliable, low energy consumption, low service costs, ideal exposure and competitive prices make the FKG cooler a true winner when it comes to optimum space utilization and display of cold food and beverages.

ISO 9001, 14001 & OHSAS 18001 CERTIFIED

FEATURES

Adjustable thermostat, Automatic defrosting, Ventilated cooling, Interior light, Reversible door, Robust handle, Adjustable wire shelves, Adjustable feet, Door lock.

Ambient Rating : 32°
Power Supply : 10 amp



FKG 410 - VESTFROST

DIMENSIONS & WEIGHT:

Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
595	595	2000	97	94

SPECIFICATIONS :

Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
381	351	+3 to +10	3,1	R134a



CHILLING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

AHT

HUS C500

AHT

A glass one-door cooler that includes a no frost cooling system, self-closing double-glazed doors, full length LED lights and a self-evaporating drip tray.



HUS C500 - AHT

FEATURES

LED lights, full length illumination in cabinet and canopy, ultra energy-saving, dairy safe, self-closing door, integrated lock, mechanical control, strong industrial shelving, fully adjustable shelves, durable and convenient handle, 4 strong industrial castors, front with brake, strong transportation pallet, condensation proof glass, auto defrost of evaporator, self-evaporating drip tray.

Ambient Rating : 38°
Power Supply : 10 amp

DIMENSIONS & WEIGHT:

Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
600	690	1998	105	89

SPECIFICATIONS :

Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
500	420	0 to +10	2,8	R134a



CHILLING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

AHT

HUS C800

AHT

A glass two-door cooler that includes a no frost cooling system, self-closing double-glazed doors, full length LED lights and a self-evaporating drip tray.



HUS C800 - AHT

FEATURES

LED lights, full length illumination in cabinet and canopy, ultra energy-saving, dairy safe, self-closing door, integrated lock, mechanical control, strong industrial shelving, fully adjustable shelves, durable and convenient handle, 4 strong industrial castors, front with brake, strong transportation pallet, condensation proof glass, auto defrost of evaporator, self-evaporating drip tray.

Ambient Rating : 38°
Power Supply : 10 amp

DIMENSIONS & WEIGHT:

Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
1000	690	1998	150	132

SPECIFICATIONS :

Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
880	800	0 to +10	5,0	R134a



CHILLING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

ASTE

AVO HARMONY 135 - 60 & 87 ASTE

AVO product family consists of impulse coolers that can be placed on shelf, table or floor. They give you an easy solution for different locations to be used together or separately. The exterior of AVO products can be customized to your brand to give it the possible presentation.



AVO HARMONY 135- 60 - ASTE

FEATURES

Easy access open front, Full glass sides, 2 adjustable shelves, shelf talker profiles, Night curtain, 3 x horizontal LED, green refrigerant R290, Electronical controller,

Ambient Rating : 32°
Power Supply : 10 amp

DIMENSIONS & WEIGHT:

Model	Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
135 - 60	598	700	1350	95	91
135 - 87	865	700	1350	121	115



AVO HARMONY 135- 60 - ASTE

SPECIFICATIONS :

Model	Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
135 - 60	158	133	+1 to +6	7,8	R290
135 - 87	230	215	+4 to +7	7,8	R290



CHILLING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

ASTE

AVO HARMONY 145 - 87 / AVO STD ASTE

AVO product family consists of impulse coolers that can be placed on shelf, table or floor. They give you an easy solution for different locations to be used together or separately. The exterior of AVO products can be customized to your brand to give it the possible presentation.



AVO HARMONY 145- 87 - ASTE

FEATURES

Easy access open front, Full glass sides, 2 adjustable shelves, shelf talker profiles, Night curtain, 3 x horizontal LED, green refrigerant R290, Electronical controller,

Ambient Rating : 32°
Power Supply : 10 amp



AVO STD - ASTE

DIMENSIONS & WEIGHT:

Model	Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
145 - 87	870	630	1450	121	115
AVO STD	540	630	1750	95	90

SPECIFICATIONS :

Model	Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
145 - 87	230	215	+1 to +6	9,8	R290
AVO STD	267	203	+2 to +6	9,8	R290



CHILLING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

PASTORKALT

FILIP 400 PASTORKALT

FILIP – A wall display cabinet with integrated cooling unit (plug in) is designed for sale of all food products assortment. It is suitable for shops of all sizes due to a wide range of lengths, the strict design, clear lines, customisation or integrating to a specific shop interior. Canopy lighting and end walls lighting ensures maximum visibility of displayed food products. There is the possibility to install glass door if required. RB version is suitable for back counter displays. Available in three lengths 1275 (519 ltr) 1875 (788 ltr) and 2500 (1058 ltr).



FILIP 400 - PASTORKALT

FEATURES :

4 hinged height adjustable shelves and a base shelf. Easy access open front.

Ambient Rating : 32°
Power Supply : 10 amp

DIMENSIONS & WEIGHT:

Model	Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
1250	750	1250	1970	185	180
1875	750	1875	1970	230	225
2500	750	2500	1970	290	280

SPECIFICATIONS :

Model	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
1250	519	+1 to +10	28.9	R404a
1875	788	+1 to +10	38.1	R404a
2500	1056	+1 to +10	49.5	R404a



FREEZING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

AVEM QUIRKS

AQ FD LD57 AVEM QUIRKS

Our one door glass commercial upright freezer is ideal for Restaurants, Cafes, Bars, Clubs, Pubs, and has even been installed around Australia. With 5 adjustable shelves our freezer offers 360 litres of storage capacity. Our units come equipped with wheels installed. Self-closing glass doors ensures the contents remain cool and fresh even in busy kitchen. Frost Free with Automated Defrosting System.



AQ FD LD57 - AVEM QUIRKS

FEATURES

Forced air circulation, Adjustable shelves, Interior LED Lights, Universal wheels, front with brake, Door with lock & key, 3 Pane tempered glass with heated film, Self closing door, Self evaporating drip tray.

Temp Control	:	Digital
Defrost Type	:	Auto Defrost
Options	:	Stickers / Digital Control
Ambient Rating	:	38°
Power Supply	:	10 amp.

DIMENSIONS & WEIGHT:

Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
670	700	1980	143	128

SPECIFICATIONS :

Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
360	320	-18 to -25	12	R404a



FREEZING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

AVEM QUIRKS

AQ FD LS122 AVEM QUIRKS

Fundamental to keeping products fresher and tastier for longer, our two door glass commercial upright freezer is ideal for Restaurants, Cafes, Bars, Clubs, Pubs, and is certain to cater to all of your food service needs. With 5 adjustable shelves per side our freezer offers 800 litres of storage capacity. Our units come equipped with wheels installed. Self-closing glass doors ensures the contents remain cool and fresh even in busy kitchen. Frost Free with Automated Defrosting System.



AQ FD LS122 - AVEM QUIRKS

FEATURES

Forced air circulation, Adjustable shelves, Interior LED Lights, Universal wheels, front with brake Door with lock & key, 3 Pane tempered glass with heated film, Self closing door, Self evaporating drip tray.

Temp Control	:	Digital
Defrost Type	:	Auto Defrost
Options	:	Stickers / Digital Control
Ambient Rating	:	38°
Power Supply	:	10 amp.

DIMENSIONS & WEIGHT:

Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
1220	700	1980	228	208

SPECIFICATIONS :

Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
800	640	-18 to -25	18.4	R404A



FREEZING SOLUTIONS

Our range of fridges & freezers are functionally superior, offering storage flexibility along with appealing aesthetics and high performance.

AHT

RIO H AHT

Designed to sell more ice-cream by being visually appealing. Offering two different models: slanted with curved glass sliding lids and horizontal with flat glass sliding lids or solid lids permit perfect merchandise presentation and excellent visibility. Available in 1000mm, 1500mm or 1750mm.



RIO H - AHT

FEATURES :

Excellent product visibility due to low cabinet height, Ready to plug in, Easy-to-move, 2-part, curved or flat glass sliding lids with the proven and internationally patented injected, one-piece AHT lid frame, Environmentally friendly with natural refrigerant propane, 100 % CFC- and PFC-free, Low energy consumption, Comes in 1250, 1875 & 2500 size trays, Comes with 3 baskets for Rio 100, 5 baskets for Rio 150, and 6 baskets for Rio 175.

Power Supply : 10 amp

DIMENSIONS & WEIGHT:

Model	Width	Depth	Height	Gross Weight (kg)	Net Weight (kg)
RIO H 100	1000	650	880	67	63
RIO H 150	1500	650	880	84	79
RIO H 175	1750	650	880	89	83

SPECIFICATIONS :

Model	Gross Capacity litres	Net Capacity litres	Temperature Range °C	Power Consumption per 24h, kWh	Refrigerant
RIO H 100	262	215	-14 to -22	3.8	R404A
RIO H 150	442	367	-14 to -22	4.8	R404A
RIO H 175	532	443	-14 to -22	5.1	R404A



DISPLAY SOLUTIONS

Our heated, refrigerated and ambient merchandisers are premium, technically advanced display units, allowing you to showcase a variety of products and impress customers at first sight.

HEATED DISPLAY SOLUTIONS FRIJADO

MULTIDECK 3 LVL (60, 100, & 120) FRIJADO

Large glass sides of the Multi Deck provide a 180-degree view of the products. The sleek design with large glass surface & well placed lighting gives the product prominence and provides outstanding presentation. All MD units are available with 3, 4 or 5 levels. Placing impulse food products near checkouts has proven to be a successful strategy in today's grab-and-go market. With this Multi Deck, your customers can pick up delicious, hot, pre-packed snacks and meal solutions practically anywhere in the store.

FEATURES :

Self Serve heated merchandisers, ideal near checkouts. Innovative airflow technology: no hot or cold spots. Boost Impulse sales, Upright design save space. Cross merchandising capabilities, Power Supply 10 amp.



MD 3 LVL 120 - FRIJADO

ACCESSORIES :

DESCRIPTION	PART NUMBER
MD60-3 Self serve heated merchandiser, solid back	9229300
MD60-3 Self serve heated merchandiser, pass-through	9229302
MD100-3 Self serve heated merchandiser, solid back	9229310
MD100-3 Self serve heated merchandiser, pass-through	9229312
MD120-3 Self serve heated merchandiser, solid back	9229320
MD120-3 Self serve heated merchandiser, pass-through	9229322

DIMENSIONS & WEIGHT: (MULTIDECK 120 3 LEVEL)

Width	Depth	Height
1200	800	1420

SPECIFICATIONS : (MULTIDECK 120 3 LEVEL)

Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
234	215	208	4.3



DISPLAY SOLUTIONS

Our heated, refrigerated and ambient merchandisers are premium, technically advanced display units, allowing you to showcase a variety of products and impress customers at first sight.

HEATED DISPLAY SOLUTIONS FRIJADO

MULTIDECK 5 LVL (60, 100, & 120) FRIJADO

Large glass sides of the Multi Deck provide a 180-degree view of the products. The sleek design with large glass surface & well placed lighting gives the product prominence and provides outstanding presentation. All MD units are available with 3, 4 or 5 levels. Placing impulse food products near checkouts has proven to be a successful strategy in today's grab-and-go market. With this Multi Deck, your customers can pick up delicious, hot, pre-packed snacks and meal solutions practically anywhere in the store.

FEATURES :

Self Serve heated merchandisers, ideal near checkouts. Innovative airflow technology: no hot or cold spots. Boost Impulse sales, Upright design save space. Cross merchandising capabilities, Power Supply 10 amp.



MD 5 LVL 120 - FRIJADO

ACCESSORIES :

DESCRIPTION	PART NUMBER
MD60-5 Self serve heated merchandiser, solid back	9229360
MD60-5 Self serve heated merchandiser, pass-through	9229362
MD100-5 Self serve heated merchandiser, solid back	9229370
MD100-5 Self serve heated merchandiser, pass-through	9229372
MD120-5 Self serve heated merchandiser, solid back	9229380
MD120-5 Self serve heated merchandiser, pass-through	9229382

DIMENSIONS & WEIGHT: (MULTIDECK 120 5 LEVEL)

Width	Depth	Height
1200	800	1972

SPECIFICATIONS : (MULTIDECK 120 5 LEVEL)

Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
352	300	208	6,5



DISPLAY SOLUTIONS

Our heated, refrigerated and ambient merchandisers are premium, technically advanced display units, allowing you to showcase a variety of products and impress customers at first sight.

HEATED DISPLAY SOLUTIONS FRIJADO

MC 100 / 75 HOT SELF -SERVE SQUARE / CURVE FRIJADO

With Fri-Jados leading technology in heated display equipment, the MC heated units have been tested to hold cooked chickens for over 4 hours (packaged) at a high quality. With numerous adaptable features this unit is ideal for hot rolls, pies, pastries and chicken portions. A well-lit, clean and inviting hot, cold and ambient food system to cover all fresh food categories. An ergonomic design providing easy access. Unobstructed visibility for the customer. Easy to adapt to any format within new stores or retrofits. Providing the opportunity for increased basket sales through meal deals.



MC 100 HOT SELF SERVE SQUARE

FEATURES

Inline display cabinet, full-serve or self-serve. Can be combined with cold and ambient counters. Power Supply 10 amp. Available in 1000 and 750 mm width.



MC 75 HOT SELF SERVE CURVE

DIMENSIONS & WEIGHT:

Model	Width	Depth	Height
MC 100	1000	766	1515
MC 75	750	766	1515

SPECIFICATIONS :

Model	Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
MC 100	220	187	230	2,8
MC 75	192	165	230	2,6



DISPLAY SOLUTIONS

Our heated, refrigerated and ambient merchandisers are premium, technically advanced display units, allowing you to showcase a variety of products and impress customers at first sight.

COLD DISPLAY SOLUTIONS FRIJADO

MC 100 / 75 COLD SELF -SERVE SQUARE / CURVE FRIJADO

Self serve unit that maintains product temperature between 2-5°C, guaranteeing long holding times. Multiple features such as reflector-enhanced TL lighting for attractive promotion, thermopane glass and interchangeable shelving. Can be combined with hot and ambient counters. A well-lit, clean and inviting hot, cold and ambient food system to cover all fresh food categories. An ergonomic design providing easy access. Unobstructed visibility for the customer. Easy to adapt to any format within new stores or retrofits. Providing the opportunity for increased basket sales through meal deals.



MC 100 COLD SELF SERVE SQUARE

FEATURES

Inline display cabinet, full-serve or self-serve. Can be combined with hot and ambient counters. Power Supply 10 amp. Available in 1000 and 750 mm width.



MC 75 COLD SELF SERVE CURVE

DIMENSIONS & WEIGHT:

Model	Width	Depth	Height
MC 100	1000	766	1515
MC 75	750	766	1515

SPECIFICATIONS :

Model	Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
MC 100	220	187	230	1,3
MC 75	192	165	230	1,3



DISPLAY SOLUTIONS

Our heated, refrigerated and ambient merchandisers are premium, technically advanced display units, allowing you to showcase a variety of products and impress customers at first sight.

AMBIENT DISPLAY SOLUTIONS FRIJADO

MC 100 / 75 AMBIENT SELF-SERVE SQUARE / CURVE FRIJADO

Self serve unit that maintains product temperature between 2-5°C, guaranteeing long holding times. Multiple features such as reflector-enhanced TL lighting for attractive promotion, thermopane glass and interchangeable shelving. Can be combined with hot and ambient counters. A well-lit, clean and inviting hot, cold and ambient food system to cover all fresh food categories. An ergonomic design providing easy access. Unobstructed visibility for the customer. Easy to adapt to any format within new stores or retrofits. Providing the opportunity for increased basket sales through meal deals.



MC 100 AMBIENT SS SQUARE

FEATURES

Inline display cabinet, full-serve or self-serve. Can be combined with hot and cold counters. Power Supply 10 amp. Available in 1000 and 750 mm width.



MC 75 AMBIENT SS CURVE

DIMENSIONS & WEIGHT:

Model	Width	Depth	Height
MC 100	1000	766	1515
MC 75	750	766	1515

SPECIFICATIONS :

Model	Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
MC 100	220	187	230	0,5
MC 75	192	165	230	0,5



BAKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

MIWE

ECONO EC (600 x 400) MIWE

Electric convection oven ideal for interrupted baking of Danish-style pastries and croissants. Perfect for the convenience sector due to a wide range of clever functions and easy to use interface. Comes in 4, 6, 8 & 10 trays. Also with MIWE flexbake, this makes the Econo a learning oven, adapting baking programs per trays loaded into oven.



**ECONO EC 10 (600 x 400) - MIWE
with optional proofer**

FEATURES :

Steam input with spraying technology. Two reversed circulating fans with four optional adjustable fan speeds. Capacity for 4 -10 trays 600 x 400mm, Half load setting, 250 programs with up to 5 steps. Steam generator. Twin glazed door, easy touch screen display. 415V, 6.5 KW (EC 4) 9.5 KW (EC 6), 13.8 KW (EC 8) 15.8 KW (EC 10)

ACCESSORIES :

DESCRIPTION	PART NUMBER
Auto Clean	EC CC
Proofer (2x4 / 2x6 / 2x8)	EC PR 8/6/12
Steam Condensing Hood	EC SKII

*** Without Stand / Hood**

DIMENSIONS & WEIGHT:

Model	Width	Depth	Height
EC 4	900	1040	820
EC 6	900	1040	990
EC 8	900	1040	1150
EC 10	900	1040	1200

SPECIFICATIONS :

Model	Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
EC 4	165	155	240	6.5
EC 6	190	180	240	9.5
EC 8	218	208	240	13.8
EC 10	242	232	240	15.8



BAKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

MIWE

MIWE CUBE : THE FRESH FOOD SYSTEM MIWE

The Fresh Food System MIWE cube is the modular baking system on a uniform platform. Thanks to the different types of baking chamber and practical system components such as proofing and drying cabinet, open intermediate compartments, drawers, steam condenser and fume hood, it can be combined to meet all your requirements. And it always remains flexible – thanks to the base frame on rollers. With the Fresh Food System MIWE cube you can create more variety and achieve greater throughput – always at the highest level of quality. Guests love individuality. The perfect baking system for every product, configurable to every requirement, optionally extendible and changeable – yet each module also works alone. You only invest in the things you really require.



MIWE cube : air

Electrically heated convection baking oven: compact design for three, five or ten 60 x 40 cm trays; especially suited to baguettes, bread rolls and pastries such as croissants.

MIWE cube : stone

Electrically heated deck oven with stone slab. With a gentle baking atmosphere suitable for bread (stone-baked), baguettes, pretzels, pasta bakes and all kinds of snacks.

MIWE cube : stone

Electrically heated (230V lighting current) high - temperature baking oven up to 350°C with stone slab. For perfect baking of pizzas and tarte flambée (stackable by up to four units).



SYSTEM COMPONENTS

MIWE CUBE: DRY - Cube dry 500, Cube dry 750

MIWE CUBE: PROOF - Cube proof 750

MIWE CUBE: CARRIER - Cube : carrier 160 cube : carrier 180
Cube : carrier 210 Cube : carrier 260

MIWE CUBE: STRETCH - Cube : stretch 125 Cube : stretch 250

MIWE CUBE: STORE - cube : store 250 Cube : store 500
Cube : store 750

MIWE CUBE: HOOD - Cube hood 160 Cube : hood SC 160

MIWE CUBE: HOT FUNCTIONS - Cube : fire 250 Cube : stone 375
Cube : air 500 Cube : air 625 Cube : air 1050

MIWE CUBE: SLIDE AND HIDE - Cube : slide 125 Cube : hide 250



BAKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

MIWE

AERO AE 10 / AE 08 (600 x 400)

MIWE

The baking station of choice due to its clever and unique features including perfect baking of frozen small products, MIWE flexbake, resource-efficient cleaning control and sophisticated control concepts for requirements within branches. The best recommendation for impressing your customers with premium quality. Comes in 4, 6 or 10 trays.

FEATURES :

Capacity for 10 / 8 trays 600 x 400mm, Half load setting, 99 programs with up to 5 steps. Steam generator, Twin glazed door, 12 one button programs, 415V, 15.4kW

ACCESSORIES :

DESCRIPTION	PART NUMBER
Underframe 773mm 10 tray	AE STORE 773
Prover 773mm 10 tray	AE PROOF 773
Integrated hood with steam condenser	CB HOOD SC
Perforated trays 600 x 400	45016
Fiberlux mats 600 x 400	180300
Aluminium tray swiss style 600 x 400	311005
4 Flute non-stick coated baguette tray	BT/FS65/EUR4PS
Aluminium tray 3 sided 600 x 400	BT3EUR
Sponge pan 600 x 400	BT4EUR

DIMENSIONS & WEIGHT:

Model	Width	Depth	Height
AE 10	850	900	1190
AE 08	850	900	1030



AERO AE 10 (600 x 400) - MIWE



AERO AE 08 (600 x 400) - MIWE



BAKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

MIWE

GUSTO GU 3/SNACK (440X350)

MIWE

MIWE Gusto is one of the most compact bakery ovens on the market. With its lower spatial requirement, makes it a must for any café/supermarket. And now with the addition of the MIWE gusto snack which now has additional functions such as steaming, gratinating, grilling and self-cleaning letting you cut costs and save valuable space.

FEATURES :

Steam input with spraying technology. Two reversed circulating fans with four optional adjustable fan speeds, Capacity for 3 trays 440 x 350mm, MIWE flexbake, 250 programs with up to 5 steps, Steam function, Twin glazed door, simple touch screen operation 240V, 3.4kW, Single phase 16amp.

ACCESSORIES :

DESCRIPTION	PART NUMBER
Underframe (4 / 6 / 8 / 10 tray)	GU
Steam Condensing Hood	EC SKII

DIMENSIONS & WEIGHT:

Model	Width	Depth	Height
GU 3	600	660	510
SNACK	600	660	520

SPECIFICATIONS :

Model	Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
GU 3	110	105	230	3.4
SNACK	110	105	230	3.4



GUSTO GU 3/SNACK (440X350) - MIWE

* Without Stand / Hood



BAKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

MIWE

CONDO 06.04 / 08.06

MIWE

The all-rounder, MIWE Condo is the finest stone deck bakery ovens on the market. With its certified stone slabs enables breads to be sold as "Stone Baked". Along with breads, the condo is perfect for delicate pastries. With its numerous available size variants it adapts perfectly to the capacity and area needed.

FEATURES :

Steam input with steam generators, allows no drop in baking chamber temperature. Top and bottom heat regulated separately. Capacity for tray sizing 400 x 600mm, 250 programs with up to 5 steps, Twin glazed door, simple touch screen operation 240V, 3.4kW, Single phase 16amp.

ACCESSORIES :

DESCRIPTION	PART NUMBER
Underframe (4 / 6 / 8 / 10 tray)	GU
Proofer (2x4 / 2x6 / 2x8)	CO PR 8/12/16
Steam Condensing Hood	EC SKII

DIMENSIONS & WEIGHT:

Model	Width	Depth	Height
CO 3.06.04	900	810	950
CO 4.08.06	1100	1010	540

SPECIFICATIONS :

Model	Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
CO 3.06.04	N/A	N/A	230	8.3
CO 4.08.06	N/A	N/A	230	16.8



CONDO 06.04 / 08.06 - MIWE
with optional proofer

* Without Stand / Hood



BAKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

HENGEL

HGW58 SSG HENGEL

Premium controlled retarder prover single rack chambers guarantee a perfectly even dough roll temperature. Suitable for any type of bread-making. Chambers are modular and can be added on when needed, making this proofing system unique and versatile.



HGW58 SSG - HENGEL

FEATURES

Stainless steel finish, 4 retarder programs, 3 types of proving, Electronic humidity control, High density polyurethane insulation, Hold cycle at the end of program to allow for continuous baking. Made to suit all baking tray sizes.

ACCESSORIES :

DESCRIPTION	PART NUMBER
Brita Purity C150 water filter cartridge	C150
Brita Purity C Filter head mounting	PURITY C BY- PASS HEAD

DIMENSIONS :

Model	Width mm	Depth mm	Height mm
ONE	720	1188	2362
TWO	1380	1188	2362
THREE	2040	1188	2362
FOUR	2700	1188	2362



BAKING & COOKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

BESTFOR

BISTROT STAR 665 & 1065 BAKE OF ITALIANA

Convection oven Bistrot star 665 (6 trays) & 1065 (10 trays) fits for baking a variety of pastries, and moreover for preparing one-piece semi-finished products, dishes of fish, meat and vegetables. By using of this represented equipment baking process is substantially accelerated, that allows to optimize the performance of a professional kitchen.

FEATURES :

Auto clean washing system, Various cooking (convection, steam, mixed), Vision touch control, Recipe, chef and manual mode USB connection- import and export programs , import new recipes from the Web, Programmable, Automatic washing system with sanitizing system (3 programs), Trays 400 x 600, Led light, Rounded baking Chamber, Double glass, Pipe steam system, auto reverse fans, Condensation collection basins, Stackable.

ACCESSORIES :

DESCRIPTION	PART NUMBER
Integrated exhaust for Bistrot ovens with Steam Condenser	910701120
Stand 350 mm	482004020
Stand 680 mm	482004021
Stand 1000 mm	482004022

DIMENSIONS & WEIGHT:

Model	Width mm	Depth mm	Height mm
Star 665	850	925	830
Star 1065	850	925	1155

SPECIFICATIONS :

Models	Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
Star 665	98	82	415	10
Star 1065	115	110	415	15



BISTROT STAR 665 - BOA



BISTROT STAR 1065 - BOA



BAKING & COOKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

BESTFOR

BISTROT RACK BAKE OF ITALIANA

Convection oven Bistrot Rack (16 trays) fits for baking a variety of pastries, and moreover for preparing one-piece semi-finished products, dishes of fish, meat and vegetables. By using of this represented equipment baking process is substantially accelerated, that allows to optimize the performance of a professional kitchen

FEATURES :

Auto clean washing system, Various cooking (convection, steam, mixed), Vision touch control, Recipe, chef and manual mode USB connection- import and export programs , import new recipes from the Web, Programmable, Automatic washing system with sanitizing system (3 programs), Trays 400 x 600, Led light, Rounded baking Chamber, Double glass, Pipe steam system, auto reverse fans, Condensation collection basins, Stackable.



BISTROT RACK - BOA

ACCESSORIES :

DESCRIPTION	PART NUMBER
Integrated exhaust for Bistrot ovens with Steam Condenser	910701120
Stand 350 mm	482004020
Stand 680 mm	482004021
Stand 1000 mm	482004022

DIMENSIONS & WEIGHT:

Width mm	Depth mm	Height mm
850	925	1860

SPECIFICATIONS :

Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
190	182	415	30.5



BAKING & COOKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

ATOLLSPEED

300T / 400T ATOLLSPEED

A hybrid oven that combines hot air, impingement and microwave heating. Perfect browning and crisping is guaranteed in a very short time due to adjustable impingement heating. Up to 10x quicker than conventional cooking, this unit is perfect for the snack-business. The newly developed touch screen controls are easy to use. Programs are simply chosen via icons and the baking can begin.



300T - ATOLLSPEED

FEATURES :

10 air speed impingement, Power Supply 15 amp.
10 Microwave settings
Touch screen controller, and Easy clean
300 T Chamber dimensions: 335x320x170mm (WxDxH),
400T Chamber dimensions: 450x3250x200mm (WxDxH),

ACCESSORIES :

DESCRIPTION	PART NUMBER
Pizza paddle — food scoop	GC-2086
Stone shelf	GC-2094
Baking stone with Teflon mat	GC-2095 /96
Cast Iron Pizza plate	GC-2160
Grill tray	GC-2264
Cleaner	AOC- 9005



400T - ATOLLSPEED

DIMENSIONS & WEIGHT:

Models	Width mm	Depth mm	Height mm
300 T	570	700	435
400 T	700	730	445

SPECIFICATIONS :

Models	Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
300T	69	65	230	3.3
400T	94	85	400	4.9



BAKING & COOKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

ATOLLSPEED

300H / 400H ATOLLSPEED

A hybrid oven that combines hot air, impingement and microwave heating. Up to 10x quicker than conventional cooking. New improvements to this model include: Catalytic filter, new positioning of fans for improved maintenance, new positioning of touch screen to save on space. The touch screen still gives easy to follow instructions and also delivers easy to load recipes with USB transfer.

FEATURES :

10 air speed impingement, Power Supply 15/20 amp. 10 Microwave settings Touch screen controller, and Easy clean teflon coated grill plate. Available in Silver/Black/red.

ACCESSORIES :

DESCRIPTION	PART NUMBER
Pizza paddle — food scoop	GC-2086
Stone shelf	GC-2094
Baking stone with Teflon mat	GC-2095 /96
Cast Iron Pizza plate	GC-2160
Grill tray	GC-2264

DIMENSIONS & WEIGHT:

Models	Width mm	Depth mm	Height mm
300 H	450	687	583
400 H	583	730	607

SPECIFICATIONS :

Models	Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
300H	69	65	230	3.3
400H	94	91.4	400	4.9



300H - ATOLLSPEED



400H - ATOLLSPEED



COOKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

FRIJADO

TDR 5 & TDR 8 MANUAL - ROTISSERIES FRIJADO

The Turbo Deli Rotisserie is the fastest original rotisserie in the industry. The TDR's cavity is fed with fresh air, cooking a rotisserie chicken as it is meant to be: crispy and delicious while maintaining an attractive appearance for hours. TDR pushes the air throughout the cavity, resulting in an improved heat transfer on the products. It consumes less electricity during the preparation process. The double glass doors create a striking, large display section that maximises your products' visual appeal to customers! It also offers perfect insulation with contact temperatures below 70°C.

FEATURES :

Controls with manual settings, Set time, temperature and start of the rotisserie, Efficient heat transfer reduces energy consumption.



TDR 5 MANUAL - FRIJADO

ACCESSORIES :

DESCRIPTION	PART NUMBER
Mutli-purpose basket for TDR5	9010387
Mutli-purpose basket for TDR8	9172134
Meat fork for TDR5	9010549
Meat fork for TDR8	9172153
TDR5 Stand on castors	9298000
TDR8 Stand on castors	9298020
Oven Cleaner 500ml Spray (6 per box)	ROC6500SP

DIMENSIONS & WEIGHT:

Model	Width mm	Depth mm	Height mm	Height on stand mm
TDR 5	835	717	910	1725
TDR 8	995	836	1065	1796

SPECIFICATIONS :

Models	Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
TDR 5	152	130	400/230	6.6
TDR 8	216	185	400/230	10.5



COOKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

FRIJADO

TDR 5 & TDR 8 PROGRAMMABLE - ROTISSERIES FRIJADO

The Turbo Deli Rotisserie is the fastest original rotisserie in the industry. The TDR's cavity is fed with fresh air, cooking a rotisserie chicken as it is meant to be: crispy and delicious while maintaining an attractive appearance for hours. TDR pushes the air throughout the cavity, resulting in an improved heat transfer on the products. It consumes less electricity during the preparation process. The double glass doors create a striking, large display section that maximises your products' visual appeal to customers! It also offers perfect insulation with contact temperatures below 70°C.

FEATURES :

Controls with manual settings, 99 programs with up to 3 cook stages per program, Efficient heat transfer reduces energy consumption, Cook correction to control food safety, Eco-cooking, saves on energy consumption.

ACCESSORIES :

DESCRIPTION	PART NUMBER
Mutli-purpose basket for TDR5	9010387
Mutli-purpose basket for TDR8	9172134
Meat fork for TDR5	9010549
Meat fork for TDR8	9172153
TDR5 Stand on castors	9298000
TDR8 Stand on castors	9298020
Oven Cleaner 500ml Spray (6 per box)	ROC6500SP

DIMENSIONS & WEIGHT:

Model	Width mm	Depth mm	Height mm	Height on stand mm
TDR 5	845	717	910	1725
TDR 8	995	836	1065	1796

SPECIFICATIONS :

Models	Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
TDR 5	152	130	400/230	6.6
TDR 8	216	185	400/230	10.5



TDR 5 PR - FRIJADO



STACKABLE - FRIJADO



COOKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

FRIJADO

TGR 4 MANUAL - ROTISSERIES FRIJADO

The TG 4 cooks chicken and all kinds of meat cuts to perfection, and is ideal for convenience stores, butcher's shops and deli departments. Despite its versatility, the TG 4 is very easy to operate. Just set the time and temperature and start the rotisserie. The TGR features the combination of convection and infrared radiation for which Fri-Jado rotisseries are famous. This heating process creates a juicy product with an evenly cooked, crispy skin: a real taste experience.

FEATURES :

Controls with manual settings, Set time, temperature and start of the rotisserie, Efficient heat transfer reduces energy consumption.



TGR 4 MANUAL - FRIJADO

ACCESSORIES :

DESCRIPTION	PART NUMBER
Mutli-purpose basket	9019179
Meat fork	9010549
Oven Cleaner 500ml Spray (6 per box)	ROC6500SP

DIMENSIONS & WEIGHT:

Width mm	Depth mm	Height mm
825	590	750

SPECIFICATIONS :

Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
93	80	400/230	5.2



COOKING SOLUTIONS

Efficient heating and cooking capabilities with advanced technical controls covering the range of your culinary needs. Our equipment brings optimal performance with reliability.

FRIJADO

DELI - MULTISSERIE FRIJADO

Both ingenious and creative, the Deli Multisserie is a revolution in visual cooking and merchandising. Designed to give extra prominence to your products, it allows your customers a 270-degree view of the cooking theatre. It combines steam and convection, preparing delicious meat up to 50% faster than conventional ovens and rotisseries. The Multisserie boasts a fully automatic cleaning system, allowing cleaning to be done overnight and without operator intervention, saving time, effort and labour costs.

FEATURES :

Supplied on stand, Impulse generator, show cooking with 270-degree view, Fully automatic cleaning system with detergent and rinse aid dispenser, Cook Correction Technology to control food safety .



DELI MULTISSERIE - FRIJADO

ACCESSORIES :

DESCRIPTION	PART NUMBER
Chicken Grid	9192221
Multi-purpose Basket	9192222
Looking Door Handle	9190073
Grease disposal bags (box of 200)	9191175
Rotisserie and oven cleaner (box of 2x5 litre)	ROC5L-2
Internal Condenser	9199258

DIMENSIONS & WEIGHT:

Width mm	Depth mm	Height mm
995	1320	1890

SPECIFICATIONS :

Gross weight kg	Net weight kg	Voltage (volts)	Power (KW)
475	360	400/230	20.6



DISPENSING SOLUTIONS

Elegant, functional and highly reliable; our dispensing equipment is both user friendly and visually appealing, catering to a variety of products and ingredients.

HOT DRINKS MACHINE UGOLINI

SCIROCCO SILVER STAR UGOLINI

Counter top 3 litre dispenser for mixing hot chocolate and other thick drinks. Versatile, reliable, compact and easy to use. Its simplicity makes your work easier. With its exclusive and elegant design, its product visibility helps to increase sales. Food-grade, shockproof polycarbonate bowl with a tap that can be easily dismantled for perfect cleaning and a bowl that can be easily removed even if full.

FEATURES :

Removable container even when its full. Noise level lower than 70 dB (A) Adjustable drink temperature. 3 & 5 litres bowls easily removable. Also available in elegant gold versions for shops which care about their image.

ACCESSORIES :

DESCRIPTION	PART NUMBER
Scirocco Hot Chocolate Dispenser (white)	SCIROCCO WHITE
Scirocco Hot Chocolate Dispenser (gold)	SCIROCCO-G

DIMENSIONS & WEIGHT:

Width mm	Depth mm	Height mm
320	240	490

SPECIFICATIONS :

Gross weight kg	Net weight kg	Voltage (volts)
7	6	230-240



SCIROCCO SS 5 LTR - UGOLINI



DISPENSING SOLUTIONS

Elegant, functional and highly reliable; our dispensing equipment is both user friendly and visually appealing, catering to a variety of products and ingredients.

HOT DRINKS MACHINE FRANKE

A 200 MS FRANKE

With the Franke A200 and its intuitive touch screen, up to 36 magical coffee creations can become a reality for your customers. As always, the first impressions are with the eye. This is then confirmed by the all-round sensual experience – everything has a high-quality feel, just as it should. . Operation follows an intuitive logic that makes putting the A200 into service child's play. Even the mechanical sound of the ceramic bean grinder builds confidence. Then comes the aroma of freshly brewed coffee! This is followed by the first sip of the perfect crema and the rediscovery of an authentic aroma. This machine is a Franke from start to finish!

FEATURES :

Simple yet customizable operation, Definition of up to 36 products, Total control at a glance, The cleaning process is represented pictorially step by step, A new standard of convenience, Dual coffee grinders, Fresh milk for milk foam, Steam wand, Capsule chocolate Touch screen display, Fixed water connection, Automatic cleaning and rinsing , Height adjustable outlet, Power supply 230V, 2.3kW, 10A .

ACCESSORIES :

DESCRIPTION	PART NUMBER
Caps Cleaner (6 pcs)	1B340070
Special	1P315430
Model 200 refrigeration unit	KE 200

DIMENSIONS & WEIGHT:

Width mm	Depth mm	Height mm
340	560	600

SPECIFICATIONS :

Gross weight kg	Net weight kg	Voltage (volts)
30	25	230



A 200 MS - FRANKE



DISPENSING SOLUTIONS

Elegant, functional and highly reliable; our dispensing equipment is both user friendly and visually appealing, catering to a variety of products and ingredients.

HOT DRINKS MACHINE FRANKE

A 600 FRANKE

As a truly intelligent coffee machine, the A600 redefines convenience. Enormously flexible, the A600's self-service capabilities dramatically improve efficiency in professional use. The eight-inch color touchscreen with crystal clear resolution is the perfect interface for you and your guests. Intuitive menu prompts result in straightforward, efficient operation. The selection of beverages can be set individually and adapted to your exact requirements. Achieve additional sales through the exceptionally easy placement of advertising messages and custom images on the display.

FEATURES :

Maximum energy efficiency thanks to a timer function and minimal power consumption in standby mode, Selection from three different brewing units – optimally adjusted to your way of making coffee, Crystal clear, intuitively operated display, Functional lighting concept, Generously sized bean hopper for simple refilling (2 x 1.2 or 1 x 2 kg), One coffee grinder, Fresh milk for milk foam (hot & cold), Touch screen display, Automatic cleaning and rinsing, Power supply 230V, 2.8kW, 15A.



A 600 - FRANKE

ACCESSORIES :

DESCRIPTION	PART NUMBER
Fridge to suit	SU05 FM A600
Foam Master Milk & Cleaning System	US05 FM1
Model A600 refrigeration unit	SU05 MS2 A600

DIMENSIONS & WEIGHT:

Width mm	Depth mm	Height mm
340	600	730

SPECIFICATIONS :

Gross weight kg	Net weight kg	Voltage (volts)
44	38	230



DISPENSING SOLUTIONS

Elegant, functional and highly reliable; our dispensing equipment is both user friendly and visually appealing, catering to a variety of products and ingredients.

COLD DRINKS MACHINE UGOLINI

ARTIC DELUXE 12/1 & 12/2 UGOLINI

Simple, easy to use and versatile, these dispensers are designed to cool all types of drinks.

Quick and easy to dismantle for perfect cleaning and time efficiency

DIMENSIONS & WEIGHT:

Model	Width mm	Depth mm	Height mm
12/1	180	470	570
12/2	360	470	570

SPECIFICATIONS :

Model	Gross weight kg	Net weight kg	Voltage (volts)
12/1	19	17	230
12/2	26	23	230

NG 10/2 UGOLINI

Italian compact, elegant and easy to use design. Suited to making granitas, sorbets, frozen creams and cocktails. Great display area to best promote your product.

FEATURES :

The backlit display shows further information on the machine operation allowing easier adjustment. Variable speed brushless motor for better reliability and consumption, Easily replaceable graphics for full personalization, High capacity drip tray with level indicator , Lockable faucet, Tilted bowl for easy emptying , Removable panel for condenser cleaning.

DIMENSIONS & WEIGHT:

Width mm	Depth mm	Height mm
395	500	705

SPECIFICATIONS :

Gross weight kg	Net weight kg	Voltage (volts)
48	45	230



ARTIC DELUXE 12/1 - UGOLINI



ARTIC DELUXE 12/2 - UGOLINI



NG 10/2 - UGOLINI



DISPENSING SOLUTIONS

Elegant, functional and highly reliable; our dispensing equipment is both user friendly and visually appealing, catering to a variety of products and ingredients.

FROZEN DRINKS MACHINE UGOLINI

B-CREAM 2LK UGOLINI

New machine for preparing smoothies and ice cream. Extremely compact and easy to use design. Available with 6 litre capacity bowls. Its modern design enhances your shop, stirs up new emotions and improves your business. Also available in 1 & 3 bowls dispenser.

FEATURES :

Optimal design for better product storage
Water drip collection system. Graphic display showing a larger number of messages, User friendly keyboard, Sensor which perceives the presence of the cup for ease of dispensing, Easily replaceable graphics, Lockable faucet, Bowl fixing system.



B-CREAM 2LK - UGOLINI

DIMENSIONS & WEIGHT:

Width mm	Depth mm	Height mm
395	495	600

SPECIFICATIONS :

Gross weight kg	Net weight kg	Voltage (volts)
48	45	230

QUICK GEL UGOLINI

Modern and innovative, this unit delivers ice cream with a firm consistency. Compact, elegant and easy to use due to its touch screen display with fully customisable intuitive icons.

FEATURES :

Powerful variable speed brushless motor for any product and preparation, Product delivery by gravity through air regulation valve. Easily replaceable graphics on all sides for possible personalization. Removable panel for condenser cleaning Upper lid with anti-vibration gasket and optional locking. One piece mixer for dry, compact and consistent ice cream, Quick and easy dispensing.



QUICK GEL - UGOLINI

DIMENSIONS & WEIGHT:

Width mm	Depth mm	Height mm
260	570	720

SPECIFICATIONS :

Gross weight kg	Net weight kg	Voltage (volts)
55	50	230



Accounts

Invoices are to be paid strictly 7 days following the date of invoice. Credit facilities will be jeopardised should payment exceed these terms. Credit card facilities for VISA, MasterCard and Bankcard are available.

Deliveries

Deliveries should be arranged through your nominated carrier, unless otherwise instructed. Insurance is the customer's responsibility. Goods damaged in transit, if returned, will not be accepted.

Loss of Product

Loss of product claims will not be considered by Avem Quirks Pty Ltd.

Ordering Information

When ordering please make sure that you provide the following information:

Your ABN

Your purchase order number

Quantity and model number including any required options.

Delivery date

Delivery address

Insurance instructions

Freight instructions including nominated carrier if required.

Packaging

All equipment is supplied in cardboard packaging for transportation. Pricing for timber crates if requested may vary from \$95.00 to \$265.00 depending on the equipment.

Title of Goods

Title of goods shall not pass to the customer and the goods shall remain the property of Avem Quirks Pty Ltd until such time as the customer thereof has paid the full invoiced amount.

From the time of delivery and pending payment, the customer shall hold the goods as the bailey of Avem Quirks Pty Ltd save that the customer shall assume all risk and responsibility therefore and shall at all times maintain in relation thereto adequate insurance cover.

Return of Goods

No goods should be returned for credit without prior authorisation from Avem Quirks Pty Ltd. A 15% re-handling charge will apply. Any returned equipment freight charges will be deducted from credits. Special items are non-returnable under all circumstances.

Warranty

Warranty applies to the equipment supplied by Avem Quirks Pty Ltd to the original purchaser for a Period of one (1) year (parts) and three (3) months (labour) from the date of installation.

This is an equipment manufacturers warranty only and covers any defect in workmanship of materials resulting in the product malfunctioning while being used in accordance with the manufacturer's guidelines.

Responsibility under this warranty is limited to repairing or replacing a part without charge.

Avem Quirks Pty Ltd's responsibility ceases under this warranty if:

1. The customer has not properly maintained the equipment in accordance with instructions as per Avem Quirks Pty Ltd operating/maintenance manual, literature or directions issued by Avem Quirks Pty Ltd.

2. The customer fails to observe commonly accepted operating practices.

OUR SERVICES

INTEGRATED SOLUTIONS



Warranty (cont.)

3. Equipment fails through misuse, abuse and accidental damage, alterations, incorrect installation, power surges or Acts of God.

4. The customer permits persons other than those authorised by Avem Quirks Pty Ltd to perform or effect repairs or adjustments to the equipment.

5. Repairs are made using spare parts or replacements not of the same make as those supplied originally as components of the equipment unless authorised by Avem Quirks Pty Ltd.

6. Authorised representatives of Avem Quirks Pty Ltd are denied full and free rights of access to the equipment for inspection at a convenient time.

Specials

Glass door breakages, gaskets, light bulbs, fuses, batteries and other external plastic components are NOT covered under this warranty.

Availability of service personnel for warranty repairs is restricted to normal working hours of 8:30am and 5:00pm, Monday to Friday and exclude Public Holidays. Service work outside these hours will be at the customer's expense, except in the instance of authorisation in the form of a work order supplied by authorised Avem Quirks Pty Ltd personnel.

Avem Quirks Pty Ltd does not guarantee that warranty service will be carried out within a particular time frame. Warranty claims will not be accepted unless authorised by Avem Quirks Pty Ltd prior to the commencement of service work.

Note that the contents (product) risk and insurance responsibility remains at all times with the customer. Where the equipment has been designed to the customer's own design, Avem Quirks Pty Ltd will not be liable for any non-performance or operation of the equipment as a result of design faults.

Claim Procedure

If you wish to make a claim under the terms of this warranty, the following procedure should be followed:

1. Contact Avem Quirks Pty Ltd On 1800 658 120
2. Quote the model number, serial number and date of installation.
3. Avem Quirks Pty Ltd will then undertake the activity or authorise an agent of Avem Quirks Pty Ltd to undertake such activity.

• Victorian Head office

9 Business Park Dr
Lynbrook, 3975

• Victoria

Ballarat
Bendigo
Horsham
Warrnambool

• New South Wales

Wetherill Park
Coffs Harbor
Lismore
Tamworth
Port Macquarie
Newcastle

• Queensland

Yatala
Bundaberg
Wide Bay

• South Australia

Pooraka

• Western Australia

Wangara

• Tasmania

Launceston

• Northern Territory

Darwin