

Carino Faux Leather

## The Carino Collection



## from **chieftain**fabrics

Composition: Surface Phthalate Free PVC

Backing: Organic Cotton / rPES

 $705q/m^{2}$ 

1.10mm Thickness:

1,200+kPa

500,000 Martindale Rubs

Roll Length: 25 meters

Width: 137-139cm

Flame Retardancy: BS5852 Ignition Source 5- Crib 5 as standard

BS EN1021-1 and 2

**Antimicrobial:** ISO22196

Cleaning Instructions: Chieftain Fabrics vinyl should be cleaned regularly. Pollution by

oil, fat and ink must be removed immediately. Clean with warm, mild soapy

water and a micro fibre cloth or a soft hand brush and

dry immediately.

Please, do not use solvents, chloride, abrasives, chemical

cleaning agents or wax polishes. Note that colourings by jeans or other

textiles are exluded from any manufacturers gaurantee.

For further cleaning information, please see our 'Wash and Care' section at

www.chieftainfabrics.com.



















**Chieftain Fabrics** 

Trim Ireland

marketing@chieftainfabrics.com www.chieftainfabrics.com



















## Healthcare

#### Contract **Upholstery Vinyl**

Composition:

Chieftain Healthcare range offers an array of colours and textures that are perfect for healthcare environments. Each range is inherently antimicrobial and provides high level protection against C.Diff, MRSA and E-coli. Our Healthcare range is the optimal solution for areas where high-risk infection control is paramount and where ongoing protection between cleaning cycles is crucial.

Multistretch

1.30mm

Surface: 100% PVC

Backing: 92% Cotton / 8% Lycra

Chieftain Fabrics are entirely manufactured in the EU and are REACH compliant.

## **chieftain**fabrics

## Healthcare Contract Upholstery Vinyl













Chieftain

Surface: 100% PVC

Backing: rPES / Cotton

915g/m<sup>2</sup> 750g/m<sup>2</sup>

1.35mm

1.200+ kPa 1.500+ kPa

500,000+ Martindale rubs 500,000+ Martindale rubs

Roll length: 25m 25m

Width: 1.37m 1.37m

Printwear resistance: 4-5 Greyscale Not Applicable

Flame retardancy: BS5852 Ignition Source 5 – Crib 5

BS EN1021-1 & 2 CS-25 FMVSS 302 IMO A 652 (16)

Accelerated aging test: ISO 1419:1995

> Antimicrobial: ISO 22196

Cleaning instructions: Chieftain Fabrics vinyl should be cleaned regularly. Pollution by oil, fat and ink must be removed immediately.

Clean with warm, mild soapy water and micro-fibre cloth or a soft hand brush and dry immediately. Please do not use solvents, chloride, abrasives, chemical cleaning agents or furniture polishes. Chieftain will not accept

responsibility for dye transfer from clothing.

For further information, please see our 'Wash and Care' section at www.chieftainfabrics.com

Fax: 00 353 46 943 7669

**UK Freephone:** 0800 0355 955 UK Fax: 0845 8622 046

Tel: 00 353 46 943 1396

**Chieftain Fabrics** 

Wellington Place

Trim Ireland

marketing@chieftainfabrics.com www.chieftainfabrics.com





Stain Resistant

Abrasion

Reduced

Warranty







## Healthcare

#### Contract **Upholstery Vinyl**

Composition:

Chieftain Healthcare range offers an array of colours and textures that are perfect for healthcare environments. Each range is inherently antimicrobial and provides high level protection against C.Diff, MRSA and E-coli. Our Healthcare range is the optimal solution for areas where high-risk infection control is paramount and where ongoing protection between cleaning cycles is crucial.

Multistretch

1.30mm

Surface: 100% PVC

Backing: 92% Cotton / 8% Lycra

Chieftain Fabrics are entirely manufactured in the EU and are REACH compliant.

## **chieftain**fabrics

## Healthcare Contract Upholstery Vinyl













Chieftain

Surface: 100% PVC

Backing: rPES / Cotton

915g/m<sup>2</sup> 750g/m<sup>2</sup>

1.35mm

1.200+ kPa 1.500+ kPa

500,000+ Martindale rubs 500,000+ Martindale rubs

Roll length: 25m 25m

Width: 1.37m 1.37m

Printwear resistance: 4-5 Greyscale Not Applicable

Flame retardancy: BS5852 Ignition Source 5 – Crib 5

BS EN1021-1 & 2 CS-25 FMVSS 302 IMO A 652 (16)

Accelerated aging test: ISO 1419:1995

> Antimicrobial: ISO 22196

Cleaning instructions: Chieftain Fabrics vinyl should be cleaned regularly. Pollution by oil, fat and ink must be removed immediately.

Clean with warm, mild soapy water and micro-fibre cloth or a soft hand brush and dry immediately. Please do not use solvents, chloride, abrasives, chemical cleaning agents or furniture polishes. Chieftain will not accept

responsibility for dye transfer from clothing.

For further information, please see our 'Wash and Care' section at www.chieftainfabrics.com

Fax: 00 353 46 943 7669

**UK Freephone:** 0800 0355 955 UK Fax: 0845 8622 046

Tel: 00 353 46 943 1396

**Chieftain Fabrics** 

Wellington Place

Trim Ireland

marketing@chieftainfabrics.com www.chieftainfabrics.com





Stain Resistant

Abrasion

Reduced

Warranty





## Heritage Contract Upholstery Vinyl































#### **chieftain**fabrics

#### Heritage Contract **Upholstery Vinyl**

The Chieftain Heritage range is our most enduring range of vinyl fabrics. Ideal for high traffic areas, or environments where maximum durability is required. Heritage is our extreme performance range and is made to withstand the test of time. Chieftain Heritage is entirely manufactured in the EU and uses all REACH compliant

Composition:

Surface: 100% PVC Backing: rPES / Cotton

Total weight:

915g/m<sup>2</sup>

1.35mm

Bursting strength:

1,200+ kPa

25m

500,000+ Martindale rubs

Roll length:

1.37m Width:

Printwear resistance:

4-5 Greyscale

Flame retardancy:

BS5852 Ignition Source 5 - Crib 5

BS EN1021-1 & 2

CS-25 FMVSS 302 IMO A 652 (16)

Accelerated aging test:

ISO 1419:1995

ISO 22196

Antimicrobial:

Cleaning instructions:

Chieftain Fabrics vinyl should be cleaned regularly. Pollution by oil, fat and ink must be removed immediately. Clean with warm, mild soapy water and micro-fibre cloth or a soft hand brush and dry immediately. Please do not use solvents, chloride, abrasives, chemical cleaning agents or furniture polishes. Chieftain will not accept responsibility for dye transfer from clothing.

For further information, please see our 'Wash and Care'

Wellington Place Ireland

**Chieftain Fabrics** 

Tel: 00 353 46 943 1396 Fax: 00 353 46 943 7669

**UK Freephone:** 0800 0355 955 UK Fax: 0845 8622 046

marketing@chieftainfabrics.com www.chieftainfabrics.com





section at www.chieftainfabrics.com





## Heritage Contract Upholstery Vinyl































#### **chieftain**fabrics

#### Heritage Contract **Upholstery Vinyl**

The Chieftain Heritage range is our most enduring range of vinyl fabrics. Ideal for high traffic areas, or environments where maximum durability is required. Heritage is our extreme performance range and is made to withstand the test of time. Chieftain Heritage is entirely manufactured in the EU and uses all REACH compliant

Composition:

Surface: 100% PVC Backing: rPES / Cotton

Total weight:

915g/m<sup>2</sup>

1.35mm

Bursting strength:

1,200+ kPa

25m

500,000+ Martindale rubs

Roll length:

1.37m Width:

Printwear resistance:

4-5 Greyscale

Flame retardancy:

BS5852 Ignition Source 5 - Crib 5

BS EN1021-1 & 2

CS-25 FMVSS 302 IMO A 652 (16)

Accelerated aging test:

ISO 1419:1995

ISO 22196

Antimicrobial:

Cleaning instructions:

Chieftain Fabrics vinyl should be cleaned regularly. Pollution by oil, fat and ink must be removed immediately. Clean with warm, mild soapy water and micro-fibre cloth or a soft hand brush and dry immediately. Please do not use solvents, chloride, abrasives, chemical cleaning agents or furniture polishes. Chieftain will not accept responsibility for dye transfer from clothing.

For further information, please see our 'Wash and Care'

Wellington Place Ireland

**Chieftain Fabrics** 

Tel: 00 353 46 943 1396 Fax: 00 353 46 943 7669

**UK Freephone:** 0800 0355 955 UK Fax: 0845 8622 046

marketing@chieftainfabrics.com www.chieftainfabrics.com





section at www.chieftainfabrics.com





Chieftain Multistretch























BCFA MEMBER nieftain Multistretch



#### **chieftain**fabrics

## Chieftain Multistretch

Chieftain Multistretch is suitable for use in all high-traffic areas. This collection was designed to accompany the Just Colour range, ensuring that each pattern has a complementary plain vinyl. As with all Chieftain Fabrics, Chieftain Multistretch is entirely manufactured in the EU and REACH compliant. Our entirely vegan range is phthalate free and our backing cloth is produced from recycled polyester. It is essential for us at Chieftain to be as environmentally responsible as possible in all areas of production, making our impact less and our contribution greater to our planet.

Composition

Surface: 100% PVC

Backing: 92% Cotton, 8% Lycra

Total Weight

 $750g/m^2 \pm$ 

Thickness

1.30mm ±

Bursting Strength

1,500+kPa

Abrasion

500,000 Martindale Rubs

Roll Length

25m

Roll Width 137cm ±

Flame Retardancy BS5852 Ignition Source 5 - Crib 5

S.I.1988 No. 1324 Schedule 4 & 5

BS EN 1021-1 & 2

CS-25 FMVSS 302 IMO A 652 (16)

Antimicrobial

ISO 22916

Care and Cleaning Guide

Chieftain Fabrics vinyl should be cleaned regularly. Pollution by oil, fat and ink must be removed immediately. Clean with warm, mild soapy water and a micro-fibre cloth or a soft hand brush and dry immediately.

dry immediately.

Please, do not use solvents, chloride, abrasives, chemical cleaning agents or wax polishes. Note that colourings by jeans or other textiles are excluded from any manufacturer's guarantee.

For further cleaning information, please see our 'Wash and Care' section at wasy chieffairfabrics com

section at www.chieftainfabrics.com



marketing@chieftainfabrics.com www.chieftainfabrics.com

UK Freephone: 0800 0355 955 UK Fax: 0845 8622 046

Chieftain Fabrics

**Wellington Place** 


Tel: 00353 46 943 1396 Fax: 00353 46 943 7669

Trim

Ireland C15 W248

## Chieftain Multistretch

Highly engineered performance fabric with an 8-way stretch



Blueberry

Chieftain Fabrics, experts in vinyl fabrics





## Pasha Faux Leather













Impact







Composition: Phthalate Free: 88% PVC, 12% PU on 100% recycled cotton backing cloth


**Abrasion:** 500,000 Martindale Rubs FR Treatment: BS5852 Crib 5 as Standard

Antimicrobial: ISO 22196 Thickness: 1.10mm

Chieftain virnyl should be cleaned regularly. Pollution by oil, fat and ink must be removed immediately. Clean with warm, mild soapy water and micro-fibre cloth or a soft hand brush and dry immediately.

Please do not use solvents, chloride, abrasives, chemical cleaning agents or wax polishes. Note that colourings by jeans or other textiles are excluded from any manufacturer's guarantee. Further cleaning information can be found on our website under our 'Wash & Care' section.

Due to limitations in the printing process, fabric that is shown photographically may not be 100% accurate. We recommend that you request actual fabric samples prior to ordering.



Saffron Cayenne

Evergreen





#### Ravel



















Ravel	Ravel	Just Colour	Pasha	Lionella
Composition:	100% Polyester	100% PVC	12% PU, 88% PVC	15% PU, 85% PV
Design:	Plain Weave			
Total Weight:	450g/m <sup>2</sup> ±	705g/m²	550g/m <sup>2</sup>	800g/m <sup>2</sup>
Tensile Strength:	Warp: 1414.3N Weft: 1038.5N			
Tear Strength:	Warp: 131.1N Weft: 133.8N			
Abrasion:	>100,000	500,000	500,000	500,000
Stain Resistance:	Teflon Coating™			
Antimicrobial:	Will not support microbial or fungal growth including Ecoli and MRSA	ISO22196	ISO22196	ISO22196
	BS5852 Crib 5	BS5852 Crib 5	BS5852 Crib 5	BS5852 Crib 5
	Severe Contract	Severe Contract	Severe Contract	Severe Contrac

Ravel is treated with Teflon stain resistant finish.

Ravel should be cleaned regularly. Remove spillages promptly with an absorbent dry cloth. Solid stains should be removed gently first, before being wiped with a damp cloth in a circular motion. It is essential that all residue is removed from the surface. Do not leave liquids in situ. Do not use solvents, abrasives, synthetic detergents, wax polishes or aerosol sprays.

For more information please visit our website www.chieftainfabrics.com.

Batch to batch variations in shade may occur within commercial tolerances. We reserve the right to alter technical specifications without notice. The Unregistered Design Rights and the Copyright in all designs are the exclusive property of

Chieftain Fabrics.

\*Further information on our fabrics is available from our website www.chieftainfabrics.com

Chieftain Fabrics Wellington Place Trim Ireland C15 W248

Tel: 00353 46 943 1396 Fax: 00353 46 943 7669

UK Freephone: 0800 0355 955 UK Fax: 0845 8622 046

marketing@chieftainfabrics.com www.chieftainfabrics.com


















## Just Colour Faux Leather



















Abrasion

Environmental Impact

Tropical Test



Ireland C15 W248

T: 0800 0355 955 / +35346 9431396

www.chieftainfabrics.com

## **Just Colour**



















Composition: 100% Phthalate Free PVC, rPES & Organic Cotton backing cloth
Abrasion: 1,000,000 Martindale Rubs
FR Treatment: B55852 Crib 5 as Standard, BS7176, EN1021 1&2, M2, B2, Cal 117, EN45545 Part 2
Antinicrobial: ISO 22196, GSTM 21
Jungle Test: ISO 1419:1995

Chieftain vinyl should be cleaned regularly. Pollution by oil, fat and ink must be removed immediately. Clean with warm, mild soapy water and micro-fibre cloth or a soft hand brush and dry immediately. Please do not use solvents, chloride, abrasives, chemical cleaning agents or wax polishes. Note that colourings by jeans or other textiles are excluded from any manufacturer's guarantee. Further cleaning information can be found on our website under our 'Wash & Care' section.





**Lionella**Faux Leather Range

# **Lionella**Faux Leather



#### from **chieftain**fabrics

**Composition:** Surface: Phthalate free PVC: 85% PU 15%

Backing Cloth 100% Recycled Cotton

Total Weight: 800g/m<sup>2</sup>

Thickness: 1.25mm

Bursting Strength: 1,000± kPa

**Abrasion:** 500,000 Martindale Rubs

Roll Length: 25m

Width: 1.37 meters

Flame Retardancy: BS5852 Ignition Source - Crib 5 as standard

BS7176 Medium Hazard

S.I 1988 No 1324 Schedule 4 and 5

CS-25 Cal 117 FMVSS 302 IMO A 652 (16)

Antimicrobial: ISO 22196

Independent testing has verified that Lionella is effective at reducing the

spread of MRSA, E.Coli and other similar bacteria

Cleaning Instructions: Chieftain Fabrics vinyl should be cleaned regularly. Pollution by oil, fat

and ink must be removed immediately. Clean with warm, mild soapy water and a micro fibre cloth and dry immediately. Please do not use solvents, abrasives, chloride, chemical cleaning agents or furniture

polish.

Do not use an alcohol solution for cleaning Lionella.

Chieftain will not accept responsibility for dye transfer from clothing.

For further information, please see our 'Wash and Care' section on our

website: www.chieftainfabrics.com

