

Bimecc®

for TRUCK

Choose the right cover cap for your nut



Part Number **JCDP58N32045C**



Part Number **JCDL55N32045L**





Bimecc
for TRUCK

Bimecc Engineering S.p.A.

Via Volta 18
35030 Veggiano (PD)
Italy
Tel. 0039 0499048311
Fax 0039 0499001738
<http://www.bimecc.it>
e-mail: sales@bimecc.it

Bimecc UK Ltd

Unit 10 Handley Page Way
Old Parkbury Lane, Colney
Street, St Albans,
Herts AL2 2DQ United Kingdom
Tel 0044 (0) 1923 855234
Fax 0044 (0) 1923 855254
e-mail: sales@bimecc.co.uk

Bimecc USA Inc.

7391 Heil Avenue, Suite 105
Huntington Beach
92647 California
Tel. ++1 909 614 1822
Fax ++1 909 614 1343
e-mail: info@bimecc-usa.com



Bimecc[®]

for TRUCK

truck wheel
accessories







edition 3

Wheel Locks







PICTURE	PART NUMBER	QUALITY CLASS FINISHING	TECHNICAL DETAILS
	JLNC18A27021Z	10 Zintek 200 DS	M18x1,5 H.21 mm.
	JLNC20A30021Z		M20x1,5 H.21 mm.
	JLNC22A32021Z		M22x1,5 H.21 mm.
	JLNC78E33021Z		7/8" 11BSF H.21 mm.
	JLÆC18A27052Z	10 Zinc Nickel	HEX 27 mm.
	JLÆC20A30052Z		HEX 30 mm.
	JLÆC22A32052Z		HEX 32 mm.
	JLÆC78E33052Z		HEX 33 mm.









Wheel Locks for Alloy Wheels

PICTURE	PART NUMBER	QUALITY CLASS FINISHING	TECHNICAL DETAILS
	JLKC22A32039Z	10 Zintek 200 DS	M22x1,5 H.39 mm.
	JLLC22A32061Z		M22x1,5 H.61 mm.
	JLæC22A32052Z	10 Zinc Nickel	HEX 32 mm.

PICTURE	DIN	FORM	PART NUMBER	DESCRIPTION	QUALITY CLASS FINISHING	TECHNICAL DETAILS
	74361-3	N (H)	JDNC18A27025G	WHEEL NUT WITH THRUST PLATE	10 Geomet 500A Plus M	M18x1,5 H.25 mm. HEX 27
	74361-3	N (H)	JDNC20A30027G	WHEEL NUT WITH THRUST PLATE	10 Geomet 500A Plus M	M20x1,5 H.27 mm. HEX 30
	74361-3	N (H)	JDNC22A32027G	WHEEL NUT WITH THRUST PLATE	10 Geomet 500A Plus M	M22x1,5 H.27 mm. HEX 32
	74361-3	N (H)	JDNC22A32031G	WHEEL NUT WITH THRUST PLATE	10 Geomet 500A Plus M	M22x1,5 H.31 mm. HEX 32
	74361-3	N (H)	JDNC22A33031G	WHEEL NUT WITH THRUST PLATE	10 Magni 511	M22x1,5 H. 31 mm. HEX 33
	74361-3	N (H)	JDNC78E33030G	WHEEL NUT WITH THRUST PLATE	10 Magni 511	7/8" 11BSF H.30 mm. HEX 33
	74361-3	N (H)	JDNC78D33030G	WHEEL NUT WITH THRUST PLATE	10 Magni 511	7/8" 14UNF H.30 mm. HEX 33

truck wheel accessories

PICTURE	DIN	FORM	PART NUMBER	DESCRIPTION	QUALITY CLASS FINISHING	TECHNICAL DETAILS
	AS PER ALCOA REQUIREMENTS		JFKC22A32036T	WHEEL NUT WITH THRUST PLATE AND SHORT SLEEVE FOR ALCOA WHEELS	10 Delta Protekt KL100	M22x1,5 H.36 mm. HEX 32
			JFLC22A32046T	WHEEL NUT WITH THRUST PLATE AND LONG SLEEVE FOR ALCOA WHEELS	10 Delta Protekt KL100	M22x1,5 H.46 mm. HEX 32
	74361-3	K	JDKC18A27035T	WHEEL NUT WITH THRUST PLATE AND SHORT SLEEVE FOR ALLOY WHEELS	10 Delta Protekt KL100	M18x1,5 H.35 mm. HEX 27
	74361-3	L	JDLC18A27052T	WHEEL NUT WITH THRUST PLATE AND LONG SLEEVE FOR ALLOY WHEELS	10 Delta Protekt KL100	M18x1,5 H.52 mm. HEX 27
	74361-3	K	JDKC20A30039T	WHEEL NUT WITH THRUST PLATE AND SHORT SLEEVE FOR ALLOY WHEELS	10 Delta Protekt KL100	M20x1,5 H.39 mm. HEX 30
	74361-3	L	JDLC20A30062T	WHEEL NUT WITH THRUST PLATE AND LONG SLEEVE FOR ALLOY WHEELS	10 Delta Protekt KL100	M20x1,5 H.62 mm. HEX 30

PICTURE	DIN	FORM	PART NUMBER	DESCRIPTION	QUALITY CLASS FINISHING	TECHNICAL DETAILS
	74361-3	K	JDKC22A32039T	WHEEL NUT WITH THRUST PLATE AND SHORT SLEEVE FOR ALLOY WHEELS	10 Delta Protekt KL100	M22x1,5 H.39 mm. HEX 32
	74361-3	L	JDLC22A32061T	WHEEL NUT WITH THRUST PLATE AND LONG SLEEVE FOR ALLOY WHEELS	10 Delta Protekt KL100	M22x1,5 H.61 mm. HEX 32
	74361-3	K	JDKC78E32039T	WHEEL NUT WITH THRUST PLATE AND SHORT SLEEVE FOR ALLOY WHEELS	10 Delta Protekt KL100	7/8" 11BSF H.39 mm. HEX 32
			JDKC78D32039T			7/8" 14UNF H.39 mm. HEX 32
	74361-3	L	JDLC78E32061T	WHEEL NUT WITH THRUST PLATE AND LONG SLEEVE FOR ALLOY WHEELS	10 Delta Protekt KL100	7/8" 11BSF H.61 mm. HEX 32
			JDLC78D32061T			7/8" 14UNF H.61 mm. HEX 32
	74361-2	B	JDBC14A19015Z	FLAT NUT	10 white zinc plated	M14x1,5 H.15 mm. HEX 19
	74361-2	B	JDBC16A22017Z	FLAT NUT	10 white zinc plated	M16x1,5 H.17 mm. HEX 22
	74361-2	C	JRCI14Z26006V	SPHERICAL RING "LIMES" TYPE	HRC 44-51 Delta Protekt KL100	Ø 14,5 H.6 mm.
			JRCI16Z27007V			Ø 16,5 H.7 mm.
	74361-2	B	JDBC18A24018T	FLAT NUT	10 Delta Protekt KL100	M18x1,5 H.18 mm. HEX 24

PICTURE	DIN	FORM	PART NUMBER	DESCRIPTION	QUALITY CLASS FINISHING	TECHNICAL DETAILS
	74361-2	B	JDBC20A27020T	FLAT NUT	10 Delta Protekt KL100	M20x1,5 H.20 mm. HEX 27
	74361-2	B	JDBC22A30022T	FLAT NUT	10 Delta Protekt KL100	M22x1,5 H.22 mm. HEX 30
	74361-2	C	JRCI18Z29007T	SPHERICAL RING "LIMES" TYPE	HRC 44-51 Delta Protekt KL100	Ø 18,5 H.7 mm.
			JRCI20Z34008T			Ø 20,5 H.8 mm.
			JRCI22Z34008T			Ø 22,5 H.8 mm.
	74361-2	A	D17R	SPHERICAL NUT Radius 14°	10 white zinc plated	M14x1,5 H.20 mm. HEX 19
	74361-2	A	JDAC16A24026Z	SPHERICAL NUT Radius16°	10 white zinc plated	M16x1,5 H.26 mm. HEX 24
	74361-2	A	JDAC18A24025T	SPHERICAL NUT Radius16°	10 Delta Protekt KL100	M18x1,5 H. 25 mm. HEX 24
	74361-2	A	JDAC20A27027T	SPHERICAL NUT Radius 18°	10 Delta Protekt KL100	M20x1,5 H.27 mm. HEX 27
	74361-2	A	JDAC22A27030F	SPHERICAL NUT Radius 18°	10 Phosphated	M22x1,5 H. 30 mm. HEX 27
	74361-2	A	JDAC22A30030T	SPHERICAL NUT Radius 18°	10 Delta Protekt KL100	M22x1,5 H. 30 mm. HEX 30