



Cisco Identity Services Engine Sponsor Portal User Guide, Release 1.0.4

May 2017

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
<http://www.cisco.com>
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

Text Part Number: OL-25999-01

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Cisco and the Cisco Logo are trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and other countries. A listing of Cisco's trademarks can be found at www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1005R)

Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

Cisco Identity Services Engine Sponsor Portal User Guide, Release 1.0.4
Copyright © 2011 Cisco Systems, Inc. All rights reserved.



CONTENTS

Preface	iii
Audience	iii
Document Conventions	iii
Documentation Updates	iv
Related Documentation	iv
Release-Specific Documents	iii-iv
Platform-Specific Documents	iii-v
Notices	v
OpenSSL/Open SSL Project	v
License Issues	vi
Obtaining Documentation and Submitting a Service Request	vii

CHAPTER 1

Cisco ISE Sponsor Portal	1-1
Overview	1-1
Connecting to the Sponsor Portal	1-1
Sponsor Groups	1-3
Customizing the Sponsor Portal	1-3
Account Management	1-4
Creating a Single Guest Account	1-4
Creating Multiple Guest Accounts	1-6
Creating Random Guest Accounts	1-8
Importing Guest Accounts	1-9
Editing an Existing Guest User Account	1-10
Deleting an Existing Guest User Account	1-11
Suspending a Guest User Account	1-11
Reinstating a Suspended Account	1-12
Viewing Guest Accounts and Resending Account Details	1-12

INDEX



Preface

Revised: May 2017, OL-25999-01

This guide describes how to use the Cisco Identity Services Engine (Cisco Identity Services Engine) Sponsor Portal, Release 1.0.4.

Audience

This guide is for administrators who act as sponsor users and use the sponsor portal to create and maintain temporary guest accounts.

Document Conventions

This guide uses the following conventions to convey instructions and information.

Convention	Description
bold font	Commands and keywords.
<i>italic font</i>	Variables for which you supply values.
[]	Keywords or arguments that appear within square brackets are optional.
{x y z}	A choice of required keywords appears in braces separated by vertical bars. You must select one.
<code>courier font</code>	Examples of information displayed on the screen.
<code>courier font</code>	Examples of information you must enter.
< >	Nonprinting characters (for example, passwords) appear in angle brackets.
[]	Default responses to system prompts appear in square brackets.



Caution

Means *reader be careful*. You are capable of doing something that might result in equipment damage or loss of data.

**Timesaver**

Means *the described action saves time*. You can save time by performing the action that is described in the paragraph.

**Note**

Means *reader take note*. Notes identify important information that you should reflect upon before continuing, contain helpful suggestions, or provide references to materials that are not contained in the document.

Documentation Updates

Table 1 Updates to Cisco Identity Services Engine Sponsor Portal User Guide, Release 1.0.4

Date	Description
9/30/2011	Cisco Identity Services Engine Maintenance Release 1.0.4.573; no content updates made.
8/26/2011	Republished to coincide with Cisco Identity Services Engine Maintenance Release 1.0.4; no content updates made.
5/17/2011	Cisco Identity Services Engine Sponsor Portal, Release 1.0

Related Documentation

Release-Specific Documents

Table 2 lists the product documentation available for the Cisco ISE Release. General product information for Cisco ISE is available at <http://www.cisco.com/go/ise>. End-user documentation is available on Cisco.com at http://www.cisco.com/en/US/products/ps11640/tsd_products_support_series_home.html.

Table 2 Product Documentation for Cisco Identity Services Engine

Document Title	Location
<i>Release Notes for the Cisco Identity Services Engine, Release 1.0.4</i>	http://www.cisco.com/en/US/products/ps11640/prod_release_notes_list.html
<i>Cisco Identity Services Engine Network Component Compatibility, Release 1.0.4</i>	http://www.cisco.com/en/US/products/ps11640/products_device_support_tables_list.html
<i>Cisco Identity Services Engine User Guide, Release 1.0.4</i>	http://www.cisco.com/en/US/products/ps11640/products_user_guide_list.html
<i>Cisco Identity Services Engine Hardware Installation Guide, Release 1.0.4</i>	http://www.cisco.com/en/US/products/ps11640/prod_installation_guides_list.html
<i>Cisco Identity Services Engine Migration Guide for Cisco Secure ACS 5.1 and 5.2, Release 1.0.4</i>	http://www.cisco.com/en/US/products/ps11640/prod_installation_guides_list.html

Table 2 *Product Documentation for Cisco Identity Services Engine (continued)*

Document Title	Location
<i>Cisco Identity Services Engine Sponsor Portal User Guide, Release 1.0.4</i>	http://www.cisco.com/en/US/products/ps11640/products_user_guide_list.html
<i>Cisco Identity Services Engine CLI Reference Guide, Release 1.0.4</i>	http://www.cisco.com/en/US/products/ps11640/prod_command_reference_list.html
<i>Cisco Identity Services Engine API Reference Guide, Release 1.0.4</i>	http://www.cisco.com/en/US/products/ps11640/prod_command_reference_list.html
<i>Cisco Identity Services Engine Troubleshooting Guide, Release 1.0.4</i>	http://www.cisco.com/en/US/products/ps11640/prod_troubleshooting_guides_list.html
<i>Regulatory Compliance and Safety Information for Cisco Identity Services Engine, Cisco 1121 Secure Access Control System, Cisco NAC Appliance, Cisco NAC Guest Server, and Cisco NAC Profiler</i>	http://www.cisco.com/en/US/products/ps11640/prod_installation_guides_list.html
<i>Cisco Identity Services Engine In-Box Documentation and China RoHS Pointer Card</i>	http://www.cisco.com/en/US/products/ps11640/products_documentation_roadmaps_list.html

Platform-Specific Documents

Links to Policy Management Business Unit documentation are available on www.cisco.com at the following locations:

- Cisco ISE
http://www.cisco.com/en/US/products/ps11640/prod_installation_guides_list.html
- Cisco Secure ACS
http://www.cisco.com/en/US/products/ps9911/tsd_products_support_series_home.html
- Cisco NAC Appliance
http://www.cisco.com/en/US/products/ps6128/tsd_products_support_series_home.html
- Cisco NAC Profiler
http://www.cisco.com/en/US/products/ps8464/tsd_products_support_series_home.html
- Cisco NAC Guest Server
http://www.cisco.com/en/US/products/ps10160/tsd_products_support_series_home.html

Notices

The following notices pertain to this software license.

OpenSSL/Open SSL Project

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>).

This product includes cryptographic software written by Eric Young (eay@cryptsoft.com).

This product includes software written by Tim Hudson (tjh@cryptsoft.com).

License Issues

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

OpenSSL License:

Copyright © 1998-2007 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions, and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment: “This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)”.
4. The names “OpenSSL Toolkit” and “OpenSSL Project” must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.
5. Products derived from this software may not be called “OpenSSL” nor may “OpenSSL” appear in their names without prior written permission of the OpenSSL Project.
6. Redistributions of any form whatsoever must retain the following acknowledgment:
 “This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>)”.

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This product includes cryptographic software written by Eric Young (ey@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).

Original SSLeay License:

Copyright © 1995-1998 Eric Young (ey@cryptsoft.com). All rights reserved.

This package is an SSL implementation written by Eric Young (ey@cryptsoft.com).

The implementation was written so as to conform with Netscapes SSL.

This library is free for commercial and non-commercial use as long as the following conditions are adhered to. The following conditions apply to all code found in this distribution, be it the RC4, RSA, lhash, DES, etc., code; not just the SSL code. The SSL documentation included with this distribution is covered by the same copyright terms except that the holder is Tim Hudson (tjh@cryptsoft.com).

Copyright remains Eric Young's, and as such any Copyright notices in the code are not to be removed. If this package is used in a product, Eric Young should be given attribution as the author of the parts of the library used. This can be in the form of a textual message at program startup or in documentation (online or textual) provided with the package.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgement:

“This product includes cryptographic software written by Eric Young (eay@cryptsoft.com)”.

The word ‘cryptographic’ can be left out if the routines from the library being used are not cryptography-related.

4. If you include any Windows specific code (or a derivative thereof) from the apps directory (application code) you must include an acknowledgement: “This product includes software written by Tim Hudson (tjh@cryptsoft.com)”.

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The license and distribution terms for any publicly available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution license [including the GNU Public License].

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, submitting a service request, and gathering additional information, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Subscribe to the *What's New in Cisco Product Documentation* as an RSS feed and set content to be delivered directly to your desktop using a reader application. The RSS feeds are a free service. Cisco currently supports RSS Version 2.0.



CHAPTER 1

Cisco ISE Sponsor Portal

Overview

A sponsor user is a person who creates the guest user account and is often an employee of the organization; for example, a lobby ambassador who creates and manages guest user accounts through a sponsor-oriented web portal. The Cisco ISE authenticates sponsors through a local database or external Lightweight Directory Access Protocol (LDAP) or Microsoft Active Directory identity stores.

A sponsor portal allows a sponsor to create temporary accounts for guests, visitors, contractors, consultants, or customers to perform HTTP or HTTPS login to gain access to the network. The network could be a corporate network or access could provide access to the Internet.

You can provide account details to the guest by printout, email, or SMS. The entire experience, from user account creation to guest network access, is stored for auditing and reporting. These topics are discussed here:

- [Overview, page 1-1](#)
- [Connecting to the Sponsor Portal, page 1-1](#)
- [Sponsor Groups, page 1-3](#)
- [Customizing the Sponsor Portal, page 1-3](#)
- [Account Management, page 1-4](#)
- [Viewing Guest Accounts and Resending Account Details, page 1-12](#)

Connecting to the Sponsor Portal

You can open a web browser and get connected to the sponsor portal through the web interface. To connect to the sponsor portal, enter the address as provided by your network administrator.

-
- Step 1** Enter the sponsor portal URL in the web browser, for example, `http://ip address:port number/sponsorportal` or `https://ip address:port number/sponsorportal`. The port number is configurable in the Cisco ISE Admin portal.
 - Step 2** Enter your username and password in the sponsor portal login page ([Figure 1-1](#)), and click Login. Use the login credentials that are specified by your network administrator.
 - Step 3** When you first log in, the Getting Started page is displayed as shown in [Figure 1-2](#).
-

**Note**

If your network administrator has not configured Sponsor portal on the Cisco ISE server, you will be redirected to the Cisco ISE Admin portal.

Figure 1-1 Sponsor Portal Login Page





Figure 1-2 Getting Started Page

**Note**

After logging out, you must close all browser windows before logging in back to the Sponsor portal.

Sponsor Groups

Guest sponsor groups contain the permissions and settings for the sponsor user. Sponsor users that belong to a particular sponsor group have a certain set of permissions and settings when they are logged into the sponsor portal.

Sponsor groups have role-based permissions for sponsors to allow or restrict access to different functions in the sponsor portal. Based on the permissions that are set for the sponsor group, a sponsor may be allowed or restricted to perform these actions:

- Create guest accounts
- Modify guest accounts
- Suspend or reinstate guest accounts
- View guest details
- Send account details to guests by email or SMS

Sponsor groups are configured by your network administrator in the Cisco ISE Admin portal.

See the “Guest Management” chapter of the *Cisco Identity Services Engine User Guide, Release 1.0.4*, for more information on creating and editing sponsor groups.

Customizing the Sponsor Portal

You can customize default settings of the sponsor portal such as the language template, time zone, telephone country code, and default login page from the Settings Customization page.

To customize default settings of the sponsor portal, complete the following steps:

Step 1 Choose **Sponsor > Settings Customization**.

Step 2 Modify the following settings:

- **Language Template**—If your administrator has added additional templates, you can choose a language template from this drop-down menu to change the language of the application interface or the guest printout, email, or SMS notification.
- **Timezone**—This is default as chosen in the list on the account creation pages.
- **Location**—Specify the default guest location that you want to use for creating accounts.
- **Sponsor’s Email Address**—Enter your email address here. This is required to receive a copy of the guest’s account details by email.

To receive a copy of the guest’s account details by email, the Cisco ISE administrator must first setup an email server. For details on how to setup an email server, see the “Guest Management” chapter of the *Cisco Identity Services Engine User Guide, Release 1.0.4*.

- **Receive Email Confirmation**—Check this check box to receive a copy of the guest account details by email when you click the **Email** button to notify the users of their guest account details.

To notify guest users through email, your Cisco ISE administrator must set appropriate authorization levels while creating sponsor groups. For details on how to set sponsor group authorization levels, see the “Guest Management” chapter of the *Cisco Identity Services Engine User Guide, Release 1.0.4*.



Note If you do not have the privilege to view the guest password, the Receive Email Confirmation option will not work.



Note If you do not have privilege to view guest password, taking printout of guest details will show **** against the password.

- **Default Page to Show After Login**—Choose the page that you want to be displayed immediately after you log in.

Step 3 Click **Save**.

Account Management

This section contains:

- [Creating a Single Guest Account, page 1-4](#)
- [Creating Multiple Guest Accounts, page 1-6](#)
- [Creating Random Guest Accounts, page 1-8](#)
- [Importing Guest Accounts, page 1-9](#)
- [Editing an Existing Guest User Account, page 1-10](#)
- [Deleting an Existing Guest User Account, page 1-11](#)
- [Suspending a Guest User Account, page 1-11](#)
- [Reinstating a Suspended Account, page 1-12](#)

Creating a Single Guest Account

You can create a single guest user accounts to provide network access to any guest. User account is created with a randomly generated password, based on the Password Policy that is set globally for the system.

To create a single guest user account:

-
- Step 1** Log in to the Sponsor portal.
- Step 2** Click **Create Single Guest Account**, from the Home page
The Create Guest Account dialog box appears.
- Step 3** Enter the values as described in [Table 1-1](#).
- Step 4** Click **Submit**.

The Successfully Created Guest Account screen appears with the Guest details and the system-generated username and password for the guest account. Do one of the following:

- a. Choose the notification form by clicking **Print, Email, or SMS**. Depending on the privileges given to the sponsor group by your network administrator in the Cisco ISE Admin portal, you may or may not get these notification buttons.
- b. Click **Create Another Account** to create more guest user accounts.
- c. Click **View All Accounts** to view a list of all the guest user accounts created.

Initially, when you create a guest user account, the status that is shown for that account is Inactive. After the guest logs in with the given username and password, and accepts the Use Policy, the status changes to Active.



Note

The fields on this screen may be made Mandatory, Optional, or Not Used as configured by your network administrator in the Cisco ISE Admin portal. All fields might not appear on the page, depending on the configurations that your network administrator made.

Table 1-1 Description of Fields Available in the Create Single Guest Account Dialog Box

Option	Description
First Name	First name of the guest user; maximum length is 24 characters.
Last Name	Last name of the guest user; maximum length is 24 characters.
Email Address	A valid email address of the guest user; maximum length is 48 characters. For example, username@domain.com. The Cisco ISE sends the login credentials to this email address if the guest user chooses to be notified through email. To notify guest users through email, your Cisco ISE administrator must set appropriate authorization levels while creating sponsor groups. For details on how to set sponsor group authorization levels, see the “Guest Management” chapter of the <i>Cisco Identity Services Engine User Guide, Release 1.0.4</i> .
Company	Maximum length is 24 characters.
Phone Number	A valid phone number of the guest user. The Cisco ISE sends the login credentials to this telephone number if the guest user chooses to be notified through SMS.
Optional Data 1 through 5	Add any additional information that you want to enter about the guest user.
Group Role	Assign a group role for the guest user. Group role is the Identity Group that is to be assigned to the guest user. This Identity Group is used in authorization policies to map the guest users to their appropriate network access privileges.
Time Profile	Assign a time profile for the guest user.
Timezone	Set a time zone under which you want to keep the guest user.

**Note**

Guest objects use internal dates in UTC timezone. As a result, all dates and time will appear in UTC time when logged in audit logs.

**Note**

When the primary Administration ISE node is down, you cannot create new guest user accounts. During this time, the guest and sponsor portals provide read-only access to the existing guest and sponsor users respectively. Also, a sponsor admin who has never logged into the sponsor portal before the primary Administration ISE node went offline, can not login to the sponsor portal until a secondary Administration ISE node is promoted or the primary Administration ISE node becomes available."

Related Topics

- [Creating Multiple Guest Accounts, page 1-6](#)
- [Creating Random Guest Accounts, page 1-8](#)
- [Importing Guest Accounts, page 1-9](#)
- [Editing an Existing Guest User Account, page 1-10](#)
- [Deleting an Existing Guest User Account, page 1-11](#)
- [Suspending a Guest User Account, page 1-11](#)
- [Reinstating a Suspended Account, page 1-12](#)

Creating Multiple Guest Accounts

You can create a series of guest users by using the Create Multiple Accounts screen. This screen has the same functionality as the Create Single Guest Account screen, except that it allows multiple users to be specified one after another. Apart from the guest users, several other fields like Guest Role, Time Profile, and Timezone appear prepopulated with the values that you provided for the previous guest user.

To create multiple guest accounts, complete the following steps:

-
- Step 1** Log into the sponsor portal.
- Step 2** Click **Create Multiple Guest User Account**.
The Create Multiple Guest Accounts dialog box appears.
- Step 3** Enter the values as described in [Table 1-1](#).
- Step 4** Click **Add**.
The details get added to the listing table on top of the page and allows you to add additional guest user accounts. See [Figure 1-3](#).
- Step 5** To edit the user details:
- a. Choose the user in the listing table.
 - b. Click **Edit**.
The details are displayed again in the following fields.
 - c. Edit the details.
 - d. Click **Update**.

- Step 6** Assign a group role for the guest users. The guest users will have the privileges that are defined for this group. This group role will be common for all the guest user accounts that are created at once.
- Step 7** Assign a time profile for the guest users. This time profile will be common for all the guest user accounts that are created at once.
- Step 8** Set the time zone for the guest users. This time zone will be common for all the guest user accounts that are created at once.
- Step 9** Click **Submit**.
- Guest Accounts Created confirmation is displayed with the username and password of all the guest user accounts that are created, as shown in figure [Figure 1-4](#).
- Step 10** Do one of the following:
- Click **Print** to print the account details.
 - Click **Export** to export the account details to a .csv file.
 - Click **View All** to go back to the Guest User Accounts List page and see the list of all the guest user accounts.


Figure 1-3 Create Multiple Guest User Accounts Dialog Box

First Name:	Last Name:	Email Address:	Phone Number:	Company:	Optional Data 1:	Optional Data 2:	Optional Data 3:	Optional Data 4:	Optional Data 5:
John	Smith	john@edu.com	011-32454321	Edunet	California				
Nita	Scott	nscott@phil.com	011-2987456	Philicom	Texas				

First Name:
 Last Name:
 Email Address:
 Phone Number:
 Company:
 Optional Data 1:
 Optional Data 2:
 Optional Data 3:
 Optional Data 4:
 Optional Data 5:

2390028

Figure 1-4 Confirmation Screen for Multiple Guest Accounts Created



Related Topics

- [Creating a Single Guest Account, page 1-4](#)
- [Creating Random Guest Accounts, page 1-8](#)
- [Importing Guest Accounts, page 1-9](#)
- [Editing an Existing Guest User Account, page 1-10](#)
- [Deleting an Existing Guest User Account, page 1-11](#)
- [Suspending a Guest User Account, page 1-11](#)
- [Reinstating a Suspended Account, page 1-12](#)

Creating Random Guest Accounts

You can also create random guest accounts. You might need to create and provide accounts to guests at times when you have no computer access. In such cases, this feature allows you to create accounts in advance, record the details separately, and store them in the system for correlation at a later time. You can create a maximum of 10,000 random guest user accounts.

An example of random accounts usage is a lobby ambassador handing out guest user access accounts from a predefined list of accounts.



Note

Random accounts are created with randomly generated usernames and passwords. You can add a username prefix to each account name. The remainder of the username and generation of the password follow the username and password policies respectively, that are set by your network administrator in the Cisco ISE Admin portal.

To create a random guest account, complete the following steps:

- Step 1** Log into the Sponsor portal.
- Step 2** Click **Create Random Guest Account**.
A dialog box appears.

Step 3 Enter the values as described in [Table 1-2](#) in the dialog box.

Step 4 Click **Submit**.

The Current Guests listing page is displayed with the list of newly created guest accounts.

[Table 1-2](#) describes the fields that are available in the Create Random Guest Account dialog box.

Table 1-2 Description of Options Available in the Create Random Guest Account Dialog Box

Option	Description
Number of Random Accounts to Create	The number of random accounts that you want to create.
Username Prefix	A username prefix to be added to the randomly generated username.
Group Role	Assign a group role for the guest user. Group role is the Identity Group to be assigned to the guest user. This Identity Group is used in authorization policies to map the guest users to their appropriate network access privileges.
Time Profile	Assign a time profile for the guest user.
Timezone	Set a time zone under which you want to keep the guest users.

Related Topics

- [Creating a Single Guest Account, page 1-4](#)
- [Creating Multiple Guest Accounts, page 1-6](#)
- [Importing Guest Accounts, page 1-9](#)
- [Editing an Existing Guest User Account, page 1-10](#)
- [Deleting an Existing Guest User Account, page 1-11](#)
- [Suspending a Guest User Account, page 1-11](#)
- [Reinstating a Suspended Account, page 1-12](#)

Importing Guest Accounts

To create numerous guest user accounts whose account information is stored in an external database, you can use the Import Guest Accounts feature to import the details. Upload a .csv file to the sponsor portal. The sponsor portal parses the information in the .csv file and creates new guest user account for each entry in the file.

To import a .csv file, complete the following steps:

Step 1 Log into the Sponsor portal.

Step 2 Click **Import Accounts** under Account Management.

The Import Accounts dialog box appears.

- Step 3** Enter the values as described in [Table 1-3](#) in the dialog box.
- Step 4** Click **Import**.

[Table 1-3](#) describes the fields that are available in the Import Guest Account dialog box.

Table 1-3 Description of Options Available in the Import Guest Account Dialog Box

Option	Description
File	Click Browse to choose and upload the .csv file to the sponsor portal.
Group Role	Assign a group role for the guest user. Group role is the Identity Group to be assigned to the guest user. This Identity Group is used in authorization policies to map the guest users to their appropriate network access privileges.
Time Profile	Assign a time profile for the guest user.
Timezone	Set a time zone under which you want to keep the guest users.
Download Import File Template	Downloads a template that describes the format for the .csv file.

The import process creates as many guest accounts as there are entries in the .csv file. If there is an error in any entry, that entry is omitted and the remaining entries are imported.

Related Topics

- [Creating a Single Guest Account, page 1-4](#)
- [Creating Multiple Guest Accounts, page 1-6](#)
- [Creating Random Guest Accounts, page 1-8](#)
- [Editing an Existing Guest User Account, page 1-10](#)
- [Deleting an Existing Guest User Account, page 1-11](#)
- [Suspending a Guest User Account, page 1-11](#)
- [Reinstating a Suspended Account, page 1-12](#)

Editing an Existing Guest User Account

To edit an existing guest user account, complete the following steps:

- Step 1** Log into the sponsor portal.
- Step 2** Click **View All Guest User Accounts** to go to the Guest User Accounts List page.
- Step 3** Click the guest account name that you want to modify, or check the check box next to the name and click **Edit**.
- The Edit Guest User page appears.
- Step 4** Modify the values as described in [Table 1-1](#).
- Status** displays the current status of the guest user account.

- Step 5** Check the **Suspend** check box if you want to suspend a guest user account.
- Step 6** Click **Submit**.
-

Related Topics

- [Creating a Single Guest Account, page 1-4](#)
- [Creating Multiple Guest Accounts, page 1-6](#)
- [Creating Random Guest Accounts, page 1-8](#)
- [Importing Guest Accounts, page 1-9](#)
- [Deleting an Existing Guest User Account, page 1-11](#)
- [Suspending a Guest User Account, page 1-11](#)
- [Reinstating a Suspended Account, page 1-12](#)

Deleting an Existing Guest User Account

To delete an existing guest user account, complete the following steps:

- Step 1** Log into the sponsor portal.
- Step 2** Click **View All Guest User Accounts** to go to the Guest User Accounts List page.
- Step 3** Check the check box next to the guest user name and click **Delete**.
-

Related Topics

- [Creating a Single Guest Account, page 1-4](#)
- [Creating Multiple Guest Accounts, page 1-6](#)
- [Creating Random Guest Accounts, page 1-8](#)
- [Importing Guest Accounts, page 1-9](#)
- [Editing an Existing Guest User Account, page 1-10](#)
- [Suspending a Guest User Account, page 1-11](#)
- [Reinstating a Suspended Account, page 1-12](#)

Suspending a Guest User Account

To suspend a guest user account, complete the following steps:

- Step 1** Log into the sponsor portal.
- Step 2** Click **View All Guest User Accounts** to go to the Guest User Accounts List page.
- Step 3** Check the check box next to the guest user name and click **Suspend**.
-

Related Topics

- [Creating a Single Guest Account, page 1-4](#)
- [Creating Multiple Guest Accounts, page 1-6](#)
- [Creating Random Guest Accounts, page 1-8](#)
- [Importing Guest Accounts, page 1-9](#)
- [Editing an Existing Guest User Account, page 1-10](#)
- [Deleting an Existing Guest User Account, page 1-11](#)
- [Reinstating a Suspended Account, page 1-12](#)

Reinstating a Suspended Account

To reinstate a suspended guest user account, complete the following steps:

-
- Step 1** Log into the sponsor portal.
- Step 2** Click **View All Guest User Accounts** to go to the Guest User Accounts List page.
- Step 3** Check the check box next to the guest user name and click **Reinstate**.
-

Related Topics

- [Creating a Single Guest Account, page 1-4](#)
- [Creating Multiple Guest Accounts, page 1-6](#)
- [Creating Random Guest Accounts, page 1-8](#)
- [Importing Guest Accounts, page 1-9](#)
- [Editing an Existing Guest User Account, page 1-10](#)
- [Deleting an Existing Guest User Account, page 1-11](#)
- [Suspending a Guest User Account, page 1-11](#)

Viewing Guest Accounts and Resending Account Details

All the guest user accounts that you created appear on the Guest User Accounts List page. This page allows you to view, print, or email the account access details to guests if they have lost or forgotten them. This page also allows you to edit, delete, reinstate, or suspend a guest account as shown in [Figure 1-5](#).

Depending on the privileges set for the sponsor group that you belong to, you may or may not have permission to perform some of the following actions. See [Sponsor Groups, page 1-3](#) for more details.

The following actions can be performed from the Guest User Accounts List page:

- **Create**—To create a new guest user account.
- **Edit**—To edit an existing guest account. Click the guest account name that you want to modify, or check the check box next to the name and click **Edit**.
- **Delete**—To delete an existing account. Check the check box next to the name and click **Delete**.

- **Reinstate**—To reactivate a suspended account. Check the check box next to the name and click **Reinstate**.
- **Suspend**—To suspend a guest user account. Check the check box next to the name and click **Suspend**.
- **Print**—To print the account details of an existing account. Check the check box next to the name and click **Print**. This button is available only if Allow Printing Guest Details option is set to Yes in Authorization Levels while creating the Sponsor Group.
- **Email**—To send mail with the account details to the guest. Check the check box next to the name and click **Email**. This button is available only if Send Email option is set to Yes in Authorization Levels while creating the Sponsor Group. For details on how to set sponsor group authorization levels, see the “Guest Management” chapter of the *Cisco Identity Services Engine User Guide, Release 1.0.4*.
- To send the guest’s account details by email, the Cisco ISE administrator must first setup an email server. For details on how to setup an email server, see the “Guest Management” chapter of the *Cisco Identity Services Engine User Guide, Release 1.0.4*.
SMS—To send SMS with the account details to the guest. Check the check box next to the name and click **SMS**. This button is available only if Send SMS option is set to Yes in Authorization Levels while creating the Sponsor Group.
- **Filter**—To filter and search the existing guest accounts based on the username.
- **Display records per page**—To set the numbers of records to be displayed per page, choose the record limit from the list available and click **Go**. The available denominations are 10, 25, 50, 100, and 200.
- **Page Navigation**—On existence of more records that cannot be accommodated in a single page, the records are displayed in multiple pages. [Table 1-4](#) describes the icons that are used for page navigation.

Table 1-4 Page Navigation Icons





Icon	Description
	To view the next page
	To view the previous page
	To view the last page
	To view the first page

Figure 1-5 Guest Users Listing Page

Account Management > View All Guest Accounts

Guest User Accounts List

Guest User Accounts List Showing 1-17 of 17 25 per page Go

Filter: Username Match if: Contains Go Clear Filter

<input type="checkbox"/>	Username	Status	First Name	Last Name	Email Address
<input checked="" type="checkbox"/>	0~y	ACTIVE			
<input type="checkbox"/>	4~k	INACTIVE			
<input type="checkbox"/>	7m~	ACTIVE			
<input type="checkbox"/>	iaaccount1	EXPIRED	import1	account1	
<input type="checkbox"/>	iaaccount2	EXPIRED	import2	account2	
<input type="checkbox"/>	iaaccount3	EXPIRED	import3	account3	
<input type="checkbox"/>	mquest	EXPIRED	multi	guest	
<input type="checkbox"/>	mquest1	EXPIRED	multi	guest	
<input type="checkbox"/>	nmulti	EXPIRED	new	multi	
<input type="checkbox"/>	randomJ0_	EXPIRED			
<input type="checkbox"/>	random~3x	EXPIRED			
<input type="checkbox"/>	_N9	EXPIRED			
<input type="checkbox"/>	~L5	ACTIVE			

Create Edit Delete Reinststate Suspend Email SMS Print Page 1 of 1

239024



INDEX

C

cautions, description of [iii-iii](#)

customize [1-3](#)

D

document

updates [iii-iv](#)

G

guest account

create multiple accounts [1-6](#)

create random accounts [1-8](#)

create single account [1-4](#)

edit [1-10](#)

import [1-9](#)

manage [1-12](#)

N

note, description of [iii-iv](#)

R

resend account details [1-12](#)

T

timesaver, description of [iii-iv](#)

