Minimax Fire Products Technical Services: (480) 553-5670 Email: mxtechsupport@minimaxfp.com

The technical data described herein is for components of the Minimax Fire Products MX 1230 Clean Agent System. For design, installation, and operation instructions, refer to the latest edition of the original source documents: Installation and Service Manual (Part No. 889327), Design Manual (Part No. 889334), and Operation Manual (Part No. 889325).

Page 1 of 6

1. DESCRIPTION

ппп:х

FIRE PRODUCTS

The Minimax MX 1230 Fire Extinguishing System uses 3M[™] Novec[™] 1230 extinguishing fluid that is stored in the system's extinguishing agent container(s) until system activation. The container assembly includes a welded or seamless steel cylinder filled with Novec[™] 1230 fluid, assembled with the following components:

- Cylinder valve with burst disc, pressure gauge, protective neck ring, protective cylinder cap and valve cap.
- Five cylinder sizes available for 360 psi (25 bar): 60, 140, 280, 390, and 500 lbs. (22, 52, 106, 147, and 180 l).
- Three cylinder sizes are available for 725 psi (50 bar): 220, 390, and 500 (80, 140, and 180 l)
- 280, 390, and 500 lbs. (106, 147, and 180 l) cylinders are available with Liquid Level Indicators for the 360 psi (25 bar) system.
- Cylinders are designed, manufactured, and labeled in accordance with the US Dept. of Transportation Standard DOT 4BW-500, DOT 3AA-910, and TC (Transportation Canada - 360 psi (25 bar) system only).
- Cylinders can only be installed in the upright position.
- To create the pressure necessary for the agent to be released, the extinguishing agent container is superpressurized with nitrogen at a pressure of 360 psi (25 bar) or 725 psi (50 bar).
- Cylinder fill density is dependent on the area of protection size. Agent concentration varies due to the expected class of fire (A, B, or C).

Each cylinder is equipped with a special pressure differential valve:

- · Operates according to the differential pressure principle and has a piston and a brass housing.
- Includes a burst disc to protect from excessive pressure.
- Includes a pressure gauge for indication of the filling pressure.
- The valve is appropriate for high discharge rates and makes the extinguishant discharge possible within 10 seconds.
- Available in the nominal sizes 1-1/2" for the 60 lb and 140 lb. cylinder, and 2" for 220, 280, 390, and 500 lb. cylinders.

An optional manual release assembly with pneumatic discharge pressure switch can be ordered separately for installation in the piping:

- The pneumatic discharge pressure switch is required with manual release installation per NFPA 2001.
- The status of the pressure switch can be monitored by the fire agent release control panel.

A cylinder nameplate label is attached to the extinguishing agent container:

- · Contains maintenance and filling information, as well as information about the filling quantity.
- · A UL Listing label and FM Approval label are also attached to the cylinder.

Protective caps are used to protect sensitive components (e.g. valves) of the extinguishing agent containers:

- Protects the valves from damage during transport.
- NOTE: The protective valve caps must be attached before each transport.

An installation clamp is required to be ordered with each container assembly (available separately):

• The cylinder must be attached to a wall using the designated installation clamp.

NOTE: System detection is controlled by an approved system release control panel with compatible detections

2. LISTINGS AND APPROVALS

- (U) UL Listed: Clean Agent Extinguishing System Unit
- System FM Approved: Clean Agent Fire Extinguishing System

Minimax Technical Data may be found on Minimax Fire Products' Web site at http://www.minimaxfp.com/. The Web site may include a more recent edition of this Technical Data Page.



CLEAN AGENT FIRE EXTINGUISHING SYSTEM

MX 1230 Extinguishing Agent Cylinders

Minimax Fire Products Technical Services: (480) 553-5670 Email: mxtechsupport@minimaxfp.com

Page 2 of 6

TECHNICAL DATA

3. TECHNICAL DATA

- Minimum and Maximum Agent Storage Temperatures: 0 °F to 122 °F (-18 °C to 50 °C)
- Minimum and Maximum Temperatures of Protected Spaces per UL and FM: 60 °F to 80 °F (15.6 °C to 26.7 °C)

Cylinder Specifications

Fill Density: Min. 25 lb/ft³ (400 kg/m³), Max. 74.9 lb/ft³ (1200 kg/m³) at 69.8 °F (21 °C)

NOTE: The accurate filling quantity depends on the necessary extinguishant quantity and the layout of the piping.

Valve Specifications

- Working Pressure: 360 psi (25 bar) or 725 (50 bar) at 70 °F (21 °C)
- Max. Working Pressure: 508 psi (35 bar) or 870 (60 bar) at 122 °F (50 °C)
- Response Pressure at Bursting Disc for 360 psi (25 bar) System: 900 psi (62 bar) at 68 °F (20 °C)
- Response Pressure at Bursting Disc for 725 psi (50 bar) System: 1276 psi (88 bar) for 2" valves, 1291 psi (89 bar) for 1-1/2" valves at 68 °F (20 °C)

Gauge Specifications

- Agent: FK-5-1-12 (Novec[™] 1230)
- 360 psi (25 bar) system:
 - Maximum Pressure: 725 psi (50 bar)
 - Indicating Range: 0 to 508 psi (35 bar)
- 725 psi (50 bar) system:
 - Maximum Pressure: 1160 psi (80 bar)
 - Indicating Range: 0 to 870 psi (60 bar)
- Gauge Nominal Size: 2" (50 mm)
- Accuracy Class: 1.6

Material Standards

Cylinder: Welded Steel, Powder Coated Red, DOT Standard 4BW-500 or Seamless Steel, Powder Coated Red, DOT Standard 3AA-910/TPED

Protective Neck Ring: AISI 1015 Hot Rolled Steel, Powder Coated Black

- Cylinder Valve:
 - Housing, Adapter, Screws: Brass
 - Seal Retainer: Brass
 - O-ring/Seal of Seat: NBR
 - Bursting Disk: Nickel
 - Spring: Steel

Gauge: Aluminum

Liquid Level Indicator

- Stem: Brass
- O-Ring: Buna N
- Float: Ceramic
- Protective Cap: PVC
- Tape: Painted Steel

Protective Cylinder Cap: AISI 1026, Hot Rolled Steel, Powder Coated Black Installation Clamp: Steel

Ordering Information

The cylinders are filled according to the ordering designations. Extinguishant cylinders are completely assembled and filled. For a complete Single Container System, the following must be ordered separately: release devices, optional manual release assembly with pneumatic discharge pressure switch, discharge nozzles, hose or NPT connections, installation clamp, and warning signs. An approved release control panel with compatible detection system is also required.



Gauge Indicating Range:

- I. Pressure at minimum temperature 0 °F (-18 °C)
- II-III. Pressure from 90% to 110% from charging pressure at 70 °F (21 °C)
- IV. Pressure at max. temperature 122 °F (50 °C)

Gauge Color Marked:

0 to I.....Recharge I to II.....Red II to III.....Green III to IV.....Red IV to max...Overcharge

Figure 1: Pressure Gauge Markings

Minimax Fire Products Technical Services: (480) 553-5670 Email: mxtechsupport@minimaxfp.com

Page 3 of 6





TABLE 1: MX Fire Extinguishing System Components				
Item No.	Des	Part No.		
		360psi (25 bar)	91 2097	
1	Pressure Gauge	725psi (50 bar)	91 2099	
	Contact Pressure Gauge	360psi (25 bar)	88 9300	
	/ Low pressure Switch (Optional)	725psi (50 bar)	88 9302	
2	Hose	1-1/2" 90° Bend	91 2075	
	TIUSE	2" 90° Bend	91 2076	
3	Swivel Adeptor	1-1/2" NPT	17562	
	Swivel Adaptor	2" NPT	17563	
4	Check Valve	91 2071		
5	Electric Release I	88 9323		
6	Pneumatic Release	88 7669		
7	Pneumatic/Manua	88 7670		
8	Manual Release I	88 7668		
	Pilot Hose	24"	88 7834	
9		39"	88 7835	
		59"	88 7836	
10	Pilot Hose Adapto	88 7644		
11	Pressure Malfunc	16010		
12	Screw Reset Tool	17096		
13	Clamp for Extinguishing	60lb / 140lb	19368W/B	
	Agent Cylinder	280lb / 390lb / 220lb / 500lb	88 7639	
14	Locknut, flange h	18046		
16	Protection Cap	16353W/B		
17	Ring-Protection C	16539		
18	Extinguishing Age	888054-275		
19	Sinhan Tuha	2.0 inch	16355	
19	Siphon Tube	1.5 inch	16354	

Minimax Fire Products Technical Services: (480) 553-5670 Email: mxtechsupport@minimaxfp.com

Page 4 of 6



PRESSURE AT 70° F (20° C)	Nominal Volume	Part No. Valve Type A / A25	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	Amount Filled		Empty
								Min.	Max.	Weight
360 PSI (25 bar)	60 lb	91 4147	40.8	23.2	15.8	10	4.75	20 lbs	58 lbs	88 lbs
	140 lb	88 9109	65.4	47.8	27.5	10	4.75	46 lbs	137 lbs	108 lbs
	280 lb	88 9111	61.4	40.9	27.5	16	6	94 lbs	280 lbs	190 lbs
	390 lb	88 9113	74.5	54.0	41.1	16	6	130 lbs	388 lbs	229 lbs
	500 lb	91 0510	86.0	65.5	51.2	16	6	159 lbs	476 lbs	313 lbs
725 PSI (50 bar)	220 lb	88 8591	55.4	34.9	23.6	16	6	71 lbs	211 lbs	218 lbs
	390 lb	88 8593	74.3	53.8	41.4	16	6	124 lbs	370 lbs	289 lbs
	500 lb	88 8595	88.0	67.5	51.2	16	6	159 lbs	476 lbs	395 lbs
With Liquid	Level Indi	cator							<u>.</u>	
360 PSI (25 bar)	280 lb	91 4151	61.4	40.9	27.5	16	6	94 lbs	280 lbs	210 lbs
	390 lb	91 4152	74.5	54.0	41.4	16	6	130 lbs	388 lbs	251 lbs
	500 lb	91 4153	86.0	65.5	51.2	16	6	159 lbs	476 lbs	286 lbs

Minimax Fire Products Technical Services: (480) 553-5670 Email: mxtechsupport@minimaxfp.com

Page 5 of 6




	TABLE 3: SYSTEM COMPONENTS FOR A COMPLETE MX 1230 SINGLE CONTAINER SYSTEM WITH ELECTRIC RELEASE DEVICE	
Item No.	Description	
1	Extinguishing Agent Container	
2	Installation Clamp**	
3	Pressure Gauge	
4	Cylinder Valve with Burst Disc	
5	Release Device, Electric**	
6	Release Device, Manual (optional, also see Item 9)**	
7	Pneumatic Discharge Pressure Switch (optional)**†	
8	Hose (90° Shown)**	
9	Pipeline**	
10	Discharge Nozzle**	
**Ordered s	separately.	
† Required	if manual release device is installed (available as part of the manual release assembly).	
NOTE: Additional components are required for a Multi Container System.		



CLEAN AGENT FIRE EXTINGUISHING SYSTEM

MX 1230 Extinguishing Agent Cylinders

Minimax Fire Products Technical Services: (480) 553-5670 Email: mxtechsupport@minimaxfp.com

Page 6 of 6

3 Figure 5: Example of a Complete MX 1230 Fire Extinguishing Multi Container System

	TABLE 4: ADDITIONAL SYSTEM COMPONENTS REQUIRED FOR A MX 1230 MULTI CONTAINER SYSTEM***
Item No.	Description
1	Pneumatic Release Device
2	Check Valve
3	Pilot Line
4	Pilot Line Adapter (one required for connecting each pilot line end and for connecting each pilot line safety valve)
5	Pressure Malfunction Safety Assembly
***Components	required in addition to the items indicated in Figure 3 for a Single Container System.