



Clinical Study Report (CSR) Template

<https://clinicalstudytemplates.com/>

Template scope and purpose

This Clinical Study Report (CSR) Template is specifically designed to be used in conjunction with the Clinical Study Protocol (CSP) Template.

The structure and sections as well as their order and content follow the International Council for Harmonisation (ICH) E3 guidelines for CSRs, as recommended by the Food and Drug Administration (FDA). As such, this CSR Template is the foundation for an “integrated” full report of any study with a therapeutic, prophylactic, or diagnostic agent (i.e., drug or treatment) conducted in patients or healthy volunteers.

Note that, if conducting a study with healthy volunteers, these may be referred to as “subjects” instead of “patients”, except where subjects have become patients due to adverse events (AEs).

Per the ICH guidelines, the clinical and statistical description, presentation, and analyses are to be integrated into a single report (i.e., the CSR), incorporating tables and figures into the main text of the CSR or at the end of the text, with appendices containing such information as the CSP, sample case report forms (CRFs), investigator-related information, information related to the test drugs/investigational products (also referred to as study products), including active control/comparators, technical statistical documentation, related publications, patient data listings, and technical statistical details, such as derivations, computations, analyses, and computer output. Note that the CSR of a study should *not* be created by simply joining a separate clinical and statistical report. Although this CSR Template is mainly developed for the most common efficacy and safety clinical studies (also referred to as clinical trials), the basic principles and structure can be applied to other kinds of studies, such as clinical pharmacology studies (e.g., pharmacokinetic [PK] or biomarker of exposure [BOE] studies). Depending on the nature and importance of such studies, a less detailed report might be acceptable.

- For more information on ICH guidelines for CSRs, visit <https://www.ich.org/page/efficacy-guidelines>

- For more information on FDA guidelines for CSRs, visit <https://www.fda.gov/regulatory-information/search-fda-guidance-documents/e3-structure-and-content-clinical-study-reports>

Template use

The integration of automated formatting features through the customized Styles gallery, and the exceptional ease of using this CSR Template allow experienced authors to save valuable time by eliminating labor-intensive generation of standard verbiage and repetitive formatting, and offer novice writers clear guidance (including explanations and example text) to create clinical-grade, high-quality documents that ensure consistency across CSRs.

Taking into account the various types of clinical studies with differing designs, objectives, and endpoints, CSR authors should work with their clinical study team members to ensure data is presented in a clear and concise manner, which may require this template to be modified, so that it is in line with the product's unique aspects and specific characteristics.

Text Color-coded Instructions


- **Red Text:** instructions (delete)
- **Green Text:** placeholder (replace, modify or delete; select and convert the text color to black by changing the Font Color under the Home tab)
- **Blue Text:** examples (modify or delete; select and convert the text color to black by changing the Font Color under the Home tab)
- **Black Text:** commonly-used text (modify as necessary)

Applying Styles, and Inserting Tables, Figures and Citation References

Visit <https://clinicalstudytemplates.com/tutorials/> for short videos that explain how to use the automated features of this template.

This template has been designed so that hyperlinking the headings of sections and other data (e.g., tables and figures) allows their respective Table of Contents (TOC), Table of Tables, Table of Figures (if applicable) and in-text references to data to be updated by right-clicking on the TOC, and then selecting Update Field, as long as associated data (e.g., tables, figures, citation references) are properly inserted per the instructions outlined below.

- **Applying Styles:** This template contains a set of 18 pre-made styles (see the available styles of the Styles gallery displayed in the green oval below) that are quick and easy to use, and ensure uniformity among the different documents when applied correctly.




When using these styles, complete and consistent formatting is applied to the selected text with a single click. If certain words in the text need to be italicized, bolded, underlined, etc., then apply manual changes to the font only *after* the style has been applied. For the rest, follow the instructions below, and refrain from manually changing the text as much as possible.

- For general text, apply the **Body Text** style
- For headings of sections, apply the appropriate **Heading** styles (there are 5 pre-made levels)
- For numbered lists in the body text, apply the **List Numbered Level** styles (there is a first and second-level style available)
- For bulleted lists in the body text, apply the **List Bullets Level** styles (there is a first and second-level style available)
- For captions of tables and figures, the **Caption** style should be applied automatically when tagging tables and figures with clickable captions as described below
- For general text in tables, apply the **Table Body Content** style
- For numbered lists in tables, apply the **Table List Numbered Level** styles (there is a first and second-level style available)
- For bulleted lists in tables, apply the **Table List Bullets Level** styles (there is a first and second-level style available)

- There are 2 additional pre-made styles (Title without Heading and No Spacing) that can be used and modified, as necessary
- **Numbered Sections:** Headings define the start of a new section (e.g., Introduction, Study Objectives, Investigational Plan, etc.). When changing, modifying or adding a heading, make sure to tag it with the appropriate Heading style under the Home tab, so that MS Word recognizes the heading and its (sub)level as such. To then insert a clickable link to a section (i.e., a cross reference) somewhere else in the text, place the cursor where the clickable link needs to be inserted, go to the Reference Tab, select Cross-reference, look under Reference type for the heading, and then insert the cross reference by choosing Heading number under the Insert reference to drop-down menu.
- **Sections without Numbers:** For subheadings that do not require a designated section number, and that should remain absent from the Table of Contents, use the Title Without Heading style.
- **Tables, Figures and other data:** To insert a table or figure that can be reached via a clickable link somewhere else in the text, first select the newly-inserted table or figure, then go to the Reference Tab, select Insert Caption; next choose the appropriate Label from the drop-down menu (i.e., Table or Figure), and click on the Numbering button to check the box for Include chapter number, if preferred. After clicking OK, a sequential number is automatically generated and assigned to the table/figure. Note that table captions appear above the table, and figure captions appear below the figure. Next, expand the caption with a descriptive text as necessary. To then reference this table or figure somewhere else in the text with a clickable link, place the cursor where the clickable link needs to be inserted, go to the Reference Tab, select Cross-reference, and look under Reference type for the referable table/figure. Note that it is best to choose Only label and number under the Insert reference to drop-down menu.
- **Citation References:** To insert a new citation reference (i.e., a reference to journal article, book, report, poster, website, etc.), first go to the Reference Tab and select Insert Citation. Then select Add new source, choose the appropriate Type of source, and fill out the required information. The reference should appear in Section 15 after updating that field. To then insert a citation somewhere in the text to reference in the reference list, place the cursor where the citation needs to be inserted, go to the Reference Tab and select Insert Citation, and then choose the appropriate reference from the presented list. To reference this reference list somewhere else in the text with a clickable link, place the cursor where the clickable link needs to be inserted, go to the Reference Tab, select Cross-reference, and look under Reference type for section 15, and then insert the cross reference by choosing Heading number under the Insert reference to drop-down menu.


- **References to Externally-linked Files:** When Appendix documents and other files (e.g., Excel sheets or PDF files) need to be referenced in the text, clickable hyperlinks can be created in the final (approved) version of the CSR, by selecting the clickable text, then right-clicking on the selection and choosing Link to hyperlink the referenced file. To be able to easily recognize these as clickable links, the font color of the clickable text can be underlined and changed to a distinguishable [blue](#).
- **Copying text from other documents:** When copying text from other documents, it is strongly advised to paste the text in this template without the source formatting, so that conflicting styles are not carried over. To do so, select and copy the source text, then right-click in this template where the source text needs to be pasted via Paste Options > Keep Text Only (T):



And then apply the desired style from the Styles gallery.

General Good Document Creation Practices

Below are some general guidelines for good document creation practices. Visualizing the paragraph formatting can be extremely helpful to display any hidden formatting and for cleaning up the document:



This template contains the most frequently used styles that are available in the Styles gallery (see the instructions above for how to apply these appropriately).

Body text can be justified, but numbered and bulleted lists as well as text in tables is generally not justified.

When a table spans multiple pages, select the descriptive top row(s) of the table, and use Repeat as header row at the top of each page under Table properties to have the descriptive top row(s) automatically reappear at the top of the table parts across multiple pages.

To start a new page, use the Page Break (short-cut key: Ctrl+Enter) to mark the end of the current page (instead of hitting the Enter key until the end of the page is reached). Note that Section Breaks should be avoided as much as possible, as they serve a different purpose (e.g., to change the page orientation from Portrait to Landscape), which is generally not needed; even if tables are large), or to change the headers/footers for a particular set of pages.

When aligning text vertically, use the appropriate Tab Stop Positions (instead of hitting the space bar or Tab keys many times).

To prevent a paragraph from being separated from a following paragraph (e.g., the text preceding a bullet list), select the paragraph, and check the *Keep with next* property under Home > Paragraph > Line and Page Breaks.

Per the University of Oxford Style Guide, there is *no* space between a number and percent, degree, or mathematical characters, like +, -, ±, >, <, ≥, ≤, ×, = (e.g., ≤5%, -4°C, and 5×3=15; be sure to use the actual degree character instead of a superscripted “o”). On the other hand, there *is* a space between a number and unit (e.g., 25 mL, 65 kg, 15 minutes); to prevent the number and unit being separated over 2 lines when at the end of the line, use the “non-breaking space” with Ctrl+Shift+Space (the same can be applied to prevent a hyphen or minus-sign getting separated from the number).

Per international standards, it is advised to use a 2-number day (dd), 3-letter capitalized month (MMM), and 4-number year (yyyy) dating format (separated by hyphens) as exemplified: August 9th, 2021 would be written as 09-AUG-2021.

Final Notes

- Delete these instructions prior to finalizing the document
- Remove the “**DRAFT**” watermark prior to finalizing the document via Design > Watermark > Remove Watermark
- Update the TOC last, so that the correct page numbers are displayed, by right-clicking on the TOC, and then selecting Update Field

– This line and everything above should be deleted prior to finalizing document. –

This is the "Title Page", which should contain the following information, and may span multiple pages. Copy the information from the CSP, and convert to past tense where necessary; note that the study start, end, and (if applicable) early termination dates are absent from the CSP, and only confirmed after completion of the study.

1 CLINICAL STUDY REPORT

Title	Study Title
Study product(s)	Enter the name of the test drug/investigational/study product; list all, if more than one was used. <ul style="list-style-type: none"> Study product 1 Study product 2
Indication studied	State for which indication/disease the study was conducted
Study design	If not apparent from the title, provide a brief (one to two sentences) description giving design (parallel, cross-over, blinding, randomized) comparison (placebo, active, dose/response), duration, dose, and patient population. Delete this row if not necessary.
Sponsor	Company name Address City, state and ZIP-code Country Phone number +XX XXX-XXX-XXXX
Study identification number	Most companies assign an internal study code or number to each study. This is optional; remove this row if not used. XXXXX
NCT number	Clinical studies should be submitted to clinicaltrials.gov . Including the assigned number here is optional; remove this row if not applicable (N/A). NCTXXXXXXXX
Development phase of the study	Phase 0, I, II, III, or IV.
Study initiation date	First patient enrolled, or any other verifiable definition. dd-MMM-yyyy
Date of early study termination	Remove this row if N/A. dd-MMM-yyyy

Study completion date	Last patient completed. dd-MMM-yyyy
Principal Investigator or Sponsor's responsible Medical Officer	Enter the name and affiliation of principal or coordinating investigator(s) (address and other contact information is optional) or the Sponsor's responsible medical officer. Name Institute Address E-mail address Phone number +XX XXX-XXX-XXXX
Sponsor signatory	Enter the name and contact information of the company/sponsor person who is responsible for the study report. This is usually the person to be contacted for questions that arise during review of the CSR. If not included here, the contact information should be in the letter of application. Name and surname Address City, state and ZIP-code Country E-mail address Phone number +XX XXX-XXX-XXXX
Date:	dd-MMM-yyyy
Version number:	X.X

1.1 GCP Statement

All clinical studies involving human participants should follow Good Clinical Practices (GCP).

This study was performed in full compliance with the Clinical Study Protocol (CSP), Good Clinical Practices (GCP), and applicable regulatory requirements. All required study documentation was archived as required by regulatory authorities.

1.2 Confidentiality Statement

This document is confidential. It contains proprietary information of **company name**. Any viewing or disclosure of such information that is not authorized in writing by **company name** is strictly prohibited. Such information may be used solely for the purpose of reviewing or performing this study.

1.3 Clinical Study Report History

Version	Date	Description
1.0	dd- MMM -yyyy	Initial Report.

Add a new row for each new version, and briefly summarize (e.g., as bullet points) the edits in the Description.

SAMPLE

2 SYNOPSIS

The majority of information (except Summary and Conclusions, Study Outcome and Conclusions) can be copied from the Clinical Study Protocol (CSP) (converted to past tense) to complete the table below.

The Summary and Conclusions, and its subsections can be copied from the respective sections of the completed CSR.

Per ICH guidelines, a brief synopsis (usually limited to no more than 3 pages) that summarizes the study should be provided. The synopsis should include numerical data to illustrate results (not just text or *p*-values).

Name of Sponsor/Company: Company name	Individual study table referring to part of the Dossier: Enter here	(For national authority use only)
Name of finished product: Copy from the CSP.	Volume: Enter here	
Name of active ingredient: Enter here	Page: Enter here	
Title of study: Copy from the CSP.		
Investigators: Enter here		
Study center(s): Enter here		
Publication(s) (reference): Publications that are based on the data of this study. Enter here		
Studied period: Enter days/weeks/months/years here	Date of first enrollment: dd-MMM-yyyy	
	Date of last completed study procedure (i.e., end of study visit): dd-MMM-yyyy	
Objectives	Primary objective(s): Copy from the CSP; convert to past tense.	

	Secondary objective(s): Copy from the CSP; convert to past tense.
Methodology: Summarize how patients were randomized to study groups/cohorts, the type(s) and order of study products that were administered to each of the cohorts, and how data were collected and analyzed.	
Number of patients planned: Copy from the CSP; convert to past tense.	
Number of patients analyzed: Enter here	
Diagnosis and main criteria for inclusion: Copy from the CSP; convert to past tense.	
Test product(s), batch/lot numbers, dose/amount/volume/concentration(s), mode(s) of administration: Copy from the CSP; convert to past tense.	
Duration of treatment: This is usually interpreted as the treatment period of a single patient from first to last product administration, and the post-monitoring period after the last treatment. Copy from the CSP; convert to past tense.	
Reference therapy, batch/lot numbers, dose/amount/volume/concentration(s), mode(s) of administration: Copy from the CSP; convert to past tense.	
Criteria for evaluation	Efficacy: Enter here
	Safety: Enter here
Statistical methods: Copy from the CSP or the Statistical Analysis Plan (SAP); convert to past tense.	
Summary & Conclusions: Enter here	
Efficacy results (excluding safety): Enter clinical endpoint results here	
Safety results: Enter here	

Conclusions:

Enter here

Date of report (date report issued):

dd-MMM-yyyy

SAMPLE

Update the TOC below at the very last, and *after* the instructions pages at the beginning of this Template as well as this sentence have been deleted, to ensure that correct titles of the headings and page numbers are reflected; to update, right-click anywhere on the Table of Contents below, and then select Update Field > Update Entire Table.

3 TABLE OF CONTENTS

1	CLINICAL STUDY REPORT	7
1.1	GCP Statement	8
1.2	Confidentiality Statement	8
1.3	Clinical Study Report History	9
2	SYNOPSIS	10
3	TABLE OF CONTENTS	13
4	ACRONYMS, ABBREVIATIONS, AND DEFINITION OF TERMS	18
4.1	Acronyms and Abbreviations	18
4.2	Definition of Terms	20
5	ETHICS	23
5.1	Institutional Review Board (IRB)	23
5.2	Ethical Conduct of the Study	23
5.3	Patient Information and Consent	23
6	INVESTIGATORS AND STUDY ADMINISTRATIVE STRUCTURE	25
7	INTRODUCTION	27
7.1	Background	27
7.1.1	Functional Properties	27
7.1.2	Nonclinical Experience	27
7.1.3	Clinical Experience	27
7.1.4	Risk Assessment	27
7.2	Purpose of the Current Study	27
8	STUDY OBJECTIVES	29
9	INVESTIGATIONAL PLAN	30
9.1	Overall Study Design and Plan	30
9.2	Rational for Study Design and Choice of Control Group(s)	32
9.3	Selection of the Study Population	33
9.3.1	Inclusion Criteria	35
9.3.2	Exclusion Criteria	36
9.3.3	Removal of Patients from the Therapy or Assessment	37
9.3.3.1	Patient Early Discontinuation or Withdrawal	37
9.3.3.2	Patient Replacement	38
9.3.3.3	Lost to Follow-up (FU)	38
9.4	Treatments	39
9.4.1	Treatments Administered	39
9.4.2	Identity of the Investigational Product(s)	39
9.4.2.1	Investigational Product	39
9.4.2.2	Comparator Product	39
9.4.2.3	Placebo	40

9.4.2.4	Study Product Shipment, Labeling, and Storage	40
9.4.3	Method for Assigning Patients to Treatment Groups.....	40
9.4.4	Selection of Doses in the Study.....	41
9.4.5	Selection and Timing of Dose for Each Patient	41
9.4.5.1	Study Day 1 or Visit 1.....	41
9.4.5.2	Study Day 2 or Visit 2.....	41
9.4.5.3	End of Study Definition	41
9.4.5.4	Follow-up (FU).....	42
9.4.6	Blinding	42
9.4.7	Prior and Concomitant Therapy.....	43
9.4.8	Study Product Use Compliance.....	43
9.5	Efficacy and Safety Variables.....	43
9.5.1	Efficacy and Safety Measurements Assessed and Flow Chart.....	43
9.5.1.1	Adverse Events (AEs)	45
9.5.1.1.1	Assessment of AE Intensity	45
9.5.1.1.2	Assessment of Causal Relationship.....	45
9.5.1.1.3	Serious Adverse Event (SAE).....	46
9.5.1.1.4	Unexpected Adverse Event (UAE).....	47
9.5.1.1.5	Device Malfunctions/Misuse.....	47
9.5.1.1.6	AE Monitoring.....	47
9.5.1.1.7	FU on AEs	47
9.5.1.1.8	Reporting of AEs	48
9.5.1.1.9	Pregnancy.....	48
9.5.1.2	Schedule of Events.....	48
9.5.1.3	Stepwise Treatment Assessment Sequence	50
9.5.1.4	Study Procedures Window Chart	51
9.5.2	Appropriateness of Measurements	52
9.5.3	Primary Efficacy Variable(s).....	52
9.5.4	Drug Concentration Measurements	53
9.6	Data Quality Assurance.....	53
9.6.1	Medical Monitor	53
9.6.2	Monitoring the Study.....	54
9.6.3	Data Handling and Record Keeping	54
9.6.3.1	Confidentiality and Privacy	54
9.6.3.2	Data Management.....	55
9.6.3.2.1	Electronic Case Report Forms (e-CRFs).....	55
9.6.3.2.2	Data Monitoring and Management.....	55
9.6.3.3	Handling and Record Keeping of Data	56
9.7	Statistical Methods Planned in the Protocol and Determination of Sample Size	56
9.7.1	Statistical and Analytical Plans	57
9.7.2	Determination of Sample Size.....	57
9.7.3	Analysis Populations.....	58
9.7.3.1	Safety Population	58
9.7.3.2	Intent-to-Treat (ITT) Population.....	58
9.7.3.3	Per-protocol (PP) Population	58
9.7.4	Efficacy Endpoint(s)	58
9.7.5	Safety Endpoint(s).....	59
9.7.5.1	AEs	60

9.7.5.2	Vital Signs.....	60
9.7.5.3	Concomitant Medications.....	60
9.7.6	Additional/Exploratory Endpoint(s)	60
9.8	Changes to the Conduct of the Study or Planned Analyses	60
9.8.1	Changes to the Conduct of the Study	61
9.8.1.1	Changes to the Protocol (Amendments)	61
9.8.1.2	Protocol Deviations.....	61
9.8.2	Changes to the Planned Analyses	62
10	STUDY PATIENTS.....	64
10.1	Disposition of Patients	64
10.2	Protocol Deviations	66
11	EFFICACY EVALUATION	68
11.1	Data Sets Analyzed	68
11.2	Demographics and Other Baseline Characteristics	68
11.3	Measurements of Treatment Compliance.....	70
11.4	Efficacy Results and Tabulations of Individual Patient Data	70
11.4.1	Analysis of Efficacy	70
11.4.2	Statistical/Analytical Issues	71
11.4.2.1	Adjustments for Covariates	72
11.4.2.2	Handling of Dropouts or Missing Data	72
11.4.2.3	Interim Analyses and Data Monitoring.....	73
11.4.2.4	Multicenter Studies.....	73
11.4.2.5	Multiple Comparison/Multiplicity	74
11.4.2.6	Use of an "Efficacy Subset" of Patients	74
11.4.2.7	Active-Control Studies Intended to Show Equivalence.....	75
11.4.2.8	Examination of Subgroups.....	75
11.4.3	Tabulation of Individual Response Data	75
11.4.4	Drug Dose, Drug Concentration, and Relationships to Response	76
11.4.5	Drug-Drug and Drug-Disease Interactions	77
11.4.6	By-Patient Displays.....	77
11.4.7	Efficacy Conclusions	77
12	SAFETY EVALUATION	78
12.1	Extent of Exposure.....	78
12.2	Adverse Events (AEs)	79
12.2.1	Brief Summary of AEs	79
12.2.2	Display of AEs	79
12.2.3	Analysis of AEs.....	81
12.2.4	Listing of AEs by Patient	82
12.3	Deaths, Other SAEs, and Other Significant AEs	83
12.3.1	Listing of Deaths, Other SAEs, and Other Significant AEs.....	83
12.3.1.1	Deaths.....	83
12.3.1.2	Other SAEs.....	84
12.3.1.3	Other Significant AEs	84
12.3.2	Narratives of Deaths, Other SAEs, and Certain Other Significant AEs	84
12.3.3	Analysis and Discussion of Deaths, Other SAEs, and Other Significant AEs	86
12.3.4	FU on AEs.....	86

12.3.5	Display of Pregnancy.....	86
12.4	Clinical Laboratory Evaluation.....	86
12.4.1	Listing of Individual Laboratory Measurements by Patient and Each Abnormal Laboratory Value	86
12.4.2	Evaluation of Each Laboratory Parameter.....	87
12.4.2.1	Laboratory Values Over Time.....	88
12.4.2.2	Individual Patient Changes	88
12.4.2.3	Individual Clinically Significant Abnormalities	89
12.5	Vital Signs, Physical Findings, and Other Observations Related to Safety	89
12.5.1	Vital Signs.....	90
12.5.2	Physical Examination.....	90
12.5.3	Other Safety-Related Observations.....	90
12.6	Safety Conclusions	90
13	DISCUSSION AND CONCLUSIONS	91
13.1	Discussion.....	91
13.2	Conclusion	91
14	TABLES, FIGURES AND GRAPHS REFERRED TO, BUT NOT INCLUDED IN THE TEXT	92
14.1	Demographic Data Summary Figures and Tables	92
14.2	Efficacy Data Summary Figures and Tables.....	92
14.3	Safety Data Summary Figures and Tables.....	92
14.3.1	Displays of AEs.....	92
14.3.2	Listings of Deaths, SAEs, and Other Significant AEs.....	93
14.3.3	Narratives of Deaths, Other SAEs, and Certain Other Significant AEs	93
14.3.4	Abnormal Laboratory Value Listings (Each Patient).....	93
15	REFERENCES	94
16	APPENDIX.....	95
16.1	Study Information.....	95
16.1.1	Protocol and Amendments.....	95
16.1.1.1	Clinical Study Protocol	95
16.1.1.2	Protocol Amendments	95
16.1.2	Sample Case Report Form.....	95
16.1.3	List of IRBs as well as Representative Written Information for Patients, and a Sample ICF	95
16.1.3.1	List of IRB(s)	96
16.1.3.2	Representative Written Information for Patients	96
16.1.3.3	Sample ICF	96
16.1.4	List and Description of PI(s) and other Important Participants in the Study	96
16.1.5	Signature Pages	96
16.1.5.1	Principal Investigator Signature Page.....	97
16.1.5.2	Sponsor Signature Page	98
16.1.5.3	Sponsor's Responsible Medical Officer Signature Page.....	100
16.1.6	Listing of Patients Receiving Test Drug(s)/Investigational Product(s) from Specific Batches, Where More Than One Batch Was Used.....	101

16.1.7 Randomization Scheme and Codes101

16.1.8 Audit Certificates101

16.1.9 Documentation of Statistical Methods.....101

16.1.10 Documentation of Inter-Laboratory Standardization Methods and
Quality Assurance Procedures if Used.....102

16.1.11 Publications Based on the Study102

16.1.12 Important Publications Referenced in the Report.....102

16.2 Patient Data Listings 102

16.2.1 Discontinued Patients102

16.2.2 Protocol Deviations102

16.2.3 Patients Excluded from the Efficacy Analysis103

16.2.4 Demographic Data103

16.2.5 Compliance and/or Drug Concentration Data103

16.2.6 Individual Efficacy Response Data103

16.2.7 AE Listings103

16.2.8 Listings of Individual Laboratory Measurements by Patient103

16.3 Case Report Forms 103

16.3.1 CRFs for Deaths, Other SAEs, and Withdrawals Due to AEs.....103

16.3.2 Other CRFs Submitted103

16.4 Individual Patient Data Listings 103

