


# CMM Automation In-line and stand-alone measurement solutions



# AUTOMATED MANUFACTURING

Greatest prospect for increased competitiveness

# The smart factory



Industry 4.0 defines what has been called the smart factory.

Within a smart factory manufacturing systems communicate and cooperate with one another and humans. Technology is used to monitor system status and perform corrective actions using decentralized decision making. In-line measurement provides immediate feedback, enabling optimisation of the manufacturing process in real-time. Supply chains benefit from, superior cost efficiencies, better quality products and higher productivity.



#### Automation benefits



Increase productivity



Reduce costs



Improve quality



Closed-loop manufacturing



Centralized data



## **IN-LINE CMM AUTOMATION**

# Benefits for production

In-line CMM measurement allows automated manufacturing cells to increase product quality and production efficiency. Rapid detection of process variation enables corrective actions in real-time while maintaining the continuous flow of production.

#### Improved quality control

- Continuous stream of reliable data
- Rapid detection of process variation
- Independent verification of quality
- Eliminates operator influence on metrology

#### Increased efficiency

- Control and optimize production in real-time
- · Update machine tool settings automatically
- Eliminates transporting parts to and from the CMM
- Maintain the continuous flow of production

#### Complete traceability

- Central database with all manufacturing information
- Store inspection data for every manufactured part
- Track components as they progress production
- Share track and trace data with upstream partners


# Software - The core of the automation process


Nikon Metrology provides a modular suite of software solutions for automated in-line CMM measurement, manufacturers have the option to choose just the functionality they need.

CMM automation software allows integration of the CMM within an automated manufacturing cell. The manufacturing cell control system operates the CMM remotely over a local network. CMM sequencing is easily configured to suit each installation and expandable as requirements change.



# Shop floor CMM





# Safety

Personnel and equipment are safeguarded from moving machinery and hazardous areas by presence detection devices and other safety equipment.

- Barrier interlocks
- Opto-electronic presence detection
- Pressure-sensitive foot mat
- Extended emergency stop circuit

Visual, audio and wireless indication of CMM status and other process events, automatic monitoring enables a quick response should the unexpected occur.

- Tower lights
- Text alerts
- PC alerts
- Production board updates

# STAND-ALONE CMM AUTOMATION

# Benefits for inspection

Stand-alone CMM automation significantly increases CMM utilisation and simplifies running inspection programs. Optimisation of component loading and program execution keeps the CMM measuring as efficiently as possible, and with minimal delays between each task.

Selecting and running inspection programs is made easy by intuitive program menus and input devices for the operator, making the CMM a quality tool for production operators.

#### Improved quality control

- Increased sample count inspection
- Rapid detection of process variations
- Better process control
- Minimizes operator influence on metrology

#### Maximum throughput

- Fully automatic measurement
- Shuttle-style loading pallets
- Inspect multiple parts in one cycle
- Eliminates manual pre-datuming
- Line-side measurement

#### Easy to operate

- Automatic part and fixture recognition
- Program selection from interface panel
- Handheld devices for data input
- Pallet transfer and loading system





# CMM program menu

Intuitive program menu allows users with minimal training to operate the CMM safely.

- Convenient touch screen interface
- Component loading instructions
- CMM program queuing
- Multi-part loading
- · Advanced error recovery

# Pallet system

Pallets provide an efficient method of loading and transporting components, and ensure the component is positioned and supported correctly during measurement.

- Repeatable kinematic location
- Pneumatic/manual clamping
- Fool proof pallet design
- Part recognition
- Pallet storage racks
- Loading trolley
- Conveyor system



# Status lights

Tower lights provide a visual indication of the CMM status for users.


- GREEN measurement in progress
- AMBER waiting instructions
- RED emergency stop or fault



#### Anti-vibration mounts

Pneumatic anti-vibration stands isolate the CMM from any low frequency vibration from nearby machinery and equipment, an environmental factor which can compromise CMM performance.

- Automatic re-levelling after shifting C. of G.
- Precision height control +/-0.005mm
- Special damping for rapid settling and stability
- Resumes height after air supply interruption



# Input devices

Easy to use input devices for manual program selection, entering production information and part recognition.

- Bar code scanner
- Operator interface panel
- Customized software interface
- Material management system (MRP)
- Radio frequency identification (RFID)







RFID reader






RFID tag

### **Enclosures**

Enclosures provide a temperature controlled environment and protection from airborne contaminants. Innovative low cost designs and custom solutions are available.

- Air conditioning
- Positive air pressure
- Bi-folding/pneumatic door
- · Safety interlock

Removable service panels



## COORDINATE MEASURING MACHINES

Nikon Metrology specializes in high accuracy ceramic CMMs for automation. A range of bridge and horizontal arm CMMs are available to accommodate components of different size, weight and accuracy. Tactile and non-contact multi-sensor probing and scanning technology optimize the measurement of each characteristic independent of material and geometry.

# Ceramic technology

Nikon Metrology uses ceramic for the moving guideways of the CMM. Ceramic provides greater resistance to thermal effects and improved structural integrity, resulting in outstanding performance in all manufacturing environments. The combination of ceramic, with a near perfect stiffness-to-weight ratio, and single orifice grooved face air bearings, provides high speed measurement and extremely precise motion control.



ALTERA

- Compact design
- Sizes from 7.5.5
- Accuracy from 2.0+L/400



ALTERA +

- Large capacity
- Sizes up to 70.20.15
- Accuracy from 1.9+L/375



HC90

- Single or twin arms
- Sizes up to 100.16.30
- Accuracy from 1.9+L/250

# Multi-sensor probing

All Nikon Metrology CMMs support multi-sensor probing. The choice of probing extends the capability of the CMM to different materials and geometry. High speed scanning increases productivity and provides an invaluable dimensional insight when evaluating geometric features and free form surfaces.





NIKON METROLOGY NV

Geldenaaksebaan 329 B-3001 Leuven, Belgium Tel: +32 16 74 01 00 Fax: +32 16 74 01 03 Sales.NM@nikon.com

NIKON METROLOGY EUROPE NV Tel: +32 16 74 01 01

Sales.Europe.NM@nikon.com NIKON METROLOGY GMBH

Tel: +49 6023 91733-0 Sales.Germany.NM@nikon.com

NIKON METROLOGY SARL Tel: +33 1 60 86 09 76 Sales.France.NM@nikon.com

NIKON METROLOGY, INC. Tel: +1 810 2204360 Sales.US.NM@nikon.com

NIKON METROLOGY UK LTD. Tel: +44 1332 811349 Sales.UK.NM@nikon.com

NIKON CORPORATION

Shinagawa Intercity Tower C, 2-15-3, Konan, Minato-ku, Tokyo 108-6290 Japan Tel: +81-3-6433-3701 Fax: +81-3-6433-3784 www.nikon.com/products/industrial-metrology/

NIKON INSTRUMENTS (SHANGHAI) CO. LTD.

Tel: +86 21 5836 0050 Tel: +86 10 5869 2255 (Beijing office) Tel: +86 20 3882 0550 (Guangzhou office)

NIKON SINGAPORE PTE. LTD. Tel: +65 6559 3618

NIKON MALAYSIA SDN. BHD. Tel: +60 3 7809 3609

NIKON INSTRUMENTS KOREA CO. LTD.

ISO 14001 Certified for NIKON CORPORATION

ISO 9001 Certified for NIKON CORPORATION **Microscope Solutions Business Unit Industrial Metrology Business Unit** 



