

Colonic Pseudo-Obstruction (Ogilvie Syndrome)

Andrei Loghin, MS4

10/15/2020

RAD 4001

Dr. Nathan Doyle and Dr. Amanda Jarolimek



Clinical History

- 19 yo F with progressively worsening lower abdominal pain radiating to the back with nausea, dysuria, and NBNB emesis for 3 days.
- She did not pass flatus or BM since sx onset.
- Menses are regular, no STI hx. UPT negative.
- The month prior she traveled via caravan from Nicaragua to Houston. She slept outdoors, ingested dirty stagnant water and rotten food.

Vital Signs and Physical

- BP 109/74, SpO2 100%, T 98.1, RR 18, HR 83
- Physical:
 - Abdomen – decreased bowel sounds, tenderness to palpation in periumbilical area, suprapubic area, and LLQ
 - Genitourinary – + cervical discharge, no CMT, L adnexal tenderness
 - Skin – capillary refill time 3 seconds
 - All other systems wnl

Relevant Labs

- Infectious Disease:

- (+) Vibrio and Shiga Toxin 2

- (+) Trypanosoma cruzi IgM

- (-) Trypanosoma cruzi IgG

- (-) C diff, Stool O/P, Campylobacter, Giardia, Amebiasis, HIV




- Blood smear wnl


K 2.8, Chloride 94, Bicarb 32

LFTs, hCG, TSH, Sed Rate, Lipase, H/H wnl

No eosinophilia


CT Abdomen with IV Contrast







Sigmoid
Colon



21.49mm
Small Bowel

3-6-9 Rule

- Memory aid for describing normal bowel caliber
- Small Bowel < 3cm
- Large Bowel < 6cm
- Appendix < 6mm
- Cecum < 9cm



Differential Diagnosis

- Ogilvie Syndrome
 - Preserved haustra
 - Smooth inner wall contour
 - Normal colon wall thickness
- Adynamic Ileus
 - Both large and small bowel dilation
- Large Bowel Obstruction
 - Focal tapering/transition present
- Toxic Megacolon
 - Marked bowel wall thickening
 - Loss of haustra

Adynamic Ileus



Large Bowel Obstruction



Toxic Megacolon



Etiology: Likely Infectious

- Chagas Disease #1
 - South American origin
 - Trypanosoma cruzi neurotoxin effects enteric nervous system
 - Dilated heart, colon, and esophagus
- Vibrio cholerae vs Shigellosis #2
 - Less likely without fever, diarrhea, hematochezia
 - More likely to cause toxic megacolon
 - Rare form "Cholera Sicca": massive influx of fluid and electrolytes into dilated bowel loops


Diagnosis of Chagas Disease

- Acute Phase
 - High parasitemia
 - Blood smear
- Chronic Phase
 - Low parasitemia
 - GI and cardiac manifestations become apparent
 - Requires TWO positive serologic tests: can be challenging due to plethora of assays available and antigenic differences between six *T. cruzi* genotypes



Treatment

- Flexible sigmoidoscopy performed to r/o obstruction
- Rectal tube and NGT placed for decompression
- Doxycycline for Vibrio
- Shigella tx deferred due to risk of HUS



ACR appropriateness Criteria

| Variant 4: Acute nonlocalized abdominal pain. Not otherwise specified. Initial imaging. | | |
|--|---------------------------------|---------------------------------|
| Procedure | Appropriateness Category | Relative Radiation Level |
| CT abdomen and pelvis with IV contrast | Usually Appropriate | ⊕⊕⊕ |
| CT abdomen and pelvis without IV contrast | Usually Appropriate | ⊕⊕⊕ |
| MRI abdomen and pelvis without and with IV contrast | Usually Appropriate | ○ |
| US abdomen | May Be Appropriate | ○ |
| MRI abdomen and pelvis without IV contrast | May Be Appropriate | ○ |
| CT abdomen and pelvis without and with IV contrast | May Be Appropriate | ⊕⊕⊕⊕ |
| Radiography abdomen | May Be Appropriate | ⊕⊕ |
| FDG-PET/CT skull base to mid-thigh | Usually Not Appropriate | ⊕⊕⊕⊕ |
| WBC scan abdomen and pelvis | Usually Not Appropriate | ⊕⊕⊕⊕ |
| Nuclear medicine scan gallbladder | Usually Not Appropriate | ⊕⊕ |
| Fluoroscopy upper GI series with small bowel follow-through | Usually Not Appropriate | ⊕⊕⊕ |
| Fluoroscopy contrast enema | Usually Not Appropriate | ⊕⊕⊕ |

- CT Abdomen w/ contrast cost at Harris Health: \$2,876

Take Home Points / Teaching points

- Colonic Distention: distinctive radiographic findings for several etiologies
- Understand the GI manifestations of Chagas disease
- Discuss the treatment of Ogilvie syndrome

References

- Surgery: A Case Based Clinical Review (DeVirgilio 2015)
- Harrison's Principles of Internal Medicine 20th Edition
- <https://www.harrishealth.org/access-care/overview> (Charge Description Master)
- <https://www.labmedica.com/microbiology/articles/294768758/performance-of-chagas-disease-genotyping-assay-evaluated.html>
- <https://radiopaedia.org/articles/toxic-megacolon?lang=us>
- <https://radiopaedia.org/articles/large-bowel-obstruction?lang=us>
- https://radiopaedia.org/cases/paralytic-ileus?case_id=paralytic-ileus
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2686779/>
- <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4879299/>
- <https://pubs.rsna.org/doi/full/10.1148/radiol.2015140916>
- <https://www.acr.org/Clinical-Resources/ACR-Appropriateness-Criteria>



Questions?