1

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

### <Outline>

- A. Equipment Required
- B. Corresponding projectors / Functions
- C. Preparation
- D. Functions
- E. Note

## 1. Equipment Required

- Software: "Projector Calibration Pro"
- Sony Projector with LAN port (see section 2 for more details)
- PC / Laptop with HDMI interface
- LAN cable
- HDMI cable
- Chroma meter / Illuminance meter (only for advanced calibration)

## Recommended equipment:

Chroma meter CL-200A (Konica Minolta)

For Gamma adjustment, Color space adjustment, White balance adjustment

Illuminance meter T-10A (Konica Minolta)

For Gamma adjustment

## 2. Corresponding Projectors / Functions

### \*1 Firmware version 1.100 and later

		Home Cinema Projector			
				VPL-VW5000ES,VZ1000ES	
				VW665ES/520ES/528/515,	
Function				VW675ES/550ES/558/535,	
Function	VPL-VW1100ES	VPL-VW600ES/500ES	VPL-VW300ES	VW385ES/360ES/368,	
				VW365ES/320ES/328/315,	
				VW285ES/260ES/268/245	
				HW65ES/68/60,	
SD menu	Yes	Yes	Yes	Yes	
Gamma adjustment	Yes	Yes*1	Yes	Yes	
Color correction	No	Yes	Yes	Yes	
Color space adjustment	Yes	Yes	Yes	Yes	
White balance adjustment	Yes	Yes	Yes	Yes	
Panel alignment adjustment	No	Yes*1	Yes	Yes	

秘	CONFIDENTIAL

Company	Software		Manual version	Issued Date
Sony Corporation	Projector	Calibration Pro	Version 0.05	Aug 18th, 2017
Dealer Information	No	No	No	Yes

Function	Professional Projector		
Function	VPL-GT100	VPL-GTZ1	
OSD menu	Yes	Yes	
Gamma adjustment	Yes	Yes	
Color correction	No	Yes	
Color space adjustment	No	Yes	
White balance adjustment	Yes	Yes	
Panel alignment adjustment	No	Yes	
Dealer Information	No	No	

Corresponding OS:

Windows 7 (32 bit / 64 bit)

Windows 8 (32 bit / 64 bit)\*

Windows 8.1 (32 bit / 64 bit)\*

Windows 10 (32 bit / 64 bit)\*


\*NET 3.5 SP1 is required to be installed.

	CON			
ו אונ	CON	FID	ENT	IAL

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

<ol> <li>Preparation</li> <li>3-1. Install "Projector Calibration Pro"</li> </ol>	
Double click "Setup.exe" in	Projector_Calibr ation_Pro_Ver1
"Projector_Calibration_Pro_Verxxx.zip" folder to install. Follow the instructions.	001.zip
*If you already have an older version installed, please uninstall it	
before installing the new one. *When you use Windows 8/8.1/10, please activate or install .NET 3.5 in advance.	

### A. If using with a wireless network



		4
秘	CONFIDENTIAL	


Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

## B. If using a wired connection between the PC and the projector


		ween the PC and the proj	
		jector with a LAN cable	
Note: if a norm cable.	al LAN cable does	n't work, try a cross LAN	provenue
3-2-2. Connect	the PC to the p	rojector with an HDMI	
cable to extend	the PC desktop to	the projector	
3-2-3. Set the	IPv4 network setti	ng of the projector and	Installation
РС			IPv4 Setting
Set the IP ad	dress of a projec	tor using the projector	IP Address Setup Manual IP Address 192. 168. 0. 1
on-screen men	J.		Subnet Mask 255. 255. 0 Default Gateway
Set the IP addre			MAC Address 54-53-ED-EA-1D-53 Apply
		s and the same subnet	
mask for the pr	ojector and PC.		
Example:			Sel:⊕ Set:⊞ Back:  € Exit: MENU
	IP address	Subnet mask	
Projector:	192.168.0.1	255.255.255.0	
PC:	192.168.0.5	255.255.255.0	
	Projector Calibrat	ion Pro program e clicking the shortcut	Settings         Help           IP Address Setting         Multi Projector Control           Multi Projector         Test Pattern Resolution           Projector         Use PC Test Pattern
created on you	desktop.		Calibration Pro
	ess in the "Setting' vith the address set	Y → "IP Address Setting" t for the projector	IP Address Setting

5

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017



## 4-1. General



T 74	1
치사	CONFIDENTIAL

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

4-1-3. Keyboard control	
You can use your keyboard to operate the projector.	Keyboard Control         UP         LEFT       ENTER         DOWN         PATTERN         MENU         RESET         Kryboard Mode         Ourceit
During the following procedures, whenever a test pattern window appears on the PC screen, drag it to the extended desktop of the projector and maximize the window. Clicking in the maximized window will reduce the window size again.	
<ul> <li>4-2. Standard Calibration</li> <li>This process provides simple calibration without an external chroma meter or illuminance meter.</li> <li>Following the instructions step by step, you can adjust "Contrast", "Brightness", "White Balance" and "Reality Creation" to desired settings.</li> </ul>	Standard Calibration  Standard Calibration  Steel  Steel  Standard Calibration  Steel  Standard Calibration  Steel  Standard Calibration  Steel  S
<ul> <li>4-2-1. Set Initial Settings for Calibration</li> <li>Choose the picture settings to use before starting the calibration.</li> <li>If you want to save the current picture settings before starting calibration, click "Export Before Setting Recommended Values"</li> <li>If you don't need to save the settings, click "Set Recommended Value Without Export"</li> </ul>	Set Initial Setting of Calibration The calibration program will change the settings of your projector. If you would like to save the current settings commended Values" button. Export Before Setting Recommended Values If you would not like to export the current setup, please click "Set Recommended Value Without Export" button. Set Recommended Value Without Export

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

## 4-2-2. PC Dynamic Range Check

Check the Dynamic Range settings of the HDMI or DisplayPort (VPL-GT100) Inputs to prevent errors during the setting process.

Follow the instruction steps on the screen.


See next page for images when settings are correct and incorrect.

RC Durania Ranas Chash	Use PC Test Pattern
PC Dynamic Range Check Step 1 Click "Next" to start PC Dynamic Range Check.	
-Dynamic Range	Dynamic Range Checker 1
Auto	Dynamic Range Checker 2
Sec. Next	Yes No Finish Cancel

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

Black stripe	White stripe
Correct	Correct
Incorrect	Incorrect
When PC setting is "Limited" and Projector setting is	When PC setting is "Limited" and Projector setting is
"Full"	"Full"
Brighter than background	
When PC setting is "Full" and Projector setting is	When PC setting is "Full" and Projector setting is
"Limited"	"Limited"
No stripes	

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017



	CONFIDENTIAL
AUA I	CONFIDENTIAL

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

## 4-2-3-3. Check Contrast and Brightness with Sample Photos

Sample Photo 1 for Contrast check






4-2-4-4. Click "Finish" to complete Contrast and Brightness Adjustment

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

# 4-2-4. White Balance Adjustment White Balance Adjus White Balance Adjustment 4-2-4-1. Adjust Bias Click next to show "Bias Checker" If the "Bias Checker" image is reddish, decrease the Red Bias. If the "Bias Checker" image is greenish, increase the Red Bias and Blue Bias. If the "Bias Checker" image is bluish, decrease the Blue Bias. "Bias Checker" test pattern 4-2-4-2. Adjust Gain Click next to show "Bias Checker" White Balance Adjustment If the "Gain Checker" image is reddish, decrease the Red Gain. If the "Gain Checker" image is greenish, increase the Red Gain and Blue Gain. If the "Gain Checker" image is bluish, decrease the Blue Gain. If the image is reddish. Decrease the Red Gain If the image is gree Increase the Red G age is bluis a tha Blue ( "Gain Checker" test pattern

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017



JA.	CONFIDENTIAL


Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

## 4-2-5. Reality Creation Adjustment

Reality Creation settings are adjusted carefully as a default, however, if you want to increase or decrease Reality Creation, you can adjust by changing Resolution and/or Noise Filtering.

See below for images when settings are appropriate and inappropriate.

If you want to change the sample photo of test patterns, select "Test Pattern2" under the photo image.



### Inappropriate

Step 1

When Resolution is too high



Appropriate



When Noise Filtering is too high



Click [OK] to close Standard Calibration menu window

. 4	CONFIDENTIAL
<b>U</b> A 1	CONFIDENTIAL

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

## 4-3. Advanced Calibration

This advanced mode provides more accurate adjustment through use of an external colorimeter.

Following the instructions step by step, you can adjust "Contrast", "Brightness", "Gamma", "White Balance", "Reality Creation" and "Color Space" at suitable settings.

\*Adjustable items vary by projector


4-3-1. Set Initial Settings of Calibration


- 4-3-2. PC Dynamic Range Check
- 4-3-3. Contrast and Brightness Adjustment
- 4-3-6. Reality Creation Adjustment

Operations above are same as Standard Calibration in the section 4-2

#### 4-3-4. Advanced Gamma Adjustment Gamma Setting File àamma Table ( Use [File] – [Export GCMS file] menu to save adjusted gamma settings to your PC ct Adjust Point Use [File] - [Import GCMS file] to push your saved gamma settings to the projector Transmit \_\_\_\_\_ est Patterr 🔽 Use PC Test Pattern Gamma can be adjusted in two ways by using external equipment. structio A. Manual adjustment Use test pattern to measure and adjust by dragging the gamma diagram to change the gamma curve

 B. Interactive
 Set Target Gamma and input measured values by following instructions of the software.






11 A L	CONFIDENTIAL
<i>v</i>	CONFIDENTIAL

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

## A. Manual adjustment

- 1. Select the Gamma Table
- 2. Select color to adjust
- Choose adjustment fineness
   You can choose "1 point" "10 points" and "64 points"
- 4. Select Adjustment Level to show test pattern
- Measure the luminance and then adjust by dragging gamma curve with mouse until you reach to the desired luminance



## B. Interactive

- 1. Click next to start
- 2. Select Target gamma in Instruction box
- 3. Measure 100 IRE luminance
- Input the value in the cell "Luminance of 100%" Ideal luminance values will be automatically calculated to show on the below box.
- 5. Measure "Luminance of 10%" and then adjust the by dragging gamma curve with mouse until you reach to the desired luminance.
- 6. Continue the same procedure for 20% to 90%.
- 7. Click finish to complete "Gamma adjustment"

Ne

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

4-3-5. Advanced White Balance Adjustment	
4-3-5-1.Choose Target Color Temperature. Note: The target values are different for laser light source models	Advanced White Balance Adjustment         Step 1         Citick "Next" to start Advanced White Balance Adjustment.         Tareet Color Temp.         Color Temp.         Sustem3         Color Temp.         Sustem3         V = 0.323         V = 0.488
<ul> <li>4-3-5-2. Measure "20% Gray" to adjust Bias.</li> <li>Click next to show "Bias Checker"</li> <li>If the "Bias Checker" image is reddish, decrease the Red Bias.</li> <li>If the "Bias Checker" image is greenish, increase the Red Bias and Blue Bias.</li> <li>If the "Bias Checker" image is bluish, decrease the Blue Bias.</li> <li>20% Gray</li> </ul>	


Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

4-3-5-3. Measure "80% Gray" to adjust Gain	Advanced White Balance Adjustment
Click next to show "80% Gray"	Advanced White Balance Adjustment Step 3 Pass neares the "SB". Abort Can Pled Sam (Sam Bue, marky, Cold, "Here" nervine al entres.
If the "Gain Checker" image is reddish, decrease the Red Gain. If the "Gain Checker" image is greenish, increase the Red Gain and Blue Gain. If the "Gain Checker" image is bluish, decrease the Blue Gain.	Tureet Color Tanpo       EMS       COLET 1910       COLET 1910       COLET 1910       COLET 1910       EMS       EMS
80% Gray	
4-3-5-4. Confirm White Balance Adjustment	
Confirm the overall white balance	
adjustment and click "Finish"	

	CONFIDENTIAL
516	CONFIDENTIAL
0.41	CONTIDENTIAL

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

## 4-3-7. Advanced Color Space Adjustment



1	1
	-
_	


Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

6.	Click next to show "Blue" and then measure x-y values	
7.	Input the measured value for Blue	
8.	RGB apexes will be automatically adjusted to get desired	
	settings.	

20

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

## 4-4. Other Functions under [Tools] menu



	21	
秘	CONFIDENTIAL	

Company	Software	Manual version	Issued Date
Sony Corporation	Projector Calibration Pro	Version 0.05	Aug 18th, 2017

## 3. Note

If you have any questions, please feel free to contact Sony counter persons in your region.

END