



Sponsored by



Decorative ACRYLIC

Anvil Paints & Coatings, Inc.

- Anvil 2300 Semi-transparent Concrete Stain (0-50 g/L)
- Anvil '1500 WB' Penetrating Stain Solid Color (50-250 g/L)
- Anvil 1700 Epoxy Show Coat (50-250 g/L)
- Anvil 1750 Grip-Tite Concrete Primer (50-250 g/L)
- Anvil 2350 Wet Look Clear Sealer (50-250 g/L)
- Anvil 2540 Gorilla Grip Anti Skid Floor Coating (50-250 g/L)
- Anvil 1900 Siliconized Acrylic Solid Color Sealer (400+ g/L)

Arizona Polymer Flooring Inc.

- Cem-Seal (0-50 g/L)
- Acryseal (50-250 g/L)

Benjamin Moore Paints

- P41 Fast Dry Epoxy Floor Sealer/Finish (250-400 g/L)

Concrete Coatings Inc.

- DuraSet 1000, 1001 Modified Acrylic Resin (0-50 g/L)

Convenience Products / Seal-Krete

- Seal-Krete (0-50 g/L)

Faux Effects Inc.

- Faux Effects® Gold and Silver Product Lines (0-50 g/L)

General Paint Corp.

- Porch & Floor (50-250 g/L)
- MPI Approved Products List

Graham Paint

- Aqua Borne Ceramic, Elite, Ceramic Pro, Element, Ceramithane (50-250 g/L)
- Aqua Borne Ceramic, Elite, Ceramic Pro, Element, Ceramithane, Lumber Jacket (50-250 g/L)

Increte Systems Inc.

- Clear Seal (0-50 g/L)
- Clear Seal (0-50 g/L)

Kemiko Concrete Stains

- Kemiko's Easy Shine (0-50 g/L)

L&M Construction Chemicals

- Lumiseal FX (50-250 g/L)

Modern Masters Inc.

- SkimStone (0-50 g/L)

PPG Industries Inc.

- PERMA-CRETE® Color Seal™ WB Interior/Exterior Acrylic Concrete Stain (50-250 g/L)

Richard James Specialty Chemicals

- TekSeal™ (50-250 g/L)
- TekSeal™ PRO (50-250 g/L)

Shore Corporation

- ShoreBest 2415 Gloss Masonry Enhancer OTC VOC 400 (250-400 g/L)
- ShoreBest 2411 Gloss Masonry Enhancer (400+ g/L)

Smart Surface Technology Inc.

- Colormaker (0-50 g/L)

Specialty Concrete Products, Inc.

- Chrome-Seal 30% Solids Acrylic Sealer (400+ g/L)

Sto Corp.

- Sto Concrete Coating (0-50 g/L)
- Sto Protective Concrete Coating (0-50 g/L)

SuperStone, Inc.

- Super Surface (0-50 g/L)

United Gilsonite Laboratories

- DRYLOK (0-50 g/L)

Veron Coating Systems Inc.

- Veron Coatings Solvent-Seal 255 Low VOC (0-50 g/L)
- Veron Coatings Solvent-Seal 225 Acrylic Sealer (250-400 g/L)

Vexcon Chemical

- StarSeal EF (0-50 g/L)
- Powercoat (50-250 g/L)
- Certi-Vex AC 1315 Super Gloss (250-400 g/L)

W. R. Meadows, Inc.

- Induroshine (0-50 g/L)
- Sure-Step (0-50 g/L)

Xcel Surfaces

- Xcel surfaces (0-50 g/L)

CEMENTITIOUS

Arizona Polymer Flooring Inc.

- Cem-Rez (0-50 g/L)

Artcrete, Inc.

- Faux Brick Deck Coat (0-50 g/L)

Concrete Coatings Inc.

- G-100 Professional Series Grout Mix™ (0-50 g/L)

Concrete Solutions

- ULTRA SURFACE (0-50 g/L)

SINCE 1986

CONCRETE SOLUTIONS

(800) 232-8311

WWW.CONCRETESOLUTIONS.COM

PRODUCTS • TRAINING • SUPPORT

Dur-A-Flex

- Poly-Crete (0-50 g/L)
- Green Seal

L&M Industries

- Flex Coat (0-50 g/L)

Roadware Incorporated

- Roadware MenderBlender (0-50 g/L)

Rudd Company, Inc.

- SkimStone (0-50 g/L)

Stone Coat

- Stone Coat (0-50 g/L)

Super-Krete International, Inc

- Pene-Krete, Bond-Kote, Color Stain, Super-Krete (0-50 g/L)

SuperStone, Inc.

- Super Surface (250-400 g/L)

Veron Coating Systems Inc.

- Veron Coatings Ver-Crete 700 Cementitious Overlays (0-50 g/L)

Westcoat Specialty Coating Systems

- Westcoat Specialty Coating Systems

EPOXY

Anti-Hydro International, Inc.

- A-H Oilguard (0-50 g/L)

Arizona Polymer Flooring Inc.

- Epoxy 200 (50-250 g/L)

Basic Polymers

- Basic Epoxy PB (0-50 g/L)
- Basic PBT Epoxy (0-50 g/L)

Benjamin Moore Paints

- P35 100% Solids Epoxy (0-50 g/L)
- P40 100% Solids Epoxy (0-50 g/L)
- MPI Approved Products List
- P42 Waterborne Polyamide Epoxy (250-400 g/L)
- MPI Approved Products List

Carboline Company

- Sanitile (0-50 g/L)

ChemMasters, Inc.

- Duragard 120 (0-50 g/L)
- Duragard 310CRU (250-400 g/L)

Cincinnati Color Company

- Rustoleum (50-250 g/L)

Coatings for Industry

- Wearcoat (0-50 g/L)

COATINGS FOR INDUSTRY, INC.

215.723.0919

www.coatingsforindustry.com

Corro-Shield

- Corro-Cote (0-50 g/L)

Crawford Laboratories

- Florock (0-50 g/L)
- CRRC Listed (ASTM E84)

Crossfield Products/Dex-O-Tex

- Dex-O-Tex (0-50 g/L)



Crown Polymers, LLC

- Crown Natural Stone (0-50 g/L)
- Crown Thin-Set Epoxy Terrazzo (0-50 g/L)
- CrownCote Vapor Barrier (0-50 g/L)



- CrownEncap (0-50 g/L)
- CrownFlex Membrane (0-50 g/L)
- CrownPro AcidShield (0-50 g/L)



- CrownPro EPC TempShield (0-50 g/L)
- CrownPro Low Temp Cure (0-50 g/L)
- CrownPro SolventShield (0-50 g/L)
- CrownPro SparkShield (0-50 g/L)
- CrownQuartz (0-50 g/L)



- CrownShield (0-50 g/L)



- CrownShield SL (0-50 g/L)
- CrownStone (0-50 g/L)

Devoe Coatings

- TRU-GLAZE WB (50-250 g/L)

Dudick, Inc

- Protecto-Coat, Steri-Flor (0-50 g/L)

Duraamen Building & Allied Products Inc.

- Perdure (0-50 g/L)

Dur-A-Flex

- Dur-A-Chip (0-50 g/L)
- Dur-A-Gard (0-50 g/L)
- Dur-A-Quartz (0-50 g/L)

Enviro Epoxy Products

- Enviro-Poxy EP100 (0-50 g/L)

EnviroGLAS

- EnviroGLAS (0-50 g/L)

Euclid Chemical Company

- Duraltex (0-50 g/L)
- Eucopoly Tufcoat VOX (50-250 g/L)

GoldenLook International

- GoldenLook Epoxy (0-50 g/L)

H & C Concrete Stains

- H&C Shield Crete Epoxy Concrete Garage Floor Coating (50-250 g/L)

International Coatings Inc.

- ICO Floor Coating (0-50 g/L)
- ICO Guard 51 (0-50 g/L)
- ICO Quartz (0-50 g/L)

ITW American Safety Technologies

- PS-100 WB Epoxy Primer/Sealer (50-250 g/L)
- Green Seal

ITW Resin Technologies

- ITW Impax Surface Systems (0-50 g/L)

Kaufman Products, Inc.

- K Pro 750 (0-50 g/L)
- K Pro CRS (0-50 g/L)
- SurePoxy Protective Coating WD (0-50 g/L)

Key Resin Company

- Key #635 MVT Moisture Vapor Control (0-50 g/L)
- Key Resin #520, #625, Luster Metallic (0-50 g/L)

Permacrete/Quality Systems

- PermaPoxy Enamel (0-50 g/L)
- California Title 24

PolyMax/Milamar Coatings, LLC

- PolyMax DBS (0-50 g/L)
- PolyMax 400 Series (50-250 g/L)

Richard James Specialty Chemicals

- StoneLok™ "E3" (50-250 g/L)

Rodda Paint Co.

- Cloverdale Advantage (0-50 g/L)

Sika Corporation

- Sikafloor DecoFlake Decorative Systems (0-50 g/L)
- Sikafloor Epoxy Systems (0-50 g/L)
- Sikafloor Quartzite Decorative Systems (0-50 g/L)
- Sikafloor Verrazzo Decorative Systems (0-50 g/L)

Tnemecc Company

- Deco-Tread (0-50 g/L)

United Gilsonite Laboratories

- DRYLOK (50-250 g/L)

Veron Coating Systems Inc.

- Veron Coatings Magma Metallic Finishes (0-50 g/L)
- Veron Coatings UVR 455 UV Resistant Epoxy Coating (0-50 g/L)

Versatile Building Products

- Roll On Rock (0-50 g/L)
- ASTM E1677-05

METHYL METHACRYLATE

ChemMasters, Inc.

- Duragard 400 (0-50 g/L)
- Duragard 420 (0-50 g/L)

Crawford Laboratories

- Florock (0-50 g/L)
- CRRC Listed (ASTM E84)

Dur-A-Flex

- Cryl-A-Flex (0-50 g/L)
- ASTM D6083

Versatile Building Products

- Roll On Rock System 3 (0-50 g/L)

POLYUREA

Arizona Polymer Flooring Inc.

- Polyurea 5000 and 5001 (50-250 g/L)

Arma Coatings

- Arma 901-90AS (0-50 g/L)

ArmorThane USA Inc.

- ArmorThane (0-50 g/L)

Clemons Concrete

- SUPER POLY (0-50 g/L)

Crown Polymers, LLC

- CrownFaux Terrazzo (0-50 g/L)
- CrownFlake (0-50 g/L)
- CrownGlow (0-50 g/L)
- CrownPro (0-50 g/L)
- CrownSpatter (0-50 g/L)



GoldenLook International

- Diamond Shield (0-50 g/L)
- Garage Floor Magic (0-50 g/L)

Key Resin Company

- Key Resin #470 (0-50 g/L)

Quantum Group

- PRECIDIUM (0-50 g/L)
- (ASTM E119, ASTM E84)

Reactamine Technology

- Amerilite, Nexamine (0-50 g/L)

Specialty Products Inc.

- SPI Polyshield - HT™ (0-50 g/L)

Versatile Building Products

- Roll On Rock System 4h (0-50 g/L)

Volatile Free, Inc.

- VFI-250

POLYURETHANE

Arizona Polymer Flooring Inc.

- Polyurethane 501 (0-50 g/L)
- Polyurethane 100 (50-250 g/L)
- Polyurethane 250 (50-250 g/L)

ArmorThane USA Inc.

- ArmorThane (0-50 g/L)

Carlisle Coatings & Waterproofing

- Eco-Fast II (0-50 g/L)

ChemMasters, Inc.

- Duragard 300 (400+ g/L)

Coatings for Industry

- Wearcoat (250-400 g/L)



Crawford Laboratories

- Florock (0-50 g/L)
- CRRC Listed (ASTM E84)

Dayton Superior

- Dayton Superior, Conspec, Edoco (400+ g/L)

Sponsored by



Eco Safety Products, Inc

Eco-Tuff High Traffic Clear Coat (0-50 g/L)
Eco-Tuff Industrial Coating (0-50 g/L)
Eco-Tuff Rubberized Non Skid Coating (0-50 g/L)

Edison Coatings, Inc.

Aquathane UA210H (50-250 g/L)

Euclid Chemical Company

Eucothane, VOX (250-400 g/L)

International Coatings Inc.

ICO Ure Guard (0-50 g/L)

ITW Resin Technologies

ITW Impax HPU (50-250 g/L)

Key Resin Company

Key #420, #445, #446, #450 (0-50 g/L)

Polymax/Milamar Coatings, LLC

PolyMax 500 Series (50-250 g/L)

Richard James Specialty Chemicals

StoneLok™ "2K" (50-250 g/L)
StoneLok™ "MLT Plus" (50-250 g/L)

Shore Corporation

ShoreBest 2418 Gloss Masonry Sealer (50-250 g/L)

Sika Corporation

Sikafloor PurCem Urethane Concrete (0-50 g/L)
Sikafloor Urethane UV Resistant Topcoats (50-250 g/L)

Veron Coating Systems Inc.

Granite-Cote Chip Flooring Systems Low VOC (0-50 g/L)
Veron Coatings Top-Poly 446 100% Solids Polyurethane (0-50 g/L)
Veron Coatings Top-Poly 546 Polyaspartic Coating (0-50 g/L)
Granite-Cote Chip Flooring Systems (250-400 g/L)

Versatile Building Products

Roll On Rock System 2 (0-50 g/L)

Volatile Free, Inc.

VFI-263
VFI-563

RUBBER

Liquid Rubber

DacLar, DryLar, VezLar, ZavLar, VoxLar, NyTech, AcriTech, FireSafe, NuLar (0-50 g/L)
Underwriters Laboratories (UL) 1709

Truco, Inc.

Eterna Seal (400+ g/L)
Energy Star, Factory Mutual (FM), Underwriters Laboratories (UL) 1709

SILICATE

Aquron Corporation

Aquron Surface Finisher (0-50 g/L)

Convergent Concrete Technologies

Pentra Protective Coating (0-50 g/L)

Shore Corporation

ShoreBest 2451 Consolidant (0-50 g/L)

VINYL

Duradek Ltd.

Duradek

VINYL ESTER

Key Resin Company

Key Vinyl Ester Coating (0-50 g/L)

HYBRID

Nox-Crete Products Group

Dauergrout E (0-50 g/L)

SpeedCove Inc. / Solid Rock Enterprises

SpeedCove Precast Cove Base Systems (0-50 g/L)



Versatile Building Products

CQ Color Quartz (0-50 g/L)

OTHER

Bomanite Corporation

Custom Polishing Systems (0-50 g/L)

Cohills Building Specialties

Concrete Solutions, Miracote, Sinak, Floric

Concrete Coatings Inc.

DuraSet™ VAE Vinyl Acetate Ethylene Resin (0-50 g/L)

Florinc Polytech Corporation

Florinc Polytech (0-50 g/L)

Kemiko Concrete Stains

Kemiko's Stone Tone Wax II (0-50 g/L)

TexSton Industries, Inc.

TexSton, BluFlor (0-50 g/L)

Tneme Company

Ultra-Tread (0-50 g/L)

VersaFlex Incorporated

Lithium Based Technology by VersaFlex (0-50 g/L)



W. R. Meadows, Inc.

Liqui-Hard (0-50 g/L)

**Protective/Industrial
ACRYLIC**

Endura Manufacturing Co. Ltd.

Endura (0-50 g/L)

Engrave-A-Crete

Concrete Resurrection (0-50 g/L)

Increte Systems Inc.

Clear Seal (0-50 g/L)
Clear Seal (0-50 g/L)

Integument Technologies, Inc.

FluoroGrip (0-50 g/L)

ITW American Safety Technologies

AS-75 Acrylic Anti-Slip Coating (50-250 g/L)
Green Seal

Kelly-Moore Paint Company

Dura-Poxy+ (50-250 g/L)

Sherwin-Williams

SherCrete Flexible Concrete Waterproof (0-50 g/L)

Specialty Concrete Products, Inc.

Chrome-Seal 30% Solids Acrylic Sealer (400+ g/L)

**DAYTON
SUPERIOR**



**ULTRA SEAL 30 EF
NON-YELLOWING
AND VERY GREEN**

Dayton's new bio-based, Earth Friendly decorative concrete sealer seals the deal with building owners and professional applicators. Seals, protects, adds attractive gloss and can contribute to LEED EQ credits.

- Use on any substrate
- Interior and exterior
- Spray or roll on
- VOC-compliant in all U.S. states
- No blushing
- Non-yellowing

Go to
DaytonSuperior.com/Green
for a special offer:

\$500 REBATE

www.DaytonSuperior.com

For more info, return Reader Inquiry Card

Veron Coating Systems Inc.

Ladehoff Coatings Deflect 4000 Heat Reflective Asphalt Coatings (0-50 g/L)

Vexcon Chemical

StarSeal EF (0-50 g/L)

Wooster Products

Safe-Stride® (0-50 g/L)

ASPHALTIC/BITUMINOUS

Permadril

PermaDri (0-50 g/L)
California Title 24, CRRC Listed, Energy Star

CEMENTITIOUS

Stone Coat

Stone Coat (0-50 g/L)

Super-Krete International, Inc

Pene-Krete, Bond-Kote, Color Stain, Super-Krete (0-50 g/L)

EPOXY

Abatron

Abocoat 8508-3 (0-50 g/L)
Abocoat 8508-1 (50-250 g/L)

Anti-Hydro International, Inc.

A-H Oilguard (0-50 g/L)

Arizona Polymer Flooring Inc.

Epoxy 400 (0-50 g/L)
Epoxy 600 (0-50 g/L)
Novolac 900 (0-50 g/L)
Epoxy 100 (50-250 g/L)

Basic Polymers

Basic Flexible Epoxy (0-50 g/L)
Basic Novolac Epoxy (0-50 g/L)

Coatings for Industry

Wearcoat (0-50 g/L)

Concrete Coatings Inc.

UV Sheild™ and Shield 50™ (0-50 g/L)

Concrete Solutions

ULTRA SURFACE (0-50 g/L)

Crawford Laboratories

Florock (0-50 g/L)
CRRC Listed (ASTM E84)

Dayton Superior

Dayton Superior, Conspec, Edoco (0-50 g/L)

Devoe Coatings

TRU-GLAZE WB (50-250 g/L)

Dudick, Inc.

Protecto-Coat (0-50 g/L)

Duraamen Building & Allied Products Inc.

Perdure (0-50 g/L)

Edison Coatings, Inc.

Flexi-Gard 500S (0-50 g/L)

Endura Manufacturing Co. Ltd.

Endura (0-50 g/L)

ENECON Corporation

ENECON ENECLAD (0-50 g/L)
ENECON ENECRETE (0-50 g/L)

General Paint Corp.

Water based epoxy (250-400 g/L)

GoldenLook International

GoldenLook Epoxy (0-50 g/L)

ITW American Safety Technologies

AS-2500 Epoxy Anti-Slip Coating (0-50 g/L)
Green Seal
AS-175 WB Modified Epoxy Anti-Slip Coating (50-250 g/L)
Green Seal
AS-250 Epoxy Anti-Slip Coating (50-250 g/L)
AS-550 Epoxy Anti-Slip Coating (50-250 g/L)

ITW Resin Technologies

ITW Impax (0-50 g/L)

Kelly-Moore Paint Company

KM Industrial (50-250 g/L)

Kemiko Concrete Stains

Kemiko (Sta-Crete) 1202 (0-50 g/L)
Kemiko (Sta-Crete) 1600 (0-50 g/L)
Kemiko (Sta-Crete) 3500 (0-50 g/L)
Kemiko (Sta-Crete) 3700 (50-250 g/L)
Kemiko (Sta-Crete) 3800 (50-250 g/L)

Kemper System, Inc.

Kemperdur EP-FR Finish (0-50 g/L)
Factory Mutual (FM)



**Smart Floors...
Smart Choice...
Smart Investment!**

Diamond Shield™

- Durable, clear sealer
- Fast cure tack free in 2 hours
- Environmentally friendly
- 75x more abrasion-resistant than epoxies

Smart Floor Epoxy Stone™

- 100% Solids
- No solvents
- Allergy Free

GoldenLook
The Flooring Look of Tomorrow ... Today

3401 House Anderson Rd.
Eules, Texas 76040
Phone: 817.540.3000
Fax: 817.545.5600
www.goldenlook.com

For more info, return Reader Inquiry Card

Monopole, Inc.

MONOCHEM 200 Topcoat (0-50 g/L)

Polymax/Milamar Coatings, LLC

PolyMax SLB (0-50 g/L)

Polyval Coatings

Epoxy 449102 (50-250 g/L)

PPG Protective & Marine Ctg.

MEGASEAL CF 99-114 (0-50 g/L)

MEGASEAL HDSL 99-120 (0-50 g/L)

MEGASEAL HSPC 99-127 (0-50 g/L)

MEGASEAL SL 99-126 (0-50 g/L)

MEGASEAL WBPC 99-128 (0-50 g/L)

MEGASEAL NSE 99-138 (50-250 g/L)

MEGASEAL SC/HSN 99-29 (50-250 g/L)

MEGASEAL TF 99-10 (50-250 g/L)

MEGASEAL NSP 99-6521 (250-400 g/L)

REMA TIP TOP GmbH, Munich

COROFLAKE (0-50 g/L)

Sauereisen, Inc.

Sauereisen (0-50 g/L)

Veron Coating Systems Inc.

Veron Coatings CRE-555 Chemical Resistant

Epoxy (0-50 g/L)

Veron Coatings HSE 255 100% Solids Epoxy

Coating (0-50 g/L)

Veron Epoxy Quartz Flooring Systems (0-50

g/L)

Vexcon Chemical

Powercoat (250-400 g/L)

Westcoat Specialty Coating Systems

Westcoat Specialty Coating Systems

Wooster Products

WP-70 (0-50 g/L)

METHYL METHACRYLATE**Crawford Laboratories**

Florock (0-50 g/L)

CRRCListed (ASTM E84)

Transpo

T-17 Patch (0-50 g/L)

T-70 Sealate® (0-50 g/L)

POLYESTER**Endura Manufacturing Co. Ltd.**

Endura (0-50 g/L)

POLYUREA**Arizona Polymer Flooring Inc.**

polyurea 5000 and 5001 (50-250 g/L)

ArmorThane USA Inc.

ArmorThane (0-50 g/L)

Basic Polymers

Basic Polyurea 5000 (0-50 g/L)

Clemons Concrete

SUPER POLY (0-50 g/L)

GoldenLook International

Diamond Shield (0-50 g/L)

Garage Floor Magic (0-50 g/L)

Monopole, Inc.

PERMASHIELD 2000 (0-50 g/L)

**Polymax/Milamar Coatings, LLC**

PM Poly M-Crete (0-50 g/L)

Polyval Coatings

Polyflex 402 (0-50 g/L)

Quantum Group

PRECIDIUM (0-50 g/L)

(ASTM E119, ASTM E84)

Reactamine Technology

Amerilyte, Nexamine (0-50 g/L)

REMA TIP TOP GmbH, Munich

REMACOAT (0-50 g/L)

Specialty Products Inc.

SPI Polyshield - HT™ (0-50 g/L)

POLYURETHANE**Abatron**

Abothane 5TC (50-250 g/L)

Arizona Polymer Flooring Inc.

Polyurethane 501 (0-50 g/L)

Polyurethane 100 (50-250 g/L)



We're Big Enough to Know

Carbaset™ Acrylic Emulsions
Sancure™ Polyurethane Dispersions
Permax™ Emulsions
Hycar® Acrylic Emulsions
Vycar™ PVC Emulsions
Doresco™ Solution Acrylics
Lanco™ Micronized Wax Additives
Lanco™ Glidd Dispersions
Lanco™ Liquimatt Matting Agents
Solsperse® Hyperdispersants
Solplus® Hyperdispersants
Solthix® Rheology Modifiers

® Registered trademark of The Lubrizol Corporation
™ Trademark of The Lubrizol Corporation
© The Lubrizol Corporation 2008, all rights reserved.

For all your formulating challenges, turn to Lubrizol first. We provide the broadest range of product options available today – including resins and polymers, hyperdispersants, wax additives and compounds – making us your one-stop supplier for most any application.

the Small Things Matter

And even though we offer one of the biggest product portfolios around, we still remain focused on the details of good business. With decades of formulating experience, Lubrizol understands your needs and will focus on finding innovative solutions to meet them. We'll put our global network of R&D specialists, quick response times and an eye on quality to work for you – helping you reel in the best results every time.

RESINS AND POLYMERS
HYPERDISPERSANTS
WAX ADDITIVES
COMPOUNDS

Lubrizol

One company. Many solutions.

www.lubrizolcoatings.com
1-800-380-5397



ArmorThane USA Inc.

ArmorThane (0-50 g/L)

Basic Polymers

Basic Crete Urethane Mortar (0-50 g/L)
Basic Crete Urethane Slurry (0-50 g/L)

Basic Polymers™
Industrial Flooring Systems

Toll Free: 877.225.2549
www.basicpolymers.com

Basic Crete Urethane Top Coat (0-50 g/L)
Basic Aliphatic Urethane (50-250 g/L)

Coatings for Industry

Wearcoat (250-400 g/L)

Crawford Laboratories

Florock (0-50 g/L)
CRRC Listed (ASTM E84)

Crossfield Products/Dex-O-Tex

Dex-O-Tex (0-50 g/L)

Endura Manufacturing Co. Ltd.

Endura (0-50 g/L)

Gaco Western LLC

Gacoflex U64 (50-250 g/L)

Kelly-Moore Paint Company

KM Industrial (50-250 g/L)

Kemiko Concrete Stains

Kemiko (Sta-Crete) 2700 (0-50 g/L)

Kemper System, Inc.

Kemperdur FC (0-50 g/L)
Kemperdur TC (0-50 g/L)
Factory Mutual (FM), Underwriters Laboratories (UL) 1709

Polymax/Milamar Coatings, LLC

PolyMax 550 CRU (0-50 g/L)

Polyval Coatings

Incoat (250-400 g/L)

PPG Protective & Marine Ctgs.

MEGASEAL HPU 99-19 (250-400 g/L)

Rust Bullet

Rust Bullet (250-400 g/L)
(ASTM E84)

Veron Coating Systems Inc.

Veron Coatings Top-Poly 246 Chemical Resistant Urethane (250-400 g/L)

RUBBER

Liquid Rubber

DacLar, DryLar, VezLar, ZavLar, VoxLar, NyTech, AcriTech, FireSafe, NuLar (0-50 g/L)
Underwriters Laboratories (UL) 1709

RoofMart International, Inc.

RMI SMART System (0-50 g/L)
ASTM D6083, California Title 24, CRRC Listed, Energy Star, Factory Mutual (FM), Florida Energy Code, Underwriters Laboratories (UL) 1709

SILANE

PROSOCO Inc.

Consolideck SLX100 Water & Oil Repellent (250-400 g/L)

SILICATE

Aquron Corporation

Aquron Surface Finisher (0-50 g/L)

Convergent Concrete Technologies

Pentra Protective Coating (0-50 g/L)

Protecrete

PROTECRETE (0-50 g/L)

VINYL

Duradek Ltd.

Duradek

ZINC-RICH, INORGANIC

Endura Manufacturing Co. Ltd.

Endura (0-50 g/L)

ZINC-RICH, ORGANIC

Endura Manufacturing Co. Ltd.

Endura (0-50 g/L)

HYBRID

Aquron Corporation

Aquron 6312 (0-50 g/L)

ITW American Safety Technologies

AS-150 Low V.O.C. Anti-Slip Coating (50-250 g/L)

L&M Construction Chemicals

PermaGuard SPS (50-250 g/L)

PROSOCO Inc.

Consolideck LS Guard (0-50 g/L)

SpeedCove Inc. / Solid Rock Enterprises

SpeedCove Precast Cove Base Systems (0-50 g/L)

Cuts labor costs Faster job turnover
530.344.9000
www.speedcove.com

Vexcon Chemical

Certi-Vex Guard (250-400 g/L)

OTHER

CSG-Coatings Specialist Group

PURETI and SAS (Surface Antimicrobial System) (0-50 g/L)

Florlic Polytech Corporation

Florlic Polytech (0-50 g/L)

Kemiko Concrete Stains

Kemiko (Sta-Crete) 3300 (0-50 g/L)

Parex - LaHabra Stucco

Mer-Ko Products

PPG Protective & Marine Ctgs.

MEGASEAL CR 99-965 (0-50 g/L)

Productions Team

Green Umbrella Microfilm Impregnating Sealer (0-50 g/L)

VersaFlex Incorporated

Lithium Based Technology by VersaFlex (0-50 g/L)

913.321.9000
www.versaflex.com
VersaFlex INCORPORATED

Get beautiful, consistent & durable cove base quick & easy every time

- For epoxy & decorative flooring
- Cut labor costs & trip charges
- Faster job turn over & higher profitability
- Flexible, extremely durable, & impact resistant
- Pre-formed lengths w/ matching 90° corners in 1", 4", 6", and 8" heights
- Easy to install using basic carpentry skills
- Used on Industrial, Institutional, Commercial, Government, Military, and Residential projects across US & Canada

SpeedCove
Precast Cove Base Systems

PAENT PENDING ©2008 Solid Rock Enterprises - Original Creators & Manufacturers
530-344-9000 • www.speedcove.com

For more info, return Reader Inquiry Card



Envision a coatings technology with the look of a highly-polished marble floor on a concrete budget

VisionWorks



Bayer did. It's the ***Proven Power of Polyurethane Coatings*** Built on Bayer Technology

Ave Maria University near Naples, Florida was seeking a long-lasting flooring surface that would complement the Italian-inspired architecture of its campus buildings. They wanted the 70,000 square feet of floors to have a dramatic look yet stay within an affordable price range. The solution was acid-stained decorative concrete enhanced and protected by a clear polyurethane topcoat built on Bayer technology.

Our vision for a clear coating that can lock in the beauty of decorative concrete and give years of wearability resulted in an exciting new coating technology based on aspartic esters invented and patented by Bayer. Polyaspartic polymer coatings based on aspartic esters are UV light stable, providing finishes that won't yellow. They exhibit high bond strength and are more abrasion

and impact resistant than either epoxy or urethane coatings. They don't stain and resist fat and oil penetration for easy cleanup and maintenance. And concrete is protected from mild acids. The coatings are also easy-to-apply and quick-curing, so crews are able to apply a second coat and return work to service in just hours.

That's the **power of polyurethane coatings built on Bayer technology.**

At Bayer MaterialScience, vision works. All it takes is the know-how to transform that vision into products you can use.

Visit www.bayermaterialsciencenafta.com/6.
Or call 412-777-3983.

Bayer MaterialScience. Where VisionWorks.

POLYISOCYANATES

PREPOLYMERS

DISPERSIONS

POLYASPARTICS

UV SYSTEMS