

contours

PROFILED WALL BASE SYSTEM™



BIO BASED
PHTHALATE
FREE

proudly made in the


ROPPE.
Proven. Flooring. Experiences.



novel – #45 **PV4045**

contours


PROFILED WALL BASE SYSTEM™

Architectural details, such as wood trim, are becoming prevalent in commercial design. However, the details such as nailing, filling and finishing are labor intensive and costly. Contours Profiled Wall Base System™ offers the look of wood base with the enhanced properties resilient base touts such as resistance to chipping, absorbing moisture or splintering. Contours can also mask irregular surfaces and wrap around gentle curves. Contours installs easily and saves money and time during installation and over the life of the project.



Cover profiles:
simplicity bold – #05 **PV4005**
divine – #80 **PV4080**

contours COLORS



contours v. THE COMPETITION

<p>✓ Bioplasticizer + virgin raw materials formulation</p>	<p>Petroleum-based plasticizer/ phthalates + recycled content formulation ✓</p>
<p>✓ Bioplasticizer Human Health Hazard Rating is Low</p>	<p>Plasticizer/phthalates Human Health Hazard Rating is High ✓</p>
<p>✓ No Recycled Content ensures no contamination of phthalates or heavy metals</p>	<p>Use of Recycled Content increases risk of phthalate or heavy metal contamination ✓</p>
<p>✓ Bioplasticizer use reduces Greenhouse Gas Impacts 7-10%</p>	<p>Petroleum-based plasticizer use increases Greenhouse Gas Impacts ✓</p>

simplicity bold – #05 **PV4005**




intrigue – #90 **PV5090**



novel – #45 **PV7045**



fashion – #85 **PV6085**



CONTOURS

PROFIED WALL BASE SYSTEM

Profiles shown approximately actual size.



novel – #45 **PV4045**



simplicity – #00 **PV4000**



candid – #60 **PV3060**



#55

nobility
PV5055
profile height
5-1/2"
packaged
5-8' pcs./
40' per ctn.
3/8" thickness

#90

intrigue
PV5090
profile height
5-1/2"
packaged
5-8' pcs./
40' per ctn.
3/8" thickness

#90

intrigue
PV4090
profile height
4"
packaged
5-8' pcs./
40' per ctn.
3/8" thickness

#10

serenity
PV4010
profile height
4"
packaged
5-8' pcs./
40' per ctn.
1/4" thickness

#00

simplicity
PV4000
profile height
4"
packaged
5-8' pcs./
40' per ctn.
1/4" thickness

#05

simplicity bold
PV4005
profile height
4-1/2"
packaged
5-8' pcs./
40' per ctn.
1/2" thickness

#60

candid
PV4060
profile height
4-1/4"
packaged
5-8' pcs./
40' per ctn.
3/8" thickness

#60

candid
PV3060
profile height
3"
packaged
5-8' pcs./
40' per ctn.
3/8" thickness

#45

novel
PV7045
profile height
7-3/4"
packaged
5-8' pcs./
40' per ctn.
1/4" thickness

NEW!



#45

novel
PV4045
profile height
4-1/2"
packaged
5-8' pcs./
40' per ctn.
3/8" thickness



#85

fashion
PV6085
profile height
6-1/4"
packaged
5-8' pcs./
40' per ctn.
1/4" thickness



#85

fashion
PV4085
profile height
4-1/4"
packaged
5-8' pcs./
40' per ctn.
1/4" thickness



#65

vertical
PV6065
profile height
6"
packaged
5-8' pcs./
40' per ctn.
3/8" thickness




#65

vertical
PV4065
profile height
4-5/8"
packaged
5-8' pcs./
40' per ctn.
3/8" thickness



#65

vertical
PV3065
profile height
3"
packaged
5-8' pcs./
40' per ctn.
3/8" thickness



divine – #80 PV4080



valiant – #70 PV4070

#80

divine
PV4080
profile height
4-1/2"
packaged
5-8' pcs./
40' per ctn.
1/2" thickness

NEW!

#70

valiant
PV4070
profile height
4-1/2"
packaged
5-8' pcs./
40' per ctn.
1/2" thickness

NEW!

contours

PROFILED WALL BASE SYSTEM™



Q6 quicksix

- Durable TPR rubber compound contains bio-based phthalate free plasticizer, from a rapidly renewable resource.
- Made in the U.S.A. and meets FloorScore®, NSF 332 Gold and CHPS criteria.
- Produced in 40' cartons. Available in 17 profiles with heights ranging from 3" to 7-3/4", a quarter round and corner options.
- Satin finish provides the look of custom-crafted woodwork, eliminating the nailing, sanding and priming associated with wood.
- Natural flexibility conceals irregularities in floors, walls and corners (e.g., seam of floor and wall, bowing walls, etc.), and allows for installing around architectural curves.
- All colors available at a Single Price Point. Other Roppe colors and custom colors available, minimums apply.



corner blocks



Q6 quicksix

- PVC free, phthalate free and Red List chemical free.
- Made in the U.S.A. and meets FloorScore®, NSF 332 Gold and CHPS criteria.
- Available in 2 profiles – Original (3/8") and Micro (1/4") corners. Recommended height is 1/4" taller than your intended base profile.
- Alleviate costly hand-scribing, wasted time and extra skilled craftsmen from the corner-forming process.
- Underlap wings attach to the wall adding durability to the installation so they are less likely to get damaged or detached during everyday use and maintenance of the interior space.
- All colors are inherent throughout and available at a Single Price Point.



Recommended Adhesives




AW-510 Acrylic Wet Set Adhesive



WB-600 Acrylic Wall Base Adhesive



C-630 Water-Based Contact Adhesive



ROPPE
Proven Flooring Experiences.

1.800.537.9527 | www.roppe.com

ecoScorecard

Your link to Roppe products and LEED® documentation. For more information, please visit: roppe.com.

ecomedes

Your link to Roppe products and product documentation for LEED, LBC, WELL, GreenGlobes Rating Systems as well as Federal Standards.

Explore your options with our online FLOORING DESIGNER at roppe.com

ROPPE UNIVERSITY



proudly made in the
USA

40-671 12/19