

Johnny's Easy Cut-Flower Garden Set for Home Gardeners

Our Flowers Product Manager, Hillary Alger, has selected 11 easy-to-grow annual varieties for the home cutting garden. Our <u>Easy Cut-Flower Garden Set</u> will produce attractive blooms on long stems throughout the growing season. It features a range of colors and textures while supplying the primary elements of a bouquet: focal blooms, spikes, accents, and fillers. All the varieties in the set have been rigorously trialed on our research farm and selected for their high-quality stems and blooms.



FOCAL FLOWERS

| Crop | Cultivar or Mix | Product # | Days to Maturity |
|-----------|-----------------------|-------------|------------------|
| Sunflower | 'Strawberry Blonde' | <u>1744</u> | 55 |
| Zinnia | 'Queen Red Lime' | <u>1987</u> | 75-85 |
| Zinnia | 'Benary's Giant Mix' | <u>1346</u> | 75-90 |
| Rudbeckia | 'Cherokee Sunset Mix' | <u>1768</u> | 100-120 |

- **Sunflower.** Our set includes 'Strawberry Blonde,' a branching variety with pollenless bicolor, ruby red to pink and lemony-yellow flowers that hold their petals well.
- Zinnia. Vigorous all-season producers that hold up well in summer rain and heat all over the country. We include two varieties in our set: 'Benary's Giant Mix,' with densely petaled blooms up to 6" across in a range of vibrant hues; and 'Queen Red Lime,' featuring an unusual palette of antique rose to pink outer petals which gradually lighten through chartreuse to creamy-lime, transitioning to bright, hot pink disks in the center.
- Rudbeckia. One of the easiest and most productive cut flowers, rudbeckia is a heat- and drought-tolerant, low-maintenance plant. The 'Cherokee Sunset Mix' in our set produces large, double flowers in a warm palette of oranges, golden yellows, bronze, chocolate, and various bicolors.



SPIKES

| Crop | Cultivar or Mix | Product # | Days to Maturity |
|------------|-----------------|-------------|------------------|
| Amaranthus | 'Red Spike' | <u>3786</u> | 65-75 |

 Amaranthus. Ideal color and form for late-summer and fall arrangements, our set includes 'Red Spike,' a variety that produces feathery, velvety blooms of a vibrant, unfading deep maroon.



At Johnny's Selected Seeds, we hold seed variety trials to test every variety that we offer in our catalogs and on our website.



SMALLER ACCENTS

| Crop | Cultivar or Mix | Product # | Days to Maturity |
|-----------|--------------------------|-------------|------------------|
| Calendula | 'Flashback Mix' | <u>1496</u> | 55 |
| Cosmos | 'Double Click Mix' | <u>1780</u> | 75-90 |
| Scabiosa | 'Pincushion Formula Mix' | 1999 | 90-100 |

- Calendula. Our 'Flashback Mix' produces blooms with a spectacular medley of bicolor petals. Calendula is frost-tolerant, and its petals are edible a lovely garnish on soups and canapés.
- Cosmos. The large, double blooms of our 'Double Click Mix' feature deeply fringed petals in a lively range of colors, including carmine, pink, and white with sunny yellow centers. These dance atop tall, well-branched stalks of fernlike foliage that also makes a fine green filler for bouquets.
- **Scabiosa.** 'Pincushion Formula Mix' features elegant yet sturdy flowers on wiry stems in a diverse palette of black, blue, creamy yellow, pink, bright red, deep blue, salmon rose, and pure white. Intricate, button-like flowers add whimsey to arrangements.



FILLERS

| Crop | Cultivar or Mix | Product # | Days to Maturity |
|----------|-----------------|-------------|------------------|
| Dill | 'Bouquet' | <u>920</u> | 65-75 |
| Ammi | 'Dara' | <u>1968</u> | 65-75 |
| Ageratum | 'Timeless Mix' | 3432 | 80-100 |

- **Dill.** 'Bouquet' is a cultivar with delicate, fragrant, and edible foliage that makes a lovely filler for cut-flower arrangements. Airy chartreuse flowers appear as highlights and combine well with almost any color arrangement.
- Ammi. With its long-lasting blooms, ammi makes an outstanding cut-flower filler. 'Dara' is a highly productive cultivar with 7–15 strong, sturdy, upright stems per plant topped by attractive, lacy umbels in shades of dark purple, pink, and white.
- Ageratum. 'Timeless Mix' features a blend of taller cultivars with a long flowering period, making it a perfect choice for the cutting garden. Upright, sturdy stems produce tight clusters of flowers in purple, pink, blue, and white. A great gap-filler in bouquets.



Sowing & Growing Basics

Our <u>Easy Cut-Flower Garden Set</u> includes some flower crops that we recommend be transplanted. Start these varieties indoors under <u>grow lights</u> according to the instructions listed in the chart below, and on the seed packet back. Other flower crops in the set can be direct-seeded, that is, sown directly into the garden bed. Once plants are established, <u>mulch</u> can be added to the bed, to help to retain moisture and suppress weeds.

| Crop | Variety | Days to Germination | Sowing & Growing | Light Preference | Plant Spacing | Plant Height | Hardiness Zones |
|--------------------------------|--|------------------------------------|--|---------------------|------------------|-----------------|--------------------------------------|
| Recommended for transpl | lanting | | | | | | |
| Ageratum houstonianum | 'Timeless Mix' | 7–10 days at 75–80°F (24–27°C) | Transplant (Recommended): Sow 6–8 weeks before last frost. Transplant after danger of frost has passed. | Sun | 9–12" | 24–30" | Annual |
| Rudbeckia hirta | 'Cherokee Sunset Mix' | 8–14 days at 68–72°F (20–22°C) | Transplant (Recommended): Sow 8–10 weeks before last frost. Cover seed lightly, as light is required for germination. | Sun | 12–18" | 24–30" | Tender Perennial in Zones 9-10 |
| Zinnia elegans | <u>'Benary's Giant Mix'</u> and <u>'Queen Red Lime'</u> | | Transplant (Recommended): Sow 4 weeks before last frost. Direct-Seed: After last frost. | Sun | 9–12" | Varies | Annual |
| Either transplant or direct | -seed | | | | | | |
| Amaranthus cruentus | <u>'Red Spike'</u> | 7–10 days at 70–75°F (21–24°C) | Transplant: Sow 4–6 weeks before last frost. Direct-Seed: After last frost date. Support advised. | Sun | 12–15" | 48–60" | Annual |
| Cosmos bipinnatus | <u>'Double Click Mix'</u> | 7–10 days at 75°F (24°C) | Transplant: Sow 5–7 weeks before setting out. Direct-Seed: After last frost, once soil temperature is above 60°F (16°C). | Sun | 9–12" | 42–46" | Annual |
| Scabiosa atropurpurea | <u>'Pincushion Formula</u> <u>Mix'</u> | 10–12 days at 65–70°F (18–21°C) | Transplant: Sow 4–6 weeks before last frost. Direct-Seed: After last frost date. Successive plantings every 2–3 weeks until midsummer give the best quality flowers and pods. May require support. | , Sun | 9–15" | 24–36" | Annual |
| Sunflower Helianthus annuus | <u>'Strawberry Blonde'</u> | 7–14 days at 70–75°F (21–24°C) | Direct-Seed: After last frost. Transplant: Sow in final container 3–4 weeks prior to planting out. Dislikes root disturbance. | Sun | 4–24" | 60–72" | Annual |
| Recommended for direct-seeding | | | | | | | |
| Ammi Daucus carota | <u>'Dara'</u> | 12–16 days at 60–65°F (16–18°C) | Direct-Seed (Recommended): In early spring after last frost. Transplant: Sow 4–5 weeks before planting out. | Sun | 3–12" | 36–50" | Annual |
| Calendula officinalis | <u>'Flashback Mix'</u> | 7–14 days at 70°F (21°C) | Direct-Seed (Recommended): After last frost. Make 2–3 successive sowings 2–3 weeks apart for continuous blooms from summer to heavy frost. Transplant: Sow 4 weeks before last frost. | Sun/ Part Shade | 6–12" | 18–24" | Annual |
| Dill Anethum graveolens | <u>'Bouquet'</u> | 7-21 days at 65–70°F (18–21°C) | Direct-Seed: Spring through summer. | Sun | 2–4" | 38–42" | Annual |


For additional cultural information:

Refer to the seed packet backs or visit the <u>Key Growing Information pages</u> for each crop in our online Grower's Library. (In addition, we offer tech sheets in our <u>Flower Grower's Library</u>, containing in-depth growing information for larger-scale production of <u>cosmos</u>, <u>single-stem sunflowers</u>, and <u>zinnias</u>, as well as flower crops not included in this starter set.)

Seed Packet Backs



Key Growing Information



Grower's Library



Tips for Planning Your Garden Bed

Observe your landscape

Choose a location. An ideal site is one with good drainage that receives at least 6 hours of sunlight per day.

Take a soil test

If you have not recently tested your soil, we recommend you do so before planting. The test results will indicate whether you need to amend your soil to adjust the soil pH or to add nutrients. Your local Cooperative Extension can help you identify a qualified lab and assist you in interpreting the results. Most soil tests are quite affordable, and most adjustments are relatively straightforward.

If your soil is quite poor or if drainage is an issue, consider creating raised beds. Raised beds can enhance drainage and reduce weed pressure, making the garden easier to tend, and additionally allow better control over soil quality in general.

Plan your garden

While you need not be restricted to a rectangular plot or to our suggested layout, you will want to plan for approximately 130 square feet of growing space if planting the entire set of 11 varieties. If you choose to design your own garden layout, take note of the height of each variety and avoid planting taller varieties where they may shade out shorter varieties. In addition, be sure to allow for physical access to your plants for tending and cutting.

Harvest Recommendations

- Harvest using a clean, sharp knife or pruning shears.
- Cut stems a few inches longer than needed for the final arrangement, to allow for adjustment during the bouquet-building process.
- <u>Strip the stems</u> of all lower leaves, to a level where none will be submerged in water.
- Plunge stems immediately into a clean bucket of cold water.
- Protect harvested flowers from direct light, heat, and wind especially if you will not be arranging them right away.
- If stems have wilted during harvest, place your bucket of stems and cold water in a cool location to rehydrate. Within a few hours they should perk up. Cutting very early in the morning, or alternatively in the evening and hydrating overnight are good options during very hot spells.

| Crop | Variety | Days to Maturity | When to Harvest |
|--------------------------------|---|------------------|--|
| Sunflower Helianthus annuus | <u>'Strawberry Blonde'</u> | 55 | Fresh: Flowers are just beginning to open. Dried: Flowers are completely open. Hang or use silica gel. |
| Zinnia elegans | <u>'Queen Red Lime'</u> | 75–85 | Refere completely open |
| Ziririla elegaris | <u>'Benary's Giant Mix'</u> | 75–90 | Before completely open. |
| Rudbeckia hirta | 'Cherokee Sunset Mix' | 100–120 | Blooms are completely open. Deadhead spent flowers to increase bloom. |
| Amaranthus cruentus | <u>'Red Spike'</u> | 65–75 | Fresh: When at least ¾ of flowers on the inflorescence are open. Dried: Seed has begun to set and flowers feel firm. |
| Calendula officinalis | <u>'Flashback Mix'</u> | 55 | Fresh: Flowers ½ open. Edible: Flowers fully open. |
| Cosmos bipinnatus | <u>'Double Click Mix'</u> | 75–90 | Petals just opening, but not yet flattened. Deadheading is required to have blooms all summer. |
| Scabiosa atropurpurea | <u>'Pincushion Formula</u> <u>Mix'</u> | 90–100 | Flowers almost fully open or seed heads have formed and are still green. |
| Dill Anethum graveolens | <u>'Bouquet'</u> | 65–75 | 1/2 to 3/4 of florets on the main umbel are open and showing yellow color. |
| Ammi <i>Daucus carota</i> | <u>'Dara'</u> | 65–75 | 4/5 of flowers in umbel are open and there is no hint of pollen shed. |
| Ageratum houstonianum | <u>'Timeless Mix'</u> | 80–100 | Fresh: Flower spikes are ¾ open. Dried: Flowers completely open. Hang. May be air-dried, but flower color often fades. |



Build Your Bouquet

BEFORE CUTTING

Consider which colors are most appealing and complementary. Choose one type of flower that is either abundant or inspiring. Then choose other blooms with colors that complement that special or abundant flower. This starts the process of constructing your arrangement as you harvest the blooms.

1

SETTING UP YOUR WORK SPACE

It's easiest to create a beautiful arrangement if you can see what you're working on. For best visibility, create your arrangement in one hand while adding stems with the other hand. This allows you to move the bouquet in all directions and get a really good look at it. Or, if arranging directly into a vase, elevate your work surface so the center of your arrangement is nearly at eye-level. This is easily achieved by tipping a bucket or crate upside-down on your countertop and placing the vase on top.



2

START WITH THE STURDIEST (FILLER)

Once you've collected your materials, create a base for your bouquet by placing the sturdiest stems and those with a branching habit in your hand or vase. The base is like a background — it outlines the initial shape and volume of your bouquet. Foliage and blooms that are referred to as filler flowers, such as 'Bouquet' dill, 'Dara,' or ageratum, work well for creating a base and give the bouquet its "backbone." Foliage and fillers should make up about 40–50% of your bouquet, depending on your preferred style.





FOCALS

Once you have established a good base of fillers, add a focal flower, such as a zinnia or sunflower. Rotate the bouquet a third to half-way around and add another focal flower. Repeat this process with another type of focal flower until you have several focal flowers evenly spaced throughout the bouquet.



4

ACCENTS

Next, fill in the bouquet with accent flowers such as calendula, cosmos, and/or scabiosa, to add color and interest.



FINISHING TOUCHES

Rotate between the different elements while adding to your bouquet until the final piece looks full and balanced to your eye. Don't be afraid to defy symmetry. Adding a stem or two that shoot off at an angle or gesture downward on their own can be just the graceful note to make your arrangement sing.



ONLINE VIDEO



Watch our How to Build a Bouquet video online to see bouquet building in action:

Johnnyseeds.com/build-a-bouquet

COMPLETE

If arranging in hand, give the base of all your stems a final, fresh snip to suit the height of your vase or container, and place them in the container, filled with clean, cool water. The traditional design rule is that an arrangement should be at least $1\frac{1}{2}$ times the height of its vase. This is a good starting place for making arrangements that appear balanced, but remember, beauty is in the eye of the beholder, so experiment with what appeals to you.

Bouquet Inspiration

Bouquet 1



Bouquet 2



Bouquet 3



Filler







Filler





Filler





Focal













Focal



Acce



Accent





Accent





Accent





#BloomWithJohnnys

Bouquet Maintenance

Replace the water daily and refresh the flowers by trimming the stems every few days. For best results, keep your bouquet out of direct sunlight and away from drafts.

Copyright © 2018 Johnny's Selected Seeds. All rights reserved.



September 15, 2020 3:35 PM