

CZ 805 BREN A1

THE **CZ 805 BREN** FEATURES A MODULAR WEAPON SYSTEM MANUFACTURED IN 5,56X45 MM NATO AND 7,62X39 MM CAL., WHICH HAS BEEN DESIGNED AS PERSONAL WEAPON FOR ANY COMBAT BRANCH.



The CZ 805 BREN is a modern assault rifle chambered in 5.56x45 mm NATO cal., adopted as a standard weapon of an individual of the Armed Forces of the Czech Republic. This weapon is characterised by exceptional durability as it meets requirements for reliable operation in adverse conditions (dust, sand, mud, Over the Beach test, transition temperatures) according to both **NATO AC 225/D14**, and **TPVD 637 – 81**.

NSN: **1005-16-006-5526**

Characteristics:

The CZ 805 BREN utilizes a well-proven locked breech principle with rotating breech block and its automatic function is driven by combustion gases tapped from the barrel with option of two-stage regulation of piston mechanism. Interchangeable magazine housing secures, besides the use of the original transparent magazine made by CZ also the possibility to use all standard magazines for the M4/M16 weapons. The weapon enables the fire to be conducted in single shots, two round bursts, and full automatic fire. The receiver is fitted as standard with four accessory rails according to MIL -STD -1913. Fully ambidextrous controls together with easily reversible bolt operating handle allows this weapon to be used by left-handed shooters. The chrome-lined barrel ensures very high accuracy and durability.

The CZ 805 BREN rifle won at the turn of 2009/2010 in tender for the partial re-armament of the Army of the Czech Republic with new rifles made in cal. 5,56x45 mm NATO.

TECHNICAL DATA

Caliber (rate of twist)	5,56x45 NATO (7")
Magazine Capacity	30
Frame	light alloy
Overall length	670/915 mm
Barrel length	360 mm
Height	260 mm
Width	112/77 mm
Weight	3,49 kg

CZ 805 BREN A2

THE CZ 805 BREN A2 CARBINE IS A MORE COMPACT VERSION OF THE MODULAR CZ 805 BREN A1 ASSAULT RIFLE IN 5.56X45MM NATO CAL., FROM WHICH IT DIFFERS BY A SHORTER BARREL.



TECHNICAL DATA

Caliber (rate of twist)	5,56x45 NATO (7")
Magazine Capacity	30
Frame	light alloy
Overall length	585/780 mm
Barrel length	277 mm
Height	260 mm
Width	112/77 mm
Weight	3,41 kg

CZ 805 G1

THE CZ 805 G1 IS A MULTI-PURPOSE GRENADE LAUNCHER IN 40X46 CAL.



The **CZ 805 G1** is a multi-purpose grenade launcher in 40x46 cal. and is a result of the development concentrated on the next generation of service weapons made by Česká zbrojovka a.s., Uherský Brod.

It is a light weapon designed for destroying armoured targets, personnel and military equipment located in an unenclosed ground or field shelters. The CZ 805 G1 can safely fire a wide variety of modern standard grenades of 40x46 cal. such as: cumulative, armour-piercing, fragmentation and special types (thermo-baric, smoke, illuminating, incendiary, chemical and others). The CZ 805 G1 is also suitable for non-lethal ammunition use.

The weapon excels in simple and reliable construction, loading and extraction of the fired cartridge is carried out from the rear, with the barrel tilted to the side. This solution has the advantage to use a wider variety of grenades, as the length is no limit. The direction of the tilting of the barrel is adjustable, which allows adapting the grenade launcher to both a right-handed and a left-handed user. The trigger guard can be turned to the left or right by 90° to facilitate shooting in gloves.

Safety features are made of transversely shifted manual safety of the trigger and automatic firing pin block. The CZ 805 G1 grenade launcher can be used either separately as a standalone or as underslung weapon of the assault rifle. When used separately the grenade launcher is mounted to the bottom MIL-STD-1913 accessory rail.

NSN: 1010-16-006-5529

TECHNICAL DATA

Caliber (rate of twist)	40x46 (49,2")
Overall length	413 / 664
Barrel length	250 mm
Height	180 mm
Width	100 / 63
Weight	2,23 kg

CZ SCORPION EVO 3 A1

THE CZ SCORPION EVO 3 A1 IS A MODERN SUBMACHINE GUN CHAMBERED IN 9X19 USED BY SECURITY FORCES AND ARMIES AROUND THE WORLD.



The **CZ SCORPION EVO 3 A1** is a modern submachine gun chambered in 9x19 used by security forces and armies around the world. The weapon is characterised by exceptional ergonomics, durability and ease of use. This submachine gun meets requirements for reliable operation in adverse conditions according to both **NATO AC 225/D14**, and **TPVD 637 – 81**. The weapon enables the fire to be conducted in fully automatic fire, three round bursts, and single shots.

No tools are necessary for routine maintenance disassembly. Low weight and small dimensions facilitate concealed carry and use in very confined spaces. Characteristic features of this weapon are a good balance making quick and easy aiming, high accuracy of fire, long service life and high functional reliability under all conditions. The advantages are fully ambidextrous controls and four accessory rails according to MIL-STD-1913 fitted as standard.

NSN: **1005-16-006-6502**

TECHNICAL DATA

Caliber (rate of twist)	9 mm Luger (9,8")
Magazine Capacity	30
Frame	plastic
Overall length	410/660 mm
Barrel length	196 mm
Height	240 mm
Width	97/60 mm
Weight	2,77 kg

CZ 750 S1 M1

BASIC HEAVY VERSION DESIGNED FOR SOLVING ALL SNIPER MISSIONS PRIMARILY IN UNENCLOSED GROUND.



The **CZ 750 S1 M1** is basic heavy version designed for solving all sniper missions primarily in unenclosed ground. In order to facilitate a more accurate fire the weapon comes with bipod and mirage deflector preventing any mirage above shot heated barrel.

NSN: 1005-16-006-5493

TECHNICAL DATA

Caliber (rate of twist)	.308 Win. (10")
Magazine Capacity	10
Overall length	1220 mm
Barrel length	660 mm
Height	175 mm
Width	77 mm
Weight	5,8 kg
Barrel	broached

CZ P-07

THE CZ P-07 IS A POLYMER COMPACT PISTOL, DESIGNED PRIMARILY AS A SERVICE WEAPON AND FOR CONCEALED CARRY.



The CZ P-07 is a polymer compact pistol, designed primarily as a service weapon and for concealed carry. The CZ P-07 follows the successful CZ 75 P-07 DUTY, while bringing a number of innovative features.

Innovative materials

The new surface finish of the slide, barrel and some other components markedly increases the resistance of the weapon to mechanical damage as well as to corrosion. The new material of the frame is glassfibre-reinforced polymer, ensuring dimensional stability as well as a resistance to rough handling.

Shooter's comfort

The exchangeable backstraps enable to adapt the weapon to the ergonomics and needs of the user. They are available in three sizes - S, M, L, and are a part of the standard package. The weapon is rounded overall, with all sharp edges removed. There were added the front serrations on the slide for better gun handling. Also the trigger and the hammer were adapted as well. The magazine capacity is 15 rounds in the 9x19 calibre and 12 rounds in the .40 S&W calibre. This capacity could be further increased to 17 (9x19) and 15 (.40 S&W) rounds, respectively, using the magazine extensions that are also part of the package.

Omega

Retained is the well-proven Omega trigger mechanism, which allows, besides other advantages, an easy selection of the safety features of the weapon – choosing either a manual safety or decocking. The safety levers are ambidextrous, also the magazine catch could be handed as preferred. Every single weapon is factory-zeroed to 15 metres, the test target sheet is included in the package.

Accessories

Tritium sights, optical fibre sights

Textile and polymer holsters, suitable for service and concealed carry

Tactical lights and laser aiming modules compatible to the MIL-STD 1913 (as allowed by the legislation)

Simunition adapters for the CQT and FX ammunition (as allowed by the legislation)

Suppressors (as allowed by the legislation)

TECHNICAL DATA

Caliber (rate of twist)	9 mm Luger, .40 S&W
Magazine Capacity	15, 12
Trigger mechanism operation	SA/DA
Frame	polymer
Sights	fixed
Overall length	185 mm
Barrel length	95 mm
Height	130 mm
Width	37 mm
Weight	780 g
Barrel	hammer forged

CZ 92

THE CZ 92 IS DESIGNED FOR PERSONAL DEFENCE AT SHORT DISTANCES.



The CZ 92 Pistol is designed for personal defense at short distances. The whole technical concept was adapted with this point of view in mind. The CZ 92 Model is a small, **light handgun** featuring a blowback breech and the double action only (DAO) mode of fire. The hammer returns to the down position after each shot, and for the subsequent shots must be cocked again by pulling the trigger. This ensures sufficient safety against inadvertent discharge and high readiness of this pistol to fire. The pistol is intentionally not equipped with a manual safety so as not to compromise its readiness to fire. For safe maintenance, the **pistol** is fitted with a magazine safety, which locks the pistol automatically after the mazine is removed.

The CZ 92 pistol is adapted for a comfortable grip in either hand. Due to its purpose the pistol is equipped with a simple sighting rib. The pistol comes with black surface finish. The CZ 92 is produced with magazine release located side of the grip.

TECHNICAL DATA

Caliber (rate of twist)	6,35 mm Browning (10")
Magazine Capacity	8
Trigger mechanism operation	DAO, trigger pull DAO = max. 70 N
Frame	light alloy
Grips	plastic
Sights	no sights
Overall length	126 mm
Barrel length	64 mm
Height	95 mm
Width	24 mm
Weight	310 g
Barrel	hammer forged
Surface treatment	black polycoat
Safety features	magazine safety

CZ 858 TACTICAL

THE CZ 858 CAL. 7.69 X 39 MM IS A SEMIAUTOMATIC RIFLE DESIGNED FOR SPORT SHOOTING.



The CZ 858 cal. 7.69 x 39 mm is a semiautomatic rifle designed for sport shooting. The weapon comes with two magazines and cleaning kit. The rifle with fixed wood stock version. Available with fixed or folding stock.

TECHNICAL DATA

Caliber (rate of twist)	7.62 x 39 (9,4")
Magazine Capacity	30
Stock	steel pressed wood
Trigger mechanism operation	non-adjustable
Sights	fixed
Overall length	845 mm
Barrel length	390 mm
Height	255 mm
Width	57 mm
Weight	2,91 kg
Barrel	broached with chrom-plated bore

CZ 455 LONG

LONG BARREL FOR LONG DISTANCE. GREAT ACCURACY FOR A LONG TIME.
CZ 455 COMES IN INNOVATIVE VERSION - WITH A 600MM BARREL, SUBTLER STOCK AND TANGENT SIGHTS.



In the new generation of the **CZ rimfire rifles** we have managed to combine experience accumulated over the years of development and production of this type of firearms with traditionally high quality, long service life, accuracy and modern trends.

This new model of the CZ 455 rimfire rifle is based on classical design, but incorporating a lot of improvements affecting most of the main parts of this rifle. First of all we have answered wishes by many of our customers for having an action enabling interchangeability of barrels. Adopting a new knowledge when making the barrel's muzzle, which we have acquired in the course of development and manufacture of firearms designed for hunting at long distances, allowed shortening of barrel while retaining traditionally high accuracy. Also the stock witnessed placing of small changes in order to achieve an even greater comfort during shooting. This was attained by optimizing the grip ergonomics, among others, in the pistol grip area. A new method of connecting barrelled-action with the stock is now dominated by only two screws with improved interface securing simpler tightening and superior appearance.

Incorporating new features can be seen also on the sights. The rear signy enables adjustments for elevation and windage and the new shape of front signy base facilitates precise aiming. The use of cold hammer forged barrel has been again retained as well as the receiver made from a single billet of highquality steel.

Traditionally uncompromising care for details is projected to each unit of this new rifle and will make envy of other shooters be it at target shooting or while hunting.

TECHNICAL DATA

Caliber (rate of twist)	.22 LR (16")
Magazine Capacity	5,10
Stock	beech
Trigger mechanism operation	adjustable
Overall length	1085 mm
Barrel length	630 mm
Height	215 mm
Width	66 mm
Weight	2,8 kg
Barrel	hammer forged

CZ SKORPION 61 S

THE ORIGINAL COMPACT AUTOMATIC WEAPON IN 7.65 MM BROWNING (.32 ACP) COMES TO BE OFFERED IN SOLELY SEMI-AUTOMATIC VERSION.



This much admired submachine gun from Uherský Brod vz. 61 Skorpion, the original compact semi-automatic weapon in 7.65 mm Browning (.32 ACP) comes to be offered in solely semi-automatic version.

This model of Skorpion designed by Česká zbrojovka is made of original parts that have been re-built to function as a semi-automatic only; left-sided selector, which at the same time serves as manual safety has only two positions; one for safe and the other for single shots mode of fire. In all other aspects this weapon retains technical parameters and excellent properties of the original version. This makes presented model simple and reliable in operation with high accuracy of fire up to 150 m (164 yd). Further properties include simple disassembly, exceptional durability, and long service life of all major parts.

The Skorpion in semiautomatic version makes a perfect choice for variety of sport shooting disciplines and can be effectively used also for life, health or property protection.

The package of the Skorpion 61S includes two 20-round and one 10-round magazine, leather belt holster, leather pouch for two magazines, lanyard mod. 52, canvas bag with cleaning kit.

TECHNICAL DATA

Calibre - detachable magazine (rate of twist)	7,65 mm Browning (9,8")
Magazine Capacity	10
Sights	fixed
Overall length	270 mm
Barrel length	115 mm
Height	152 mm
Width	43 mm
Weight	1280 g
Barrel	hammer forged
Surface treatment	black polycoat