



D SERIES SKID STEER LOADER, COMPACT TRACK LOADER & MULTI TERRAIN LOADER PARTS REFERENCE GUIDE

BUILT FOR IT.™

Wheeler




» PROTECT YOUR INVESTMENT WITH GENUINE CAT® PARTS

Thank you for selecting the Cat® D Series Skid Steer, Compact Track or Multi Terrain Loader.

This guide is designed to provide you with a quick reference for the parts and part numbers you need to keep your Cat machine running at peak efficiency.




MAINTENANCE

Preventive maintenance extends the life of your machine and protects your investment. Only Caterpillar knows Cat equipment's filtration and lubrication requirements and offers parts kits to match your machine's maintenance cycles.

| SCHEDULED REPAIR PARTS | |
|-----------------------------------------------------------------------------------|--------------------------|
|  | GREASES |
| | DIESEL EXHAUST FLUIDS |
| | PLANNED MAINTENANCE KITS |

REPLACEMENT PARTS

Proper maintenance minimizes the need for repair and replacement. In the event that replacement parts are required, the use of genuine Cat parts helps maximize machine performance and maintains high resale value.

| WEAR PARTS | |
|-------------------------------------------------------------------------------------|-----------------------|
|  | UNDERCARRIAGE PARTS |
| | GROUND ENGAGING TOOLS |
| REPAIR PARTS | |
|  | BATTERIES |
| | ENGINE PARTS |
| | CAB GLASS |
| | LIGHTS |
| ENHANCEMENT PARTS | |
|  | QUICK DISCONNECTS |

GREASES

| Previous Cat Product Name | STANDARD MAINTENANCE GREASES | | |
|------------------------------|----------------------------------|----------------------------------|------------------------------|
| | Cat Ultra5 Moly #1 | Cat Ultra5 Moly #2 | Cat Advanced 3 Moly |
| Current Cat Product Name | Cat Extreme Application Grease 1 | Cat Extreme Application Grease 2 | Cat Prime Application Grease |
| Grade (NLGI) | 1 | 2 | 2 |
| Melting point (deg C) | 260 | 260 | 260 |
| Ambient Temperature (deg C) | -35 to +40 | -30 to +50 | -20 to +40 |
| Base Oil Type | Mineral | Mineral | Mineral |
| Color | Dark Gray | Dark Gray | Dark Gray |
| Cartridge (390 g / 14 oz) | 452-5996 | 452-6001 | 452-6006 |
| Plastic Pail (5 kg / 11 lb) | – | – | – |
| Plastic Pail (16 kg / 35 lb) | 452-5999 | 452-6004 | 452-6009 |
| Keg (55 kg / 120 lb) | 452-5998 | 452-6003 | 452-6008 |
| Drum (180 kg / 400 lb) | 452-5997 | 452-6002 | 452-6007 |



| GREASES FOR UNIQUE APPLICATIONS AND ENVIRONMENTS | | | |
|--------------------------------------------------|-----------------------------------------|--------------------|--------------|
| Cat Arctic Platinum | Cat Desert Gold | Cat Multipurpose | Hammer Paste |
| Cat Extreme Application Grease - Arctic | Cat Extreme Application Grease - Desert | Cat Utility Grease | |
| 0 | 2 | 2 | 2 |
| 230 | 280 | 260 | 230 |
| -35 to +40 | -30 to +50 | -30 to +40 | -20 to +1100 |
| Semi-Synthetic | Mineral | Mineral | Mineral |
| Dark Gray | Dark Gray | Blue | Bronze |
| 452-7459 | 452-6016 | 452-6011 | 130-6951 |
| – | – | – | 133-8807 |
| 452-6020 | 452-6019 | 452-6014 | – |
| 452-7461 | 452-6018 | 452-6013 | – |
| 452-7460 | 452-6017 | 452-6012 | – |



DIESEL EXHAUST FLUIDS

Cat Diesel Exhaust Fluids ensure that your machine meets all Tier 4 requirements while saving you time and fuel during recharge cycles.

| CAT PART NUMBER (32.5% UREA) | CONTAINER SIZE |
|------------------------------|----------------|
| 350-8733 | 2.5 gal bottle |
| 350-8734 | 1,000 L tote |

PLANNED MAINTENANCE KITS

| SKID STEER LOADER | | 500 Hours | | | | | | | | 1,000 Hours | | | | | | 2,000 Hours | AS NEEDED | |
|-------------------|-----------------|--------------------------|----------------------|-----------------|-------------------|--------------------|-----------------|--------------------------|------------------|-------------------|-----------------------|-----------------------------|----------------|-------------|-------------------------|--------------------------|-------------------|------------------|
| | | Engine Oil/Filter Change | | Air Filter | | Fuel Filter Change | | Lubricate Machine | Hydraulic Tank | Cabin Air | | Hydraulic Oil/Filter Change | | | | Drive Chain Oil | AC Receiver Dryer | Engine Crankcase |
| Sales Model | Serial # Prefix | Filter | Oil Qty (L) DEO-ULS™ | Primary Element | Secondary Element | In-line Element | Primary Element | Prime Application Grease | Breather Element | Fresh Air Element | Recirculating Element | Filter Element | Seal (Housing) | Seal (Plug) | Oil Qty (L) Hydo Adv 10 | Oil Qty (L) DEO-ULS (ea) | Accumulator Group | Breather Element |
| 226D | HRD | 220-1523 | 9 | 415-2592 | 415-2593 | 416-5884 | 363-5819 | 452-6006 | 420-9748 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 35 | 7 | 186-6190 | 443-0374 |
| 232D | DPR | 220-1523 | 9 | 415-2592 | 415-2593 | 416-5884 | 363-5819 | 452-6006 | 420-9748 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 35 | 7 | 186-6190 | 443-0374 |
| 236D | BGZ | 377-6969 | 12 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 9 | 186-6190 | 421-1888 |
| 242D | DZT | 377-6969 | 12 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 9 | 186-6190 | 421-1888 |
| 246D | BYF | 377-6969 | 12 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 13 | 186-6190 | 421-1888 |
| 262D | DTB | 377-6969 | 12 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 13 | 186-6190 | 421-1888 |
| 272D | B5W, GSL | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 11 | 186-6190 | 377-6970 |
| 272D XHP | ETL, SHY | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 6V-5048 | 39 | 11 | 186-6190 | 377-6970 |
| 272D2 | BL2 | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 11 | 186-6190 | 377-6970 |
| 272D2 XHP | MD2 | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 11 | 186-6190 | 377-6970 |

2,000 hour planned maintenance cycle includes 1,000 and 500 hour part numbers. 1,000 hour cycle includes 500 hour part numbers.

| COMPACT TRACK LOADER | | 250 Hours | 500 Hours | | | | | | | | 1,000 Hours | | | | | | 2,000 Hours | AS NEEDED |
|----------------------|-----------------|--------------------|--------------------------|----------------------|-----------------|-------------------|--------------------|-----------------|--------------------------|------------------|-------------------|-----------------------|-----------------------------|----------------|-------------|-------------------------|-------------------|------------------|
| | | Final Drive Oil | Engine Oil/Filter Change | | Air Filter | | Fuel Filter Change | | Lubricate Machine | Hydraulic Tank | Cabin Air | | Hydraulic Oil/Filter Change | | | | AC Receiver Dryer | Engine Crankcase |
| Sales Model | Serial # Prefix | Oil Qty (L) Syn GO | Filter | Oil Qty (L) DEO-ULS™ | Primary Element | Secondary Element | In-line Element | Primary Element | Prime Application Grease | Breather Element | Fresh Air Element | Recirculating Element | Filter Element | Seal (Housing) | Seal (Plug) | Oil Qty (L) Hydo Adv 10 | Accumulator Group | Breather Element |
| 239D | BL9 | 1 | 220-1523 | 9 | 415-2592 | 415-2593 | 416-5884 | 363-5819 | 452-6006 | 420-9748 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 35 | 186-6190 | 443-0374 |
| 249D | GWR | 1 | 220-1523 | 9 | 415-2592 | 415-2593 | 416-5884 | 363-5819 | 452-6006 | 420-9748 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 35 | 186-6190 | 443-0374 |
| 259D | FTL | 1 | 377-6969 | 12 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 421-1888 |
| 279D | GTL | 1 | 377-6969 | 12 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 421-1888 |
| 289D | TAW | 1 | 377-6969 | 12 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 421-1888 |
| 299D | GTC, HCL | 1 | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 377-6970 |
| 299D XHP | JST, NLC | 1 | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 377-6970 |
| 299D2 | FD2 | 1 | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 377-6970 |
| 299D2 XHP | DX2 | 1 | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 377-6970 |




2,000 hour planned maintenance cycle includes 1,000 and 500 hour part numbers. 1,000 hour cycle includes 500 hour part numbers. 500 hour cycle includes 250 hour part numbers.

| MULTI TERRAIN LOADER | | 250 Hours | 500 Hours | | | | | | | | 1,000 Hours | | | | | | 2,000 Hours | AS NEEDED |
|----------------------|-----------------|--------------------|--------------------------|----------------------|-----------------|-------------------|--------------------|-----------------|--------------------------|------------------|-------------------|-----------------------|-----------------------------|----------------|-------------|-------------------------|-------------------|------------------|
| | | Final Drive Oil | Engine Oil/Filter Change | | Air Filter | | Fuel Filter Change | | Lubricate Machine | Hydraulic Tank | Cabin Air | | Hydraulic Oil/Filter Change | | | | AC Receiver Dryer | Engine Crankcase |
| Sales Model | Serial # Prefix | Oil Qty (L) Syn GO | Filter | Oil Qty (L) DEO-ULS™ | Primary Element | Secondary Element | In-line Element | Primary Element | Prime Application Grease | Breather Element | Fresh Air Element | Recirculating Element | Filter Element | Seal (Housing) | Seal (Plug) | Oil Qty (L) Hydo Adv 10 | Accumulator Group | Breather Element |
| 257D | EZW | 1 | 377-6969 | 12 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 421-1888 |
| 277D | FMT | 1 | 377-6969 | 12 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 421-1888 |
| 287D | HMT | 1 | 377-6969 | 12 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 421-1888 |
| 297D | BE7 | 1 | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 377-6970 |
| 297D XHP | HP7 | 1 | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 377-6970 |
| 297D2 | BL7 | 1 | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 377-6970 |
| 297D2 XHP | HP2 | 1 | 377-6969 | 14 | 110-6326 | 110-6331 | 416-5884 | 363-5819 | 452-6006 | 258-2829 | 265-6619 | 265-6618 | 421-5479 | 4F-4097 (x2) | 8C-3082 | 39 | 186-6190 | 377-6970 |

2,000 hour planned maintenance cycle includes 1,000 and 500 hour part numbers. 1,000 hour cycle includes 500 hour part numbers. 500 hour cycle includes 250 hour part numbers.

RUBBER TRACK OFFERINGS » Find the right fit for your job

Part numbers included are for the D Series and all previous models.

| COMPACT TRACK LOADER TRACK PATTERNS | |  |  |  |
|-------------------------------------|------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Machine | Model | Part # | Size (Width x Pitch x Lugs) in millimeters | Description |
| 239 | D | 420-9888 | 320x86x49 | 12.6" Premium Block Track Standard from Factory or Replacement |
| | | 420-9892 | 400x86x49 | 15.7" Premium Bar Track Standard from Factory or Replacement |
| 249 | D | 420-9888 | 320x86x49 | 12.6" Premium Block Track Standard from Factory or Replacement |
| | | 420-9892 | 400x86x49 | 15.7" Premium Bar Track Standard from Factory or Replacement |
| 259 | B3, D | 357-0232 | 320x86x53 | 12.6" Premium Block Track Standard from Factory or Replacement |
| | | 357-0244 | 400x86x53 | 15.7" Premium Block Track Standard from Factory or Replacement |
| | | 454-6048 | 400x86x53 | 15.7" Premium Bar Track Standard from Factory or Replacement |
| | | 372-5793 | 320x86x53 | 12.6" General Duty Track Available as Replacement Only |
| 279 | G2, D | 372-5791 | 450x86x56 | 17.7" Premium Block Track Standard from Factory or Replacement |
| | | 372-5792 | 400x86x56 | 15.7" Premium Block Track Standard from Factory or Replacement |
| | | 372-5796 | 450x86x56 | 17.7" General Duty Track Available as Replacement Only |
| | C | 304-1909 | 450x86x60 | 17.7" Premium Block Track Standard from Factory or Replacement |
| | | 351-8495 | 400x86x60 | 15.7" Premium Block Track Standard from Factory or Replacement |
| | | 372-5798 | 450x86x60 | 17.7" General Duty Track Available as Replacement Only |
| 289 | G2, D | 372-5791 | 450x86x56 | 17.7" Premium Block Track Standard from Factory or Replacement |
| | | 372-5792 | 400x86x56 | 15.7" Premium Block Track Standard from Factory or Replacement |
| | | 372-5796 | 450x86x56 | 17.7" General Duty Track Available as Replacement Only |
| | C | 304-1909 | 450x86x60 | 17.7" Premium Block Track Standard from Factory or Replacement |
| | | 351-8495 | 400x86x60 | 15.7" Premium Block Track Standard from Factory or Replacement |
| | | 372-5798 | 450x86x60 | 17.7" General Duty Track Available as Replacement Only |
| 299 | C, D, D XHP, D2, D2XHP | 304-1909 | 450x86x60 | 17.7" Premium Block Track Standard from Factory or Replacement |
| | | 351-8495 | 400x86x60 | 15.7" Premium Block Track Standard from Factory or Replacement |
| | | 372-5798 | 450x86x60 | 17.7" General Duty Track Available as Replacement Only |

| MULTI TERRAIN LOADER TRACK PATTERNS | |  |  | |
|-------------------------------------|--------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------|
| Machine | Model | Part # | Size (Width x Pitch x Lugs) in millimeters | Description |
| 247 | B, B2, B3 | 325-8624 | 381x100x42 | 15" Premium Track Standard from Factory or Replacement |
| | | 420-9876 | 381x100x42 | 15" General Duty Track Available as Replacement Only |
| 257 | B, B2, B3, D | 325-8624 | 381x100x42 | 15" Premium Track Standard from Factory or Replacement |
| | | 420-9876 | 381x100x42 | 15" General Duty Track Available as Replacement Only |
| 267 | B | 238-7664 | 457x100x56 | 18" Premium Track Standard from Factory or Replacement |
| | | 420-9878 | 457x100x56 | 18" General Duty Track Available as Replacement Only |
| 277 | B | 238-7664 | 457x100x56 | 18" Premium Track Standard from Factory or Replacement |
| | | 420-9878 | 457x100x56 | 18" General Duty Track Available as Replacement Only |
| | C, C2, D | 325-8625 | 457x100x51 | 18" Premium Track Standard from Factory or Replacement |
| | | 420-9877 | 457x100x51 | 18" General Duty Track Available as Replacement Only |
| 287 | B | 220-8161 | 457x100x51 | 18" Premium Track Standard from Factory or Replacement |
| | | 420-9879 | 457x100x51 | 18" General Duty Track Available as Replacement Only |
| | C, D | 325-8625 | 457x100x51 | 18" Premium Track Standard from Factory or Replacement |
| | | 420-9877 | 457x100x51 | 18" General Duty Track Available as Replacement Only |
| 297 | C, D, D2 | 325-8625 | 457x100x51 | 18" Premium Track Standard from Factory or Replacement |
| | | 420-9877 | 457x100x51 | 18" General Duty Track Available as Replacement Only |



UNDERCARRIAGE PARTS

| Machine | Model | Wheels | | Sprockets | |
|-------------|-------------|----------|--------------------------------|-----------|-------------------------|
| | | Part # | Description | Part # | Description |
| 239/249 | D | 420-9803 | Double Flange Idler- Standard | 304-1870 | Sprocket |
| | | 420-9805 | Single Flange Idler- Standard | | |
| | | 420-9801 | Triple Flange Roller | | |
| | | 420-9815 | Triple Flange Idler | | |
| 257 | D | 305-9270 | Steel Rear Idler | 342-5015 | Outer Sleeve (Hardened) |
| | | 278-1301 | Front Idler | 258-3087 | Sprocket Ring |
| | | | | 280-5091 | Sprocket Bolt |
| | | 295-3250 | Front Idler (Steel) | 7X3392 | Washer |
| | | 278-1261 | Bogie Wheel | 1K6872 | Locknut |
| 389-7577 | Sprocket | | | | |
| 259 | B3/D | 304-1878 | Double Flange Idler | 304-1870 | Sprocket |
| | | 304-1894 | Single Flange Idler | | |
| | | 389-7624 | Triple Flange Roller | | |
| | | 348-9647 | Triple Flange Idler | | |
| 277/287/297 | B3/D | 309-3296 | Inner Front Idler Wheel | 258-3088 | Inner Sleeve |
| | | | | 342-5016 | Inner Sleeve (Hardened) |
| | | | | 258-3089 | Outer Sleeve |
| | | 309-3297 | Outer Front Idler Wheel | 342-5017 | Outer Sleeve (Hardened) |
| | | | | 258-3087 | Sprocket Ring |
| | | 258-3053 | Inner Rear Idler Wheel (Steel) | 1K6872 | Locknut |
| | | | | 258-3085 | Sprocket |
| | | 258-3052 | Outer Rear Idler Wheel (Steel) | 258-3086 | Sprocket Ring-Outer |
| | | | | 258-3084 | Sprocket Ring-Middle |
| | | | | 258-3087 | Sprocket Ring-Inner |
| 372-5776 | Bogie Wheel | 258-3122 | Sprocket Bolt | | |
| | | 7X-3392 | Washer | | |
| 279/289/299 | C/C2/D | 304-1878 | Double Flange Idler | 304-1916 | Sprocket |
| | | 304-1894 | Single Flange Idler | | |
| | | 389-7624 | Triple Flange Roller | | |
| | | 348-9647 | Triple Flange Idler | | |

COMMON GROUND ENGAGING TOOLS BROOM EDGES & ACCESSORIES

| Part Type | Series | Part # |
|--------------------------------------|---------------------------|----------|
| Bolt-On Cutting Edge | BU115, BP15B | 241-9437 |
| Bolt-On Cutting Edge | BU118, BP18B | 241-9472 |
| Bolt-On Cutting Edge | BP115C | 452-4148 |
| Bolt-On Cutting Edge | BP118C | 452-4147 |
| Poly Bristle Assemblies (qty. 18) | BU115, BP15B, BP115C | 165-9069 |
| Wire Bristle Assemblies (qty. 17) | BU115, BP15B, BP115C | 165-9070 |
| Poly Bristle Assemblies (qty. 21) | BU118, BP18B, BP118C | 165-9071 |
| Wire Bristle Assemblies (qty. 20) | BU118, BP18B, BP118C | 165-9072 |
| Poly Bristle Assemblies (qty. 22) | BA18, BA118C | 166-0322 |
| Wire Bristle Assemblies (qty. 21) | BA18, BA118C | 166-0323 |
| Wire Bristle Assembly (Gutter Brush) | All series gutter brushes | 172-4563 |
| Poly Bristle Assembly (Gutter Brush) | All series gutter brushes | 460-9777 |

BUCKET TOOTHBARS, TEETH & CUTTING EDGES

| Part Type | Bucket Size | Bucket Type | Part Description | Part # |
|-----------------------|------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------|----------|
| Bolt-On Tooth Bar | 60" | General Purpose / Multi-Purpose – Base Edge Buckets | 7 Teeth | 136-8734 |
| | 66" | General Purpose / Multi-Purpose – Base Edge Buckets | 8 Teeth | 136-8735 |
| | 72" | General Purpose / Multi-Purpose – Base Edge Buckets | 8 Teeth | 136-8736 |
| | 78" | General Purpose / Multi-Purpose – Base Edge Buckets | 8 Teeth | 217-4878 |
| | 84" | General Purpose / Multi-Purpose – Base Edge Buckets | 8 Teeth | 275-5427 |
| | 60" | General Purpose / Multi-Purpose – Bolt-On Edge Buckets | 7 Teeth | 159-0330 |
| | 66" | General Purpose / Multi-Purpose – Bolt-On Edge Buckets | 8 Teeth | 159-0340 |
| | 72" | General Purpose / Multi-Purpose – Bolt-On Edge Buckets | 8 Teeth | 159-0350 |
| | 78" | General Purpose / Multi-Purpose – Bolt-On Edge Buckets | 8 Teeth | 195-9160 |
| | 84" | General Purpose / Multi-Purpose – Bolt-On Edge Buckets | 8 Teeth | 264-2084 |
| Serrated Cutting Edge | 60" | General Purpose / Multi-Purpose – Base Edge Buckets | – | 319-9599 |
| | 66" | General Purpose / Multi-Purpose – Base Edge Buckets | – | 319-9600 |
| | 72" | General Purpose / Multi-Purpose – Base Edge Buckets | – | 319-9601 |
| | 78" | General Purpose / Multi-Purpose – Base Edge Buckets | – | 319-9602 |
| | 84" | General Purpose / Multi-Purpose – Base Edge Buckets | – | 319-9603 |
| Bolt-On Cutting Edge | 60" | General Purpose / Multi-Purpose / Dirt / Utility / Grapple Buckets | 165mm width, 16mm thickness | 135-9394 |
| | 60" | General Purpose / Multi-Purpose / Dirt / Utility / Grapple Buckets | 203mm width, 16mm thickness | 174-7966 |
| | 60" | General Purpose / Multi-Purpose / Dirt / Utility / Grapple Buckets | 203mm width, 19mm thickness | 174-7972 |
| | 66" | General Purpose / Multi-Purpose / Dirt / Utility / Grapple Buckets | 165mm width, 16mm thickness | 135-9395 |
| | 66" | General Purpose / Multi-Purpose / Dirt / Utility / Grapple Buckets | 203mm width, 16mm thickness | 174-7967 |
| | 66" | General Purpose / Multi-Purpose / Dirt / Utility / Grapple Buckets | 203mm width, 19mm thickness | 174-7973 |
| | 72" | General Purpose / Multi-Purpose / Dirt / Utility / Grapple Buckets | 165mm width, 16mm thickness | 135-9396 |
| | 72" | General Purpose / Multi-Purpose / Dirt / Utility / Grapple / Light Material Buckets | 203mm width, 16mm thickness | 174-7968 |
| | 72" | General Purpose / Multi-Purpose / Dirt / Utility / Grapple / Light Material Buckets | 203mm width, 19mm thickness | 174-7974 |
| | 78" | General Purpose / Multi-Purpose / Dirt / Light Material / Grapple Buckets | 165mm width, 16mm thickness | 135-9397 |
| | 78" | General Purpose / Multi-Purpose / Dirt / Light Material / Grapple Buckets | 203mm width, 16mm thickness | 174-7969 |
| | 78" | General Purpose / Multi-Purpose / Dirt / Light Material / Grapple Buckets | 203mm width, 19mm thickness | 174-7975 |
| | 84" | General Purpose / Multi-Purpose / Light Material Buckets | 165mm width, 16mm thickness | 195-5124 |
| | 84" | General Purpose / Multi-Purpose / Light Material Buckets | 203mm width, 16mm thickness | 174-7970 |
| | 84" | General Purpose / Multi-Purpose / Light Material Buckets | 203mm width, 19mm thickness | 174-7976 |
| | 54" | Dirt Buckets | 152.4mm width, 12.7mm thickness | 135-9393 |
| | 54" | Dirt Buckets | 203mm width, 16mm thickness | 174-7965 |
| 54" | Dirt Buckets | 203mm width, 19mm thickness | 174-7971 | |
| 96" | Light Material Buckets | – | 296-7602 | |
| Unitooth | General Purpose / Multi-Purpose Buckets with Bolt-On Teeth | – | 132-4720 | |

COMMON GROUND ENGAGING TOOLS (CONT.) AUGER BITS & ACCESSORIES

| Part Class | Type / Size | Part # |
|------------------------|--------------------------------------|----------|
| Standard Duty Bits | 6" | 153-4083 |
| | 9" | 153-4084 |
| | 12" | 153-4085 |
| | 15" | 366-7752 |
| | 18" | 153-4086 |
| | 24" | 153-4089 |
| | 30" | 217-3194 |
| | 36" | 153-4091 |
| Industrial Duty Bits | 6" | 372-0260 |
| | 9" | 372-0261 |
| | 12" | 372-0262 |
| | 16" | 372-0263 |
| | 18" | 372-0264 |
| | 24" | 372-0265 |
| Teeth | Gage Tooth (Outer) | 371-3694 |
| | Flat Tooth (Inner) | 371-3690 |
| | HF Gage Tooth (Outer) | 371-3695 |
| | Flat Carbide Tooth (Inner) | 371-3691 |
| | Chisel Tooth (Inner) | 371-3696 |
| | Flat Hard Face Tooth HF (Inner) | 371-3692 |
| | Chisel Carbide Tooth (Inner) | 371-3697 |
| | Flat HF Tooth (HF Both Sides, Inner) | 371-3693 |
| | Chisel HF Tooth (Inner) | 371-3698 |
| | Standard Duty Tooth | 153-4094 |
| | Hard Face Tooth | 174-9566 |
| | Carbide Inserted Tooth | 174-9567 |
| | Tree Bit | 24" |
| 36" | | 153-4095 |
| Rock Heads | 6" Bolt-On | 372-0230 |
| | 9" Bolt-On | 372-0231 |
| | Drill Head, 12" Standard | 372-0232 |
| | 15" Bolt-On | 372-0233 |
| | Drill Head, 18" Standard | 372-0234 |
| | Drill Head, 24" Standard | 372-0235 |
| Adapters | Hex to Round | 156-6329 |
| | Round to Hex | 217-3191 |
| Extensions | 12" | 156-6328 |
| | 24" | 217-3192 |
| Telescoping Extensions | 3' | 372-0256 |
| | 6' | 372-0257 |
| Accessories | Retention Pin Kit | 372-0258 |
| | Pilot Point | 153-4093 |



BATTERIES

| Model | Voltage | Part # |
|-------------------|---------|----------|
| Standard Battery* | 850CCA | 230-6368 |
| Heavy Duty** | 1000CCA | 115-2422 |



*Not compatible with XHP models

**Comes standard in XHP models. Not available for 226D, 239D, 232D or 249D

ENGINE PARTS

| Machine Model | Notes | Starter Motor | Alternator | Water Pump | Fuel Pump | Turbocharger | Fuel Injector |
|------------------------------------------------------------|----------------|---------------|------------|------------|-----------|--------------|---------------|
| 226D, 239D, 232D, 249D | Tier 4 Final | 423-5606 | 394-3496 | 439-4992 | 457-5834 | 480-4349 | 457-5836 |
| Reman | | | 20R-4141 | | | | |
| 236D, 242D, 257D, 259D, 246D, 277D, 279D, 262D, 287D, 289D | Tier 4 Final | 385-5044 | 397-9953 | 387-9903 | 436-1091 | 436-1920 | 436-1096 |
| 272D, 297D, 299D | Tier 4 Interim | 377-6967 | 377-6966 | 389-5309 | 377-6956 | 389-5352 | 389-5232 |
| 272D XHP, 297D XHP, 299D XHP | | | | | | 389-9185 | |
| 272D2, 297D2, 299D2 | Tier 4 Final | 377-6967 | 377-6966 | 389-5309 | 377-6956 | 389-5352 | 389-5232 |
| 272D2 XHP, 297D2 XHP, 299D2 XHP | | | | | | 389-9185 | |



CAB GLASS

| Part Description | Part # | Quantity |
|--------------------------------------------------|----------|----------|
| Rearview Mirror | 345-6131 | 1 |
| Window – Polycarbonate Door (for flying debris) | 345-6250 | 1 |
| Window – Glass Door (general use) | 345-6230 | 1 |
| Window Assembly – Sliding Upper Front Panel (LH) | 345-6271 | 1 |
| Window Assembly – Sliding Upper Front Panel (RH) | 345-6274 | 1 |
| Window Assembly – Sliding Upper Rear Panel (LH) | 345-6270 | 1 |
| Window Assembly – Sliding Upper Rear Panel (RH) | 345-6275 | 1 |
| Window Latch Assembly – (LH) or (RH) | 258-3765 | 2 |
| Window Assembly – Fixed Lower Panel (LH) | 345-6273 | 1 |
| Window Assembly – Fixed Lower Panel (RH) | 345-6276 | 1 |
| Window Pad – For Lower Glass (LH) or (RH) | 435-8783 | 2 |
| Window – Rear | 345-6011 | 1 |
| Window – Top | 258-4012 | 1 |



LIGHTS

| Lamp Type | Part # | Quantity |
|--------------------------------|----------|----------|
| Dome | 210-8754 | 1 |
| Flood – Front & Rear Working | 9W-0607 | 4 |
| Headlight (Roading) | 9W-3324 | 2 |
| Front Turn Signal (Roading) | 226-4561 | 2 |
| Front Position (Roading) | 226-4560 | 2 |
| Rear Turn Signal (Roading) | 9W-3326 | 2 |
| Stop & Tail (Roading) | 084-4348 | 2 |
| License Plate Holder (Roading) | 195-9712 | 1 |
| Warning Beacon | 9X-8118 | 1 |



QUICK DISCONNECTS

Get the most out of your Cat D Series Skid Steer, Compact Track, or Multi Terrain Loader with a wide range of hydraulic work tool attachments that can be easily interchanged with Quick Disconnects. **Contact your Cat dealer for a complete list of all available attachments.**

| Model | Part # | | | | |
|-----------------------------|-----------|-------------|-----------|-------------|-----------------|
| | Male 1/2" | Female 1/2" | Male 3/4" | Female 3/4" | Case Drain 3/8" |
| Standard Flow/ High Flow | 373-6967 | 373-6968 | – | – | 373-7037 |
| XHP Models | 426-4052 | 426-4051 | 475-5066 | 373-6970 | 373-7037 |
| GSL, SHY, HCL, NCL | 347-4432 | 347-4431 | – | – | – |



BUILT FOR IT.™

AEXQ1852-00
March 2016

© 2016 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, BUILT FOR IT, their respective logos, "Caterpillar Yellow," the "Power Edge" trade dress, as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

