Fujitsu recommends Windows.



# Data Sheet FUJITSU LIFEBOOK A555 and LIFEBOOK A555G Notebook

### Your Essential Powerful Partner

The FUJITSU Notebook LIFEBOOK A555 is a solid and reliable partner with a 39.6 cm (15.6-inch) anti-glare display offering comfortable viewing, even outdoors. Enjoy multimedia applications on the LIFEBOOK A555G's FHD display which features the AMD Radeon™ R7 M260 graphic card. The integrated WLAN and Bluetooth, HDMI, Anytime USB Charger and num pad keyboard provide you with convenient mobility.

### Higher performance computing

Faster and more responsive

■ 5th generation Intel® Core™ i5 processor

### Connectivity and convenience on demand

Enjoy a variety of interfaces and technology to support you in fulfilling your demands at home and in

■ Integrated WLAN and Bluetooth, HDMI and VGA ports, LAN connector and Anytime USB Charger

## Comfortable user experience

Ergonomic comfort while working on daily challenges

■ 39.6 cm (15.6-inch) anti-glare display, full-size keyboard with num pad

### Excellent multimedia experience

Enjoy the power of discrete graphics and high definition viewing

■ AMD Radeon™ R7 M260 with up to 2GB dedicated video memory and FHD display









# Components

Operating systems			
Operating system	Windows 8.1 Pro 64-bit Windows 8.1 64-bit Windows 7 Professional 64-bit		
Memory modules	4 GB (1 module(s) 4 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM 8 GB (1 module(s) 8 GB) DDR3, 1,600 MHz, PC3-12800, SO DIMM		
Hard disk drives (internal)	SSHD, 5,400 rpm, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T.  SSD SATA III, 256 GB, 2.5-inch		
	SSD SATA III, 128 GB, 2.5-inch SATA, 5,400 rpm, 750 GB, 2.5-inch, S.M.A.R.T. SATA, 5,400 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 5,400 rpm, 1 TB, 2.5-inch, S.M.A.R.T.		
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.  Accessible capacity may vary, also depending on used software.  Internal HDD interface: S-ATA III (6GBit/s)		
Optical drive options	DVD Super Multi Weight saver		
Interface add on cards/components (optional)			
WLAN (optional)	Intel® Wireless-N 7265 2x2 b/g/n with integrated Bluetooth 4.0 Intel® Dual Band Wireless-N 7265 2x2 ac with integrated Bluetooth 4.0		
Multimedia			
Camera	Built-in webcam (HD) with Status LED	Built-in webcam, Full HD	
Camera notes	1200x768 (0.9 megapixel)	1920x1080, 2.0 megapixel	

# Base unit

Base unit	LIFEBOOK A555	LIFEBOOK A555/G
General system information		
Processor	Intel® Core™ i5-5200U processor	Intel® Core™ i5-5200U processor
	(2 Cores / 4 Threads, 2.2 GHz, up to 2.7 GHz, 3 MB, Intel® HD Graphics 5500)	(2 Cores / 4 Threads, 2.2 GHz, up to 2.7 GHz, 3 MB, Intel® HD Graphics 5500)
Chipset	Integrated	Integrated
Memory slots	2 SO DIMM (DDR3, 1600 MHz)	2 SO DIMM (DDR3, 1600 MHz)
Supported capacity RAM (min.)	4 GB	4 GB
Supported capacity RAM (max.)	16 GB	16 GB
Memory notes	Dual channel support. DDR3L – 1,600 MHz	Dual channel support. DDR3L – 1,600 MHz
LAN	10/100/1,000 MBit/s Realtek RTL8111GS-CG	10/100/1,000 MBit/s Realtek RTL8111GS-CG
Audio type	On board	On board
Audio codec	Realtek ALC283 (HD audio)	Realtek ALC283 (HD audio)
Audio features		d High Definition audio, 2x built-in speakers (stereo), Sound volume control via function key (down: Fn+F8; up: Fn+F9)

Page 2 / 5 www.fujitsu.com/fts/mobile

Product design				
Matt		Rlack	Plack	
Display   39 6 cm (11.6-inch), LED backlight, (HD), Anti-glaw display, 1,36 x 768 pixel, 300-1 (min), 200 cd display, 1,200 x 1,080 pixel, 300-1				
195 cm   15.6-inch   LED backlight,   HD), Anti-glate display, 1.36 x 768 pixel, 300-1 (min), 200 cd display, 1.920 x 1,080 pixel, 300-1 (min),		Witte	Witt	
display, 1,366 x 788 pixel, 300.1 (min), 200 cd   display, 1,920 x 1,080 pixel, 300.1 (min), 220 cd		20.6 /45.6 :	20.6 (45.6 : 1) 1501 11:1: (5.1110) 4 :: 1	
Brightness - typical         200 cd         220 cd           Contract - typical         300-1 (min)           Graphics         IFFBOOK ASSS         IFFBOOK ASSS/G           Max. resolution external display Graphics South on male? HD Graphics South on mine? HD Graphics South on Mine. HD Graphics South on Mine		display, 1,366 x 768 pixel, 300:1 (min), 200 cd		
Contrast - typical   300:1 (min)	•			
Graphics Base unit LEFBOOK A555 LIFEBOOK A555 LIFEBOOK A555G  Base unit LEFBOOK A555 LIFEBOOK A555G  Max. resolution external display  Intel® HD Graphics 5500 Intel® HD Graphics 5500, AMD Radeon® R7 M260 Graphics features Graphics notes  DirectX® 11.10 Graphics 10.00 Intel® HD Graphics 5500, AMD Radeon® R7 M260 Graphics features Graphics notes  Dedicated video memory Up to 1,695 MB  Interfaces  UC-In 1 1 Interfaces  USB 3.0 total 1 Interface			220 cd	
	Contrast - typical	300:1 (min)		
Max. resolution external display         1,920 x 1,200 pixel           Graphics brand name         Intel® HD Graphics 5500. AMD Radeon™ R7 M260 fraphics fastures           Graphics notes         Shared memory depending on main memory size           Dedicated video memory         up to 1,695 MB           Interfaces         James of Marked Mode memory           Union         1           Union         1           Union         1           Using Lineary in microacy         1           Using Lineary in microacy         1           Using Journal in microphone         1           USB 2.0 total         1           USB 2.0 total         1           USB 3.0 total         3 (1 x Anytime USB Charge Functionality)           USB 3.0 total         1           USB 3.0 total         1           USB 4.0 total         1           USB 4.0 total         1           USB 5.0 total         1           USB 6.0 total         1           USB 6.0 total         1           USB 7.0 total         1           USB 8.0 total         1           USB 8.0 total         1           USB 9.0 total         1           USB 9.0 total         1	Graphics			
Intel® HD Graphics 5500   Intel® HD Graphics 5500, AMD Radeon® R7 M260   Direct№ 11.1 Support		LIFEBOOK A555		
Graphics features Graphics notes Shared memory depending on main memory size  Deficitated video memory  shared video memory  up to 1,695 MB  DC-in  1  1  1  1  1  DC-in  1  DC-in  1  1  DC-in  1  DC-ic  1  DC-ic  1  DC-ic  1  DC-ic  DC	· .			
Shared memory depending on main memory size  Dedicated wideo memory up to 1,695 MB  Interfaces  DC-in 1 1 1  Audio: line-out / headphone  Audio: line-in / microphone  LUSB 3.0 total 1 1  LUSB 3.0 totalurity musp 4.0 total 1 1  LUSB 3.0 total 1 1  LUSB 3.0 total 1 1	•	· · · · · · · · · · · · · · · · · · ·	•	
Sedicated video memory up to 1,695 MB  Interfaces  Vicin 1 1 1  Nudio: line-out / headphone  Video: line-in / microphone  USB 2.0 total 3 (1 x Anytime USB Charge Functionality) 3 (1 x Anytime USB Charge Functionality)  NGA 1 1  NEB 3.0 total 3 (1 x Anytime USB Charge Functionality) 3 (1 x Anytime USB Charge Functionality)  NGA 1 1  NEB 3.0 total 1 1  NEB 4.0 Total 2 1  NEB 4.0 Total 3 1  NEB 5.0 Total 3 1  NE	Graphics features		DirectX® 11.1	
Interfaces  Vicin 1 1 1  Signature (1) Interfaces  Vicin 1 1 1  Signature (1) Interfaces  Vicin (1) Interface (1) Inte	Graphics notes	Shared memory depending on main memory size		
NC-in 1 1 1  Nudio: line-out / headphone  Nudio: line-in / microphone  Notice in	Dedicated video memory		2 GB (DDR3 VRAM)	
National Intervent of headphone Number of Head	Shared video memory	up to 1,695 MB		
Audio: line-out / headphone  Audio: line-in / microphone  JSB 3.0 total 1 1  JSB 3.0 total 3 (1 x Anytime USB Charge Functionality) 3 (1 x Anytime USB Charge Functionality)  AUDIO 1 1  JSB 3.0 total 1 1  JSB 3.0 total 3 (1 x Anytime USB Charge Functionality) 3 (1 x Anytime USB Charge Functionality)  AUDIO 1 1  JSB 3.0 total 2 1  JSB 3	nterfaces			
Number of the Content	)C-in	1	1	
158 2.0 total 3 (1 x Anytime USB Charge Functionality) 3 (1 x Anytime USB Charge Functionality) 158 3.0 total 3 (1 x Anytime USB Charge Functionality) 3 (1 x Anytime USB Charge Functionality) 159 40 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Audio: line-out / headphone			
3 (1 x Anytime USB Charge Functionality)   3 (1 x Anytime USB Charge Functionality)   3 (1 x Anytime USB Charge Functionality)   1   1   1   1   1   1   1   1   1	Audio: line-in / microphone			
ADMI 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	JSB 2.0 total	1	1	
ithernet (RJ-45) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	JSB 3.0 total	3 (1 x Anytime USB Charge Functionality)	3 (1 x Anytime USB Charge Functionality)	
Internet (R)-45)  Alemory card slots  SD/SDHC/SDXC  SD/SDACC  SD/SDHC/SDXC  SD/SDHC/SDXC  SD/SDHC/SDXC  SD/SDHC/SDXC  SD/SDHC/SDXC  SD/SDHC/SDXC  SD/SDHC/SDXC  SD/SDHC/SDXC  SD/SDHC/SD	/GA	1	1	
Nemory card slots SD/SDHC/SDXC SD/SDAC SD/SDHC/SDXC SD/SDHC/SDXC SD/SDAC SD/SDHC/SDXC SD/SDAC SD/SDA	IDMI	1	1	
Memory card slots  SD/SDHC/SDXC  SD/SDAC  SD/SDHC/SDXC  SD/SDAC  SD/SDHC/SDXC  SD/SDAC  SD/S	Ethernet (RJ-45)	1	1	
Spill-resistant isolated keyboard with number block Touchpad Status LED  Wireless technologies  Bluetooth v4.0  WLAN encryption WEP, WPA, WPA2  WLAN notes Import and usage according to country-specific regulations.  WID support Yes (with Intel W-LAN)  Power supply  WC Adapter 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.320 kg, 126x50x30 mm Rated voltage range 100 V - 240 V (AC Input) Rated frequency range 50 Hz - 60 Hz Li-lon battery 6-cell, 4500 mAh, 48 Wh  Runtime 1st battery up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode) Battery Infe may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Voice emission Please refer to the Eco Declaration Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight 2.4 kg (5.3 lbs)  Weight motes Weight may vary depending on actual configuration	Memory card slots	SD/SDHC/SDXC	SD/SDHC/SDXC	
Spill-resistant isolated keyboard with number block Touchpad Status LED  Wireless technologies  Bluetooth v4.0  WLAN encryption WEP, WPA, WPA2  WLAN encryption Import and usage according to country-specific regulations.  WiDi support Yes (with Intel W-LAN)  Power supply  AC Adapter 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.320 kg, 126x50x30 mm  Rated voltage range 100 V - 240 V (AC Input)  Rated voltage range 50 Hz - 60 Hz  Ist battery Li-lon battery 6-cell, 4500 mAh, 48 Wh  Runtime 1st battery up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode)  Battery Infe may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Please refer to the Eco Declaration Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight 0.2.4 kg (5.3 lbs)  Weight notes  Weight may vary depending on actual configuration	Keyboard and pointing devices			
Touchpad Status LED  Wireless technologies  Bluetooth v4.0  WLAN encryption WEP, WPA, WPA2  WLAN notes Import and usage according to country-specific regulations.  WiDi support Yes (with Intel W-LAN)  Power supply  AC Adapter 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.320 kg, 126x50x30 mm  Rated voltage range 100 V - 240 V (AC Input)  Rated frequency range 50 Hz - 60 Hz  It-ion battery 6-cell, 4500 mAh, 48 Wh  Runtime 1st battery up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode)  Battery notes Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Noise emission Please refer to the Eco Declaration Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight 0.2 kg (5.3 lbs)  Weight motes  Weight may vary depending on actual configuration	, , ,	Spill-resistant isolated keyboard with number block		
Wireless technologies Bluetooth v4.0 WLAN encryption WEP, WPA, WPA2 WLAN notes Import and usage according to country-specific regulations. WiDi support Yes (with Intel W-LAN)  Power supply AC Adapter 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.320 kg, 126x50x30 mm Rated voltage range 100 V - 240 V (AC Input) Rated frequency range 50 Hz - 60 Hz Ist battery Li-Ion battery 6-cell, 4500 mAh, 48 Wh Runtime 1st battery up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode) Battery notes Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Dimensions / Weight / Environmental  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight notes Weight may vary depending on actual configuration.				
Bluetooth V4.0  WLAN encryption WEP, WPA, WPA2  WLAN notes Import and usage according to country-specific regulations.  WiDi support Yes (with Intel W-LAN)  Power supply  AC Adapter 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.320 kg, 126x50x30 mm  Rated voltage range 100 V - 240 V (AC Input)  Rated frequency range 50 Hz - 60 Hz  1st battery Li-lon battery 6-cell, 4500 mAh, 48 Wh  Runtime 1st battery up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode)  Battery notes Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Dimensions / Weight / Environmental  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight notes Weight may vary depending on actual configuration.		·		
Bluetooth V4.0 WLAN encryption WEP, WPA, WPA2 WLAN notes Import and usage according to country-specific regulations. WIDI support Yes (with Intel W-LAN)  Power supply AC Adapter 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.320 kg, 126x50x30 mm Rated voltage range 100 V - 240 V (AC Input) Rated frequency range 50 Hz - 60 Hz Ist battery Li-lon battery 6-cell, 4500 mAh, 48 Wh Runtime 1st battery up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode) Battery notes Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Dimensions / Weight / Environmental  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight notes Weight may vary depending on actual configuration	Wireless technologies			
WLAN encryption WEP, WPA, WPA2  MLAN notes Import and usage according to country-specific regulations.  WiDi support Yes (with Intel W-LAN)  Power supply AC Adapter		v4.0		
MIAN notes Import and usage according to country-specific regulations.  WiDi support Yes (with Intel W-LAN)  Power supply  AC Adapter 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.320 kg, 126x50x30 mm  Rated voltage range 100 V - 240 V (AC Input)  Rated frequency range 50 Hz - 60 Hz  Ist battery Li-Ion battery 6-cell, 4500 mAh, 48 Wh  Runtime 1st battery up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode)  Battery notes Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Noise emission Please refer to the Eco Declaration Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight notes Weight may vary depending on actual configuration.				
WiDi support  Yes (with Intel W-LAN)  Power supply  AC Adapter  19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.320 kg, 126x50x30 mm  Rated voltage range  100 V - 240 V (AC Input)  Rated frequency range  50 Hz - 60 Hz  Ist battery  Li-lon battery 6-cell, 4500 mAh, 48 Wh  Runtime 1st battery  up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode)  Battery notes  Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Noise emission  Please refer to the Eco Declaration  Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions (W x D x H)  378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight notes  Weight may vary depending on actual configuration				
AC Adapter 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.320 kg, 126x50x30 mm  Rated voltage range 100 V - 240 V (AC Input)  Rated frequency range 50 Hz - 60 Hz  Li-lon battery 6-cell, 4500 mAh, 48 Wh  Runtime 1st battery up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode)  Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Please refer to the Eco Declaration Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight notes  Weight may vary depending on actual configuration	WiDi support			
AC Adapter 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.320 kg, 126x50x30 mm  Rated voltage range 100 V - 240 V (AC Input)  Rated frequency range 50 Hz - 60 Hz  Li-lon battery 6-cell, 4500 mAh, 48 Wh  Runtime 1st battery up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode)  Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Please refer to the Eco Declaration Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight notes  Weight may vary depending on actual configuration	Power supply			
Rated voltage range  So Hz - 60 Hz Li-lon battery 6-cell, 4500 mAh, 48 Wh Runtime 1st battery  Battery notes  Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Please refer to the Eco Declaration  Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions (W x D x H)  378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight  2.4 kg (5.3 lbs)  Weight notes  Weight may vary depending on actual configuration	• • • • • • • • • • • • • • • • • • • •	19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz. Standard Adapter   0 320 kg   126x50x30 mm		
Rated frequency range  Li-lon battery 6-cell, 4500 mAh, 48 Wh  Runtime 1st battery  Battery notes  Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Noise emission  Please refer to the Eco Declaration  Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions (W x D x H)  378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight  2.4 kg (5.3 lbs)  Weight notes  Weight may vary depending on actual configuration	·	<u> </u>		
Li-lon battery 6-cell, 4500 mAh, 48 Wh  Runtime 1st battery up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode)  Battery notes Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission  Please refer to the Eco Declaration Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight Occupance Weight may vary depending on actual configuration  Weight notes  Weight may vary depending on actual configuration				
Runtime 1st battery up to 8h (MobilMark2012, office productivity mode) up to 6.5 h (MobilMark2012, office productivity mode) Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission Please refer to the Eco Declaration Please refer to the Eco Declaration  Dimensions / Weight / Environmental Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch) Weight  2.4 kg (5.3 lbs) Weight notes Weight may vary depending on actual configuration		Li-Ion battery 6-cell, 4500 mAh, 48 Wh		
Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.  Noise emission Please refer to the Eco Declaration Please refer to the Eco Declaration  Dimensions / Weight / Environmental Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch) Weight 2.4 kg (5.3 lbs) Weight notes Weight may vary depending on actual configuration	•		up to 6.5 h (MobilMark2012, office productivity mode)	
Noise emission Please refer to the Eco Declaration Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight 2.4 kg (5.3 lbs)  Weight notes Weight may vary depending on actual configuration	•	Battery life may vary depending on product model, configuration, applications, power management settings and		
Noise emission Please refer to the Eco Declaration Please refer to the Eco Declaration  Dimensions / Weight / Environmental  Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight 2.4 kg (5.3 lbs)  Weight notes Weight may vary depending on actual configuration	Voise emission	, , ,	-	
Dimensions / Weight / Environmental Dimensions (W x D x H) 378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch) Weight 2.4 kg (5.3 lbs) Weight notes Weight may vary depending on actual configuration		Please refer to the Eco Declaration	Please refer to the Eco Declaration	
Dimensions (W x D x H)  378 mm (14.88 inch) x 256 mm (10.08 inch) x 30.9 mm (1.22 inch)  Weight  2.4 kg (5.3 lbs)  Weight notes  Weight may vary depending on actual configuration				
Weight       2.4 kg (5.3 lbs)         Weight notes       Weight may vary depending on actual configuration		378 mm (1/, 88 inch) v 256 mm (10.08 inch) v 30.0 mm (1.22 inch)		
Weight notes Weight may vary depending on actual configuration	· · · · · · · · · · · · · · · · · · ·			
		2 · · · ·		
operating animient temperature 5 35 C (41 35 T)				
	operating ambient temperature	3 33 6(71 33 1)		

Page 3 / 5 www.fujitsu.com/fts/mobile

Compliance	
Model	Fujitsu LIFEBOOK A555
Europe	CE
	WEEE
Global	RoHS (Restriction of hazardous substances)
	ENERGY STAR® 6.0
	Microsoft Operating Systems (HCT / HCL entry / WHQL)
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
Additional Software	
Additional software (included as a CD/	Drivers & Utilities DVD (DUDVD)
DVD)	
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Computrace® ready BIOS
	Optional: Trusted platform module (TPM 1.2)
User Security	User and supervisor BIOS password
	Hard disk password
Warranty	
Standard Warranty	1 year
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Product Support Services - the perfect e	
Recommended Service	9x5, Response Time: Next Business Day
Spare Parts availability	3 years after end of product life
Service Weblink	http://ts.fujitsu.com/Supportservice

# Recommended Accessories

## Casual Backpack 16



The Casual Backpack 16 is designed to fit an up to 15.6-inch widescreen notebook. It provides additional storage area, extra-large compartments and zip able pockets to store everything you need for work, school or travel including. This also includes an expandable file storage as well as a large separate zip-compartment to store books, accessories, and more. A small front pocket and two side mesh pockets complete the backpack. Shoulder straps and a top handle are padded for pleasant carrying comfort.

Order Code: S26391-F1192-L167

### Wireless Mouse WI200



The Wireless Mouse WI200 uses the latest wireless 2.4 GHz technology, and a high-resolution 1000 dpi optical sensor to give you the precision and S26381-K462-L100 reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or left handed.

Order Code:

### SOUNDSYSTEM DS E2000 Air



The new more powerful SOUNDSYSTEM DS E2000 Air gives you impressive, well-balanced sound throughout the frequency band. It is an unbeatable USB speaker set with a surprisingly small form factor. The robust satellite speakers are decorated with a deluxe piano finish and the base is adorned with warm ambient lighting.

Order Code: S26391-F7128-L600

# More information

#### Fujitsu OPTIMIZATION Services

In addition to FUJITSU LIFEBOOK A555 and LIFEBOOK A555G, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### **Computing Products**

www.fujitsu.com/global/products/computing/

#### Software

www.fujitsu.com/software/

### More information

Learn more about FUJITSU LIFEBOOK A555 and LIFEBOOK A555G, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/mobile

### Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



## Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

Copyright © Fujitsu Technology Solutions

### Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### CONTACT

Fujitsu Technology Solutions Website: www.fujitsu.com/fts 2015-01-19 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions