

HP LaserJet Enterprise 600 Printer M601 series



Fast, high-quality printing and reliable performance.

HP's business pacesetter tackles high-volume printing with legendary reliability. Count on this HP LaserJet to help conserve resources, customize printing policies, and improve security.



**HP LaserJet Enterprise 600 Printer
M601n**



**HP LaserJet Enterprise 600 Printer
M601dn**

Heavy-duty reliability and breakthrough speed.

- Print at rapid speeds on a variety of paper types.
- Manage workflow with intuitive features right on the printer, and get quick prints from a flash drive.
- Produce high print volumes with low maintenance.
- Replace toner cartridges easily, and enjoy quiet, clean performance.

Outstanding energy and paper savings.

- Cut energy use as much as 45%, compared to a majority of competing laser printers.¹³
- Get centralized access to custom energy-saving options and printer settings with the HP EcoSMART Console.⁶
- Trim paper use by up to 50% with automatic two-sided printing.²
- Pre-installed Original HP toner cartridges reduce waste. Recycle them for free through HP Planet Partners.⁷

Secure printing with minimal intervention.

- Take control of printing practices and enforce security policies, using HP Access Control.⁸
- Control costs, manage IT resources, and reduce environmental impact.
- Expand your network without compromising security.
- Effectively manage compliance and security issues across your business.

Extend capabilities and print from mobile devices.


- Easily update, manage, and expand the capabilities of networked printers, and do more with your investment.
- Make printing as mobile as you are with HP ePrint.¹⁰
- Push updates to networked printers immediately and securely.

²Automatic two-sided printing is only available on the HP LaserJet Enterprise 600 M601dn Printer. The Automatic Two-sided Printing Accessory may be purchased separately for the HP LaserJet Enterprise 600 M601n Printer. ⁶May require a firmware upgrade. ⁷Program availability varies. Original HP cartridge return and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or to request return envelopes and bulk collection boxes, visit <http://www.hp.com/recycle>. ⁸HP Access Control must be purchased separately. ¹⁰Requires an Internet connection to the printer. Feature works with any Internet- and e-mail-capable device. Print times may vary. For a list of supported documents and image types, see <http://www.hp.com/go/eprintcenter>. Some HP LaserJet products will require a firmware upgrade. ¹³Energy data used to calculate savings based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method vs. a majority of worldwide top-selling competitive models <\$2,299 as of March 2011 using data reported in <http://www.energystar.gov> and <http://eu-energystar.org> as of July 2011. Data extended to one year. Actual results may vary.

Product walkaround

1. Intuitive 4-line color display
2. Walkup USB port
3. Built-in automatic two-sided printing
4. Convenient front on/off switch
5. 500-sheet output bin
6. One-door access to install all in one toner cartridges
7. 100-sheet multipurpose tray 1 handles heavy custom media up to 53 lb bond
8. 500-sheet input tray 2 for a 600 sheet total input capacity
9. HP Jetdirect 10/100/1000Base-TX Ethernet embedded print server
10. 512 MB total memory and an 800 MHz processor quickly handle complex print jobs
11. Hi-Speed USB 2.0 port

HP LaserJet Enterprise 600 Printer M601dn



Series at a glance



Model	HP LaserJet Enterprise 600 Printer M601n	HP LaserJet Enterprise 600 Printer M601dn
Part number	CE989A	CE990A
Print speeds	Up to 45 ppm letter	Up to 45 ppm letter
Control panel	4-line color display	4-line color display
Hardware integration pocket	Not available	Not available
100-sheet multipurpose tray 1	Yes	Yes
500-sheet tray 2	Yes	Yes
500-sheet tray 3	Optional	Optional
500-sheet output bin	Yes	Yes
Automatic two-sided printing unit	Optional	Yes
Toner cartridges supported	Regular (~ 10,000 pages) ¹	Regular
HP high performance secure hard disk	Not available	Not available

¹Declared yield value for black cartridge in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutesupplies

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

For carepack availability visit: hp.com/go/cpc

Top features

Keep your workflow moving with fast output and precision paper handling. High-capacity paper trays, plus options to add more, give capacity of up to 3600 sheets.³ Manage print jobs from the color control panel and print directly from a flash drive.

Cut energy use as much as 45%, compared to a majority of competing laser printers.¹³ Set and adjust printing policies based on a workgroup's real-time usage. Save paper with automatic two-sided printing, and consume less energy.²

Lead your business to a more responsible approach to printing and handling sensitive data. HP technology helps you enforce policies, enhance security, and give your workgroup the tools to support larger business initiatives.

Extend your print capabilities to keep pace with your growing business. Get a host of mobile and direct printing options with HP ePrint.¹⁰ Customize new solutions seamlessly, with minimal disruption.

Accessories

CB525A	HP LaserJet P4010/P4510/600 Series Printer Stand
CB527A	HP LaserJet 400-sheet Custom Media Cassette HP
CE398A	LaserJet 1500-sheet Input Tray
CE399A	HP LaserJet 75-sheet Envelope Feeder
CE483A	HP 512 MB 144-pin x32 DDR2 DIMM
CE998A	HP LaserJet 500-sheet Input Tray Feeder
Q6264A	HP Hi-Speed USB Cable (6 ft./1.8 m)
C6520A	HP USB Cable 2.0 (a-b) 3 meter
J8021A	HP Jetdirect ew2500 802.11b/g Wireless Print Server
J8026A	HP Jetdirect 2700w USB Wireless Print Server

Supplies

CE390A	HP 90A Black Original LaserJet Toner Cartridge (~10,000 pages)
CF065A	HP LaserJet CF065A 220V Maintenance Kit

Services

HP LaserJet Enterprise 600 Printer M601 series

HZ466E - HP 3 year Next Business Day + DMR LaserJet M601 HW Support
 HZ464E - HP 4 year Next Business Day + DMR LaserJet M601 HW Support
 HZ465E - HP 5 year Next Business Day + DMR LaserJet M601 HW Support
 HZ477PE - HP 1 year Post Warranty Next Business Day + DMR LaserJet M601 Support
 HY581PE - HP 2 year Post Warranty Next Business Day LaserJet M601 Hardware Support
 UC742E - HP Network Install Mono-mid LaserJet SVC



²Automatic two-sided printing is only available on the HP LaserJet Enterprise 600 M601 dn Printer. The Automatic Two-sided Printing Accessory may be purchased separately for the HP LaserJet Enterprise 600 M601n Printer. ³The 1 x 1500-sheet high-capacity input tray may be purchased separately for the HP LaserJet Enterprise 600 M601 Printer series. ¹⁰Requires an Internet connection to the printer. Feature works with any Internet- and e-mail-capable device. Print times may vary. For a list of supported documents and image types, see <http://www.hp.com/go/eprintcenter>. Some HP LaserJet products will require a firmware upgrade. ¹³Energy data used to calculate savings based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method vs. a majority of worldwide top-selling competitive models <\$2,299 as of March 2011 using data reported in <http://www.energystar.gov> and <http://eu-energystar.org> as of July 2011. Data extended to one year. Actual results may vary.

HP LaserJet Enterprise 600 Printer M601 series

Technical Specifications	HP LaserJet Enterprise 600 Printer M601n(CE989A)	HP LaserJet Enterprise 600 Printer M601dn(CE990A)
AIO functions	Print	
Print speed	Letter: Up to 45 ppm black; ¹ ; First Page Out Black: As fast as 8.5 sec; ²	
Print resolution	Black (best): Up to 1200 x 1200 dpi	
Print Technology	Laser; Print Resolution Technologies: HP ProRes 1200, HP FastRes 1200, HP RET, 600 dpi, 300 dpi	
Print Cartridges Number	1 (black)	
Standard Print Languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.4)	
Printer Smart Software Features	HP ePrint; HP Auto-On/Auto Off Technology; HP EcoSMART Console; HP FutureSmart Firmware; Walk-up USB; 4-line color display control panel; HP Web Jetadmin; HP Universal Print Driver (UPD)	
Printer Management	HP Web Jetadmin; HP SureSupply; HP Utility (Mac)	
Standard Connectivity	1 Hi-Speed USB 2.0; 1 Gigabit Ethernet; 2 External Host USB (1 walk-up and 1 external accessible); 2 internal Host USB 2.0-like ports (for 3rd party connection)	
Network Capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11b/g/n wireless networking (optional)	
Network Ready	Standard (built-in Gigabit Ethernet)	
Wireless Capability	Optional, enabled with purchase of a hardware accessory	
Mobile Printing Capability	HP ePrint, Apple AirPrint™	
Memory	Standard: 512 MB; Maximum: 1 GB	
Processor Speed	800 MHz	
Duty Cycle	Monthly, letter: Up to 175,000 pages ³ ; Recommended Monthly Page Volume: 3000 to 12,000 ⁴	
Paper Handling	Input Capacities: 100-sheet multipurpose tray 1, 500-sheet input tray 2; Up to 600 sheets standard labels legal; Output Capacities: 500-sheet output bin, 100-sheet rear output bin; Up to 600 sheets (500 in the face down bin, 100 in rear face up door) standard labels legal; Duplex Options: Manual (driver support provided); Envelope Feeder: Yes, 75; Standard Paper Trays: 2; Media Types Supported: Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, shelf edge labels, user-defined; Media Weight Supported: Multipurpose tray 1: 16 to 53 lb; Tray 2, optional 500-sheet input tray, optional Custom media cassette, optional 1500-sheet High-capacity input tray: 16 to 32 lb; Optional Envelope feeder: 20 to 28 lb; Optional Duplexer: 16 to 32 lb; Media Sizes Supported: Multipurpose tray 1: letter, legal, executive, statement, 8.5 x 13 in, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelope (commercial No. 9, No. 10, Monarch), US postcard; Tray 2, optional 500-sheet input tray: letter, legal, executive, 8.5 x 13 in; optional 1500-sheet High-capacity input tray: letter, legal, Media Sizes Custom: Multipurpose tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional 500-sheet input tray: 5.83 x 8.27 to 8.5 x 14 in; Optional Custom media cassette: 4.02 x 5.83 to 6.69 x 11.10 in	Input Capacities: 100-sheet multipurpose tray 1, 500-sheet input tray 2, Automatic duplexer for two-sided printing; Up to 600 sheets standard labels legal; Output Capacities: 500-sheet output bin, 100-sheet rear output bin; Up to 600 sheets (500 in the face down bin, 100 in rear face up door) standard labels legal; Duplex Options: Automatic (standard); Envelope Feeder: Yes, 75; Standard Paper Trays: 2; Media Types Supported: Paper (bond, color, letterhead, plain, preprinted, prepunched, recycled, rough, light), envelopes, labels, cardstock, transparencies, shelf edge labels, user-defined; Media Weight Supported: Multipurpose tray 1: 16 to 53 lb; Tray 2, optional 500-sheet input tray, optional Custom media cassette, optional 1500-sheet High-capacity input tray: 16 to 32 lb; Optional Envelope feeder: 20 to 28 lb; Duplexer: 16 to 32 lb; Media Sizes Supported: Multipurpose tray 1: letter, legal, executive, statement, 8.5 x 13 in, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelope (commercial No. 9, No. 10, Monarch), US postcard; Tray 2, optional 500-sheet input tray: letter, legal, executive, 8.5 x 13 in; optional 1500-sheet High-capacity input tray: letter, legal, Media Sizes Custom: Multipurpose tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional 500-sheet input tray: 5.83 x 8.27 to 8.5 x 14 in; Optional Custom media cassette: 4.02 x 5.83 to 6.69 x 11.10 in
Product Dimensions	W x D x H: 16.3 x 16.9 x 15.7 in; Maximum: 16.3 x 30.2 x 15.7 in	W x D x H: 16.3 x 20 x 15.7 in; Maximum: 16.3 x 30.2 x 15.7 in
Product Weight	52.1 lb	57.8 lb
What's in the box	Printer; Right-angled power cord; Software and documentation on CD-ROM; HP Black LaserJet Toner cartridge (~10,000 pages); Getting Started Guide; Support flyer; HP ePrint flyer; Warranty Guide (where applicable); M601dn: plus automatic duplexer for two sided printing	
Warranty Features	One-year, next business day, on-site limited warranty	
Energy Efficiency Compliance		ENERGY STAR® qualified; EPEAT® Silver
Control Panel	2.29 x 5.33 cm 4-line color LCD display, 3 LED lights (Attention, Data, Ready), buttons (Information, Stop/Cancel, Return, Home, Folder, Left Arrow), No numeric keys	
Display Description	4-line LCD (color text and graphics)	
Software Included	Windows Installer, HP PCL 6 discrete driver; Mac Installer, PostScript driver	
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts	
Compatible Operating Systems	Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (all 32-bit and 64-bit), Windows Server 2008 R2 (64-bit); Mac OS X v10.5, 10.6, 10.7; Citrix and Windows Terminal Services (see System Administrator's Guide at hp.com/go/uld , Documentation tab for latest support); Novell (see novell.com/iprint for latest support); Linux (see hp.com/go/linux , hp.com/go/unixmodelscripts , and hp.com/go/jetdirectunix_software); SAP device types (see hp.com/go/sap/drivers and hp.com/go/sap/print)	
Compatible Network Operating Systems	Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (all 32-bit and 64-bit), Windows Server 2008 R2 (64-bit); Mac OS X v10.5, 10.6, 10.7; Citrix and Windows Terminal Services (see System Administrator's Guide at http://www.hp.com/go/uld , Documentation tab for latest support); Novell (see http://www.novell.com/iprint for latest support); Linux (see http://www.hplip.net); UNIX (see http://www.hp.com/go/unix , http://www.hp.com/go/unixmodelscripts , and http://www.hp.com/go/jetdirectunix_software); SAP device types (see http://www.hp.com/go/sap/drivers and http://www.hp.com/go/sap/print)	
Minimum System Requirements	PC: Windows 8, Windows 7, Windows Vista, Windows XP (SP2 or higher), Windows Server 2003 (SP1 or higher), Windows Server 2008, Windows Server 2008 R2; 200 MB available hard disk space, operating system compatible hardware system requirements, see microsoft.com ; MAC: Mac OS X v10.5, 10.6, 10.7; 150 MB available hard disk space; operating system compatible hardware system requirements, see: http://www.apple.com	
Power	Power Supply Type: Internal (Built-in) power supply; Power Requirements: 110-volt input voltage: 100 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Power Consumption: 790 watts (Printing), 21 watts (Ready), 5.5 watts (Sleep), 1.0 watt (Auto-Off), 0.3 watts (Manual-Off) ⁵	
Acoustics	Acoustic Power Emissions: 6.9 B(A); Acoustic Pressure Emissions: 56 dB(A) ⁶	
Operating Environment	Operating Temperature Range: 60.5 lb; Recommended Operating Temperature: 59 to 89.6°F; Storage Temperature Range: -22 to 140°F; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 10 to 80% RH	Operating Temperature Range: 59 to 89.6°F; Recommended Operating Temperature: 59 to 89.6°F; Storage Temperature Range: -22 to 140°F; Non-Operating Humidity Range: 10 to 90% RH; Operating Humidity Range: 10 to 80% RH; Recommended Humidity Operating Range: 10 to 80% RH
Security Management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in	

¹Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ²First page out time is measured from Tray 2. Exact speed varies depending on the system configuration, software application, driver and document complexity. ³Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPS to satisfy the demands of connected individuals or groups. ⁴HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁵Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Power consumption in Auto-Off mode depends on customer network switch capability, user configuration and network activity. Off-mode power may vary while checking network packets for print jobs. ⁶Measured according to ISO 7779 and declared in accordance with ISO 9296; values are subject to change. For current information, see <http://www.hp.com/support>. Configuration tested: HP LaserJet Enterprise 600 M601dn printing duplex mono on A4 paper.

Learn more at hp.com

© Copyright 2011–2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Microsoft, Windows, and Windows XP are registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries.





Smarter Technology. Exceptional Results.

1-844-643-1129

General Data Company Inc
4354 Ferguson Drive
Cincinnati, Ohio 45245

www.general-data.com

Products and Services

It doesn't matter what industry you're in - all businesses have four things in common: they all need to work smarter, reduce costs, increase productivity, and better serve their customers.

At General Data, our mission is to provide the best-in-class products and services, backed up by exceptional customer service, that produce maximum return on investment for our customers.

Products

- Barcode Labels & Tags
- Thermal, Laser & Inkjet Printers
- Barcode Scanners
- Mobile Computing Devices
- Mobile Workstations
- Software
- Thermal Transfer Ribbons
- Toner, Ink & Printer Supplies
- Histology Equipment
- Histology Reagents & Supplies

Services

- Custom Barcode Labels
- Barcode Scanning & Data Collection
- Labeling & Identification Systems
- Enterprise & Field Mobility
- Wireless Network Infrastructure
- Custom Application Development
- Printer Repair Service
- Printer Supplies Replenishment
- Managed Print Choices

Partners and Brands

General Data is a certified premier partner and integrator with the leading manufacturers and brands in labeling, barcoding, printing, scanning, mobility and RFID, including:

