

Access Control | Video Management | One System

Dealer Guide







Easy to quote

- Build your system one door at a time
- A range of products to suit any site requirement
- Scalable system add doors when the budget is available



Easy to install

- Plug and play solutions that connect directly to the network
- Mix and match Net2 products

 they are all designed to work together seamlessly
- Clear instructions and colour coded wiring labels



Easy to work with

- Industry-leading technical support
- 5-year guarantee and three step returns policy
- Free software upgrades and no multiple licence fees



The Paxton Installer App



Paxton in Your Pocket – the Ultimate Installer Tool

The new Paxton Installer app gives you instant access to all the tools you need to install Paxton products. The free app, available for iOS and Android, provides quick and easy access to product specs and technical information, plus anything you could need on-site!



Superfast access to product information



Get answers to your FAQs



Be the first to hear Paxton news



Find your distributors



Dial direct to Paxton Technical Support






Contents

05 What is Paxton10? 12 Apps

08 How Does it Work? 14 Hardware

10 Software 22 Useful Information

11 Cameras & VMS 24 How to Buy



What is Paxton 10?

Access control.
Video management.
One system.

Paxton 10 is a single platform solution combining access control and video management. It is a versatile solution that supports multi-site management and remote access. Paxton 10 Multi-site allows you to expand your system on a global scale, up to 100 sites on a single server. Scalable from 1 to 1000 doors, and 1 to 1000 cameras, Paxton 10 is suitable for all building types.

Unlock more opportunities for your business with the next generation of access control and video management.

Brand new!

Simplicity

Paxton 10 combines modular design with ultimate simplicity. It uses the latest technology to deliver powerful features while requiring only a small number of components. Easy to quote, install and use, Paxton 10 provides simple, future proof security.

Multi-site management allows you to expand your system on a global scale, to manage up to 100 sites, with 50,000 users, from a single point of management.

The web-based user interface supports **global**, **multi-site**, **remote access** to the software from anywhere, at any time. The **Paxton Connect app** is also available to simplify system management from a smartphone or tablet.

Video



With Paxton10 we are introducing our very own video management and line of surveillance cameras. The Paxton10 video management software features an extensive range of functionality,

including remote access, dynamic video quality with Ultra-HD support, smart search and hard drive management, and much more.

Providing a single point of management for system users, Paxton10 is scalable up to **1000 doors** and **1000 cameras**. The new Paxton10 cameras are suitable for a broad range of applications, with the latest technology embedded at the edge. All cameras are suitable for both internal and external use (IP67) and have a robust metal construction (IK10).

Paxton10 is also compatible with most **third-party** IP **video cameras**.

Access



Paxton10 uses single door architecture for ease of install and flexibility, with distributed intelligence to increase resilience. The system includes a range of Paxton's most powerful multi-format

readers and supports free of charge **Bluetooth**® smart credentials with the **Paxton Key app**.

Paxton10 is fully compatible with Entry, our award-winning **video intercom solution**, to offer more choice.

These new additions to the Paxton10 range, combined with feature rich access control software, makes the system more accessible than ever before.


Integration



Paxton 10 integrates with fire and intruder alarms to simplify building management.



Introducing Paxton's own video management software and range of IP surveillance cameras.





How Does it Work?

The Paxton 10 system has been designed with simplicity at its core, to provide access control and video management on a single platform. The web user interface and free Paxton Connect app offer remote access to the Paxton 10 system from anywhere in the world.

Supporting a simple upgrade path from Net2, Paxton10 is the ideal solution to future proof your customer's site security.

Remote access to the Paxton10 system from anywhere in the world.



Paxton10 Server



Web-based Paxton10 Software



Paxton10 Desktop Reader



(Power over Ethernet)

Access control

A single Paxton10 server is required to support up to 1000 doors across multiple sites. Paxton 10's modular, one door controller architecture provides a cost-effective solution that supports camera and door management from a single controller.



(up to 1000 doors)



Paxton10 Wireless Connector



Paxton10 PaxLock Pro - Mortise



Reader



Panel



Paxton10 PaxLock Pro - Latch



Smartwatch as your token

Video management

Simply plug any Paxton10 camera into the network and your surveillance system is ready to go. One to four third-party IP cameras can be controlled from a single video controller, which also controls one door.



Paxton 10 Camera (up to 1000 cameras)





Paxton10 Video Controller (connect up to 4 third party cameras per controller)

Integration

Simple integration with fire and intruder alarm is intelligently controlled through the Paxton10 software. The Paxton10 Alarm connector will connect to any Paxton10 controller. Use any existing Net2 readers with your Paxton10 system, using the Paxton10 Reader Converter.



Paxton10 Alarm Connector





Intruder and fire alarm



Paxton10 Reader Converter

Software

A web-based user interface that is intuitive and easy to use.

Accessible from any device with an internet connection, Paxton10 software makes remote site management simple. The software has a range of intelligent features to combine access control and video management in one, easy to use solution.



Dashboards

Customize dashboards to suit any user requirements



Reports

Powerful reporting engine where all system events and videos can be reviewed



Site plans

For the visual management of the system



People

Manage user permissions, credentials and information



Rules

Set permissions, time profiles, building control and much more



Devices

Configure and manage the devices in a building



- Web-based software − no installation, plug-ins or upgrading required
- Free of charge simple online updates with no license fees
- Suitable for touchscreen and desktop devices
- Optimized for use on PCs and tablets
- Shows low battery alerts, easy to monitor back up battery state
- ✓ Free app for iOS & Android devices

Cameras & Video Management Software

Paxton 10 cameras are embedded with the latest technology and Paxton's own video management software with zero configuration required.

The Paxton10 video management software includes an extensive range of functionality and features.

- View live and recorded video
- Video export
- High-speed scrubbing
- Disk management
- Pan/tilt/zoom support
- Bookmarking
- Smart search
- Motion detection
- Site maps
- Video wall support
- Up to 1000 cameras
- Multiple client support (up to 10 clients streaming video concurrently)

Where a third-party camera is already installed, Paxton10 is still the ideal choice. The system supports most leading brands of IP video cameras, which can be easily integrated using a Paxton10 Video Controller.



Paxton10 cameras, smart credentials and feature rich software combine to create Paxton's most powerful system.

Apps

Paxton Connect

Flexible site management

The Paxton Connect app provides easy and flexible site management for Paxton 10. The app enables you and your customers to access and manage multiple sites remotely.




Dashboards

Access custom dashboards for personalized system overview

Paxton Key

Utilize smart devices as access tokens

The Paxton Key app allows system users to make use of their smartphone, smartwatch or tablet in place of electronic tokens or traditional keys. These are called smart credentials. Utilizing the built-in **Bluetooth®** wireless technology in Paxton10 readers, the smart device can securely communicate with the Paxton 10 system to grant or deny access. Paxton Key also enables the user to carry out predefined building management functionality, such as setting the intruder alarm.







Hardware

Paxton 10 Server

The Paxton10 Server is the hub for the entire system, providing simple connection to your network with support for remote access.

- · Automatic back-up and flexible system restore in the event of drive failure
- · No software installation required, license free
- Integrated with Windows as standard
- Cross platform compatibility (PC/Mac/Linux) via Google Chrome and Safari
- USB back-up for added peace of mind
- No configuration required, simply browse to the weblink on the unit
- 3-year warranty



Server Sales Code 003-375-US

Paxton 10 Door Controller

Paxton10 Door Controllers are the building blocks of the Paxton10 system. Each one provides control of a single door and a connector port that allows support of up to three Paxton10 connectors for additional functionality.

- · Mains or Power over Ethernet (PoE) powered and PCB only options available
- · Controls a single door and provides additional I/O for general use
- Distributed intelligence architecture, no central point of failure
- Connector port supports up to three Paxton10 connectors
- Support for 12V battery backup
- UI 294 certified



Door Controller - 12V 2A PSU

Door Controller - PoE Sales Code 010-495-US

Door Controller - PCB only Sales Code 010-403-US

Paxton10 Video Controller

The Paxton10 Video Controller provides storage and processing for up to four third-party IP cameras, while maintaining all the functionality of the Paxton10 Door Controller.

- · Video footage stored on two optional hard disk drives in a RAID1 arrangement
- Mains or PoE powered options available
- Controls a single door and provides additional I/O for general use
- Distributed intelligence architecture, no central point of failure
- Connector port supports up to three Paxton10 connectors
- Support for 12V battery backup
- · UL294 certified



Video Controller - 12V 4A PSU

Video Controller - PoE Sales Code 010-304-US

Paxton 10 Cameras

Paxton10 includes Paxton's own video management solution and line of cameras with edge and centralized recording capability, providing users with a single point of management. A Paxton10 system can manage up to 1000 cameras including integration with third party IP cameras.

- Industry leading low light performance (0.003 Lux)
- IP67 and IK10* rated
- · Edge and centralized recording capability
- · Variable frame rate to suit a range of requirements

PRO Series Cameras

The PRO Series of Paxton10 cameras ship as plug-and-play devices, usable out of the box with no NVR needed. With 256GB built-in storage, they offer true independence from centralized storage and processing. An 8MP resolution and a vari-focal option provide easy installation and configuration when installed with a Paxton10 system.

Available options:

- Bullet cameras (vari-focal and mini) ideal for wall mounting where surveillance cameras can serve as an effective deterrent.
- Turret cameras have a ball and socket design and rotate freely once the base is mounted. You can view multiple directions with a single camera.

CORE Series Cameras

The new CORE Series of Paxton10 cameras offers the same high build quality as the PRO Series. They feature edge processing for ultimate scalability, built-in edge storage, and plug-and-play installation. At a competitive price point, with 4MP resolution, and 64GB built-in storage they are the perfect cost-effective solution..

Available options:

- Bullet cameras (mini) ideal for wall mounting where surveillance cameras can serve as an effective deterrent.
- Dome cameras (mini) ideal for ceiling mounting when surveillance cameras need to be discreet.
- **COMING SOON** Turret cameras have a ball and socket design and rotate freely once the base is mounted. You can view multiple directions with a single camera.



Vari-Focal Bullet Camera - PRO Series

Sales Code 010-924-US



Mini Bullet Camera - PRO Series

Mini Bullet Camera - CORE Series

Junction Box Sales Code 010-373-US



Turret Camera - PRO Series Sales Code 010-480-US



Mini Dome Camera - CORE Series

Junction BoxSales Code 010-518-US

Video Intercom

Paxton10 works seamlessly with our award-winning range of video intercom hardware. Video intercom allows you to recognize a visitor calling at the main entrance before granting them access to your building. When connected to Paxton10, access to the building via Entry hardware can be gained using a PIN, code and/or proximity token. Please note: to use Entry panels with the Paxton Key* app and Paxton10 v3.3 software onwards, the Entry Configuration Utility v2.2 must be installed.

Entry Premium monitor

The Entry Premium monitor comes with a 7-inch capacitive color touchscreen. When used with the Entry Touch panel the premium monitor supports two-way video calling and video voicemails. The monitor can be wall or desk mounted and is available with or without a handset.

- · Personalized experience with built-in themes
- · Free concierge management
- · Enhanced call administration
- · Two-way video with touch panel
- · No need for specialist wiring diagrams
- IP and PoE technology for easy expansion

Entry Standard monitor

The Entry Standard monitor comes with 4.3-inch capacitive touchscreen, in a sleek, timeless design to fit discreetly into any surroundings. The monitor can be wall or desk mounted and is available with or without a handset.

- Visually verify visitors via video feed from an external panel
- Excellent audio quality, full-duplex voice communication with echo cancellation
- Personalized experience with built-in themes
- Call snapshot captures an image of missed visitors
- No need for specialist wiring diagrams
- IP and PoE technology for easy expansion

Entry Audio monitor

The Entry Audio monitor provides a cost-effective option, fully supporting all Entry functionality where video is not required. The monitor can be wall or desk mounted and is available with or without a handset.

- · Cost-effective audio monitor
- Sleek, contemporary design
- Action buttons configurable for a range of requirements
- Optional connection to a sounder or beacon
- No need for specialist wiring diagrams
- IP and PoE technology for easy expansion



Premium monitor

- surface mount

Sales Code 337-290-US

Entry Premium monitor

- surface mount with handset

Sales Code 337-292-US



Standard monitor

Sales Code 337-280-US

Standard monitor - with handset

Sales Code 337-282-US



Audio monitor - surface mount

Sales Code 337-270-US

Audio monitor - surface mount with handset

Sales Code 337-272-US

Entry Touch panel

Comprising a quality 7-inch color touchscreen with a range of personalization options, the Entry Touch panel has a line-out for use with T-Loop antenna for users with hearing aids and advanced sound processing, for high traffic areas.

- Flexible installation with flush, surface mount or rain hood options available
- · Two-way video with Premium monitor
- Built-in Bluetooth® wireless technology, allowing the use of smart devices
- Three Bluetooth® range options token, touch-to-enter and long range
- Pan/tilt camera functionality
- Built-in keypad & RFID reader
- Reads EM, Paxton & MIFARE® token technology
- IPX5 rated for external use in all conditions



The Entry Vandal Resistant panel is the ideal option for sites where the reader may be exposed to heavy use and risk of damage. With a market leading IK10 impact rating, the VR panel is made from marine grade stainless steel to meet the most demanding environments.

- Flexible installation with flush, surface mount or rain hood options available
- Built-in Bluetooth® wireless technology, allowing the use of smart devices
- Three Bluetooth® range options token, touch-to-enter and long range
- · Pan/tilt camera functionality
- Built-in keypad & RFID reader
- Reads EM, Paxton & MIFARE® token technology
- IK10 rated for ultimate impact resistance
- IPX5 rated for external use in all conditions

Entry Standard panel

The Entry Standard panel is a robust external panel suitable for a wide range of applications. This panel comes in industry recognized anthracite grey (RAL7021), meaning it complements the windows and doors of many new builds and modern apartments.

- Flexible installation with flush, surface mount or rain hood options available
- Built-in Bluetooth® wireless technology, allowing the use of smart devices
- Three Bluetooth® range options token, touch-to-enter and long range
- Pan/tilt camera functionality
- Built-in keypad & RFID reader
- Reads EM, Paxton & MIFARE® token technology
- IPX5 rated for external use in all conditions



Touch panel, flush mount

Touch panel, surface mount with rain hood

Sales Code 337-610-US

Touch panel, surface mount Sales Code 337-620-US





VR panel, flush mount Sales Code 337-500-US

VR panel, surface mount with rain hood

Sales Code 337-510-US

VR panel, surface mount Sales Code 337-520-US





Standard panel, flush mount Sales Code 337-400-US

Standard panel, surface mount with rain hood

Sales Code 337-410-US

Standard panel, surface mount Sales Code 337-420-US

Wireless access control

The Paxton10 PaxLock Pro - Mortise, PaxLock Pro - Latch and Paxton10 Wireless connector provide a wireless access control option within the Paxton10 system. They communicate wirelessly to the Paxton10 server to offer a broader choice of hardware on any internal or exterior doors where minimal cabling is preferred.

Paxton 10 PaxLock Pro

Paxton10 PaxLock Pro Mortise & Latch are wireless door handles featuring a universal design that enables quick and simple installation. The door handle's smart and compact appearance means it can be used in more applications than ever before.

- PaxLock Pro Mortise is IK10 impact rated, and IP55 rated for external facing doors (reader side only)
- Supports Bluetooth® frequency-hopping technology to ensure uninterrupted range
- Built-in Bluetooth® wireless technology, allowing the use of smart devices
- Two Bluetooth® range options token and touch-to-enter
- Dual-frequency proximity reader Paxton, MIFARE®, EM and HID® Prox
- UL294 Certified, UL10C Certified* for fire doors, ANSI 156.25 Certified*, CSA C22.2
 No.205 Certified
- Two Paxton specific lock cases are available for the PaxLock Pro Mortise, including a deadbolt option



PaxLock Pro - Latch, Galaxy, Internal, White Sales Code 900-620WT-US

PaxLock Pro - Latch, Galaxy, Internal, Black Sales Code 900-620BL-US

PaxLock Pro - Latch, Eclipse, Internal, White Sales Code 900-630WT-US

PaxLock Pro - Latch, Eclipse, Internal, Black Sales Code 900-630BL-US



PaxLock Pro - Mortise, Galaxy, White Sales Code 900-640WT-US

PaxLock Pro - Mortise, Galaxy, Black Sales Code 900-640BL-US

PaxLock Pro - Mortise, Eclipse, White Sales Code 900-650WT-US

PaxLock Pro - Mortise, Eclipse, Black Sales Code 900-650BL-US

Paxton10 Wireless Connector

The Paxton10 Wireless Connector is a sleek and discreet interface to support wireless functionality within the Paxton10 system, it can be wall or ceiling mounted.

- Built-in Bluetooth® wireless technology, to support the installation of Paxton10 PaxLock Pro – Mortise and PaxLock Pro – Latch
- Intelligently controlled through Paxton10 software
- Connects to any Paxton10 controller
- Connector port supports up to three Paxton10 connectors



Wireless Connector
Sales Code 010-592-US

Paxton10 Alarm Connector

The Paxton10 Alarm Connector is a miniature I/O connector that allows fire and intruder alarms to integrate with a Paxton10 system. The discreet board has a compact design to fit neatly inside the alarm housing.

- · Secure user-specific control of intruder alarms and fire alarm monitoring
- Straightforward two inputs, single output device
- A single board can restrict access to any number of doors across a site when the intruder alarm is armed, vastly reducing cabling
- Intelligently controlled through Paxton10 software
- · Connects to any Paxton10 controller



Alarm Connector
Sales Code 010-203-US

Paxton 10 Reader Converter

The Paxton10 Reader Converter supports the use of other Paxton readers on your Paxton10 system, offering more choice and supporting the transition from an existing Net2 system to a new Paxton10 installation.

- Quick installation, hardware is automatically detected by the system
- Each reader converter supports two Paxton readers



Reader Converter

Paxton10 Desktop Reader

The Paxton10 Desktop Reader supports all token formats with no additional configuration required, making it simple to add tokens to your system.

- Reads Paxton, MIFARE®, HID™ Prox, EM, FeliCa, NFC and DESFire token technology
- Quick and straightforward user registration
- Simple USB connection
- No software installation required, the desktop reader works out-of-the-box



Desktop Reader Sales Code 010-387-US

Readers

Paxton10 Keypad Reader

The Paxton10 Keypad supports two factor authentication in Paxton10, using PIN/code and token. The keypad is fully backlit with hardened silicon buttons to ensure longevity.

- Reads Paxton, MIFARE®, HID™ Prox, EM, FeliCa, NFC and DESFire token technology
- · Built-in Bluetooth® wireless technology, allowing the use of smart devices
- Three Bluetooth® range options token, touch-to-enter and long range
- Secure encrypted RS485 communication with Paxton10 controller
- Capacitive wake-up and low power sleep mode
- Externally rated, IK09 and IP67
- UL294 certified



The Paxton10 Vandal Resistant Reader is the ideal option for sites where the reader may be exposed to heavy use and risk of damage. The VR reader has a market leading IK10 impact rating, waterproofing to IP67 and rugged metal surround with four security fixings. It is made to withstand the most demanding environments.

- · IK10 rated for ultimate impact resistance
- IPX5 rated for external use in all conditions
- Reads Paxton, MIFARE®, HID™ Prox, EM, FeliCa, NFC and DESFire token technology
- · Built-in Bluetooth® wireless technology, allowing the use of smart devices
- Three Bluetooth® range options token, touch-to-enter and long range
- Secure encrypted RS485 communication with Paxton10 controller
- UL294 certified

Paxton10 Slimline Reader

The Paxton10 Slimline Reader combines multi-format technology with compact design (48mm width mullion mount) to perfectly complement the Paxton10 system.

- Reads Paxton, MIFARE®, HID™ Prox, EM, FeliCa, NFC and DESFire token technology
- Built-in Bluetooth® wireless technology, allowing the use of smart devices
- Three Bluetooth® range options token, touch-to-enter and long range
- Secure encrypted RS485 communication with Paxton10 controller
- · Capacitive wake up and low power sleep mode
- Externally rated, IK10 and IP67
- UL294 certified















Keypad Reader Sales Code 010-721-US



Vandal Resistant Reader Sales Code 010-254-US



Slimline Reader Sales Code 010-296-US

Access Tokens

Paxton10 Keyfobs - Pack of 10

The Paxton10 Keyfobs are available in packs of 10 and come with a lifetime warranty.

- Durable, water resistant, wash-proof
- Smart, compact design



Sales Code 010-170-US

Paxton 10 Bluetooth® Hands Free Keyfob

The Paxton10 Hands Free Keyfob uses Bluetooth® wireless technology to support hands free range of up to 32 feet.

- Touch-to-enter functionality when used with Paxton10 readers
- · Long lasting battery life with backup RFID token



Hands Free Keyfob Sales Code 010-690-US

Paxton 10 Cards - Pack of 10

The Paxton10 Cards are available in packs of 10 and come with a lifetime warranty.

- Lightweight, standard credit card sized
- · Can be used as ID card



Cards - Pack of 10 Sales Code 010-427-US

Offer your customers the power of access control and video management on a single platform.

Useful Information

Paxton is here to support you, to help you feel confident quoting, installing and using Paxton10.

This support includes easy access to our industry-leading technical support team, dealer training, and sales brochures for you to use with your customers.



Dealer training

Paxton10 dealer training gives you hands-on experience of the system, ensuring you are familiar with all the functionality of the hardware and software, inside and out. Explore the possibilities of our single platform solution including access control and IP video management in one out-of-the-box system.

Book your free Paxton10 training at www.paxton.info/5129



Industry leading support

With Paxton10, you have access to the same level of technical support you have come to expect from Paxton.

Support is available 8am - 8pm Monday-Friday (EST) on 877.438.7298 or

supportUS@paxton-access.com



Video library

We have created an extensive video resource to support you in installing and commissioning the Paxton10 system. There are a number of videos available to you, including:

- · Paxton10 system overview
- Hardware installation tutorials
- Software introduction and administration
- · System user tutorials

View them here: www.paxton.info/5227



Paxton10 digital brochures

We offer a range of brochures and sales guides to support you and your customers every step of the way.

Download your copies here: www.paxton.info/5226



How to Buy

Paxton 10 products are available to buy through our distribution network.

We regularly review their stock and make sure that it is up-to-date, correctly stored and free from defects. To ensure the quality of your Paxton10 system, we advise that you purchase only through an authorized distributor.



Accu-Tech +1 864 288 3765

www.accu-tech.com



ADI Global Distribution +1-800 233 6261

www.adiglobal.com



Alarmax Distributors, Inc. +1 800 425 2760

www.alarmax.com



Anixter Inc. +1 800 323 8167

www.anixter.com



Alarm Product Distributors, Inc. +1 651 647 0234

+1 800 783 1552

www.apdmn.com



Cassidy Technologies +1 612 333 0646

www.cassidytechnologies.com



Certified Alarms +1 800-435-2295

www.certifiedalarmdist.com



Graybar +1 800 472 9227

www.graybar.com



IML Security Supply +1 801 486 0079

www.imlss.com



Norfolk Wire Greenville +1 866 295 9473

www.norfolkwire.com



Security Equipment Supply +1 844 326 0221

www.sesonline.com



ScanSource Security +1 800 964 8994 +1 800 964 8994

www.scansourcesecurity.com



Shields Electronics Supply +1 865 588 2421

www.shieldselectronics.com



Silmar Electronics +1 305 513 0484

www.silmar electronics.com

Notes	





Paxton Access Inc. 138 Commerce Center Greenville SC 29615 USA

All information and specifications correct at the point of publication, but may be subject to change without notice. MIFARE* is a registered trademark of NXP B.V. and is used under license. The Genuine HID Technology logo is a trademark of HID Global Corporation/ASSA ABLOY AB. Used with permission. The Bluetooth* word mark and logos are registered trademarks owned by the Bluetooth SiG, inc. and any use of such marks by Paxton Access Ltd. is under license. Felica is a trademark of Sony Corporation. The N-Mark is a trademark or registered trademark of NFC Forum, Inc. in the United States and in other countries.