


IBM z Systems




# ***Discover the Linux on z Systems Effect:*** **Open-source Ecosystem Enablement for Linux on z Systems**

Red Hat Summit

Dale Hoffman  
Marcel Mitran

June 25, 2015



# Agenda

- Linux on z Systems Overview
- Linux on z Systems Open Source Ecosystem
- Linux on z Systems Open Source Content
- Recent Performance Measurements
- Enabling access to the Open Source Products

*The following content is not fully baked, but is intended for discussion for critique and input. We are still working through this and learning along the way... and will continue to seek guidance & prioritization from our customers!*

# World's leading businesses run on the mainframe



92

of the top 100  
worldwide banks



10

out of 10 of the world's  
largest insurers



23

of the top 25  
US retailers



23

out of 25 of the world's  
largest airlines

## Processing the world's transactions & data

30 billion

business transactions processed on the  
mainframe per day

80 percent

of the world's corporate data resides or originates  
on mainframes


91 percent

of surveyed CIOs said that new customer-facing  
applications are accessing the mainframe

55 percent

of all enterprise applications  
need the mainframe to complete transactions

# New marketplace dynamics will drive hyper growth opportunity for the IBM Mainframe



1. MIPS :Millions of Instructions per Second or the metric z uses to measure client workload
2. CAMSS: Cloud, Analytics, Mobile, Social, Security

## Traditional

1964–2014

- Batch
- General Ledger
- Transaction Systems
- Client Databases
- Accounts payable / receivable
- Inventory, CRM, ERP

## Linux & Java

1999–2014

- Server Consolidation
- Oracle Consolidation
- Early Private Clouds
- Email
- Java®, Web & eCommerce

## CAMSS<sup>2</sup>

2015–2020


- On/Off Premise, Hybrid Cloud
- Big Data & Analytics
- Enterprise Mobile Apps
- Security solutions
- Open Source Linux on z ecosystem enablement

# Linux on z Systems as of 4Q2014

## Installed Linux MIPS ~28% CAGR last 5 years

- 27% of Total installed MIPS<sup>1</sup> run Linux as of 4Q14
- Installed IFL<sup>2</sup> MIPS increased 12% from 4Q13 to 4Q14
- 39% of z Systems Customers have IFL's installed as of 4Q14
- 82 of the top 100 z Systems Customers are running Linux on the mainframe as of 4Q14<sup>3</sup>
- 35% of all z Systems servers have IFLs
- 60% of new FIE/FIC z Systems Accounts run Linux

### Installed Capacity Over Time



1. MIPS: Millions of Instructions per Second or the metric z uses to measure client workload
2. IFL: Integrated Facility for Linux or the terminology used to describe a processor core. z13 has on average 7 cores/CPU chip
3. Top 100 is based on total installed MIPS


# Linux on z Systems value proposition: *Premier quality of service at lowest platform total cost*



1. **IT economic** advantage<sup>1</sup> with:
  - Lowest Linux platform TCO for selected workloads & environments
  - Greenest server allowing upgradeability & investment protection
2. **Highly efficient** scaling with industry-leading levels of resource sharing & utilization
  - Scale up -High server capacity with up to 141 cores running at 5 GHz
3. An **open and standard** environment, with support for key open source software & applications
4. **Integrated SOE/SOR environment** for business processes – including cloud, analytics and mobile
5. Leadership levels of **availability & disaster recovery**, with non-disruptive growth of compute capacity
6. Leading **security** environment – EAL5+ support with high-speed cryptography
7. **Cloud ready** with support for multi-tenancy, rapid provisioning, scaling on demand

# Linux on z Systems Open Source Ecosystem CoC

- A new team in z Systems Software with the following mission:
  - Create a rich open-source ecosystem to enable Linux on z Systems as a target platform for new application deployment.
  - Scope: Open Source Foundational Technologies for Linux on z Systems



- Providing external HW access for developers through Syracuse & Marist University
- Participating in Bountysource.com to provide bounties for specific open source packages, building tool chains, bug fixes or performance enhancements

# Open Source Linux SW Porting Completions & 2H15 Activity

## Tier 1: Foundation Packages \*

Ported - complete  
Work in progress  
To be started

- **Focus areas:** languages, databases, messaging, and cloud infrastructure
- **Porting work:** for some packages, compilers, bug fixes, build script changes are required
- The intent is to “dockerize” all ports

Languages and Dev Environment	Database & Messaging	Cloud infrastructure
Node.js	MySQL	Docker
Ruby	PostgreSQL	Chef
Rails	MariaDB	Puppet
Python	MongoDB	Openstack
LLVM	Cassandra	CloudFoundry
OpenJDK, OpenJDK JIT	Redis	OpenShift
GCCGO, Golang compiler	CouchDB	
oCaml, oCaml native compiler	Cloudant (not open source)	
Erlang, Erlang native compiler	CouchBase	
Apache HTTP Web Server	Gemfire	
PHP/Zend	RabbitMQ	
R language	Neo4j	
Clojure		
Scala		
Swift (Apple)		

Various sources of input: e.g. BlueMix, Github stats, feedback from: direct client input, IBM client reps, on going research

\* Content and priority are subject to change



# Open Source Linux SW Porting Completions & 2H15 Activity

## Tier 2: Popular Tools and Applications\*

- **Focus areas:** dev tools, configuration management, big data analytics, web development, ecommerce, application server
- Many of these packages should just work on Linux on z without porting effort, especially if they are written in Java or supported languages and RHEL/SLES are among supported distros.
- The ecosystem team is validating following packages per customer request
- The intent is to “dockerize” all ports

Ported - complete  
 Work in progress  
 To be started

App development & DevOps	Configuration, monitoring management and tools	Big Data & Analytics	Web Application Development	eCommerce & Application server
Xerces-c XMLSec protobuf Doxygen ANTLR Maven Apigility .Net Node.js extended components Jenkins	Fluentd SaltStack cAdvisor virt-install Ansible Zenoss Zookeeper DataDog ElasticBox	Hadoop not open source - Veristorm & BigInsights) Apache Hadoop HortonWorks Apache SPARK ELK (Elasticsearch, Logstash, Kibana) SugarCRM Apache Kafka DruPal Joomla Solr	jMeter Wordpress Ceilometer Apache Tomcat HAProxy NGNIX	Magento X-Cart jBoss

# Industry Leading Runtime Capabilities with node.js

- **New Release compatible with Joyent Node.js v0.12**

<http://www.ibm.com/developerworks/web/nodesdk>

- **High Performance JavaScript for Linux on z**

- Highly scalable, event-driven platform with non-blocking I/O
- Thousands of concurrent connections with minimal overhead
- Improved TLS, TCP and clustering performance over V1.1
- Up to **52%** better performance over Intel on AcmeAir\*
- Up to **81%** better performance on z13 vs. zEC12 Ver. 1.1 with Octane\*

- **z Systems Connectivity**

- Co-locate Node.js applications for reduced latency accessing z/OS data/services
- Up to **2x** better throughput, **60%** faster response time to DB2 on z/OS\*

- **Security and Dependability**

- Leverages the trusted environments of z Systems to maximize security and uptime of critical Node.js applications.

- **Unified Diagnostics Tooling with IBM SDKs v1.2 for Java®**


- Monitor your application with IBM HealthCenter
- Debug your application using Interactive Diagnostic Data Explorer

- **Lots of Node packages / modules for use**

- One of the fastest growing eco-systems : 93k and growing
- Growing 3x faster than Java




Module Counts



# z13 SQL/NoSQL Dataserving performance

## MariaDB 10.0.16


OLTP (ro)



- Drop-in replacement of the popular MySQL database
  - Shipped by distributions Linux on z (RHEL, SLES) as default
- IBM z13 vs. Intel Haswell, SMT enabled on both, RAM disk, CPU pinning
- z13 shows **1.5x (rw) to 2x (ro)** better performance than Haswell (no code change or tuning)

## PostGres 9.4


Throughput Comparison pgBench (WO)



- pgBench Small Write Only: **2.2x** on ave Improvement
- pgBench Small Read Only: **2.7x** on ave Improvement
- DBT2 Read/Write Mix: **1.8x** on ave Improvement
- Haswell 8 cores with Hyperthreading, z13 native LPAR 8 IFL no SMT, Database in RAM disk (write only case)

## MongoDB 3.0

YCSB A (write-heavy)  
YCSB A (write heavy)



- With write-heavy workloads, MongoDB scales better on z13 than on Haswell
  - NUMA impact is relatively small on a z13 LPAR spanning multiple nodes
- z13 provides **1.3x to 2.3x** advantage over Haswell w/o HT and SMT (write heavy YCSB A)
- z13 provides **1.2x to 1.7x** advantage over Haswell w/o HT and SMT (read mostly YCSB B)
- SMT when enabled expected to improve this

# Enabling Docker for Linux on z Systems

- IBM built Docker on Linux on z with gccgo
- Binaries for technology preview available now (RHEL 7 and SLES 12)
  - <http://www.ibm.com/developerworks/linux/linux390/docker.html>
  - Instructions on setting up and building base images:
    - <http://containerz.blogspot.ca/2015/03/first-steps-with-docker.html>
    - <http://containerz.blogspot.ca/2015/03/creating-base-images.html>
  - Create a Docker image that runs a private repository on Linux on z
    - Same instruction as for other platforms:
    - <https://github.com/docker/docker-registry/blob/master/ADVANCED.md>
- IBM-managed images to be uploaded to [ibmcom](#) namespace in [Docker Hub](#)
  - Linux on z images are named with “\_s390x” suffix, until multi-arch support is available
- Docker is Docker is Docker... on Linux on z too!
- Follow our blog: <http://containerz.blogspot.com/>

# Dockercon demo: Power and z Systems participation in Docker eco system

Developer creates an airline reservation application using Docker with components of the solution run in containers on Power and z Systems. App is created on a laptop, compiled with a build service for Power8 and z13 containers and then using Docker compose and swarm to push the web front-end to Power8 systems and the MongoDB backend z Systems

<http://www.dockercon.com/>

(demo at 15 minutes to 22 minutes)



# Test Benchmark Overview Setup: acmeair-nodejs running Linux on z Systems

<https://github.com/acmeair/acmeair-nodejs>




## System

### JMeter Host

16 CPU Haswell  
256 GB Memory

### System under Test

z13 / x86  
>256 GB Memory  
8C restricted  
RHEL 7.1  
Docker 1.6 w/  
Btrfs on ramdisk



## Benchmark

### Benchmark Driver

n x jmeter workload

### Docker Container

n x Acmeair-nodejs  
Container w/  
Node.js V 0.12




### Docker Container

n x MongoDB  
Container  
MongoDB 3.x


# Docker Container measurement preliminary results

- Linux on z Systems is the premier platform for running enterprise grade virtualization as well as container technology
- The strength of Docker running on z Systems
  - Superior single-thread performance which results in much higher throughput for dockerized applications
  - SMT mode is driving higher container density w/ appropriate performance
  - Providing isolation of multiple docker hosts on enterprise grade virtualization
- Two cases ran with 8 cores
  - Overloaded transational system assuming heavy containers (many concurrent users with no think time)
    - node.js workload consumes 100% of a core, when running with heavy load from jmeter, MongoDB consumes 20% of a core
  - Realistic transactional case assuming mix of idel, light (10sec think time), and heavy containers
    - In real cloud environments, most containers are lightly used or idle

Overloaded transational system Throughput Results with Acme-Air Benchmark: 1.4->2x improvement



Realistic Transactional Case Throughput Results with Acme-Air Benchmark: 1.6x improvement



# Cooking with Chef on Linux on z


- Increasing interest from z Systems customers to support native OpenStack and related interfaces (e.g. Chef) from which they can build their own clouds
- Chef: one of the most popular configuration management systems
  - Infrastructure as code: speed, flexibility, scalability
  - Integration with cloud computing platforms
- IBM made customizations to build Open Source Chef on Linux on z
  - Chef client builds cleanly out of the box
  - Chef server requires replacing language dependencies (e.g. Java, Node.js); minor changes to Ohai for system information collection
  - Instructions for building your own Chef on z:
    - <https://github.com/linux-on-ibm-z/docs/wiki/Building-Chef-client-12.1.2>
    - <https://github.com/linux-on-ibm-z/docs/wiki/Building-Chef-server-12.0.4>





# IBM Cloud Manager (ICM) with OpenStack 4.2

- Easy-to-use cloud management offering based on OpenStack and Chef
  - Integrates Chef server/client for Linux on z; built-in HEAT engine works with Chef
  - <http://www.ibm.com/developerworks/servicemanagement/cvm/sce/>
  - IBM value-add: simplification, robustness enhancements, and support



# IBM Custom Patterns for Linux on z Systems

- IBM has announced 12 Chef patterns for our most popular middleware that clients run on Linux on z today, and a catalog of over 200 cookbooks/recipes
    - <http://rds.lexington.ibm.com/overview/patternLab.php>
  - Dramatically accelerates infrastructure agility and time to value that leads to increased business agility
  - Helps reduce operating and capital expenses through accelerated deployment
  - Takes advantage of delivering an automated approach that helps to reduce errors and the need for specialized skills
  - Helps improve delivery quality by using proven deployment patterns combined with testing and validation
  - Other patterns are available; we are building a broad portfolio—seeking customer input on ones of interest (e.g. Oracle)
- WebSphere Application Server Network Deployment V8.5.5 with Custom Pattern for Linux on z Systems
  - WebSphere Application Server Liberty Core V8.5.5 with Custom Pattern for Linux on z Systems
  - DB2 Enterprise Server Edition V10.5 with Custom Pattern for Linux on z Systems
  - WebSphere MQ V8.0 with Custom Pattern for Linux on z Systems
  - Integration Bus V9.0 with Custom Pattern for Linux on z Systems
  - Decision Center V8.7 with Custom Pattern for Linux on z Systems
  - Decision Server Advanced V8.7 with Custom Pattern for Linux on z Systems
  - Process Center Advanced V8.5.5 with Custom Pattern for Linux on z Systems
  - Process Server Advanced V8.5.5 with Custom Pattern for Linux on z Systems
  - Business Monitor V8.5.5 with Custom Pattern for Linux on z Systems
  - WebSphere Portal Server V8.5 with Custom Pattern for Linux on z Systems
  - MobileFirst Platform Foundation V6.3 with Custom Pattern for Linux on z Systems

*Actively investing to make Chef the preferred mechanism to deploy patterns, even our own IBM software products!*

# Linux on z Open-source Ecosystem Community – Phase 1


- We have created a developerWorks community; visit us today!
  - <https://www.ibm.com/developerworks/community/groups/community/lozopensource/>
- Information on all open-source software we have brought to Linux on z:
  - Recipes for building the software on Linux on z
  - Pointers to binaries if available
  - Other related news and information
- Source code repositories and build instructions maintained on GitHub
  - <https://github.com/linux-on-ibm-z/docs/wiki/>
- Open to every one interested in Linux on z Systems
  - Users can post questions/comments regarding Linux on z
  - Give feedback to the Linux on z Open-source Ecosystem team
- **We look forward to hearing from you!**



# z Customer Use Cases

- As a **RHEL on z Systems user**, I would like to browse, install, uninstall and update Linux on z open source ecosystem packages with minimal effort and setup using the **YUM package manager** pre-configured with a default repository.
- As a **SLES on z Systems user**, I would like to browse, install, uninstall and update Linux on z open source ecosystem packages with minimal effort and setup using the **Zypper or YaST package manager** pre-configured with a default repository.
- As a **Linux on z Systems user**, I would like a Linux on z Systems repository to be in parity with x86 based Linux open source ecosystem.

# Package Managers -> Repositories <- Linux on z RPM packages – Phase 2



*Open source content within Red Hat distro enables z customers ease of access and support and encourages net new workload to come to the platform*

# Future Directions

- Continue to port foundational and popular Linux software to z
  - Help open-source projects optimize their code on z hardware
- Simplify access to open-source software for Linux on z Systems
  - An online system for packaging software for Linux on z, and distributing them to clients
  - Some ideas being considered:
    - Docker containers for fast and painless application development and testing
    - RPM-based package repository that eases deployment on major distributions
- Collaborate with distributions to expand coverage for z Systems

# Backups

# Where to get packages

Assets	Where to get it?
Apache HTTP	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Apache-HTTP-server">https://github.com/linux-on-ibm-z/docs/wiki/Building-Apache-HTTP-server</a>
AntLR	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-AntLR">https://github.com/linux-on-ibm-z/docs/wiki/Building-AntLR</a>
Ceilometer client	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Python-Ceilometer-client">https://github.com/linux-on-ibm-z/docs/wiki/Building-Python-Ceilometer-client</a>
Chef client & server	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Chef-client-12.1.2">https://github.com/linux-on-ibm-z/docs/wiki/Building-Chef-client-12.1.2</a> <a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Chef-server-12.0.4">https://github.com/linux-on-ibm-z/docs/wiki/Building-Chef-server-12.0.4</a>
CouchDB	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-CouchDB">https://github.com/linux-on-ibm-z/docs/wiki/Building-CouchDB</a>
Docker	<a href="http://www.ibm.com/developerworks/linux/linux390/docker.html">http://www.ibm.com/developerworks/linux/linux390/docker.html</a>
Doxygen	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Doxygen">https://github.com/linux-on-ibm-z/docs/wiki/Building-Doxygen</a>
Erlang	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Erlang-on-RHEL7">https://github.com/linux-on-ibm-z/docs/wiki/Building-Erlang-on-RHEL7</a> <a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Erlang-on-SLES12">https://github.com/linux-on-ibm-z/docs/wiki/Building-Erlang-on-SLES12</a>
Fluentd	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Fluentd">https://github.com/linux-on-ibm-z/docs/wiki/Building-Fluentd</a>
Go (GCCGO)	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-gccgo">https://github.com/linux-on-ibm-z/docs/wiki/Building-gccgo</a>
MariaDB	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-MariaDB-10.0">https://github.com/linux-on-ibm-z/docs/wiki/Building-MariaDB-10.0</a>
Maven	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Maven">https://github.com/linux-on-ibm-z/docs/wiki/Building-Maven</a>
MongoDB	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-MongoDB">https://github.com/linux-on-ibm-z/docs/wiki/Building-MongoDB</a> <a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-MongoDB-3.0-on-RHEL-6-and-SLES-11">https://github.com/linux-on-ibm-z/docs/wiki/Building-MongoDB-3.0-on-RHEL-6-and-SLES-11</a>
MySQL	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-MySQL">https://github.com/linux-on-ibm-z/docs/wiki/Building-MySQL</a>



# Where to get packages

Assets	Where to get it?
Node.JS	<a href="https://nodejs.org/download/">https://nodejs.org/download/</a>
oCaml Interpreter	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-oCaml-interpreter">https://github.com/linux-on-ibm-z/docs/wiki/Building-oCaml-interpreter</a>
PHP	<a href="https://github.com/php/php-src/blob/PHP-5.6.8/INSTALL">https://github.com/php/php-src/blob/PHP-5.6.8/INSTALL</a>
PostgreSQL	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-PostgreSQL-9.4-on-SLES12">https://github.com/linux-on-ibm-z/docs/wiki/Building-PostgreSQL-9.4-on-SLES12</a> <a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-PostgreSQL-9.4-on-RHEL7">https://github.com/linux-on-ibm-z/docs/wiki/Building-PostgreSQL-9.4-on-RHEL7</a> <a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-PostgreSQL-9.4-on-SLES11">https://github.com/linux-on-ibm-z/docs/wiki/Building-PostgreSQL-9.4-on-SLES11</a> <a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-PostgreSQL-9.4-on-RHEL6">https://github.com/linux-on-ibm-z/docs/wiki/Building-PostgreSQL-9.4-on-RHEL6</a>
Protobuf	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-ProtoBuf">https://github.com/linux-on-ibm-z/docs/wiki/Building-ProtoBuf</a>
Puppet	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Puppet">https://github.com/linux-on-ibm-z/docs/wiki/Building-Puppet</a>
Python	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Python-2.7.9">https://github.com/linux-on-ibm-z/docs/wiki/Building-Python-2.7.9</a> <a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Python-3.4.3">https://github.com/linux-on-ibm-z/docs/wiki/Building-Python-3.4.3</a>
RabbitMQ	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-RabbitMQ-on-SLES">https://github.com/linux-on-ibm-z/docs/wiki/Building-RabbitMQ-on-SLES</a> <a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-RabbitMQ-on-RHEL">https://github.com/linux-on-ibm-z/docs/wiki/Building-RabbitMQ-on-RHEL</a>
Redis	<a href="https://github.com/antirez/redis/releases/tag/3.0.1">https://github.com/antirez/redis/releases/tag/3.0.1</a>
Ruby-on-Rails	<a href="http://guides.rubyonrails.org/getting_started.html">http://guides.rubyonrails.org/getting_started.html</a>
Ruby	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Ruby">https://github.com/linux-on-ibm-z/docs/wiki/Building-Ruby</a>
Snappy-Java	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Snappy-Java">https://github.com/linux-on-ibm-z/docs/wiki/Building-Snappy-Java</a>
V8	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-V8-libraries">https://github.com/linux-on-ibm-z/docs/wiki/Building-V8-libraries</a>
Xerces-C	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-Xerces">https://github.com/linux-on-ibm-z/docs/wiki/Building-Xerces</a>
XMLSec	<a href="https://github.com/linux-on-ibm-z/docs/wiki/Building-XMLSec">https://github.com/linux-on-ibm-z/docs/wiki/Building-XMLSec</a>

# Acknowledgements

- None of this work would be possible without the outstanding contributions from our Linux on z Systems Open Source Ecosystem Leadership Team, our Linux on z Systems Performance teams and Ecosystem Partners: Platform Technology Computing & Persistence Labs in India
- Ecosystem Leadership Team: Bryan Chan, Mike Cox, Cheryl Fraser, Cindy Lee, Mohammad Abdirashid, Enyu Wang
- Performance Leadership Team: Tarun Chopra, Moriyoshi Ohara, Hartmut Penner, Stefan Wirag, Otto Wohlmuth

# Trademarks

The following are trademarks of the International Business Machines Corporation in the United States and/or other countries.

Chiphopper	GPFS	z13	z/OS*
developerWorks*	HiperSockets	z/Architecture*	z/VM*
GDPS*	HyperSwap*	zEnterprise*	

The following are trademarks or registered trademarks of other companies.

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

IT Infrastructure Library is a registered trademark of the Central Computer and Telecommunications Agency which is now part of the Office of Government Commerce.

ITIL is a registered trademark, and a registered community trademark of the Office of Government Commerce, and is registered in the U.S. Patent and Trademark Office.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Linear Tape-Open, LTO, the LTO Logo, Ultrium, and the Ultrium logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

OpenStack is a trademark of OpenStack LLC. The OpenStack trademark policy is available on the [OpenStack website](#).

TEALEAF is a registered trademark of Tealeaf, an IBM Company.

Windows Server and the Windows logo are trademarks of the Microsoft group of countries.

Worklight is a trademark or registered trademark of Worklight, an IBM Company.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Node.js is an official trademark of Joyent. IBM SDK for Node.js is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

Java, JavaScript and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates

## Notes:

Performance is in Internal Throughput Rate (ITR) ratio based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput that any user will experience will vary depending upon considerations such as the amount of multiprogramming in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput improvements equivalent to the performance ratios stated here.

IBM hardware products are manufactured from new parts, or new and serviceable used parts. Regardless, our warranty terms apply.

All customer examples cited or described in this presentation are presented as illustrations of the manner in which some customers have used IBM products and the results they may have achieved. Actual environmental costs and performance characteristics will vary depending on individual customer configurations and conditions.

This publication was produced in the United States. IBM may not offer the products, services or features discussed in this document in other countries, and the information may be subject to change without notice. Consult your local IBM business contact for information on the product or services available in your area.

All statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only.

Information about non-IBM products is obtained from the manufacturers of those products or their published announcements. IBM has not tested those products and cannot confirm the performance, compatibility, or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

Prices subject to change without notice. Contact your IBM representative or Business Partner for the most current pricing in your geography.

This information provides only general descriptions of the types and portions of workloads that are eligible for execution on Specialty Engines (e.g, zIIPs, zAAPs, and IFLs) ("SEs"). IBM authorizes customers to use IBM SE only to execute the processing of Eligible Workloads of specific Programs expressly authorized by IBM as specified in the "Authorized Use Table for IBM Machines" provided at [www.ibm.com/systems/support/machine\\_warranties/machine\\_code/aut.html](http://www.ibm.com/systems/support/machine_warranties/machine_code/aut.html) ("AUT"). No other workload processing is authorized for execution on an SE. IBM offers SE at a lower price than General Processors/Central Processors because customers are authorized to use SEs only to process certain types and/or amounts of workloads as specified by IBM in the AUT.

# Notices and Disclaimers

Copyright © 2015 by International Business Machines Corporation (IBM). No part of this document may be reproduced or transmitted in any form without written permission from IBM.

## **U.S. Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM.**

Information in these presentations (including information relating to products that have not yet been announced by IBM) has been reviewed for accuracy as of the date of initial publication and could include unintentional technical or typographical errors. IBM shall have no responsibility to update this information. THIS DOCUMENT IS DISTRIBUTED "AS IS" WITHOUT ANY WARRANTY, EITHER EXPRESS OR IMPLIED. IN NO EVENT SHALL IBM BE LIABLE FOR ANY DAMAGE ARISING FROM THE USE OF THIS INFORMATION, INCLUDING BUT NOT LIMITED TO, LOSS OF DATA, BUSINESS INTERRUPTION, LOSS OF PROFIT OR LOSS OF OPPORTUNITY. IBM products and services are warranted according to the terms and conditions of the agreements under which they are provided.

## **Any statements regarding IBM's future direction, intent or product plans are subject to change or withdrawal without notice.**

Performance data contained herein was generally obtained in a controlled, isolated environments. Customer examples are presented as illustrations of how those customers have used IBM products and the results they may have achieved. Actual performance, cost, savings or other results in other operating environments may vary.

References in this document to IBM products, programs, or services does not imply that IBM intends to make such products, programs or services available in all countries in which IBM operates or does business.

Workshops, sessions and associated materials may have been prepared by independent session speakers, and do not necessarily reflect the views of IBM. All materials and discussions are provided for informational purposes only, and are neither intended to, nor shall constitute legal or other guidance or advice to any individual participant or their specific situation.

It is the customer's responsibility to insure its own compliance with legal requirements and to obtain advice of competent legal counsel as to the identification and interpretation of any relevant laws and regulatory requirements that may affect the customer's business and any actions the customer may need to take to comply with such laws. IBM does not provide legal advice or represent or warrant that its services or products will ensure that the customer is in compliance with any law.

# Notices and Disclaimers (con't)

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products in connection with this publication and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products. IBM does not warrant the quality of any third-party products, or the ability of any such third-party products to interoperate with IBM's products. IBM EXPRESSLY DISCLAIMS ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The provision of the information contained herein is not intended to, and does not, grant any right or license under any IBM patents, copyrights, trademarks or other intellectual property right.

- IBM, the IBM logo, ibm.com, Bluemix, Blueworks Live, CICS, Clearcase, DOORS®, Enterprise Document Management System™, Global Business Services®, Global Technology Services®, Information on Demand, ILOG, Maximo®, MQIntegrator®, MQSeries®, Netcool®, OMEGAMON, OpenPower, PureAnalytics™, PureApplication®, pureCluster™, PureCoverage®, PureData®, PureExperience®, PureFlex®, pureQuery®, pureScale®, PureSystems®, QRadar®, Rational®, Rhapsody®, SoDA, SPSS, StoredIQ, Tivoli®, Trusteer®, urban{code}®, Watson, WebSphere®, Worklight®, X-Force® and System z® Z/OS, are trademarks of International Business Machines Corporation, registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Web at "Copyright and trademark information" at: [www.ibm.com/legal/copytrade.shtml](http://www.ibm.com/legal/copytrade.shtml).