

ECS TUNING

DSG & 6 Speed Automatic Transmission
Fluid Service Tool Kit



schwaben®



Proper service and repair procedures are vital to the safe, reliable operation of all motor vehicles as well as the personal safety of those performing the repairs. Standard safety procedures and precautions (including use of safety goggles and proper tools and equipment) should be followed at all times to eliminate the possibility of personal injury or improper service which could damage the vehicle or compromise its safety.

INTRODUCTION

The Schwaben DSG & 6 Speed Automatic Transmission Fluid Service Tool is an easy to use, affordable, air assisted kit that will allow you to easily change transmission fluid without having to purchase the expensive OE equipment. It comes complete with adapters for either the DSG (Direct Shift Gearbox) or the 6 speed automatic. This tool requires compressed air to operate, and must be regulated at 10 PSI.

ECS Difficulty Gauge





1: Easy



Storage is clean and orderly with the included blow mold case.

TOOL KIT CONTENTS6AT
AttachmentQuick
DisconnectDSG
Attachment

Hose Clamps (2)



GENERAL PREPARATION AND SAFETY INFORMATION


ECS Tuning cares about your health and safety. Please read the following safety information. This information pertains to automotive service in general, and while it may not pertain to every job you do, please remember and share these important safety tips.

- Park your car in a safe, well lit, level area.
- Shut the engine off and remove the key from the ignition switch.
- Make sure any remote start devices are properly disabled.
- **ALWAYS** wear safety glasses.
- Make sure the parking brake is applied until the vehicle is safely lifted and supported.
- If using an automotive lift, be sure and utilize the factory specified lift points. Lifting a vehicle in an incorrect location can cause damage to the suspension/running gear.
- When lifting a vehicle using a jack, always utilize the factory specified lift points. Lifting a vehicle in an incorrect location can cause damage to the suspension/running gear. **ALWAYS** support the vehicle with jack stands.
- Always read and follow all safety information and warnings for the equipment you are using.




Never get underneath a vehicle that is supported only by a jack. Always make sure that the vehicle is securely supported on jack stands.

ASSEMBLING THE FLUID SERVICE TOOL




To prepare the tool for use:

- 1) Thread the screw cap and fluid transfer assembly down onto a bottle of transmission fluid.
- 2) Attach the PVC hose to the top of the fluid transfer assembly with a hose clamp.
- 3) Attach the PVC hose to the quick disconnect with a hose clamp.
- 4) Select the proper attachment for the transmission you are servicing.




FLUID SERVICE TOOL OPERATION


First, close the ball valve on the fluid transfer assembly.




FLUID SERVICE TOOL OPERATION



FLUID SERVICE TOOL OPERATION



FLUID SERVICE TOOL OPERATION



SCHWABEN - BUILD THE ULTIMATE TOOL COLLECTION

At ECS Tuning, we carry a line of high quality Schwaben Tools and Equipment to help you build your ultimate tool collection. Never before has affordability and quality been so closely related. Our entire Schwaben line is subjected to strict in house testing for strength and durability. See what we have to offer and equip your garage without breaking the bank.

