



**2017**

**Dustless Blaster**

**Qingdao Henglin Machinery Co.,Ltd**



**The global most trusted equipment supplier.**



Restoration



Surface Cleaning



Line Stripe Removal



Steele Blasting



Aluminium Blasting



Fibreglass Blasting



Automotive



Graffiti



Refinery



Wood Restoration



Fleet Vehicles



Offshore



Asbestos Abatement



Heavy Equipment



USER  
PHOTOS

# Which machine is right for you?

## WHICH MACHINE IS RIGHT FOR YOU?



150

225

500

800

DB1500

DB3000

LOW VOLUME

COMMERCIAL

HEAVY INDUSTRIAL



恒林集团  
Henglin Group

The global most trusted equipment supplier.

# DB 150 . Price : USD 2800\$ (FOB Qingdao)

## 1. DB150 Blast Tank:

- 1 Cubic Foot Capacity
- **30 Minute blast time per fill**
- Tank Dimensions: 42"h x 23"w x 21" d
- Weight - 158 lbs
- Operating Pressure: 30-150 PSI

## 2. Includes:

- **15m. Blast Hose (25mm diameter)**
- Deadman Activator Valve
- **Boron carbide Nozzle (8mm diameter)**
- Fill Funnel with Screen
- Lifetime Warranty on Blast Pot

## 3. Requirement for air compressor:

4-10bar, 60 CFM, 30-150 PSI, 0.2-1.0 Mpa,  
air consumption: 1.7-5.2 m<sup>3</sup>/min

## 4. Size after packaging:

0.84\*0.7\*1.25m=0.735CBM, net weight: 125kg, gross weight: 160kg



**DB150**

# DB 225 Price : USD 3500 \$ (FOB Qingdao)

## 1. DB225 Blast Tank:

- 2 Cubic Foot Capacity
- **60 Minute blast time per fill**
- Tank Dimensions: 55"h x 26"w x 34" d
- Weight - 263 lbs
- Operating Pressure: 30-150 PSI

## 2. Includes:

- 15m Blast Hose(**25mm diameter**)
- Deadman Activator Valve
- **Boron carbide Nozzle(8mm diameter)**
- Fill Funnel with Screen
- Lifetime Warranty on Blast Pot

## 3. Requirement for air compressor:

4-10 bar, 185 CFM, 30-150 PSI,  
0.2-1.0 Mpa, air consumption: 5.2 m<sup>3</sup>/min

## 4. Size after packaging:

0.82\*0.82\*1.4m=0.94CBM,  
net weight: 134kg, gross weight: 184kg



The global most trusted equipment supplier.

# DB 500

# Price: USD 4800 \$ (FOB Qingdao)

## 1.DB500 Blast Tank:

- 5 Cubic Foot Capacity
- **90 Minute blast time per fill**
- Tank Dimensions: 55"h x 36"w x 40" d
- Weight - 368 lbs
- Operating Pressure: 30-150 PSI

## 2.Includes:

- 15m. Blast Hose(**32mm diameter**)
- Deadman Activator Valve
- **Boron carbide Nozzle(10mm)**
- Fill Funnel with Screen
- Lifetime Warranty on Blast Pot

## 3.Requirement for air compressor:

4-10 bar, 185-375 CFM, 30-150 PSI, 0.2-1.0 Mpa,  
air consumption: 5.2 m<sup>3</sup>/min

## 4. Size after packaging:

1\*1\*1.5m=1.5CBM,  
net weight: 225kg, gross weight: 274 kg



# DB 800      Price: USD 5800 \$      (FOB Qingdao)

## 1. DB800 Blast Tank:

- 8 Cubic Foot Capacity
- **120 Minute blast time per fill**
- Tank Dimensions: 64"h x 36"w x 40" d
- Weight - 427 lbs
- Operating Pressure: 30-150 PSI

## 2. Includes:

- **15 m Blast Hose(32mm diameter)**
- Deadman Activator Valve
- **Boron carbide Nozzle(10mm)**
- Fill Funnel with Screen
- Lifetime Warranty on Blast Pot

## 3. Requirement for air compressor:

7-10bar, 185 CFM, 30-150 PSI,  
0.2-1.0 Mpa, air consumption: 10.6 m<sup>3</sup>/min

## 4. Size after packaging:

1.07\*1.02\*1.73m=1.89CBM,  
net weight: 250kg, gross weight: 320 kg



# DB 1500 Price: USD 8000\$ (FOB Qingdao)

## 1.DB1500 Blast Tank:

- 15 Cubic Foot Capacity
- **3 Hours blast time per fill**
- Machine Dimensions: 78"h x 49"w x 49" d
- Weight - 838 lbs
- Operating Pressure: 30-150 PSI

## 2.Includes:

- **15 m. Blast Hose(32mm diameter)**
- Deadman Activator Valve
- **Boron carbide Nozzle(10mm)**
- Bulk Load Capable
- Lifetime Warranty on Blast Pot

## 3.Requirement for air compressor:

7-10bar, 375 CFM, 30-150 PSI,  
0.2-1.0 Mpa, air consumption: 10.6 m<sup>3</sup>/min



The global most trusted equipment supplier.



# DB 3000 Price: USD 9800\$ (FOB Qingdao)

## DB3000 Blast Tank:

- 30 Cubic Foot Capacity
- **4 Hours blast time per fill**
- Machine Dimensions: 98"h x 49"w x 49" d
- Weight ~1200 lbs
- Operating Pressure: 30-150 PSI

## Includes:

- 30m. Blast Hose
- Deadman Activator Valve
- boron carbide Nozzle
- Bulk Load Capable
- Lifetime Warranty on Blast Pot

## Requirement for air compressor

375 CFM, 30-150 PSI, 0.2-1.0 Mpa  
air consumption: 10.6 m<sup>3</sup>/min



# DB 1500 offshore package

Price: USD 8800 \$

## DB1500 Blast Tank:

- 15 Cubic Foot Capacity
- **3 Hour blast time per fill**
- Machine Dimensions: 78"h x 49"w x 49" d
- Weight ~1600 lbs
- Operating Pressure: 30-150 PSI

## Includes:

- 100 Ft. Blast Hose
- Deadman Activator Valve
- boron carbide Nozzle
- Bulk Load Capable
- Built In 150 Gallon Water Storage
- 48 Gal / Minute Water Pump
- Lifetime Warranty on Blast Pot





**青岛恒林集团有限公司**  
**Qingdao Henglin Group Co.,Ltd**

**Dustless Blasting Feeding Chart**

Model	DB 150	DB 225	DB 500	DB 800	DB 1500	DB 3000
Water (KG)	19	38	76	114	285	570
Abrasive (KG)	22.7	45.4	90	136	340	680
Rust Inhibitor ( KG)	0.2	0.4	0.8	1.2	2.98	5.68

**Qingdao Heng Lin machinery Co.,Ltd**

**Jennifer (Sales Manager)**

[henglinmachinery@yeah.net](mailto:henglinmachinery@yeah.net)

**Mobile: +86 185 616 03640 (whats app)**

**Web: [www.henglinmachinery.com](http://www.henglinmachinery.com)**



**The global most trusted equipment supplier.**

# Blasting Media

Size : # mesh 60



Weight	Price
1 bag=25kg	20\$ USD
1 ton	800\$ USD




# Rust Inhibitor



Weight	Price
1bottle=25 KG	95 \$ USD
1 TON	3800\$ USD

# DB 500 Mobile unit

- Electrical Powered: USD 22,000 \$
- Diesel Powered: USD 35,000 \$ (95 horse)



# DB 500 Mobile unit details

## DB500 Blast Tank:

- 5 Cubic Foot Capacity
- **120 Minute blast time per fill**
- Tank Dimensions: 55"h x 36"w x 40" d
- Operating Pressure: 30-150 PSI

## Trailer Specs:

- Trailer Dimensions:
  - Deck: 16' L X 91" w
  - Total: 20' 2" L X 96" w X 31" H
  - Total Assembly Height: 7' 3"
- Purpose Built Heavy Duty Trailer
- DOT Compliant LED Lights
- Two 5200 LB Axles
- Dual Axle Electric Brakes
- Electric Breakaway System
- 8 Ply Tires + Full Size Spare

## Compressor:

- 185 CFM Air Delivery

## Includes:

- 100 Ft. Blast Hose
- Deadman Activator Valve
- boron carbide Nozzle
- Fill Funnel with Screen
- Lifetime Warranty on Blast Pot
- 150 Gallon Water Tank
- 48 GPM Water Pump
- BA-185 Air Dryer / Cooler

## DB 800 Mobile unit

- Electrical Powered: USD 25,000 \$
- Diesel Powered: USD 38,000 \$ (110 horse)



恒林集团  
Henglin Group

The global most trusted equipment supplier.



# DB 800 Mobile unit

## DB500 Blast Tank:

- 8 Cubic Foot Capacity
- **150 Minute blast time per fill**
- Tank Dimensions: 64" h x 36" w x 40" d
- Operating Pressure: 30-150 PSI

## Trailer Specs:

- Trailer Dimensions:  
Deck: 16' L X 91" w Total: 20' 2" L X  
96" w X 31" H Total Assembly Height: 7' 3"
- Purpose Built Heavy Duty Trailer
- DOT Compliant LED Lights
- Two 5200 LB Axles
- Dual Axle Electric Brakes
- Electric Breakaway System
- 8 Ply Tires + Full Size Spare

## Compressor:

- 210 CFM Air Delivery

## Includes:

- 100 Ft. Blast Hose
- Deadman Activator Valve
- boron carbide Nozzle
- Fill Funnel with Screen
- Lifetime Warranty on Blast Pot
- 150 Gallon Water Tank
- 48 GPM Water Pump
- BA-185 Air Dryer / Cooler



# DUAL 800 Mobile Unit

- Electrical Powered: USD 31,000 \$
- Diesel Powered: USD 40,000 \$ (150 horse)



# DUAL 800 Mobile Unit

## **(2) DB800 Blast Pots:**

- 8 Cubic Foot Capacity
- **150 Minute blast time per fill**
- Tank Dimensions: 63"h x 36"w x 40" d
- Operating Pressure: 30-150 PSI

## **Trailer Specs:**

- Trailer Dimensions:  
Deck: 20' L X 91" W  
Total: 24' L x 96" W
- Purpose Built Heavy Duty Trailer
- DOT Compliant LED Lights
- Two 7200 LB Axles
- Dual Axle Electric Brakes
- Electric Breakaway System
- 8 Ply Tires + Full Size Spare

## **Compressor:**

- 400 CFM Air Delivery

## **Includes:**

- (2) 100 Ft. Blast Hose
- (2) Deadman Activator Valve
- (2) boron carbide Nozzle
- Fill Funnel with Screen
- Lifetime Warranty on Blast Pots
- (2) 150 Gallon Water Tank
- (2) 48 GPM Water Pump
- (2) BA-185 Air Dryer / Cooler



# DB 1500 Mobile unit

- Electrical Powered: USD 33,000 \$
- Diesel Powered: USD 53,000 \$



恒林集团  
Henglin Group

The global most trusted equipment supplier.

# DB 1500 Mobile unit

## DB1500 Blast Pots:

- 15 Cubic Foot Capacity
- **3 Hour blast time per fill**
- Tank Dimensions: 78"h x 49"w x 49" d
- Operating Pressure: 30-150 PSI

## Trailer Specs:

- Trailer Dimensions:  
Deck: 20' L X 91" W  
Total: 24' L x 96" W
- Purpose Built Heavy Duty Trailer
- DOT Compliant LED Lights
- Two 7500 LB Axles
- Dual Axle Electric Brakes
- Electric Breakaway System
- 8 Ply Tires + Full Size Spare

## Compressor:

- 400 CFM Air Delivery

## Includes:

- 100 Ft. Blast Hose
- Deadman Activator Valve
- boron carbide Nozzle
- Fill Funnel with Screen
- Lifetime Warranty on Blast Pots
- (2) 150 Gallon Water Tank
- 48 GPM Water Pump
- (2) BA-185 Air Dryer / Cooler



## 4. Contact Information

**Jennifer . Ming**

Sales Manager

Mobile: 86-18561603640

Skype : queensjennifer

Email: [henglinmachinery@163.com](mailto:henglinmachinery@163.com)

Web: [www.henglinmachinery.com](http://www.henglinmachinery.com)

