



2019

Εργαλεία Καθαρισμού



ELCAWEAR AE

www.elcawear.gr



Η λύση για όλα τα προβλήματα καθαρισμού και υγιεινής με εργαλεία χειρός.



Η Vikan έχει τη λύση για όλα τα προβλήματα καθαρισμού και υγιεινής. Μέσα από την πολυετή εμπειρία της έχει συσσωρεύσει μία ολοκληρωμένη γκάμα προϊόντων και ειδικοτήτων που την καθιστά τον προφανή προμηθευτή εργαλείων καθαρισμού.

Ευρεία και εκτενή γκάμα προϊόντων.

Λόγω της εκτενούς και ευρείας γκάμας προϊόντων, η Vikan μπορεί να προσφέρει προσωποποιημένες λύσεις που καλύπτουν ακριβώς τις ανάγκες του χρήστη αλλά ταυτόχρονα συμμορφώνονται και με τις επικρατούσες απαιτήσεις όσον αφορά την υγιεινή, την υγεία, την εργονομία, το περιβάλλον, την τεκμηρίωση κλπ.

Επικέντρωση στην έρευνα και ανάπτυξη.

Η Vikan είναι μία πρωτοπόρος εταιρία που επικεντρώνεται στην έρευνα και ανάπτυξη. Τα προϊόντα της είναι γνωστά όχι μόνο για την απόδοσή και διάρκεια ζωής τους αλλά και για την πρωτοπορία τους.

Παράγει αξία στους χρήστες των προϊόντων της.

Η Vikan επιδιώκει συνεχώς να ενσωματώνει κάθε πρόσφατη εμπειρία στις προτεινόμενες λύσεις της δημιουργώντας αξία στους χρήστες. Η Vikan έχει μοναδικές λύσεις για κάθε χρήση για τους κλάδους:

- Τροφίμων και Ποτών.
- Κουζίνα και εστιατόρια.
- Κλάδος υγείας.
- Εκπαίδευσης και δημοσίων χώρων.
- Διάθεσης και Super market.
- Μεταφορών.

Διατηρεί τον πλήρη έλεγχο επί της ποιότητας, των διαπιστευτηρίων περιβάλλοντος και ασφάλειας καθώς όλη ανάπτυξη, δοκιμές και παραγωγή γίνονται στην Δανία.



Η Vikan είναι ηγέτης στην προώθηση μεθόδων υγιεινού καθαρισμού για χρήστες σε περιβάλλοντα όπου η καθαριότητα και υγιεινή είναι βασική προϋπόθεση για την επιβίωση της εταιρίας.

Τα εργαλεία και οι λύσεις της είναι σχεδιασμένα για να προσφέρουν τη μέγιστη απόδοση όσον αφορά την υγεία, την ασφάλεια, την προστασία του περιβάλλοντος, την διαχείριση των εγκαταστάσεων και την πρόληψη μεταφοράς μολύνσεων.

Η Vikan αγωνίζεται για να κάνει τον καθαρισμό πιο απλό, πιο εύκολο και πιο αποδοτικό σε κλάδους όπως η επεξεργασία τροφίμων και ποτών, η υγεία, οι κουζίνες και τα εστιατόρια, τα σημεία διάθεσης και τα super market, η εκπαίδευση, οι δημόσιοι χώροι και οι μεταφορές.

Δουλεύει συνεργατικά με τους χρήστες για να διατηρεί μία ξεκάθαρη και εκτενή κατανόηση των προκλήσεων και αναγκών τους.

Τα συστήματα της Vikan είναι σχεδιασμένα για να βελτιώνεται και αυξάνεται ο ορατός έλεγχος των εσωτερικών κανόνων υγιεινής και η συμμόρφωση με το HACCP ενώ κάνουν ευκολότερη την τήρηση των αρχείων για τους εσωτερικούς και εξωτερικούς ελέγχους.

Προσφέρει στους χρήστες πραγματιστικές και περιβαλλοντολογικές λύσεις που είναι ταυτόχρονα εύκολες στην κατανόηση και εφαρμογή ενώ προσφέρει ταυτόχρονα και οδηγίες εξοικονόμησης χρημάτων με την επιλογή πρωτόκολλων καθαρισμού και φύλαξης των προϊόντων με στόχο την μεγιστοποίηση της διάρκειας ζωής τους.

Όλες οι λύσεις της Vikan είναι σχεδιασμένες γύρω από υλικά που είναι εγκεκριμένα για χρήση στον κλάδο υγείας και την προετοιμασία τροφίμων. Συμμορφώνονται με την Ευρωπαϊκή και Αμερικάνικη νομοθεσία ενώ έχουν αδειοδοτηθεί κάτω από τα συστήματα ασφάλειας τροφίμων και οικολογίας.

Η πρωτοπορία της περιλαμβάνει προκατασκευασμένες σφουγγαρίστρες από μικρο-ίνες, πανιά και βούρτσες για αποδοτικό και αποτελεσματικό υγιεινό καθαρισμό, χρωματικό διαχωρισμό εργαλείων για χρήση σε χώρους που επιβάλλεται η αποφυγή δια-τμηματικής μόλυνσης, εργονομικός και ρυθμιζόμενος σχεδιασμός εργαλείων για την ευκολία του χρήστη, εργαλεία κατασκευασμένα από υλικά εγκεκριμένα από τον FDA και του Ευρωπαϊκούς κανονισμούς 10/2011 για χρήση στην βιομηχανία τροφίμων.

Αποστείρωση των Εργαλείων Καθαρισμού

Χρήση κάδων απολύμανσης για την απολύμανση των εργαλείων καθαρισμού

Η χρήση κάδων απολύμανσης εντός των οποίων μουλιάζονται τα εργαλεία για να απολυμανθούν είναι μία διαδεδομένη διαδικασία σε όλη την Ευρώπη, παρόλο που δεν είναι η πιο ενδεδειγμένη!

Οι κάδοι απολύμανσης λειτουργούν αποτελεσματικά μόνο αν πριν από την εμβάπτιση τα εργαλεία έχουν καθαριστεί / πλυθεί καλά και τριφτεί με ζεστό σαπουνόνερο ανάλογα με τη συσσωρευμένη βρωμιά. Αν τα εργαλεία καθαρισμού τοποθετηθούν μετά το πλύσιμο στον κάδο απολύμανσης τότε ο χρόνος επαφής του εργαλείου με το απολυμαντικό είναι επαρκής για να εξαλειφθούν οι μικροοργανισμοί.

Πολύ συχνά όμως παρατηρείται ότι τα εργαλεία δεν πλένονται πριν την τοποθέτησή τους εντός του κάδου απολύμανσης. Έτσι, το υγρό απολύμανσης ρυπαίνεται με οργανικά υπολείμματα. Τα οργανικά υπολείμματα αντιδρούν με το απολυμαντικό μειώνοντας την αποτελεσματικότητά του και οδηγώντας σε ανεπαρκή απολύμανση. Τα οργανικά υπολείμματα πάνω στα εργαλεία ενεργούν επίσης και σαν στρώμα που εμποδίζει την απ' ευθείας επαφής του απολυμαντικού με την επιφάνεια του εργαλείου, εμποδίζοντας έτσι την επαρκή απολύμανση του εργαλείου και προστατεύοντας τα μικρόβια μέσα στις τροφές.

Επίσης, αν το υγρό εντός των κάδων απολύμανσης δεν ανανεώνεται ανάλογα με την χρήση, τότε τα οργανικά υπολείμματα θα αυξάνονται μέσα στο υγρό, η απολυμαντική δράση θα μειώνεται και οι κάδοι θα μετατρέπονται από χώρο απολύμανσης σε «σούπα» βακτηρίων, προσφέροντας τελικά μεγαλύτερα μικροβιακά ρίσκα από το να μην χρησιμοποιούνταν καθόλου οι κάδοι απολύμανσης

Η καταλληλότερη λοιπόν πρακτική είναι:

- Καλό καθαρισμό / πλύσιμο των εργαλείων.
- Απολύμανση των εργαλείων, εξασφαλίζοντας ικανό χρόνο επαφής του απολυμαντικού υγρού με την επιφάνεια του εργαλείου για να δράσει.
- Κρεμάστε τα εργαλεία για να στεγνώσουν αφού έχουν ή δεν έχουν ξεβγαλθεί με καθαρό νερό ανάλογα με το απολυμαντικό.

Αν τα καθαρά εργαλεία αφεθούν μέσα στον κάδο απολύμανσης, το απολυμαντικό υγρό πρέπει ελέγχεται τακτικά και να αλλάζεται ανάλογα με το περιβαλλοντολογικό πρόγραμμα καθαριότητας.

ΓΕΝΙΚΟΣ ΚΑΤΑΛΟΓΟΣ 2019 - 01



Vikan has the solution to all your cleaning and hygiene problems. Through our many years' experience we have accumulated comprehensive product and development skills which make us your obvious supplier of cleaning implements and equipment.

Wide and extensive assortment

As Vikan's assortment is both wide and extensive, we can offer customised solutions which exactly suit your needs and comply with statutory requirements in terms of hygiene, health, ergonomics, environment, documentation etc.

Focus on research and development

Vikan is an innovative company focusing on research and development. Our products are not only known for their efficiency and sustainability, but are also recognised as being at the cutting-edge of technology and development.

We create value for our customers

Vikan constantly endeavours to integrate the latest knowledge in our solutions, thereby creating value for you the customer.

Vikan has unique solutions for every purpose within:

The food & beverage sector

Kitchens and restaurants

The healthcare sector

Education & municipalities

Retail & supermarkets

The transport sector

All products



Wall brackets

Bracket

Bucket



Length, mm	320
Material	Stainless Steel
Box Quantity, Pcs.	1
Recommended sterilisation temperature (Autoclave), °C	121

Wall Bracket for 4 Products, 320 mm, ,

Item Number: 0617

Storage of cleaning equipment ensures good hygiene practice, extends shelf life of brushware and promotes "clean as you go" principles. MONITORING. DRYING of condition. Robust, stainless steel construction. Ultra hygienic with no crevices for bacteria buildup; easy to clean. Unique design hold all products.



Length, mm	470
Material	Stainless Steel
Box Quantity, Pcs.	1
Recommended sterilisation temperature (Autoclave), °C	121

Wall Bracket for 6 Products, 470 mm, ,

Item Number: 0618

Storage of cleaning equipment ensures good hygiene practice, extends shelf life of brushware and promotes "clean as you go" principles. MONITORING. DRYING of condition. Robust, stainless steel construction. Ultra hygienic with no crevices for bacteria buildup; easy to clean. Unique design hold all products.



Length, mm	140
Material	Polyamide
Box Quantity, Pcs.	5
Recommended sterilisation temperature (Autoclave), °C	121

Hook x 4 for 1017 and 1018, 140 mm, ,

Item Number: 1016

4 hooks and 8 pins that fits wall bracket, 1017x and 1018x.



Length, mm	240
Material	Polypropylene
Box Quantity, Pcs.	1
Recommended sterilisation temperature (Autoclave), °C	100

Wall Bracket, 240 mm, ,

Item Number: 0615

Storage of cleaning equipment ensures good hygiene practice, extends shelf life of brushware and promotes "clean as you go". Polypropylene wall bracket with rubber edging. Holds 3 products. Fully colour coded; visually promotes prevention of cross contamination. Smooth and easy to clean.



Length, mm	85
Material	Stainless Steel
Box Quantity, Pcs.	1
Recommended sterilisation temperature (Autoclave), °C	121

Wall Bracket for 1 product, 85 mm, ,

Item Number: 0616

Storage of cleaning equipment ensures good hygiene practice, extends shelf life of brushware and promotes "clean as you go" principles. MONITORING. DRYING of condition. Robust, stainless steel construction. Ultra hygienic with no crevices for bacteria buildup; easy to clean. Unique design hold all products.



	Length, mm	160
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	5
	Recommended sterilisation temperature (Autoclave), °C	121

Wall Bracket 1-3 Products, 160 mm, ,

Item Number: 1017

Storage of cleaning equipment ensures good hygiene practice and extends shelf life of equipment. Fully colour coded. You can extend the bracket by adding one more next to the first bracket. You can mix rubber clips and hooks. Easy to clean, when you dismount the hooks and rubber clips - These parts can be sterilized in an autoclave.



	Length, mm	395
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	5
	Recommended sterilisation temperature (Autoclave), °C	121

Wall Bracket 4-6 Products, 395 mm, ,

Item Number: 1018

Storage of cleaning equipment ensures good hygiene practice and extends shelf life of equipment. Fully colour coded. You can extend the bracket by adding one more next to the first bracket. You can mix rubber clips and hooks. Easy to clean, when you dismount the hooks and rubber clips - These parts can be sterilized in an autoclave.




	Length, mm	120
	Material	TPE Rubber
	Box Quantity, Pcs.	5
	Recommended sterilisation temperature (Autoclave), °C	121

Rubber Clip x 4 for 1017 and 1018, 120 mm, ,

Item Number: 1019

4 hooks and 8 securing pins for wall bracket, 1017x and 1018x. The rubber clip can hold products with Ø25-35 mm.



	Length, mm	370
	Material	Stainless Steel
	Box Quantity, Pcs.	1

Bracket for bucket, 5686 and 5688, 370 mm

Item Number: 16200

The bracket fits Vikan's 12 Litre and 6 Litre buckets. This flexible bracket enables the bucket to hang when filled with ingredients or water - or to hang with the bottom up after it has been cleaned for easy drying. There is a small hook on the bracket for storing the bucket lid or a brush to ensure optimum levels of hygiene.



Brushes and brooms

300 mm
400 mm
470 mm
600 mm



Visible bristle length, mm	170
Bristle stiffness	Very hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Broom, Angle Cut, 290 mm, Very hard,

Item Number: 2914

Easily clean narrow spaces between equipment prior to scrubbing with this versatile Angle Cut Broom featuring angled bristles. Ideal for removing dirt and larger food particles from moist surfaces.



Visible bristle length, mm	109
Bristle stiffness	Very hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	8
Recommended sterilisation temperature (Autoclave), °C	121

Broom, 330 mm, Very hard,

Item Number: 2915

Remove heavy and larger particles from wet indoor and outdoor surfaces with this heavy-duty Broom. Can be used with any Vikan handle.



Visible bristle length, mm	109
Bristle stiffness	Very hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	4
Recommended sterilisation temperature (Autoclave), °C	121

Broom, 530 mm, Very hard,

Item Number: 2920

Remove heavy and larger particles from wet indoor and outdoor surfaces with this heavy-duty Broom. Can be used with any Vikan handle.



Visible bristle length, mm	46
Bristle stiffness	Medium
Material	Polypropylene;PEEK;Stainless Steel
Box Quantity, Pcs.	25
Recommended sterilisation temperature (Autoclave), °C	121

Toaster Brush, 2 pcs., 395 mm, Medium, Red

Item Number: 30024

Easily remove crumbs from toasters with this professional-grade Toaster Brush.



Visible bristle length, mm	22
Bristle stiffness	Medium
Material	Polyester;Polypropylene;Stainless Steel
Box Quantity, Pcs.	20
Recommended sterilisation temperature (Autoclave), °C	121

Utility Brush, 260 mm, Medium,

Item Number: 3088

This ergonomic, lightweight Utility brush is designed to raise the user's hand from the cleaning surface, reducing the risk of injury. Ideal for cleaning small surface areas, such as tables, pans and cutting boards.





Visible bristle length, mm	75
Bristle stiffness	Soft/hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Lobby Broom, 260 mm, Soft/hard,

Item Number: 3104

Easily clean the narrow spaces between production line equipment with this Lobby Broom. Ideal for sweeping dry areas, perfect for use with a lobby pan, and can be used with any Vikan handle.



Visible bristle length, mm	78
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Broom w/ Straight Neck, 310 mm, Medium,

Item Number: 3166

Ideal for cleaning between machines and under tables, this straight-necked Broom easily removes dust, paper and food particles such as fish and meat.



Visible bristle length, mm	65
Bristle stiffness	Hard
Material	Wood;PVC
Box Quantity, Pcs.	1

Garage Broom, 440 mm, Hard, Black

Item Number: 311552

Designed for sweeping up wet and greasy waste, this wooden Garage Broom features hard PVC filaments and a threaded socket. Can be used with any handle within the Vikan Transport System.



Visible bristle length, mm	54
Bristle stiffness	Soft
Material	Polyester;Glass reinforced;Polypropylene
Box Quantity, Pcs.	10

UST Broom, 400 mm, Soft,

Item Number: 3171

This ULTRA SAFE TECHNOLOGY (UST) Broom comes with angled Filament Security Units for effective sweeping of dry particles in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.



Visible bristle length, mm	65
Bristle stiffness	Hard
Material	Wood;PVC
Box Quantity, Pcs.	1

Garage Broom, 665 mm, Hard, Black

Item Number: 311752

Designed for sweeping up wet and greasy waste, this wooden Garage Broom features hard PVC filaments and a threaded socket. Can be used with any handle within the Vikan Transport System.



Visible bristle length, mm	54
Bristle stiffness	Medium
Material	Polyester;Glass reinforced;Polypropylene
Box Quantity, Pcs.	10

UST Broom, 400 mm, Medium,

Item Number: 3173

This ULTRA SAFE TECHNOLOGY (UST) Broom comes with angled Filament Security Units for effective sweeping of dry and wet surfaces in high-risk areas. All UST brooms and brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.



	Visible bristle length, mm	52
	Bristle stiffness	Soft/hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Broom, 410 mm, Soft/hard,

Item Number: 3174

Designed for effective cleaning of food industry floors as well as in kitchens and restaurants, this Broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.



	Visible bristle length, mm	60
	Bristle stiffness	Soft/split
	Material	Polypropylene;Stainless Steel
	Box Quantity, Pcs.	10
	Max. cleaning temperature (Dishwasher), °C	85

Broom, 410 mm, Soft/split,

Item Number: 3178

Designed to effectively sweep flour, starch and other powders from dry areas, this Broom can be used with any Vikan handle. For use in dry areas only.



	Visible bristle length, mm	52
	Bristle stiffness	Soft
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Broom, 410 mm, Soft,

Item Number: 3179

This Broom is designed to effectively sweep flour, starch and other powders from dry areas. Can be used with any Vikan handle.



	Visible bristle length, mm	60
	Bristle stiffness	Soft/hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Broom, 610 mm, Soft/hard,

Item Number: 3194

Designed for the effective cleaning of both wet and dry surfaces, this Broom has firm front bristles that loosen stubborn dirt and heavier debris, while the softer rear bristles gather the finer particles.



	Visible bristle length, mm	56
	Bristle stiffness	Soft
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Broom, 610 mm, Soft,

Item Number: 3199

This Broom is designed to effectively sweep flour, starch and other powders from dry areas. Can be used with any Vikan handle.



	Visible bristle length, mm	20
	Bristle stiffness	Medium
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	121

Hand Brush M, 165 mm, Medium,

Item Number: 3587

Easily scrub clean food preparation surfaces, chopping boards and food containers with this small general purpose Hand Brush.



	Visible bristle length, mm	44
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	15
	Recommended sterilisation temperature (Autoclave), °C	121

Round Hand Scrub, 110 mm, Hard,

Item Number: 3885

Effectively scrub and clean conveyor belts, food containers and more with this sturdy Round Hand Scrub, featuring an ergonomic design that lets you apply more pressure to the brush during use.



	Visible bristle length, mm	36
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	15
	Recommended sterilisation temperature (Autoclave), °C	121

Hand Brush L, 200 mm, Hard,

Item Number: 3890

Use this multipurpose Hand Brush to effectively clean tables, conveyor belts, chopping boards, buckets, large bowls and equipment with hard-to-reach corners and crevices.




	Visible bristle length, mm	33
	Bristle stiffness	Very hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Hand Brush XL, 240 mm, Very hard,

Item Number: 3892

Effectively scrub and clean tables, conveyor belts, chopping boards, buckets, large bowls, and equipment with hard-to-reach corners, all with this hard multi-purpose Hand Brush, featuring angled bristles for efficient all-round cleaning.



	Visible bristle length, mm	18
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10

Scrubbing brush, 165 mm, Hard, White

Item Number: 3950

This brush has very stiff bristles that makes it suitable for loosening stubborn dirt on eg. a frying pan.



	Visible bristle length, mm	20
	Bristle stiffness	Hard
	Material	Brass;Polypropylene
	Box Quantity, Pcs.	10

Grill brush/hob cleaning brush, 160 mm, Hard, White

Item Number: 3960

Heat resistant scrub.

	Visible bristle length, mm	50
	Bristle stiffness	Soft/split
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	6
	Recommended sterilisation temperature (Autoclave), °C	

Ergonomic Hand Brush, 330 mm, Soft/split,

Item Number: 4167

Ideal for cleaning tables and equipment, this Ergonomic Hand Brush features split fibre bristles that retain water to improve cleaning efficacy.



	Visible bristle length, mm	35
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	6
	Recommended sterilisation temperature (Autoclave), °C	121

Ergonomic Hand Brush, 330 mm, Hard,

Item Number: 4169

Easily clean tables, equipment and hard-to-reach corners using this Ergonomic Hand brush with angled bristles.



	Visible bristle length, mm	37
	Bristle stiffness	Hard
	Material	Polyester;Glass reinforced;Polypropylene
	Box Quantity, Pcs.	10

UST Hand Brush w/short handle, 260 mm, Hard,

Item Number: 4179

This ULTRA SAFE TECHNOLOGY (UST) short-handled Hand Brush comes with angled Filament Security Units for optimal cleaning of conveyor belts, production lines, machinery and food-preparation surfaces in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.



	Visible bristle length, mm	60
	Bristle stiffness	Soft
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Glazing Brush w/long Handle, 415 mm, Soft,

Item Number: 4181

This Glazing Brush is excellent for applying water and glazes to breads and pastries.




	Visible bristle length, mm	36
	Bristle stiffness	Medium
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Washing Brush w/long Handle, 415 mm, Medium,

Item Number: 4182

This Washing Brush is ideal for cleaning hard-to-reach surfaces on machines and equipment such as deep buckets, containers and tubs. It has a long handle and angled medium bristles that enhance cleaning efficacy.



	Visible bristle length, mm	40
	Bristle stiffness	Medium
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	5
	Recommended sterilisation temperature (Autoclave), °C	

Brush w/Hand Guard, 500 mm, Medium, White

Item Number: 4184

Designed for cleaning sharp edged cutters, this Brush with Hand Guard protects the user's hand from blades and other sharp parts during the cleaning process.



	Visible bristle length, mm	36
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Washing Brush w/long handle, 415 mm, Hard,

Item Number: 4186

This Washing Brush is ideal for cleaning hard-to-reach surfaces on machines and equipment such as deep buckets, containers and tubs. It has a long handle and angled bristles that enhance cleaning efficacy.



	Visible bristle length, mm	36
	Bristle stiffness	Medium
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Washing Brush w/short Handle, 270 mm, Medium,

Item Number: 4190

Ideal for removing stubborn dirt from conveyor belts, production lines, machinery and food preparation surfaces, this Washing Brush features a short, ergonomic handle for easy and effective daily cleaning.



	Visible bristle length, mm	36
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Washing Brush w/short Handle, 270 mm, Hard,

Item Number: 4192

Ideal for removing stubborn dirt from conveyor belts, production lines, machinery and food preparation surfaces, this Washing Brush features a short, ergonomic handle for easy and effective daily cleaning.



	Visible bristle length, mm	40
	Bristle stiffness	Soft/split
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	

Washing Brush w/short Handle, 270 mm, Soft/split,

Item Number: 4194

With an ergonomic short handle and split fibre bristles that retain water and chemical to improve cleaning efficacy, this Washing Brush is perfect for cleaning fragile surfaces such as glass and Perspex.



	Visible bristle length, mm	33
	Bristle stiffness	Very hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Narrow Hand Brush w/Short Handle, 300 mm, Very hard,

Item Number: 4195

Clean narrow spaces between food equipment with this Narrow Hand Brush. Also ideal for cleaning squeegee blades and other cleaning tools.



	Visible bristle length, mm	37
	Bristle stiffness	Hard
	Material	Polyester;Glass reinforced;Polypropylene
	Box Quantity, Pcs.	10

UST Hand Brush w/long Handle, 395 mm, Hard,

Item Number: 4196

This ULTRA SAFE TECHNOLOGY (UST) long-handled Hand Brush comes with angled Filament Security Units for optimal cleaning of machines, buckets, containers and tubs in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.



	Visible bristle length, mm	23
	Bristle stiffness	Medium
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	121

Dish Brush w/Scraping Edge, 280 mm, Medium,

Item Number: 4237

This Utility Brush is ideal for detail cleaning of machinery and equipment.



	Visible bristle length, mm	24
	Bristle stiffness	Medium
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	121

Dish Brush, 290 mm, Medium,

Item Number: 4287

This Utility Brush with is ideal for detail cleaning of machinery and equipment.



	Visible bristle length, mm	25
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Brush w/Heat Resistant Filaments, 290 mm, Hard, White

Item Number: 42885

Designed for removing debris from heat sealers and other packing equipment, this Brush is ideal for cleaning hot grills and frying pans.



	Visible bristle length, mm	15
	Bristle stiffness	Very hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Detail Brush, 205 mm, Very hard,

Item Number: 4401

Effectively clean around gaskets, rubber strips and joints on machinery, and conveyor belts with this compact Detail Brush.



	Length, mm	205
	Product Diameter, mm	
	Bristle stiffness	Very hard
	Material	
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Detail Brush with heat resistant filaments, 205 mm, Very hard,

Item Number: 4402

Brush for removing debris from heat sealers and other packing equipment. It is ideal for cleaning grills and frying pans when cleaned whilst still warm.



	Length, mm	330
	Bristle stiffness	Hard
	Material	Polyester;Polypropylene
	Box Quantity, Pcs.	5

Interior Brush, 330 mm, Hard, Black

Item Number: 450052

Easily clean hard-to-reach areas such as beneath and between seats and seat runners with this Slimline Interior Brush for upholstery and carpet cleaning.

	Length, mm	330
	Bristle stiffness	Soft
	Material	Polyester;Polypropylene
	Box Quantity, Pcs.	5

Hand Brush w/Short Handle, 330 mm, Soft, Black

Item Number: 450252

Keep workshop benches clean with this soft, Slimline Hand Brush.

	Visible bristle length, mm	57
	Bristle stiffness	Soft
	Material	Polyester;Glass reinforced;Polypropylene
	Box Quantity, Pcs.	10

UST Bench Brush, 330 mm, Soft,

Item Number: 4581

This ULTRA SAFE TECHNOLOGY (UST) Bench Brush with Ultra Filament Security ensures effective sweeping of fine dry particles from conveyor belts, food-preparation surfaces, tables and equipment in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.



	Visible bristle length, mm	60
	Bristle stiffness	Soft
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Powder Brush, 300 mm, Soft,

Item Number: 4582

This Powder Brush is designed for sweeping fine particles such as flour from conveyor belts and food preparation surfaces.



	Visible bristle length, mm	57
	Bristle stiffness	Medium
	Material	Polyester;Glass reinforced;Polypropylene
	Box Quantity, Pcs.	10

UST Bench Brush, 330 mm, Medium,

Item Number: 4585

This ULTRA SAFE TECHNOLOGY (UST) Bench Brush with Ultra Filament Security is designed for effective removal of damp and wet particles from conveyor belts in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.



	Visible bristle length, mm	50
	Bristle stiffness	Soft
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	15
	Recommended sterilisation temperature (Autoclave), °C	121

Hand Brush, 330 mm, Soft,

Item Number: 4587

Remove flour and fine particles from conveyor belts, food preparation surfaces, tables and equipment with this Hand Brush. Suitable for use with the Vikan Dustpan 5660x.



	Visible bristle length, mm	50
	Bristle stiffness	Medium
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	15
	Recommended sterilisation temperature (Autoclave), °C	121

Hand Brush, 330 mm, Medium,

Item Number: 4589

Remove flour and fine particles from conveyor belts, food preparation surfaces, tables and equipment with this Hand Brush. Suitable for use with the Vikan Dustpan 5660x.



	Visible bristle length, mm	20
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	5
	Recommended sterilisation temperature (Autoclave), °C	121

Scrubbing Brush - heat resistant filaments, 150 mm, Hard, White

Item Number: 47535

Easily clean grills and hot surfaces with this highly effective Scrubbing Brush.



	Visible bristle length, mm	52
	Bristle stiffness	Soft/split
	Material	Polypropylene;Polyester
	Box Quantity, Pcs.	1

Vehicle Brush, waterfed, 270 mm, Soft/split, Black

Item Number: 475552

This small, highly effective Vehicle Brush can be waterfed or used as a dip brush, and fits all handles in the Vikan Transport System.

	Length, mm	720
	Bristle stiffness	Medium
	Material	Polypropylene;Polyester;Galvanized steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	100

Toilet Brush w/Holder & Wall Bracket, 720 mm, Medium, White

Item Number: 50515

Cleaning under the rim is easy with this Toilet Brush, featuring a long handle and additional rim brush.

	Visible bristle length, mm	52
	Bristle stiffness	Soft/split
	Material	Polypropylene;Polyester
	Box Quantity, Pcs.	1

Vehicle Brush, waterfed, 370 mm, Soft/split, Black

Item Number: 475752


This large, highly effective Vehicle Brush can be waterfed or used as a dip brush, and fits all handles in the Vikan Transport System.

	Length, mm	400
	Bristle stiffness	Medium
	Material	Polypropylene
	Box Quantity, Pcs.	10

Toilet Brush w/Rim Brush, 400 mm, Medium, White

Item Number: 5055

Includes a wall bracket for the Toilet Brush.

	Length, mm	400
	Bristle stiffness	Medium
	Material	Polypropylene
	Box Quantity, Pcs.	12

Toilet Brush, 400 mm, Medium, White

Item Number: 5045

Toilet Brush and holder.

	Length, mm	320
	Bristle stiffness	Soft/split
	Material	Polypropylene;Polyester
	Box Quantity, Pcs.	5

Hand Brush, 320 mm, Soft/split, Black

Item Number: 524652

This Hand Brush ensures excellent results where detail cleaning with a dip brush is required.

	Length, mm	280
	Bristle stiffness	Soft/split
	Material	Polypropylene;Polyester
	Box Quantity, Pcs.	1

Washing Brush, waterfed, 280 mm, Soft/split, Black

Item Number: 524752

With its angled bristle design, this waterfed Washing Brush maintains contact with surfaces during washing, and is compatible with a selection of Vikan waterfed telescopic handles.

	Length, mm	360
	Bristle stiffness	Soft/split
	Material	Polypropylene;Polyester
	Box Quantity, Pcs.	5

Vehicle Brush, waterfed, 360 mm, Soft/split, Black

Item Number: 525452

This waterfed Vehicle Brush delivers great results where attention to detail is required.

	Length, mm	290
	Bristle stiffness	Soft/split
	Material	Polypropylene;Polyester
	Box Quantity, Pcs.	9

Multi Brush/Rim Cleaner, 290 mm, Soft/split, Black

Item Number: 525252

Easily clean all kinds of small surfaces with this all-round Multi Brush and Rim Cleaner.

	Length, mm	250
	Bristle stiffness	Soft/split
	Material	Polypropylene;Polyester
	Box Quantity, Pcs.	1

Vehicle Brush, waterfed, 250 mm, Soft/split, Black

Item Number: 526852

Easily clean high and difficult-to-reach surfaces with this angle-adjustable, waterfed Vehicle Brush. Compatible with all Vikan Transport System handles.

	Length, mm	335
	Product Diameter, mm	65
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester
	Box Quantity, Pcs.	12

Rim Cleaner, 335 mm, Hard, Black

Item Number: 525352

Ideal for cleaning alloy wheels, this medium-stiff, chemical resistant Rim Cleaner has synthetic filaments and a nylon protected handle.

	Length, mm	230
	Bristle stiffness	Soft/split
	Material	Polypropylene;Polyester
	Box Quantity, Pcs.	1

Vehicle Brush, waterfed, 230 mm, Soft/split, Black

Item Number: 526952


Effectively clean all kinds of small surfaces with this versatile, waterfed Vehicle Brush, which doubles as a dip brush. Compatible with all Vikan Transport System handles.



Length, mm	200
Product Diameter, mm	12
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush f/flexible handle 53515 or 53525, 200 mm, Medium, Item Number: 5354

This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. Can be used with Vikan flexible handles 53515 and 53525.



Length, mm	200
Product Diameter, mm	60
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	12
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush f/flexible handle 53515 or 53525, 200 mm, Medium, Item Number: 5356

This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. Can be used with Vikan flexible handles 53515 and 53525.



Length, mm	490
Product Diameter, mm	
Bristle stiffness	
Material	Polyester;Polypropylene;Stainless Steel
Box Quantity, Pcs.	5

Brush Kit f/Softice Machines, 490 mm, , White

Item Number: 53575

Specially designed for traditional sundae machines, this Brush Kit features an assortment of brushes in various diameters for the effective cleaning of hard-to-reach areas.



Length, mm	500
Product Diameter, mm	
Bristle stiffness	Medium
Material	Polyester;Polypropylene;Stainless Steel
Box Quantity, Pcs.	5

Brush Kit f/Softice Machines, 500 mm, Medium, Red

Item Number: 53584

Designed for the effective cleaning of Taylor and Carpigiani soft-ice machines and similar equipment, this Brush Kit features an assortment of tube cleaners in various diameters.



Length, mm	310
Product Diameter, mm	15
Bristle stiffness	Hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush, 310 mm, Hard,

Item Number: 5360

Effectively clean bottles, tubes, kitchen drains and machinery with hard-to-reach surfaces such as conveyor belts with this handy Tube Brush.



Length, mm	275
Product Diameter, mm	55
Bristle stiffness	Hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Drain Cleaning Brush, 275 mm, Hard, Black

Item Number: 53619

This Drain Cleaning Brush is great for cleaning gullies and drains with limited access. It can be used with any Vikan handle.





Length, mm	150
Product Diameter, mm	
Bristle stiffness	Soft
Material	Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Cleaning set w/3 Brushes, Ø2, Ø5, Ø6 mm, 150 mm, Soft, Item Number: 5362

Ideal for cleaning very small nozzles and valves in appliances such as coffee and juice machines, this three-piece Cleaning Set comes with Ø2 mm, Ø5 mm and Ø6 mm brushes.



Length, mm	375
Product Diameter, mm	9
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush, 375 mm, Medium,

Item Number: 5363

Easily clean tubes, valves and other hard-to-reach surfaces on machinery and equipment with this narrow Tube Brush, featuring a versatile flexible head.



Length, mm	200
Product Diameter, mm	20
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush f/flexible handle 53515 or 53525, 200 mm, Medium, Item Number: 5365

This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. Can be used with Vikan flexible handles 53515 and 53525.



Length, mm	200
Product Diameter, mm	40
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush f/flexible handle 53515 or 53525, 200 mm, Medium, Item Number: 5368

This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. Can be used with Vikan flexible handles 53515 and 53525.



Length, mm	510
Product Diameter, mm	60
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush, 510 mm, Medium,

Item Number: 5370

Effectively clean bottles, tubes and hard-to-reach surfaces such as gaps and crevices on machinery and conveyer belts with this handy Tube Brush.



Length, mm	530
Product Diameter, mm	
Bristle stiffness	Soft
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	5
Recommended sterilisation temperature (Autoclave), °C	121

Pipe Exterior Brush, 530 mm, Soft,

Item Number: 5371

Effectively clean the outer surfaces of overhead pipes and ducting with this Pipe Exterior Brush. Can be used with all Vikan standard and telescopic handles.





Length, mm	360
Product Diameter, mm	55
Bristle stiffness	Medium
Material	Polyester;Stainless Steel;Polypropylene
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Pipe Exterior Brush, Ø55 mm, 360 mm, Medium,

Item Number: 5372

Keep pipework free of dust and contaminants with this Pipe Exterior Brush, featuring an adjustable head for cleaning pipes with an outside diameter of up to 100 mm.



Length, mm	500
Product Diameter, mm	20
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush, 500 mm, Medium,

Item Number: 5376

Effectively clean bottles, tubes and hard-to-reach surfaces such as gaps and crevices on machinery and conveyer belts with this handy Tube Brush.



Length, mm	510
Product Diameter, mm	
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	5
Recommended sterilisation temperature (Autoclave), °C	121

Pipe Exterior Brush, , Medium,

Item Number: 5374

Effectively clean the outer surfaces of overhead pipes and ducting with this Pipe Exterior Brush. Can be used with all Vikan standard and telescopic handles.



Length, mm	510
Product Diameter, mm	40
Bristle stiffness	Hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush, 510 mm, Hard,

Item Number: 5378

Effectively clean bottles, tubes and hard-to-reach surfaces such as gaps and crevices on machinery and conveyer belts with this handy Tube Brush.



Length, mm	480
Product Diameter, mm	10
Bristle stiffness	Hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush, 480 mm, Hard,

Item Number: 5375

Effectively clean bottles, tubes and hard-to-reach surfaces such as gaps and crevices on machinery and conveyer belts with this handy Tube Brush.



Length, mm	510
Product Diameter, mm	50
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush, 510 mm, Medium,

Item Number: 5379

Effectively clean bottles, tubes and hard-to-reach surfaces such as gaps and crevices on machinery and conveyer belts with this handy Tube Brush.





Length, mm	170
Product Diameter, mm	103
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	12
Recommended sterilisation temperature (Autoclave), °C	121

Pipe Cleaning Brush f/handle, , Medium,

Item Number: 5380103

Easily clean pipes and tubes on appliances such as meat mincers with this versatile Pipe Cleaning Brush. Can be used with any Vikan handle.



Length, mm	160
Product Diameter, mm	175
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Pipe Cleaning Brush f/handle, 160 mm, Medium,

Item Number: 5380175

This tube brush has bristles along the sides as well as in the front. It is used in areas where a wider tube cleaning action is required or where the equipment being cleaned, has an end point that cannot be reached with a hand brush



Length, mm	140
Product Diameter, mm	50
Bristle stiffness	Hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Pipe Cleaning Brush f/handle, , Hard,

Item Number: 538050

Easily clean pipes and tubes on appliances such as fish-sorting machines and meat mincers with this versatile Pipe Cleaning Brush. Can be used with any Vikan handle.



Length, mm	145
Product Diameter, mm	63
Bristle stiffness	Hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Pipe Cleaning Brush f/handle, , Hard,

Item Number: 538063

Easily clean pipes and tubes on appliances such as fish-sorting machines and meat mincers with this versatile Pipe Cleaning Brush. Can be used with any Vikan handle.



Length, mm	155
Product Diameter, mm	77
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Pipe Cleaning Brush f/handle, , Medium,

Item Number: 538077

Easily clean pipes and tubes on appliances such as fish-sorting machines and meat mincers with this versatile Pipe Cleaning Brush. Can be used with any Vikan handle.



Length, mm	160
Product Diameter, mm	90
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	12
Recommended sterilisation temperature (Autoclave), °C	121

Pipe Cleaning Brush f/handle, 160 mm, Medium,

Item Number: 538090

Easily clean pipes and tubes on appliances such as fish-sorting machines, with this versatile Pipe Cleaning Brush. Can be used with any Vikan handle.





Length, mm	430
Product Diameter, mm	90
Bristle stiffness	Medium/hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	15
Recommended sterilisation temperature (Autoclave), °C	121

Pipe Brush w/handle, one piece, 430 mm, Medium/hard,

Item Number: 538190

Effectively remove stubborn dirt and food deposits from pipework with this robust, one-piece Pipe Brush. With no joint between the handle and brush head and extra-stiff filaments, this brush delivers excellent cleaning results.



Length, mm	200
Product Diameter, mm	90
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Tube Brush f/flexible handle 53515 or 53525, 200 mm, Medium,

Item Number: 5391

This versatile Tube Brush is designed for cleaning pipes found in dairies, breweries and the fishing industry. Can be used with Vikan flexible handles 53515 and 53525.



Length, mm	240
Bristle stiffness	Soft/split
Material	Polypropylene;Polyester
Box Quantity, Pcs.	2

Rim Cleaner, waterfed, 240 mm, Soft/split, Black

Item Number: 545252

Effectively clean double and single steel wheels on trucks, buses and coaches, with this large waterfed Rim Cleaner.



Visible bristle length, mm	45
Bristle stiffness	Soft
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Pastry Brush, 30 mm, Soft,

Item Number: 555030

Safely apply egg, oil, butter, and more to pastries and delicate surfaces with this super-soft, hygienic Pastry Brush that can also be used for micro swabbing. This brush can resist high temperatures and is dishwasher safe.



Visible bristle length, mm	45
Bristle stiffness	Soft
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Pastry Brush, 50 mm, Soft,

Item Number: 555050

Safely apply egg, oil, butter, and more to pastries and delicate surfaces with this super-soft, hygienic Pastry Brush that can also be used for micro swabbing. This brush can resist high temperatures and is dishwasher safe.



Visible bristle length, mm	45
Bristle stiffness	Soft
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Pastry Brush, 70 mm, Soft,

Item Number: 555070

Safely apply egg, oil, butter, and more to pastries and delicate surfaces with this super-soft, hygienic Pastry Brush that can also be used for micro swabbing. This brush can resist high temperatures and is dishwasher safe.




	Length, mm	205
	Bristle stiffness	Soft
	Material	Polypropylene;Polyester
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

UST Detail Brush, 205 mm, Soft,

Item Number: 555130

The UST Detail Brush is designed for detail cleaning in dry environments where soft bristles are useful and hygiene is critical, such as when allergens are a risk. Also useful as a pastry or glazing brush in food handling applications, this brush delivers all the advanced benefits of Vikan's other Ultra Safe Technology (UST) cleaning tools.



	Length, mm	140
	Bristle stiffness	Soft
	Material	Polypropylene;Polyethylene
	Box Quantity, Pcs.	5

Set of Detail Brushes, 7 pcs., 140 mm, Soft,

Item Number: 556052

Remove dust particles with this versatile set of Detail Brushes.

- 1 * 25 x 140 mm
- 1 * 18 x 135 mm
- 1 * 12 x 130 mm
- 2 * 12 x 85 mm
- 1 * 3 x 75 mm

	Length, mm	155
	Bristle stiffness	Medium
	Material	Hair;Polypropylene
	Box Quantity, Pcs.	36

Interior Brush, 155 mm, Medium, Black

Item Number: 631559


Remove dust from dashboards, instrument panels, switch housings and air ventilation outlets with this Interior Brush, made from natural hair.

	Length, mm	120
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	15

Nail Brush, 120 mm, Hard,

Item Number: 644052

Clean fingernails, upholstery or carpets with this durable Nail Brush.

	Length, mm	390
	Bristle stiffness	Soft
	Material	Polypropylene;Polyethylene
	Box Quantity, Pcs.	10

Set of Detail Brushes, 30 + 50 mm, 390 mm, Soft,

Item Number: 556452

Clean crevices and other difficult-to-reach areas with this set of Detail Brushes.

	Visible bristle length, mm	17
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	25
	Recommended sterilisation temperature (Autoclave), °C	121

Hand Brush S / Nailbrush, 130 mm, Hard,

Item Number: 6440

The large dimensions of this nailbrush facilitates quick effective nail and hand cleaning. The bristles are stiff enough to be effective but fine enough to reach under the nail area without causing damage to the skin. The hole in the base allows you to link a stainless steel cable to the wall or sink. Is also ideal for cleaning work benches and cutting boards.





Length, mm	130
Product Diameter, mm	135
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	8
Recommended sterilisation temperature (Autoclave), °C	121

Meat Mincer Brush, , Medium,

Item Number: 7035

Designed for cleaning tanks and containers, this Meat Mincer brush can also clean feeder pipes and tubes in food production equipment. Can be used with any Vikan handle.



Visible bristle length, mm	40
Bristle stiffness	Hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Tank Brush, 205 mm, Hard,

Item Number: 7037

Clean tanks, vats and drain gulleys with this Tank Brush, which can be used with any Vikan handle.



Visible bristle length, mm	40
Bristle stiffness	Medium
Material	Polypropylene;Stainless Steel
Box Quantity, Pcs.	10
Max. cleaning temperature (Dishwasher), °C	85

Tank Brush, 205 mm, Medium,

Item Number: 7039

Clean tanks, vats and drain gulleys with this Tank Brush, which can be used with any Vikan handle. Not as temperature resistant as 7037x



Length, mm	225
Bristle stiffness	Very hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Crevice Scrub, 225 mm, Very hard,

Item Number: 7040

Effectively clean beneath and between machines and equipment with an angle-adjustable Crevice Scrub that can even be used with the handle parallel to the floor. The arrow-shaped filaments reach into small cracks and crevices, while a middle row of stiff filaments provides high scrubbing efficacy.



Visible bristle length, mm	24
Bristle stiffness	Very hard
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Deck Scrub, waterfed, 270 mm, Very hard,

Item Number: 7041

Easily clean heavily soiled areas such as abattoirs and meat processing plants with this rugged waterfed Deck Scrub, featuring highly-effective water distribution.



Visible bristle length, mm	32
Bristle stiffness	Medium
Material	Polypropylene;Polyester;Stainless Steel
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Deck Scrub, waterfed, 270 mm, Medium,

Item Number: 7043

This deck scrub has very effective water distribution and is ideal for use in heavily soiled areas such as abattoirs and meat processing plants.



	Visible bristle length, mm	36
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	6
	Recommended sterilisation temperature (Autoclave), °C	121

Deck Scrub w/2 filament lengths, 245 mm, Hard,

Item Number: 7044

Effectively clean awkward corners and recesses in smaller areas with this robust Deck Scrub, featuring filaments that spread and clean as the brush is pressed towards the floor.



	Visible bristle length, mm	41
	Bristle stiffness	Medium
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

High-Low Brush, 265 mm, Medium,

Item Number: 7047

Effectively clean and scrub floor-wall junctions and under machines and equipment with this High-Low Brush, featuring an angled thread that lets you use the brush with the handle positioned parallel to the floor. Also ideal for cleaning drains and gulleys.



	Visible bristle length, mm	25
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel;Chromium-plated brass
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Hand Brush, waterfed & 1/2" Q-coupling, 330 mm, Hard,

Item Number: 7056Q

This waterfed Hand Brush is great for cleaning boots prior to entering the production area. Fitted with a 1/2" metal coupling.



	Visible bristle length, mm	25
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Hand Brush, waterfed, 355 mm, Hard,

Item Number: 7056

This Hand Brush is perfect for cleaning boots prior to entering the production area. Note that the tapered coupling must be secured to a hose using a jubilee clip (not supplied).



	Visible bristle length, mm	46
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	16
	Recommended sterilisation temperature (Autoclave), °C	121

Wall/Floor Washing Brush, 305 mm, Hard,

Item Number: 7060

This Washing Brush is ideal for cleaning tiled floors in food preparation areas. Can be used with any Vikan handle.




	Visible bristle length, mm	45
	Bristle stiffness	Hard
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	8
	Recommended sterilisation temperature (Autoclave), °C	121

Wall/Floor Washing Brush, 470 mm, Hard,

Item Number: 7062

This large washing Brush is great for cleaning all types of floor surfaces, including epoxy, tiles and cement. Can be used with any Vikan handle.



	Visible bristle length, mm	37
	Bristle stiffness	Hard
	Material	Polyester;Glass reinforced;Polypropylene
	Box Quantity, Pcs.	10

UST Deck Scrub, 400 mm, Hard,

Item Number: 7064

This ULTRA SAFE TECHNOLOGY (UST) Deck Scrub comes with angled Filament Security Units for effective removal of stubborn dirt from both textured and smooth surfaces in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.



	Visible bristle length, mm	60
	Bristle stiffness	Medium
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Broom, 300 mm, Medium,

Item Number: 7068

Effectively remove medium dirt-and-food particles in both dry and damp environments with this sturdy Broom, ideal for use in smaller food production areas. Can be used with any Vikan handle.



	Visible bristle length, mm	58
	Bristle stiffness	Soft/split
	Material	Polypropylene;Stainless Steel
	Box Quantity, Pcs.	10
	Max. cleaning temperature (Dishwasher), °C	85

Broom, 300 mm, Soft/split,

Item Number: 7066

This Broom is ideal for sweeping flour, starch and other powders from floors in dry environments such as flour stores. Can be used with any Vikan handle. Note that this product is designed for use in dry areas only.



	Visible bristle length, mm	44
	Bristle stiffness	Soft/split
	Material	Polypropylene;Polyester;Stainless Steel
	Box Quantity, Pcs.	4
	Recommended sterilisation temperature (Autoclave), °C	

Washing Brush w/Angle adjustment, waterfed, 240 mm, Soft/split,

Item Number: 7067

Easily remove dust and dirt from high level, difficult-to-reach areas with this fully adjustable waterfed Washing Brush, ideal for a variety of cleaning tasks. Features split fibre bristles that retain water to improve cleaning efficacy. Can be used with any Vikan handle.



Squeegees

250 mm

300 mm

400 mm

500 mm

600 mm

700 mm



Length, mm	710
Material	Anodised Aluminium;Polyamide
Box Quantity, Pcs.	12

Windscreen Scraper w/Sponge & Telescopic Handle, 710 mm, , Black

Item Number: 473952

Designed for cleaning windscreens on trucks and buses, this telescopic Windscreen Scraper with sponge can extend up to 125cm.



Length, mm	515
Material	Polypropylene;Synthetic rubber
Box Quantity, Pcs.	12

Windscreen Scraper w/Sponge, 515 mm, , Black

Item Number: 473752

Ideal for windscreen cleaning, this Windscreen Scraper features a rubber blade and a sponge with an abrasive net for removing insects.



Length, mm	255
Material	Galvanized steel;EPDM rubber;PVC
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	

Window Squeegee, 255 mm, , Grey

Item Number: 476118

This Window Squeegee can be used with any Vikan threaded handle when combined with a cone mount (product no. 282904).



Length, mm	200
Material	Polypropylene;Synthetic rubber
Box Quantity, Pcs.	24

Head f/Windscreen Scraper 473752 & 473952, 200 mm, , Black

Item Number: 473852

Replacement head, featuring a rubber blade and a sponge with an abrasive net for removing insects. For use with windscreen scrapers 473752 and 473952.



Length, mm	355
Material	Galvanized steel;EPDM rubber;PVC
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	

Window Squeegee, 355 mm, , Grey

Item Number: 476218

This Window Squeegee can be used with any Vikan threaded handle when combined with a cone mount (product no. 282904).

	Length, mm	250
	Material	POM;SEBS
	Box Quantity, Pcs.	6
	Recommended sterilisation temperature (Autoclave), °C	

Wipe-N-Shine, 250 mm, , Green

Item Number: 707752

Wipe-N-Shine effectively removes water residue and limescale deposits from washed and painted surfaces.

	Length, mm	350
	Material	POM;SEBS
	Box Quantity, Pcs.	6
	Recommended sterilisation temperature (Autoclave), °C	

Wipe-N-Shine, 350 mm, , Green

Item Number: 707852


Wipe-N-Shine effectively removes water residue and limescale deposits from washed and painted surfaces.

	Length, mm	450
	Material	POM;SEBS
	Box Quantity, Pcs.	5
	Recommended sterilisation temperature (Autoclave), °C	

Wipe-N-Shine, 450 mm, , Green

Item Number: 707952

Wipe-N-Shine effectively removes water residue and limescale deposits from washed and painted surfaces.

	Length, mm	400
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	12
	Recommended sterilisation temperature (Autoclave), °C	

Floor Squeegee, 400 mm, , Black

Item Number: 708849

Ideal for removing water and oil, this black polypropylene floor squeegee has a black oil-resistant cellular rubber blade. It can be used with any handle in the Vikan Transport System range.

	Length, mm	600
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	12
	Recommended sterilisation temperature (Autoclave), °C	

Floor Squeegee, 600 mm, , Black

Item Number: 708869

Ideal for removing water and oil, this black polypropylene floor squeegee has a black oil-resistant cellular rubber blade. It can be used with any handle in the Vikan Transport System range.

	Length, mm	245
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	121

Ultra Hygiene Table Squeegee w/Mini Handle, 245 mm, ,

Item Number: 7125

An ultra-hygenic single-bladed squeegee for removing excess water and food debris from food-preparation surfaces. The soft and flexible blade is fully-moulded to ensure it is easy to keep completely clean.



	Length, mm	400
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	15
	Recommended sterilisation temperature (Autoclave), °C	121

Ultra Hygiene Squeegee, 400 mm, ,

Item Number: 7140

This ultra-hygienic squeegee combines ultimate hygiene with effective water removal from walls, floors and tables. The angled blade makes it easy to remove water from corners and other difficult -to-reach areas, and the splash guard ensures that liquid does not spill onto the dried surface.



	Length, mm	500
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	15
	Recommended sterilisation temperature (Autoclave), °C	121

Ultra Hygiene Squeegee, 500 mm, ,

Item Number: 7150

This ultra-hygienic squeegee combines ultimate hygiene with effective water removal from walls, floors and tables. The angled blade makes it easy to remove water from corners and other difficult -to-reach areas, and the splash guard ensures that liquid does not spill onto the dried surface.




	Length, mm	600
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	15
	Recommended sterilisation temperature (Autoclave), °C	121

Ultra Hygiene Squeegee, 600 mm, ,

Item Number: 7160

This ultra-hygienic squeegee combines ultimate hygiene with effective water removal from walls, floors and tables. The angled blade makes it easy to remove water from corners and other difficult -to-reach areas, and the splash guard ensures that liquid does not spill onto the dried surface.



	Length, mm	700
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	15
	Recommended sterilisation temperature (Autoclave), °C	121

Ultra Hygiene Squeegee, 700 mm, ,

Item Number: 7170

This ultra-hygienic squeegee combines ultimate hygiene with effective water removal from walls, floors and tables. The angled blade makes it easy to remove water from corners and other difficult -to-reach areas, and the splash guard ensures that liquid does not spill onto the dried surface.



	Length, mm	250
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	121

Hygienic Hand Squeegee w/replacement cassette, 250 mm, ,

Item Number: 7711

Designed for removing water and waste while maintaining high levels of hygiene, this squeegee comes with a replacement cassette that is easily removed for cleaning or replacement (Series 7731 replacement blades).



	Length, mm	405
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Hygienic Floor Squeegee w/replacement cassette, 405 mm, ,

Item Number: 7712

Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7732 for replacement blades).



	Length, mm	505
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Hygienic Floor Squeegee w/replacement cassette, 505 mm, ,

Item Number: 7713

Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7733 for replacement blades).



	Length, mm	605
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Hygienic Floor Squeegee w/replacement cassette, 605 mm, ,

Item Number: 7714

Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7734 for replacement blades).



	Length, mm	700
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Hygienic Floor Squeegee w/replacement cassette, 700 mm, ,

Item Number: 7715

Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7735 for replacement blades).



	Length, mm	400
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	3
	Recommended sterilisation temperature (Autoclave), °C	121

Condensation squeegee, 400 mm, ,

Item Number: 7716

Designed to effectively remove condensation from ceilings and pipes during production, this Condensation Squeegee features drain holes that allow condensation to be collected safely in a bottle or drained away through an attached hose.



	Length, mm	405
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Hygienic Revolving Neck Squeegee w/replacement cassette, 405 mm, ,

Item Number: 7722

Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7732 for replacement blades).



	Length, mm	500
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Hygienic Revolving Neck Squeegee w/replacement cassette, 500 mm, ,

Item Number: 7723

Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7733 for replacement blades).



	Length, mm	600
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Hygienic Revolving Neck Squeegee w/replacement cassette, 600 mm, ,

Item Number: 7724

Designed for areas where both high levels of hygiene and effective water removal are required, this squeegee can be used on all types of surfaces, including tiled and safety flooring. The cassette can be removed easily for cleaning or replacement (Series 7734 for replacement blades).



	Length, mm	250
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	121

Replacement Cassette, Hygienic, 250 mm, ,

Item Number: 7731

Replacement squeegee blade for Hygienic hand squeegee (Series 7711x).



	Length, mm	400
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	121

Replacement Cassette, Hygienic, 400 mm, ,

Item Number: 7732

Replacement squeegee blade for Hygienic fixed and revolving neck squeegees (Series 7712x and 7722x).



	Length, mm	500
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	121

Replacement Cassette, Hygienic, 500 mm, ,

Item Number: 7733

Replacement squeegee blade for Hygienic fixed and revolving neck squeegees (Series 7713x and 7723x).



	Length, mm	600
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	121

Replacement Cassette, Hygienic, 600 mm, ,

Item Number: 7734

Replacement squeegee blade for Hygienic fixed and revolving neck squeegees (Series 7714x and 7724x).



	Length, mm	700
	Material	Polypropylene;TPE Rubber
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	121

Replacement Cassette, Hygienic, 700 mm, ,

Item Number: 7735

Replacement squeegee blade for Hygienic fixed and revolving neck squeegees (Series 7715x and 7725x).





Length, mm	250
Material	Polypropylene;Cellular rubber
Box Quantity, Pcs.	20
Recommended sterilisation temperature (Autoclave), °C	90

Hand Squeegee w/Replacement Cassette, 250 mm, ,

Item Number: 7751

Effectively remove both water and food debris from food preparation surfaces with this double-bladed hand squeegee. Comes with an easy-to-remove replacement cassette (Series 77715 replacement blades).



Length, mm	400
Material	Polypropylene;Cellular rubber
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	

Floor squeegee w/Replacement Cassette, 400 mm, ,

Item Number: 7752

Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77725 or 77729 for replacement blades).



Length, mm	500
Material	Polypropylene;Cellular rubber
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	

Floor squeegee w/Replacement Cassette, 500 mm, ,

Item Number: 7753

Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77735 or 77739 for replacement blades).



Length, mm	600
Material	Polypropylene;Cellular rubber
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	

Floor squeegee w/Replacement Cassette, 600 mm, ,

Item Number: 7754

Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77745 or 77749 for replacement blades).



Length, mm	700
Material	Polypropylene;Cellular rubber
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	

Floor squeegee w/Replacement Cassette, 700 mm, ,

Item Number: 7755

Designed for all types of cleaning, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77755 or 77759 for replacement blades).



Length, mm	400
Material	Polypropylene;Cellular rubber
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	

Revolving Neck Floor squeegee w/Replacement Cassette, 400 mm, ,

Item Number: 7762

Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77725 or 77729 replacement blades).



	Length, mm	500
	Material	Polypropylene;Cellular rubber
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	

Revolving Neck Floor squeegee w/Replacement Cassette, 500 mm, ,

Item Number: 7763

Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77735 or 77739 for replacement blades).



	Length, mm	600
	Material	Polypropylene;Cellular rubber
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	

Revolving Neck Floor squeegee w/Replacement Cassette, 600 mm, ,

Item Number: 7764

Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77745 or 77749 for replacement blades).



	Length, mm	700
	Material	Polypropylene;Cellular rubber
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	

Revolving Neck Floor squeegee w/Replacement Cassette, 700 mm, ,

Item Number: 7765

Ideal for removing water and food debris from all types of flooring, this double-bladed cell rubber squeegee can be used with any Vikan handle. The cassette can be removed easily for cleaning or replacement (Series 77755 or 77759 for replacement blades).




	Length, mm	250
	Material	Polypropylene;Cellular rubber
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	90

Replacement Cassette, 250 mm, ,

Item Number: 7771

Replacement squeegee blade, 25 cm for 7751x



	Length, mm	400
	Material	Polypropylene;Cellular rubber
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	90

Replacement Cassette, 400 mm, ,

Item Number: 7772

Replacement squeegee blade, 40 cm. (Series 7752x and 7762x)




	Length, mm	500
	Material	Polypropylene;Cellular rubber
	Box Quantity, Pcs.	20
	Recommended sterilisation temperature (Autoclave), °C	90

Replacement Cassette, 500 mm, ,

Item Number: 7773

Replacement squeegee blade, 50 cm. (Series 7753x and 7763x).






Length, mm	600
Material	Polypropylene;Cellular rubber
Box Quantity, Pcs.	20
Recommended sterilisation temperature (Autoclave), °C	

Replacement Cassette, 600 mm, ,

Item Number: 7774
Replacement squeegee blade, 60 cm. (Series 7754x and 7764x).

59

FDA



Length, mm	700
Material	Polypropylene;Cellular rubber
Box Quantity, Pcs.	20
Recommended sterilisation temperature (Autoclave), °C	


Replacement Cassette, 700 mm, ,

Item Number: 7775
Replacement squeegee blade, 70 cm. (Series 7755x and 7765).

59

FDA

Handles




Length, mm	100
Volume, Litre(s)	0,5
Material	Polyethylene;Chromium-plated brass
Box Quantity, Pcs.	3

Bottle for condensed water, 100 mm, ,

Item Number: 11005

Designed to collect condensation when using the Condensation Squeegee (7716x), this bottle has a metal coupling that connects easily to the handle (product nos. 2991Q and 2973Q).



Length, mm	1505
Product Diameter, mm	22
Material	Anodised Aluminium;Polyamide
Box Quantity, Pcs.	10

Aluminium Handle Click, 1505 mm, , Black

Item Number: 290800

Aluminium Handle, Click – suitable for use with all Vikan mop frames.



Length, mm	1305
Product Diameter, mm	32
Material	Anodised Aluminium;Polypropylene
Box Quantity, Pcs.	5

Aluminium Telescopic handle, 1305 mm, , White

Item Number: 29255

This short telescopic handle is ideal for cleaning inside tanks with a small entry point, such as lidded tanks. It can be used for wide or deep tanks where the standard extendable handle (product no. 2975x) is too long.



Length, mm	1050
Product Diameter, mm	25
Material	Anodised Aluminium;Polypropylene
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	100

Aluminium Handle, 1050 mm, ,

Item Number: 2933

Durable handle that fits all Vikan tools. Is recommended for use with tube brushes 538050x, 538063x, 538077x, 538090x, 5380103x when cleaning tubes and drains.



Length, mm	160
Product Diameter, mm	30
Material	Polypropylene
Box Quantity, Pcs.	20
Recommended sterilisation temperature (Autoclave), °C	121

Mini-Handle, 160 mm, ,

Item Number: 2934

Ideal for use with any Vikan product requiring a small handle, including tube cleaners, squeegees and table or floor scrapers.



	Length, mm	1310
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Aluminium Handle, 1310 mm, ,

Item Number: 2935

Ergonomically designed with a comfortable grip and rounded top and hanger, this handle fits any Vikan product that requires a handle. Do not use with acid or chlorine.




	Length, mm	1505
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure, Bar	

Aluminium Handle, 1505 mm, , Black

Item Number: 293752

Professional handle with an insulated sleeve for a comfortable grip.

	Length, mm	1510
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Aluminium Handle, 1510 mm, ,

Item Number: 2937

Ergonomically designed with a comfortable grip and rounded top and hanger, this handle fits any Vikan product that requires a handle. Do not use with acid or chlorine.




	Length, mm	1510
	Product Diameter, mm	31
	Material	Stainless Steel;Polypropylene
	Box Quantity, Pcs.	5
	Recommended sterilisation temperature (Autoclave), °C	121

Stainless Steel Handle, 1510 mm, ,

Item Number: 2939

This tough and chemical-resistant stainless steel handle is ergonomically designed for greater comfort. Can be used with any product in the Vikan range.



	Length, mm	575
	Product Diameter, mm	29
	Material	Polypropylene;Anodised Aluminium
	Box Quantity, Pcs.	4

Short Telescopic Handle, 575 mm, , Grey

Item Number: 295610

Used with a 25cm mop frame and window mop to clean glass, stainless steel, ceramics and other high gloss vertical surfaces. Can also be used with table mop for horizontal surfaces, such as laminates and wood.


	Length, mm	1260
	Product Diameter, mm	25
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	10

Aluminium Handle, 1260 mm, ,

Item Number: 2958

This handle with colour-coded grip can be used with any product in the Vikan range.




	Length, mm	1500
	Product Diameter, mm	22
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	10

Aluminium handle, 1500 mm, , Grey

Item Number: 295918


A rugged and easy-to-clean aluminium handle with thread for professional cleaning, 1500 mm.

	Length, mm	1150
	Product Diameter, mm	29
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	6

Aluminium topregulated telesco.handle w/click fit, 1150 mm, , Grey

Item Number: 296218


This ergonomically designed, top-regulated telescopic handle is easily adjusted with a simple button, making it easy to achieve the correct working height and reduce strain on the user's back. Can be used with all Vikan mop frames.

	Length, mm	1460
	Product Diameter, mm	25
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	10

Aluminium Handle, 1460 mm, ,

Item Number: 2959

This handle with colour-coded grip can be used with any product in the Vikan range.

	Length, mm	1500
	Product Diameter, mm	34
	Material	Polypropylene;Glass reinforced
	Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C		121

Ultra Hygienic Handle, 1500 mm, ,

Item Number: 2962

The hygienic construction of the Ultra Hygienic Handle helps achieve a higher level of hygiene in food handling and production facilities.

The fully molded construction minimises the risk of cross contamination. The handle is made from food contact compliant materials and is easy to clean and dry.



	Length, mm	1300
	Product Diameter, mm	34
	Material	Polypropylene;Glass reinforced
	Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C		121

Ultra Hygienic Handle, 1300 mm, ,

Item Number: 2960

The hygienic construction of the Ultra Hygienic Handle helps achieve a higher level of hygiene in food handling and production facilities.

The fully molded construction minimises the risk of cross contamination. The handle is made from food contact compliant materials and is easy to clean and dry.



	Length, mm	1700
	Product Diameter, mm	34
	Material	Polypropylene;Glass reinforced
	Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C		121


Ultra Hygienic Handle, 1700 mm, ,

Item Number: 2964

The hygienic construction of the Ultra Hygienic Handle helps achieve a higher level of hygiene in food handling and production facilities.

The fully molded construction minimises the risk of cross contamination. The handle is made from food contact compliant materials and is easy to clean and dry.




	Length, mm	1060
	Product Diameter, mm	32
	Material	Anodised Aluminium;Polypropylene;Chromium-plated brass
	Max. bars pressure, Bar	6
	Box Quantity, Pcs.	5

Aluminium telescopic waterfed handle w/Q coupling, 1060 mm, , Black

Item Number: 297152Q


Telescopic ergonomic handle with water channel is made of aluminium with sturdy shockproof and grip-friendly plastic for comfortable and functional use. The telescopic feature ensures that the handle is always the right length for the user. The handle can be connected to 1/2" or 3/4" water hoses which are attached with a clip.

	Length, mm	1600
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene;Chromium-plated brass
	Box Quantity, Pcs.	5
	Max. bars pressure, Bar	6

Aluminium telescopic waterfed handle w/Q coupling, 1600 mm, , Black

Item Number: 297352Q


This professional telescopic water-fed handle (1600–2840 mm) has an insulated sleeve for a comfortable grip and a quick-release hose connector. Maximum water pressure, 6 bars.

	Length, mm	1615
	Product Diameter, mm	32
	Material	Anodised Aluminium;Polypropylene;Chromium-plated brass
	Box Quantity, Pcs.	5
	Max. bars pressure, Bar	6

Aluminium Telescopic waterfed Handle, 1615 mm, , White

Item Number: 29735

Ergonomically designed to improve the user's working position, this water-fed telescopic handle with a hose nozzle and comfortable grip is easy to adjust to the required length. Fits any water-fed Vikan product. Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.


	Length, mm	1600
	Product Diameter, mm	32
	Material	Anodised Aluminium;Polypropylene;Chromium-plated brass
	Box Quantity, Pcs.	5
	Max. bars pressure, Bar	6

Aluminium Telescopic waterfed Handle w/metal coupling, 1600 mm, ,

Item Number: 2973Q

Ergonomically designed to improve the user's working position, this water-fed telescopic handle with quick-release coupling hose and comfortable grip is easy to adjust to the required length. Fits any water-fed Vikan product including the condensation squeegee (7716x).. Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.




	Length, mm	1600
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene;Chromium-plated brass
	Box Quantity, Pcs.	5
	Max. bars pressure, Bar	6

Aluminium telescopic waterfed handle w/click fit, 1600 mm, , Black

Item Number: 297352C

This professional telescopic water-fed handle (1600–2840 mm) has an insulated sleeve for a comfortable grip and a 1/2" quick coupling. Maximum water pressure, 6 bars.

	Length, mm	1575
	Product Diameter, mm	32
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	5

Aluminium telescopic handle, 1575 mm, , Black

Item Number: 297552

This professional telescopic handle (1575–2780 mm) has an insulated sleeve for a comfortable grip.

	Length, mm	1575
	Product Diameter, mm	32
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	5
	Recommended sterilisation temperature (Autoclave), °C	121

Aluminium Telescopic handle, 1575 mm, ,

Item Number: 2975

This telescopic handle can be easily adjusted to the required length, making it ideal for cleaning walls and canopies. Its ergonomic design and comfortable grip improve user comfort. Can be used with any product in the Vikan range. Do not use with acid or chlorine.



	Length, mm	1490
	Product Diameter, mm	29
	Material	Polyethylene;PVC
	Box Quantity, Pcs.	10

Aluminium telescopic handle w/click fit, 1490 mm, , Grey

Item Number: 297618

This long telescopic handle (1.5–4 metres) for professional cleaning is simple to adjust, making it easy for the user to find the perfect working position. It is robust and easy to clean and can be used with all Vikan mop frames. The Click model can be used with Vikan's Comprehensive range.

	Length, mm	1880
	Max. Length, mm	6000
	Material	Fibreglass;Polypropylene
	Box Quantity, Pcs.	1

Telescopic handle, Fibre Glass, Thread, 1880 mm, , Grey

Item Number: 2977

This telescopic handle is lightweight and ideal for cleaning exterior pipes with 5371x and 5374x.

	Length, mm	1925
	Max. Length, mm	6000
	Material	Fibreglass;Polypropylene;Chromium-plated brass
	Box Quantity, Pcs.	1

Telescopic handle only for condensation squeegee 7716x, 1925 mm, , Grey

Item Number: 2977Q

Ideal for removing condensation from ceilings in pipes, this telescopic fibreglass handle is used with the condensation squeegee (7716). Cannot be used as a waterfed handle.

	Length, mm	2195
	Max. Length, mm	5810
	Material	Fibreglass;Polypropylene
	Box Quantity, Pcs.	1

Telescopic handle, Fibre Glass, Thread, 2195 mm, , Grey

Item Number: 2979

Solid and rigid 3-piece telescopic handle suitable when washing/scrubbing high wall surfaces.

	Length, mm	650
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Aluminium Handle, 650 mm, ,

Item Number: 2981

Ideal for cleaning conveyor belts, tables and small vats, this short handle is ergonomically designed to improve the working position of the user. It has a comfortable grip, rounded top and hanger.




	Length, mm	1025
	Product Diameter, mm	31
	Material	Stainless Steel;Polypropylene
	Box Quantity, Pcs.	5
	Recommended sterilisation temperature (Autoclave), °C	121

Stainless Steel Handle, 1025 mm, ,

Item Number: 2983

Suitable for cleaning areas where aggressive chemicals are used, this stainless steel handle can be used with any product in the Vikan range.



	Length, mm	1565
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene;Chromium-plated brass
	Box Quantity, Pcs.	10
	Max. bars pressure, Bar	6

Aluminium Handle, waterfed, 1565 mm, , White

Item Number: 29915

A water-fed handle with quick-release coupling and a comfortable grip, this product has been ergonomically designed to improve the working position of the user. Can be used with any water-fed product in the Vikan range. Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.




	Length, mm	1545
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene;Chromium-plated brass
	Box Quantity, Pcs.	10
	Max. bars pressure, Bar	6

Aluminium Handle, waterfed, 1545 mm, , Black

Item Number: 299152Q

A professional water-fed handle with an insulated sleeve for a comfortable grip and a quick-release hose connector. Maximum water pressure, 6 bars.


	Length, mm	1540
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene;Chromium-plated brass
	Box Quantity, Pcs.	10
	Max. bars pressure, Bar	

Aluminium Handle, waterfed, 1540 mm, ,

Item Number: 2991Q

A water-fed handle with quick-release coupling and a comfortable grip, this product has been ergonomically designed to improve the working position of the user. Can be used with any water-fed product in the Vikan range, including the condensation squeegee (7716x). Maximum pressure, 6 bars. Maximum water temperature, 50 °C. Do not use with acid or chlorine.



	Length, mm	1010
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	10
	Max. bars pressure, Bar	6

Aluminium Handle, waterfed, Q-coupling, 1010 mm, , Black

Item Number: 299252Q


A professional water-fed handle with an insulated sleeve for a comfortable grip and a quick-release hose connector. Maximum water pressure, 6 bars.

	Length, mm	155
	Product Diameter, mm	22
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	10

Adapter, from thread to click, 155 mm, ,

Item Number: 2994


Adapter from thread to click, 22 mm.

	Length, mm	1575
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene;Chromium-plated brass
	Box Quantity, Pcs.	10
	Max. bars pressure, Bar	6

Aluminium Handle, waterfed, Q-coupling + on/off, 1575 mm, , Black

Item Number: 299552Q

A professional water-fed handle with an insulated sleeve for a comfortable grip and an on/off switch. Maximum water pressure, 6 bars.

	Length, mm	140
	Product Diameter, mm	
	Material	Polypropylene;Stainless Steel
	Box Quantity, Pcs.	10

Angle Thread, 140 mm, ,

Item Number: 2998

Angle device, German thread, black

	Length, mm	85
	Product Diameter, mm	25
	Material	Polypropylene
	Box Quantity, Pcs.	30
	Recommended sterilisation temperature (Autoclave), °C	121

Adapter, 85 mm, ,

Item Number: 2995

This US male adaptor/Vikan female adaptor allows products with US female thread to be used with a Vikan handle.

	Length, mm	265
	Product Diameter, mm	
	Material	Polyamide
	Box Quantity, Pcs.	1


Ergobend, 265 mm, , Black

Item Number: 380600

Ergobend, black.

5



	Length, mm	1920
	Product Diameter, mm	31
	Material	Anodised Aluminium;Polypropylene;Chromium-plated brass
	Box Quantity, Pcs.	10
	Max. bars pressure, Bar	6

Aluminium Handle, waterfed, Q-coupling, 1920 mm, , Black

Item Number: 299752Q

A professional water-fed handle with an insulated sleeve for a comfortable grip and a quick-release hose connector. Maximum water pressure, 6 bars.

	Length, mm	155
	Product Diameter, mm	26
	Material	Anodised Aluminium;Polypropylene
	Box Quantity, Pcs.	10

Cone adapter, f/click handles, 155 mm, ,

Item Number: 380800

Cone adapter, f/click handles

	Length, mm	785
	Product Diameter, mm	5
	Material	Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Flexible extension handle f/53515, 785 mm, ,

Item Number: 5346

Easily clean the inside of long feeder tubes with this extension to the Flexible Rod (53515). Add as many extension rods as required to reach inside feeder tubes of any length. For use with tube cleaners (5354x, 5356x, 5365x or 5368x and 5391x).




	Length, mm	755
	Product Diameter, mm	5
	Material	Stainless Steel;Polypropylene
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Flexible Handle, stainless steel, 755 mm, , White

Item Number: 53515

A flexible rod for cleaning curved pipes such as sight-glasses on large tanks and transfer hoses. Can be used with Vikan tube cleaner heads (5354x, 5356x, 536x5, 5368x and 5391x). Connected by a screw thread and can be extended in increments of 750 mm by attaching product no. 5346.



	Length, mm	1505
	Product Diameter, mm	6
	Material	Polypropylene;Polyamide;Stainless Steel
	Box Quantity, Pcs.	10
	Recommended sterilisation temperature (Autoclave), °C	121

Flexible handle, Nylon, 1505 mm, , White

Item Number: 53525

This flexible Nylon Handle makes it easy to clean inside long curved feeder pipes. Can be used with 5354x, 5356x, 5365x, 5368x and 5391x tube cleaners.





	Length, mm	1140
	Material	Polypropylene;Anodised Aluminium
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	380 x 340 x 90
	Recommended sterilisation temperature (Autoclave), °C	121

Ergonomic shovel, 1140 mm, ,

Item Number: 5600

Robust hygiene shovel. The handle of this shovel is re-inforced with an inner aluminium tube. It is stepped in two places which helps to prevent back injuries. The neck joint has been strengthened in order to withstand heavy duty use. The short handle and small blade combination make it light weight and able to fit into smallish containers. Sometimes use as a large-scale dustpan.



	Length, mm	1310
	Material	Polypropylene;Anodised Aluminium
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	380 x 340 x 90
	Recommended sterilisation temperature (Autoclave), °C	121

Ergonomic shovel, 1310 mm, ,

Item Number: 5601

Robust hygiene shovel. The handle of this shovel is re-inforced with an inner aluminium tube. It is stepped in two places which helps to prevent back injuries. The neck joint has been strengthened in order to withstand heavy duty use. The short handle and small blade combination make it light weight and able to fit into smallish containers. Sometimes use as a large-scale dustpan.



	Length, mm	1145
	Material	Polypropylene;Anodised Aluminium
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	380 x 340 x 90
	Recommended sterilisation temperature (Autoclave), °C	121

Ergonomic shovel with drain holes, 380 x 340 x 90 mm, White

Item Number: 56035

The holes enable the water/liquid to drain quickly from the food products. Suitable for all industries.



	Length, mm	1305
	Material	Polypropylene;Anodised Aluminium
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	380 x 340 x 90
	Recommended sterilisation temperature (Autoclave), °C	121

Ergonomic shovel with drain holes, 1305 mm, , Black

Item Number: 56049

The holes enable the water/liquid to drain quickly from the food products. Suitable for all industries.



	Length, mm	1110
	Material	Polypropylene;Anodised Aluminium
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	340 x 270 x 75
	Recommended sterilisation temperature (Autoclave), °C	121

Ergonomic shovel, 1110 mm, ,

Item Number: 5610

Robust hygiene shovel. The handle of this shovel is re-inforced with an inner aluminium tube. It is stepped in two places which helps to prevent back injuries. The neck joint has been strengthened in order to withstand heavy duty use. The short handle and small blade combination make it light weight and able to fit into smallish containers. Sometimes use as a large-scale dustpan.



	Length, mm	1280
	Material	Polypropylene;Anodised Aluminium
	Box Quantity, Pcs.	1
	Shovel Blade Size, L x W x H, mm	340 x 270 x 75
	Recommended sterilisation temperature (Autoclave), °C	121

Ergonomic shovel, 1280 mm, ,

Item Number: 5611

Robust hygiene shovel. The handle of this shovel is re-inforced with an inner aluminium tube. It is stepped in two places which helps to prevent back injuries. The neck joint has been strengthened in order to withstand heavy duty use. The short handle and small blade combination make it light weight and able to fit into smallish containers. Sometimes use as a large-scale dustpan.



	Length, mm	1035
	Material	Polypropylene
	Box Quantity, Pcs.	5
	Shovel Blade Size, L x W x H, mm	379 x 345 x 90
	Recommended sterilisation temperature (Autoclave), °C	121

Shovel, D Grip, 1035 mm, ,

Item Number: 5623

This shovel can be used during production on food-contact surfaces. It is a single mould design with a straight handle and often used to move items from container to container or container to conveyor.



	Length, mm	1040
	Material	Polypropylene
	Box Quantity, Pcs.	5
	Shovel Blade Size, L x W x H, mm	327 x 271 x 50
	Recommended sterilisation temperature (Autoclave), °C	121

Shovel, Metal Detectable, D Grip, 1040 mm, , Dark blue

Item Number: 562599

Lightweight and durable shovel. It's one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for moving food ingredients or large quantities of food waste. Can be used during production on food-contact surfaces as it can be traced by a metal detector. Can be tested using test kit, item no. 11199.



	Length, mm	1040
	Material	Polypropylene
	Box Quantity, Pcs.	5
	Shovel Blade Size, L x W x H, mm	327 x 271 x 50
	Recommended sterilisation temperature (Autoclave), °C	121

Shovel, D Grip, 1040 mm, ,

Item Number: 5625

Fully moulded, one piece hygiene shovel. Lightweight and durable. Its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean. Ideal for use in food production areas for moving food ingredients or large quantities of food waste.



	Length, mm	1035
	Material	Polypropylene
	Box Quantity, Pcs.	5
	Shovel Blade Size, L x W x H, mm	327 x 271 x 50
	Recommended sterilisation temperature (Autoclave), °C	121

Shovel, T-Grip, 1035 mm, ,

Item Number: 5631

Fully moulded, one piece hygiene shovel. Lightweight and durable, its one piece construction eliminates areas where bacteria can be harboured. Smooth surface makes it extremely easy to clean, ideal for use in food production areas for moving food ingredients or large quantities of food waste.



	Length, mm	550
	Material	Polypropylene
	Box Quantity, Pcs.	12
	Shovel Blade Size, L x W x H, mm	327 x 271 x 50
	Recommended sterilisation temperature (Autoclave), °C	121

Hand shovel, Metal Detectable, 550 mm, , Dark blue

Item Number: 567399

This shovel can be used during production on food-contact surfaces as it can be traced by a metal detector. It is used for scooping large amounts of ingredients or food, e.g. ingredients into large mixers. The neck joint is very robust and can withstand strong downward pressure.





Length, mm	550
Material	Polypropylene
Box Quantity, Pcs.	12
Shovel Blade Size, L x W x H, mm	327 x 271 x 50
Recommended sterilisation temperature (Autoclave), °C	121

Hand shovel, 550 mm, ,

Item Number: 5673

This shovel was designed for scooping large amounts of ingredients or food, e.g. ingredients into large mixers. The neck joint is very robust and can withstand strong downward pressure.



Length, mm	1275
Material	Polypropylene
Box Quantity, Pcs.	1
Recommended sterilisation temperature (Autoclave), °C	121

Hygiene Fork, 1275 mm, , White

Item Number: 56905

The hygiene fork is mostly used to empty out fresh produce from large containers, e.g. during grape harvest for wine making. The handle is re-inforced with an inner aluminium tube. It is stepped in two places which helps to prevent back injuries. The neck joint has been strengthened in order to withstand heavy duty use.



Length, mm	205
Material	Polypropylene
Box Quantity, Pcs.	1
Recommended sterilisation temperature (Autoclave), °C	121

Hygiene Rake, 205 mm, , White

Item Number: 56915

The hygiene fork is mostly used to empty out fresh produce from large containers, e.g. during grape harvest for wine making to remove residual grapes from tipper. It is attached to a handle; either standard or telescopic.



Dustpan sets & dusters

Duster

Dustpan set



Length, mm	710
Product Diameter, mm	17
Bristle stiffness	Soft
Material	Wool
Box Quantity, Pcs.	60

Wool duster, 710 mm, Soft, Grey

Item Number: 454210

Ideal for general purpose dusting. Grey handle, assorted colours



Length, mm	1070
Product Diameter, mm	22
Material	Polypropylene;PVC
Box Quantity, Pcs.	12

Duster w/telescopic handle, 1070 mm, Soft, Grey

Item Number: 454518

Duster w/telescopic handle, grey



Length, mm	985
Material	Polypropylene
Box Quantity, Pcs.	6

Longhandled brush/dustpan set, 985 mm, , Black

Item Number: 559518

Long handled plastic dustpan and broom. A long handled set enables one to remove dirt from the floor quickly and easily without the need to bend down.



Length, mm	1050
Material	Polypropylene;Polyamide;Anodised Aluminium
Box Quantity, Pcs.	4

Dustpan set closed with broom and squeegee, 1050 mm, , Grey

Item Number: 559618

The dustpan set has the following advantages: It is stable in both closed and open positions. Holds 0.3 Litres of liquid when in an open position. Due to its capacity it can hold large quantities of waste. Easily separated and can be cleaned in a dishwasher.




Length, mm	330
Material	Polypropylene
Box Quantity, Pcs.	10
Recommended sterilisation temperature (Autoclave), °C	121

Dustpan, 330 mm, ,

Item Number: 5660

This dustpan has a sharp edge so that food particles are efficiently brushes into it. The neck joint is very robust and can withstand strong downward pressure. It is used in all kinds of industries either on the floor or tables.



	Length, mm	370
	Material	Polypropylene;Polyester;Stainless Steel;Anodised Aluminium
	Box Quantity, Pcs.	4

Dustpan set, closable with broom, 370 mm,
Medium,

Item Number: 5661

Sweep up and collect dry and moist debris in the same smooth, even movement. Angle-cut broom head features two kinds of bristles, and the closeable dustpan has a solid contact lip to gather up debris easily and effectively.



Mops & cloths

Pocket

25 cm

40 cm

60 cm



Material

80% Polyester, 20% Polyamide (100% Microfibre)

Box Quantity, Pcs.

5

Recommended sterilisation temperature (Autoclave), °C

Basic microfibre cloth, 320 mm, ,

Item Number: 69113

Perfect for general cleaning. Can be used on all kinds of hard surfaces. Used dry it picks up and retains the smallest dust- and dirt particles by static electricity. Damp with water it absorbs dirt and grease by the capillary effect.



Material

80% Polyester, 20% Polyamide (100% Microfibre)

Box Quantity, Pcs.

5

Recommended sterilisation temperature (Autoclave), °C

Basic microfibre cloth, 400 mm, ,

Item Number: 69114

Perfect for general cleaning. Can be used on all kinds of hard surfaces. Used dry it picks up and retains the smallest dust- and dirt particles by static electricity. Damp with water it absorbs dirt and grease by the capillary effect.



Material

80% Polyester, 20% Polyamide (100% Microfibre)

Box Quantity, Pcs.

5

Recommended sterilisation temperature (Autoclave), °C

Basic floor cloth, 640 mm, , Grey

Item Number: 691168

Micro fibre Floor cloth



Material

80% Polyester, 20% Polyamide (100% Microfibre)

Box Quantity, Pcs.

5

Recommended sterilisation temperature (Autoclave), °C

Original Microfibre cloth, 315 mm, ,

Item Number: 69101

Vikan provides a complete range of colour-coded micro fibre cloths in four colours.



Material

80% Polyester, 20% Polyamide (100% Microfibre)

Box Quantity, Pcs.

5

Recommended sterilisation temperature (Autoclave), °C


95

Basic microfibre cloth, 320 mm, , Grey

Item Number: 691138

Perfect for general cleaning. Can be used on all kinds of hard surfaces. Used dry it picks up and retains the smallest dust- and dirt particles by static electricity. Damp with water it absorbs dirt and grease by the capillary effect.



	Material
	80% Polyester, 20% Polyamide (100% Microfibre)
	Box Quantity, Pcs.
	5
	TemperatureMachineWashing

Microfibre Lustre cloth, 400 mm, ,

Item Number: 69154

The lustre cloth is ideal for cleaning windows, mirrors and hard polished surfaces such as stainless steel and other shiny metal surfaces. The cloth is to be used dry or damp with water and no chemicals. Cleans without leaving lint or streaks.



Foaming & dosing equipment

Water gun

Foam sprayer



Box Quantity, Pcs.	4
Max. bars pressure, Bar	10
Material	HDPE

Spare container, 165 mm, ,

Item Number: 9310

Spare container for foam sprayer, 9301x and 9305x.



Box Quantity, Pcs.	1
Max. bars pressure, Bar	10
Material	HDPE

Spare container, 240 mm, ,

Item Number: 9311

Spare container for foam sprayer, 9301x and 9305x.



Box Quantity, Pcs.	1
Max. bars pressure, Bar	10
Material	Chromium-plated brass;PVC

Ergo injector with suction hose, 290 mm, , Black

Item Number: 93139

Ergonomic and solid handle with foam injector for foam cleaning. Water and chemicals are always mixed in correct dosage ratio 0.15 - 10% and are foamed on the surfaces. Fit both large and small container. Suction hose and filter provided.



Box Quantity, Pcs.	1
Volume, Litre(s)	2,5
Min. Bars pressure, Bar	2
Max. bars pressure, Bar	10
Material	Brass;Orgalloy;HDPE;TSGZ 15
Max usage temperature (food contact), °C	

Ergo foam sprayer, incl. jet spray, 290 mm, ,

Item Number: 9301

Cleaning in sanitary and small processing areas. Foam is applied with the foam sprayer without aerosols at normal water pressure. Always correct dosage ratio at 0.4-10%. Identification of chemicals facilitated by the colour-coding of the container. Use Safeone, 9340 as protection against chemical reflux in potable water supplies. Approved according to EN 1717 - substance class 3.



Box Quantity, Pcs.	1
Volume, Litre(s)	1,4
Min. Bars pressure, Bar	2
Max. bars pressure, Bar	10
Material	Brass;Orgalloy;HDPE;TSGZ 15
Max usage temperature (food contact), °C	

Foam sprayer incl. jet spray, 290 mm, ,

Item Number: 9305

Cleaning in sanitary and small processing areas. Foam is applied with the foam sprayer without aerosols at normal water pressure. Always correct dosage ratio at 0.4-10%. Identification of chemicals facilitated by the colour-coding of the container. Use Safeone, 9340 as protection against chemical reflux in potable water supplies. Approved according to EN 1717 - substance class 3.





Box Quantity, Pcs.	3
Max. bars pressure, Bar	10
Material	Chromium-plated brass;PVC

Injector with suction hose, 260 mm, , Black

Item Number: 93149

Foam injector for foam cleaning. Water and chemicals are always mixed in correct dosage ratio 0.40 - 10% and are foamed on the surfaces. Fit both large and small container. Suction hose and filter provided.



Box Quantity, Pcs.	4
Max. bars pressure, Bar	6
Material	Polyamide;Chromium-plated brass

Combi watergun for foam sprayer, 165 mm, , Black

Item Number: 93209

For use in connection with foam cleaning to be mounted with nozzle. Functional design with continuously variable water supply. Wheel dresser equipped with closing and opening device. Connected with 0.5 inch clutch housing.



Box Quantity, Pcs.	1
Max. bars pressure, Bar	10
Material	PVC

Suction hose for injector, 93139 & 93149, 160 mm, , White

Item Number: 93175

Suction hose with filter for foam injector and spray injector.



Box Quantity, Pcs.	1
Max. bars pressure, Bar	12
Material	Polyamide;Polypropylene;Chromium-plated brass

Ergonomic watergun for Foam sprayer, Black

Item Number: 93219

For use in connection with foam cleaning to be mounted with nozzle. Ergonomically designed hot water pistol with thermal protection of the handle. The wheel dresser is equipped with protection device against activation and can be locked. Made of shock resistant composite material. Connected with 0.5 inch clutch housing.



Box Quantity, Pcs.	1
Material	Vinyl

Plastic lid for container, 110 mm, , Black

Item Number: 93189

Protection against chemical evaporation when the container is not in use. If the container tips over, this will also provide protection against chemical spillage.



Box Quantity, Pcs.	8
Max. bars pressure, Bar	25
Material	Chromium-plated brass

SafeOne, back flows prevention, 135 mm, , Chromium-plated brass

Item Number: 9340

Should be used with foam sprayers, 9300, 9301, 9305 and 9306 as protection against chemical backflow prevention into the watersupply system.



Stainless steel hose suspension, 550 mm, ,

Item Number: 9345


Hose suspension for wall mounting. Max. 20 meter hose.



Angled jet spray, small nozzle, 630 mm, , Black

Item Number: 9352


For mounting on foaming guns, 93209 and 93219 for rinsing of the chemicals after foaming.



Stainless steel suspension for foam sprayer, 9301x/9305x, 290 mm, ,

Item Number: 9348

Hose and foam sprayer suspension for wall mounting. Max. 20 meter hose.



Adjustable nozzle, 70 mm, , Black

Item Number: 9354

Adjustable nozzle to be mounted directly on the foaming gun for rinsing of your chemicals.



Jet spray plastic, 182 mm, , Black

Item Number: 9350


For mounting on foaming guns, 93209 and 93219 for rinsing of the chemicals after foaming.



Set of nozzles, 75 mm, ,

Item Number: 9378

Nozzle kit for foam sprayers, cleaning stations, dosing device, injectors, chemical suction hoses. Dosage from 10% to 0.40%.



Box Quantity, Pcs.	1
Material	Stainless Steel

Stainless steel wire rack, 200 mm, ,

Item Number: 9430

Rack for wall mounting. To be used for 5 Liter containers.



Box Quantity, Pcs.	1
Max. bars pressure, Bar	10
Material	POM;Chromium-plated brass

Dilution unit for several products, 280 mm, , Black

Item Number: 9472

For accurate dosing of chemicals from 0.2% to 9% in bottles, small buckets and floor cleaning machines for optimum cleaning each time and saving on chemicals. The dosing unit is approved with reflux protection device. Wall mounted or directly on the water tap. Connected with 0.5 inch clutch housing.



Box Quantity, Pcs.	1
Material	Stainless Steel

Stainless steel wire rack, 285 mm, ,

Item Number: 9431

Rack for wall mounting. To be used for 10 Liter containers.



Box Quantity, Pcs.	15
Max. bars pressure, Bar	20
Material	PVC;Chromium-plated brass

Outlet hose, 1500 mm, , White

Item Number: 94415

White discharge hose for dosing stations and dosing device. 0.5 inch clutch housing mounted for quick connection.

Vikan is the leader in advancing hygienic cleaning for customers in safety critical environments where hygiene is a fundamental business driver. Our tools and solutions are designed to deliver in terms of health, safety and environment through quality control and plant management to infection control.

Vikan strives to make cleaning simpler, easier and more effective in sectors such as food and drink processing, healthcare, kitchens and restaurants, retail and supermarkets, education and local authorities, and transport. We work collaboratively with customers to maintain a clear and thorough understanding of their market challenges and needs.

Vikan's systems are designed to improve and raise the visibility of internal hygiene control, support HACCP compliance, and make it easier to maintain and document protocols for internal and external audits. We provide customers with pragmatic, environmentally conscious solutions that are easy to understand and simple to implement, and offer money saving guidance on product selection, cleaning protocols and tool storage to maximise the tools' lifespan.

All Vikan solutions are designed around materials approved for use in health and food preparation environments, comply with US and European legislation, and are licensed under food safety and eco-label systems. Leading edge innovations include pre-prepared microfibre mops, cloths and brushes for efficient, effective and hygienic cleaning; colour-coded tools for use in environments where avoidance of cross contamination is key; ergonomic and adjustable tool designs for operator comfort; and tools made from FDA compliant materials and live up to the EU regulation 10/2011 for applications in the food industry.

We maintain complete control over our quality, environmental and security credentials as all product development, testing and manufacture takes place in Denmark.