

# acer

**Enduser pricelist BeLux**

***May 13<sup>th</sup>, 2008 pricelist***

 **empowering technology**

**Best view in 1024 x 768**

[www.acer.be](http://www.acer.be)

**[N] = New**

**[D] = Price down**

**[E] = EOL**

**[ED] = EOL + down**

**[O] = Options old models, orderable**

**[A] = Promotions**

**[U] = Price up**

**- Special Offers -**

Pricelist, May 13<sup>th</sup> 2008

Partnumber	Description	List Excl. BTW EURO
LX.TK206.016	TravelMate 5720-301G16Mi, Intel® Core™2 Duo processor T7300 (2GHz / FSB: 800 MHz / 4MB L2 cache), Microsoft® Windows® XP Professional, Magnesium Alloy cover, 15.4TFT WXGA, 1024MB DDR II (1x 1024), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer , 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g, Mobile Intel® Graphics Media Accelerator X3100 256MB shared, no IEEE-1394, no S-video, no FIR, 0.3MP CrystalEye, 5-in-1 card reader, AZB	634,-
LX.TMR06.009	TravelMate 7720G-302G16Mn, Intel® Core™2 Duo processor T7300 (2GHz / FSB: 800MHz / 4MB L2 cache), Microsoft® Windows® XP Professional Edition, 17TFT WXGA+, 2048MB DDR II (2x 1024), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g/n, Bluetooth®, ATI Mobility Radeon™ HD X2400 XT 256MB/1024MB HM, 0.3MP CrystalEye, 5-in-1 card reader, AZB	799,-
ET.B23RZ.F02	Acer AL1723F, 17" LCD with speaker, Analog & DVI, height adjustable, 5ms, 2000:1, 160/160 VA, Pivot function + software, ZBD - TCO'03, titanium/silver design	169,-
ET.C16WE.D01	Acer AL1916Wds, 19" Widescreen LCD, Analog, 2000:1, 5ms - TCO '03, silver/black	150,-
ET.CP3WE.021	Acer P193Ww, 19" Widescreen LCD, CrystalBrite, Analog, 2000:1, 5ms, glossy white	155,-
EY.J5401.009	P5260i, Adv. DLP™, XGA 1024 x 768, 2000:1, 2700 ANSI Lumens, WLAN, DVI (HDCP), HDMI, 2x Digital Zoom, 31dB, 2.9kg	814,-
91.WLM7X.HYP	Aspire M1640, Intel® Pentium® Dual-Core processor E2160, Microsoft® Windows Vista™ Home Premium (NL/FR/UK) + Office Home & Student 2007 Trial, 3GB DDR2 (1x 2GB, 1x 1GB), 500GB, DVD-RW (Dual Layer), ATI Radeon™ HD3450 256MB/1526MB TGM DVI VGA, 9-in-1 card reader, 1Gb LAN, Incl. PS/2 Belgium Azerty keyboard & mouse	388,-
9X.UJE71.H7R	Aspire M3100-X193WLCD, AMD Athlon™64 X2 processor 4400+, Microsoft® Windows® Vista™ Home Premium (NL/FR/UK) + Game-Bundle!, 2GB DDR2 (2x 1GB), 320GB, DVD-RW (Dual Layer), ATI Radeon™ HD2400PRO 256MB/1018MB DVI VGA HD, 18-in-1 card reader, FireWire, LAN 1Gb WiFi54b/g, Incl. USB Belgium Azerty multimedia keyboard & optical mouse + 19" widescreen LCD	495,-
91.JOMCT.HLP	Aspire M5640 Blu-ray, Intel® Dual Core™ E8200 , Microsoft® Windows™ Vista™ Home Premium (NL/FR/UK), Blu-ray RW/HD-DVD, DVD-RW (DL), 3GB DDR2 (1x 2GB, 1x 1GB), 640GB(2x320GB), ATI HD2600 Pro 256/1018MB DDR3 TGM DVI VGA HDMI, card reader, 1Gb LAN, Incl. USB Belgium Azerty multimedia keyboard & optical mouse	784,-
PS.L46C6.B06	Veriton L460, Intel® Pentium® Dual-Core processor E2160 (1.8GHz/FSB: 800MHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, Intel® G31/ICH7-DH chipset, incl. USB Azerty keyboard & optical mouse	445,-
PS.M66E6.B04	Veriton M661, Intel® Core™2 Duo processor E4600 (2.3GHz/FSB: 800MHz/2MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK/DE/IT), 1GB DDR II 667MHz (2x 512MB), 250GB S-ATA II, DVD-RW Multi, VGA onboard + DVI (ADD2), 1GB LAN, Intel® Q35/ICH9-DO chipset, incl. USB Belgium Azerty keyboard & optical mouse	396,-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

Celebrating the victorious partnership between Acer and Scuderia Ferrari, the Ferrari series of notebooks is engineered to conjugate state-of-the-art performance, finest design and absolute reliability..

## Ferrari Racing PDA

### Specs:

Microsoft® Windows Mobile™ Version 5.0 software for Pocket PC Premium Edition  
 Samsung S3C2442 application processor at 300 MHz  
 2.8" touch screen, 320 x 240 (QVGA) resolution  
 64 MB mobile SDRAM for system operation, 128 MB of flash memory for operating system, embedded applications, user applications and storage  
 SD/MMC expansion slot with SDIO support and USB Client 1.1  
 Bluetooth® 2.0 EDR and IEEE 802.11b/g wireless LAN  
 Built-in GPS antenna: SiRF® StarIII low power and high sensitivity chip  
 Built-in microphone and speaker, 3.5mm stereo earphone jack  
 High-density, rechargeable 1200 mAh Li-ion battery (removable), 4 hours to fully charge from empty using the supplied AC adapter  
 Four quick-launch application buttons: Today, Calendar, Contacts, Messaging + 5-way joystick + Power button + Software reset button + Hold switch + Battery access latch

### Preloaded software:

Word Mobile — Word processing application compatible with Microsoft® Word  
 Excel Mobile — Spreadsheet application compatible with Microsoft® Excel  
 PowerPoint Mobile — Presentation slide application compatible with Microsoft® PowerPoint  
 Windows® Media Player 10 Mobile — Play back multimedia files: MP3, Windows® Media audio, Windows® Media video, and streaming video files  
 Internet Explorer Mobile — Browse websites and download files and images  
 Voice recorder  
 Calculator — Easy-to-use calculator  
 Games — Enjoy playing classic Solitaire and Bubble Breaker  
 File Explorer — Manage files in flash memory or on storage media cards  
 Microsoft® ActiveSync® 4.2 — Synchronize PIM data with Microsoft® Outlook®  
 Pictures & Videos — View pictures and videos  
 Lunar View — View the Chinese lunar calendar  
 Pocket MSN — Provides instant access to your MSN Hotmail account and MSN Messenger  
 Contacts list  
 Backup/restore utility — Back up/restore important files onto external storage devices  
 System Info — Monitor hardware and software status and information  
 Power control — Fine-tune power settings for optimal battery life  
 Backlight Control — Change backlight settings for optimal viewing quality  
 Audio control setting — Control the quality of voice recordings and adjust speaker volume settings

Bluetooth® setting — Easily configure Bluetooth® options  
 Wireless LAN setting — Easily configure wireless LAN options  
 Terminal Services Client — Run applications or remotely manage a server from the Pocket PC

Pocket TV Enterprise Edition — Play back MPEG 1 video files

### Navigation software:

ALK Navigation Software; CoPilot v6  
 Features:  
 • Turn-by-turn in-car navigation with spoken and onscreen instructions and automatic re-routing,  
 Up-to-date NAVTEQ street maps of one region or of Western Europe (varied by model)

- Plug and Play Setup
- Powerful and Fast Route Calculation
- Step-by-Step Destination Entry
- Thousands of Points-of-Interest
- 2D/3D/Driver Safety views with automatic day and night modes
- Pedestrian navigation and pre-trip planning and mapping
- Updatable safety camera alerts
- Multi-lingual support
- Customization options
- Feature-rich but easy to use

### Accessories (in the box)

Battery, 2x Stylus, Car Mount Kit, Car charger, Mini USB cable, AC Adapter, Ferrari Racing cover, Screen clean cloth, Documents, Getting Started Disc, Navigation Map CD, Storage SDcard (size varied by model)

### Companion CD:

Microsoft® ActiveSync® 4.2, Ferrari Racing Pocket PC travel companion, User Guide

### PC connectivity:

ActiveSync® available via USB cable, Bluetooth® or Wireless LAN

### Weight and dimensions:

Weight: 122 gram  
 Dimensions: 5,8 x 10,8 x 1,68 cm  
 2 year carry-in warranty

### Specs

CP.H070N.372	Ferrari Racing NL, 300MHz, 64MB RAM, 128MB Flash, 2,8" TFT, Microsoft® Windows Mobile™ V5.0 for PPC, SiRFStarIII, SD/MMC, 1200mAh battery, BT, WLAN, special Ferrari SW, 2GB SD WE maps installed + licensed map DVD WE, leather pouch, extra stylus pen	247.-
CP.H070N.371	Ferrari Racing FR, 300MHz, 64MB RAM, 128MB Flash, 2,8" TFT, Microsoft® Windows Mobile™ V5.0 for PPC, SiRFStarIII, SD/MMC, 1200mAh battery, BT, WLAN, special Ferrari SW, 2GB SD WE maps installed + licensed map DVD WE, leather pouch, extra stylus pen	247.-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.

Warranty Upgrades: check Warranty upgrade sheet

Aspire 2920 - Gemstone mainstream design

<b>Processor :</b>	Intel® Centrino® Duo mobile processor technology, featuring Intel® Core™2 Duo mobile processor supporting Intel® 64 architecture
<b>Operating System:</b>	Microsoft® Windows® Vista Home Premium Edition Multilingual (NL/FR/UK) version
<b>Second level cache:</b>	2 MB L2 cache
<b>Front Side Bus:</b>	667 MHz FSB
<b>Chipset:</b>	Mobile Intel® GM965 Express Chipset
<b>Display:</b>	12.1" WXGA high-brightness (200-nit), Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colors
<b>Graphics:</b>	Mobile Intel® GM965 Express Chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator X3100 (Intel® GMA X3100) with up to 358 MB of Intel® Dynamic Video Memory Technology 4.0 (8 MB of dedicated system memory, up to 350 MB supporting Microsoft® DirectX® 9 External resolution/refresh rate up to 2048 x 1536: 75/60 Hz MPEG-2/DVD acceleration, WMV9 (VC-1)7 and H.264 (AVC) acceleration, S-video/TV-out (NTSC/PAL) support, Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies Dual independent display support
<b>Memory:</b>	1024MB DDRII, max. 4096 MB with dual soDIMM modules
<b>HDD &amp; Optical:</b>	Internal HDD Internal DVD-Super Multi double-layer drive (Read: 24X CD-RW, 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD-ROM, 6X DVD+RW, 6X DVD-RW, 5X DVD-RAM, 6X DVD+R/R DL (double-layer), 6X DVD-ROM DL (double layer))(Write: 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD+ 5-in-1 card reader (SD, MMC, MS, MS PRO, xD)
<b>Connectivity:</b>	Internal 56 Kbps V.92 modem with PTT approval, Wake-on-Ring ready Acer Video Conference, featuring: - Integrated Acer Crystal Eye webcam, supporting enhanced Acer PrimaLite™ technology - Acer PureZone technology Gigabit Ethernet LAN, Wake-on-LAN ready Intel® Wireless WiFi Link 4965AGN (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED® network connection, supporting Acer SignalUp™ with InviLink™ Nplify™2, 3 WPAN: Bluetooth 2.0 + E.D.R.
<b>Audio:</b>	Dolby®-certified surround sound system with two built-in stereo speakers Dolby® Home Theater™ audio enhancement featuring Dolby® Digital, Dolby® Digital Live, Dolby® Pro Logic® II, Dolby® Headphone and Dolby® Virtual Speaker technologies Acer PureZone technology with two built-in stereo microphones featuring beam forming, echo cancellation, and noise suppression technologies MS Sound-compatible and High-definition audio support
<b>I/O Interface:</b>	ExpressCard/54 slot, 3x USB 2.0, 1x RJ-45, 1x RJ-11, External display (VGA) port, 1x S-video port, 5-in-1 cardreader Microphone/line-in jack; Headphones/speaker/line-out port;
<b>Software includes:</b>	Acer Empowering Technology (Acer eNet, ePower, eAudio, ePresentation, eDataSecurity1, eLock, eRecovery, eSettings Management) Microsoft® Works 8.5 with Office Home and Student 2007 Trial Acer Arcade™ featuring Cinema, Video, Music, Album, Acer HomeMedia Acer Arcade™ Deluxe1 featuring DV Wizard, VideoMagician, DVDivine, Acer HomeMedia Acer Crystal Eye; Acer GridVista™; Acer GameZone; Acer Launch Manager; Acer Video Conference Manager; Adobe® Reader®; CyberLink® PowerProducer®; Free Anti Virus trial version; NTI CD-Maker™
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes 44.4 W 4000 mAh 6-cell Li-ion primary battery pack: 3.5-hour battery life; 2.5-hour charge system-off; 3.5-hour charge-in-use 65W AC Adapter
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device; Five easy-launch buttons; Empowering Keys, Media Keys, Volume wheel
<b>Weight:</b>	2.04 kg
<b>Dimensions:</b>	304 (W) x 223 (D) x 32/42 (H) mm
<b>Warranty:</b>	Purchase after 1st Aug 2007: 2 year Warranty (1st year International Travellers Warranty)

Microsoft® Windows® Vista Home Premium Edition

[E] LX.ANK0X.402	Aspire 2920-3A2G25MN, Intel® Core™2 Duo processor T5450 (1.66GHz / FSB: 667MHz / 2MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 12.1TFT WXGA CrystalBrite, 2048MB DDR II RAM (2x 1024), 250GB HDD (5400rpm), Super Multi DVD-RW Double Layer , 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth®, Mobile Intel® Graphics Media Accelerator X3100 128MB shared, 0.3MP CrystalEye, 5-in-1 card reader, Gemstone A, AZB	743,-
[N] LX.ANK0X.761	Aspire 2920-6A4G32MN, Intel® Core™2 Duo processor T5750 (2.0GHz/FSB: 667MHz/2MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 12.1TFT WXGA CrystalBrite, 4GB DDR II RAM (2x 2GB), 320GB HDD (5400rpm), Super Multi DVD-RW Double Layer , 6-cell Li-ion, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth®, Mobile Intel® Graphics Media Accelerator X3100 128MB shared, 0.3MP CrystalEye, 5-in-1 card reader, Gemstone A, AZB	743,-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.

### Aspire 5315

<b>Processor :</b>	Intel® Celeron® M
<b>Operating System:</b>	Microsoft® Windows® Vista Home Basic
<b>Second level cache:</b>	1 MB L2 cache
<b>Chipset:</b>	Mobile Intel® GL960 Express chipset
<b>Front Side Bus:</b>	533 MHz FSB
<b>Display:</b>	15.4" WXGA high-brightness (200-nit) Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™
<b>Graphics:</b>	Mobile Intel® GL960 Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) X3100 with up to 358 MB of Intel® Dynamic Video Memory Technology 4.0 (8 MB of dedicated system memory, up to 350 MB of shared system memory) Up to QXGA resolution via external display (2048 x 1536 pixel) MPEG-2/DVD hardware-assisted capability (acceleration), S-video/TV-out (NTSC/PAL) support, Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies Dual independent display support, 16 million colours
<b>Memory:</b>	2048MB DDRII, max. 4 GB with dual soDIMM modules
<b>HDD &amp; Optical:</b>	Internal HDD (5400rpm) 8X DVD-Super Multi double-layer drive (Read: 24X CD-RW, 24X CD-ROM, 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD-ROM, 6X DVD+RW, 6X DVD-RW, 5X DVD-RAM, 6X DVD+R/-R DL (double-layer), 6X DVD-ROM DL (double-layer))(Write: 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD+RW, 6X
<b>Communication:</b>	56 Kbps V.92 modem with PTT approval, Wake-on-Ring ready WLAN: Acer InVilink™ 802.11b/g Wi-Fi CERTIFIED® network connection, supporting Acer SignalUp™ wireless technology Ethernet 10/100 MHz LAN, Wake-on-LAN ready
<b>Audio:</b>	Intel® High Definition Audio support with two built-in stereo speakers (2 W) MS-Sound compatible
<b>IO Interface:</b>	ExpressCard/54 slot, 3x USB 2.0, 1x RJ-45, 1x RJ-11, S-video/TV-out (NTSC/PAL) port External display (VGA) port, Microphone-in jack; Headphones/speaker/line-out jack.
<b>Software includes:</b>	Acer Arcade featuring Cinema, Video, Music, Acer HomeMedia, Album Free Anti Virus trial version, Adobe Reader, Cyberlink® PowerProducer™, Acer GameZone, Microsoft Works 8.0 with Office Home and Student 2007 Trial (60 days) Acer Arcade™ Deluxe featuring DV Wizard, VideoMagician, DVDivine, Acer HomeMedia Acer Launch Manager, NTI® CD Maker™, Acer Empowering Technology (eRecovery / eSettings / ePresentation Management, eNet, ePower, eLock, eDataSecurity), Acer GridVista, Acer Launch Manager, Acer Video Conference Manager
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes 44.4 W 4000 mAh 6-cell Li-Ion battery pack, 2-hour battery life • 2.5-hour rapid charge system-off • 3.5-hour charge-in-use 65W AC Adapter
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device; Easy-launch buttons; Volume wheel, Empowering Key
<b>Weight:</b>	2,8 kg
<b>Dimensions:</b>	366 (W) x 274 (D) x 33.6/42.6 (H) mm (14.4 x 10.8 x 1.3/1.7 inches)
<b>Warranty:</b>	2 year International Travellers Warranty; check warranty upgrades to 3 years!
<b>Microsoft® Windows® Vista Home Premium Basic</b>	

[E] LX.ALC0Y.348

Aspire 5315-1A2G12Mi, Intel® Celeron® Dual-Core processor T1400 (1.83GHz / FSB: 667MHz / 2MB L2 cache), Microsoft® Windows® Vista™ Home Basic, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 15.4TFT WXGA CrystalBrite, 2048MB DDR II RAM (2x 1024), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Wired & Wireless LAN 802.11b/g, Mobile Intel® Graphics Media Accelerator X3100 128MB shared, no camera, no card reader, AZB

454,-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.

### Aspire 5520G - Gemstone value design

<b>Processor :</b>	AMD Better by Design program, featuring AMD Turion 64 X2	
<b>Operating System:</b>	Microsoft® Windows® Vista Home Premium	
<b>Second level cache:</b>	2 X 512 KB, L2 cache integrated on chip	
<b>Chipset:</b>	NVIDIA nForce® 630M chipset	
<b>Front Side Bus</b>	1600 MHz HyperTransport Bus	
<b>Display:</b>	15.4" WXGA high-brightness (220-nit) Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colors, dual independent display support, 8ms response time	
<b>Graphics:</b>	AS5520: NVIDIA GeForce® 7000M with up to 896 MB of TurboCache™ technology (256 MB of dedicated system memory, up to 640 MB of shared system memory), supporting Microsoft® DirectX® 9, PCI Express® AS5520G: NVIDIA GeForce® 8400M G with up to 896 MB of TurboCache™ technology (128 MB of dedicated GDDR2 VRAM, up to 768 MB of shared system memory), Microsoft® DirectX® 9, DirectX® 10, PCI Express® Acer Arcade™, featuring Acer CinemaVision™ and Acer ClearVision™ technologies, MPEG-2/DVD hardware-assisted capability (acceleration)WMV9 (VC-1) and H.264 (AVC) support (acceleration); only FOR G-MODEL: DVI-D with HDCP support Up to QXGA (2048 x 1536pixel) resolution via external display	
<b>Memory:</b>	Up to 2 GB of DDR2 667 MHz memory, upgradeable to 4 GB3 using two soDIMM modules (dual-channel support)	
<b>HDD &amp; Optical:</b>	8X DVD-Super Multi double-layer drive: (Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-ROM DL (double-layer), 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM) (Write: 24X CD-R, 16X CD Internal HDD (5400rpm) 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick and Memory Stick PRO™, xD-Picture Card™	
<b>Communication:</b>	Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready Ethernet 10/100/1000 LAN, Wake-on-LAN ready Acer InViLink™ 802.11b/g Wi-Fi CERTIFIED® network connection, supporting Acer SignalUp™ wireless technology Acer Video Conference, featuring Integrated Acer Crystal Eye webcam, supporting enhanced Acer PrismaLite™ technology	
<b>I/O Interface:</b>	4x USB 2.0, 1x RJ-45 ethernet, 1x RJ-11 modem, S-video / TV out port, external (VGA) display port, 1x ExpressCard/54 slot, Microphone line-in, headphone/speaker line-out with S/PDIF	
<b>Audio:</b>	support, 5-in-1 card reader (SD/MMC/MS/MS PRO/xD), CIR port, IEEE 1394 p MS Sound-compatible; Built-in microphone Dolby®4-certified surround sound system with two built-in stereo speakers  Dolby® Home Theater audio enhancement featuring Dolby® Digital, Dolby® Digital Live, Dolby® Pro Logic® II, Dolby® Digital Stereo Creator, Dolby® Headphone, Dolby® Virtual Speaker te	
<b>Software includes:</b>	Acer Empowering Technology (Acer eNet, ePower, eAudio, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, Management)  Acer Arcade™featuring Cinema, Video, Album, Music, Acer HomeMedia; Acer Arcade™ Deluxe1 featuring DV Wizard, VideoMagician, DVDiv Acer Launch Manager; Acer Video Conference Manager; Adobe® Reader®; CyberLink® PowerProducer®; Free Anti Virus trial version; NTI CD-Maker™; Microsoft® Works 8.5 with Office Home FOR G MODEL: Acer GameZone.	
<b>Security:</b>	Kensington lock slot, BIOS user, supervisor and HDD passwords.	
<b>Power subsystem:</b>	ACPI 3.0 power management standard: supports standby and hibernation power-saving modes 44 W 4000 mAh 6-cell Li-ion battery pack: 3-hour battery life; 2.5-hour rapid charge system-off; 3.5-hour charge-in-use 3 pin 65W AC Adapter	
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device; function keys; easy-launch buttons, Empowering key, Productivity keys, Switches: WLAN, volume wheel	
<b>Weight:</b>	2,75 kg	
<b>Dimensions:</b>	366 (W) x 274 (D) x 33.6/42.6 (H) mm (14.4 x 10.8 x 1.3/1.7 inches)	
<b>Warranty:</b>	2 year Warranty (1st year International Travellers Warranty)	
	<b>Microsoft® Windows® Vista Home Premium Edition</b>	
[E] LX.AK40X.211	Aspire 5520G-7A2G16Mi, AMD Athlon™ 64 X2 Dual-Core processor TK57 1.9GHz, Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 15.4TFT WXGA CrystalBrite, 2048MB DDR II RAM (2x 1024), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, NVIDIA® GeForce® 8400M G 128MB/896MB TC, 0.3MP CrystalEye, 5-in-1 card reader, AZB	536,-
[D] LX.ALX0X.345	Aspire 5520G-604G25Bi, AMD Mobile Turion™ 64 X2 Dual-Core processor TL64 2.2GHz, Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 15.4TFT WXGA CrystalBrite, 4096MB DDR II RAM (2x 2048), 250GB HDD (5400rpm), Blu-ray read (DVD Dual Layer write), 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, NVIDIA® GeForce® 8600M GT 512MB/1280MB TC, 0.3MP CrystalEye, 5-in-1 card reader, AZB	784,-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.

#### Aspire 5715Z - Gemstone value design

<b>Processor :</b>	Intel® Pentium® Dual-Core mobile processor
<b>Operating System:</b>	Microsoft® Windows® Vista Home Edition
<b>L2 cache:</b>	1MB, integrated on chip
<b>Chipset:</b>	Intel® GL960 Express chipset
<b>Front Side Bus</b>	533Mhz Front Side Bus
<b>Display:</b>	15.4" WXGA Acer CrystalBrite™ TFT LCD (200-nit), 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™
<b>Graphics:</b>	Mobile Intel® GL960 Express chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) X3100 with up to 358 MB of Intel® Dynamic Video Memory Technology 4.0 (8 MB of dedicated system memory, up to 350 MB of shared system memory Dual independant display support; 16.7 million colors Up to QXGA (2048 x 1536pixel) resolution via external display Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies S-Video / TV-out support MPEG-2/DVD hardware-assisted capability (acceleration)
<b>Memory:</b>	Up to 1 GB of DDR2 533 MHz memory, upgradeable to 2 GB using two soDIMM modules (dual-channel support)
<b>HDD &amp; Optical:</b>	Internal HDD (5400RPM) DVD-Super Multi double-layer drive (Read: 8x DVD-R/+R/-ROM; 6xDVD-RW/+RW; 24x CD-ROM/-R/-RW; 6x DL DVD+R/-R/-ROM; 5xDVD-RAM) (Write: 8x DVD+R/+R/+RW, 6x DVD-RW; 24x CD-R; 16x CD-RW; 4x DL DVD+R/-R; 5x DVD-RAM)
<b>Communication:</b>	Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready LAN: 10/100MHz Ethernet, Wake-on-LAN ready WLAN: Acer InViLink™ 802.11b/g Wi-Fi CERTIFIED® network connection, supporting Acer SignalUp™ wireless technology
<b>I/O Interface:</b>	3x USB 2.0, 1x RJ-45 ethernet, 1x RJ-11 modem, external (VGA) display port, ExpressCard/54 slot, Microphone line-in, headphone/speaker line-out, Line-in jack, S-Video/TV-out;
<b>Audio:</b>	Intel High-Definition audio support Audio system with two built-in stereo speakers (2 W) MS Sound-compatible
<b>Software includes:</b>	Acer Empowering Technology (eDataSecurity, eLock, eRecovery, eSettings, eNet, ePower, ePresentation); Acer Launch Manager, NTI® CD Maker™, Acer GridVista Acer Arcade feat. Cinema, Video, Album, Music; Free Anti Virus trial version, CyberLink®  PowerProducer, Adobe Reader, Acer Arcade DeLuxe feat. DVWizard, VideoMagician, DVDivine, Acer HomeMedia; Acer GameZone, Microsoft Works 8.5 with Office Home and Stude
<b>Power subsystem:</b>	ACPI 3.0 power management standard: supports standby and hibernation power-saving modes  6-cell Li-Ion 44.4 W 4000 mAh battery pack; 2-hour battery life 2.5 hour rapid charge system off; 3.5 hour charge in use 65W AC Adapter
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device; Empowering Key; easy-launch buttons
<b>Weight:</b>	2.80 kg
<b>Dimensions:</b>	366 (W) x 274 (D) x 33.6/42.6 (H) mm
<b>Warranty:</b>	2 year Warranty (1st year International Travellers Warranty)

#### Microsoft® Windows® Vista Home Premium Edition

[N] LX.ALD0Y.300	Aspire 5715Z-3A2G12Mi, Intel® Pentium® Dual-Core processor T2370 (1.73GHz / FSB: 533MHz/ 1MB L2 cache), Microsoft® Windows® Vista™ Home Basic, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 15.4TFT WXGA CrystalBrite, 2048MB DDR II RAM (2x 1024), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion, 56K modem, Wired & Wireless LAN 802.11b/g, Mobile Intel® Graphics Media Accelerator X3100 128MB shared, no camera, no card reader, AZB	454,-
[E] LX.ALD0X.024	Aspire 5715Z-2A2G16Mi, Intel® Pentium® Dual-Core processor T2330 (1.6GHz / FSB: 533MHz / 1MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 15.4TFT WXGA CrystalBrite, 2048MB DDR II RAM (2x 1024), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Wired & Wireless LAN 802.11b/g, Mobile Intel® Graphics Media Accelerator X3100 128MB shared, no cam, no card reader, AZB	495,-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.

**Aspire 5720ZG - Gemstone value design**

<b>Processor :</b>	Intel® Pentium™ Dual Core Processor	
<b>Operating System:</b>	Microsoft® Windows® Vista Home Premium Edition Multilingual (NL/FR/UK) version	
<b>Second level cache:</b>	1MB, integrated on chip	
<b>Chipset:</b>	Mobile Intel® PM965 Express Chipset	
<b>Front Side Bus</b>	533 Mhz Front Side Bus	
<b>Display:</b>	15.4" WXGA high-brightness (220-nit) Acer CrystalBrite™ TFT LCD, 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™, 8ms response time	
<b>Graphics:</b>	NVIDIA® GeForce® 8400M GS with up to 1024 MB of TurboCache™ (256 MB of dedicated GDDR2 VRAM, up to 768 MB of shared system memory), supporting NVIDIA® PureVideo™ HD technology, OpenEXR High Dynamic-Range (HDR) technology, Shader Model 4.0, Microsoft® MPEG-2/DVD hardware assisted capability; S-Video/TV-out support, DVI-D support, dual independent display support Up to QXGA (2048 x 1536pixel) resolution via external display, 16.7 million colors Acer Arcade™, Acer CinemaVision video technology & Acer ClearVision video optimization technology (Acer Arcade)	
<b>Memory:</b>	Up to 2 GB of DDR2 533 MHz memory, upgradeable to 4 GB using 2 soDIMM modules (dual-channel support)	
<b>HDD &amp; Optical:</b>	Internal HDD DVD-Super Multi Double-Layer (Read: 24X CD-RW, 24X CD-ROM, 24X CD-R, 8X DVD+R, 6X DVD-R DL, 6X DVD-ROM DL, 8X DVD-ROM, 6X DVD+RW, 6X DVD-RW, 5X DVD-RAM, 6X DVD+R (double-layer), 8X DVD-R)(Write: 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD+RW, 6X DVD-RW, 16X CD-5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick and Memory Stick PRO™, xD-Picture Card™	
<b>Communication:</b>	Acer Video Conference featuring: Integrated Acer Crystal Eye camera (LCD panel-mounted) Acer Primalite technology. Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready Ethernet 10/100/1000 LAN, Wake-on-LAN ready WLAN: Acer InviLink™ 802.11b/g Wi-Fi CERTIFIED® network connection, supporting Acer SignalUp™ wireless technology	
<b>I/O Interface:</b>	ExpressCard/54 slot; Firewire (IEEE-1394), 4x USB 2.0, 1X CIR, 1x RJ-45 ethernet, 1x RJ-11 modem, external (VGA) display port, S-video/TV-out, Microphone line-in, headphone/speaker line-out with S/PDIF support, 5-in-1 card reader, line in jack	
<b>Audio:</b>	Intel High-Definition audio support, Dolby® certified surround system S/PDIF (Sony/Philips Digital Interface); Audio system with two built-in stereo speakers, Dolby® Home Theatre feat. Dolby® Digital, Dolby® Digital Live, Dolby® Pro Logic II, Dolby® Digital Stereo Creator, Dolby® Headphones and Virtual Speaker technologies. MS Sound-compatible; Built-in microphone	
<b>Software includes:</b>	Acer Empowering Technology (eDataSecurity, eLock, eAudio, eRecovery, eSettings, eNet, ePower, ePresentation); Acer Arcade Deluxe(DV Wizard, VideoMagician,DVDVine, Acer HomeMedia), Acer Launch Manager, Cyberlink® PowerProducer, Acer GridVista, NTI CD-Make Acer GameZone, Acer CrystalEye.	
<b>Power subsystem:</b>	ACPI 3.0 power management standard: supports standby and hibernation power-saving modes  44W 4000mAh Li-Ion 6-cell Li-Ion; 2.8-hour battery life 2.5 hour rapid charge system off, 3.5 hour charge in use 65W AC Adapter	
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device; media keys; easy-launch buttons; volume wheel; Empowering Keys optional Acer MediaCentre remote control	
<b>Weight:</b>	2.8 kg with 8 cell battery	
<b>Dimensions:</b>	36.6 (b) x 2,74 (d) x 3,36/4.26 (h) cm	
<b>Warranty:</b>	Purchase after 1st Aug 2007: 2 year Warranty (1st year International Travellers Warranty)	
<b>Microsoft® Windows® Vista Home Premium Edition</b>		
[D] LX.ANG0X.048	Aspire 5720ZG-2A2G16Mi, Intel® Pentium® Dual-Core processor T2330 (1.6GHz / FSB: 533MHz / 1MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 15.4TFT WXGA CrystalBrite, 2048MB DDR II RAM (2x 1024MB), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, NVIDIA® GeForce® 8400M-GS 256MB/1024MB TC, 0.3MP CrystalEye, 5-in-1 card reader, AZB	536,-
LX.ANG0X.194	Aspire 5720ZG-3A3G25Mi, Intel® Pentium™ Dual-Core processor T2370 (1.73GHz/FSB: 533MHz/1MB L2 cache), Microsoft® Windows® Vista Home Premium, Works 8.5 + Office Home & Student 2007 Trial (60 days), 15.4" TFT WXGA CB, 3072MB DDR II RAM (1x2048 + 1x1024), 250GB (5400rpm), Super Multi DVD-RW DL, 6-cell, 56K, Wired & Wireless Lan 802.11b/g, Up to 1024 MB Nvidia GeForce 8400M-GS TurboCache (256MB dedicated), 5-in-1 CR, 0.3MP CrvstalEye A7B	702,-





Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.

**Aspire 5920 - Core 2 Duo Santa Rosa - Gemstone Mainstream design**

<b>Processor :</b>	Intel® Core™2 Duo processor, supporting Intel® Extended Memory 64 Architecture
<b>Operating System:</b>	Microsoft® Windows® Vista Home Premium or Ultimate Edition Multilingual (NL/FR/UK) version
<b>Second level cache:</b>	4MB, integrated on chip
<b>Chipset:</b>	Intel® PM965 Express chipset
<b>Front Side Bus</b>	800 Mhz Front Side Bus
<b>Display:</b>	15.4" WXGA Acer CrystalBrite (220-nit) TFT LCD with 1280 x 800 pixels resolution, 8ms response time, supporting simultaneous multi-window viewing via Acer GridVista™
<b>Graphics:</b>	NVIDIA® GeForce® Go 8600M GS or NVIDIA® GeForce® Go 8600M GT supporting Nvidia® PureVideo™ (WMV HD, High Def. MPEG-2 Hardware Acceleration), Microsoft® DirectX® 9.0 and 10.0; OpenEXR Dynamic-Range (HDR) technology; PCI Express®, MPEG-2/DVD hardware assisted capability (full decode), WMV9 (VC-1) and H.264 (AVC) support (full decode), HDMI with HDCP support Up to QXGA (2048 x 1536pixel) resolution via external display, 16.7 million colors Acer Arcade™, Acer CinemaVision video technology & Acer ClearVision video optimization technology (Acer Arcade)
<b>Memory:</b>	1024MB DDR II - modules, max. 2GB with dual soDIMM modules (dual channel support)
<b>HDD &amp; Optical:</b>	Internal HDD DVD-Super Multi Double-Layer (Read: 24X CD-RW, 24X CD-ROM, 24X CD-R, 8X DVD+R, 6X DVD-R DL, 6X DVD-ROM DL, 8X DVD-ROM, 6X DVD+RW, 6X DVD-RW, 5X DVD-RAM, 6X DVD+R (double-layer), 8X DVD-R)(Write: 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD+RW, 6X DVD-RW, 16X CD-5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick and Memory Stick PRO™, xD-Picture Card™, Intel® Turbo Memory supported on selected models
<b>Communication:</b>	Acer Video Conference featuring Integrated Acer Crystal Eye camera (LCD panel-mounted) Acer PureZone technology; Acer PrimaLite technology. Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready Ethernet 10/100/1000 LAN, Wake-on-LAN ready; on selected models: Bluetooth® 2.0 + EDR Wireless solution: 802.11a/b/g on selected models OR Wi-Fi Link Intel® 4965AGN network connection 802.11a/b/g/Draft-N dual band quad-mode; Acer SignalUp wireless technology support with InviLink™ Nplify™ wireless technology (on selected models)
<b>I/O Interface:</b>	ExpressCard/34 slot; Firewire (IEEE-1394), 4x USB 2.0, 1x CIR, 1x RJ-45 ethernet, 1x RJ-11 modem, external (VGA) display port, S-video/TV-out, Microphone line-in, headphone/speaker line-out with S/PDIF support, HDMI
<b>Audio:</b>	Intel High-Definition audio support, Dolby® certified surround system S/PDIF (Sony/Philips Digital Interface); Audio system with two built-in stereo speakers, 1 subwoofer, Dolby® Home Theatre feat. Dolby® Digital, Dolby® Digital Live, Dolby® Pro Logic II, Dolby® Digital Stereo Creator, Dolby® Headphones and Virtual Speaker techn MS Sound-compatible; Acer PureZone technology with 2 Built-in stereo microphone feat. Beam forming, echo cancellation and noise suppression
<b>Software includes:</b>	Acer Empowering Technology (eDataSecurity, eLock, eAudio, eRecovery, eSettings, eNet, ePower, ePresentation, Management); Acer Arcade Deluxe (DV Wizard, VideoMagician, DVDivine), Acer Launch Manager, Cyberlink® PowerProducer, Acer GridVista, NTI CD-Maker, F Acer Arcade, Free Anti Virus trial version, CyberLink® PowerProducer, Adobe Reader
<b>Power subsystem:</b>	ACPI 3.0 power management standard: supports standby and hibernation power-saving modes 71W 4800mAh Li-Ion 8-cell Li-Ion; 3.5-hour battery life Acer QuicCharge technology: 80% in 1 hour; 3 hours charge-in-use; 2-hour rapid charge system 90W AC Adapter
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device; media keys; easy-launch buttons
<b>Weight:</b>	3,00 kg
<b>Dimensions:</b>	36.4 (b) x 2.7 (d) x 3,08/4.37 (h) cm
<b>Warranty:</b>	Purchase after 1st Aug 2007: 2 year Warranty (1st year International Travellers Warranty)

	Microsoft® Windows® Vista Home Premium Edition	
[E] LX.AKS0X.122	Aspire 5920G-3A3G25Mi, Intel® Core™2 Duo processor T5450 (1.66GHz / FSB: 667MHz / 2MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 15.4TFT WXGA CrystalBrite, 3072MB DDR II RAM (1x 2048 + 1x 1024), 250GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g, NVIDIA® GeForce® 8600M-GT 512MB/1024MB TC, HDMI, 0.3MP CrystalEye, 5-in-1 card reader, AZB	743,-
LX.AKS0X.151	Aspire 5920G-5A3G25Mi, Intel® Core™2 Duo processor T5550 (1.83GHz / FSB: 667MHz / 2MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 15.4TFT WXGA CrystalBrite, 3072MB DDR II RAM (1x 2048 + 1x 1024), 250GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g, NVIDIA® GeForce® 8600M-GT 512MB/1024MB TC, HDMI, 0.3MP CrystalEye, 5-in-1 card reader, Gemstone Full, AZB	826,-
[D] LX.AKS0X.123	Aspire 5920G-303G25BN, Intel® Core™2 Duo processor T7300 (2GHz / FSB: 800MHz / 4MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 15.4TFT WXGA CrystalBrite, 3072MB DDR II RAM (1x 2048 + 1x 1024), 250GB HDD (5400rpm), Blu-ray read (DVD Dual Layer write), 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth®, NVIDIA® GeForce® 8600M-GT 512MB/1024MB TC, HDMI, 0.3MP CrystalEye, 5-in-1 card reader, AZB	908,-
[E] LX.AKQ0U.009	Microsoft® Windows® Vista Ultimate Edition Aspire 5920G-602G25HN, Intel® Core™2 Duo processor T7500 (2.2GHz / FSB: 800MHz / 4MB L2 cache), 1GB Robson, Microsoft® Windows® Vista™ Ultimate, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 15.4TFT WXGA CrystalBrite, 2048MB DDR II RAM (2x 1024), 250GB HDD (5400rpm), HD DVD, 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11n, NVIDIA® GeForce® 8600M-GT 512MB/1280MB TC, HDMI, Bluetooth®, 0.3MP CrystalEye, 5-in-1 card reader, AZB	991,-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.

### Aspire 6920G - Core 2 Duo

<b>Processor :</b>	Intel® Centrino® processor technology feat. Intel® Core 2 Duo T9300/T9500 (6 MB L2 cache, 2.50/2.60 GHz, 800 MHz FSB) or higher, or T8100/T8300 (3 MB L2 cache, 2.10/2.40 GHz, 800 MHz FSB), or T7300/T7500/T7700/T7800 (4 MB L2 cache, 2/2.20/2.40/2.40 GHz, 8 MB L2 cache)
<b>Operating System:</b>	Microsoft® Windows® Vista Home Premium Edition Multilingual (NL/FR/UK) version or Genuine Windows Vista® Ultimate
<b>Second level cache:</b>	2 MB / 3 MB / 4 MB / 6 MB L2 cache (depending on processor)
<b>Chipset:</b>	Intel® PM965 Express Chipset
<b>Front Side Bus</b>	800 Mhz or 667 Mhz Front Side Bus (depending on processor)
<b>Display:</b>	16" HD 1366 x 768 pixel resolution, high-brightness (220-nit), Acer CineCrystal™ TFT LCD or 16" WUXGA 1920 x 1080 pixel resolution (250-nit) 16:9 aspect ratio, 8 ms high-def response time, 60% color gamut Simultaneous multi-window viewing via Acer GridVista™ supported
<b>Graphics:</b>	NVIDIA® GeForce® 9500M GS with up to 1280 MB of TurboCache™ (512 MB of dedicated GDDR2 VRAM, up to 768 MB of shared system memory), supporting NVIDIA® PureVideo™ HD technology, OpenEXR High Dynamic-Range (HDR) technology, Shader Model 4.0, Microsoft® DirectX independent display support MPEG-2/DVD decoding, WMV9 (VC-1) and H.264 (AVC) decoding, HDMI™ (High-Definition Multimedia Interface) with HDCP (High-bandwidth Digital Content Protection) support 16.7 million colors Up to QXGA (2048 x 1536pixel) resolution via external display Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies
<b>Memory:</b>	Up to 2 GB of DDR2 667 MHz memory, upgradeable to 4 GB using two soDIMM modules
<b>HDD &amp; Optical:</b>	120/160/250/320 GB or larger hard disk drive Intel® Turbo Memory supported (only for selected models) 1X Blu-ray Disc™/DVD-Super Multi double-layer drive: Read: 24X CD-ROM, 24X CD-R, 24X/16X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X/4X DVD-ROM DL (double-layer), 6X/4X DVD-R DL (double-layer), 6X/4X DVD+R DL (double-layer), 6X/4X DVD-RW, 6X/4X DVD+RW, 5X DVD-RAM, 2X BD-ROM, 2X BD-R, 2X BD-RE, 2X BD-ROM DL (double-layer), 8X DVD-Super Multi double-layer drive: • Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-ROM DL (double-layer), 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM; • Write: 24X CD-R, 16X 6-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick, xD-Picture Card, Memory Stick PRO, MultiMediaCard Plus
<b>Communication:</b>	Acer Video Conference, feat. integrated Acer CrystalEye webcam supporting enhanced Acer Primalite technology • Acer Video Conference Manager software featuring Video Quality Enhancement (VQE) technology with H.264 video compression, supporting 640 x 480 resolution online video calls with drag-and-drop Picture-in-Picture (PIP) interactivity, Acer PureZone technology Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready WPAN: Bluetooth® 2.0+EDR (on selected models) Gigabit Ethernet 10/100/1000 LAN, Wake-on-LAN ready Intel® Wireless WiFi Link 4965AGN (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED® network connection, supporting Acer SignalUp™ with InviLink™ Nplify™2 wireless technology, or Intel® PRO/Wireless 3945ABG (dual-band tri-mode 802.11a/b/g) Wi-Fi C
<b>I/O Interface:</b>	ExpressCard™/54 slot 6-in-1 card reader (SD™, MMC, MMCplus™, MS, MS PRO, xD) Four USB 2.0 ports HDMI™ port with HDCP support Consumer infrared (CIR) port External display (VGA) port RF-in jack Headphone/speaker/line-out jack with S/PDIF support Microphone
<b>Audio:</b>	Optimized 2nd Generation Dolby Home Theater®10 audio enhancement, featuring Dolby® Digital, Dolby® Digital Live, Dolby® Pro Logic® IIx, Dolby® Headphone, Dolby® Natural Bass and Dolby® Sound Space Expander technologies Two built-in stereo speakers and one Acer Tuba CineBass booster supporting low-frequency effects True5.1-channel surround sound output High-definition audio support S/PDIF (Sony/Philips Digital Interface)12 support for digital speakers MS-Sound compatible Acer PureZone technology with two built-in stereo microphones featuring beam forming, echo cancellation, and noise suppression technologies
<b>Softwares included:</b>	Acer Empowering Technology (Acer eAudio, ePower, eDataSecurity, eRecovery, eSettings Management) Acer Arcade™Deluxe featuring Cinema, Album, Music, Acer HomeMedia (for selected models) Acer InstantOn Arcade Acer Bio-Protection Acer Crystal Eye Acer GridVista



Partnumber	Description	List Excl. BTW EURO
	<b>All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.</b>	
	Acer Launch Manager	
	Acer GameZone	
	Acer Video Conference Manager	
	Acer Video Conference Manager featuring Video Quality Enhancement (VQE) (selected models)	
	Adobe® Reader®	
	CyberLink® PowerDirector® trial version	
	McAfee® Internet Security Suite with McAfee Si	

---



Partnumber	Description	List Excl. BTW EURO
<b>All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.</b>		
<b>Privacy control:</b>	Acer Bio-Protection fingerprint solution, featuring Windows® logon, computer protection, FingerLaunch, ProfileLaunch, MusicLaunch, Password Bank, MyLaunch, Acer FingerNav BIOS user, supervisor, HDD passwords Kensington lock slot	
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports standby and hibernation power-saving 71 W 4800 mAh 8-cell Li-ion battery pack: • 3.2-hour battery life16 48.8 W 4400 mAh 6-cell Li-ion battery pack: • 2.3-hour battery life16 Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 3-hour charge-in-use 90W AC Adapter - Energy Star 4.0 compliant	
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device with 4-way scroll button and fingerprint reader, Acer  CineDash media console capacitive human interface device, including:  • Acer Arcade™  • Volume meter (volume up/down)  • Menu navigation (enter/back/left/right) Four easy-launch buttons;Empowering Keys; optional Acer Media Center Remote Control	
<b>Weight/Dimensions:</b>	3,5 kg 385 (W) x 275 (D) x 43.6/39.3 (H) mm	
<b>optional:</b>	Acer Media Center remote control, VoIP phone	
<b>Warranty:</b>	2 year Warranty (1st year International Travellers Warranty); check warranty upgrades to 3 years!	
<b>Microsoft® Windows® Vista Home Premium Edition</b>		
[N] LX.AP40X.100	Aspire 6920G-834G32BN, Intel® Core™2 Duo processor T8300 (2.4GHz / FSB: 800MHz / 3MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 16TFT WUXGA+ Full High Definition CineCrystal, 4096MB DDR II RAM (2x 2048), 320GB HDD (1x 320GB) (5400rpm), Blu-ray read (DVD Dual Layer write), 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth®, HDMI, NVIDIA® GeForce® 9500M-GS 512MB/1280MB TC, FingerPrint, 0.3MP CrystalEye, 6-in-1 card reader, DVB-T TV tuner & remote, CineDash Media Console, Tuba CineBass Booster, Gemstone Blue, AZB	1.156,-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.

### Aspire 7520 - Gemstone value design

<b>Processor :</b>	AMD Better By Design Program, feat.: Turion™ 64 X2 dual-core mobile technology.
<b>Operating System:</b>	Microsoft® Windows® Vista Home Premium Edition, Multilingual (NL/FR/UK) version
<b>Second level cache:</b>	TK53: 2x 256KB L2 cache; TLxx:2x 512KB L2 cache
<b>Chipset:</b>	NVIDIA nForce® 630M chipset
<b>Front Side Bus</b>	1600 MHz HyperTransport™ Bus
<b>Display:</b>	17" WXGA+ high-brightness (200 nit) Acer CrystalBrite™ TFT LCD 1440 x 900 pixel resolution, 8ms response time Simultaneous multi-window viewing via Acer GridVista™ supported
<b>Graphics:</b>	Nvidia GeForce® 7000M shared; or Nvidia GeForce 8400M G TurboCache 256MB ded. Supporting NVIDIA® PureVideo™ technology, Microsoft® DirectX® 9 and 10, OpenEXR HDR technology, PCI Express (for G model only) MPEG-2/DVD hardware-assisted capability, WMV9 (VC-1) and H.264 (AVC) support, S-Video/TV-out (NTSC/PAL) support; DVI-D with HDCP support (only G model); Dual independent display support, 16.7 million colors Up to QXGA (2048 x 1536pixel) resolution via external display Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies
<b>Memory:</b>	1024MB DDR II - modules, max. 2GB with dual soDIMM modules (dual channel support)
<b>HDD &amp; Optical:</b>	one or two internal HDD (5400rpm) Activation of RAID software disables future recovery possibilities Internal DVD-Super Multi double-layer drive (Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM, 6x DVD-ROM DL) (Write: 24X CD-R, 16X CD-RW, 8X DVD 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick, xD-Picture Card, Memory Stick PRO
<b>Communication:</b>	Acer Video Conference, feat. integrated Acer CrystalEye webcam supporting Acer PrismaLite technology Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready Gigabit Ethernet 10/100/1000 LAN, Wake-on-LAN ready Wireless LAN:Acer InviLink™ 802.11b/g Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
<b>I/O Interface:</b>	ExpressCard™/54 slot, 4x USB 2.0 ports, External display (VGA) port, Headphones/speaker/line-out jack with S/PDIF support, Microphone-in jack, Line-in jack, Ethernet (RJ-45) port, Modem (RJ-11) port, S-Video/TV-Out, IEEE1394 port, 5-in-1 card reader, DVI-
<b>Audio:</b>	Dolby® Digital Live Audio enhancement feat. Dolby® Digital, Dolby® Digital Live Dolby® Pro Logic II, Dolby® Digital Stereo Creator, Dolby® Headphone, Dolby® Virtual Speaker Technology. Intel High-Definition audio support, Dolby® certified surround system with 2 built-in Acer 3D Sonic stereo speakers (2W) and one subwoofer for low freq. S/PDIF (Sony/Philips Digital Interface) support for digital speakers Built-in microphone MS Sound compatible
<b>Softwares included:</b>	Acer Empowering Technology (ePower, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, eNet, eAudio) Acer GridVista™, Acer Arcade™(feat. Cinema, Video, Album, Music, Acer HomeMedia); Acer Arcade Deluxe (feat. DVWizard, VideoMagician, DVDivine, Acer HomeMedia); Acer Launch Manager, Acer CrystalEye, Acer Video Conference, Adobe® Reader®, NTI CD-Maker™ Free Anti Virus trial version, CyberLink® PowerProducer™, Microsoft® Works 8.5 with Office Home and Student 2007 Trial
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports standby and hibernation power-saving modes 44.4W 4000 mAh Li-Ion 6-cell battery; 2.7-hour battery life 65W AC Adapter
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device with 4-way scroll button, 2.5 mm key travel, volume wheel. Five easy-launch buttons; Empowering Keys
<b>Weight/Dimensions:</b>	3,7 kg 40,4 (W) x 29,8 (D) x 3,8/4,3 (H) cm
<b>Warranty:</b>	Purchase after 1st Aug 2007: 2 year Warranty (1st year International Travellers Warranty)



- Aspire Notebooks BE -  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.</b>		
<b>Microsoft® Windows® Vista Home Premium Edition</b>		
[E] LX.AKG0X.274	Aspire 7520-7A2G16Mi, AMD Athlon™ 64 X2 Dual-Core processor TK57 1.9GHz, Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WXGA+ CrystalBrite, 2048MB DDR II RAM (2x 1024), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, NVIDIA® GeForce® 7000M up to 896MB TC (shared), 0.3MP CrystalEye, 5-in-1 card reader, AZB	578,-
[N] LX.AKG0X.377	Aspire 7520-7A3G16Mi, AMD Athlon™ 64 X2 Dual-Core processor TK57 1.9GHz, Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WXGA+ CrystalBrite, 3GB DDR II RAM (1x2GB + 1x1GB), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion, 56K modem, Gigabit & Wireless LAN 802.11b/g, NVIDIA® GeForce® 7000M up to 896MB TC (shared), 0.3MP CrystalEye, 5-in-1 card reader, Pebble design, AZB	619,-
[ED] LX.AN30X.081	Aspire 7520G-503G16Mi, AMD Mobile Turion™ 64 X2 Dual-Core processor TL60 2.0GHz, Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WXGA+ CrystalBrite, 3072MB DDR II RAM (1x 2048 + 1x 1024), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, NVIDIA® GeForce® 8400M G 256MB/896MB TC, 0.3MP CrystalEye, 5-in-1 card reader, Gemstone A, AZB	660,-
[N] LX.AN30X.259	Aspire 7520G-503G25Mi, AMD Mobile Turion™ 64 X2 Dual-Core processor TL60 2.0GHz, Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WXGA+ CrystalBrite, 3GB DDR II RAM (1x2GB + 1x1GB), 250GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion, 56K modem, Gigabit & Wireless LAN 802.11b/g, NVIDIA® GeForce® 8400M G 256MB/896MB TC, 0.3MP CrystalEye, 5-in-1 card reader, Gemstone A, AZB	702,-
[E] LX.AN30X.084	Aspire 7520G-553G50Mi, AMD Mobile Turion™ 64 X2 Dual-Core processor TL62 2.1GHz, Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WXGA+ CrystalBrite, 3072MB DDR II RAM (1x 2GB +1x 1GB), 2x 250GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, NVIDIA® GeForce® 8400M G 256MB/896MB TC, 0.3MP CrystalEye, 5-in-1 card reader, Gemstone A, AZB	826,-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.

### Aspire 7720Z - Gemstone value design

<b>Processor :</b>	Intel® Pentium™Dual Core Processor
<b>Operating System:</b>	Microsoft® Windows® Vista Home Premium Edition Multilingual (NL/FR/UK) version
<b>Second level cache:</b>	1 MB L2 cache
<b>Chipset:</b>	Mobile Intel® GL960 Express Chipset
<b>Front Side Bus</b>	533 Mhz Front Side Bus
<b>Display:</b>	17" WXGA+ high-brightness (200-nit) Acer CrystalBrite™ TFT LCD, 1440 x 900 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™ 16ms response time
<b>Graphics:</b>	Intel® Graphics Media Accelerator X3100 (Intel® GMA X3100) with up to 358 MB of Intel® Dynamic Video Memory Technology 4.0 (8 MB of dedicated system memory, up to 350 MB of shared system memory), supporting Microsoft® DirectX® 9 and DirectX® 10 Dal independent display support MPEG-2/DVD hardware-assisted capability S-Video/TV-out (NTSC/PAL) support 16.7 million colors Up to QXGA (2048 x 1536pixel) resolution via external display Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies
<b>Memory:</b>	Up to 2GB DDR2 667 , memory max. 4GB with dual soDIMM modules
<b>HDD &amp; Optical:</b>	one or two internal HDD (5400rpm) Internal DVD-Super Multi double-layer drive (Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM, 6x DVD-ROM DL) (Write: 24X CD-R, 16X CD-RW, 8X DVD 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick, xD-Picture Card, Memory Stick PRO
<b>Communication:</b>	Acer Video Conference, feat.integrated Acer CrystalEye webcam supporting Acer PrimaLite technology, Acer PureZone technology Optional Acer Xpress VoIP phone Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready Gigabit Ethernet 10/100/1000 LAN, Wake-on-LAN ready WLAN: Acer InVieLink™ 802.11b/g Wi-Fi CERTIFIED® network connection, supporting Acer SignalUp™ wireless technology
<b>I/O Interface:</b>	ExpressCard™/54 slot, 4x USB 2.0 ports, External display (VGA) port, Headphones/speaker/line-out jack with S/PDIF support, Microphone-in jack, Line-in jack, Ethernet (RJ-45) port, Modem (RJ-11) port, S-Video/TV-Out, CIR Port, IEEE1394 port, 5-in-1 card re
<b>Audio:</b>	Dolby® Home Theatre Audio enhancement feat. Dolby® Digital, Dolby® Pro Logic II, Dolby® Digital Stereo Creator, Dolby® Headphone, Dolby® Virtual Speaker Technology, Dolby® Digital Live. Intel High-Definition audio support, Dolby® certified surround system with 2 built-in stereo speakers S/PDIF (Sony/Philips Digital Interface) support for digital speakers Acer PureZone technology with 2 built-in stereo microphones featuring beam forming, echo cancellation, and noise suppression technologies Built-in microphone MS Sound compatible
<b>Softwares included:</b>	Acer Empowering Technology (ePower, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, eNet, eAudio) Acer GridVista™, Acer Arcade™(feat. Cinema, Video, Album, TV, Music, Acer HomeMedia); Acer Arcade Deluxe (feat. DVWizard, VideoMagician, DVDivine, Acer HomeMedia); Acer Launch Manager, Acer CrystalEye, Acer Video Conference, Adobe® Reader®, NTI CD-Maker™, Free Anti Virus trial version, CyberLink® PowerProducer™, Microsoft® Works 8.5 with Office Home and Student 2007 Trial
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports standby and hibernation power-saving modes 44.4W 4000 mAh Li-Ion 6-cell battery; 2.8-hour battery life 2.5 hour rapid charge system off, 3.5 hour charge in use 90W AC Adapter
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device with 4-way scroll button,volume wheel. Easy-launch buttons;Empowering Keys; optional Acer Media Center Remote Control
<b>Weight/Dimensions:</b>	3,36kg with 6-cell Lilon battery 40,4 (W) x 29,8 (D) x 3,8/4,3 (H) cm
<b>Warranty:</b>	Purchase after 1st Aug 2007: 2 year Warranty (1st year International Travellers Warranty)



- Aspire Notebooks BE -  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.</b>		
<b>Microsoft® Windows® Vista Home Premium Edition</b>		
LX.ALH0Y.008	Aspire 7720Z-3A1G12Mi, Intel® Pentium® Dual-Core processor T2370 (1.73GHz / FSB: 533MHz / 1MB L2 cache), Microsoft® Windows® Vista™ Home Basic, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WXGA+ CrystalBrite, 1024MB DDR II RAM (1x 1024), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, Mobile Intel® Graphics Media Accelerator X3100 128MB shared, no camera, 5-in-1 card reader, AZB	536,-
[N] LX.APS0X.007	Aspire 7720Z-3A3G12Mi, Intel® Pentium® Dual-Core processor T2370 (1.73GHz/FSB: 533MHz/1MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WXGA+ CrystalBrite, 3GB DDR II RAM (1x2GB + 1x1GB), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion, 56K modem, Gigabit & Wireless LAN 802.11b/g, Mobile Intel® Graphics Media Accelerator X3100 128MB shared, 0.3MP CrystalEye, 5-in-1 card reader, Pebble Design, AZB	619,-
[N] LX.AQR0X.053	Aspire 7720ZG-3A3G25Mi, Intel® Pentium® Dual-Core processor T2370 (1.73GHz/FSB: 533MHz/1MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WXGA+ CrystalBrite, 3GB DDR II RAM (1x2GB + 1x1GB), 250GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion, 56K modem, Gigabit & Wireless LAN 802.11b/g, NVIDIA® GeForce® 9300M-G 256MB/1024MB TC, 0.3MP CrystalEye, 5-in-1 card reader, Pebble Design, AZB	702,-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.

### Aspire 7720 - Core 2 Duo Santa Rosa - Gemstone value design

<b>Processor :</b>	Intel® Centrino® Duo Mobile processor technology feat. Intel® Core 2 Duo; supporting Intel® 64 architecture
<b>Operating System:</b>	Microsoft® Windows® Vista Home Premium Edition Multilingual (NL/FR/UK) version
<b>Second level cache:</b>	2 MB L2 cache (T7100) up to 4MB (T7300/T7500/T7700) L2 cache
<b>Chipset:</b>	Intel® 965PM Express chipset or Intel® PM965 Express Chipset (only on G model)
<b>Front Side Bus</b>	800 Mhz Front Side Bus
<b>Display:</b>	17" WXGA+ high-brightness (200 nit) Acer CrystalBrite™ TFT LCD; 1440 x 900 pixel resolution, 16ms response time OR 17" WUXGA high-brightness (200 nit) Acer CrystalBrite™ TFT LCD, 1920 x 1200 pixel resolution, 16ms response time Simultaneous multi-window viewing via Acer GridVista™ supported
<b>Graphics:</b>	NVIDIA® GeForce® 8400M GS or 8600M GT, supporting NVIDIA® PureVideo™ HD technology,  OpenEXR High Dynamic-Range (HDR) technology, Shader Model 4.0, Microsoft® DirectX® 10 Dual independent display support (only for G model) MPEG-2/DVD hardware-assisted capability, WMV9 (VC-1) and H.264 (AVC) support, S-Video/TV-out (NTSC/PAL) support; DVI-D with HDCP support (only G model); 16.7 million colors Up to QXGA (2048 x 1536pixel) resolution via external display Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies
<b>Memory:</b>	1024MB DDR II - modules, max. 2GB with dual soDIMM modules (dual channel support)
<b>HDD &amp; Optical:</b>	one or two internal HDD (5400rpm) Activation of RAID software disables future recovery possibilities Internal DVD-Super Multi double-layer drive (Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM, 6x DVD-ROM DL) (Write: 24X CD-R, 16X CD-RW, 8X DVD 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick, xD-Picture Card, Memory Stick PRO
<b>Communication:</b>	Acer Video Conference, feat. integrated Acer CrystalEye webcam supporting Acer PrimaLite technology Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready WPAN: Bluetooth® 2.0+EDR (on selected models) Gigabit Ethernet 10/100/1000 LAN, Wake-on-LAN ready Wireless LAN: Intel® PRO/Wireless 3945ABG (dual band-tri mode) 802.11a/b/g Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
<b>I/O Interface:</b>	ExpressCard™/54 slot, 4x USB 2.0 ports, External display (VGA) port, Headphones/speaker/line-out jack with S/PDIF support, Microphone-in jack, Line-in jack, Ethernet (RJ-45) port, Modem (RJ-11) port, S-Video/TV-Out, IEEE1394 port, 5-in-1 card reader, DVI-
<b>Audio:</b>	Dolby® Digital Live Audio enhancement feat. Dolby® Digital, Dolby® Digital Live Dolby® Pro Logic II, Dolby® Digital Stereo Creator, Dolby® Headphone, Dolby® Virtual Speaker Technology. Intel High-Definition audio support, Dolby® certified surround system with 2 built-in Acer 3D Sonic stereo speakers (2W) and one subwoofer (optional) S/PDIF (Sony/Philips Digital Interface) support for digital speakers Built-in microphone MS Sound compatible
<b>Softwares included:</b>	Acer Empowering Technology (ePower, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, eNet, eAudio) Acer GridVista™, Acer Arcade™(feat. Cinema, Video, Album, Music, Acer HomeMedia); Acer Arcade Deluxe (feat. DVWizard, VideoMagician, DVDivine, Acer HomeMedia); Acer Launch Manager, Acer CrystalEye, Acer Video Conference, Adobe® Reader®, NTI CD-Maker™, Ace Free Anti Virus trial version, CyberLink® PowerProducer™, Microsoft® Works 8.5 with Office Home and Student 2007 Trial
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports standby and hibernation power-saving modes 44.4Wh 4000 mAh Li-Ion 6-cell battery; 2.5-hour battery life Acer QuicCharge™ technology: 80% charge in 1 hour; 2-hour rapid charge system-off; 3-hour charge-in-use 90W AC Adapter
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device with 4-way scroll button, volume wheel. Five easy-launch buttons; Empowering Keys; optional Acer Media Center Remote Control
<b>Weight/Dimensions:</b>	3.36kg 40.4 (W) x 29.8 (D) x 3.8/4.3 (H) cm
<b>Warranty:</b>	Purchase after 1st Aug 2007: 2 year Warranty (1st year International Travellers Warranty)



- Aspire Notebooks BE -  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.</b>		
<b>Microsoft® Windows® Vista Home Premium Edition</b>		
[E] LX.ANS0X.231	Aspire 7720G-603G50BN, Intel® Core™2 Duo processor T7500 (2.2GHz / FSB: 800MHz / 4MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WXGA+ CrystalBrite, 3072MB DDR II RAM (1x 2048 + 1x 1024), 2x 250GB HDD (5400rpm), Blu-ray read (DVD Dual Layer write), 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth®, NVIDIA® GeForce® 8600M-GT 512MB/1280MB TC, 0.3MP CrystalEye, 5-in-1 card reader, Gemstone A, AZB	991,-
[N] LX.AQ80X.622	Aspire 7720G-834G64BN, Intel® Core™2 Duo processor T8300 (2.4GHz / FSB: 800MHz / 3MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WXGA+ CrystalBrite, 4GB DDR II RAM (2x2GB), 640GB HDD (2x320GB) (5400rpm), Blu-ray read (DVD Dual Layer write), 6-cell Li-ion, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth®, NVIDIA® GeForce® 9500M-GS 512MB/1280MB TC, 0.3MP CrystalEye, 5-in-1 card reader, Gemstone A, AZB	1.239,-
[E] LX.ANS0X.375	Aspire 7720G-833G64BN, Intel® Core™2 Duo processor T8300 (2.4GHz / FSB: 800MHz / 3MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WXGA+ CrystalBrte, 3072MB DDR II RAM (1x 2048 + 1x 1024), 2x 320GB HDD (5400rpm), Blu-ray read (DVD Dual Layer write), 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth®, NVIDIA® GeForce® 8600M-GT 512MB/1280MB TC, 0.3MP CrystalEye, 5-in-1 card reader, Gemstone A, AZB	1.239,-
LX.ANS0X.407	Aspire 7720G-934G64BN, Intel® Core™2 Duo processor T9300 (2.5GHz / FSB: 800MHz / 6MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 17TFT WUXGA CrystalBrite, 4096MB DDR II RAM (2x 2048), 640GB HDD (2x 320GB) (5400rpm), Blu-ray read (DVD Dual Layer write), 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth®, NVIDIA® GeForce® 8600M-GT 512MB/1280MB TC, 0.3MP CrystalEye, 5-in-1 card reader, Gemstone A, AZB	1.404,-

Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

**All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.**

Aspire 8920	
<b>Processor :</b>	Intel® Centrino® processor technology feat. • Intel® Core™2 Duo processor T9300/T9500 (6 MB L2 cache, 2.50/2.60 GHz, 800 MHz FSB) or higher, or T8100/T8300 (3 MB L2 cache, 2.10/2.40 GHz, 800 MHz FSB), or T7300/T7500/T7700/T7800 (4 MB L2 cache, 2/2.20/2.40 GHz, 800 MHz FSB), or T7300/T7500/T7700/T7800 (4 MB L2 cache, 2/2.20/2.40 GHz, 800 MHz FSB), or T7300/T7500/T7700/T7800 (4 MB L2 cache, 2/2.20/2.40 GHz, 800 MHz FSB), or T7300/T7500/T7700/T7800 (4 MB L2 cache, 2/2.20/2.40 GHz, 800 MHz FSB)
<b>Operating System:</b>	Genuine Windows Vista® Ultimate, or Genuine Windows Vista® Home Premium
<b>Second level cache:</b>	2 MB / 3 MB / 4 MB / 6 MB L2 cache (depending on processor)
<b>Chipset:</b>	Intel® PM965 Express Chipset
<b>Front Side Bus</b>	800 Mhz or 667 Mhz Front Side Bus (depending on processor)
<b>Display:</b>	18.4" Full HD 1920 x 1080 pixel resolution, high-brightness (300-nit), Acer CineCrystal™ TFT LCD, two lamps 16:9 aspect ratio, 8 ms high-def response time, 90% color gamut Simultaneous multi-window viewing via Acer GridVista™ supported
<b>Graphics:</b>	NVIDIA® GeForce® 9650M GS with up to 1280 MB of TurboCache™ (512 MB of dedicated GDDR3 VRAM, up to 768 MB of shared system memory), supporting NVIDIA® PureVideo™ HD technology, OpenEXR High Dynamic-Range (HDR) technology, Shader Model 4.0, Microsoft® DirectX 10, NVIDIA® GeForce® 9500M GS with up to 1280 MB of TurboCache™ (512 MB of dedicated GDDR2 VRAM, up to 768 MB of shared system memory), supporting NVIDIA® PureVideo™ HD technology, OpenEXR High Dynamic-Range (HDR) technology, Shader Model 4.0, Microsoft® DirectX 10, Dual independent display support MPEG-2/DVD decoding, WMV9 (VC-1) and H.264 (AVC) decoding, HDMI™ (High-Definition Multimedia Interface) with HDCP (High-bandwidth Digital Content Protection) support 16.7 million colors Up to QXGA (2048 x 1536pixel) resolution via external display Acer Arcade™ Deluxe featuring Acer CinemaVision™ and Acer ClearVision™ technologies
<b>Memory:</b>	Dual-channel DDR2 SDRAM support, Up to 2 GB of DDR2 667 MHz memory, upgradeable to 4 GB using two soDIMM modules
<b>HDD &amp; Optical:</b>	One or two 120/160/250/320 GB or larger hard disk drives Intel® Turbo Memory supported (only for selected models) 2X Blu-ray Disc™/DVD-Super Multi double-layer drive: • Read: 24X CD-ROM, 24X CD-R, 24X/16X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X/4X DVD-ROM DL (double-layer), 6X/4X DVD-R DL (double-layer), 6X/4X DVD+R DL (double-layer), 6X/4X DVD-RW, 6X/4X DVD+RW, 5X DVD-RAM, 2X BD-ROM, 2X BD-R, 2X BD-RE, 2X BD-ROM DL DL 8X DVD-Super Multi double-layer drive: • Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-ROM DL (double-layer), 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM; • Write: 24X CD-R, 16X 6-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick, xD-Picture Card, Memory Stick PRO, MultiMediaCard Plus
<b>Communication:</b>	Acer Video Conference, feat. integrated Acer CrystalEye webcam supporting enhanced Acer Primalite technology • Acer Video Conference Manager software featuring Video Quality Enhancement (VQE) technology with H.264 video compression, supporting 640 x 480 resolution online video calls with drag-and-drop Picture-in-Picture (PIP) interactivity, Acer PureZone technol Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready WPAN: Bluetooth® 2.0+EDR (on selected models) Gigabit Ethernet 10/100/1000 LAN, Wake-on-LAN ready Intel® Wireless WiFi Link 4965AGN (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi  CERTIFIED® network connection, supporting Acer SignalUp™ with InviLink™ Nplify™2 wireless technology, or Intel® PRO/Wireless 3945ABG (dual-band tri-mode 802.11a/b/g) Wi-Fi C
<b>IO Interface:</b>	ExpressCard™/54 slot  6-in-1 card reader (SD™, MMC, MMCplus™, MS, MS PRO, xD)  Four USB 2.0 ports  HDMI™ port with HDCP support  Consumer infrared (CIR) port  External display (VGA) port  RF-in jack  Headphone/speaker/line-out jack with S/PDIF support  Microphone



Partnumber	Description	List Excl. BTW EURO
<b>All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.</b>		
<b>Audio:</b>	Optimized 2nd Generation Dolby Home Theater®10 audio enhancement, featuring Dolby® Digital, Dolby® Digital Live, Dolby® Pro Logic® IIx, Dolby® Headphone, Dolby® Natural Bass and Dolby® Sound Space Expander technologies Acer CineSurround with five built-in speakers and one Acer Tuba CineBass booster supporting low frequency effects True5.1-channel surround sound output High-definition audio support S/PDIF (Sony/Philips Digital Interface)12 support for digital speakers MS-Sound compatible Acer PureZone technology with two built-in stereo microphones featuring beam forming, echo cancellation, and noise suppression technologies	
<b>Softwares included:</b>	Acer Empowering Technology (Acer eAudio, ePower, eDataSecurity, eRecovery, eSettings Management) Acer Arcade™Deluxe featuring Cinema, Album, Music, Acer HomeMedia (for selected models) Acer InstantOn Arcade Acer Bio-Protection Acer Crystal Eye Acer GridVista Acer Launch Manager Acer GameZone Acer Video Conference Manager Acer Video Conference Manager featuring Video Quality Enhancement (VQE) (selected models) Adobe® Reader® CyberLink® PowerDirector® trial version Free Anti Virus trial version NTI Media Maker™	
<b>Privacy control:</b>	Acer Bio-Protection fingerprint solution, featuring Windows® logon, computer protection, FingerLaunch, ProfileLaunch, MusicLaunch, Password Bank, MyLaunch, Acer FingerNav BIOS user, supervisor, HDD passwords Kensington lock slot	
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports standby and hibernation power-saving 71 W 4800 mAh 8-cell Li-ion battery pack: • 2-hour battery life16 with NVIDIA® GeForce® 9650M GS • 2.5-hour battery life16 with NVIDIA® GeForce® 8600M GT Acer QuicCharge™ technology: • 80% charge in 1 hour • 2-hour rapid charge system-off • 3-hour charge- 90W AC Adapter - Energy Star 4.0 compliant	
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device with 4-way scroll button and fingerprint reader, Acer CineDash media console capacitive human interface device, including: • Acer Arcade™ • Volume meter (volume up/down) • Menu navigation (enter/back/left/right) Four easy-launch buttons;Empowering Keys; optional Acer Media Center Remote Control	
<b>Weight/Dimensions:</b>	4.1 kg 441.4 (W) x 300 (D) x 40.2/44.2 (H) mm	
<b>optional:</b>	Acer Media Center remote control, VoIP phone	
<b>Warranty:</b>	2 year Warranty (1st year International Travellers Warranty); check warranty upgrades to 3 years!	
<b>Microsoft® Windows® Vista Home Premium Edition</b>		
LX.AP50X.282	Aspire 8920G-6A4G32BN, Intel® Core™2 Duo processor T5750 (2.0GHz/FSB: 667MHz/2MB L2 cache), Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 18.4TFT WUXGA+ Full High Definition CineCrystal Dual Lamp, 4GB DDR II RAM (2x 2GB), 320GB HDD (1x 320GB) (5400rpm), Blu-ray read (DVD Dual Layer write), 8-cell Li-ion, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth®, HDMI, NVIDIA® GeForce® 9500M-GS 512MB/1280MB TC, FingerPrint, 0.3MP CrystalEye, 6-in-1 card reader, CineDash Media Console, Tuba CineBass Booster, Gemstone Blue, AZB	1.239,-
<b>Microsoft® Windows® Vista™ Ultimate</b>		
LX.AP70U.045	Aspire 8920G-934G64BN, Intel® Core™2 Duo processor T9300 (2.5GHz/FSB: 800MHz/6MB L2 cache), Microsoft® Windows® Vista™ Ultimate, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 18.4TFT WUXGA+ Full High Definition CineCrystal Dual Lamp, 4GB DDR II RAM (2x 2GB), 640GB HDD (2x 320GB) (5400rpm), Blu-ray read (DVD Dual Layer write), 8-cell Li-ion, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth®, HDMI, NVIDIA® GeForce® 9650M-GS 512MB/1280MB TC DDR3, FingerPrint, 0.3MP CrystalEye, 6-in-1 card reader, CineDash Media Console, Tuba CineBass Booster, Gemstone Blue, AZB	1.569,-

Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.

### Aspire 9920 - Core 2 Duo Santa Rosa - 20inch range

<b>Processor :</b>	Intel® Core™ 2 Duo processor
<b>Operating System:</b>	Microsoft® Windows® Vista Home Premium Edition
<b>Second level cache:</b>	4MB, integrated on chip
<b>Chipset:</b>	Intel® PM965 Express chipset
<b>Front Side Bus</b>	800 Mhz Front Side Bus
<b>Display:</b>	20.1" WSXGA+ high-brightness (300 nit) Acer CrystalBrite™ TFT LCD 1680 x 1050 pixel resolution, 4 lamps 5 ms response time Simultaneous multi-window viewing via Acer GridVista™ supported
<b>Graphics:</b>	NVIDIA® GeForce® 8600M GT with up to 1GB of TurboCache technology supporting NVIDIA® PureVideo™ technology, Microsoft® DirectX® 9.0 and 10.0, OpenEXR High Dynamic Range (HDR) technology, PCI Express® MPEG-2/DVD hardware-assisted capability S-video/TV-out (NTSC/PAL) support DVI-D (true digital video interface) with HDCP (High-bandwidth Digital Content Protection) support Up to QXGA (2048 x 1536pixel) resolution via external display Acer Arcade™ featuring Acer CinemaVision™ and Acer ClearVision™ technologies, dual independent display support, 16.7 million colors, WMV9 (VC-1) and H.264 (AVC) support (full decode)
<b>Memory:</b>	1024MB DDR2, memory max. 4096MB with dual soDIMM modules
<b>HDD &amp; Optical:</b>	2X internal S-ATA HDD (5400rpm), Intel® Turbo Memory supported. Internal slot-load DVD-Super Multi double-layer drive (Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 8X DVD-RW, 8X DVD-R DL, 4X DVD+R DL, 4X DVD-R DL, 4X DVD-RW, 4X DVD+RW, 3X DVD-RAM, 1X HD DVD-ROM, 1X HD DVD-R, 1X HD DVD-RW, 1X HD DVD-ROM DL, 1X HD DVD-R DL, 1X HD DVD-RW (Write: 16X CD-R, 10X CD-RW, 4X DVD-R, 4X DVD+R, 4X DVD-RW, 4X DVD+RW, 3X DVD-RAM, 2.4X DVD+R DL, 2X DVD-R DL) 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick, xD-Picture Card, Memory Stick PRO
<b>Communication:</b>	Acer Video Conference, featuring: Integrated Acer CrystalEye webcam, supporting enhanced Acer PrimaLite™ technology, Acer PureZone technology, Acer Xpress VolP phone (only for AS9920G-602G50HN) Internal 56 Kbps V.92 modem with PTT approval, Wake-on-Ring ready Ethernet 10/100/1000 LAN, Wake-on-LAN ready Wireless LAN: Intel® PRO/Wireless 4965AGN network connection (dual-band quad-mode 802.11a/b/g/Draft-N) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ with InVLink Nplify wireless technology WPAN: Bluetooth® 2.0+EDR (Enhanced Data Rate)
<b>IO Interface:</b>	ExpressCard™/54 slot, 5-in-1 card reader (SD/MMC/MS/MS PRO/xD), Four USB 2.0 ports, DVI-D port with HDCP support, IEEE 1394 port, Consumer infrared (CIR) port, External display (VGA) port, S-video/TV-out (NTSC/PAL) port, Headphone/speaker/line-out jack w/
<b>Audio:</b>	Dolby® -certified surround sound system with 2 built-in stereo speakers and 1 subwoofer supporting low-frequency effects; Dolby® Home Theatre audio enhancement feat. Dolby® Digital, Dolby® Digital Live, Dolby® Pro Logic II, Dolby® Digital Stereo Creator, Dolby® Headphone, Dolby® Virtual Speaker technology, Intel® High Definition Audio support. S/PDIF (Sony/Philips Digital Interface) <sup>5</sup> support for digital speakers MS Sound compatible, Acer PureZone technology with Two built-in stereo microphones feat. Beam forming, echo cancellation and noise suppression technology
<b>Softwares included:</b>	Acer Empowering Technology (Acer eNet / ePower / ePresentation / eDataSecurity / eLock / eRecovery / eSettings Management / eAudio) Acer GridVista™, Acer Arcade™ (feat. Cinema, Video, Music, TV, Acer HomeMedia), Acer Launch Manager, Acer CrystalEye, Acer PureZone, Acer Video Conference Manager, Acer Arcade Deluxe (feat. DV Wizard, VideoMagician, DVDivine, TVJoy, Acer HomeMedia), Micros Free Anti Virus trial version, Adobe® Reader®, CyberLink® PowerProducer™, NTI CD-Maker™
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports standby and hibernation power-saving modes 71W 4800mAh Li-ion 8-cell battery; 1.5-hour battery life Acer QuicCharge™ technology: 80% charge in 1 hour; 2-hour rapid charge system-off; 3-hour charge-in-use 3 pin 135W AC Adapter
<b>Input device:</b>	Keyboard with embedded numeric keypad Built-in touchpad pointing device with 4-way scroll button Empowering keys; Four easy-launch buttons; Two front-access communication LED switches(WLAN and Bluetooth), LED indicators, Media Keys.
<b>Weight/Dimensions:</b>	7,8kg with 2nd Hard Disk Drive 47,5 (W) x 35,2 (D) x 6,18 (H) cm
<b>Warranty:</b>	Purchase after 1st Aug 2007: 2 year Warranty (1st year International Travellers Warranty)



- Aspire Notebooks BE -  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>All Aspire notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System.</b>		
<b>Microsoft® Windows® Vista Home Premium Edition</b>		
[ED] LX.AJJ0X.080	Aspire 9920G-603G32MN, Intel® Core™2 Duo processor T7500 (2.2GHz / FSB: 800MHz / 4MB L2 cache), 1GB Robson, Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 20WSXGA+ CrystalBrite, 3072MB DDR II RAM (1x 2048MB + 1x 1024MB), 1x 320GB HDD (5400rpm S-ATA), Super Multi DVD-RW Double Layer, 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth®, NVIDIA® GeForce® 8600M-GT 512MB/1280MB TC, 0.3MP CrystalEye, 5-in-1 card reader, AZB	1.156,-
LX.AJJ0X.083	Aspire 9920G-933G64HN, Intel® Core™2 Duo processor T9300 (2.5GHz / FSB: 800MHz / 6MB L2 cache), 1GB Robson, Microsoft® Windows® Vista™ Home Premium, Works™ 8.5 + Office™ Home & Student 2007 Trial (60 days), 20TFT WSXGA+ CrystalBrite, 3072MB DDR II RAM (1x 2048 + 1x 1024), 2x 320GB HDD (5400rpm S-ATA), HD DVD, 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, Bluetooth® + VOIP Phone, NVIDIA® GeForce® 8600M-GT 512MB/1280MB TC, 0.3MP CrystalEye, 5-in-1 card reader, AZB	1.652,-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All Ferrari 1100 notebooks are equipped with a 64 bit multilingual preload (NL/FR/UK) and 2 year warranty

Warranty Upgrades: check Warranty upgrade sheet

FERRARI 1100

<b>Processor :</b>	AMD Turion™ 64 X2 Mobile Technology processor supporting AMD Hypertransport technology
<b>Operating System:</b>	Microsoft® Windows® Ultimate Edition 64 BIT EDITION
<b>L2 cache:</b>	2 X 512 KB
<b>Chipset:</b>	AMD M690T Chipset
<b>Display:</b>	12.1" WXGA (200-nit) Acer CrystalBrite™ TFT LCD with white LED backlight, 1280 x 800 pixel 16.7 million colors
<b>Graphics:</b>	ATI Radeon™ X1270 integrated 3D graphics with up to 960 MB of HyperMemory™ (64 MB of dedicated GDDR2 VRAM, up to 896 MB of shared system memory), supporting Microsoft® DirectX® 9 and simultaneous multi-window viewing via Acer GridVista™ Up to QXGA (2048 x 1536pixel) resolution via external display MPEG-2/DVD acceleration, WMV9 (VC-1)1 and H.264 (AVC) acceleration, S-video/TV-out Dual independent display support
<b>Memory:</b>	2048 MB DDR2-modules, max. 4GB with dual soDIMM modules
<b>HDD &amp; Optical:</b>	Internal SATA HDD with Acer DASP (Disk Antishock Protection) 8X DVD-Super Multi double-layer (slim type slot-in 9.5 mm) drive (Read: 24X CD-ROM, 24X CD-R, 6X DVD-ROM DL, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-R DL (dual-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM)(Write: 24X CD-R 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick and Memory Stick PRO™, xD-Picture Card™
<b>Communication:</b>	Acer Video Conference featuring: Integrated Acer Crystal Eye webcam, supporting enhanced Acer Primalite™ technology and Acer PureZone technology WLAN: Acer InviLink™ Nplify™ 802.11a/b/g/Draft-N Wi-Fi CERTIFIED® network connection, supporting Acer SignalUp™ wireless technology, WPAN: Bluetooth 2.0+EDR (Enhanced Data Rate) supporting ASF 2.0 LAN: Ethernet 10/100/1000 LAN, Wake-on-LAN ready Modem: Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready
<b>I/O Interface:</b>	3x USB 2.0, 1x Firewire (IEEE-1394), 1x FIR, 1x RJ-45 ethernet, 1x RJ-11 modem, external (VGA) display port, 1x ExpressCard/54 slot, Microphone line-in, Headphones/speakers/ line-out with S/PDIF support; Line-in jack, S-Video/TV-out, Acer BioProtection 154pin ezDock II/II+ connector
<b>Audio:</b>	High-Definition audio support Acer PureZone technology with two built-in stereo microphones featuring beam forming, echo cancellation, and noise suppression technologies Dolby® Home Theater™ audio enhancement featuring Dolby® Digital, Dolby® Digital Live, Dolby® Pro Logic® II, Dolby® Headphone and Dolby® Virtual Speaker technologies S/PDIF (Sony/Philips Digital Interface); Dolby® certified surround system with two built-in speakers MS Sound-compatible.
<b>Software included:</b>	Acer Empowering Technology (Acer ePower, ePresentation, eDataSecurity, eRecovery, eSettings, eNet, eLock, eAudio.) Acer GridVista™, Acer Launch Manager, Acer CrystalEye™, Adobe Reader, Acer BioProtection, Acer Video Conference Manager, Microsoft Office Ready 2007 (Office Professional 2007) Norton Internet Security™, CyberLink® PowerDVD, NTI CD-Maker™
<b>Security:</b>	Kensington lock slot & BIOS user, HDD and supervisor passwords; Acer Bio-Protection fingerprint solution, featuring Pre-Boot Authentication (PBA), computer protection, Acer FingerLaunch, Acer FingerNav Enhanced Acer DASP (Disk Anti-Shock Protection),
<b>Power subsystem:</b>	ACPI 3.0 power management standard: supports standby and hibernation power-saving modes  64W 5800mAh Li-ion battery pack (6-cell) / 4-hour battery life 2.65-hour rapid charge system off, 3.5-hour charge-in-use (system in idle mode) 65W AC Adapter
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device; function keys; easy-launch buttons; front access communication switches, Acer BioProtection Fingerprint reader feat. Acer FingerNav Empowering Keys, Bluetooth optical mouse
<b>Accessories:</b>	Acer Xpress VoIP Bluetooth phone and Acer Video Conference Manager pack
<b>Weight:</b>	1.95 kg with 6-cell battery pack
<b>Dimensions:</b>	304 (W) x 228 (D x 34 (H) (mm)
<b>Warranty:</b>	<b>2 year Warranty (1st year International Travellers Warranty); check warranty upgrades to 3 years!</b>

Microsoft® Windows® Vista Ultimate 64 bit Edition

[D] LX.FR90U.041

Ferrari 1100-704G25MN, AMD Turion™ 64 X2 Dual-Core processor TL66 2.3GHz, Microsoft® Windows® Vista™ Ultimate 64bits edition, Office™ Ready, 12.1TFT LED WXGA CrystalBrite, 4096MB DDR II (2x 2048), 250GB HDD (5400rpm S-ATA), Internal Super Multi DVD-RW Double Layer, 6-cell Li ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/g/n, Bluetooth® + VoIP Bluetooth phone, ATI Mobility Radeon™ X1270 64MB/960MB HM, 0.3MP CrystalEye, ezDock connector II/II+, AZB

1156,-

Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

**All Extensa notebooks are equipped with a Multilingual preload (NL/FR/UK) Operating System and 1 year warranty**

**Warranty Upgrades: check Warranty upgrade sheet**

**EX7220**

<b>Processor :</b>	Intel® Celeron®
<b>Operating System:</b>	Microsoft® Windows® Vista Home Basic
<b>Second level cache:</b>	1 MB L2 cache
<b>Chipset:</b>	Mobile Intel® GL960 Express Chipset
<b>Front Side Bus:</b>	533 MHz FSB
<b>Display:</b>	17" WXGA+ high-brightness Acer CrystalBrite™ TFT LCD, 1440 x 900 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista 16.7 million colors, dual independent display support
<b>Graphics:</b>	Mobile Intel® GL960 Express Chipset with integrated 3D graphics, featuring Intel® Graphics Media Accelerator (GMA) X3100 with up to 358/384 MB of Intel® Dynamic Video Memory Technology 4.0 (8 MB of dedicated system memory, up to 350/376 MB of shared system memory) Up to QXGA (2048 x 1536pixel) resolution via external display MPEG-2/DVD hardware-assisted capability (acceleration) WMV9 (VC-1) and H.264 (AVC) acceleration
<b>Memory:</b>	Up to 2 GB of DDR2 533 MHz memory, upgradeable to 2 GB using two soDIMM modules (dual-channel support)
<b>HDD &amp; Optical:</b>	Internal HDD (5400rpm) with DASP protection 8X DVD-Super Multi double-layer drive (Read: 24X CD-RW, 24X CD-ROM, 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD-ROM, 6X DVD+RW, 6X DVD-RW, 5X DVD-RAM, 6X DVD+R /-R DL (double-layer), 6X DVD-ROM DL)(Write: 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD+RW, 6X DVD-RW, 16X C5-in-1 card reader (SD, MMC, MS, MS PRO, xD)
<b>Communication:</b>	Internal 56 Kbps V.92 modem with PTT approval, Wake-on-Ring ready Integrated Acer InVilink 802.11b/g WiFi Certified™ solution; Acer SignalUp wireless technology support  Ethernet 10/100/1000 (gigabit) LAN supporting ASF (Alert Standard Format) 2.0, Wake-on-LAN ready
<b>Audio:</b>	Two built-in Acer 3D Sonic stereo speakers Intel® High Definition Audio support MS Sound-compatible; built-in microphone
<b>I/O Interface:</b>	ExpressCard/54 slot , 4x USB 2.0, 1x RJ-45, 1x RJ-11, S-video/TV-out (NTSC/PAL) port External display (VGA) port, Microphone/line-in jack; Headphones/speaker/line-out port ; Line-in jack, IEEE1394, PC Card slot (Type II), 5 in 1 cardreader, FIR
<b>Software includes:</b>	Microsoft® Office Ready 2007 trial version Free Anti Virus trial version, Adobe Reader, Cyberlink® PowerDVD™ Acer Launch Manager, NTI® CD Maker™, Acer Empowering Technology (eRecovery / eSettings / ePresentation Management / eNet / ePower / eLock / eDataSecurity), Acer GridVista, Acer CrystalEye, Acer VideoConference Manager, NTI Shadow
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes  44.4 W 4000 mAh Li-ion 6-cell battery pack: 2.5-hour rapid charge system-off, 3.5-hour charge-in-use, 2.4 hour battery life 65W AC Adapter
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device; 3 easy-launch buttons; Empowering Keys, Productivity Keys, Front Access switches.
<b>Security:</b>	Acer DASP; BIOS User, supervisor and HDD password, Kensington lock slot.
<b>Weight:</b>	3.66 kg
<b>Dimensions:</b>	400 (W) x 290 (D) x 30.3/43.3 (H) mm
<b>Warranty:</b>	1 year Warranty

**Microsoft® Windows® Vista Home Basic Edition**

[N] LX.EA40Y.157	Extensa 7220-1A2G16Mi, Intel® Celeron® Dual-Core processor T1400, Microsoft® Windows® Vista™ Home Basic, Microsoft® Office™ Ready 2007 (trial-version), 17TFT WXGA+ CrystalBrite, 2GB DDR II (2x 1GB), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, 128MB shared video, S-video, FIR, 5-in-1 card reader, AZB	552,-
------------------	--	-------



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

**All TravelMate notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System; TravelMate NB with Swiss-KB are equipped with GE/FR/IT preload Operating System.**

**Warranty Upgrades: check Warranty upgrade sheet**

**TravelMate 5320 - ProFile design**

<b>Processor :</b>	Intel® Celeron® M processor supporting Intel® 64 architecture
<b>Operating System:</b>	Microsoft® Windows® XP Professional Edition Multilingual (NL/FR/UK) version.
<b>Second level cache:</b>	1 MB L2 cache.
<b>Chipset:</b>	Mobile Intel® GL960 Express Chipset
<b>Front Side Bus:</b>	533 MHz FSB.
<b>Display:</b>	15.4" WXGA high-brightness TFT LCD, 1280 x 800 pixel resolution, supporting simultaneous multi-window viewing via Acer GridVista™ 16.7 million colors, dual independent display support
<b>Graphics:</b>	Intel® Graphics Media Accelerator (GMA) X3100 with up to 358/384 MB of Intel® Dynamic Video Memory Technology 4.0 (8 MB of dedicated system memory, up to 350/376 MB of shared system memory) supporting Microsoft® DirectX® 9 Up to QXGA resolution via external display (2048 x 1536 pixel) 75Hz MPEG2/DVD hardware assisted capability, S-Video/TV-out (NTSC/PAL) support WMV9 (VC-1) and H.264 (AVC) acceleration
<b>Memory:</b>	Up to 2 GB of DDR2 533 MHz memory, upgradeable to 2 GB using two soDIMM modules (dual-channel support)
<b>HDD &amp; Optical:</b>	Internal HDD with Acer DASP (Disk Anti-Shock Protection) technology 8X DVD-Super Multi double-layer drive (Read: 24X CD-RW, 24X CD-ROM, 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD-ROM, 6X DVD+RW, 6X DVD-RW, 5X DVD-RAM, 6X DVD+R DL (double-layer), 6X DVD-R DL, 6X DVD-ROM DL)(Write: 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD+RW, 6X DVD-5-in-1 card reader, supporting Secure Digital (SD), MultiMediaCard (MMC), Memory Stick® (MS), Memory Stick PRO™ (MS PRO), xD-Picture Card™ (xD)
<b>Connectivity:</b>	Internal 56 Kbps V.92 modem with PTT approval, Wake-on-Ring ready Integrated Acer InVilink 802.11b/g WiFi Certified™ solution; Acer SignalUp wireless technology support Gigabit Ethernet LAN supporting ASF 2.0, Wake-on-LAN ready Acer Video Conference featuring Integrated Acer CrystalEye webcam supporting enhanced Acer Primalite technology
<b>Audio:</b>	Audio system with two Acer 3D sonic built-in stereo speakers and microphone; MS Sound-compatible; Intel® High Definition audio support
<b>I/O Interface:</b>	ExpressCard/54 slot, PC Card slot (1x type II), 4x USB 2.0, 1x RJ-45, 1x RJ-11, S-video/TV-out port, IEEE 1394 port (4-pin), FIR, external display port, 5-in-1 Cardreader Microphone/line-in jack; Headphones/speaker/line-out port; Line-in jack
<b>Software includes:</b>	Acer Empowering Technology (Acer ePower, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, eNet) Free Anti Virus trial version, Adobe Reader, Cyberlink® PowerDVD™, Acer Launch Manager, NTI® CD Maker™, NTI® Shadow™, Acer GridVista™. Acer Video Conference Manager, Acer CrystalEye.
<b>Security:</b>	Acer Disk Anti-Shock Protection (DASP) Kensington lock slot, BIOS user, supervisor and HDD passwords
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes 6-cell Li-Ion battery pack, 2.4-hour battery life, with 6-cell 44.4 W 4000 mA 2.5 hour rapid charge system off, 3.5 hour charge in use 65W AC Adapter
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device; easy-launch buttons; Productivity keys: Lock, Presentation, Sync, Front access switces: WLAN and Bluetooth, Empowering Keys
<b>Weight:</b>	2.88 kg with 6-cell Li-ion battery pack
<b>Dimensions:</b>	36 (W) x 26,7 (D) x 3,03/4,3 (H) cm
<b>Warranty:</b>	Purchase after 1st Jan 2008: 2 year Warranty (1st year International Travellers Warranty)
<b>Microsoft® Windows® XP Professional Edition</b>	

[N] LX.TMX0X.432	TravelMate 5320-302G12Mi, Intel® Celeron® processor 560 (2.13 GHz / FSB: 533MHz / 1MB L2 cache), Microsoft® Windows® Vista™ Home Premium, 15,4TFT WXGA CrystalBrite, 2GB DDR II (2 x 1GB), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer , 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, Bluetooth®, Mobile Intel® Graphics Media Accelerator X3100 256MB shared, IEEE-1394, S-video, no FIR, 0.3MP CrystalEye, 5-in-1 card reader, AZB	493,-
------------------	--	-------

Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

**All TravelMate notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System; TravelMate NB with Swiss-KB are equipped with GE/FR/IT preload Operating System.**

**TravelMate 5520 - ProFile design**

<b>Processor :</b>	AMD Better By Design Program, feat.: Turion™ 64 X2 dual-core mobile technology.
<b>Operating System:</b>	Microsoft® Windows® Vista Edition or XP Professional Edition Multilingual (NL/FR/UK) version.
<b>Second level cache:</b>	2x 256KB L2 cache
<b>Chipset:</b>	ATI M690G chipset
<b>Front Side Bus</b>	1600 MHz HyperTransport™ Bus
<b>Display:</b>	15 " WXGA TFT LCD 1280 x 800 pixel resolution, 8ms response time Simultaneous multi-window viewing via Acer GridVista™ supported
<b>Graphics:</b>	ATI Radeon X1250 integrated 3D (up to 896MB HM, 256MB ded.sys.memory) MPEG-2/DVD hardware-assisted capability, WMV9 (VC-1) and H.264 (AVC) support, S-Video/TV-out (NTSC/PAL) support; Dual independent display support, 16.7 million colors Up to QXGA (2048 x 1536pixel) resolution via external display
<b>Memory:</b>	512 MB modules.Up to 2GB DDR2 667 , memory max. 4GB with dual soDIMM modules
<b>HDD &amp; Optical:</b>	internal HDD (5400rpm) Internal DVD-Super Multi double-layer drive (Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 8X DVD-R, 8X DVD+R, 6X DVD-R DL (double-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM, 6x DVD-ROM DL) (Write: 24X CD-R,10X CD-RW, 8X DVD 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick, xD-Picture Card, Memory Stick PRO
<b>Communication:</b>	Acer Video Conference, feat. integrated Acer CrystalEye webcam supporting Acer PrimaLite technology Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready Gigabit Ethernet 10/100/1000 LAN, Wake-on-LAN ready Wireless LAN:Acer InViLink™ 802.11b/g Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
<b>I/O Interface:</b>	ExpressCard™/54 slot, 4x USB 2.0 ports, External display (VGA) port, Headphones/speaker/line-out jack , Microphone-in jack, Line-in jack, Ethernet (RJ-45) port, Modem (RJ-11) port, S-Video/TV-Out, IEEE1394 port. 5-in-1 card reader, 1X FIR, PC Card slot (
<b>Audio:</b>	MS Sound compatible 2 built-in Acer 3D Sonic stereo speakers (2W) Built-in microphone
<b>Softwares included:</b>	Acer Empowering Technology (ePower, ePresentation, eDataSecurity, eLock, eRecovery, eSettings, eNet) Acer GridVista™, Acer Launch Manager, Acer CrystalEye, Acer Video Conference Manager, Adobe® Reader®, NTI CD-Maker™ Free Anti Virus trial version, CyberLink® PowerDVD™, Microsoft® Office Ready 2007 NTI Shadow™
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports standby and hibernation power-saving modes 44.4W 4000 mAh Li-Ion 6-cell battery; 2.5-hour battery life; Acer QuicCharge technology with 80% charge in 1hr, 2hr rapid charge system off, 3hr charge in use 65W AC Adapter
<b>Input device:</b>	Keyboard & Built-in touchpad pointing device with 4-way scroll button,2.5 mm key travel, US dollar and Euro signs keys, Front Acces Com switches: WLAN, Bluetooth. Five easy-launch buttons:Empowering Keys, Productivity keys: Lock, Presentation, Sync
<b>Security:</b>	DASP, BIOS user, supervisor, HDD password, Kensington Lock slot
<b>Weight/Dimensions:</b>	2.88 kg with 6-cell Lilon battery 36 (W) x 26,7 (D) x 3,03/4,3 (H) cm
<b>Warranty:</b>	Purchase after 1st Jan 2008: 2 year Warranty (1st year International Travellers Warranty)

**Microsoft® Windows® Vista Home Premium Edition**

[N]	LX.TKT0X.257	TravelMate 5520-7A2G16Mi, AMD Athlon™ 64 x2 Dual-Core processor TK57, Microsoft® Windows® Vista™ Home Premium Edition, Microsoft® Office™ Ready 2007 (trial-version), 15.4TFT WXGA CrystalBrite, 2GBMB DDR II (2 x 1GB), 160GB HDD (5400rpm S-ATA), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, Bluetooth®, ATI Mobility Radeon™ X1250 128MB shared, 0.3MP CrystalEye, 5-in-1 card reader, AZB	528,-
-----	--------------	---	-------

**Microsoft® Windows® XP Professional Edition**

[ED]	LX.TKT06.001	TravelMate 5520-401G16Mi, AMD Mobile Turion™ 64 X2 Dual-Core processor TL58 1.9GHz, Microsoft® Windows® XP Professional Edition, 15.4TFT WXGA, 1024MB DDR II (1x 1024), 160GB HDD (5400rpm S-ATA), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, ATI Mobility Radeon™ X1250 128MB shared, 0.3MP CrystalEye, 5-in-1 card reader, AZB	528,-
------	--------------	--	-------

[N]	LX.TKT06.021	TravelMate 5520-501G16Mi, AMD Mobile Turion™ 64 X2 Dual-Core processor TL60 2.0GHz, Microsoft® Windows® XP Professional Edition, 15.4TFT WXGA, 1GB DDR II (1x 1GB), 120GB HDD (5400rpm S-ATA), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, ATI Mobility Radeon™ X1250 128MB shared, 0.3MP CrystalEye, Bluetooth®, 5-in-1 card reader, AZB	540,-
-----	--------------	--	-------

Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

**All TravelMate notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System; TravelMate NB with Swiss-KB are equipped with GE/FR/IT preload Operating System.**

### TravelMate 5720 - ProFile design

<b>Processor :</b>	Intel® Core™ 2 Duo processor supporting Intel® 64 architecture	
<b>Operating System:</b>	Microsoft® Windows® XP Professional Edition Multilingual (All TravelMate notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System; TravelMate NB with Swiss-KB are equipped with GE/FR/IT preload Operating System.)	
<b>Second level cache:</b>	4MB, integrated on chip	
<b>Chipset:</b>	Intel® GM965 Express chipset	
<b>Front Side Bus</b>	800 Mhz	
<b>Display:</b>	15" WXGA 200-nit color TFT LCD with 1280 x 800 pixel resolution 16.7 million colours, dual independent display support supporting simultaneous multi-window viewing via Acer GridVista	
<b>Graphics:</b>	Mobile Intel® GM965 Express Chipset with integrated 3D graphics, feat. Intel Graphics Media Accelerator (GMA) X3100 with up to 358 MB of Intel Dynamic Video Memory Technology 4.0, supporting Microsoft® DirectX® 9.0 and DirectX® 10 Up to QXGA (2048 x 1536pixel) resolution via external display MPEG-2/DVD hardware-assisted capability, WMV9 (VC-1) and H.264 (AVC) support; S-Video/TV-out (NTSC/PAL) support	
<b>Memory:</b>	1024MB DDR2 memory modules, upgradeable to 4 GB using 2 soDIMM modules	
<b>HDD &amp; Optical:</b>	Internal HDD (5400rpm) with Acer Disk Anti-Shock Protection (DASP) DVD-Super Multi double-layer (Read: 24X CD-RW, 24X CD-ROM, 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD-ROM, 6X DVD+RW, 6X DVD-RW, 5X DVD-RAM, 6X DVD+R/-R (double-layer))(Write: 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD+RW, 6X DVD-RW, 16X CD-RW, 4X DVD+R/-R (double-la 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick and Memory Stick PRO™, xD-Picture Card™	
<b>Connectivity:</b>	Acer Video Conference featuring: 0.3 megapixel CrystalEye camera (LCD panel-mounted) supporting Acer PrimaLite technology Internal 56 Kbps V.92 modem with PTT approval, Wake-on-Ring ready Gigabit Ethernet supporting ASF 2.0, Wake-on-LAN ready Intel® PRO/Wireless 3945ABG network connection (dual-band tri-mode 802.11a/b/g) Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology	
<b>I/O Interface:</b>	1X ExpressCard/54 slot; 1x PC Card slot type II, 4x USB 2.0, 1x external display (VGA) port, 1x Ethernet (RJ-45), 1xModem (RJ-11), 1x S-video/TV out port, IEEE1394 port (4 pin) Microphone jack; line-in jack; headphones/speaker/line-out port, FIR port, 5-in-1 c.r.	
<b>Audio:</b>	Two built-in Acer 3DSonic stereo speakers; Intel® High Definition audio support;MS-Sound compatible; Built-in microphone	
<b>Software included:</b>	Acer Empowering Technology (Acer eDataSecurity / eLock / eRecovery / eSettings / eNet / ePower / ePresentation Management) Acer GridVista™; Acer Launch Manager, Acer CrystalEye, Acer Video Conference Manager, NTI Shadow, Free Anti Virus trial version; Adobe® Reader®; CyberLink PowerDVD™; NTI CD-Maker™	
<b>Security:</b>	Acer DASP (Disk Anti-Shock Protection) Kensington lock slot, BIOS user, supervisor and HDD passwords	
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes 8-cell battery; 65W AC Adapter	
<b>Input device:</b>	Keyboard with embedded numeric keypad; Touchpad with 4-way scroll button, 4 easy-launch buttons; 2 front-access communication buttons, Empowering key, Productivity keys	
<b>Weight/Dimensions:</b>	3.02 kg / 36 (W) x 26.7 (D) x 3.03/4.3 (H) cm	
<b>Warranty:</b>	Purchase after 1st Jan 2008: 2 year Warranty (1st year International Travellers Warranty)	
<b>Microsoft® Windows® XP Professional Edition</b>		
[A] LX.TK206.016	TravelMate 5720-301G16Mi, Intel® Core™2 Duo processor T7300 (2GHz / FSB: 800 MHz / 4MB L2 cache), Microsoft® Windows® XP Professional, Magnesium Alloy cover, 15.4TFT WXGA, 1024MB DDR II (1x 1024), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer , 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g, Mobile Intel® Graphics Media Accelerator X3100 256MB shared, no IEEE-1394, no S-video, no FIR, 0.3MP CrystalEye, 5-in-1 card reader, AZB	634,-
LX.TK206.015	TravelMate 5720-301G16Mi, Intel® Core™2 Duo processor T7300 (2GHz / FSB: 800 MHz / 4MB L2 cache), Microsoft® Windows® XP Professional, Magnesium Alloy cover, 15.4TFT WXGA, 1024MB DDR II (1x 1024), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer , 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g, Mobile Intel® Graphics Media Accelerator X3100 256MB shared, no IEEE-1394, no S-video, no FIR, 0.3MP CrystalEye, 5-in-1 card reader, QWERTZU	634,-
[N] LX.TK206.072	TravelMate 5720-5B1G12Mi, Intel® Core™2 Duo processor T5670 (1.8GHz / FSB: 800 MHz / 2MB L2 cache), Microsoft® Windows® XP Professional, Magnesium Alloy cover, 15.4TFT WXGA, 1GB DDR II (1x 1GB), 120GB HDD (5400rpm), Super Multi DVD-RW Double Layer , 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g, Bluetooth®, Mobile Intel® Graphics Media Accelerator X3100 256MB shared, no IEEE-1394, no S-video, no FIR, 0.3MP CrystalEye, 5-in-1 card reader, AZB	611,-
[N] LX.TK206.075	TravelMate 5720-5B2G16Mi, Intel® Core™2 Duo processor T5670 (1.8GHz / FSB: 800 MHz / 2MB L2 cache), Microsoft® Windows® XP Professional, Magnesium Alloy cover, 15.4TFT WXGA, 2GB DDR II (1x 2GB), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer , 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g, Bluetooth®, Mobile Intel® Graphics Media Accelerator X3100 256MB shared, no IEEE-1394, no S-video, no FIR, 0.3MP CrystalEye, 5-in-1 card reader, AZB	658,-
<b>Microsoft® Windows® Vista Business Edition</b>		
[N] LX.TK20Z.859	TravelMate 5720-602G16Mi, Intel® Core™2 Duo processor T7500 (2.2GHz / FSB: 800 MHz / 4MB L2 cache), Microsoft® Windows® Vista™ Business Edition, 15.4TFT WXGA, 2GB DDR II (1x 2GB), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer , 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g, Mobile Intel® Graphics Media Accelerator X3100 256MB shared, Bluetooth®, no IEEE-1394, no S-video, no FIR, 0.3MP CrystalEye, 5-in-1 card reader, AZB	740,-

Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

**All TravelMate notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System; TravelMate NB with Swiss-KB are equipped with GE/FR/IT preload Operating System.**

**TravelMate 6290 Core 2 Duo Santa Rosa - New Corporate ID design**

<b>Processor :</b>	Intel® Core™ 2 Duo processor supporting Intel® 64 architecture
<b>Operating System:</b>	Microsoft® Windows® Vista Business Multilingual (NL/FR/UK) version
<b>Second level cache:</b>	2MB, integrated on chip
<b>Chipset:</b>	Intel® GM965 Express chipset
<b>Front Side Bus</b>	800 Mhz Front Side Bus
<b>Display:</b>	12.1" WXGA TFT LCD with 1280 x 800 pixels resolution, supporting simultaneous multiwindow viewing via Acer GridVista. 16.7 million colors
<b>Graphics:</b>	Mobile Intel® GM965 Express with integrated 3D graphic, feat. Intel® Graphics Media Accelerator X3100 with up to 358 MB of Intel® Dynamic Video Memory Technology 4.0, supporting Microsoft® DirectX® 9.0 and 10.0 . Up to QXGA (2048 x 1536pixel) resolution via external display; MPEG-2/DVD hardware-assisted capability, WMV9 (VC-1) and H.264 (AVC) support
<b>Memory:</b>	1024MB DDR II-modules, max. 4GB with dual soDIMM modules (dual channel)
<b>HDD &amp; Optical:</b>	DVD-SuperMulti Double Layer (Read: 8x DVD+R/-R/-ROM; 6x DVD+RW/-RW; 24x CD-ROM/-RW/-R; 5x DVD-RAM; 6x DVD+R/-R/-ROM DL) (Write: 8x DVD+R/-R; 8x DVD+RW; 6x DVD-RW; 24x CD-R; 16x CD-RW; 4x DL DVD+R/-R; 5x DVD-RAM) Internal S-ATA HDD with Disk Antishock Protection (DASP) 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick and Memory Stick PRO™, xD-Picture Card™
<b>Communication:</b>	Acer Video Conference featuring Integrated Crystal Eye webcam supporting Acer Primalite™ technology; Acer PureZone, Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready Ethernet 10/100/1000 LAN supporting ASF, Wake-on-LAN ready Wireless solution: Intel® Wireless 4965AGN network connection 802.11a/b/g/Draft-N dual band quad-mode Wi-Fi Certified® Network; Acer SignalUp wireless technology support with InviLink™ Npify™ wireless technology; WPAN: Bluetooth® 2.0 + EDR
<b>I/O Interface:</b>	3x USB 2.0, 1x RJ-45 ethernet, 1x RJ-11 modem, external (VGA) display port, 1xS-videoTV-out port, 1x Fast Infrared Port, 1x IEEE 1394 port, 1x PC Card slot (1x Type II), Microphone line-in, headphone/speaker line-out; 5 in 1 card reader ezDock II/II+ connector
<b>Audio:</b>	Intel High-Definition audio support; Two built-in Acer 3DSonic stereo speakers; MS Sound-compatible; Acer PureZone Technology with 2 built-in stereo microphones feat. Beam forming, echo cancellation, noise suppression technologies
<b>Software includes:</b>	Acer Empowering Technology (eDataSecurity, eLock, eRecovery, eSettings, eNet, ePower, ePresentation); Acer Launch Manager, NTI® CD Maker™, Acer GridVista; Free Anti Virus trial version, CyberLink® PowerDVD, Adobe Reader, Acer Bio-Protection, Acer Crystal
<b>Security:</b>	Acer DASP (Disk Anti-Shock Protection), Acer Bio-Protection fingerprint feat. PreBoot Authentication, computer protection, Acer FingerLaunch and FingerNav. BIOS user, HDD and supervisor passwords; Kensington lock slot
<b>Power subsystem:</b>	ACPI 3.0 power management standard: supports standby and hibernation power-saving modes 53W 4800mAh Li-Ion 6-cell Li-Ion; 5-hour battery life 3.5 hours charge-in-use; 2.5-hour rapid charge 65W AC Adapter
<b>Input device:</b>	Keyboard inverted "T" cursor, touchpad with 4-way scroll button and fingerprint supporting Acer FingerNav; function keys; easy-launch buttons; Empowering Key.
<b>Weight:</b>	1.99 kg
<b>Dimensions:</b>	30.6 (b) x 22.7 (d) x 2,75/3.45 (h) cm
<b>Warranty:</b>	Purchase after 1st Jan 2008: 2 year Warranty (1st year International Travellers Warranty)
<b>Microsoft® Windows® Vista Business Edition</b>	

[ED]	LX.TG60Z.251	TravelMate 6292-602G25MN, Intel® Core™2 Duo processor T7500 (2.2GHz / FSB: 800MHz / 4MB L2 cache), Microsoft® Windows® Vista™ Business, Microsoft® Office™ Ready 2007 (trial-version), Magnesium Alloy cover, 12.1TFT WXGA, Super Multi DVD-RW Double Layer, 250GB HDD (5400rpm S-ATA), 2048MB DDR II (2x 1024), Gigabit & Wireless LAN 802.11a/g/n, Bluetooth®, Fingerprint, bottom docking connector, Intel® Graphics Media Accelerator X3100 256MB shared, 6-cell Li-ion battery, 0.3MP CrystalEye, 5-in-1 card reader, AZB	822,-
[N]	LX.TG60Z.624	TravelMate 6292-602G25Mn, Intel® Core™2 Duo processor T7500 (2.2GHz / FSB: 800MHz / 4MB L2 cache), Microsoft® Windows® Vista™ Business, Microsoft® Office™ Ready 2007 (trial-version), Magnesium Alloy cover, 12.1TFT WXGA, Super Multi DVD-RW Double Layer, 250GB HDD (5400rpm S-ATA), 2GB DDR II (2x1GB), Gigabit & Wireless LAN 802.11a/g/n, Bluetooth®, Fingerprint, bottom docking connector, Intel® Graphics Media Accelerator X3100 256MB shared, 6-cell Li-ion battery, 0.3MP CrystalEye, 5-in-1 card reader, AZB	822,-

Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

**All TravelMate notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System; TravelMate NB with Swiss-KB are equipped with GE/FR/IT preload Operating System.**

**TravelMate 6590 - Core 2 Duo Santa Rosa - New Corporate ID design**

<b>Processor :</b>	Intel® Centrino Pro mobile processor featuring Intel® Core™ 2 Duo processor supporting Intel® 64 architecture and Intel® Virtualization technology.
<b>Operating System:</b>	Microsoft® Windows® Vista Business Multilingual (NL/FR/UK) version or Genuine Windows® XP Professional SP2
<b>Second level cache:</b>	4MB L2 cache integrated on chip
<b>Chipset:</b>	Intel® PM965 Express chipset, supporting Intel Active Management Technology (AMT) 2.5
<b>Front Side Bus</b>	800 Mhz Front Side Bus
<b>Display:</b>	15.4" WSXGA+ high brightness TFT LCD with 1680 x 1050 pixels resolution, or 15.4 WXGA high brightness TFT LCD, 1280 x 800 pixel res. , supporting simultaneous multiwindow viewing via Acer GridVista. 16.7 million colors
<b>Graphics:</b>	FOR G VERSION ONLY: ATI Mobility™ Radeon® HD 2400XT with up to 512/1008 MB HM (256MB dedicated GDDR II VRAM, up to 256/752MB of shared), supporting Microsoft® DirectX® 9.0, DirectX 10.0, PCI Express®; Up to QXGA (2048 x 1536pixel) resolution via external display; MPEG-2/DVD hardware-assisted capability (full decode), WMV9 (VC-1) and H.264 (AVC) support (full decode), DVI-D support, S-Video/TV-out.
<b>Memory:</b>	Up to 2GB of DDR II 667MHz, max. 4GB with dual soDIMM modules (dual channel)
<b>HDD &amp; Optical:</b>	Acer MediaBay hot swappable opt. drive: 8x DVD-SuperMulti Double Layer (Read: 8x DVD+R/-R/-ROM; 6x DVD+RW/-RW; 24x CD-ROM/-RW/-R; 5x DVD-RAM; 6x DVD+R/-R/-ROM DL) (Write: 8x DVD+R/-R; 8x DVD+RW; 6x DVD-RW; 24x CD-R; 16x CD-RW; 4x DL DVD+R/-R; 5x DVD-RAM) Internal S-ATA HDD with Disk Antishock Protection (DASP); Acer MediaBay hot swappable 2nd hard disk drive 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick and Memory Stick PRO™, xD-Picture Card™
<b>Communication:</b>	Acer Video Conference featuring: Integrated Crystal Eye webcam supporting Acer Primalite™ technology; Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready Intel® 82566MM Gigabit Network Connection supporting Intel® Active Management Technology. Wireless solution: Intel® Wireless Wi-Fi Link 4965AGN network connection 802.11a/b/g/Draft-N (dual band quad-mode) Wi-Fi Certified® Network connection supporting Acer SignalUp with InviLink™ Npify™ wireless technology. WPAN: Bluetooth® 2.0+EDR;
<b>I/O Interface:</b>	3x USB 2.0, 1x RJ-45 ethernet, 1x RJ-11 modem, external (VGA) display port, 1xS-video/TV-out port, 1x Fast Infrared Port, 1x IEEE 1394 port, 1x PC Card slot (1x Type II), Microphone line-in, headphone/speaker line-out; 5 in 1 card reader, ExpressCard™/54 sl ezDock II/II+ connector
<b>Audio:</b>	Intel High-Definition audio support; Two built-in Acer 3DSonic stereo speakers; MS Sound-compatible; built-in microphone
<b>Software includes:</b>	Acer Empowering Technology (eDataSecurity, eLock, eRecovery, eSettings, eNet, ePower, ePresentation); Acer Launch Manager, NTI® CD Maker™, Acer GridVista; Free Anti Virus trial version, CyberLink® PowerDVD, Adobe Reader, Acer Bio-Protection, Acer Crystal
<b>Security:</b>	Acer DASP (Disk Anti-Shock Protection), Acer Bio-Protection fingerprint feat. TPM-based security, PreBoot Authentication, computer protection, Acer FingerLaunch and FingerNav. BIOS user, HDD and supervisor passwords; Kensington lock slot, TM SmartCard solution, TM Trusted Platform Module (TPM) solution supportig Acer eDataSecurity Management
<b>Power subsystem:</b>	ACPI 3.0 power management standard: supports standby and hibernation power-saving modes  71W 4800mAh Li-Ion 8-cell Li-Ion(4-hour battery life) Acer QuickCharge™ technology 80% charge in 1h, 2h rapid charge system-off, 3h charge in use 90W AC Adapter
<b>Input device:</b>	Keyboard inverted "T" cursor, touchpad with 4-way scroll button and fingerprint supporting Acer FingerNav; function keys; 2 Windows® Keys, embedded numeric keypad, 4 easy-launch buttons;  Empowering Key; Front Access Switches: WLAN and Bluetooth; Dual nav
<b>Weight:</b>	3 kg with 8-cell battery and optical drive
<b>Dimensions:</b>	36 (b) x 27,5 (d) x 3,4/3.65 (h) cm
<b>Warranty:</b>	Purchase after 1st Jan 2008: 2 year Warranty (1st year International Travellers Warranty)

Partnumber	Description	List Excl. BTW EURO
<b>All TravelMate notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System; TravelMate NB with Swiss-KB are equipped with GE/FR/IT preload Operating System.</b>		
<b>Microsoft® Windows® XP Professional Edition</b>		
[ED] LX.TNE06.004	TravelMate 6592G-601G16Mn, Intel® Core™2 Duo processor T7500 (2.2GHz / FSB: 800MHz / 4MB L2 cache), Microsoft® Windows® XP Professional Edition SP2, Aluminium cover, 15.4TFT WXGA, 1024MB DDR II (1x 1024), 160GB HDD (5400rpm S-ATA), Super Multi DVD-RW Double Layer, 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, TPM, ATI Mobility Radeon™ HD 2400 XT 256MB/512MB HM, Fingerprint, Docking connector, Bluetooth®, DASP, Smart Card reader, serial port, 0.3MP CrystalEye, AZB	869,-
[N] LX.TNE06.066	TravelMate 6592G-812G16Mn, Intel® Core™2 Duo processor T8100 (2.1GHz / FSB: 800MHz / 3MB L2 cache), Microsoft® Windows® XP Professional Edition SP2, Aluminium cover, 15.4TFT WXGA, 2GB DDR II (1x2GB), 160GB HDD (5400rpm S-ATA), Super Multi DVD-RW Double Layer, 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, TPM, ATI Mobility Radeon™ HD 2400 XT 256MB/512MB HM, Fingerprint, Docking connector, Bluetooth®, DASP, Smart Card reader, serial port, 0.3MP CrystalEye, AZB	940,-
<b>Microsoft® Windows® Vista Business Edition</b>		
[E] LX.TNE0Z.108	TravelMate 6592G-702G25Mn, Intel® Core™2 Duo processor T7700 (2.4GHz / FSB: 800MHz / 4MB L2 cache), Microsoft® Windows® Vista™ Business Edition, Aluminium cover, 15.4TFT WSXGA+ (1680x1050), 2048MB DDR II (2x 1024), 250GB HDD (5400rpm S-ATA), Super Multi DVD-RW Double Layer, 8-cell Li-ion battery, 56K modem, Gigabit & Wireless Lan 802.11a/b/g/n, TPM, ATI Mobility Radeon™ HD 2400 XT 256MB/1024MB HM, Fingerprint, Docking connector, Bluetooth®, DASP, Smart Card reader, serial port, 0.3MP CrystalEye, AZB	940,-
[N] LX.TNE0Z.600	TravelMate 6592G-934G25Mn, Intel® Core™2 Duo processor T9300 (2.5GHz / FSB: 800MHz / 6MB L2 cache), Microsoft® Windows® Vista™ Business Edition, Aluminium cover, 15.4TFT WSXGA+, 4GB DDR II (2x 2GB), 250GB HDD (5400rpm S-ATA), Super Multi DVD-RW Double Layer, 8-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11a/b/g/n, TPM, ATI Mobility Radeon™ HD 2400 XT 256MB/512MB HM, Fingerprint, Docking connector, Bluetooth®, DASP, Smart Card reader, serial port, 0.3MP CrystalEye, AZB	1175,-

Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

All TravelMate notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System; TravelMate NB with Swiss-KB are equipped with GE/FR/IT preload Operating System.

### TravelMate 7520 - ProFile design

<b>Processor :</b>	AMD Better By Design program featuring: AMD Turion™64 X2 dual core mobile technology
<b>Operating System:</b>	Microsoft® Windows® Vista Business Edition Multilingual (NL/FR/UK) version. (All TravelMate notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System; TravelMate NB with Swiss-KB are equipped with GE/FR/IT preload Opera
<b>Second level cache:</b>	2x512kb
<b>Chipset:</b>	ATI M690G chipset
<b>Display:</b>	17" WXGA+ TFT LCD with 1440 x 900 pixel resolution 16.7 million colours, dual independent display support supporting simultaneous multi-window viewing via Acer GridVista
<b>Graphics:</b>	ATI Radeon® X1250 integrated 3D graphics with up to 896 MB of HyperMemory, supporting Microsoft® DirectX® 9, PCI Express Up to QXGA (2048 x 1536pixel) resolution via external display WMV9 (VC-1) and H.264 (AVC) support, S-Video/TV-Out (NTSC/PAL) MPEG-2/DVD hardware-assisted capability
<b>Memory:</b>	512 MB modules, Up to 2 GB of DDR2 667 MHz memory, upgradeable to 4GB using 2 soDIMM modules
<b>HDD &amp; Optical:</b>	Internal HDD DVD-Super Multi double-layer (Read: 24X CD-RW, 24X CD-ROM, 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD-ROM, 6X DVD-ROM DL 6X DVD-R/+R DL (double-layer), 6X DVD-RW/+RW, 5X DVD RAM)(Write: 24X CD-R, 8X DVD+R, 8X DVD-R, 8X DVD+RW, 6X DVD-RW, 10X CD-RW, 4X DVD+R/-R 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick and Memory Stick PRO™, xD-Picture Card™
<b>Connectivity:</b>	Acer Video Conference featuring: Acer CrystalEye 0.3 megapixel CrystalEye camera (LCD panel-mounted) Acer Primalite technology Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready Gigabit Ethernet, Wake-on-LAN ready Acer InViLink 802.11b/g Wi-Fi CERTIFIED™ solution, supporting Acer SignalUp™ wireless technology
<b>I/O Interface:</b>	1x PC Card slot type II, 4x USB 2.0, 1x external display (VGA) port, 1x Ethernet (RJ-45), 1xModem (RJ-11), 1x S-video/TV out port, 5 in 1 card reader Microphone jack; line-in jack; headphones/speaker/line-out port, FIR port, IEEE1394 port, ExpressCard™ / 54 (slot)
<b>Audio:</b>	Two built-in Acer 3DSonic stereo speakers; Intel® High Definition audio support. Built-in microphone; MS-Sound compatible
<b>Software included:</b>	Acer Empowering Technology (Acer eDataSecurity / eLock / eRecovery / eSettings Management / eNet / ePower / ePresentation) Acer GridVista™; Acer Launch Manager Free Anti Virus trial version; Adobe® Reader®; CyberLink Power2Go™; NTI CD-Maker™; Acer CrystalEye; Acer Video Conference Manager, NTI Shadow, Microsoft Office Ready 2007.
<b>Power subsystem:</b>	ACPI 3.0 CPU power management standard: supports Standby and Hibernation power-saving modes 44W 4000mAh 6-cell battery; 2.5 hour battery life Acer QuicCharge technology: 80% in 1 hour; 3 hours charge-in-use; 2-hour rapid charge 65W AC Adapter
<b>Input device:</b>	Keyboard with standard numeric keypad; Touchpad with 4-way scroll button 4 media keys; 4 easy launch buttons; 2 Windows Keys; Empowering Keys, productivity keys
<b>Weight/Dimensions:</b>	3.66 kg 40.0 (W) x 29.0 (D) x 3.03/4.33 (H) cm.
<b>Security:</b>	BIOS user, supervisor, HDD password. Kensington lock slot.
<b>Warranty:</b>	Purchase after 1st Jan 2008: 2 year Warranty (1st year International Travellers Warranty)

#### Microsoft® Windows® Vista Business Edition

[ED] LX.TL70Z.035	TravelMate 7520-401G16Mi, AMD Mobile Turion™ 64 X2 Dual-Core processor TL58 1.9GHz, Microsoft® Windows® Vista™ Business, Microsoft® Office™ Ready 2007 (trial-version), 17TFT WXGA+, 1024MB DDR II (2x 512), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, no IEEE-1394, no S-video, no FIR, ATI Mobility Radeon™ Xpress 1250 up to 384 MB HM, 0.3MP CrystalEye, 5-in-1 card reader, AZB	528,-
[N] LX.TL70X.165	TravelMate 7520-502G16Mi, AMD Mobile Turion™ 64 X2 Dual-Core processor TL60, Microsoft® Windows® Vista™ Home Premium, Microsoft® Office™ Ready 2007 (trial-version), 17TFT WXGA+ CrystalBrite, 2GB DDR II (2x1GB), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g, Bluetooth®, ATI Mobility Radeon™ Xpress 1250 up to 384 MB HM shared, 0.3MP CrystalEye, 5-in-1 card reader, AZB	622,-



Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

**All TravelMate notebooks with Azerty-KB are equipped with a multilingual preload (NL/FR/UK) Operating System; TravelMate NB with Swiss-KB are equipped with GE/FR/IT preload Operating System.**

**TravelMate 7720 - ProFile design**

<b>Processor :</b>	Intel® Centrino Duo mobile processor featuring Intel® Core™ 2 Duo processor supporting Intel® 64 architecture and Intel® Virtualization technology.
<b>Operating System:</b>	Genuine Windows® XP Professional SP2
<b>Second level cache:</b>	4MB L2 cache integrated on chip
<b>Chipset:</b>	Intel® PM965 Express chipset
<b>Front Side Bus</b>	800 Mhz Front Side Bus
<b>Display:</b>	17" WXGA+ TFT LCD with 1440 x 900 pixels resolution, supporting simultaneous multiwindow viewing via Acer GridVista. 16.7 million colors
<b>Graphics:</b>	ATI Mobility™ Radeon® HD 2400 XT with up to 1GB HM (256MB dedicated GDDR II VRAM, up to 768MB of shared memory), supporting PCI Express® and supporting Microsoft DirectX 9.0 and 10.0 Up to QXGA (2048 x 1536pixel) resolution via external display; MPEG-2/DVD hardware-assisted capability (full decode), WMV9 (VC-1) and H.264 (AVC) support (full decode), DVI-D support, S-Video/TV-out support.
<b>Memory:</b>	Up to 2GB of DDR II 667MHz, max. 4GB with dual soDIMM modules (dual channel)
<b>HDD &amp; Optical:</b>	8x DVD-SuperMulti Double Layer (Read: 8x DVD+R/-R-ROM; 6x DVD+RW/-RW; 24x CD-ROM/-RW/-R; 5x DVD-RAM; 6x DVD+R/-R-ROM DL) (Write: 8x DVD+R/-R; 8x DVD+RW; 6x DVD-RW; 24x CD-R; 16x CD-RW; 4x DL DVD+R/-R; 5x DVD-RAM) Internal HDD with Disk Antishock Protection (DASP) 5-in-1 card reader: supporting Secure Digital, MultiMediaCard, Memory Stick and Memory Stick PRO™, xD-Picture Card™
<b>Communication:</b>	Acer Video Conference featuring: Integrated Crystal Eye webcam supporting Acer Primalite™ technology; Internal 56 Kbps ITU V.92 modem with PTT approval, Wake-on-Ring ready Wireless solution: Intel® Wireless Wi-Fi Link 4965AGN network connection 802.11a/b/g/Draft-N (dual band quad-mode) Wi-Fi Certified® Network connection supporting Acer SignalUp with InviLink™  Npify™ wireless technology, WPAN: Bluetooth® 2.0+EDR; LAN: Gig
<b>I/O Interface:</b>	4x USB 2.0, 1x RJ-45 ethernet, 1x RJ-11 modem, external (VGA) display port, 1xS-videoTV-out port, 1x Fast Infrared Port, 1x IEEE 1394 port, 1x PC Card slot (1x Type II), Microphone jack, line-in jack, headphone/speaker line-out; 5 in 1 card reader, Express
<b>Audio:</b>	Intel High-Definition audio support; Two built-in Acer 3DSonic stereo speakers; MS Sound-compatible; built-in microphone
<b>Software includes:</b>	Acer Empowering Technology (eDataSecurity, eLock, eRecovery, eSettings, eNet, ePower, ePresentation); Acer Launch Manager, NTI® CD Maker™, Acer GridVista; Free Anti Virus trial version, CyberLink® PowerDVD, Adobe Reader, Acer Crystal Eye, Acer Video Confe
<b>Security:</b>	Acer DASP (Disk Anti-Shock Protection) BIOS user, HDD and supervisor passwords; Kensington lock slot
<b>Power subsystem:</b>	ACPI 3.0 power management standard: supports standby and hibernation power-saving modes  44W 4000 mAh Li-Ion 6-cell battery (2.5-hours battery life, 4.5-hours battery life with Acer MediaBay 6 cell 2nd battery) Acer QuickCharge™ technology 80% charge in 1h, 2h rapid charge system-off, 3h charge in use  90W AC Adapter
<b>Input device:</b>	Keyboard inverted "T" cursor, touchpad with 4-way scroll button; function keys; 2 Windows® Keys, standard numeric keypad, 4 easy-launch buttons; Empowering Key; Front Access Switches: WLAN and Bluetooth; Productivity keys.
<b>Weight:</b>	3.66 kg with 6-cell battery pack
<b>Dimensions:</b>	40 (b) x 29 (d) x 3,03/4,33 (h) cm
<b>Warranty:</b>	Purchase after 1st Jan 2008: 2 year Warranty (1st year International Travellers Warranty)

**Microsoft® Windows® XP Professional Edition**

[A] LX.TMR06.009	TravelMate 7720G-302G16Mn, Intel® Core™2 Duo processor T7300 (2GHz / FSB: 800MHz / 4MB L2 cache), Microsoft® Windows® XP Professional Edition, 17TFT WXGA+, 2048MB DDR II (2x 1024), 160GB HDD (5400rpm), Super Multi DVD-RW Double Layer, 6-cell Li-ion battery, 56K modem, Gigabit & Wireless LAN 802.11b/g/n, Bluetooth®, ATI Mobility Radeon™ HD X2400 XT 256MB/1024MB HM, 0.3MP CrystalEye, 5-in-1 card reader, AZB	799,-
------------------	--	-------



## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

**!!! Check option compatibility with notebook series in matrix on next page!!!**

### Warranty Upgrade

SV.WNBAF.E06	AcerAdvantage New Edition warranty upgrade to 2 years pick up & delivery (within Benelux)	32,-
--------------	---	------

### Warranty Bundles

Q1.1214Y.B01	Silver15 = Warranty upgrade to 2yrs (1st year Int. Travellers Warranty) pick-up and return (within Benelux) - repair within 5 w.days + 15,4" notebook case + USB mouse	49,-
Q1.1242Y.B01	Silver17 = Warranty upgrade to 2yrs (1st year Int. Travellers Warranty) pick-up and return (within Benelux) - repair within 5 w.days + 17" notebook case + USB mouse	49,-
Q2.1214Y.B02	Gold15 = Warranty upgrade to 3yrs (1st year Int.Travellers Warranty) pick-up and return (within Benelux) - repair within 5 w.days + 15,4" notebook case + USB mouse	82,-
Q2.1242Y.B02	Gold17 = Warranty upgrade to 3yrs (1st year Int.Travellers Warranty) pick-up and return (within Benelux) - repair within 5 w.days + 17" notebook case + USB mouse	82,-
Q3.1214Y.B03	Platinum15 = Warranty upgrade to 3yrs (incl. 3 years Int.Travellers Warranty) + with accidental damage insurance - pick-up and return (within Benelux) - repair within 5 w.days + 15,4" notebook case + USB mouse	123,-
Q3.1242Y.B03	Platinum17 = Warranty upgrade to 3yrs (incl. 3 years Int.Travellers Warranty) + with accidental damage insurance - pick-up and return (within Benelux) - repair within 5 w.days + 17" notebook case + USB mouse	123,-

### Universal options

27.01218.191	3-pin AC Cable for power adapter or all models, not AS1700/1710/1800	7,-
P9.06308.A10	Acer USB 2.0 Port Replicator I New version (for all notebook models, not AS1300/1310 / FR1100 / TM5620/5710/5710G/5720/5720G/7720/7720G)	107,-
91.45S05.001	External USB FDD with cable	69,-
90.C0026.001	Optical mini mouse (all notebook models)	11,-
P9.0514C.A21	SLIP CASE NYLON SMART 15,4"	24,-
[E] P9.0514C.A12	ENTRY LEVEL CASE PRESTIGE 15,4"	35,-
P9.0514C.A13	MIDRANGE CASE PRESTIGE 15,4"	44,-
P9.0514C.A25	BACKPACK CASE SMART 15,4"	44,-
P9.05148.A11	Hardshell for up to 14" notebooks	41,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
[E] P9.05148.A14	Acer Elegant Case 15,4"	64,-
P9.05148.A20	Cheela Smart Line Case 20"	65,-
P9.2034C.A00	Acer Security Key Lock	26,-
P9.1930D.A01	MNEMONICK 5 Languages	53,-
P9.25378.A00	Wireless Presenter	39,-
P9.23308.A00	USB Keypad with Calculator Function	23,-
P9.24308.A00	4 USB HUB 2.0 with Y cable	15,-

### Aspire 6920G

LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
KB.INT00.261	Keyboard US	34,-
KB.INT00.292	Keyboard AZB	34,-
KB.INT00.266	Keyboard Swiss German	34,-

### Aspire 8920G

LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
KB.INT00.297	Keyboard US	34,-
KB.INT00.328	Keyboard AZB	34,-
KB.INT00.302	Keyboard Swiss German	34,-

### Aspire 1640 / 1640Z series

LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-

### Aspire 1650 series

LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Aspire 1690 series</b>		
<b>For Models starting with: LX.A4405.XXX/LX.A5405.XXX use DDR memory!</b>		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	62,-
<b>For Models starting with: LX.A6605.XXX/LX.A8405.XXX use DDRII memory!</b>		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
<b>Below options can be used for all models of the Aspire 1690 series:</b>		
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 2920 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.TG600.001	Battery Li-Ion 6cell 3S2P 4800mAH	82,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.218	Keyboard US	34,-
KB.INT00.250	Keyboard AZB	34,-
KB.INT00.223	Keyboard Swiss German	34,-
<b>Aspire 3000 series</b>		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	62,-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	49,-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 3020 series</b>		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	62,-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	49,-
LC.BTP01.005	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 3050 series</b>		
LC.BTP00.001	Battery LI-ION 6-cell 4000mAh	82,-
LC.BTP00.002	Battery LI-ION 9-cell 7200mAh	123,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A11	Hardshell for up to 14" notebooks	41,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 3100 series</b>		
[E] LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	62,-
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A3502.002	Keyboard US	34,-
KB.A3502.009	Keyboard AZB	34,-
KB.A3502.008	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Aspire 3500 series</b>		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	62,-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	49,-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 3610 series</b>		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP01.009	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 3620 series</b>		
LC.BTP01.010	Battery LI-ION 6-cell 4800mAh	82,-
LC.BTP01.011	Battery LI-ION 9-cell 7200mAh	123,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A11	Hardshell for up to 14" notebooks	41,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 3630 series</b>		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	62,-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	49,-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 3650 series</b>		
[E] LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	62,-
LC.BTP01.023	Battery LI-ION 6-cell 4000mAh	82,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.ASP07.002	Keyboard US	34,-
KB.ASP07.009	Keyboard AZB	34,-
KB.ASP07.008	Keyboard Swiss German	34,-
<b>Aspire 3660 series</b>		
[E] LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	62,-
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Aspire 3680 series</b>		
LC.BTP00.001	Battery LI-ION 6-cell 4000mAh	82,-
LC.BTP00.002	Battery LI-ION 9-cell 7200mAh	123,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A11	Hardshell for up to 14" notebooks	41,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 3690 series</b>		
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.ASP07.002	Keyboard US	34,-
KB.ASP07.009	Keyboard AZB	34,-
KB.ASP07.008	Keyboard Swiss German	34,-
<b>Aspire 4920 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.AHS00.001	Sanyo Battery_Option Li-Ion 6cell 3S2P 4800mAH	82,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.036	Keyboard US	34,-
KB.INT00.068	Keyboard AZB	34,-
KB.INT00.041	Keyboard Swiss German	34,-
<b>Aspire 5000 series</b>		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	62,-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	49,-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 5020 series</b>		
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	49,-
LC.BTP01.005	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 5040 series</b>		
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	49,-
LC.BTP01.018	Battery Li-MN 6-cell 4000MAh	82,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 5050 series</b>		
LC.BTP00.001	Battery LI-ION 6-cell 4000mAh	82,-
LC.BTP00.002	Battery LI-ION 9-cell 7200mAh	123,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A11	Hardshell for up to 14" notebooks	41,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Aspire 5100 series</b>		
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
[E] LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	62,-
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A3502.002	Keyboard US	34,-
KB.A3502.009	Keyboard AZB	34,-
KB.A3502.008	Keyboard Swiss German	34,-
<b>Aspire 5310 series (for AS5315 see below)</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.036	Keyboard US	34,-
KB.INT00.068	Keyboard AZB	34,-
KB.INT00.041	Keyboard Swiss German	34,-
<b>Aspire 5315 series (for AS5310 see above)</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.036	Keyboard US	34,-
KB.INT00.068	Keyboard AZB	34,-
KB.INT00.041	Keyboard Swiss German	34,-
<b>Aspire 5320 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.036	Keyboard US	34,-
KB.INT00.068	Keyboard AZB	34,-
KB.INT00.041	Keyboard Swiss German	34,-
<b>Aspire 5500Z series</b>		
LC.BTP01.006	Battery LI-ION 9-cell 7200mAh TM3210/2400/AS3200/5500(option)	123,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A3502.002	Keyboard US	34,-
KB.A3502.009	Keyboard AZB	34,-
KB.A3502.008	Keyboard Swiss German	34,-
<b>Aspire 5510 series</b>		
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 5520 series (for AS5520G see below)</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.036	Keyboard US	34,-
KB.INT00.068	Keyboard AZB	34,-
KB.INT00.041	Keyboard Swiss German	34,-
<b>Aspire 5520G series (for AS5520 see above)</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.036	Keyboard US	34,-
KB.INT00.068	Keyboard AZB	34,-
KB.INT00.041	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Aspire 5600 series</b>		
[E] LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	62,-
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A2707.001	Keyboard US	34,-
KB.A2707.014	Keyboard AZB	34,-
KB.A2707.011	Keyboard Swiss German	34,-
<b>Aspire 5610 series</b>		
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.ASP07.002	Keyboard US	34,-
KB.ASP07.009	Keyboard AZB	34,-
KB.ASP07.008	Keyboard Swiss German	34,-
<b>Aspire 5630 series</b>		
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.ASP07.002	Keyboard US	34,-
KB.ASP07.009	Keyboard AZB	34,-
KB.ASP07.008	Keyboard Swiss German	34,-
<b>Aspire 5650 series</b>		
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.ASP07.002	Keyboard US	34,-
KB.ASP07.009	Keyboard AZB	34,-
KB.ASP07.008	Keyboard Swiss German	34,-
<b>Aspire 5670 series</b>		
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.ASP07.071	Keyboard US	34,-
KB.ASP07.078	Keyboard AZB	34,-
KB.ASP07.077	Keyboard Swiss German	34,-
<b>Aspire 5680 series</b>		
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.ASP07.002	Keyboard US	34,-
KB.ASP07.009	Keyboard AZB	34,-
KB.ASP07.008	Keyboard Swiss German	34,-
<b>Aspire 5710 series (for AS5715Z see below)</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.036	Keyboard US	34,-
KB.INT00.068	Keyboard AZB	34,-
KB.INT00.041	Keyboard Swiss German	34,-
<b>Aspire 5715Z series (for AS5710 see above)</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.036	Keyboard US	34,-
KB.INT00.068	Keyboard AZB	34,-
KB.INT00.041	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Aspire 5720 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.036	Keyboard US	34,-
KB.INT00.068	Keyboard AZB	34,-
KB.INT00.041	Keyboard Swiss German	34,-
<b>Aspire 5720G series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.036	Keyboard US	34,-
KB.INT00.068	Keyboard AZB	34,-
KB.INT00.041	Keyboard Swiss German	34,-
<b>Aspire 5920G series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.036	Keyboard US	34,-
KB.INT00.068	Keyboard AZB	34,-
KB.INT00.041	Keyboard Swiss German	34,-
<b>Aspire 7000 series</b>		
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.ACF07.001	Keyboard US	34,-
KB.ACF07.014	Keyboard AZBE	34,-
KB.ACF07.011	Keyboard Swiss/German	34,-
<b>Aspire 7110 series</b>		
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.ACF07.001	Keyboard US	34,-
KB.ACF07.014	Keyboard AZBE	34,-
KB.ACF07.011	Keyboard Swiss/German	34,-
<b>Aspire 7520 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.138	Keyboard US	34,-
KB.INT00.169	Keyboard AZB	34,-
KB.INT00.143	Keyboard Swiss German	34,-
<b>Aspire 7720 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
LC.BTP00.007	Battery Li-ION 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.138	Keyboard US	34,-
KB.INT00.169	Keyboard AZB	34,-
KB.INT00.143	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Aspire 9100 series</b>		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	62,-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	49,-
LC.BTP04.001	8 cell 4300mAh Lithium-Ion	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A5203.006	Keyboard US	34,-
KB.A5203.007	Keyboard AZB	34,-
KB.A5203.005	Keyboard Swiss German	34,-
<b>Aspire 9300 series</b>		
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.ACF07.001	Keyboard US	34,-
KB.ACF07.014	Keyboard AZBE	34,-
KB.ACF07.011	Keyboard Swiss/German	34,-
<b>Aspire 9400 series</b>		
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.ACF07.001	Keyboard US	34,-
KB.ACF07.014	Keyboard AZBE	34,-
KB.ACF07.011	Keyboard Swiss/German	34,-
<b>Aspire 9410 series</b>		
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.ACF07.001	Keyboard US	34,-
KB.ACF07.014	Keyboard AZBE	34,-
KB.ACF07.011	Keyboard Swiss/German	34,-
<b>Aspire 9420 series</b>		
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.ACF07.001	Keyboard US	34,-
KB.ACF07.014	Keyboard AZBE	34,-
KB.ACF07.011	Keyboard Swiss/German	34,-
<b>Aspire 9500 series</b>		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP04.001	8 cell 4300mAh Lithium-Ion	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.A2909.001	Keyboard US	34,-
KB.A2909.013	Keyboard AZBE	34,-
KB.A2909.008	Keyboard Swiss/German	34,-
<b>Aspire 9510 series</b>		
LC.DDR01.010	SO-DIMM DDRII 667 512MB	80,-
LC.DDR01.011	SO-DIMM DDRII 667 1GB	123,-
LC.BTP01.024	Battery LI-ION 8-cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.ABY07.001	Keyboard US	34,-
KB.ABY07.014	Keyboard AZBE	34,-
KB.ABY07.011	Keyboard Swiss/German	34,-
<b>Aspire 9520 series</b>		
LC.DDR01.010	SO-DIMM DDRII 667 512MB	80,-
LC.DDR01.011	SO-DIMM DDRII 667 1GB	123,-
LC.BTP01.024	Battery LI-ION 8-cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.ABY07.001	Keyboard US	34,-
KB.ABY07.014	Keyboard AZBE	34,-
KB.ABY07.011	Keyboard Swiss/German	34,-



## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Aspire 9800 series</b>		
[E] LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	62,-
LC.BTP01.019	Battery LI-ION AS9800 Battery 4S2P 8cell 4.8A	98,-
LC.ADT01.010	AC Adapter (135W) without power cord (order power cord separately, p/n 27.01218.191)	40,-
P9.05148.A20	Cheela Smart Line Case 20"	65,-
KB.AAK07.001	Keyboard US	34,-
KB.AAK07.014	Keyboard AZB	34,-
KB.AAK07.011	Keyboard Swiss German	34,-
<b>Aspire 9810 series</b>		
[E] LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	62,-
LC.BTP01.019	Battery LI-ION AS9800 Battery 4S2P 8cell 4.8A	98,-
LC.ADT01.010	AC Adapter (135W) without power cord (order power cord separately, p/n 27.01218.191)	40,-
P9.05148.A20	Cheela Smart Line Case 20"	65,-
KB.AAK07.001	Keyboard US	34,-
KB.AAK07.014	Keyboard AZB	34,-
KB.AAK07.011	Keyboard Swiss German	34,-
<b>Aspire 9920 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP01.019	Battery LI-ION AS9800 Battery 4S2P 8cell 4.8A	98,-
LC.ADT01.010	AC Adapter (135W) without power cord (order power cord separately, p/n 27.01218.191)	40,-
P9.05148.A20	Cheela Smart Line Case 20"	65,-
KB.INT00.105	Keyboard US	34,-
KB.INT00.136	Keyboard AZBE	34,-
KB.INT00.110	Keyboard Swiss/German	34,-
<b>Ferrari 1000</b>		
LC.DDR01.010	SO-DIMM DDRII 667 512MB	80,-
LC.DDR01.011	SO-DIMM DDRII 667 1GB	123,-
LC.BTP01.025	Battery LI-ION 6-cell 3S2P 5200mAh	82,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VC	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 1	194,-
KB.FR607.001	Keyboard US	34,-
KB.FR607.014	Keyboard AZB	34,-
KB.FR607.011	Keyboard Swiss	34,-
<b>Ferrari 1100</b>		
LC.DDR01.010	SO-DIMM DDRII 667 512MB	80,-
LC.DDR01.011	SO-DIMM DDRII 667 1GB	123,-
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
LC.BTP00.010	Battery LI-ION 6-cell 3S2P 5200mAh F1100	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.D0303.004	ezDockII (6xUSB, 4+6-pin IEEE 1394, DVI-D, S-video/TV-out (NTSC/PAL), VGA, S/PDIF, Mic-in-, Line-in- and line-out jack, Ethernet (RJ-45), Modem (RJ-11), 2xPS2, Serial+Parallel port + 135W AC adapter (order power cord separately), Security lock slot	79,-
LC.D0303.001	ezDockII+ (like LC.D0303.004 but as extra's: Univ. ExpressCard™/54 slot and Acer MediaBay slot (for optical drive module / Serial ATA HDD module or extra 6-cell Li-ion 2nd battery module)	129,-
KB.INT00.171	Keyboard US	34,-
KB.INT00.204	Keyboard AZB	34,-
KB.INT00.176	Keyboard Swiss German	34,-
<b>Ferrari 4000</b>		
LC.BTP03.011	Battery LI-ION 8 cell 4800mAh FR4000	98,-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	49,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VC	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 1	194,-
KB.T7207.001	Keyboard US	34,-
KB.T7207.014	Keyboard AZB	34,-
KB.T7207.011	Keyboard Swiss	34,-
<b>Ferrari 5000</b>		
LC.DDR01.010	SO-DIMM DDRII 667 512MB	80,-
LC.DDR01.011	SO-DIMM DDRII 667 1GB	123,-
LC.BTP01.015	Battery LI-ION 9-cell 7800mAh TM8200/TM8210/FR5000(option)	123,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VC	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 1	194,-
KB.TAX07.001	Keyboard US	34,-
KB.TAX07.014	Keyboard AZB	34,-
KB.TAX07.011	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Extensa 5210 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.005	Battery_Option Li-Ion 6cell 3S2P 4000mAh	82,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.002	Keyboard US	34,-
KB.INT00.034	Keyboard AZB	34,-
KB.INT00.007	Keyboard Swiss German	34,-
<b>Extensa 5220 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.005	Battery_Option Li-Ion 6cell 3S2P 4000mAh	82,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.002	Keyboard US	34,-
KB.INT00.034	Keyboard AZB	34,-
KB.INT00.007	Keyboard Swiss German	34,-
<b>Extensa 5620Z series (for EX5620G see below)</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.005	Battery_Option Li-Ion 6cell 3S2P 4000mAh	82,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.002	Keyboard US	34,-
KB.INT00.034	Keyboard AZB	34,-
KB.INT00.007	Keyboard Swiss German	34,-
<b>Extensa 5620G series (for EX5620Z see below)</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.005	Battery_Option Li-Ion 6cell 3S2P 4000mAh	82,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.002	Keyboard US	34,-
KB.INT00.034	Keyboard AZB	34,-
KB.INT00.007	Keyboard Swiss German	34,-
<b>TravelMate C200</b>		
LC.BTP03.013	Battery LI-ION 9-cell 3S3P 7200mAh TMC200	123,-
LC.TAD03.002	Battery (2nd) LI-ION TMC200 media bay	89,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VG	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 1	194,-
[E] LC.T2801.017	STYLUS SLIM PEN-111	32,-
KB.TAD07.001	Keyboard US QWERTY	34,-
KB.TAD07.014	Keyboard AZB	34,-
KB.TAD07.011	Keyboard Swiss German	34,-
<b>TravelMate C210</b>		
LC.BTP03.013	Battery LI-ION 9-cell 3S3P 7200mAh TMC200	123,-
LC.TAD03.002	Battery (2nd) LI-ION TMC200 media bay	89,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	194,-
[E] LC.T2801.017	STYLUS SLIM PEN-111	32,-
KB.TAD07.001	Keyboard US QWERTY	34,-
KB.TAD07.014	Keyboard AZB	34,-
KB.TAD07.011	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>TravelMate 2310 series</b>		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	62,-
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	49,-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.T5007.001	Keyboard US	34,-
KB.T5007.014	Keyboard AZB	34,-
KB.T5007.011	Keyboard Swiss German	34,-
<b>TravelMate 2350 series</b>		
LC.BTP04.001	8 cell 4300mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.T350C.002	Keyboard US	34,-
KB.T350C.009	Keyboard AZB	34,-
KB.T350C.008	Keyboard Swiss German	34,-
<b>TravelMate 2410 series</b>		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP01.009	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.T5007.001	Keyboard US	34,-
KB.T5007.014	Keyboard AZB	34,-
KB.T5007.011	Keyboard Swiss German	34,-
<b>TravelMate 2420 series</b>		
LC.BTP01.010	Battery LI-ION 6-cell 4800mAh	82,-
LC.BTP01.011	Battery LI-ION 9-cell 7200mAh	123,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.T5007.001	Keyboard US	34,-
KB.T5007.014	Keyboard AZB	34,-
KB.T5007.011	Keyboard Swiss German	34,-
<b>TravelMate 2450 series</b>		
[E] LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	62,-
LC.BTP01.023	Battery LI-ION 6-cell 4000mAh	82,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.TNT07.002	Keyboard US	34,-
KB.TNT07.009	Keyboard AZB	34,-
KB.TNT07.008	Keyboard Swiss German	34,-
<b>TravelMate 2490 series</b>		
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.TNT07.002	Keyboard US	34,-
KB.TNT07.009	Keyboard AZB	34,-
KB.TNT07.008	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>TravelMate 3000 series</b>		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP03.010	Battery LI-ION 6-cell 4800mAh	82,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	194,-
KB.T7407.026	Keyboard US QWERTY	34,-
KB.T7407.012	Keyboard AZB	34,-
KB.T7407.009	Keyboard Swiss German	34,-
<b>TravelMate 3010 series</b>		
LC.BTP03.010	Battery LI-ION 6-cell 4800mAh	82,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	194,-
KB.T7407.026	Keyboard US QWERTY	34,-
KB.T7407.012	Keyboard AZB	34,-
KB.T7407.009	Keyboard Swiss German	34,-
<b>TravelMate 3300 series</b>		
LC.BTP01.010	Battery LI-ION 6-cell 4800mAh	82,-
LC.BTP01.011	Battery LI-ION 9-cell 7200mAh	123,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	194,-
P9.05148.A11	Hardshell for up to 14" notebooks	41,-
KB.TB107.001	Keyboard US	34,-
KB.TB107.014	Keyboard AZB	34,-
KB.TB107.011	Keyboard Swiss German	34,-
<b>TravelMate 4050 series</b>		
LC.BTP04.001	8 cell 4300mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.T350C.002	Keyboard US	34,-
KB.T350C.009	Keyboard AZB	34,-
KB.T350C.008	Keyboard Swiss German	34,-
<b>TravelMate 4060 series</b>		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.T5007.001	Keyboard US	34,-
KB.T5007.014	Keyboard AZB	34,-
KB.T5007.011	Keyboard Swiss German	34,-
<b>TravelMate 4070 series</b>		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.T5007.001	Keyboard US	34,-
KB.T5007.014	Keyboard AZB	34,-
KB.T5007.011	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>TravelMate 4100 series</b>		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	62,-
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.T5007.001	Keyboard US	34,-
KB.T5007.014	Keyboard AZB	34,-
KB.T5007.011	Keyboard Swiss German	34,-
<b>TravelMate 4150 series</b>		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP04.001	8 cell 4300mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.T5902.002	Keyboard US	34,-
KB.T5902.009	Keyboard AZBE	34,-
KB.T5902.008	Keyboard Swiss/GE	34,-
<b>TravelMate 4200 series</b>		
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.TNT07.002	Keyboard US	34,-
KB.TNT07.009	Keyboard AZB	34,-
KB.TNT07.008	Keyboard Swiss German	34,-
<b>TravelMate 4220 series</b>		
[E] LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	62,-
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.TNT07.025	Keyboard US	34,-
KB.TNT07.032	Keyboard AZB	34,-
KB.TNT07.031	Keyboard Swiss German	34,-
<b>TravelMate 4230 series</b>		
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.TNT07.002	Keyboard US	34,-
KB.TNT07.009	Keyboard AZB	34,-
KB.TNT07.008	Keyboard Swiss German	34,-
<b>TravelMate 4280 series</b>		
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.TNT07.002	Keyboard US	34,-
KB.TNT07.009	Keyboard AZB	34,-
KB.TNT07.008	Keyboard Swiss German	34,-
<b>TravelMate 4400 series</b>		
LC.DDR05.008	SO-DIMM DDR 333 512MB (Use only modules of same speed in NB-system)	49,-
LC.BTP01.005	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	194,-
KB.T5007.001	Keyboard US	34,-
KB.T5007.014	Keyboard AZB	34,-
KB.T5007.011	Keyboard Swiss German	34,-
<b>TravelMate 4500 series</b>		
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.T5007.001	Keyboard US	34,-
KB.T5007.014	Keyboard AZB	34,-
KB.T5007.011	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>TravelMate 4600 series</b>		
<b>For Models starting with: LX.T6406.XXX use DDR memory!</b>		
LC.MEM01.006	SO-DIMM DDR 333 256MB (Use only modules of same speed in NB-system)	62,-
<b>For Models starting with: LX.T9906.XXX use DDRII memory!</b>		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
<b>Below options can be used for all models of the TravelMate 4600 series:</b>		
LC.BTP03.003	8 cell 4400mAh Lithium-Ion	98,-
LC.BTP03.004	2nd Battery MediaBay 6cell 3800mAh Lithium-Ion	143,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	194,-
KB.T5007.001	Keyboard US	34,-
KB.T5007.014	Keyboard AZB	34,-
KB.T5007.011	Keyboard Swiss German	34,-
<b>TravelMate 4650 series</b>		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP04.001	8 cell 4300mAh Lithium-Ion	98,-
LC.BTP01.004	2nd Battery Mediabay 6-cell 3800mAh	161,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	194,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	145,-
KB.T5902.002	Keyboard US	34,-
KB.T5902.009	Keyboard AZBE	34,-
KB.T5902.008	Keyboard Swiss/GE	34,-
<b>TravelMate 4670 series</b>		
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.BTP01.014	2nd Battery MediaBay 6cell 3800mAh Lithium-Ion TM4670(option)	152,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	194,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	145,-
KB.TNT07.025	Keyboard US	34,-
KB.TNT07.032	Keyboard AZB	34,-
KB.TNT07.031	Keyboard Swiss German	34,-
<b>TravelMate 5310 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.005	Battery_Option Li-Ion 6cell 3S2P 4000mAh	82,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.002	Keyboard US	34,-
KB.INT00.034	Keyboard AZB	34,-
KB.INT00.007	Keyboard Swiss German	34,-
<b>TravelMate 5320 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.005	Battery_Option Li-Ion 6cell 3S2P 4000mAh	82,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.002	Keyboard US	34,-
KB.INT00.034	Keyboard AZB	34,-
KB.INT00.007	Keyboard Swiss German	34,-
<b>TravelMate 5510 series</b>		
[E] LC.DDR01.007	SO-DIMM 256MB DDRII 533 NT256T64UH4A1FN-37B Nanya (option)	62,-
LC.BTP01.017	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.A3502.002	Keyboard US	34,-
KB.A3502.009	Keyboard AZB	34,-
KB.A3502.008	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>TravelMate 5520 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.005	Battery_Option Li-Ion 6cell 3S2P 4000mAh	82,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.002	Keyboard US	34,-
KB.INT00.034	Keyboard AZB	34,-
KB.INT00.007	Keyboard Swiss German	34,-
<b>TravelMate 5600 series</b>		
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.TBG01.001	Keyboard US	34,-
KB.TBG01.014	Keyboard AZB	34,-
KB.TBG01.011	Keyboard Swiss German	34,-
<b>TravelMate 5610 series</b>		
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.TBG01.001	Keyboard US	34,-
KB.TBG01.014	Keyboard AZB	34,-
KB.TBG01.011	Keyboard Swiss German	34,-
<b>TravelMate 5620 series</b>		
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.TBG01.001	Keyboard US	34,-
KB.TBG01.014	Keyboard AZB	34,-
KB.TBG01.011	Keyboard Swiss German	34,-
<b>TravelMate 5710 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.005	Battery_Option Li-Ion 6cell 3S2P 4000mAh	82,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.002	Keyboard US	34,-
KB.INT00.034	Keyboard AZB	34,-
KB.INT00.007	Keyboard Swiss German	34,-
<b>TravelMate 5720 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.005	Battery_Option Li-Ion 6cell 3S2P 4000mAh	82,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
KB.INT00.002	Keyboard US	34,-
KB.INT00.034	Keyboard AZB	34,-
KB.INT00.007	Keyboard Swiss German	34,-

## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>TravelMate 6292 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.TG600.001	Battery Li-Ion 6cell 3S2P 4800mAH	82,-
LC.BTP01.011	Battery LI-ION 9-cell 7200mAh	123,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.D0303.004	ezDockII (6xUSB, 4+6-pin IEEE 1394, DVI-D, S-video/TV-out (NTSC/PAL), VGA, S/PDIF, Mic-in-, Line-in- and line-out jack, Ethernet (RJ-45), Modem (RJ-11), 2xPS2, Serial+Parallel port + 135W AC adapter (order power cord seperately), Security lock slot	79,-
LC.D0303.001	ezDockII+ (like LC.D0303.004 but as extra's: Univ. ExpressCard™/54 slot and Acer MediaBay slot (for optical drive module / Serial ATA HDD module or extra 6-cell Li-ion 2nd battery module)	129,-
KB.INT00.171	Keyboard US	34,-
KB.INT00.204	Keyboard AZB	34,-
KB.INT00.176	Keyboard Swiss German	34,-
<b>TravelMate 6410 series</b>		
LC.BTP00.003	Battery LI-ION 8-cell 4S2P 4800mAh	98,-
LC.BTP00.004	2nd Battery MediaBay 6-cell 3S2P 3800mAh	161,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.D0303.004	ezDockII (6xUSB, 4+6-pin IEEE 1394, DVI-D, S-video/TV-out (NTSC/PAL), VGA, S/PDIF, Mic-in-, Line-in- and line-out jack, Ethernet (RJ-45), Modem (RJ-11), 2xPS2, Serial+Parallel port + 135W AC adapter (order power cord seperately), Security lock slot	79,-
LC.D0303.001	ezDockII+ (like LC.D0303.004 but as extra's: Univ. ExpressCard™/54 slot and Acer MediaBay slot (for optical drive module / Serial ATA HDD module or extra 6-cell Li-ion 2nd battery module)	129,-
KB.TCX07.001	Keyboard US	34,-
KB.TCX07.014	Keyboard AZB	34,-
KB.TCX07.011	Keyboard Swiss German	34,-
<b>TravelMate 6460 series</b>		
LC.BTP00.003	Battery LI-ION 8-cell 4S2P 4800mAh	98,-
LC.BTP00.004	2nd Battery MediaBay 6-cell 3S2P 3800mAh	161,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.D0303.004	ezDockII (6xUSB, 4+6-pin IEEE 1394, DVI-D, S-video/TV-out (NTSC/PAL), VGA, S/PDIF, Mic-in-, Line-in- and line-out jack, Ethernet (RJ-45), Modem (RJ-11), 2xPS2, Serial+Parallel port + 135W AC adapter (order power cord seperately), Security lock slot	79,-
LC.D0303.001	ezDockII+ (like LC.D0303.004 but as extra's: Univ. ExpressCard™/54 slot and Acer MediaBay slot (for optical drive module / Serial ATA HDD module or extra 6-cell Li-ion 2nd battery module)	129,-
KB.TCX07.001	Keyboard US	34,-
KB.TCX07.014	Keyboard AZB	34,-
KB.TCX07.011	Keyboard Swiss German	34,-
<b>TravelMate 6592 series</b>		
LC.DDR01.010	SO-DIMM DDRII 667 512MB	80,-
LC.DDR01.011	SO-DIMM DDRII 667 1GB	123,-
LC.DDR00.008	Memory Module DDRII 667 2GB	165,-
LC.BTP00.003	Battery LI-ION 8-cell 4S2P 4800mAh	98,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.BTP00.004	2nd Battery MediaBay 6-cell 3S2P 3800mAh	161,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.D0303.004	ezDockII (6xUSB, 4+6-pin IEEE 1394, DVI-D, S-video/TV-out (NTSC/PAL), VGA, S/PDIF, Mic-in-, Line-in- and line-out jack, Ethernet (RJ-45), Modem (RJ-11), 2xPS2, Serial+Parallel port + 135W AC adapter (order power cord seperately), Security lock slot	79,-
LC.D0303.001	ezDockII+ (like LC.D0303.004 but as extra's: Univ. ExpressCard™/54 slot and Acer MediaBay slot (for optical drive module / Serial ATA HDD module or extra 6-cell Li-ion 2nd battery module)	129,-
KB.INT00.070	Keyboard US	34,-
KB.INT00.103	Keyboard AZB	34,-
KB.INT00.075	Keyboard Swiss German	34,-
<b>TravelMate 7510 series</b>		
LC.BTP01.013	Battery LI-ION 8-cell 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.ACF07.001	Keyboard US	34,-
KB.ACF07.014	Keyboard AZBE	34,-
KB.ACF07.011	Keyboard Swiss/German	34,-



## - Notebooks Options Benelux -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>TravelMate 7520 series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.005	Battery_Option Li-Ion 6cell 3S2P 4000mAh	82,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.INT00.105	Keyboard US	34,-
KB.INT00.136	Keyboard AZBE	34,-
KB.INT00.110	Keyboard Swiss/German	34,-
<b>TravelMate 7720G series</b>		
LC.DDR00.006	Memory Module DDRII 667 512MB	59,-
LC.DDR00.004	Memory Module DDRII 667 1GB	119,-
LC.BTP00.005	Battery_Option Li-Ion 6cell 3S2P 4000mAh	82,-
LC.BTP00.006	Battery_Option Li-Ion 8cell 4S2P 4800mAh	98,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
P9.05148.A17	Acer Messenger Case 17" NEW DESIGN	31,-
KB.INT00.105	Keyboard US	34,-
KB.INT00.136	Keyboard AZBE	34,-
KB.INT00.110	Keyboard Swiss/German	34,-
<b>TravelMate 8100 series</b>		
LC.MEM01.004	256MB DDRII 533 so-DIMM (Use only modules of same speed in NB-system)	62,-
LC.BTP03.008	8 cell 4800mAh Lithium-Ion	98,-
LC.BTP03.009	2nd Battery Mediabay 6-cell 3800mAh	148,-
LC.ADT01.006	Adapter 65W PA1650-02 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	194,-
90.41Q51.002	Smart Card Kit (2 cards)	32,-
KB.T7207.001	Keyboard US	34,-
KB.T7207.014	Keyboard AZB	34,-
KB.T7207.011	Keyboard Swiss	34,-
<b>TravelMate 8200 series</b>		
LC.BTP01.015	Battery LI-ION 9-cell 7800mAh TM8200/TM8210/FR5000(option)	123,-
LC.BTP01.016	Battery (2nd Media Bay) LI-ION 6-cell 3800mAh TM8200/TM8210 (option)	161,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	194,-
90.41Q51.002	Smart Card Kit (2 cards)	32,-
KB.TAX07.001	Keyboard US	34,-
KB.TAX07.014	Keyboard AZB	34,-
KB.TAX07.011	Keyboard Swiss German	34,-
<b>TravelMate 8210 series</b>		
LC.BTP01.015	Battery LI-ION 9-cell 7800mAh TM8200/TM8210/FR5000(option)	123,-
LC.BTP01.016	Battery (2nd Media Bay) LI-ION 6-cell 3800mAh TM8200/TM8210 (option)	161,-
LC.ADT01.008	Adapter 90W PA1900-04 LiteOn Rohs (option), order power cord separately p/n 27.01218.191	40,-
LC.IOP01.002	Acer I/O port replicator II without user booklet	29,-
LC.D0203.002	ezDock Lite port replicator (2xPS2, 4xUSB, 1394a 4pin, LAN/Modem, COM port, Printer port, DC-in Jack 90W, VGA port, SPDIF, Audio Jack, TV-Out and DVI) with 90W adapter (order power cord separately, p/n 27.01218.191)	145,-
LC.D0103.003	ezDock port replicator (2xPS2, 6xUSB, 1394a 4pin, 1394a 6pin, LAN/Modem, Com port, Printer port, DC-in Jack 135W/150W, PCMCIA Type II, Expresscard, VGA, SPDIF, Audio Jack, TV-Out and DVI) with 135W adapter (order power cord separately, p/n 27.01218.191)	194,-
KB.TAX07.001	Keyboard US	34,-
KB.TAX07.014	Keyboard AZB	34,-
KB.TAX07.011	Keyboard Swiss German	34,-









Partnumber	Description	List Excl. BTW EURO
<b>Value Line LCD</b>		

**Specifications**

LCD size 17,0"  
Resolution: 1280x1024  
Control: Digital, OSD  
Pixel Pitch: 0.264mm  
Color: 16.7M colors (8 bits)  
Viewing Angle: 160° (H) , 160° (V)  
Contrast: 800:1(typ.)  
Brightness: 300cd/m<sup>2</sup>  
Response time: 5ms  
Input signal: Analoge (D-sub)  
Power consumption: 44W max.  
Power adapter: internal  
Wallmount: VESA (75mm\*75mm)  
European powercord  
Weight: 4.6Kg  
Dimensions (WxHxD) 377\*393\*182 mm  
Color: Acer Silver/black

[E] ET.1716P.231      Acer AL1716Fs, 17" LCD, Analog, 5ms - TCO'03, silver      135,-

**Specifications**

LCD size 17", 338 x 270mm  
Resolution: 1280x1024  
Panel technology: TN + film  
Pixel Pitch: 0.264mm  
PPI: 96.2  
Horizontal frequency: 30 -80KHz  
Vertical frequency: 55 - 75KHz  
Color: 16.2M colors (6 bit)  
Viewing Angles CR 5:1: 176° (H) , 176° (V)  
Viewing Angles CR 10:1: 160° (H) , 160° (V)  
Contrast: 2000:1 (ACM)  
Brightness: 300cd/m<sup>2</sup>  
Response time: 5ms  
Input signal: Analog (D-sub)  
Power consumption: Energy Star on: 27.9W / Max on: <34W / Off: <1W / Standby <2W.  
Power adapter: internal  
Wallmount: VESA (100mm\*100mm)  
Kensington Lock Support  
Weight: 3.75Kg (net)  
Dimensions (WxHxD) 376\*370.2\*160.2 mm  
Compliances: ISO-13406-2, UL, EN60950, EN-55022, MPR 1990, CSA, CB, TUV-GS, FCC-B, CE, TCO03  
Accessories: all European power cables and VGA cable  
Color: Black

[N] ET.BV3RE.003      Acer V173b, 17" LCD, Analog, 2000:1, 5ms, black - TCO'03      135,-

**Specifications**

LCD size 17,0"  
Resolution: 1280x1024  
Control: Digital, OSD  
Pixel Pitch: 0.264mm  
Color: 16.2M colors (6 bits)  
Viewing Angle: 160° (H) , 160° (V)  
Contrast: 800:1(typ.)  
Brightness: 300cd/m<sup>2</sup>  
Response time: 5ms  
Input signal: Analoge  
Two internal speaker 1W x 2  
Power consumption: 40W max.  
Power adapter: internal  
European powercord  
Wallmount: VESA (75mm\*75mm)  
Weight: Netto 4.6 Kg/Bruto 6.2 Kg  
Dimensions (WxHxD) 377\*393\*182 mm  
Color: Acer Silver/Black

[E] ET.1717P.220      Acer AL1717Fs, 17" LCD with speaker, Analog, 5ms - TCO'03, silver      142,-

Partnumber	Description	List Excl. BTW EURO
<b>Specifications</b>	LCD size 19"Wide, 408 * 255mm Resolution: 1440x900 Pixel Pitch: 0.284mm PPI: 86.5 Frequency H/V: -/75 Hz Viewing Angle: 150° (H) , 135° (V) Contrast: 2000:1 Brightness: 300cd/m^2 Response time: 5ms Input signal: VGA (Analog D-sub) Power consumption: <50W max. Power adapter: internal (100V-240V) Wallmount: VESA (75mm*75mm) Kensington Lock: Supported Weight: 4 Kg Dimension (WxHxD) 449*377*182 mm Color: Acer Silver/black	
<b>[A]</b> ET.C16WE.D01	Acer AL1916Wds, 19" Widescreen LCD, Analog, 2000:1, 5ms - TCO '03, silver/black	150,-
<b>Specifications</b>	LCD size 19,0"; 376 * 301mm Resolution: 1280x1024 Frequency: -/ 75Hz Pixel Pitch: 0.294mm PPI: 86.5 Color: 16.2M colors (6 bit) Viewing Angle: 150° (H) , 135° (V) Contrast: 2000:1 Brightness: 300cd/m^2 Response time: 5ms Input signal: Analoge (D-sub) Power consumption: <45W max. Power adapter: internal (100V-240V) Wallmount: VESA (100mm*100mm) Kensington Lock: Supported Weight: 5.6 Kg Dimension (WxHxD) 412*410*185mm Color: Acer Silver/black	
<b>[ED]</b> ET.C16RE.N01	Acer AL1916Ns,19" LCD, Analog, 2000:1, 5ms - TCO'03	157,-
<b>Specifications</b>	LCD size 19", 376 x 301mm Resolution: 1280x1024 Panel technology: TN + film Pixel Pitch: 0.294mm PPI: 86.5 Horizontal frequency: 30 ~ 80KHz Vertical frequency: 55 ~ 75KHz Color: 16.7M colors (6 bit + HiFRC) Viewing Angles CR 5:1: 176° (H) , 176° (V) Viewing Angles CR 10:1: 160° (H) , 160° (V) Contrast: 2000:1 (ACM) Brightness: 300cd/m^2 Response time: 5ms Input signal: Analog (D-sub) Power consumption: Energy Star on: 27.3W / Max on: <38.5W / Off: <1.5W / Standby <1W. Power adapter: internal Wallmount: VESA (100mm*100mm) Kensington Lock Support Weight: 3.91Kg (net) Dimensions (WxHxD) 408*406.8*180.4 mm Compliances: UL, CUL, TUV-GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-Tick, BSMI, WHQL, ISO 13406-2 Accessories: all European power cables and VGA cable Color: Black	
<b>[N]</b> ET.CV3RE.003	Acer V193b,19" LCD, Analog, 2000:1, 5ms, black - TCO'03	162,-

Partnumber	Description	List Excl. BTW EURO
<b>Specifications</b>	<p>LCD size 19,0", 376 * 301mm            Resolution: 1280x1024            Pixel Pitch: 0.294mm            PPI: 86.5            Color: 16.2M colors (6 color bit)            Frequency H/V: -/75 Hz            Viewing Angle: 150° (H) , 135° (V)            Contrast: 2000:1            Brightness: 300cd/m^2            Response time: 5ms            Input signal: Analoge (D-sub) + Digital (DVI-D)            Two internal speaker 1W x2            Power consumption: 45W max.on            Power adapter: internal (100V-240V)            Wallmount: VESA (100mm*100mm)            Kensington Lock: Supported            Weight:Netto 5.6 Kg            Dimension (WxHxD) 416*427*207mm            Color: Acer Silver/black</p>	
<b>[ED]</b> ET.C17RE.N01	Acer AL1917Nsdm, 19" LCD with speaker, Analog & DVI, 2000:1, 5ms - TCO'03	160,-
<b>Specifications</b>	<p>LCD size 19", 376 x 301mm            Resolution: 1280x1024            Panel technology: TN + film            Pixel Pitch: 0.294mm            PPI: 86.5            Horizontal frequency: 30 ~80KHz            Vertical frequency: 55 ~ 75KHz            Color: 16.7M colors (6 bit + HiFRC)            Viewing Angles CR 5:1: 176° (H) , 176° (V)            Viewing Angles CR 10:1: 160° (H) , 160° (V)            Contrast: 2000:1 (ACM)            Brightness: 300cd/m^2            Response time: 5ms            Input signal: Analog (D-sub) &amp; DVI            Power consumption: Energy Star on: 27.3W / Max on: &lt;38.5W / Off: &lt;1.5W / Standby &lt;1W.            Power adapter: internal            Wallmount: VESA (100mm*100mm)            Kensington Lock Support            Weight: 3.91Kg (net)            Dimensions (WxHxD) 408*406.8*180.4 mm            Compliances: UL, CUL, TUV-GS, T-Mark, ISO9241-3/-7/-8, FCC/B, VCCI, CE, TCO03, C-Tick, BSMI, WHQL, ISO 13406-2            Accessories: all European power cables and VGA &amp; DVI cable            Color: Black</p>	
<b>[N]</b> ET.CV3RE.013	Acer V193bdm,19" LCD with speaker, Analog & DVI, 2000:1, 5ms, black - TCO'03	167,-
<b>Specifications</b>	<p>LCD size 20" Wide            Resolution: 1680x1050            Pixel Pitch: 0.258mm            PPI: 98.5            Viewing Angle: 160° (H), 160° (V)            Contrast: 800:1 (typ.)            Brightness: 300cd/m^2            Response time: 5ms            Input signal: VGA (Analog D-sub) &amp; DVI (DVI-D)            Max. Refresh rate: 75Hz            Power consumption: 50W max.            Power adapter: internal (100V-240V)            Wallmount: VESA (100mm*100mm)            Kensington Lock: Supported            Weight: 5.5 Kg            Display Dimensions:            Dimension (WxHxD) 477*385*185 mm            Color: Acer Silver/black</p>	
ET.2016P.043	Acer AL2016WBsd, 20" Widescreen LCD, Analog & DVI, 5ms - TCO '03, silver/black	183,-



Partnumber	Description	List Excl. BTW EURO
<b>Specifications</b>	LCD size 22" Wide, 473 * 296mm Resolution: 1680x1050 Pixel Pitch: 0.282mm Viewing Angle: 170° (H), 160° (V) Contrast: 700:1 (typ.) Brightness: 300cd/m <sup>2</sup> Response time: 5ms Input signal: VGA (Analog D-sub) + DVI-D (with HDCP) Max. Refresh rate: 60Hz Power consumption: 55W max. Power adapter: internal (100V-240V) Wallmount: VESA (100mm*100mm) Kensington Lock: Supported Weight: 4.8 Kg Dimension (WxHxD) 514*406*198 mm Color: Acer Silver/black	
<b>[E]</b> ET.E16WE.008	Acer AL2216Wsd, 22" Widescreen LCD, Analog + DVI (with HDCP), 5ms, 700:1, silver - TCO'03	199,-
<b>Specifications</b>	LCD size 22" Wide, 473*296mm Resolution: 1680x1050 Display technology: TN + film Pixel Pitch: 0.282mm PPI: 90.2 Horizontal frequency: 30 ~ 82KHz Vertical frequency: 56 ~ 76KHz Color: 16.2M colors (6 bit) Viewing Angle: 170° (H), 160° (V) Contrast: 2500:1 (ACM) Brightness: 300cd/m <sup>2</sup> Response time: 5ms Input signal: VGA (Analog D-sub) & DVI-D (with HDCP) Power consumption: Max on: 55W / Off: 1W / Standby 2W Power adapter: internal (100V-240V) Wallmount: VESA (100mm*100mm) Kensington Lock: Supported Weight: 4.8 Kg (net) Dimension (WxHxD) 514*406*198 mm Color: Acer Silver/black	
<b>[N]</b> ET.E16WE.B03	Acer AL2216WBsd, 22" Widescreen LCD, Analog + DVI (with HDCP), 5ms, 2500:1 - TCO'03,	206,-
<b>Specifications</b>	LCD size 24" Wide, 518.4 * 324mm Resolution: 1920x1200 WUXGA PPI: 94.1 Pixel Pitch: 0.270mm Colors: 16.7M (8 color bit) Viewing Angle: 160° (H) , 160° (V) Contrast: 1000:1 Brightness: 400cd/m <sup>2</sup> Response time: 5ms Input signal: VGA (Analog D-sub) Power consumption: < 90W on / Standby: 2W / Off: 1W Power adapter: internal (100V-240V) Wallmount: VESA (100mm*100mm) Kensington Lock: Supported Weight: 9.1 Kg Display: 547 x 352mm Dimension (WxHxD) 577 x 457 x 219mm Color: Acer Silver/black	
ET.F16WE.B02	Acer AL2416WB, 24" Widescreen LCD, Analog, 5ms, 1000:1, silver/black - TCO '03	291,-

Partnumber	Description	List Excl. BTW EURO
<b>P series LCD</b>		
<b>Specifications</b>	LCD size 19" Wide, 408 * 255mm Resolution: 1440x900@75Hz Color: 16.7M (6+ HiFRC) Pixel Pitch: 0.284mm PPI: 89.6 Contrast: 2000:1 (DCR) Brightness: 300cd/m <sup>2</sup> Response time: 5ms Input signal: VGA (Analog D-sub) Viewing Angle: 160° (H) , 160° (V) Power consumption: 37W max. Power adapter: internal (100V-240V) Wallmount: VESA (75mm*75mm) Kensington Lock: Supported Weight: 4.8 Kg Dimension (WxHxD) 454*359*164 mm Chassis color: Glossy Black	
ET.CP3WE.017	Acer P193W, 19" Widescreen LCD, CrystalBrite, Analog, 2000:1, 5ms, glossy black	155,-
<b>Specifications</b>	LCD size 19" Wide, 408 * 255mm Resolution: 1440x900@75Hz Color: 16.7M (6+ HiFRC) Pixel Pitch: 0.284mm PPI: 89.6 Contrast: 2000:1 (DCR) Brightness: 300cd/m <sup>2</sup> Response time: 5ms Input signal: VGA (Analog D-sub) Viewing Angle: 160° (H) , 160° (V) Power consumption: 37W max. Power adapter: internal (100V-240V) Wallmount: VESA (75mm*75mm) Kensington Lock: Supported Weight: 4.8 Kg Dimension (WxHxD) 454*359*164 mm Chassis color: Glossy White	
[A] ET.CP3WE.021	Acer P193Ww, 19" Widescreen LCD, CrystalBrite, Analog, 2000:1, 5ms, glossy white	155,-
<b>Specifications</b>	LCD size 20" Wide Resolution: 1680x1050@75Hz Color: 16.7M (6+ HiFRC) Pixel Pitch: 0.258mm PPI: 98.5 Contrast: 2500:1 (DCR) Brightness: 300cd/m <sup>2</sup> Response time: 5ms Input signal: VGA (Analog D-sub) & DVI-D (with HDCP) Viewing Angle: 160° (H) , 160° (V) Power consumption: 49W max. Power adapter: internal (100V-240V) Wallmount: VESA (100mm*100mm) Kensington Lock: Supported Weight: 6.8 Kg Dimensions Display: 433 x 270 mm Dimension (WxHxD) 510*444*207 mm Chassis color: Glossy Black	
ET.DP3WE.012	Acer P203Wd, 20" Widescreen LCD, CrystalBrite, Analog & DVI (with HDCP), 2500:1, 5ms, glossy	199,-

Partnumber	Description	List Excl. BTW EURO
<b>Specifications</b>	LCD size 22,0" Wide Resolution: 1680x1050@60Hz Color: 16.7M colors (6+HiFRC) Pixel Pitch: 0.282mm PPI: 90.2 Contrast: 2500:1 (DCR) Brightness: 300cd/m <sup>2</sup> Response time: 5ms Input signal: VGA (Analog D-sub) & DVI-D (with HDCP) Viewing Angle: 170° (H) , 160° (V) Power consumption: 45W max Power adapter: internal (100V-240V) Wallmount: 100 x 100 mm Kensington Lock: Supported Weight: Gross 7.4Kg / Net 5.2Kg Dimensions Display: 473 x 296 mm Dimensions (WxHxD): 514*418*204 Chassis color: Glossy Black	
ET.EP3WE.012	Acer P223Wd, 22" Widescreen LCD, CrystalBrite, Analog & DVI (with HDCP), 2500:1, 5ms, glossy	234,-
<b>Specifications</b>	LCD size 22,0" Wide Resolution: 1680x1050@60Hz Color: 16.7M colors (6+HiFRC) Pixel Pitch: 0.282mm PPI: 90.2 Contrast: 2500:1 (DCR) Brightness: 300cd/m <sup>2</sup> Response time: 5ms Input signal: VGA (Analog D-sub) & DVI-D (with HDCP) Viewing Angle: 170° (H) , 160° (V) Power consumption: 45W max Power adapter: internal (100V-240V) Wallmount: 100 x 100 mm Kensington Lock: Supported Weight: Gross 7.4Kg / Net 5.2Kg Dimensions Display: 473 x 296 mm Dimensions (WxHxD): 514*418*204 Chassis color: Glossy White	
ET.EP3WE.022	Acer P223Wwd, 22" Widescreen LCD, CrystalBrite, Analog & DVI (with HDCP), 2500:1, 5ms, glossy	217,-
<b>Specifications</b>	LCD size 24" Wide, 518.4 * 324mm Resolution: 1920x1200 WUXGA PPI: 94.1 Pixel Pitch: 0.270mm Colors: 16.7M (6+ HiFRC) Viewing Angle: 170° (H) , 160° (V) Contrast: 3000:1 Brightness: 400cd/m <sup>2</sup> Response time: 5ms Input signal: VGA (Analog D-sub) & DVI-D (with HDCP) Power consumption: < 90W on / Standby: <2W / Off: <1W Power adapter: internal (100V-240V) Wallmount: VESA (100mm*100mm) Kensington Lock: Supported Weight: 7Kg Display: 547 x 352mm Dimension (WxHxD): 572x431x190mm Chassis color: Glossy Black	
ET.FP1WE.002	Acer P241WD, 24" Widescreen LCD, Analog & DVI (with HDCP), 3000:1, 5ms, glossy black	317,-

Partnumber	Description	List Excl. BTW EURO
<b>Office Line LCD</b>		

**Specifications**

LCD size 17,0", 338\*270mm  
 Resolution: 1280x1024@75Hz  
 Pixel Pitch: 0.264mm  
 PPI: 96.2  
 Color: 16.7M colors  
 Viewing Angle: 160° (H), 160° (V)  
 Contrast: 2000:1 (DCR)  
 Brightness: 300cd/m<sup>2</sup>  
 Response time: 5ms  
 Height adjustment: 10 cm up/down, 35° left/right, 5° forward/20° back  
 Rotation  
 Input signal: Analoge (D-sub), DVI-D  
 Two internal speaker 1W x2  
 Power consumption: 34W max / 1.1W Standby / 0.7W Off  
 Power adapter: internal (100V-240V)  
 Wallmount: VESA (100mm\*100mm)  
 Kensington Lock: Supported  
 Weight: Netto: 4.2Kg  
 Dimensions (WxHxD): 376x413.5-493.5x232  
 Zero Bright Dot Warranty  
 Color: Titanium-silver/black

[A] ET.B23RZ.F02      Acer AL1723F, 17" LCD with speaker, Analog & DVI, height adjustable, 5ms, 2000:1, 160/160 VA, Pivo      169,-

**Specifications**

LCD size 19,0", 376\*301mm  
 Panel type: TN + film  
 Resolution: 1280x1024@75Hz  
 Control: Digital, OSD  
 Pixel Pitch: 0.294mm  
 Color: 16.7M colors (8 color bit)  
 Pixels Per Inch (PPI): 86.5  
 Viewing Angle: 160° (H) , 160° (V)  
 Contrast: 2000:1(typ.)  
 Brightness: 300cd/m<sup>2</sup>  
 Response time: 5ms  
 Height adjustment: 10 cm up/down, 35° left/right, 5° forward/20° back  
 Pivot: 90° includes Pivot Software)  
 Input signal: Analoge (D-sub), DVI-D  
 Two internal speaker 1W x2  
 Power consumption: 36W max.  
 Power adapter: internal (100V-240V)  
 Wallmount: VESA (100mm\*100mm)  
 Kensington Lock: Supported  
 Weight: Gros 6.8Kg / 5Kg nett  
 Dimensions: 414x428-508x232  
 Zero Bright Dot Warranty  
 Color: Titanium-silver/black

ET.C23RZ.D02      Acer AL1923D, 19" LCD with speaker, Analog & DVI, 5ms, 2000:1, height adjustable & pivot,      192,-

Partnumber	Description	List Excl. BTW EURO
<b>Specifications</b>	<p>LCD size 20,1", 408*306mm            Panel type: TN            Resolution: 1600x1200            Control: Digital, OSD            Pixel Pitch: 0,255mm            Color: 16.7M colors (8 color bit)            Pixels Per Inch (PPI): 86.5            Viewing Angle: 160° (H) , 160° (V)            Contrast: 2000:1(typ.)            Brightness: 300cd/m^2            Response time: 5ms            Height adjustment: 10 cm up/down            Pivot: 90 degrees + Pivot Pro Software            Tilt &amp; Swivel: 70mm &amp; 30 degrees Front/Back            Input signal: Analoge (D-sub), DVI-D            Two internal speaker 1 W x 2            Power consumption: 53W max.            Power adapter: internal            Wallmount: VESA (100 x 100mm)            Kensington Lock: Supported            European powercord            Weight: Netto 7 Kg            Dimension (WxHxD): 454*398-488*259            Zero Bright Dot Warranty            Color: Acer Titanium-silver/black</p>	
ET.D23RZ.C02	Acer AL2023C, 20" LCD with speaker, Analog & DVI, height adjustable, 5ms, 2000:1, 160/160 VA,	294,-
<b>Specifications</b>	<p>LCD size 22", 473*296mm            Resolution: 1680x1050            Control: Digital, OSD            Pixel Pitch: 0,282mm            Color: 16.7M colors (8 color bit)            Pixels Per Inch (PPI): 90.2            Viewing Angle: 160° (H) , 160° (V)            Contrast: 2500:1(typ.)            Brightness: 300cd/m^2            Response time: 5ms            Height adjustment: 10 cm up/down            Pivot: 90 degrees + Pivot Pro Software            Tilt &amp; Swivel: 70mm &amp; 30 degrees Front/Back            Input signal: Analoge (D-sub), DVI-D            Two internal speaker 1 W x 2            Power consumption: 65W max.            Power adapter: internal            Wallmount: VESA (100 x 100mm)            Kensington Lock: Supported            European powercord            Weight: Netto 7 Kg            Dimension (WxHxD): 514*391*258            Zero Bright Dot Warranty            Color: Acer Titanium-silver/black</p>	
ET.E23WZ.B04	Acer AL2223WB, 22" Widescreen LCD, DVI (with HDCP) & Analog, height adjustable, 2500:1, 160/160	260,-

Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

<b>Specifications</b>	LCD size 24" Wide, 547 x 352mm Resolution: 1920x1200 WUXGA Panel Technology: TN Pixel Pitch: 0.270mm PPI: 94.1 Colors: 16.7M (6+HiFRC) Viewing Angle: 160° (H) , 160° (V) Contrast: 2500:1 Brightness: 400cd/m <sup>2</sup> Response time: 5ms Input signal: VGA (Analog D-sub), DVI-D (with HDCP) Speakers: 2 x 2W Power consumption: 89W max. Power adapter: internal (100V-240V) Wallmount: VESA (100mm*100mm) Kensington Lock: Supported Weight: 7.9 Kg Display dimensions: 547 x 352mm Dimension (WxHxD) 572*454*297mm Zero Bright Dot Warranty Color: Acer Titanium-silver/black	
ET.F23WZ.D02	Acer AL2423WD, 24" Widescreen LCD, DVI (with HDCP) & Analog, Acer GridVista, 2500:1, 5ms, ZBD,	374,-

<b>Specifications</b>	LCD size 26" Wide, 582 * 376mm Resolution: 1920x1200 WUXGA Panel Technology: PVA Pixel Pitch: 0.286mm PPI: 88.7 Colors: 16.7M (8 color bit) Viewing Angle: 178° (H) , 178° (V) Contrast: 1600:1 Brightness: 500cd/m <sup>2</sup> Response time: 5ms (G2G) Input signal: VGA (Analog D-sub), DVI-D (with HDCP) Speakers: 2 x 2W Power consumption: 130W max. Power adapter: internal (100V-240V) Wallmount: VESA (100mm*100mm) Kensington Lock: Supported Weight: 9.5 Kg Display dimensions: 582 x 376mm Dimension (WxHxD) 608*476*296mm Zero Bright Dot Warranty Color: Acer Titanium-silver/black	
ET.G23WZ.003	Acer AL2623W, 26" Widescreen LCD, DVI (with HDCP) & Analog, Acer GridVista, 1600:1, 178/178,	567,-

### Prestige Line LCD

<b>Specifications</b>	LCD size 19.0", 376x301mm Resolution: 1280x1024 Control: Digital, OSD Pixel Pitch: 0.294mm Viewing Angle: 160° (H) , 160° (V) Contrast: 800:1(typ.) Brightness: 300cd/m <sup>2</sup> Response time: 5ms Input signal: Analoge (D-sub) & DVI-D & S-video Two internal speaker 2W x2 Power consumption: 40W max. Power adpater: external (100V-240V) Weight: gross 10.2Kg / Net 7.1Kg Wallmount: VESA (100 x 100mm) Kensington Lock: Supported Dimensions (WxHxD) 456*458*191mm Color: Acer Black polished Acrylic Design	
ET.L390B.116	Acer AL1932C, 19" Design LCD, Analog & DVI (with HDCP), multimedia, 5ms, 800:1, 160/160 VA -	233,-



**- LCD Monitor -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
------------	-------------	------------------------------

<b>Specifications</b>	LCD size 20" wide, 433x270mm Resolution: 1680x1050 Control: Digital, OSD Pixel Pitch: 0.258mm Viewing Angle: 176° (H) , 176° (V) Contrast: 800:1(typ.) Brightness: 300cd/m <sup>2</sup> Response time: 8ms (g2g) Input signal: Analoge (D-sub) & DVI-D Two internal speaker 5W x2 Power consumption: 65W max. Power adpater: external (100V-240V) Wallmount: VESA (100 x 100mm) Kensington Lock: Supported Dimensions (WxHxD) 511*444*207mm Color: Acer Black Polished Acrylic Design	
ET.L380B.114	Acer AL2032WB, Widescreen Design 20" LCD, DVI & Analog, multimedia, 8ms (g2g), 800:1 - TCO'03	324,-

**Ferrari Line LCD**

<b>Specifications</b>	LCD size 20" wide, 433x270mm Resolution: 1680x1050 Control: Digital, OSD PPI: 98.5 Pixel Pitch: 0.258mm Colors: 16.7M (6 + HiFRC) Viewing Angle: 160° (H) , 160° (V) Contrast: 1000:1(typ.) Brightness: 300cd/m <sup>2</sup> Response time: 5ms Input signal: VGA (D-sub) & DVI-D Two internal speaker 5W x2 Power consumption: 65W max. Power adpater: external (100V-240V) Acer CrystalBrite technology monitor Wallmount: VESA (100 x 100mm) Weight: Netto 6.8Kg/Bruto 9.1Kg Kensington Lock: Supported Dimensions Display 433 x 270 mm Dimensions (WxHxD) 511*444*207mm Color: Acer/Ferrari Black./Red Design	
ET.L380B.132	Acer F-20A, 20" Ferrari Widescreen LCD with CrystalBrite, DVI & Analog, multimedia, 5ms, 1000:1 -	397,-



**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire L3600 Booksized PC (uSFF)**

**Standardconfiguration**

Operating System	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor	Selection of a range of Intel® Celeron® D, Intel® Pentium® 4 and Intel® Core™ 2 Duo processors (FSB 1066/800/533)
Chipset	Intel® G31 + ICH7-DH chipset
System Memory	Max. 2GB SODIMM Dual channels supported on two SODIMM sockets
Graphics onboard	Intel® Graphics Media Accelerator 3100, <b>DVI+Analog vga, dual view support</b> shared video graphics up to 256MB
max. resolutions	2048x1536, 32bit, 60Hz en HD op 1920x1080, 32bit, 85Hz
Audio	Hi-definition audio (7.1ch) 6 rear audio jacks, Realtek ALC888S
I/O Interface	5-in-1 card reader, supporting MultiMediaCard (MMC), Secure Digital (SD), xD-Picture Card, Memory Stick PRO™, Memory Stick® 1x SATAII 3GB/s, 1x PATA interface Audio jacks: Line In, Line Out, Headphone, Mic Gigabyte (10/100/1000) Lan solution, RJ45, Intel 82573L, PXE support 6 USB 2.0 ports 2 in front, 4 at rear 1 FireWire (IEEE1394) front (4pins) WiFi 54b/g mini PCI LAN
Hard Drives	Max. 1 x SATA HDD 3.5"bay
Optical Devices	DVD Burner Double layer slot-in type slot-load DVD-Super Multi double-layer drive (Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 6X DVD-R, 6X DVD+R, 6X DVD-R DL (dual-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM) (Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 8X DVD+RW, 6X DVD-RW, 5X DVD-RAM, 4X DVD-R DL (double-layer), 4X DVD+R DL (dual-layer))
Expansion Slots	1* Mini PCI (used by WiFi54b/g)
Housing Dimension	250 (H) x 60 (W) x 200 (D) mm
Power supply	135W AC external adapter (19VDC)
Software	Norton AntiVirus™ 2007 (60 days trial) Adobe® Reader® , NTI CD-Maker™ Gold, Aspire self-burn recovery program, Aspire empty media DVD, Office Home & Student 2007 Trial (60 days)
EMI / Safety	CE, FCC, BSMI, CCC, ETL, Nemko
Warranty	Purchase after 1st Aug 2007: 2 year Warranty

**VISTA Home Premium**

92.6LL9Z.HYP	Aspire L3600, Intel® Pentium® Dual-Core processor E2160, Microsoft® Windows® Vista™ Home Premium (NL/FR/UK), 2GB (2x 1GB SODIMM), 500GB HDD, DVD(Dual Layer) tray less, 1Gb LAN, WiFi 54b/g, Fire Wire, Intel® GMA3100 max.358MB TGM DVI VGA, 7.1 Dolby Digital, 5-in-1 card reader, Incl. USB Belgium Azerty keyboard & optical mouse	412,-
--------------	--	-------





**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire L3600 Bundle miniPC + P223W + ERGO stand**

**Standard configuration**

Operating System	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor	Selection of a range of Intel® Celeron® D, Intel® Pentium® 4 and Intel® Core™ 2 Duo processors (FSB 1066/800/533)
Chipset	Intel® G31 + ICH7-DH chipset
System Memory	Maximum support of 4GB SODIMM (2x2GB) Dual channels supported on two SODIMM sockets
Graphics onboard	Intel® Graphics Media Accelerator 3100, <b>DVI+Analog vga, dual view support</b> shared video graphics up to 256MB
max. resolutions	2048x1536, 32bit, 60Hz en HD op 1920x1080, 32bit, 85Hz
Audio	Hi-definition audio (7.1ch) 6 rear audio jacks, Realtek ALC888S
I/O Interface	5-in-1 card reader, supporting MultiMediaCard (MMC), Secure Digital (SD), xD-Picture Card, Memory Stick PRO™, Memory Stick® 1x SATAII 3GB/s, 1x PATA interface Audio jacks: Line In, Line Out, Headphone, Mic Gigabyte (10/100/1000) Lan solution, RJ45, Intel 82573L, PXE support 6 USB 2.0 ports 2 in front, 4 at rear 1 FireWire (IEEE1394) front (4pins)
	<b>WiFi 54b/g mini PCI LAN</b>
Hard Drives	Max. 1 x SATA HDD 3.5"bay
Optical Devices	DVD Burner Double layer slot-in type slot-load DVD-Super Multi double-layer drive (Read: 24X CD-ROM, 24X CD-R, 24X CD-RW, 8X DVD-ROM, 6X DVD-R, 6X DVD+R, 6X DVD-R DL (dual-layer), 6X DVD+R DL (double-layer), 6X DVD-RW, 6X DVD+RW, 5X DVD-RAM) (Write: 24X CD-R, 16X CD-RW, 8X DVD-R, 8X DVD+R, 8X DVD+RW, 6X DVD-RW, 5X DVD-RAM, 4X DVD-R DL (double-layer), 4X DVD+R DL (dual-layer))
Expansion Slots	1* Mini PCI (used by WiFi54b/g)
Housing Dimension	250 (H) x 60 (W) x 200 (D) mm
Power supply	135W AC external adapter (19VDC)
Software	Norton AntiVirus™ 2007 (60 days trial) Adobe® Reader® , NTI CD-Maker™ Gold, Aspire self-burn recovery program, Aspire empty media DVD, Office Home & Student 2007 Trial (60 days)
EMI / Safety	CE, FCC, BSMI, CCC, ETL, Nemko
Warranty	2 year send in
<b>In the Box P223W</b>	22" widescreen TFT TN CrystalBrite with Glossy Black bezel
Resolution	1680x1050 (maximaal)
Pitch	0.282mm
Angle	170° (H) , 160° (V)
Contrast	2500:1(typ.)
Brightness	300cd/m²
Response time	5ms
Video input signal	VGA (analog D-sub)
Power consumption	45W max., interne aansluiting (100V-240V),
<b>ERGO stand incl.</b>	VESA mount (100mm*100mm)
Zwivel	45° left or right
Tilt	90° tilt function (for 22" arm must be on max. height)
Supported monitor size	range of 16" up to 22" LCD or wide LCD

**VISTA Home Premium**

9G.6LL9Z.HHP	Aspire L3600-ERGO, Intel® Pentium® Dual Core processor E2200, Microsoft® Windows® Vista™ Home Premium (NL/FR/UK), 2GB (2x 1GB SODIMM), 250GB HDD, ERGO footstand + P223W 22"LCD, DVD(Dual Layer) tray less, 1Gb LAN, WiFi 54b/g, FireWire, Intel® GMA3100 max. 358MB TGM DVI VGA, 7.1 Dolby Digital, 5-in-1 card reader, Incl. USB Belgium Azerty keyboard & optical mouse	578,-
--------------	--	-------



**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire M1100**

**Standardconfiguration**

Operating System	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor	AMD Sempron, Athlon64, Athlon64 X2 supported, socket M2
Chipset	AMD 690V + AMD SB600
System Memory	Supports DDR2 533/667/800MHz, maximum of 8GB (4 slots)
Graphics o/b	ATI Radeon™ XPRESS 1200 Graphics, max. 384MB TGM
optional	PCI Express 16x Graphics expansion slot that can host a choice of Nvidia and ATI PCI Express card
Audio	Hi-definition audio (7.1)
I/O Interface	18-in-1 memory card reader for Sony® Memory Stick PRO™, CompactFlash™ Type I, CompactFlash™ Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) Front Audio Jacks : 2 Rear Audio Jacks : 6 Gigabyte (10/100/1000) Lan solution Front USB ports : 4 Rear USB ports : 4 FireWire port: 1 (IEEE1394) 6-pin rear Parallel port : 1
Input device	PS/2 keyboard & PS/2 ball mouse
Storage	max. 2 x SATA HDD 3.5"bays SATA ports : 4x Serial ATA II PATA ports : 2
Optical Devices	Std. 16x DVD Burner, Double layer
Expansion Slots	2 x PCI, 1 x 1X PCIE, 1 x 16X PCIE
Housing Dimension	180 (W) x 360 (H) x 420 (D) mm
Power supply	250Watt (230Volt)
Software	Norton AntiVirus™ 2007 (60 days trial) Adobe® Reader® , NTI CD-Maker™ Gold, Aspire self-burn recovery program, Aspire empty media DVD, Office Home & Student 2007 Trial (60 days)
EMI / Safety	Nemko, CE
Warranty	Purchase after 1st Aug 2007: 2 year Warranty

**[E] VISTA Home Premium**

91.TJE7A.H7P Aspire M1100, AMD Athlon™ 64 X2 processor 4400+, Microsoft® Windows® Vista™ Home Premium (NL/FR/UK) + Office Home & Student 2007 Trail, 2GB DDR2 (2x 1GB), 320GB, DVD-RW (Dual Layer), NVIDIA® 8400 256MB/896MB TGM DVI VGA, 18-in-1 card reader, FireWire, 1Gb LAN, incl. PS/2 Belgium Azerty keyboard & mouse

338,-



**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire M1200**

**Standardconfiguration**

Operating System	Microsoft® Windows® Vista™ Home Premium, Dutch/French/English preload (only 1 language can select)
Processor	AMD Sempron, Athlon64, Athlon64 X2 supported, socket M2/M2+
Chipset	AMD RS740 + AMD SB700
System Memory	Supports DDR2 533/667/800MHz, maximum of 8GB (4 slots)
Graphics o/b	ATI Radeon™ XPRESS 2100 Graphics, max. 768MB TGM
optional	PCI Express 16x Graphics expansion slot that can host a choice of Nvidia and ATI PCI Express card
Audio	Hi-definition audio (7.1)
I/O Interface	9-in-1 memory card reader for Sony® Memory Stick PROTM, CompactFlash™ Type I, CompactFlash™ Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) Front Audio Jacks : 2 Rear Audio Jacks : 6 Gigabyte (10/100/1000) Lan solution Front USB ports : 4 Rear USB ports : 4 FireWire port: 1 (IEEE1394) 6-pin rear
Input device	PS/2 keyboard & PS/2 ball mouse
Storage	max. 2 x SATA HDD 3.5"bays SATA ports : 6x Serial ATA II PATA ports : 1
Optical Devices	Std. 16x DVD Burner, Double layer
Expansion Slots	2 x PCI, 1 x 1X PCIE, 1 x 16X PCIE
Housing Dimension	180 (W) x 360 (H) x 420 (D) mm
Power supply	250Watt (230Volt)
Software	Norton AntiVirus™ 2007 (60 days trial) Adobe® Reader® , NTI CD-Maker™ Gold, Aspire self-burn recovery program, Aspire empty media DVD, Office Home & Student 2007 Trial (60 days)
EMI / Safety	CE, FCC, BSMI, CCC, ETL, Nemko
Warranty	2 year send-in

**VISTA Home Premium**

[N] 91.RJE7Z.H7P	Aspire M1200, AMD Athlon™ 64 X2 processor 4400+, Microsoft® Windows® Vista™ Home Premium (NL/UK) + Office Home & Student 2007 Trial, 2GB DDR2 (2x 1GB), 320GB, DVD-RW (Dual Layer), ATI Radeon™ X2100 896MB TGM, 18-in-1 card reader, FireWire, 1Gb LAN, Incl. PS/2 US Int. keyboard & mouse	346,-
------------------	--	-------



**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire M1640**

**Standardconfiguration**

Operating System	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor	Intel LGA775 CPU , Pentium D, Core 2 Duo , QUAD core supported
Chipset	Nvidia MCP73VE (Single Chip)
System Memory	Supports DDR2 533/667/800MHz, maximum of 4GB (2 slots) Dual channel support
Graphics onboard	Integrated NVIDIA® GeForce 7050 up to 256MB shared graphics
optional	PCI Express 16x Graphics expansion slot that can host a choice of Nvidia and ATI PCI Express card options
Audio	Hi-definition audio (7.1) Realtek ALC888S
I/O Interface	9-in-1 memory card reader for Sony® Memory Stick PROTM, CompactFlash™ Type I, CompactFlash™ Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) Front Audio Jacks : 2 Rear Audio Jacks : 6 Gigabyte (10/100/1000) Lan solution Front USB ports : 3 Rear USB ports : 4 FireWire port: 1 (IEEE1394) 6-pin rear Parallel port : 1
Input device	PS/2 keyboard & PS/2 ball mouse
Storage	max. 2 x SATA HDD 3.5"bays SATA ports : 2x Serial ATA II PATA ports : 1
Optical Devices	Std. 16x DVD Burner, Double layer
Expansion Slots	2 x PCI, 1 x 1X PCIE, 1 x 16X PCIE
Housing Dimension	180 (W) x 360 (H) x 420 (D) mm
Power supply	250Watt (230Volt)
Software	McAfee® Internet Security Suite 2008 (60 days trial), Adobe® Reader® , NTI CD-Maker™ Gold, Aspire self-burn recovery program, Aspire empty media DVD, Office Home & Student 2007 Trial (60 days)
EMI / Safety	Nemko, CE
Warranty	Purchase after 1st Aug 2007: 2 year Warranty

**VISTA Home Premium**

[E]	91.WLM7X.HYP	Aspire M1640, Intel® Pentium® Dual-Core processor E2160, Microsoft® Windows Vista™ Home Premium (NL/FR/UK) + Office Home & Student 2007 Trial, 3GB DDR2 (1x 2GB,1x 1GB), 500GB, DVD-RW (Dual Layer), ATI Radeon™ HD3450 256MB/1526MB TGM DVI VGA, 9-in-1 card reader, 1Gb LAN, Incl. PS/2 Belgium Azerty keyboard & mouse	388,-
[N]	92.WLM7X.HYP	Aspire M1640, Intel® Pentium® Dual-Core processor E2160, Microsoft® Windows Vista™ Home Premium (NL/FR/UK) + Office Home & Student 2007 Trial, 3GB DDR2 (1x 2GB,1x 1GB), 500GB, DVD-RW (Dual Layer), ATI Radeon™ HD3450 256MB/1526MB TGM DVI VGA, 9-in-1 card reader, 1Gb LAN, Incl. PS/2 Belgium Azerty keyboard & mouse	388,-



**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire M3100-X193 19" widescreen bundle**

**Standardconfiguration**

Operating System	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor	AMD Sempron, Athlon64, Athlon64 X2 supported, socket M2
Chipset	AMD 690G + AMD SB600
System Memory	Supports DDR2 667/800MHz, maximum of 8GB (4 slots)
Graphics o/b	ATI Radeon™ XPRESS 1250 Graphics, max. 384MB TGM
optional	PCI Express 16x Graphics expansion slot that can host a choice of Nvidia and ATI PCI Express card
Audio	Hi-definition audio (7.1)
I/O Interface	18-in-1 memory card reader for Sony® Memory Stick PRO™, CompactFlash™ Type I, CompactFlash™ Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) Front Audio Jacks : 2 Rear Audio Jacks : 6 Gigabyte (10/100/1000) Lan solution Front USB ports : 4 Rear USB ports : 4 FireWire port: 1 (IEEE1394) 6-pin rear Parallel port : 1
Input device	PS/2 keyboard & PS/2 ball mouse
Storage	max. 2 x SATA HDD 3.5"bays SATA ports : 4x Serial ATA II PATA ports : 2
Optical Devices	Std. 16x DVD Burner, Double layer
Expansion Slots	2 x PCI, 1 x 1X PCIE, 1 x 16X PCIE
Housing Dimension	180 (W) x 360 (H) x 420 (D) mm
Power supply	250Watt (230Volt)
Software	Norton AntiVirus™ 2007 (90 days trial) Adobe® Reader®, NTI CD-Maker™ Gold, Aspire self-burn recovery program, Aspire empty media DVD, Office Home & Student 2007 Trial (60 days)
EMI / Safety	Nemko, CE
Warranty	Purchase after 1st Aug 2007: 2 year Warranty
<b>In the Box X193W LCD</b>	LCD formaat 19"breedbeeld, 408 * 255mm
Resolution	1440x900 (maximaal)
Pitch	0.284mm
Angle	160° (H) , 160° (V)
Contrast	2000:1(typ.)
Brightness	300cd/m²
Response time	<b>5ms</b>
Video input signal	VGA (analog D-sub)
Power consumption	37W max., interne aansluiting (100V-240V),
Wallmount	muurbevestiging VESA (100mm*100mm)
Weight	Netto 4 Kg
Size	(WxHxD) 454*359*164 mm
Color	Acer zwart

**VISTA Home Premium**

[ED] 9X.UJE71.H7R

Aspire M3100-X193WLCD, AMD Athlon™64 X2 processor 4400+, Microsoft® Windows® Vista™ Home Premium (NL/FR/UK) + Game-Bundel¹, 2GB DDR2 (2x 1GB), 320GB, DVD-RW (Dual Layer), ATI Radeon™ HD2400PRO 256MB/1018MB DVI VGA HD, 18-in-1 card reader, FireWire, LAN 1Gb WiFi54bg, Incl. USB Belgium Azerty multimedia keyboard & optical mouse + 19" widescreen LCD

495,-

Game-Bundel¹: ¹MS Entertainment Pack Flight Simulator 10std/ZooTycoon2/Encarta07std/RallSport (English)



**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire M3640 22" widescreen bundle**

**Standard configuration**

Operating System	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor	Intel LGA775 CPU , Core 2 Duo (FSB 1333/1066/800), Core 2 Quad (FSB 1366)
Chipset	Nvidia MCP73PV
System Memory	Supports DDR2 667/800MHz, maximum of 4GB (2 slots)
Graphics onboard	Integrated NVIDIA® GeForce 7 Series Shader model 3.0 max. shared 256MB
optional	PCI Express 16x Graphics expansion slot that can host a choice of Nvidia and ATI PCI Express card options
Audio	Realtek ALC888S, Hi-definition audio (7,1)
I/O Interface	14-in-1 memory card reader for Sony® Memory Stick PROTM, CompactFlash™ Type I, CompactFlash™ Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) Front Audio Jacks : 2 Rear Audio Jacks : 6 Realtek 8211BL, GB PHY, 10/100/1000Mbps Lan solution, PXE support Front USB ports : 4 Rear USB ports : 4 FireWire port: 1 (IEEE1394) 6-pin rear Serial port : 1 Parallel port : 1
Input device	USB Multimedia keyboard & USB optical mouse
Storage	max. 4 x SATA HDD 3.5"bays SATA ports : 4x Serial ATA II 3Gb/s PATA ports : 1
Optical Devices	Std. DVD/CD Burner Super Multiplus, Dual Layer
Expansion Slots	2 x PCI, 1 x 1X PCIE, 1 x 16X PCIE
Housing Dimension	180 (W) x 367 (H) x 441.5 (D) mm
Power supply	250Watt (230Volt)
Standard Software	Norton AntiVirus™ 2007 (90 days trial) Adobe® Reader® NTI CD-Maker™ Gold, NTI Backup Now!, Aspire self-burn recovery program Empowering Technology for Aspire include empty media DVD Yahoo/Acer ToolBar eSobi, Acer Arcade Live Microsoft Office Home & Student 2007 Trial (60 days) + Works 8.5
EMI / Safety	Nemko, CE
Warranty	2 Year send-in
<b>In the Box X223W</b>	22" widescreen TFT Silver bezel
Resolution	1680x1050 (maximaal)
Pitch	0.282mm
Angle	170° (H) , 160° (V)
Contrast	2500:1 (typ.)
Brightness	300cd/m²
Response time	5ms
Video input signal	VGA (analog D-sub)
Power consumption	45W max., interne aansluiting (100V-240V),

**VISTA Home Premium**

[E]	9D.7VM7A.H7P	Aspire M3640-X223W, Intel® Pentium® Dual-Core processor E2200, Microsoft® Windows® Vista™ Home Premium (NL/FR/UK), 3GB DDR2 (1x 2GB, 1x 1GB), 320GB, DVD-RW (Dual Layer), X223W 22"LCD, NVIDIA® 8400 256MB/1018MB TGM DVI VGA, 14-in-1 card reader, FireWire, 1Gb LAN, Incl. USB Belgium Azerty multimedia toetsenbord & optical mouse all in one box	578,-
[N]	9D.7VR7X.H7P	Aspire M3640-X223W, Intel® Pentium® Dual-Core processor E2200, Microsoft® Vista Home Premium (NL/FR/UK), 4GB DDR2 (2x2GB), 320GB, DVD-RW (DL), X223W 22"LCD, ATI Radeon™ HD 3450 256/1662MB TGM DVI&VGA, 18-in-1 card reader, FireWire, 1Gb LAN, US Int. USB multimedia toetsenbord & optical mouse all in one box	578,-



**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire M5100**

**Standardconfiguration**

Operating System	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor	AMD™ Athlon64 X2, Phenom Quad Core supported, socket M2
Chipset	AMD™ 690V + AMD SB600
System Memory	Supports DDR2 533/667/800MHz, maximum of 8GB (4 slots)
Graphics onboard	ATI Radeon™ XPRESS 1200 Graphics, max. 384MB TGM
optional	PCI Express 16x Graphics expansion slot that can host a choice of Nvidia and ATI PCI Express card options
Audio	Hi-definition audio (7.1)
I/O Interface	18-in-1 memory card reader for Sony® Memory Stick PROTM, CompactFlash™ Type I, CompactFlash™ Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) Front Audio Jacks : 2 Rear Audio Jacks : 6 Gigabyte (10/100/1000) Lan solution Front USB ports : 4 Rear USB ports : 4 FireWire port: 1 (IEEE1394) 6-pin rear Parallel port : 1
Input device	PS/2 keyboard & PS/2 ball mouse
Power supply	250Watt (230Volt)
Storage	max. 2 x SATA HDD 3.5"bays SATA ports : 4x Serial ATA II PATA ports : 2
Optical Devices	Std. DVD/CD Burner Super Multiplus, Dual Layer
Expansion Slots	2 x PCI, 1 x 1X PCIE, 1 x 16X PCIE
Housing Dimension	180 (W) x 360 (H) x 420 (D) mm
Software	Norton AntiVirus™ 2007 (90 days trial) Adobe® Reader® , NTI CD-Maker™ Gold, Aspire self-burn recovery program, Aspire empty media DVD, Office Home & Student 2007 Trial (60 days)
EMI / Safety	Nemko, CE
Warranty	Purchase after 1st Aug 2007: 2 year Warranty

**VISTA Home Premium**

[E] 91.V5F7N.HYP

Aspire M5100-Quad, AMD Phenom™ Quad-Core processor 9500, Microsoft® Windows® Vista™ Home Premium (NL/FR/UK), 4GB(4x 1GB), 500GB HDD, DVD-RW(Dual Layer), ATI Radeon™ HD2600 Pro 512MB/1919MB TGM DVI VGA HDMI, 18-in-1 card reader, FireWire, 1Gb LAN, Incl. USB Belgium Azerty multimedia keyboard & optical mouse

578,-



**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire M5200**

**Standard configuration**

Operating System	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor	AMD™ Athlon64 X2, Phenom Quad Core supported, socket M2
Chipset	AMD™ RS780 + SB700
System Memory	Supports DDR2 667/800MHz, maximum of 8GB (4 slots)
Graphics onboard	AMD™ RS780, max. 384MB TGM
optional	PCI Express 16x Graphics expansion slot that can host a choice of Nvidia and ATI PCI Express card options
Audio	Hi-definition audio (7.1)
I/O Interface	14-in-1 memory card reader for Sony® Memory Stick PROTM, CompactFlash™ Type I, CompactFlash™ Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) Front Audio Jacks : 2 Rear Audio Jacks : 6 Gigabyte (10/100/1000) Lan solution Front USB ports : 5 Rear USB ports : 4 FireWire port: 2 (IEEE1394) 6-pin rear, 4-pin front
Input device	PS/2 keyboard & PS/2 ball mouse
Power supply	250Watt (230Volt)
Storage	max. 4 x SATA HDD internal 3.5"bays SATA ports : 6x Serial ATA II PATA ports : 1
Optical Devices	Std. DVD/CD Burner Super Multiplus, Dual Layer
Expansion Slots	2 x PCI, 1 x 1X PCIE, 1 x 16X PCIE
Housing Dimension	180 (W) x 360 (H) x 420 (D) mm
Software	McAfee® Internet Security Suite 2008 (60 days trial), Adobe® Reader® , NTI CD-Maker™ Gold, Aspire self-burn recovery program, Aspire empty media DVD, Office Home & Student 2007 Trial (60 days)
EMI / Safety	CE, FCC, BSMI, CCC, ETL, Nemko
Warranty	2 year send-in warranty

**VISTA Home Premium**

[N] 91.X5F7G.HCP	Aspire M5200-Quad, AMD™ Phenom Quad-Core 9500, Microsoft® Windows® Vista™ Home Premium (NL/FR/UK), 4GB(4x1GB), 640GB HDD, DVD-RW(DL), ATI® Radeon™ HD3650 Pro 512/1919MB Hybrid Crossfire TGM DVI,VGA, HDMI Hybrid 14-in-1 card reader, FireWire, LAN 1Gb, Belgium Azerty USB multimedia keyboard & optical mouse	629,-
------------------	---	-------





**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire M5630 Blu-ray writer**

**Standard configuration**

Operating System	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor	Intel LGA775 CPU , Core 2 Duo (FSB 1333/1066/800), Core 2 Quad (95W,FSB 1066)
Chipset	IntelG31-ICH7DH (EG31M)
System Memory	Supports DDR2 667/800MHz, maximum of 4GB (2 slots)
Graphics onboard	Intel® Graphics Media Accelerator 3100 up to 384MB shared video memory
Graphics add-on optional	Optional ATI or nVidia PCIE video cards PCI Express 16x Graphics expansion slot that can host a choice of Nvidia and ATI PCI Express card options
Audio	Realtek ALC888S, Hi-definition audio (7.1)
I/O Interface	18-in-1 memory card reader for Sony® Memory Stick PROTM, CompactFlash™ Type I, CompactFlash™ Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) Front Audio Jacks : 2 Rear Audio Jacks : 6 Intel 82566DC, 10/100/1000Mbps Lan solution Front USB ports : 4 Rear USB ports : 4 FireWire port: 1 (IEEE1394) 6-pin rear Serial port : 1 Parallel port : 1
Input device	USB Multimedia keyboard & USB optical mouse
Storage	max. 4 x SATA HDD 3.5"bays SATA ports : 6x Serial ATA II 3Gb/s PATA ports : 0
Support "RAID Ready"	No
Optical Devices	Std. DVD/CD Burner Super Multiplus, Dual Layer
Optional	Blu-Ray DVD Writer/ROM/Rewriter function + HD-DVD ROM compatible
Expansion Slots	2 x PCI, 1 x 1X PCIE, 1 x 16X PCIE
Housing Dimension	180 (W) x 367 (H) x 441.5 (D) mm
Power supply	250Watt (230Volt)
Standard Software	Norton AntiVirus™ 2007 (90 days trial) Adobe® Reader® NTI CD-Maker™ Gold, NTI Backup Now!, Aspire self-burn recovery program Empowering Technology for Aspire include empty media DVD Yahoo/Acer ToolBar Intel Matrix Storage Manager, eSobi, Acer Arcade Live Microsoft Office Home & Student 2007 Trial (60 days) + Works 8.5
EMI / Safety	Nemko, CE
Warranty	2 year Send in Warranty

**VISTA Home Premium**

[ED] 91.POECT.HLP	Aspire M5630 Blu-ray, Intel® Core™2 Duo processor E8200 , Microsoft® Windows® Vista™ Home Premium (NL/FR/UK), Blu-ray RW/HD-DVD, DVD-RW (Dual Layer), 2GB DDR2 (2x 1GB), 640GB (2x 320GB), ATI Radeon™ HD2600 Pro 256MB/1018MB DDR3 TGM DVI VGA HDMI, card reader, 1Gb LAN, Incl. USB Belgium Azerty multimedia keyboard & optical mouse	702,-
-------------------	--	-------



**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire M5640 Blu-ray writer**

**Standard configuration**

Operating System	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor	Intel LGA775 CPU , Core 2 Duo (FSB 1333/1066/800), Core 2 Quad (FSB 1366)
Chipset	Nvidia MCP73PV
System Memory	Supports DDR2 667/800MHz, maximum of 4GB (2 slots)
Graphics onboard optional	Integrated NVIDIA® GeForce 7 Series Shader model 3.0 max. shared 256MB PCI Express 16x Graphics expansion slot that can host a choice of Nvidia and ATI PCI Express card options
Audio	Realtek ALC888S, Hi-definition audio (7,1)
I/O Interface	18-in-1 memory card reader for Sony® Memory Stick PROTM, CompactFlash™ Type I, CompactFlash™ Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) Front Audio Jacks : 2 Rear Audio Jacks : 6 Realtek 8211BL, GB PHY, 10/100/1000Mbps Lan solution Front USB ports : 4 Rear USB ports : 6 FireWire port: 2 (IEEE1394) 4-pin front, 6-pin rear Serial port : 1 Parallel port : 1
Input device	USB Multimedia keyboard & USB optical mouse
Storage	max. 4 x SATA HDD 3.5"bays SATA ports : 6x Serial ATA II 3Gb/s PATA ports : 1
Optical Devices	Std. DVD/CD Burner Super Multiplus, Dual Layer
Expansion Slots	2 x PCI (used for PhysX), 1 x 1X PCIE, 1 x 16X PCIE
Housing Dimension	180 (W) x 367 (H) x 441.5 (D) mm
Power supply	250Watt (230Volt)
Standard Software	Norton AntiVirus™ 2007 (90 days trial) Adobe® Reader® NTI CD-Maker™ Gold, NTI Backup Now!, Aspire self-burn recovery program Empowering Technology for Aspire include empty media DVD Yahoo/Acer ToolBar eSobi, Acer Arcade Live Microsoft Office Home & Student 2007 Trial (60 days) + Works 8.5
EMI / Safety	Nemko, CE
Warranty	2 Year send-in

**VISTA Home Premium**

91.JOMCT.HLP	Aspire M5640 Blu-ray, Intel® Dual Core™ E8200 , Microsoft® Windows™ Vista™ Home Premium (NL/FR/UK), Blu-ray RW/HD-DVD, DVD-RW (DL), 3GB DDR2 (1x 2GB, 1x 1GB), 640GB(2x320GB), ATI HD2600 Pro 256/1018MB DDR3 TGM DVI VGA HDMI, card reader, 1Gb LAN, Incl. USB Belgium Azerty multimedia keyboard & optical mouse	784,-
--------------	--	-------



**- Aspire Consumer PC -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire M5640**

**Standard configuration**

Operating System	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor	Intel LGA775 CPU , Core 2 Duo (FSB 1333/1066/800), Core 2 Quad (FSB 1366)
Chipset	Nvidia MCP73PV
System Memory	Supports DDR2 667/800MHz, maximum of 4GB (2 slots)
Graphics onboard	Integrated NVIDIA® GeForce 7 Series Shader model 3.0 max. shared 256MB
Graphics add-on optional	<b>nVidia® 8800GT 512/1783MB DDR3 TGM DVI&amp;VGA&amp;HDTV , DirectX 10</b> PCI Express 16x Graphics expansion slot that can host a choice of Nvidia and ATI PCI Express card options
Audio	Realtek ALC888S, Hi-definition audio (7.1)
I/O Interface	18-in-1 memory card reader for Sony® Memory Stick PROTM, CompactFlashTM Type I, CompactFlashTM Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) Front Audio Jacks : 2 Rear Audio Jacks : 6 Realtek 8211BL, GB PHY, 10/100/1000Mbps Lan solution Front USB ports : 4 Rear USB ports : 6 FireWire port: 2 (IEEE1394) 4-pin front, 6-pin rear Serial port : 1 Parallel port : 1
Input device	USB Multimedia keyboard & USB optical mouse
Storage	max. 4 x SATA HDD 3.5"bays SATA ports : 6x Serial ATA II 3Gb/s PATA ports : 1
Optical Devices	Std. DVD/CD Burner Super Multiplus, Dual Layer
Expansion Slots	2 x PCI, 1 x 1X PCIE, 1 x 16X PCIE
Housing Dimension	180 (W) x 367 (H) x 441.5 (D) mm
Power supply	400Watt (230Volt)
Standard Software	Norton AntiVirus™ 2007 (90 days trial) Adobe® Reader® NTI CD-Maker™ Gold, NTI Backup Now!, Aspire self-burn recovery program Empowering Technology for Aspire include empty media DVD Yahoo/Acer ToolBar eSobi, Acer Arcade Live Microsoft Office Home & Student 2007 Trial (60 days) + Works 8.5
EMI / Safety	Nemko, CE
Warranty	2 year send-in

**VISTA Home Premium**

[E]	91.J1M7C.HWP	Aspire M5640-Gamer, Intel® Core™2 Quad processor 6600 , Microsoft® Windows® Vista™ Home Premium (NL/FR/UK), 3GB DDR2 (2x 1GB 2x 512MB), 1000GB (2x 500GB), DVD-RW (DualLayer), NVIDIA® 8800GT 512MB/1783MB DDR3 TGM 2x DVI VGA HD, PhysX processor, 18-in-1 card reader, FireWire, 1Gb LAN, Incl. USB Belgium Azerty multimedia keyboard & optical mouse	950,-
[N]	91.J3RFB.HBP	Aspire M5640-Q93, Intel® Core™2 Quad processor 9300 , Microsoft® Windows® Vista™ Home Premium (NL/FR/UK), 4GB DDR2 (2x 2GB), 1280GB (2x 640GB), DVD-RW (DualLayer), Blu-ray Disc® ROM, NVIDIA® 8800GT 512MB/1919MB DDR3 TGM 2x DVI VGA HD, 18-in-1 card reader, FireWire, 1Gb LAN, Incl. USB Belgium Azerty multimedia keyboard & optical mouse	991,-

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

### Aspire iDea 511

#### Standardconfiguration

Besturingssysteem:	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor :	<ul style="list-style-type: none"> <li>Intel® T5500 Core 2 Duo processor T5500 (2MB L2 cache, 1.66, 667 MHz FSB)</li> <li>Intel® i945GT + ICH7M-DH chipset (Merom)</li> </ul>
Systeemgeheugen	<b>2048MB DDRII (2* 1GB) standaard. Max. 4GB SODIMM</b> Dual channels ondersteund twee SODIMM sockets (bezet)
HDD & Optical	<b>500GB sATA harddisk</b> DVD-RW Dual, slot-loading
Grafische aansturing	Mini-PCI nVidia® G7600, 256MB video memory, with <b>HDMI</b>
Communication/receiver	wired LAN : Intel 82573L, 10/100/1000 voor LAN or DSL connection Wake-on-LAN ready wireless LAN: 802.11b/g mini-PCI kaart IR : Internal Beam-bag MCE compatible RC6 receiver with dual IR transmitters Draadloos toetsenbord with internal RF 2.4GHz en wireless receiver with pairing technology
Audio	Codec: Realtek ALC-883DD (High Definition, Ondersteund Dolby® Digital Live & DTS Connect) 7.1-CH analogue output with S/PDIF Ondersteund voor digital output
TV-Tuner	2x hybride (analog + DVB-T) mini-PCI TV-tuner cards stanard
Poorten en aansluitingen	<b>Achterkant audio/video-output</b> 1* coaxial S/PDIF en 1* optical S/PDIF 1* set of 7.1-CH (RCA) 1* HDMI 1* DVI-I (Ondersteund HDCP, d.m.v. DVI <-> VGA adapter voor VGA output) 1* Component (Y Pb Pr) (RCA) 1* S-Video out 1* Composite Video out (RCA) <b>SCART ports</b> 1* SCART-in voor S-Video, CVBS, Stereo input 1* SCART-in/out voor System's CVBS, Stereo output en 2nd S-Video, CVBS, 1* Stereo input <b>Other I/O ports</b> 1* RJ-45 GbE LAN port with LED indicators 1* IEEE-1394a (6-pin) 2* USB ports 2* IR Blaster 1* TV antenna/cable input 1* TV antenna/cable output (using internal multi-port active splitter) 1* FM antenna input 1* DVB-S input (reserved) 1* WLAN external antenna 1* AC inlet <b>voorkant Audio/Video Input/Output</b> 1* 1/4-inch Earpheen output 1* 1/4-inch Micropheen input 1* S-Video in 1* Composite in (RCA) 1* Stereo in (RCA) <b>Other I/O ports</b> 1* IEEE-1394 (4-pin) 1* CF socket voor CF-I, CF-II en Micro Drive 1* multi socket voor SD/MMC/MS/MS Pro 2* USB ports <b>MainBoard Uitbreidingslots</b> 2* Memory SO-DIMM Sockets 3* mini-PCI slots
Acoustische waardes	23 dBA (Idle, 1Mtr), 28 dBA (MCE zware bewerking load, 1Mtr)
Power subsystem	FSP 120W AC geïntegreerde powersupply
Invoerenheid	Draadloos toetsenbord en receiver (via USB port) + TouchPad, Bluetooth
Media Center	Microsoft Media Center remote control + receiver
Afmeting systeem	Minitower silver/black 65 (H) x 288 (D) x 430 (W) mm, <b>maar 6,5cm hoog!</b>
Meegeleverde software	Microsoft® Vista Home Premium (NL/EN) SystemCD en RecoveryCD kan met Acer eRecovery gemaakt worde (enkel taal van installatie)
Warranty	Purchase after 1st Aug 2007: 2 year Warranty

#### VISTA Home Premium

[E] 98.R6L99.HYT	Aspire iDea 511, Intel® Core™2Duo processor T5500, Microsoft® Windows® Vista™ Home Premium (NL/FR/UK), 2GB (2x 1GB)SODIMM, 500GB HDD, DVD-RW(Dual Layer) tray less, NVIDIA® GeForce® 7600GT 256MB HDMI DVI, SCART, 1Gb LAN, WiFi54b/g, Dual TV-tuner, Dolby Digital, S/PDif, 5-in-1 card reader, Incl. wireless Belgium Azerty keyboard with integrated touchpad	908,-
------------------	--	-------

Partnumber	Description	List Excl. BTW
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

**Aspire iDea 520 Blu-ray RE**

**Standardconfiguration**

Besturingssysteem:	Microsoft® Windows® Vista™ Home Premium Dutch/French/English (select 1 language)
Processor :	<ul style="list-style-type: none"> <li>• Intel® T5500 Core 2 Duo processor T5500 (2MB L2 cache, 1.66, 667 MHz FSB)</li> <li>• Intel® i945GT + ICH7M-DH chipset (Merom)</li> </ul>
Systeemgeheugen	<b>2048MB DDRII (2* 1GB) standaard, Max. 4GB SODIMM</b> Dual channels ondersteund twee SODIMM sockets (bezet)
HDD & Optical	<b>500GB sATA harddisk</b> <b>Blu-ray RE, support also DVD-RW Dual, slot-loading</b>
Grafische aansturing	<b>ATI® Radeon HD2600 Pro 512MB DX10 video memory, with HDMI</b>
Communication/receiver	wired LAN : Intel 82573L, 10/100/1000 voor LAN or DSL connection Wake-on-LAN ready wireless LAN: 802.11b/g mini-PCI kaart Bluetooth wireless communication IR : Internal Beam-bag MCE compatible RC6 receiver with dual IR transmitters Draadloos toetsenbord with internal RF 2.4GHz en wireless receiver with pairing technology
Audio	Codec: Realtek ALC-883DD (High Definition, Ondersteund Dolby® Digital Live & DTS Connect) 7.1-CH analogue output with S/PDIF Ondersteund voor digital output
TV-Tuner	2x hybride (analog + DVB-T) mini-PCI TV-tuner cards stenard
Poorten en aansluitingen	<p><b>Achterkant audio/video-output</b></p> <ul style="list-style-type: none"> <li>1* coaxial S/PDIF en 1* optical S/PDIF</li> <li>1* set of 7.1-CH (RCA)</li> <li>1* HDMI</li> <li>1* DVI-I (Ondersteund HDCP, d.m.v. DVI &lt;-&gt; VGA adapter voor VGA output)</li> <li>1* Component (Y Pb Pr) (RCA)</li> <li>1* S-Video out</li> <li>1* Composite Video out (RCA)</li> </ul> <p><b>SCART ports</b></p> <ul style="list-style-type: none"> <li>1* SCART-in voor S-Video, CVBS, Stereo input</li> <li>1* SCART-in/out voor System's CVBS, Stereo output en 2nd S-Video, CVBS,</li> <li>1* Stereo input</li> </ul> <p><b>Other I/O ports</b></p> <ul style="list-style-type: none"> <li>1* RJ-45 GbE LAN port with LED indicators</li> <li>1* IEEE-1394a (6-pin)</li> <li>2* USB ports</li> <li>2* IR Blaster</li> <li>1* TV antenna/cable input</li> <li>1* TV antenna/cable output (using internal multi-port active splitter)</li> <li>1* FM antenna input</li> <li>1* DVB-S input (reserved)</li> <li>1* WLAN external antenna</li> <li>1* AC inlet</li> </ul> <p><b>voorkant Audio/Video Input/Output</b></p> <ul style="list-style-type: none"> <li>1* 1/4-inch Earpeen output</li> <li>1* 1/4-inch Micropeen input</li> <li>1* S-Video in</li> <li>1* Composite in (RCA)</li> <li>1* Stereo in (RCA)</li> </ul> <p><b>Other I/O ports</b></p> <ul style="list-style-type: none"> <li>1* IEEE-1394 (4-pin)</li> <li>1* CF socket voor CF-I, CF-II en Micro Drive</li> <li>1* multi socket voor SD/MMC/MS/MS Pro</li> <li>2* USB ports</li> </ul> <p><b>MainBoard Uitbreidingslots</b></p> <ul style="list-style-type: none"> <li>2* Memory SO-DIMM Sockets</li> <li>3* mini-PCI slots</li> </ul>
Acoustische waardes	23 dBA (Idle, 1Mtr), 28 dBA (MCE zware bewerking load, 1Mtr)
Power subsystem	FSP 120W AC geïntegreerde powersupply
Invoereenheid	Draadloos toetsenbord en receiver (via USB port) + TouchPad, Bluetooth
Media Center	Microsoft Media Center remote control + receiver
Afmeting systeem	Minitower silver/black 65 (H) x 288 (D) x 430 (W) mm, <b>maar 6,5cm hoog!</b>
Meegeliverde software	Microsoft® Vista Home Premium (NL/EN) SystemCD en RecoveryCD kan met Acer eRecovery gemaakt worde (enkel taal van installatie)
Warranty	2 year Send in Warranty

**VISTA Home Premium**

[E] 98.B6L9A.HYT	Aspire iDea 520-Blu-ray, Intel® Core™2 Duo T5500, Microsoft® Windows Vista™ Home Premium(NL/FR/UK), 2GB(2x 1GB)SODIMM, 500GB, Blu-ray DVD-RE tray less, ATI Radeon™ HD2600 Pro 512MB TGM DX10, HDMI, DVI, SCART, 1Gb LAN, WiFi 54b/g, Dual TV-tuner, Dolby Digital, S/PDif Optical, 5-in-1 card reader, Bluetooth, Belgium Azerty wireless keyboard with integrated touchpad	1.404,-
------------------	--	---------

Partnumber	Description	List Excl. btw
------------	-------------	-------------------

**Warranty Upgrades: check Warranty upgrade sheet**

**Veriton M261 Microtower with Linux and Intel processor**

Specifications

Operating System	Linux
Processor	Intel Celeron 420
Socket	LGA 775
Chipset	SiS672 / SiS968
Storage Bays	2* external 5.25" bay 2* external 3.5" bay / 4* internal 3.5" bay
Network Interface	1 Gigabit lan, Realtek 8211B
Memory	Max 4GB DDR II 667MHz Single channel supported on two DIMMs
I/O Interfaces	1 Dsub (VGA) Port 2 PS2 ports No DVI port 1 FDD No Serial Ports (COM1) 1 Parallel Port 4 Front USB Ports 4 Rear USB Ports Front headphone & microphone jack, rear 6 audio jacks (7.1-channel)
I/O Expansion	1 PCIe x 16 slot 1 PCIe x 1 slot 2 PCI slots
Graphics	SIS® Mirage™ 3 Supports Windows Vista Premium
Audio	Onboard Realtek ALC888S 7.1-Channel
Dimensions	183 (W) x 455 (L) x 370 (H) mm
Management	Acer Empowering Technologie Acer LANScope
Industry Standards	Wake On Lan, PXE, DMI 2.0, WMF 2.0
Power Supply	250W
Certification	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL
Warranty	3 yrs. (1 yr. onsite, 2 yr. carry-in)

[ED]	PS.M26E0.B02	Veriton M261, Intel® Celeron® processor 420 (1.6GHz/FSB: 800MHz/512KB L2 cache), Linux, 1GB DDR II 667MHz (2x 512MB), 80GB S-ATA II, Combo-drive, VGA-onboard, 1GB LAN, SiS672/SiS968 chipset, incl. PS/2 Belgium Azerty keyboard & optical mouse	223,-
[E]	PS.M26E6.B02	Veriton M261, Intel® Pentium® Dual-Core processor E2140 (1.6GHz/FSB: 800MHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK/DE/IT), 1GB DDR II 667MHz, 80GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, SiS672/SiS968 chipset, incl. PS/2 Belgium Azerty keyboard & optical mouse	321,-
	PS.M26E6.B04	Veriton M261, Intel® Pentium® Dual-Core processor E2160 (1.8GHz/FSB: 800MHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK/DE/IT), 1GB DDR II 667MHz, 80GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, SiS672/SiS968 chipset, incl. PS/2 Belgium Azerty keyboard & optical mouse	321,-

Partnumber	Description	List Excl. btw
------------	-------------	-------------------

**Warranty Upgrades: check Warranty upgrade sheet**

**Veriton L410 Ultra Small Form Factor with AMD processor**

Specifications

Operating System	Microsoft® Windows® XP-Professional Multilingual preload (NL/FR/UK)
Processor	AMD Athlon X2 64 Dual-Core
Socket	AM2
Chipset	RS690 / SB600
Storage Bays	1 internal 3.5" bay
Network Interface	1 Gigabit lan, Realtek 8111C
Memory	Max 2GB DDR II 667 or 800MHz SODIMM Dual channel supported on two DIMMs
I/O Interfaces	1 DVI port (including DVI --> VGA converter) 4 Front USB Ports 4 Rear USB Ports
Graphics	Onboard ATI RS690 Supports Windows Vista Premium
Audio	Onboard Realtek ALC888S 5.1-Channel
Security	One Button recovery
Dimensions	60(W) x 200(D) x 250(H) mm
Management	Acer Empowering Technologie Acer LANScope
Industry Standards	Wake On Lan, PXE, DMI 2.0, WMF 2.0, ASF 2.0
Power Supply	135W adapter
Certification	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL
Warranty	3 yrs. (1 yr. onsite, 2 yr. carry-in)

[E]	<table border="0"> <tr> <td style="vertical-align: top;">PS.L41C6.B02</td> <td>Veriton L410, AMD Athlon™ 64 X2 Dual-Core processor 4000+ (2.1GHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, RS690/SB600 chipset, incl. USB Belgium Azerty keyboard &amp; optical mouse</td> <td style="vertical-align: top; text-align: right;">338,-</td> </tr> <tr> <td style="vertical-align: top;">PS.L41C6.B04</td> <td>Veriton L410, AMD Athlon™ 64 X2 Dual-Core processor 4400+ (2.3GHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, RS690/SB600 chipset, incl. USB Belgium Azerty keyboard &amp; optical mouse</td> <td style="vertical-align: top; text-align: right;">338,-</td> </tr> </table>	PS.L41C6.B02	Veriton L410, AMD Athlon™ 64 X2 Dual-Core processor 4000+ (2.1GHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, RS690/SB600 chipset, incl. USB Belgium Azerty keyboard & optical mouse	338,-	PS.L41C6.B04	Veriton L410, AMD Athlon™ 64 X2 Dual-Core processor 4400+ (2.3GHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, RS690/SB600 chipset, incl. USB Belgium Azerty keyboard & optical mouse	338,-
PS.L41C6.B02	Veriton L410, AMD Athlon™ 64 X2 Dual-Core processor 4000+ (2.1GHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, RS690/SB600 chipset, incl. USB Belgium Azerty keyboard & optical mouse	338,-					
PS.L41C6.B04	Veriton L410, AMD Athlon™ 64 X2 Dual-Core processor 4400+ (2.3GHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, RS690/SB600 chipset, incl. USB Belgium Azerty keyboard & optical mouse	338,-					

Partnumber	Description	List Excl. btw
------------	-------------	-------------------

**Warranty Upgrades: check Warranty upgrade sheet**

**Veriton M410 Microtower with AMD processor**

Specifications

Operating System	Microsoft® Windows® XP-Professional or Vista Business Multilingual preload (NL/FR/UK)
Processor	AMD Athlon 64 Single-Core or Athlon 64 X2 Dual-Core processor
Socket	AM2
Chipset	RS690C/SB600 (690V)
Storage Bays	2* external 5.25" bay 2* external 3.5" bay / 4* internal 3.5" bay
Network Interface	1 Gigabit lan, Marvell 88E8056
Memory	Max 8GB DDR II 667 or 800MHz Dual channel supported on four DIMMs
I/O Interfaces	1 Dsub (VGA) Port 2 PS2 ports No DVI port 1 FDD No Serial Ports (COM1) 1 Parallel Port 4 Front USB Ports 4 Rear USB Ports
I/O Expansion	1 PCIe x 16 slot 1 PCIe x 1 slot 2 PCI slots
Graphics	Onboard AMD 690V (X1200) Supports Windows Vista Premium
Audio	Onboard Realtek ALC888S 7.1-Channel
Dimensions	180(W) x 441.5(D) x 367(H) mm
Management	Acer Empowering Technologie Acer LANScope
Industry Standards	Wake On Lan, PXE, DMI 2.0, WFM 2.0
Power Supply	250W
Certification	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL
Warranty	3 yrs. (1 yr. onsite, 2 yr. carry-in)

[ED]	PS.M41C6.B02	Veriton M410, AMD Athlon™ 64 processor 4000+ ( 2.6GHz/512KB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK/DE/IT), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, RS690C/SB600 (690V) chipset, incl. USB Belgium Azerty keyboard & optical mouse	321,-
	PS.M41E6.B02	Veriton M410, AMD Sempron™ processor LE-1250 (2.2GHz/512KB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK/DE/IT), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, RS690C/SB600 (690V) chipset, incl. USB Belgium Azerty keyboard & optical mouse	338,-
	PS.M41E1.B02	Veriton M410, AMD Athlon™ 64 X2 Dual-Core processor 4800+ (2.5GHz/1MB L2 cache), Microsoft® Windows® Vista™ Business (NL/FR/UK/DE/IT), Office Ready 2007 (trial-version), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, RS690C/SB600 (690V) chipset, incl. USB Belgium Azerty keyboard & optical mouse	387,-



Partnumber	Description	List Excl. btw
------------	-------------	-------------------

**Warranty Upgrades: check Warranty upgrade sheet**

**Veriton L460 Ultra Small Form Factor with Intel processor**

Specifications

Operating System	Microsoft® Windows® XP-Professional Multilingual preload (NL/FR/UK)
Processor	Intel Celeron processor
Socket	LGA775
Chipset	Intel G31 / ICH7-DH
Storage Bays	1 internal 3.5" bay
Network Interface	1 Gigabit lan, Intel 82573L
Memory	Max 2GB DDR II 667 or 800MHz SODIMM Dual channel supported on two DIMMs
I/O Interfaces	1 Dsub (VGA) Port 1 DVI port 4 Front USB Ports 4 Rear USB Ports
Graphics	Intel® GMA 3100 Supports Windows Vista Premium
Audio	Onboard Realtek ALC888 7.1-Channel
Security	One Button recovery
Dimensions	60(W) x 200(D) x 250(H) mm
Management	Acer Empowering Technologie Acer LANScope
Industry Standards	Wake On Lan, PXE, DMI 2.0, WMF 2.0
Power Supply	135W adapter
Certification	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL
Warranty	3 yrs. (1 yr. onsite, 2 yr. carry-in)

<b>[E]</b>	PS.L46C6.B02	Veriton L460, Intel® Celeron® processor 430 (1.8GHz/FSB: 800MHz/512KB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, Intel® G31/ICH7-DH chipset, incl. USB Belgium Azerty keyboard & optical mouse	445,-
<b>[A]</b>	PS.L46C6.B06	Veriton L460, Intel® Pentium® Dual-Core processor E2160 (1.8GHz/FSB: 800MHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, Intel® G31/ICH7-DH chipset, incl. USB Azerty keyboard & optical mouse	445,-

Partnumber	Description	List Excl. btw
------------	-------------	-------------------

**Warranty Upgrades: check Warranty upgrade sheet**

**Veriton L460 Ultra Small Form Factor with Intel processor + X193W + Ergo Stand**

Specifications

Operating System	Microsoft® Windows® XP-Professional Multilingual preload (NL/FR/UK)
Processor	Intel Celeron processor
Socket	LGA775
Chipset	Intel G31 / ICH7-DH
Storage Bays	1 internal 3.5" bay
Network Interface	1 Gigabit lan, Intel 82573L
Memory	Max 2GB DDR II 667 or 800MHz SODIMM Dual channel supported on two DIMMs
I/O Interfaces	1 Dsub (VGA) Port 1 DVI port 4 Front USB Ports 4 Rear USB Ports
Graphics	Intel® GMA 3100 Supports Windows Vista Premium
Audio	Onboard Realtek ALC888 7.1-Channel
Security	One Button recovery
Dimensions	60(W) x 200(D) x 250(H) mm
Management	Acer Empowering Technologie Acer LANScope
Industry Standards	Wake On Lan, PXE, DMI 2.0, WMF 2.0
Power Supply	135W adapter
Certification	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL
Warranty	3 yrs. (1 yr. onsite, 2 yr. carry-in)

PS.L46C6.B04	Veriton L460, Intel® Pentium® Dual-Core processor E2140 (1.6GHz/FSB: 800MHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, Intel® G31/ICH7-DH chipset, incl. USB Belgium Azerty keyboard & optical mouse + X193W 19" Widescreen LCD + ErgoStand	568,-
--------------	---	-------

PS.L46C6.B08	Veriton L460, Intel® Pentium® Dual-Core processor E2160 (1.8GHz/FSB: 800MHz/1MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, Intel® G31/ICH7-DH chipset, incl. USB Belgium Azerty keyboard & optical mouse + X193W 19" Widescreen LCD + ErgoStand	603,-
--------------	---	-------

Partnumber	Description	List Excl. btw
------------	-------------	-------------------

**Warranty Upgrades: check Warranty upgrade sheet**

**Veriton M460 Microtower with Intel processor**

Specifications

Operating System	Microsoft® Windows® XP-Professional or Vista Business Multilingual preload (NL/FR/UK)
Processor	Intel Celeron or Pentium Dual-Core
Socket	LGA 775
Chipset	Intel G31 / ICH7DH
Storage Bays	2* external 5.25" bay 2* external 3.5" bay / 4* internal 3.5" bay
Network Interface	1 Gigabit lan, Realtek ALC8111B
Memory	Max 4GB DDR II 667 or 800MHz Dual channel supported on two DIMMs
I/O Interfaces	1 Dsub (VGA) Port No DVI port 2 PS2 ports 1 FDD 1 Serial Port (COM1) 1 Parallel Port 4 Front USB Ports 4 Rear USB Ports
I/O Expansion	1 PCIe x 16 slot 1 PCIe x 1 slot 2 PCI slots
Graphics	Onboard Intel® GMA 3100 Supports Windows Vista Premium
Audio	Onboard Realtek ALC888S 7.1-Channel
Dimensions	180(W) x 441.5(D) x 367(H) mm
Management	Acer Empowering Technologie Acer LANScope
Industry Standards	Wake On Lan, PXE, DMI 2.0, WMF 2.0
Power Supply	250W
Certification	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL
Warranty	3 yrs. (1 yr. onsite, 2 yr. carry-in)

<b>[E]</b>	PS.M46C6.B02	Veriton M460, Intel® Celeron® processor 420 (1.6GHz/FSB: 800MHz/512KB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK/DE/IT), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, Intel® G31/ICH7-DH chipset, incl. USB Belgium Azerty keyboard & optical mouse	338,-
<b>[N]</b>	PS.M46E6.B04	Veriton M460, Intel® Celeron® processor 440 (2.0GHz/FSB: 800MHz/512KB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK/DE/IT), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, Intel® G31/ICH7-DH chipset, incl. USB Belgium Azerty keyboard & optical mouse	371,-
	PS.M46E1.B02	Veriton M460, Intel® Pentium® Dual-Core processor E2180 (2.0GHz/FSB: 800MHz/1MB L2 cache), Microsoft® Windows® Vista™ Business (NL/FR/UK/DE/IT), Office Ready 2007 (trial-version), 1GB DDR II 667MHz (2x 512MB), 160GB S-ATA II, DVD-RW Multi, VGA-onboard, 1GB LAN, Intel® G31/ICH7-DH chipset, incl. USB Belgium Azerty keyboard & optical mouse	394,-



# - Veriton Business PC -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. btw
------------	-------------	-------------------

Warranty Upgrades: check Warranty upgrade sheet

## Veriton 1000 Ultra Small Form Factor with Intel vPro Technology

### Specifications

Operating System	Microsoft® Windows® Vista Business Multilingual preload (NL/FR/UK)
Processor	Intel® Core 2 Duo with MHz FSB Intel Q965+ICH8DO
Storage Bays	1* internal 3.5" bay
Network Interface	Embedded Intel Nineveh, 10/100/1000 base TX Ethernet
Memory	Up to 2GB DDR II 667 MHz 2 DIMM Sockets
I/O Interfaces	8* USB 2.0 port (4* front, 4* rear) 1* VGA/video port + 1* DVI with dual support view 1* Line-in / Line-out
I/O Expansion	1* Mini PCI
Graphics	Intel Q965 on-die graphic
Audio	Audio CODEC Onboard (Realtek AL888)
Security	Nemko, CE
Dimensions	250 (H) x 60 (W) x 200 (D) mm
Management Software	Acer eManager Software Acer LANScope
Industry Standards	PC2001, ENERGY STAR®
Power Supply	135W AC external adapter (19VDC, 6.48A)
Certification	CE, GS (TUV), ENERGY STAR®
Warranty	3 yrs. (1 yr. onsite, 2 yr. carry-in)
PS.V10C1.B02	Veriton1000, Intel® Core™2 Duo processor E4500 (2.2GHz/FSB: 800MHz/2MB L2 cache), Microsoft® Windows® Vista™ Business (NL/FR/UK/DE/IT), Office Ready 2007 (trial-version), 2GB DDR II 667MHz (2x 1GB), 250GB S-ATA II, DVD-RW Multi, VGA-onboard, 1 GB LAN, Intel® Q965+ICH8DO chipset, incl. USB Belgium Azerty keyboard & optical mouse

570,-

Partnumber	Description	List Excl. btw
------------	-------------	-------------------

**Warranty Upgrades: check Warranty upgrade sheet**

**Veriton S661 Small Form Factor with Intel vPro Technology**

Specifications

Operating System	Microsoft® Windows® Vista Business preload (NL/FR/UK)	
Processor	Intel Core 2 Duo with 800MHz	
Socket	LGA 775	
Chipset	Intel Q35 / ICH9-DO	
Storage Bays	1* external 5.25" bay 1* external 3.5" bay / 1* internal 3.5" bay	
Network Interface	1 Gigabit lan, Intel 82566DM	
Memory	Max 8GB DDR II 667 or 800MHz Dual channel supported on four DIMMs	
I/O Interfaces	1 Dsub (VGA) Port 1 DVI port (via ADD2) 2 PS2 ports 1 FDD 1 Serial Port (COM1) 1 Parallel Port 4 Front USB Ports 6 Rear USB Ports	
I/O Expansion	1 PCIe x 16 slot 1 PCIe x 1 slot 2 PCI slots	
Graphics	Onboard Intel® GMA 3100 Supports Windows Vista Premium	
Audio	Onboard Realtek ALC888S 7.1-Channel	
Security	TPM support Intrusion Alert One Button recovery	
Dimensions	101.3(W) x 414.7(D) x 345(H) mm	
Management	Acer Empowering Technologie Acer LANScope Intel Vpro (AMT3.0 / VT-d / TXT)	
Industry Standards	Wake On Lan, PXE, DMI 2.0, WMF 2.0, ASF 2.0	
Power Supply	250W	
Certification	CE, FCC, BSMI, CCC, ETL, Nemko	
Warranty	3 yrs. (1 yr. onsite, 2 yr. carry-in)	
PS.S66E1.B02	Veriton S661, Intel® Core™2 Duo processor E4500 (2.2GHz/FSB: 800MHz/2MB L2 cache), Microsoft® Windows® Vista™ Business (NL/FR/UK/DE/IT), Office Ready 2007 (trial-version), 2GB DDR II 667MHz (2x 1GB), 250GB S-ATA II, DVD-RW Multi, VGA onboard + DVI (ADD2), 1GB LAN, Intel® Q35/ICH9-DO chipset, incl. USB Belgium Azerty keyboard & optical mouse	520,-



**- Veriton Business PC -**

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. btw
------------	-------------	-------------------

**Warranty Upgrades: check Warranty upgrade sheet**

**Veriton M661 Microtower with Intel vPro Technology**

Specifications

Operating System	Microsoft® Windows® Vista Business preload (NL/FR/UK)
Processor	Intel Core 2 Duo with 800 or 1333 MHz
Socket	LGA 775
Chipset	Intel Q35 / ICH9DO
Storage Bays	2* external 5.25" bay 2* external 3.5" bay / 4* internal 3.5" bay
Network Interface	1 Gigabit lan, Intel 82566DM
Memory	Max 8GB DDR II 667 or 800MHz Dual channel supported on four DIMMs
I/O Interfaces	1 Dsub (VGA) Port 1 DVI port (via ADD2 or discrete VGA) 2 PS2 ports 18-in-1 memory card reader for Sony® Memory Stick PROTM, CompactFlashTM Type I, CompactFlashTM Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) 1 Serial Port (COM1) 1 Parallel Port 4 Front USB Ports 6 Rear USB Ports
I/O Expansion	1 PCIe x 16 slot 1 PCIe x 1 slot 2 PCI slots
Graphics	onboard Intel® GMA 3100 or nVidia GF8500GT Supports Windows Vista Premium
Audio	Onboard Realtek ALC888S 7.1-Channel
Security	TPM support Intrusion Alert One Button recovery
Dimensions	180(W) x 441.5(D) x 367(H) mm
Management	Acer Empowering Technologie Acer LANScope Intel Vpro (AMT3.0 / VT-d / TXT)
Industry Standards	Wake On Lan, PXE, DMI 2.0, WMF 2.0, ASF 2.0
Power Supply	300W
Certification	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL
Warranty	3 yrs. (1 yr. onsite, 2 yr. carry-in)

PS.M66E6.B04	Veriton M661, Intel® Core™2 Duo processor E4600 (2.3GHz/FSB: 800MHz/2MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK/DE/IT), 1GB DDR II 667MHz (2x 512MB), 250GB S-ATA II, DVD-RW Multi, VGA onboard + DVI (ADD2), 1GB LAN, Intel® Q35/ICH9-DO chipset, incl. USB Belgium Azerty keyboard & optical mouse	396,-
[ED] PS.M66E1.B02	Veriton M661, Intel® Core™2 Duo processor E4500 (2.2GHz/FSB: 800MHz/2MB L2 cache), Microsoft® Windows® Vista™ Business (NL/FR/UK/DE/IT), Office Ready 2007 (trial-version), 2GB DDR II 667MHz (2x 1GB), 250GB S-ATA II, DVD-RW Multi, VGA onboard + DVI (ADD2), 1GB LAN, Intel® Q35/ICH9-DO chipset, incl. USB Belgium Azerty keyboard & optical mouse	458,-
PS.M66E1.B04	Veriton M661, Intel® Core™2 Duo processor E6750 (2.66GHz/FSB: 1333MHz/4MB L2 cache), Microsoft® Windows® Vista™ Business (NL/FR/UK/DE/IT), Office Ready 2007 (trial-version), 2GB DDR II 667MHz (2x 1GB), 250GB S-ATA II, DVD-RW Multi, NVIDIA® GeForce® 8500GT 256MB, 1GB LAN, Intel® Q35/ICH9-DO chipset, incl. USB Belgium Azerty keyboard & optical mouse	603,-

Partnumber	Description	List Excl. btw
------------	-------------	-------------------

**Warranty Upgrades: check Warranty upgrade sheet**

**Veriton T661 Minitower with Intel vPro Technology**

Specifications

Operating System	Microsoft® Windows® Vista Business preload (NL/FR/UK)
Processor	Intel Core 2 Quad
Socket	LGA 775
Chipset	Intel Q35 / ICH9DO
Storage Bays	2* external 5.25" bay 2* external 3.5" bay / 4* internal 3.5" bay
Network Interface	1 Gigabit lan, Intel 82566DM
Memory	Max 8GB DDR II 667 or 800MHz Dual channel supported on four DIMMs
I/O Interfaces	1 Dsub (VGA) Port 1 DVI port 2 PS2 ports 18-in-1 memory card reader for Sony® Memory Stick PROTM, CompactFlashTM Type I, CompactFlashTM Type II, SmartMedia, Secure Digital (SD), and MultiMediaCard (MMC) 1 Serial Port (COM1) 1 Parallel Port 4 Front USB Ports 4 Rear USB Ports
I/O Expansion	1 PCIe x 16 slot 1 PCIe x 1 slot 2 PCI slots
Graphics	nVidia GF8500GT Supports Windows Vista Premium
Audio	Onboard Realtek ALC888S 7.1-Channel
Security	TPM support Intrusion Alert One Button recovery
Dimensions	180(W) x 441.5(D) x 367(H) mm
Management	Acer Empowering Technologie Acer LANScope Intel Vpro (AMT3.0 / VT-d / TXT)
Industry Standards	Wake On Lan, PXE, DMI 2.0, WMF 2.0, ASF 2.0
Power Supply	300W
Certification	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL
Warranty	3 yrs. (1 yr. onsite, 2 yr. carry-in)

PS.T66E6.B02	Veriton T661, Intel® Core™2 Quad processor Q6600 (2.4GHz/FSB: 1066MHz/8MB L2 cache), Microsoft® Windows® XP Professional Edition (NL/FR/UK/DE/IT), 4GB DDR II 667MHz (4x1GB), 500GB S-ATA II, DVD-RW Multi, NVIDIA® GeForce® 8600GS 512MB, 1GB LAN, Intel® Q35/ICH9-DO chipset, incl. USB Belgium Azerty keyboard & optical mouse	735,-
PS.T66E1.B02	Veriton T661, Intel® Core™2 Quad processor Q6600 (2.4GHz/FSB: 1066MHz/8MB L2 cache), Microsoft® Windows® Vista™ Business (NL/FR/UK/DE/IT), Office Ready 2007 (trial-version), 3GB DDR II 667MHz (2x 512MB + 2x1GB), 320GB S-ATA II, DVD-RW Multi, NVIDIA® GeForce® 8500GT 256MB, 1GB LAN, Intel® Q35/ICH9-DO chipset, incl. USB Belgium Azerty keyboard & optical mouse	677,-

**ErgoStand**

[N] PS.ERGOS.001	ErgoStand t.b.v. USFF PC	56,-
------------------	--------------------------	------



**- Projector -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Value Projector</b>		

<b>Specifications</b>	Display: DLP™ Resolution: Native SVGA (800 x 600), Maximum SXGA (1,280 x 1,024) / WXGA+ (1,440 x 900) Aspect Ratio: 4:3 Native, 16:9 Compatible Contrast Ratio: 2000:1 Displayable Colors: 16.7 Million Colors Brightness: 2000 ANSI Lumens Standard Mode Projection Lens: F = 2.41, f = 21.79mm Manual Focus Projection Screen Size (Diagonal): 0.64m ~ 7.62m Projection Distance: 1m ~ 11.9m Throw Ratio: 50" @2m Horizontal Scan rate: 31 ~ 69 kHz Vertical Refresh Scan Rate: 50 ~ 85 Hz Lamp Type: 160 W User Replaceable P-VIP Lamp lamp Life: 4,000 Hours Keystone Correction: +/-40 Degrees (vertical) Projection mode: Front, Rear, Front-Ceiling, Rear-Ceiling Weight: 2.3 Kg Digital Zoom: 2x Input: D-Sub / Composite Video (RCA) / S-Video (Mini DIN) Dimension: 267 x 187 x 80 mm Remote Control: Infra red Power Supply: AC Input 100~240V auto-switching power supply Power Consumption: 255 Watts (operational) / <8 Watts (standby) Operating Temperature: 5°C ~ 35°C Noise Level: 33 dB in Standard Mode Uniformity: 85% Computer capability: IBM PC and Compatibles, Apple Macintosh, iMac, and VESA Standards WXGA+ (1,440 x 900), WXGA (1,280 x 800, 1,280 x 768), SXGA (1,280 x 1,024), XGA (1,024 x 768), SVGA (800 x 600), VGA (640 x 480) Video Compatibility: NTSC (3.58/4.43), PAL (B/D/G/H/I/M/N), SECAM (B/D/G/K/K1/L), HDTV (720p, 1080i), EDTV (480p, 576p), SDTV (480i, 576i)	
EY.J5601.001	X1160, Adv. DLP™, SVGA 800 x 600, 2000:1, 2000 ANSI Lumens, 2.3kg	341,-

<b>Specifications</b>	Display: DLP™ Native Resolution: SVGA (800 x 600) Maximum Resolution: SXGA (1280 x 1024) / WXGA+ (1440 x 900) Aspect Ratio: 4:3 Native, 16:9 Compatible Contrast Ratio: 2000:1 Displayable Colors: 16.7 Million Colors Brightness: 2400 ANSI Lumens Standard Mode / 1920 ANSI Lumens in Eco Mode Projection Lens: F / 2.7 - 3.0 f = 21.83 - 23.81 mm 1:1.1 Manual Zoom and Manual Focus Projection Screen Size (Diagonal): 0.58m ~ 7.62m Projection Distance: 1m ~ 11.9m Throw Ratio: 50" @2m Horizontal Scan rate: 31.5 ~ 100 kHz Vertical Refresh Scan Rate: 56 ~ 85 Hz Lamp Type: 180 W User Replaceable P-VIP Lamp lamp Life: 3,000 Hours Standard / 4,000 Eco Mode Keystone Correction: +/-40 Degrees Weight: 3 Kg Digital Zoom 2x Input Interface: D-Sub / Composite Video (RCA) / S-Video / DVI (HDCP) / PC Audio Output Interface: Analog RGB (D-Sub) Control Interface: USB (type B) / RS232 (mini DIN) Dimension: 299 x 229 x 93 mm Remote Control: IR remote control with laser pointer & PgUp/PgDn functions Power Supply: AC Input 100~240V auto-switching power supply Power Consumption: 230 Watts (operational) / 10 Watts (standby) Operation Temperature: 5°C ~ 35°C Noise Level: 28 dB in Standard Mode, 24dB in Eco Mode Uniformity: 90% SXGA, XGA, SVGA, VGA (resizing) 1080i), EDTV (480p), SDTV (480i, 576i)	
EY.J5201.001	P1165, Adv. DLP™, SVGA 800 x 600, 2000:1, 2400 ANSI Lumens, DVI (HDCP), 2x Digital Zoom, 28dB, 3kg	409,-



Partnumber	Description	List Excl. BTW EURO
<b>Specifications</b>	Display: DLP™ Native XGA (1024x768), Maximum SXGA+ (1400 x 1050), WSXGA+ (1440 x 900) Aspect Ratio: 4:3 Native, 16:9 Compatible Displayable Colors: 16.7 Million Colors Contrast Ratio: 2000:1 Brightness: 2400 ANSI Lumens (standard) / 1920 ANSI Lumens (eco mode) Projection Lens: F / 2.41 ~ 2.55, f = 21.79 ~ 23.99 mm 1:1.1 Manual Zoom and Manual Focus Projection Screen Size (Diagonal): 0.58m ~7.62m Projection Distance: 1m ~ 11.9m Horizontal Scan rate: 31.5 ~ 100 kHz Vertical Refresh Scan Rate: 56 ~ 85 Hz Lamp Type: 180 W User Replaceable P-VIP Lamp Lamp Life: 3,000 Hours (Standard) / 4,000 Hours (Eco) Keystone Correction: +/-40 Degrees (Vertical) Audio: One Internal Speaker with 2 W Output Digital Zoom 2x Input Interface: D-Sub / Composite Video (RCA) / S-Video (mini DIN) / DVI (HDCP) / PC Audio Output Interface: Analog RGB (D-Sub) Control Interface: USB (type B) / RS232 (mini DIN) Weight: 3 Kg Dimension: 299 x 229 x 93 mm Remote Control: IR remote control with laser pointer & PgUp/PgDn functions Power Supply: AC Input 100~240V auto-switching power supply Power Consumption: 230 Watts (operational), 10 Watts (standby) Operation Temperature: 5°C ~ 35°C Noise Level: 28 dB in Standard Mode / 24 dB Eco Mode Uniformity: 90% SXGA, XGA, SVGA, VGA (resizing) 1080i), EDTV (480p), SDTV (480i,576i)	
EY.J5301.001	P1265, Adv. DLP™, XGA 1024 x 768, 2000:1, 2400 ANSI Lumens, DVI (HDCP), 2x Digital Zoom, 28dB, 3kg	546,-

### Travel Projector

<b>Specifications</b>	Display: DLP™ Resolution: Native XGA (1024 x 768), SXGA (1,280 x 1,024) compressed Aspect Ratio: 4:3 Native, 16:9 Compatible Contrast Ratio: 2000:1 Displayable Colors: 16.7 Million Colors <b>Brightness: 2000 ANSI Lumens</b> Projection Lens: F / 2.7 ~ 3, f = 21.83 ~ 23.81 mm 1:1.1 Manual Zoom and Manual Focus Projection Screen Size (Diagonal): 0.7m ~ 7.68m Projection Distance: 1.2m ~ 12m Horizontal Scan rate: 31.5 ~ 100 kHz Vertical Refresh Scan Rate: 56 ~ 85 Hz Lamp Type: 200 W User Replaceable P-VIP Lamp lamp Life: 3,000 Hours Keystone Correction: +/-16 Degrees (Vertical) Digital zoom: yes Picture in picture: no <b>Weight: 1.3 Kg</b> Computer Input: D-Sub / 3.5 Audio Mini Jack Dimension: 216 x 169 x 62 mm IR Remote Mouse Control with laser pointer and page up & page down function Power Supply: AC Input 100~240V auto-switching power supply Power Consumption: 250 Watts operation / 10 Watts standby Operation Temperature: 5°C ~ 35°C Noise Level: 31 dB in Eco Mode Uniformity: 85% SXGA, XGA, SVGA, VGA (resizing) 1080i), EDTV (480p), SDTV (480i)	
EY.J3501.001	PD323, Adv. DLP™, XGA 1024 x 768, 1.3kg, 2000:1, 2000 ANSI Lumens, 34dB	674,-



**- Projector -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Professional Projector</b>		

<b>Specifications</b>	<p>Display: DLP™            Native XGA (1024x768), Maximum UXGA (1600 x 1200), WSXGA+ (1680 x 1050)            Aspect Ratio: 4:3 Native, 16:9 Compatible  <b>Displayable Colors: 134 Million Colors</b>            Color wheel: 6 segments            Contrast Ratio: 2000:1            Brightness: 2700 ANSI Lumens (standard)            Digital Zoom: 2x            Wireless: 802.11b/g wireless technology / Ethernet Port (RJ45) / Wireless Antenna Connector (SMA)            Projection Lens: F = 2.41 ~ 2.55, f = 21.79mm ~ 23.99mm            1:1.1 Manual Zoom and Manual Focus            Projection Screen Size (Diagonal): 0.58m ~7.62m            Projection Distance: 1m ~ 11.9m            Throw Ratio: 50°@2m (1.95 ~ 2.15:1)            Horizontal Scan rate: 31.5 ~ 100 kHz            Vertical Refresh Scan Rate: 56 ~ 85 Hz            Lamp Type: 200 W User Replaceable Osram P-VIP Lamp            Lamp Life: 3,000 Hours standard, 4,000 hours eco            Keystone Correction: +/-40 Degrees (vertical)            Audio: One Internal Speaker with 2 W Output            Weight: 2.9 Kg            Input Interface: D-Sub / Composite Video (RCA) / S-Video / DVI (HDCP) / HDMI (Video, HDCP) / PC Audio            Output Interface: Analog RGB (D-Sub) / Network Audio (Stereo Mini Jack)            Control Interface: USB (type B) / RS232 (mini DIN)            Dimension: 299 x 229 x 93 mm            Remote Control (Infrared) with Laser Pointer &amp; Page up/Page down Function            Power Supply: AC Input 100~240V auto-switching power supply            Power Consumption: 275 Watts (operational) / 14 Watts (standby)            Operation Temperature: 5°C ~ 35°C            Noise Level: 31 dB in Standard Mode / 25dB in Eco Mode            Uniformity: 90%            Computer Compatibility: IBM PC and Compatibles, Apple Macintosh and iMac (Wireless and Ethernet function exclusive), and VESA Standards WSXGA+ (1680x1050), WXGA+ (1440x900)            WXGA (1280x800, 1280x768), UXGA (1600x1200), SXGA+ (1400x1050), SXGA (1280x1024)            XGA (1024x768), SVGA (800x600), VGA (640x480)</p>	
<b>[A]</b> EY.J5401.009	P5260i, Adv. DLP™, XGA 1024 x 768, 2000:1, 2700 ANSI Lumens, WLAN, DVI (HDCP), HDMI, 2x Digital Zoom, 31c	814,-

<b>Specifications</b>	<p>Display: DLP™            Native XGA (1024x768), Maximum UXGA (1600 x 1200), WSXGA+ (1680 x 1050)            Aspect Ratio: 4:3 Native, 16:9 Compatible  <b>Displayable Colors: 134 Million Colors</b>            Color wheel: 6 segments            Contrast Ratio: 2000:1            Brightness: 3000 ANSI Lumens (standard)            Digital Zoom: 2x            Projection Screen Size (Diagonal): 0.58m ~7.62m            Projection Distance: 1m ~ 11.9m            Horizontal Scan rate: 31.5 ~ 100 kHz            Vertical Refresh Scan Rate: 56 ~ 85 Hz            Lamp Type: 220 W User Replaceable UHP Lamp            Lamp Life: 3,000 Hours standard, 4,000 hours eco            Keystone Correction: +/-40 Degrees (vertical)            Audio: One Internal Speaker with 2 W Output            Weight: 3 Kg            Input Interface: 2 x D-Sub / Composite Video (RCA) / S-Video / DVI (HDCP) / HDMI (Video, HDCP) / 2 x PC Audio            Output Interface: Analog RGB (D-Sub)            Control Interface: USB (type B) / RS232 (mini DIN)            Dimension: 299 x 229 x 93 mm            Remote Control (Infrared) with Laser Pointer &amp; Page up/Page down Function            Power Supply: AC Input 100~240V auto-switching power supply            Power Consumption: 280 Watts (operational) / 10 Watts (standby)            Operation Temperature: 5°C ~ 35°C            Noise Level: 31 dB in Standard Mode / 28dB in Eco Mode            Uniformity: 90%            SXGA, XGA, SVGA, VGA (resizing)            1080i), EDTV (480p), SDTV (480i,576i)</p>	
EY.J5501.001	P5270, Adv. DLP™, XGA 1024 x 768, 2000:1, 3000 ANSI Lumens, DVI (HDCP), HDMI, 2x Digital Zoom, 33dB, 3kg	674,-



**- Projector -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Specifications</b>	Display: DLP™ Native XGA (1024x768), Maximum UXGA (1600 x 1200), WSXGA+ (1680 x 1050) Aspect Ratio: 4:3 Native, 16:9 Compatible <b>Displayable Colors: 1.07 Billion Colors</b> Color wheel: 6 segments Contrast Ratio: 2300:1 Brightness: 4000 ANSI Lumens (standard) Digital Zoom: 8x Wireless: 802.11b/g wireless technology / Ethernet Port (RJ45) / Wireless Antenna Connector (SMA) Projection Lens: F = 2.52 ~ 2.79, f = 22.55mm ~ 27.06mm 1:1.2 Manual Zoom and Manual Focus Projection Screen Size (Diagonal): 0.79m ~7.62m Projection Distance: 1.2m ~ 9.6m Throw Ratio: 63" @2m (1.57 ~ 1.89:1) Horizontal Scan rate: 27 ~ 92 kHz Vertical Refresh Scan Rate: 50 ~ 85 Hz Lamp Type: 280 W User Replaceable Osram P-VIP Lamp Lamp Life: 2,000 Hours standard / 3,000 hours eco Keystone Correction: +/-40 Degrees (vertical) Audio: 2 Internal Speaker with 3W Output Weight: 5.4 Kg Input Interface: D-Sub / Composite Video (RCA) / S-Video / Component (3 RCA) / DVI (HDCP) / HDMI (Video, Audio, HDCP) / PC Audio Output Interface: Analog RGB (D-Sub) / PC Audio (Stereo Mini Jack) / SPDIF Audio (RCA) / Network Audio (Stereo Mini Jack) Control Interface: USB (type B) / RS232 (mini DIN) / Wired Remote Control Port (Mini Jack) Dimension: 405 x 315 x 120 mm Remote Control (Infrared) with Laser Pointer & Page up/Page down Function Power Supply: AC Input 100~240V auto-switching power supply Power Consumption: 360 Watts (operational) / 20 Watts (standby) Operation Temperature: 5°C ~ 35°C Noise Level: 29 dB in Standard Mode / 27dB in Eco Mode Uniformity: 90% Computer Compatability: IBM PC and Compatibles, Apple Macintosh and iMac (Wireless and Ethernet function exclusive), and VESA Standards WSXGA+ (1680x1050), WXGA+ (1440x900) WXGA (1280x800, 1280x768), UXGA (1600x1200), SXGA+ (1400x1050), SXGA (1280x1024) XGA (1024x768), SVGA (800x600), VGA (640x480)	
EY.J6301.009	P7270i, Adv. DLPTM, XGA 1024 x 768, 2300:1, 4000 ANSI Lumens, WLAN, DVI (HDCP), HDMI, 8x Digital Zoom, PiP	1.226,-

### Home Cinema

<b>Specifications</b>	Display: DLP™ Resolution: Native 720p (1,280 x 720) Maximum UXGA (1,600 x 1,200), WSXGA+ (1,680 x 1,050) Aspect Ratio: 16:9 Native, 4:3 Compatible <b>Displayable Colors: 1.07 Billion Colors</b> Contrast Ratio: 2000:1 Brightness: 2000 ANSI Lumens (Standard), 1600 ANSI Lumens (Eco) Digital Zoom: 2x Projection Lens: F = 2.41 ~ 2.55, f = 21.79mm ~ 23.99mm 1:1.1 Manual Zoom and Manual Focus Projection Screen Size (Diagonal): 0.67m ~7.62m Projection Distance: 1m ~ 10.4m Throw Ratio: 58" @2m (1.56 ~ 1.72:1) Horizontal Scan rate: 31 ~ 100 kHz Vertical Refresh Scan Rate: 56 ~ 85 Hz Lamp Type: 180 W User Replaceable Osram P-VIP Lamp Lamp Life: 3,000 Hours standard, 4,000 hours eco Keystone Correction: +/-40 Degrees (vertical) Audio: One Internal Speaker with 2 W Output Weight: 2.3 Kg Input Interface: Analog RGB/Component Video (D-Sub) / Composite Video (RCA) / S-Video (mini DIN) / Component (3x RCA) / HDMI (Video, HDCP) / PC Audio Control Interface: USB (type B) 1x Dimension: 267 x 187 x 80 mm Power Supply: AC Input 100~240V auto-switching power supply Power Consumption: 245 Watts (operational) / <8 Watts (standby) Operation Temperature: 5°C ~ 35°C Noise Level: 32 dB in Standard Mode / 28 dB in Eco Mode Uniformity: 85% Computer Compatability: IBM PC and Compatibles, Apple Macintosh and iMac (Wireless and Ethernet function exclusive), and VESA Standards WSXGA+ (1680x1050), WXGA+ (1440x900) WXGA (1280x800, 1280x768), UXGA (1600x1200), SXGA+ (1400x1050), SXGA (1280x1024) XGA (1024x768), SVGA (800x600), VGA (640x480) Video Compatability: NTSC (3.58/4.43), PAL (B/D/G/H/I/M/N), SECAM (B/D/G/K/K1/L),
-----------------------	---



- Projector -  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
	HDTV (720p, 1080i, 1080p), EDTV (480p, 576p), SDTV (480i, 576i)	
EY.J6601.001	H5350, Adv. DLP™, Zoom, 720p (1,280 x 720), 2.3kg, 2000:1, 2000 ANSI Lumens, HD	649,-

---



**- Projector -**  
Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. BTW EURO
<b>Options Projector</b>		
EC.J0102.001	PL111 Replacement Lamp, 180W, NUP	181,-
EC.J1202.001	PH110/PD113P Replacement Lamp, 200W, NSH	135,-
EC.J0501.001	PD110/PD110z Replacement Lamp, 150W, hours, P-VIP	283,-
EC.J0201.002	PD112/PD112p Replacement Lamp, 200W, P-VIP	226,-
EC.J0401.002	PD116 Replacement Lamp, 200W, NSH	226,-
EC.J1001.001	PD116P / PD116PD / PD523 Replacement Lamp, 200W, UHP	226,-
EC.J3901.001	XD1150 Replacement Lamp, 180W, SHP	113,-
EC.J2101.001	PD100/PD100D/PD120/PD120D/XD1170D/XD1270D/XD1250P Replacement Lamp, 200W, UHP	147,-
EC.J5600.001	X1160 / X1260 Replacement Lamp, 160W, P-VIP	113,-
EC.J5200.001	P1165 / P1265 / H5350 Replacement Lamp, 180W, P-VIP	147,-
EC.J1601.001	PD125 / PD125D Replacement lamp, 200W, P-VIP	181,-
EC.J4301.001	XD1280D Replacement lamp, 230W, SHP lamp	147,-
EC.J0301.001	PD520 Replacement Lamp, 150W, P-VIP	283,-
EC.J0601.001	PD521 Replacement Lamp, 200W, P-VIP	226,-
EC.J2701.001	PD523PD / PD527W Replacement Lamp, 230W, P-VIP	147,-
EC.J4800.001	PD528 Replacement Lamp, 250W, P-VIP	147,-
EC.J5500.001	P5270 Replacement Lamp, 220W, UHP	147,-
EC.J5400.001	P5260i Replacement Lamp, 200W, P-VIP	113,-
EC.J0201.001	PD321 Replacement Lamp, 150W, P-VIP	260,-
EC.J1901.001	PD322 Replacement Lamp, 156W, P-VIP	260,-
EC.J3401.001	PD323 Replacement Lamp, 200W, P-VIP	147,-
EC.J0901.001	PD725 / PD725P Replacement Lamp, 300W, P-VIP	226,-
EC.J1101.001	PD723P Replacement Lamp, 250W, UHP	260,-
EC.J2901.001	PD726W/PD727 Replacement Lamp,300W, P-VIP	203,-
EC.J6300.001	P7270i Replacement Lamp, 280W, P-VIP	147,-
EC.J2302.001	PD115 / PH112 Replacement Lamp, 200W, NSH	135,-
EC.J4401.001	PH530 Replacement Lamp, 200W, SHP	169,-
EC.J3001.001	PH730 Replacement Lamp, 230W, P-VIP	169,-
JZ.J5600.002	X1160/X1260 Carrying Case and Remote Control	25,-
EZ.PCM03.007	Acer Universal Ceiling Mount (not for Travel PD322 / PD323)	65,-



**- Altos Rack + Option -**

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	Reseller	List Excl. btw
<b>Altos 19" Racks 24U Basic models</b>			
	Specifications * 1x Basic Rack 24U W600 D1000 * 4x 19" Server Sheet steel mounting hole extrusions * 2x Side panels D1000 * 2x multifunction member D1000 * 2x perforated sheet steel door (front & rear) * 2x Lock set for 2 doors (front/rear), complete, Type 1333 * 1x Top cover with cable entry install with "BrushStrip" * 1x Mobile plinth D1100 with cable entry and levelling feet * 1 x Earthing set, complete * 1 set (50pcs) Cage Nut M5 * 1 set (50pcs) Oval Head Screw M5 with washer * 1 set (5pcs) Cable Routing Ring * 1 x Acer Logo on the front door		
SO.24U00.001	Acer Altos 19" Server Rack 24U. Perforated Doors, Key Lock, Side Panels. WxDxH: 600x1000x1300	1.189,-	1.450,-
<b>Altos 19" Racks 42U Basic models</b>			
	Specifications * 1x Basic Rack 42U W600 D1000 * 4x 19" Server Shee steel mounting hole extrusions * 2x Side panels D1000 * 2x multifunctional struct D1000 * 2x perforated sheet steel door (front & rear) * 2x Lock set for 2 doors (front/rear), complete, Type 1333 * 1x Top cover with cable entry install with "BrushStrip" * 1x Mobile plinth D1100 with cable entry and levelling feet * 1 x Earthing set, complete * 1 set (50pcs) Cage Nut M5 * 1 set (50pcs) Oval Head Screw M5 with washer * 1 set (5pcs) Cable Routing Ring * 1 x Acer Logo on the front door		
SO.42U00.001	Acer Altos 19" Server Rack 42U. Perforated Doors, Key Lock, Side Panels. WxDxH: 600x1000x2100	1.209,-	1.474,-
<b>Altos 19" Racks and rack optional items</b>			
SO.CAMGT.001	Acer Altos Rack Cable Management pack basic: 1x 19" cable routing panel (with hooks), 3x cable ties (20 pcs each), 2x cable routing clamps (10pcs each)	89,-	109,-
SO.CAMGT.002	Acer Altos Rack Cable Management pack plus FC: : 1x 19" cable routing panel (with hooks), 3x cable ties (20 pcs each), 2x cable routing clamps (10pcs each), 1x Fiber Optic cable router	99,-	121,-
SO.MGMTK.001	Acer Altos Rack Managment Kit: RMS+front Panel, Sensors: Door intrusion, Humidity, Temperature	959,-	1.170,-
SO.TFTKV.004	Acer Altos Rack 1U 17" LCD panel with integrated 16 ports KVM switch. US KB. Needs 1 RICC interface for every server connected	1.779,-	2.170,-
SO.KVMIM.002	Acer Altos Rack RICC PS/2 Interface Module for 16 port KVM option SO.TFTKV.00x. One RICC required per server	79,-	96,-
SO.KVMIM.003	Acer Altos Rack RICC USB Interface Module for 16 port KVM option SO.TFTKV.00x. One RICC required per server	199,-	243,-
SO.ROLCD.004	Acer Altos Rack 1U 17" LCD Display + Keyboard US + Mouse Pad	1.089,-	1.328,-
SO.SMOKE.001	Acer Altos Rack Smoke detector. Needs RMS Kit SO.MGMTK.001	239,-	291,-
SO.DIV00.001	Acer Altos Rack Drawer 1U for storing rack equipment and server documentation.	99,-	121,-
SO.BL1U0.001	Acer Altos Rack 1 U Blanking Panel (1 piece)	19,-	23,-
SO.BL3U0.001	Acer Altos Rack 3 U Blanking Panel (1 piece)	29,-	35,-
SO.BL21U.001	Acer Altos Rack 1U+2U+3U+6U+9U Blanking panel set (1piece each fora total of 21U panels)	109,-	133,-
SO.SHELF.001	Acer Altos Rack fixed shelf for CRT or LCD Displays	59,-	72,-
SO.SHELF.002	Acer Altos Rack telescopic rail shelf. Charge 20kg, no vent slots and with handle for pullout	139,-	170,-
SO.SHELF.005	Acer Altos Rack telescopic rail shelf. Charge 50kg, vent slots, no handle for pullout	159,-	194,-
SO.SHELF.003	Acer Altos Rack telescopic drawer for compact Keyboards (max 415x193x35,5mm)	149,-	182,-
SO.F0000.002	Acer Altos Rack Fan Mounting set with Thermostat	149,-	182,-
SO.DI009.001	Acer Altos Rack Power distribution unit 9 shuko sockets with protection	189,-	230,-



**- Altos Server Option old models -**

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. btw
<b>Altos G310 optional items</b>		
<b>Memory Upgrade</b>		
[E] SO.D4256.M01	256MB DDR PC3200 ECC unbuffered	48,-
[E] SO.D4512.M01	512MB DDR PC3200 ECC unbuffered	116,-
[E] SO.D4100.M01	1GB DDR PC3200 ECC unbuffered	206,-
<b>SATA Harddisk</b>		
[E] SO.HA080.G08	SATA II 3,5" HDD - 80GB 7.2k RPM	48,-
[E] SO.HA250.G08	SATA II 3,5" HDD - 250GB 7.2k RPM	72,-
[E] SO.HA500.G08	SATA II 3,5" HDD - 500GB 7.2k RPM	145,-
<b>SCSI U320 Harddisk</b>		
SO.07310.0S2	U320 3,5" HDD-73GB 10K RPM 68 pin internal	255,-
SO.14610.0S2	U320 3,5" HDD-146GB 10K RPM 68 pin internal	340,-
SO.30010.0S2	U320 3,5" HDD-300GB 10K RPM 68 pin internal	584,-
<b>Backup Solution</b>		
SO.BIAIT.004	IDE AIT-E Turbo, 20/52GB, 5.25", internal, interface IDE UDMA100, black color, with cable, no media	535,-
SO.BIAIT.003	IDE AIT-1 Turbo, 40/104GB, 5.25", internal, interface IDE UDMA100, black color, with cable, no media	633,-
<b>Tape Media</b>		
[E] SO.02003.001	Tape Media AIT-E Turbo 20GB w/o MIC (5 pcs)	96,-
SO.04003.001	AIT1-Turbo 40GB data cartridges w/o MIC (5 pcs)	96,-
<b>Cleaning Cartridge</b>		
SO.CLN03.011	AIT cleaning cartridges (5pcs)	133,-
<b>Backup Software</b>		
[E] SO.1550B.001	Tapeware Backup software V7.0 XE. For Acer Tapes only	72,-
SO.CAPRO.001	Acer ValueSTOR Server Pro bundle. Arcserve 11.5 for Windows and Linux, 11.1 for NetWare version 11.5. Disaster Recovery Optional (not included), 3x ARCserve Backup Client Agent.	340,-
SO.CASBS.001	Acer ValueSTOR SBS bundle. Arcserve for Windows SBS Premium version 11.5	145,-
<b>Storage Interface</b>		
SO.S3000.U04	Altos Array SCSI controller, U320-1CH, (RAID 1 Support) PCI-X 64BIT,66/133MHZ, low profile card with full and low profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	109,-
SO.S3000.U02	Altos Array SCSI controller, U320-2CH, (RAID 1 support), PCI-X 64BIT,66/133MHZ, 2 internal 68P HD, 2 external 68P VHDCI, w/o SCSI cable	279,-
<b>FDD / CD / DVD</b>		
[E] SO.DVDR1.601	DVD/RW Dual Layer Black, IDE Internal 5,25". Nero Burning Software included	48,-
<b>Keyboard / Mouse</b>		
SO.MSOPT.002	Acer PS/2 Optical Wheel Mouse	22,-
SO.MSOPT.001	Acer USB Optical Wheel Mouse	22,-
NT.KUS03.063	Acer USB US/English Black Keyboard	22,-
NT.KUS03.200	Acer USB Belgic Black Keyboard	22,-
<b>Acer Advantage warranty pack</b>		
SV.WSVAE.E01	warranty 3Yon-site nbd G3xx	121,-
<b>Software</b>		
[E] SO.SBSEN.OC2	Win 2003 OEM SBS R2 Standard - EN - 5 CAL	304,-
[D] SO.SBPEN.OC2	Win 2003 OEM SBS R2 Premium EN - 5 CAL	755,-
SO.SBSML.CA2	5 USER CAL SBS R2 2003 Products (5 User CAL Booklet, EN/FR/DE/IT/ES)	377,-
[E] SO.OS5UK.OC2	Win 2003 OEM Server R2 - UK - 5 CAL	670,-
SO.OS5ML.CA2	5 USER CAL Windows® Server 2003 R2 Products (5 User CAL Booklet, EN/FR/DE/IT/ES )	121,-

Partnumber	Description	List Excl. btw
<b>Altos G320 optional items</b>		
	<b>Memory Upgrade</b>	
SO.D5512.M30	512MB DDR-2 533MHz, ECC, Unbuffered (G320)	72,-
SO.D51GB.M30	1GB DDR-2 533MHz, ECC, Unbuffered (G320)	243,-
	<b>SATA Harddisk</b>	
[E] SO.HA080.G08	SATA II 3,5" HDD - 80GB 7.2k RPM	48,-
[E] SO.HA250.G08	SATA II 3,5" HDD - 250GB 7.2k RPM	72,-
[E] SO.HA500.G08	SATA II 3,5" HDD - 500GB 7.2k RPM	145,-
	<b>SCSI U320 Harddisk</b>	
SO.07310.0S2	U320 3,5" HDD-73GB 10K RPM 68 pin internal	255,-
SO.14610.0S2	U320 3,5" HDD-146GB 10K RPM 68 pin internal	340,-
SO.30010.0S2	U320 3,5" HDD-300GB 10K RPM 68 pin internal	584,-
	<b>Backup Solution</b>	
SO.BIAIT.004	IDE AIT-E Turbo, 20/52GB, 5.25", internal, interface IDE UDMA100, black color, with cable, no media	535,-
SO.BIAIT.003	IDE AIT-1 Turbo, 40/104GB, 5.25", internal, interface IDE UDMA100, black color, with cable, no media	633,-
[E] SO.BAAIT.005	AIT-1 Turbo Drive, 40/104GB, 5.25", internal, SATA, black, 5x 40GB media included	609,-
[E] SO.BAAIT.006	AIT-2 Turbo Drive, 80/206GB, 5.25", internal, SATA, black, 5x80GB media and 1xclean media included	974,-
	<b>Tape Media</b>	
[E] SO.02003.001	Tape Media AIT-E Turbo 20GB w/o MIC (5 pcs)	96,-
SO.04003.001	AIT1-Turbo 40GB data cartridges w/o MIC (5 pcs)	96,-
SO.08003.001	AIT2-Turbo 80GB data cartridges w/o MIC (5 pcs)	182,-
SO.CLN03.011	AIT cleaning cartridges (5pcs)	133,-
	<b>Backup Software</b>	
[E] SO.1550B.001	Tapeware Backup software V7.0 XE. For Acer Tapes only	72,-
SO.CAPRO.001	Acer ValueSTOR Server Pro bundle. Arcserve 11.5 for Windows and Linux, 11.1 for NetWare version 11.5. Disaster Recovery Optional (not included), 3x ARCserve Backup Client Agent.	340,-
SO.CASBS.001	Acer ValueSTOR SBS bundle. Arcserve for Windows SBS Premium version 11.5	145,-
	<b>Storage Interface</b>	
SO.S3000.U04	Altos Array SCSI controller, U320-1CH, (RAID 1 Support) PCI-X 64BIT,66/133MHZ, low profile card with full and low profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	109,-
[E] SO.S3000.U05	Altos Array SCSI controller for Tapes, U320-1CH, PCI-X 64BIT,66/133MHZ, low profile card with full profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	84,-
SO.S3000.U02	Altos Array SCSI controller, U320-2CH, (RAID 1 support), PCI-X 64BIT,66/133MHZ, 2 internal 68P HD, 2 external 68P VHDCI, w/o SCSI cable	279,-
	<b>FDD / CD / DVD</b>	
[E] SO.DVDR1.601	DVD/RW Dual Layer Black, IDE Internal 5,25". Nero Burning Software included	48,-
	<b>Cabling</b>	
SO.CAS68.L27	Internal SCSI Cable, 842mm, 1x 68 pin connector plus terminator. For SCSI tape device in G330, G540, G5450, G5350, G530, R910.	48,-
	<b>Keyboard / Mouse</b>	
SO.MSOPT.002	Acer PS/2 Optical Wheel Mouse	22,-
SO.MSOPT.001	Acer USB Optical Wheel Mouse	22,-
NT.KUS03.063	Acer USB US/English Black Keyboard	22,-
NT.KUS03.200	Acer USB Belgic Black Keyboard	22,-
	<b>Server Management</b>	
[E] SO.EAS71.001	Acer Easybuild software suite 7.1	60,-
	<b>Acer Advantage warranty pack</b>	
SV.WSVAE.E01	warranty 3Yon-site nbd G3xx	121,-
	<b>Software</b>	
[E] SO.SBSEN.OC2	Win 2003 OEM SBS R2 Standard - EN - 5 CAL	304,-
[D] SO.SBPEN.OC2	Win 2003 OEM SBS R2 Premium EN - 5 CAL	755,-
SO.SBSML.CA2	5 USER CAL SBS R2 2003 Products (5 User CAL Booklet, EN/FR/DE/IT/ES)	377,-
[E] SO.OS5UK.OC2	Win 2003 OEM Server R2 - UK - 5 CAL	670,-
SO.OS5ML.CA2	5 USER CAL Windows® Server 2003 R2 Products (5 User CAL Booklet, EN/FR/DE/IT/ES )	121,-



Partnumber	Description	List Excl. btw
<b>Altos G330 optional items</b>		
<b>Memory Upgrade</b>		
SO.D61GB.M40	1GB ECC DDR-2 667MHz, unbuffered (G330)	72,-
SO.D62GB.M40	2GB ECC DDR-2 667MHz, unbuffered (G330)	145,-
<b>SATA Harddisk</b>		
SO.HA080.CS3	SATA II 3,5" HDD - 80GB 7,2k RPM in carrier	72,-
[D] SO.HA250.CS3	SATA II 3,5" HDD - 250GB 7.2k RPM in carrier	84,-
[D] SO.HA500.CS3	SATA II 3,5" HDD - 500GB 7.2k RPM in carrier	121,-
[D] SO.HA750.CS3	SATA II 3,5" HDD - 750GB 7.2k RPM in carrier	182,-
<b>SAS Harddisk</b>		
SO.HE073.G01	SAS 73GB 3,5" HDD, 15K RPM in carrier	194,-
SO.HE146.G01	SAS 146GB 3,5" HDD, 15K RPM in carrier	267,-
SO.HE300.G01	SAS 300GB 3,5" HDD, 15K RPM in carrier	487,-
<b>HDD Accessories</b>		
SO.G33SA.001	G330 SAS upgrade kit. Additional fan and cables to install internal SAS HDD in G330. (SAS Controller not included)	60,-
[U] SO.G33SA.002	G330 Hot Swap HDD upgrade kit. Additional backplane, fan and cables to add Hot Swap HDD feature (Controller not included)	133,-
<b>Backup Solution</b>		
SO.BUAIT.B09	AIT-1 Turbo Drive, 40/104GB, SATA/USB, 3.5"/5.25", internal, black, SATA cable, USB dongle, 5x40GB media, 1xclean media, CA Backup Software (Arcserve OEM 11,5 for Windows/Linux/Netware; Arcserve Desktop/Laptop version 11.1 - 3 users for Windows/Linux/Netw	523,-
SO.BUAIT.B10	AIT-2 Turbo Drive, 80/206GB, SATA/USB, 3.5"/5.25", internal, black, SATA cable, USB dongle, 5x80GB media, 1xclean media, CA Backup Software (Arcserve OEM 11,5 for Windows/Linux/Netware; Arcserve Desktop/Laptop version 11.1 - 3 users for Windows/Linux/Netw	828,-
SO.BUDS5.B03	DAT72 Drive, 36/72GB, 3.5"/5.25", internal, SATA/USB, black, SATA cable+USB converter, 5x 36GB media, 1x clean media, CA Backup Software (Arcserve OEM 11,5 for Windows/Linux/Netware; Arcserve Desktop/Laptop version 11.1 - 3 users for Windows/Linux/Netware	413,-
SO.BSDS5.B02	DAT72 Drive, 36/72GB, 3.5"/5.25", internal, U160 SCSI 68pin, black, SCSI cable, 5x 36GB media, 1x clean media, CA Backup Software (Arcserve OEM 11,5 for Windows/Linux/Netware; Arcserve Desktop/Laptop version 11.1 - 3 users for Windows/Linux/Netware)	413,-
<b>Tape Media</b>		
SO.04003.001	AIT1-Turbo 40GB data cartridges w/o MIC (5 pcs)	96,-
SO.08003.001	AIT2-Turbo 80GB data cartridges w/o MIC (5 pcs)	182,-
SO.05003.002	AIT2-Turbo 50GB data cartridges w MIC (WORM) (5 pcs)	279,-
SO.03603.001	DAT72 36/72GB data cartridges (5pcs), compatible with DAT72 and DAT160	84,-
<b>Cleaning Cartridge</b>		
SO.CLN03.011	AIT cleaning cartridges (5pcs)	133,-
SO.CLN03.012	DDS4/DAT72 cleaning cartridges (5pcs), compatible with DDS4 and DAT72	48,-
<b>Backup Software</b>		
SO.CAPRO.001	Acer ValueSTOR Server Pro bundle. Arcserve 11.5 for Windows and Linux, 11.1 for NetWare version 11.5. Disaster Recovery Optional (not included), 3x ARCserve Backup Client Agent.	340,-
SO.CASBS.001	Acer ValueSTOR SBS bundle. Arcserve for Windows SBS Premium version 11.5	145,-
<b>Storage Interface</b>		
SO.S3000.U04	Altos Array SCSI controller, U320-1CH, (RAID 1 Support) PCI-X 64BIT,66/133MHZ, low profile card with full and low profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	109,-
SO.SA000.A02	Altos Array SAS/SATA controller 4 ports. Support SW RAID 0,1,10,5 (Windows and Linux). PCI-Express 4x. Cable for Hot Plug Backplane included.	182,-
SO.SA256.A01	Altos Array SAS/SATA RAID 0,1,10,5,50,6, 60 controller, 8 ports. PCI-Express, 256MB Cache. Cables for Hot Plug Backplane included	377,-
SO.SABBU.A01	Altos Array Battery Backup Unit for SAS RAID controller SO.SA256.A01	133,-
<b>FDD / CD / DVD</b>		
SO.FLPG3.001	Internal 3,5" Floppy Disk Drive Kit for G330-G330Mk2-G5450, with FDD cable.	35,-
SO.DVDR1.603	DVDRW SuperMulti Black, SATA Internal 5,25"	60,-
<b>Keyboard / Mouse</b>		
SO.MSOPT.002	Acer PS/2 Optical Wheel Mouse	22,-
SO.MSOPT.001	Acer USB Optical Wheel Mouse	22,-
NT.KUS03.063	Acer USB US/English Black Keyboard	22,-
NT.KUS03.200	Acer USB Belgic Black Keyboard	22,-
<b>Network Interface</b>		
SO.LA11K.001	Intel PRO/1000 SV Adapter Gigabit PCI-E 1x. Ful height card plus low profile bracket	109,-
<b>Acer Advantage warranty pack</b>		
SV.WSVA.F.E01	warranty 3Yon-site nbd G3xx	121,-
<b>Software</b>		
[D] SO.SBSNL.OC3	Win 2003 OEM SBS R2 Bios Lock Standard - NL - 5 CAL	304,-
[D] SO.SBSEN.OC3	Win 2003 OEM SBS R2 Bios Lock Standard - EN - 5 CAL	304,-
[D] SO.SBPEN.OC2	Win 2003 OEM SBS R2 Premium EN - 5 CAL	755,-
SO.SBSML.CA2	5 USER CAL SBS R2 2003 Products (5 User CAL Booklet, EN/FR/DE/IT/ES)	377,-
[D] SO.OS5EU.OC3	Win 2003 OEM Server 32 Bit R2 Bios Lock - EN/DE/IT/FR/ES Multilanguage - 5 CAL	523,-

Partnumber	Description	List Excl. btw
<b>Altos G520 optional items</b>		
<b>CPU Upgrade</b>		
[E] SO.NOCON.28E	Xeon DP 2.8Ghz / 800FSB / 1MB	384,-
[E] SO.NOCON.30E	Xeon DP 3.0Ghz / 800FSB / 1MB	335,-
[E] SO.NOCON.32E	Xeon DP 3.2Ghz / 800FSB / 1MB	591,-
[E] SO.NOCON.36E	Xeon DP 3.6Ghz / 800FSB / 1MB	1.218,-
<b>CPU Heatsink</b>		
[E] SO.G520H.001	G520 additional CPU Heatsink	60,-
<b>Memory Upgrade</b>		
SO.95395.795	512MB DDR PC2700 ECC Registered	109,-
[E] SO.M1GBD.004	1GB DDR PC2700 ECC Registered	279,-
[E] SO.M2GBD.002	2GB DDR PC2700 ECC Registered	730,-
<b>SATA Harddisk</b>		
[E] SO.HA080.G08	SATA II 3,5" HDD - 80GB 7,2k RPM	48,-
[E] SO.HA250.G08	SATA II 3,5" HDD - 250GB 7.2k RPM	72,-
[E] SO.HA500.G08	SATA II 3,5" HDD - 500GB 7.2k RPM	145,-
<b>SCSI U320 Harddisk</b>		
SO.07310.CS2	U320 3,5" HDD-73GB 10K RPM 80 PIN Hot Swap in carrier	267,-
SO.14610.CS2	U320 3,5" HDD-146GB 10K RPM 80 PIN Hot Swap in carrier	365,-
SO.30010.CS2	U320 3,5" HDD-300GB 10K RPM 80 PIN Hot Swap in carrier	535,-
SO.03615.CS2	U320 3,5" HDD-36GB 15K RPM 80 PIN Hot Swap in carrier	267,-
SO.07315.CS2	U320 3,5" HDD-73GB 15K RPM 80 PIN Hot Swap in carrier	340,-
SO.14615.CS2	U320 3,5" HDD-146GB 15K RPM 80 PIN Hot Swap in carrier	389,-
<b>HDD Accessories</b>		
[E] SO.CAG04.C03	fixed SATA cage 4x HDD incl. cable, incl. 4* drive cage	55,-
[E] SO.CAG04.C04	fixed SCSI U320 cage 4x HDD incl. cable, incl. 4* drive cage	55,-
[E] SO.CAG04.C01	hotswap SATA cage 4x HDD incl. cable, incl. 4* drive cage	206,-
SO.CAG04.C02	hotswap SCSI U320 cage 4x HDD incl. cable, incl. 4* drive cage	133,-
[E] SO.CAR04.C01	full function HDD carrier	23,-
<b>Backup Solution</b>		
SO.BIAIT.004	IDE AIT-E Turbo, 20/52GB, 5.25", internal, interface IDE UDMA100, black color, with cable, no media	535,-
SO.BIAIT.003	IDE AIT-1 Turbo, 40/104GB, 5.25", internal, interface IDE UDMA100, black color, with cable, no media	633,-
[E] SO.BSDS5.002	DAT72 Drive, 36/72GB, 3.5"/5.25", internal, U160 SCSI 68pin, black, SCSI cable, no media	389,-
[E] SO.BSAIT.004	AIT-2 Turbo Drive 80/206GB, U160 SCSI 68pin, 3.5"/5.25", internal, black, SCSI cable, no media	609,-
[E] SO.BSLTO.005	LTO-2 Drive, 200/400GB, U160 SCSI 68pin, 5,25", internal Half Height, black, SCSI cable, no media	987,-
[E] SO.BSLTO.006	LTO-3 Drive, 400/800GB, U160 SCSI 68pin, 5,25", internal Full Height, black, SCSI cable, no media	2.682,-



**- Altos Server Option old models -**

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. btw
<b>Tape Media</b>		
[E] SO.02003.001	Tape Media AIT-E Turbo 20GB w/o MIC (5 pcs)	96,-
SO.04003.001	AIT1-Turbo 40GB data cartridges w/o MIC (5 pcs)	96,-
SO.08003.001	AIT2-Turbo 80GB data cartridges w/o MIC (5 pcs)	182,-
SO.05003.002	AIT2-Turbo 50GB data cartridges w MIC (WORM) (5 pcs)	279,-
SO.03603.001	DAT72 36/72GB data cartridges (5pcs), compatible with DAT72 and DAT160	84,-
SO.20003.001	LTO-2 200/400GB data cartridges w/ MIC (5 pcs)	182,-
SO.40003.001	LTO-3 400/800GB data cartridges w/ MIC (5 pcs)	316,-
<b>Cleaning Cartridge</b>		
SO.CLN03.011	AIT cleaning cartridges (5pcs)	133,-
SO.CLN03.012	DDS4/DAT72 cleaning cartridges (5pcs), compatible with DDS4 and DAT72	48,-
SO.CLN03.013	LTO cleaning cartridges (5pcs)	340,-
<b>Backup Software</b>		
[E] SO.1550B.001	Tapeware Backup software V7.0 XE. For Acer Tapes only	72,-
SO.CAPRO.001	Acer ValueSTOR Server Pro bundle. Arcserve 11.5 for Windows and Linux, 11.1 for NetWare version 11.5. Disaster Recovery Optional (not included), 3x ARCserve Backup Client Agent.	340,-
SO.CASBS.001	Acer ValueSTOR SBS bundle. Arcserve for Windows SBS Premium version 11.5	145,-
<b>Storage Interface</b>		
SO.S3000.U04	Altos Array SCSI controller, U320-1CH, (RAID 1 Support) PCI-X 64BIT,66/133MHZ, low profile card with full and low profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	109,-
[E] SO.S3000.U05	Altos Array SCSI controller for Tapes, U320-1CH, PCI-X 64BIT,66/133MHZ, low profile card with full profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	84,-
SO.S3000.U02	Altos Array SCSI controller, U320-2CH, (RAID 1 support), PCI-X 64BIT,66/133MHZ, 2 internal 68P HD, 2 external 68P VHDCI, w/o SCSI cable	279,-
SO.R0008.A00	Altos Array SATA RAID controller, 8 port SATA II RAID card, 128MB, no BBU	462,-
[E] SO.R1064.A00	RAID SCSI 320-1CH 64BIT 66MHZ PCI2.2 , 64MB SDRAM (SUPPORT RAID 5)	413,-
SO.R1128.A00	Altos Array SCSI RAID controller, 320-1CH 64BIT, 66MHZ PCI, 128MB SDRAM.No BBU	487,-
SO.R2128.A00	Altos Array SCSI RAID controller, 320-2CH 64BIT, 66MHZ PCI, 128MB SDRAM. With BBU	877,-
SO.R4256.A00	Altos Array SCSI RAID controller, 320-4CH, 64BIT,66/133MH PCI-X, 256MB DDR. With BBU	1.218,-
<b>FDD / CD / DVD</b>		
[E] SO.DVDR1.601	DVD/RW Dual Layer Black, IDE Internal 5,25". Nero Burning Software included	48,-
<b>Power Supply</b>		
[E] SO.G5205.002	610W hot-swap redundant power supply module for G520	206,-
<b>Rack Kit</b>		
[E] SO.G52RM.003	Rackmount rail kit + shelf	189,-
<b>Keyboard / Mouse</b>		
SO.MSOPT.002	Acer PS/2 Optical Wheel Mouse	22,-
SO.MSOPT.001	Acer USB Optical Wheel Mouse	22,-
NT.KUS03.063	Acer USB US/English Black Keyboard	22,-
NT.KUS03.200	Acer USB Belgic Black Keyboard	22,-
<b>Network Interface</b>		
[E] LA.ESVPR.100	Intel Pro/100 + Server adapter	84,-
SO.LA11K.001	Intel PRO/1000 SV Adapter Gigabit PCI-E 1x. Full height card plus low profile bracket	109,-
<b>Server Management</b>		
[E] SO.ARM05.003	Acer Remote Management Card 2 standard (without BBU & Modem)	535,-
SO.ARM05.004	Acer Remote Management Card 2 advanced (with BBU & Modem)	657,-
<b>Acer Advantage warranty pack</b>		
SV.WSVAE.E04	warranty 3Yon-site 4H onsite G5xx/R3xx/R5xx (mon-fri. 09:00-18:00, call before 14:00, if later than 14:00 onsite next business morning)	438,-
<b>Software</b>		
[E] SO.SBSEN.OC2	Win 2003 OEM SBS R2 Standard - EN - 5 CAL	304,-
[D] SO.SBPEN.OC2	Win 2003 OEM SBS R2 Premium EN - 5 CAL	755,-
SO.SBSML.CA2	5 USER CAL SBS R2 2003 Products (5 User CAL Booklet, EN/FR/DE/IT/ES)	377,-
[E] SO.OS5UK.OC2	Win 2003 OEM Server R2 - UK - 5 CAL	670,-
SO.OS5ML.CA2	5 USER CAL Windows® Server 2003 R2 Products (5 User CAL Booklet, EN/FR/DE/IT/ES )	121,-
SO.WEE0B.006	Win 2003 OEM Enterprise Server 32 Bit R2 - UK - 25 CAL	2.157,-

Partnumber	Description	List Excl. btw
<b>Altos G530 optional items</b>		
<b>CPU Upgrade</b>		
SO.IRWIN.30H	Xeon DP 3.0GHz, 2MB, 800MHz FSB, R-0 step	243,-
SO.IRWIN.32H	Xeon DP 3.2GHz, 2MB, 800MHz FSB, R-0 step	413,-
SO.IRWIN.34H	Xeon DP 3.4GHz, 2MB, 800MHz FSB, R-0 step	584,-
SO.IRWIN.36H	Xeon DP 3.6GHz, 2MB, 800MHz FSB, R-0 step	877,-
SO.IRWIN.38H	Xeon DP 3.8GHz, 2MB, 800MHz FSB, R-0 step	1.584,-
<b>CPU Heatsink</b>		
SO.G530H.001	G530 additional CPU Heatsink	72,-
<b>Memory Upgrade</b>		
SO.D4512.M20	512MB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	60,-
[U] SO.D4100.M20	1GB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	243,-
[U] SO.D2400.020	2GB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	730,-
<b>SATA Harddisk</b>		
SO.HA080.CS3	SATA II 3,5" HDD - 80GB 7,2k RPM in carrier	72,-
[D] SO.HA250.CS3	SATA II 3,5" HDD - 250GB 7.2k RPM in carrier	84,-
[D] SO.HA500.CS3	SATA II 3,5" HDD - 500GB 7.2k RPM in carrier	121,-
[D] SO.HA750.CS3	SATA II 3,5" HDD - 750GB 7.2k RPM in carrier	182,-
<b>SCSI U320 Harddisk</b>		
SO.07310.CS2	U320 3,5" HDD-73GB 10K RPM 80 PIN Hot Swap in carrier	267,-
SO.14610.CS2	U320 3,5" HDD-146GB 10K RPM 80 PIN Hot Swap in carrier	365,-
SO.30010.CS2	U320 3,5" HDD-300GB 10K RPM 80 PIN Hot Swap in carrier	535,-
SO.03615.CS2	U320 3,5" HDD-36GB 15K RPM 80 PIN Hot Swap in carrier	267,-
SO.07315.CS2	U320 3,5" HDD-73GB 15K RPM 80 PIN Hot Swap in carrier	340,-
SO.14615.CS2	U320 3,5" HDD-146GB 15K RPM 80 PIN Hot Swap in carrier	389,-
<b>HDD Accessories</b>		
SO.CAG05.C01	G530-G5350 Hot Swap SCSI HDD cage with 4 dummy trays	182,-
SO.CAG05.C06	hotswap SATA cage with 4 dummy tray	157,-
<b>Backup Solution</b>		
SO.BIAIT.004	IDE AIT-E Turbo, 20/52GB, 5.25", internal, interface IDE UDMA100, black color, with cable, no media	535,-
SO.BIAIT.003	IDE AIT-1 Turbo, 40/104GB, 5.25", internal, interface IDE UDMA100, black color, with cable, no media	633,-
[E] SO.BAAIT.005	AIT-1 Turbo Drive, 40/104GB, 5.25", internal, SATA, black, 5x 40GB media included	609,-
[E] SO.BAAIT.006	AIT-2 Turbo Drive, 80/206GB, 5.25", internal, SATA, black, 5x80GB media and 1xclean media included	974,-
[E] SO.BSDS5.002	DAT72 Drive, 36/72GB, 3.5"/5.25", internal, U160 SCSI 68pin, black, SCSI cable, no media	389,-
[E] SO.BSAIT.004	AIT-2 Turbo Drive 80/206GB, U160 SCSI 68pin, 3.5"/5.25", internal, black, SCSI cable, no media	609,-
[E] SO.BSLTO.005	LTO-2 Drive, 200/400GB, U160 SCSI 68pin, 5,25", internal Half Height, black, SCSI cable, no media	987,-
[E] SO.BSLTO.006	LTO-3 Drive, 400/800GB, U160 SCSI 68pin, 5,25", internal Full Height, black, SCSI cable, no media	2.682,-
[E] SO.BSLTO.E30	LTO-3 Drive, 400/800GB, U320 SCSI 68pin, external Full-Height, black, external SCSI cable (HD-VHDCI), no media	1.828,-
<b>Tape Media</b>		
[E] SO.02003.001	Tape Media AIT-E Turbo 20GB w/o MIC (5 pcs)	96,-
SO.04003.001	AIT1-Turbo 40GB data cartridges w/o MIC (5 pcs)	96,-
SO.08003.001	AIT2-Turbo 80GB data cartridges w/o MIC (5 pcs)	182,-
SO.05003.002	AIT2-Turbo 50GB data cartridges w MIC (WORM) (5 pcs)	279,-
SO.03603.001	DAT72 36/72GB data cartridges (5pcs), compatible with DAT72 and DAT160	84,-
SO.20003.001	LTO-2 200/400GB data cartridges w/ MIC (5 pcs)	182,-
SO.40003.001	LTO-3 400/800GB data cartridges w/ MIC (5 pcs)	316,-
<b>Cleaning Cartridge</b>		
SO.CLN03.011	AIT cleaning cartridges (5pcs)	133,-
SO.CLN03.012	DDS4/DAT72 cleaning cartridges (5pcs), compatible with DDS4 and DAT72	48,-
SO.CLN03.013	LTO cleaning cartridges (5pcs)	340,-
<b>Backup Software</b>		
[E] SO.1550B.001	Tapeware Backup software V7.0 XE. For Acer Tapes only	72,-
SO.CAPRO.001	Acer ValueSTOR Server Pro bundle. Arcserve 11.5 for Windows and Linux, 11.1 for NetWare version 11.5. Disaster Recovery Optional (not included), 3x ARCserve Backup Client Agent.	340,-
SO.CASBS.001	Acer ValueSTOR SBS bundle. Arcserve for Windows SBS Premium version 11.5	145,-

Partnumber	Description	List Excl. btw
	<b>Storage Interface</b>	
SO.S3000.U04	Altos Array SCSI controller, U320-1CH, (RAID 1 Support) PCI-X 64BIT,66/133MHZ, low profile card with full and low profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	109,-
[E] SO.S3000.U05	Altos Array SCSI controller for Tapes, U320-1CH, PCI-X 64BIT,66/133MHZ, low profile card with full profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	84,-
SO.S3000.U02	Altos Array SCSI controller, U320-2CH, (RAID 1 support), PCI-X 64BIT,66/133MHZ, 2 internal 68P HD, 2 external 68P VHDCI, w/o SCSI cable	279,-
SO.R0008.A00	Altos Array SATA RAID controller, 8 port SATA II RAID card, 128MB, no BBU	462,-
[E] SO.R1064.A00	RAID SCSI 320-1CH 64BIT 66MHZ PCI2.2 , 64MB SDRAM (SUPPORT RAID 5)	413,-
SO.R1128.A00	Altos Array SCSI RAID controller, 320-1CH 64BIT, 66MHZ PCI, 128MB SDRAM.No BBU	487,-
SO.R2128.A00	Altos Array SCSI RAID controller, 320-2CH 64BIT, 66MHZ PCI, 128MB SDRAM. With BBU	877,-
SO.R4256.A00	Altos Array SCSI RAID controller, 320-4CH, 64BIT,66/133MH PCI-X, 256MB DDR. With BBU	1.218,-
	<b>FDD / CD / DVD</b>	
[E] SO.DVDR1.601	DVD/RW Dual Layer Black, IDE Internal 5,25". Nero Burning Software included	48,-
	<b>Cabling</b>	
SO.CAS68.L27	Internal SCSI Cable, 842mm, 1x 68 pin connector plus terminator. For SCSI tape device in G330, G540, G5450, G5350, G530, R910.	48,-
[E] SO.CAS68.L25	SCSI 68PIN, U320, 110cm Cable (6 conn. with Terminator)	55,-
	<b>Power Supply</b>	
SO.G5305.001	G530-G5350-G540-G5450 610W Hot Swap Redundant Power Supply. Euro and UK power cable included	133,-
	<b>Rack Kit</b>	
SO.G53RM.001	G530-G5350 Rackmount Rail Kit + Shelf 6U	377,-
	<b>Keyboard / Mouse</b>	
SO.MSOPT.002	Acer PS/2 Optical Wheel Mouse	22,-
SO.MSOPT.001	Acer USB Optical Wheel Mouse	22,-
NT.KUS03.063	Acer USB US/English Black Keyboard	22,-
NT.KUS03.200	Acer USB Belgic Black Keyboard	22,-
	<b>Network Interface</b>	
SO.LA01K.005	Intel Pro/1000MT Server Adapter Gigabit 1000BaseT PCI-X 64bit/133Mhz, full and low height bracket	109,-
	<b>Server Management</b>	
[E] SO.ARM05.003	Acer Remote Management Card 2 standard (without BBU & Modem)	535,-
SO.ARM05.004	Acer Remote Management Card 2 advanced (with BBU & Modem)	657,-
	<b>Acer Advantage warranty pack</b>	
SV.WSVAF.E04	warranty 3Yon-site 4H onsite G5xx/R3xx/R5xx (mon-fri. 09:00-18:00, call before 14:00, if later than 14:00 onsite next business morning)	438,-
	<b>Software</b>	
[E] SO.SBSEN.OC2	Win 2003 OEM SBS R2 Standard - EN - 5 CAL	304,-
[D] SO.SBPEN.OC2	Win 2003 OEM SBS R2 Premium EN - 5 CAL	755,-
SO.SBSML.CA2	5 USER CAL SBS R2 2003 Products (5 User CAL Booklet, EN/FR/DE/IT/ES)	377,-
[E] SO.OS5UK.OC2	Win 2003 OEM Server R2 - UK - 5 CAL	670,-
SO.OS5ML.CA2	5 USER CAL Windows® Server 2003 R2 Products (5 User CAL Booklet, EN/FR/DE/IT/ES )	121,-
SO.WEE0B.006	Win 2003 OEM Enterprise Server 32 Bit R2 - UK - 25 CAL	2.157,-

Partnumber	Description	List Excl. btw
<b>Altos G5350 optional items</b>		
<b>CPU Upgrade</b>		
[E] SO.OPEKT.246	AMD Opteron 246 2GHz (incl. Heatsink)	194,-
[E] SO.OPEKT.248	AMD Opteron 248 2.2GHz G5350 upgrade kit. Heatsink included.	267,-
[E] SO.OPEKT.270	AMD Opteron 270 2.0GHz G5350 upgrade kit. Heatsink included.	401,-
<b>Memory Upgrade</b>		
SO.95395.795	512MB DDR PC2700 ECC Registered	109,-
[E] SO.M1GBD.004	1GB DDR PC2700 ECC Registered	279,-
SO.D41GB.M10	1GB DDR 400MHz, ECC, Registered, S-rank (G5350)	255,-
[E] SO.D42GB.M10	2GB DDR 400MHz, ECC, Registered, D-rank (G5350)	633,-
<b>SATA Harddisk</b>		
SO.HA080.CS3	SATA II 3,5" HDD - 80GB 7.2k RPM in carrier	72,-
[D] SO.HA250.CS3	SATA II 3,5" HDD - 250GB 7.2k RPM in carrier	84,-
[D] SO.HA500.CS3	SATA II 3,5" HDD - 500GB 7.2k RPM in carrier	121,-
[D] SO.HA750.CS3	SATA II 3,5" HDD - 750GB 7.2k RPM in carrier	182,-
<b>SCSI U320 Harddisk</b>		
SO.07310.CS2	U320 3,5" HDD-73GB 10K RPM 80 PIN Hot Swap in carrier	267,-
SO.14610.CS2	U320 3,5" HDD-146GB 10K RPM 80 PIN Hot Swap in carrier	365,-
SO.30010.CS2	U320 3,5" HDD-300GB 10K RPM 80 PIN Hot Swap in carrier	535,-
SO.03615.CS2	U320 3,5" HDD-36GB 15K RPM 80 PIN Hot Swap in carrier	267,-
SO.07315.CS2	U320 3,5" HDD-73GB 15K RPM 80 PIN Hot Swap in carrier	340,-
SO.14615.CS2	U320 3,5" HDD-146GB 15K RPM 80 PIN Hot Swap in carrier	389,-
<b>HDD Accessories</b>		
SO.CAG05.C01	G530-G5350 Hot Swap SCSI HDD cage with 4 dummy trays	182,-
SO.CAG05.C06	hotswap SATA cage with 4 dummy tray	157,-
SO.CAG05.C07	G540-G5450 additional Hot Swap SAS/SATA HDD cage with 4 dummy trays and cable	96,-
<b>Backup Solution</b>		
SO.BIAIT.003	IDE AIT-1 Turbo, 40/104GB, 5.25", internal, interface IDE UDMA100, black color, with cable, no media	633,-
SO.BIAIT.004	IDE AIT-E Turbo, 20/52GB, 5.25", internal, interface IDE UDMA100, black color, with cable, no media	535,-
[E] SO.BSAIT.004	AIT-2 Turbo Drive 80/206GB, U160 SCSI 68pin, 3.5"/5.25", internal, black, SCSI cable, no media	609,-
SO.BSAIT.B04	AIT-2 Turbo Drive 80/206GB, U160 SCSI 68pin, 3.5"/5.25", internal, black, SCSI cable, 5x80GB media, 1xclean media, CA Backup Software (Arcserve OEM 11,5 for Windows/Linux/Netware; Arcserve Desktop/Laptop version 11.1 - 3 users for Windows/Linux/Netware)	901,-
[E] SO.BSDS5.002	DAT72 Drive, 36/72GB, 3.5"/5.25", internal, U160 SCSI 68pin, black, SCSI cable, no media	389,-
SO.BSDS5.B02	DAT72 Drive, 36/72GB, 3.5"/5.25", internal, U160 SCSI 68pin, black, SCSI cable, 5x 36GB media, 1x clean media, CA Backup Software (Arcserve OEM 11,5 for Windows/Linux/Netware; Arcserve Desktop/Laptop version 11.1 - 3 users for Windows/Linux/Netware)	413,-
[E] SO.BSLTO.005	LTO-2 Drive, 200/400GB, U160 SCSI 68pin, 5,25", internal Half Height, black, SCSI cable, no media	987,-
SO.BSLTO.B05	LTO-2 Drive, 200/400GB, U160 SCSI 68pin, 5,25", internal Half Height, black, SCSI cable, 5x200GB media 1xclean media, CA Backup Software (Arcserve OEM 11,5 for Windows/Linux/Netware; Arcserve Desktop/Laptop version 11.1 - 3 users for Windows/Linux/Netware)	1.109,-
[E] SO.BSLTO.006	LTO-3 Drive, 400/800GB, U160 SCSI 68pin, 5,25", internal Full Height, black, SCSI cable, no media	2.682,-
[E] SO.BSLTO.B06	LTO-3 Drive, 400/800GB, U160 SCSI 68pin, 5,25", internal Full Height,black, SCSI cable, 5x400GB media 1xclean media, CA Backup Software (Arcserve OEM 11,5 for Windows/Linux/Netware; Arcserve Desktop/Laptop version 11.1 - 3 users for Windows/Linux/Netware)	3.048,-
<b>Tape Media</b>		
SO.04003.001	AIT1-Turbo 40GB data cartridges w/o MIC (5 pcs)	96,-
[E] SO.02003.001	Tape Media AIT-E Turbo 20GB w/o MIC (5 pcs)	96,-
SO.08003.001	AIT2-Turbo 80GB data cartridges w/o MIC (5 pcs)	182,-
SO.05003.002	AIT2-Turbo 50GB data cartridges w MIC (WORM) (5 pcs)	279,-
SO.03603.001	DAT72 36/72GB data cartridges (5pcs), compatible with DAT72 and DAT160	84,-
SO.20003.001	LTO-2 200/400GB data cartridges w/ MIC (5 pcs)	182,-
SO.40003.001	LTO-3 400/800GB data cartridges w/ MIC (5 pcs)	316,-
<b>Cleaning Cartridge</b>		
SO.CLN03.011	AIT cleaning cartridges (5pcs)	133,-
SO.CLN03.012	DDS4/DAT72 cleaning cartridges (5pcs), compatible with DDS4 and DAT72	48,-
SO.CLN03.013	LTO cleaning cartridges (5pcs)	340,-
<b>Backup Software</b>		
[E] SO.1550B.001	Tapeware Backup software V7.0 XE. For Acer Tapes only	72,-
SO.CAPRO.001	Acer ValueSTOR Server Pro bundle. Arcserve 11.5 for Windows and Linux, 11.1 for NetWare version 11.5. Disaster Recovery Optional (not included), 3x ARCserve Backup Client Agent.	340,-
SO.CASBS.001	Acer ValueSTOR SBS bundle. Arcserve for Windows SBS Premium version 11.5	145,-

Partnumber	Description	List Excl. btw
<b>Storage Interface</b>		
[E] SO.SG535.U01	Altos Array SCSI, G5350 SCSI module 2-CH	96,-
SO.R0008.A00	Altos Array SATA RAID controller, 8 port SATA II RAID card, 128MB, no BBU	462,-
SO.R1128.A00	Altos Array SCSI RAID controller, 320-1CH 64BIT, 66MHZ PCI, 128MB SDRAM.No BBU	487,-
SO.R2128.A00	Altos Array SCSI RAID controller, 320-2CH 64BIT, 66MHZ PCI, 128MB SDRAM. With BBU	877,-
SO.R4256.A00	Altos Array SCSI RAID controller, 320-4CH, 64BIT,66/133MH PCI-X, 256MB DDR. With BBU	1.218,-
<b>FDD / CD / DVD</b>		
[E] SO.DVDR1.601	DVD/RW Dual Layer Black, IDE Internal 5,25". Nero Burning Software included	48,-
<b>Cabling</b>		
SO.CAS68.L27	Internal SCSI Cable, 842mm, 1x 68 pin connector plus terminator. For SCSI tape device in G330, G540, G5450, G5350, G530, R910.	48,-
<b>Power Supply</b>		
SO.G5305.001	G530-G5350-G540-G5450 610W Hot Swap Redundant Power Supply. Euro and UK power cable included	133,-
<b>Rack Kit</b>		
SO.G53RM.001	G530-G5350 Rackmount Rail Kit + Shelf 6U	377,-
<b>Keyboard / Mouse</b>		
SO.MSOPT.002	Acer PS/2 Optical Wheel Mouse	22,-
SO.MSOPT.001	Acer USB Optical Wheel Mouse	22,-
NT.KUS03.063	Acer USB US/English Black Keyboard	22,-
NT.KUS03.200	Acer USB Belgic Black Keyboard	22,-
<b>Network Interface</b>		
SO.LA01K.005	Intel Pro/1000MT Server Adapter Gigabit 1000BaseT PCI-X 64bit/133Mhz, full and low height bracket	109,-
<b>Fan kit</b>		
SO.G5RFN.001	G5350 redundant rear fan. Contains the second non hot swap fan.	48,-
<b>Server Management</b>		
SO.ARM05.004	Acer Remote Management Card 2 advanced (with BBU & Modem)	657,-
SO.BMCG5.001	Acer Management module for G5350 (BMC module)	121,-
<b>Acer Advantage warranty pack</b>		
SV.WSVAE.E04	warranty 3Yon-site 4H onsite G5xx/R3xx/R5xx (mon-fri. 09:00-18:00, call before 14:00, if later than 14:00 onsite next business morning)	438,-
<b>Operating Software</b>		
[E] SO.SBSEN.OC2	Win 2003 OEM SBS R2 Standard - EN - 5 CAL	304,-
[D] SO.SBSEN.OC3	Win 2003 OEM SBS R2 Bios Lock Standard - EN - 5 CAL	304,-
[D] SO.SBPEN.OC2	Win 2003 OEM SBS R2 Premium EN - 5 CAL	755,-
SO.SBSML.CA2	5 USER CAL SBS R2 2003 Products (5 User CAL Booklet, EN/FR/DE/IT/ES)	377,-
[D] SO.OS5EU.OC3	Win 2003 OEM Server 32 Bit R2 Bios Lock - EN/DE/IT/FR/ES Multilanguage - 5 CAL	523,-
SO.OS5ML.CA2	5 USER CAL Windows® Server 2003 R2 Products (5 User CAL Booklet, EN/FR/DE/IT/ES )	121,-
SO.WEE0B.006	Win 2003 OEM Enterprise Server 32 Bit R2 - UK - 25 CAL	2.157,-



Partnumber	Description	List Excl. btw
<b>Altos G710 optional items</b>		
<b>CPU Upgrade</b>		
[E] SO.NOCON.28E	Xeon DP 2.8Ghz / 800FSB / 1MB	384,-
[E] SO.NOCON.30E	Xeon DP 3.0Ghz / 800FSB / 1MB	335,-
[E] SO.NOCON.32E	Xeon DP 3.2Ghz / 800FSB / 1MB	591,-
[E] SO.NOCON.36E	Xeon DP 3.6Ghz / 800FSB / 1MB	1.218,-
<b>Memory Upgrade (ROMB only)</b>		
[E] SO.D4256.M01	256MB DDR PC3200 ECC unbuffered	48,-
<b>Memory Upgrade</b>		
SO.D4512.M20	512MB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	60,-
[U] SO.D4100.M20	1GB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	243,-
[U] SO.D2400.020	2GB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	730,-
<b>SCSI U320 Harddisk</b>		
SO.07310.CS2	U320 3,5" HDD-73GB 10K RPM 80 PIN Hot Swap in carrier	267,-
SO.14610.CS2	U320 3,5" HDD-146GB 10K RPM 80 PIN Hot Swap in carrier	365,-
SO.30010.CS2	U320 3,5" HDD-300GB 10K RPM 80 PIN Hot Swap in carrier	535,-
SO.03615.CS2	U320 3,5" HDD-36GB 15K RPM 80 PIN Hot Swap in carrier	267,-
SO.07315.CS2	U320 3,5" HDD-73GB 15K RPM 80 PIN Hot Swap in carrier	340,-
SO.14615.CS2	U320 3,5" HDD-146GB 15K RPM 80 PIN Hot Swap in carrier	389,-
<b>HDD Accessories</b>		
[E] SO.CAG04.C03	fixed SATA cage 4x HDD incl. cable, incl. 4* drive cage	55,-
[E] SO.CAG04.C04	fixed SCSI U320 cage 4x HDD incl. cable, incl. 4* drive cage	55,-
[E] SO.CAG04.C01	hotswap SATA cage 4x HDD incl. cable, incl. 4* drive cage	206,-
SO.CAG04.C02	hotswap SCSI U320 cage 4x HDD incl. cable, incl. 4* drive cage	133,-
[E] SO.CAR04.C01	full function HDD carrier	23,-
<b>Backup Solution</b>		
[E] SO.BSDS5.002	DAT72 Drive, 36/72GB, 3.5"/5.25", internal, U160 SCSI 68pin, black, SCSI cable, no media	389,-
[E] SO.BSAIT.004	AIT-2 Turbo Drive 80/206GB, U160 SCSI 68pin, 3.5"/5.25", internal, black, SCSI cable, no media	609,-
[E] SO.BSLTO.005	LTO-2 Drive, 200/400GB, U160 SCSI 68pin, 5,25", internal Half Height, black, SCSI cable, no media	987,-
[E] SO.BSLTO.006	LTO-3 Drive, 400/800GB, U160 SCSI 68pin, 5,25", internal Full Height, black, SCSI cable, no media	2.682,-
<b>Tape Media</b>		
SO.03603.001	DAT72 36/72GB data cartridges (5pcs), compatible with DAT72 and DAT160	84,-
SO.05003.002	AIT2-Turbo 50GB data cartridges w MIC (WORM) (5 pcs)	279,-
SO.20003.001	LTO-2 200/400GB data cartridges w/ MIC (5 pcs)	182,-
SO.40003.001	LTO-3 400/800GB data cartridges w/ MIC (5 pcs)	316,-
<b>Cleaning Cartridge</b>		
SO.CLN03.011	AIT cleaning cartridges (5pcs)	133,-
SO.CLN03.012	DDS4/DAT72 cleaning cartridges (5pcs), compatible with DDS4 and DAT72	48,-
SO.CLN03.013	LTO cleaning cartridges (5pcs)	340,-
<b>Backup Software</b>		
[E] SO.1550B.001	Tapeware Backup software V7.0 XE. For Acer Tapes only	72,-
SO.CAPRO.001	Acer ValueSTOR Server Pro bundle. Arcserve 11.5 for Windows and Linux, 11.1 for NetWare version 11.5. Disaster Recovery Optional (not included), 3x ARCserve Backup Client Agent.	340,-
SO.CASBS.001	Acer ValueSTOR SBS bundle. Arcserve for Windows SBS Premium version 11.5	145,-
<b>Storage Interface</b>		
[E] SO.R1064.A00	RAID SCSI 320-1CH 64BIT 66MHZ PCI2.2 , 64MB SDRAM (SUPPORT RAID 5)	413,-
SO.R1128.A00	Altos Array SCSI RAID controller, 320-1CH 64BIT, 66MHZ PCI, 128MB SDRAM.No BBU	487,-
SO.R2128.A00	Altos Array SCSI RAID controller, 320-2CH 64BIT, 66MHZ PCI, 128MB SDRAM. With BBU	877,-
SO.R4256.A00	Altos Array SCSI RAID controller, 320-4CH, 64BIT,66/133MH PCI-X, 256MB DDR. With BBU	1.218,-
SO.R7101.001	Altos RAID enabling key G710	145,-
SO.R7101.002	LSI iTTBU (128MB+BBU) for G710 ROMB	279,-
<b>FDD / CD / DVD</b>		
[E] SO.DVDR1.601	DVD/RW Dual Layer Black, IDE Internal 5,25". Nero Burning Software included	48,-
<b>Power Supply</b>		
SO.G7105.001	550W hot-swap redundant power supply module for G710	401,-
<b>Rack Kit</b>		
SO.G52RM.001	Rackmount rail kit	104,-
<b>Keyboard / Mouse</b>		
SO.MSOPT.002	Acer PS/2 Optical Wheel Mouse	22,-
SO.MSOPT.001	Acer USB Optical Wheel Mouse	22,-
NT.KUS03.063	Acer USB US/English Black Keyboard	22,-
NT.KUS03.200	Acer USB Belgic Black Keyboard	22,-
<b>Network Interface</b>		
[E] LA.ESVPR.100	Intel Pro/100 + Server adapter	84,-
SO.LA11K.001	Intel PRO/1000 SV Adapter Gigabit PCI-E 1x. Ful height card plus low profile bracket	109,-





## - Altos Server Option old models -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. btw
	<b>Server Management</b>	
[E] SO.EPAN1.001	1.5" E-Panel (Empowering Panel for Server), USB cable, Power Cable	109,-
[E] SO.ARM05.003	Acer Remote Management Card 2 standard (without BBU & Modem)	535,-
SO.ARM05.004	Acer Remote Management Card 2 advanced (with BBU & Modem)	657,-
	<b>Acer Advantage warranty pack</b>	
SV.WSVAF.E06	warranty 3Yon-site 4H onsite G7xx/R7xx (mon-fri. 09:00-18:00, call before 14:00, if later than 14:00 onsite next business morning)	730,-
	<b>Software</b>	
[E] SO.SBSEN.OC2	Win 2003 OEM SBS R2 Standard - EN - 5 CAL	304,-
[D] SO.SBPEN.OC2	Win 2003 OEM SBS R2 Premium EN - 5 CAL	755,-
SO.SBSML.CA2	5 USER CAL SBS R2 2003 Products (5 User CAL Booklet, EN/FR/DE/IT/ES)	377,-
[E] SO.OS5UK.OC2	Win 2003 OEM Server R2 - UK - 5 CAL	670,-
SO.OS5ML.CA2	5 USER CAL Windows® Server 2003 R2 Products (5 User CAL Booklet, EN/FR/DE/IT/ES )	121,-
SO.WEE0B.006	Win 2003 OEM Enterprise Server 32 Bit R2 - UK - 25 CAL	2.157,-

Partnumber	Description	List Excl. btw
<b>Altos G900 optional items</b>		
<b>CPU Upgrade</b>		
[E] SO.XM220.C01	1x Xeon MP 2.2Ghz/ 400FSB / 2MB	1.767,-
[E] SO.XM270.C01	1x Xeon MP 2.7Ghz/ 400FSB / 2MB	3.596,-
[E] SO.XM300.C01	1x Xeon MP 3.0Ghz/ 400FSB / 4MB	5.487,-
<b>CPU Heatsink</b>		
[E] SO.G9004.C01	ALTOS G900/G901 3rd or 4th CPU Heatsink (1 st.)	48,-
<b>Memory Upgrade</b>		
SO.95395.795	512MB DDR PC2700 ECC Registered	109,-
[E] SO.M1GBD.004	1GB DDR PC2700 ECC Registered	279,-
[E] SO.M1GBD.001	1GB DDR PC2100 ECC Registered	279,-
[E] SO.M2GBD.001	2GB DDR PC2100 ECC Registered	804,-
<b>SCSI Harddisk</b>		
SO.07310.CS2	U320 3,5" HDD-73GB 10K RPM 80 PIN Hot Swap in carrier	267,-
SO.14610.CS2	U320 3,5" HDD-146GB 10K RPM 80 PIN Hot Swap in carrier	365,-
SO.30010.CS2	U320 3,5" HDD-300GB 10K RPM 80 PIN Hot Swap in carrier	535,-
SO.03615.CS2	U320 3,5" HDD-36GB 15K RPM 80 PIN Hot Swap in carrier	267,-
SO.07315.CS2	U320 3,5" HDD-73GB 15K RPM 80 PIN Hot Swap in carrier	340,-
SO.14615.CS2	U320 3,5" HDD-146GB 15K RPM 80 PIN Hot Swap in carrier	389,-
<b>HDD Accessories</b>		
[E] SO.G9003.002	hotswap HDD cage with 5* HDD carroer	279,-
[E] SO.R7003.001	Full Function HDD carrier 10pcs/pack	30,-
<b>Backup Solution</b>		
[E] SO.BSDS5.002	DAT72 Drive, 36/72GB, 3.5"/5.25", internal, U160 SCSI 68pin, black, SCSI cable, no media	389,-
[E] SO.BSAIT.004	AIT-2 Turbo Drive 80/206GB, U160 SCSI 68pin, 3.5"/5.25", internal, black, SCSI cable, no media	609,-
[E] SO.BSLTO.005	LTO-2 Drive, 200/400GB, U160 SCSI 68pin, 5,25", internal Half Height, black, SCSI cable, no media	987,-
[E] SO.BSLTO.006	LTO-3 Drive, 400/800GB, U160 SCSI 68pin, 5,25", internal Full Height, black, SCSI cable, no media	2.682,-
<b>Tape Media</b>		
SO.03603.001	DAT72 36/72GB data cartridges (5pcs), compatible with DAT72 and DAT160	84,-
SO.05003.002	AIT2-Turbo 50GB data cartridges w MIC (WORM) (5 pcs)	279,-
SO.20003.001	LTO-2 200/400GB data cartridges w/ MIC (5 pcs)	182,-
SO.40003.001	LTO-3 400/800GB data cartridges w/ MIC (5 pcs)	316,-
<b>Cleaning Cartridge</b>		
SO.CLN03.011	AIT cleaning cartridges (5pcs)	133,-
SO.CLN03.012	DDS4/DAT72 cleaning cartridges (5pcs), compatible with DDS4 and DAT72	48,-
SO.CLN03.013	LTO cleaning cartridges (5pcs)	340,-
<b>Backup Software</b>		
[E] SO.1550B.001	Tapeware Backup software V7.0 XE. For Acer Tapes only	72,-
SO.CAPRO.001	Acer ValueSTOR Server Pro bundle. Arcserve 11.5 for Windows and Linux, 11.1 for NetWare version 11.5. Disaster Recovery Optional (not included), 3x ARCserve Backup Client Agent.	340,-
SO.CASBS.001	Acer ValueSTOR SBS bundle. Arcserve for Windows SBS Premium version 11.5	145,-
<b>Storage Interface</b>		
[E] SO.R1064.A00	RAID SCSI 320-1CH 64BIT 66MHZ PCI2.2 , 64MB SDRAM (SUPPORT RAID 5)	413,-
SO.R1128.A00	Altos Array SCSI RAID controller, 320-1CH 64BIT, 66MHZ PCI, 128MB SDRAM.No BBU	487,-
SO.R2128.A00	Altos Array SCSI RAID controller, 320-2CH 64BIT, 66MHZ PCI, 128MB SDRAM. With BBU	877,-
SO.R4256.A00	Altos Array SCSI RAID controller, 320-4CH, 64BIT,66/133MH PCI-X, 256MB DDR. With BBU	1.218,-
<b>Power Supply</b>		
[E] SO.G9007.001	600W hot-swap redundant power supply for G900	360,-
<b>Rack Kit</b>		
[E] SO.RKG90.K01	Rackmount rail kit (NEED ALSO SO.RKG90.K02)	177,-
[E] SO.RKG90.K02	Rackmount rail kit (NEED ALSO SO.RKG90.K01)	255,-
<b>Keyboard / Mouse</b>		
SO.MSOPT.002	Acer PS/2 Optical Wheel Mouse	22,-
SO.MSOPT.001	Acer USB Optical Wheel Mouse	22,-
NT.KUS03.063	Acer USB US/English Black Keyboard	22,-
NT.KUS03.200	Acer USB Belgic Black Keyboard	22,-
<b>Overig</b>		
[E] SO.G90CK.003	Customize Kit G901 (accessory box / front door (tower) / name plate (tower & rack) / LED label (rack) / icon label (tower & rack) / accessory box (with partitioning) / English user manual / 3 X CDS (ASM / Easybuild / driver) / 2* heat sinks	133,-
[E] SO.G90RT.002	Retention module kit	96,-
<b>Server Management</b>		
[E] SO.ARM05.002	Acer Remote Management Card advanced (with bbu & modem) F/W 1.6.8	609,-
[E] SO.ARM0C.001	Universal ARMC cable 8pin to 20pin	30,-



## - Altos Server Option old models -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. btw
SV.WSVAF.E08	<b>Acer Advantage warranty pack</b> warranty 3Yon-site 4H onsite G9xx/R9xx (mon-fri. 09:00-18:00, call before 14:00, if later than 14:00 onsite next business morning)	974,-
[E] SO.OS5UK.OC2	<b>Software</b> Win 2003 OEM Server R2 - UK - 5 CAL	670,-
SO.OS5ML.CA2	5 USER CAL Windows® Server 2003 R2 Products (5 User CAL Booklet, EN/FR/DE/IT/ES )	121,-
SO.WEE0B.006	Win 2003 OEM Enterprise Server 32 Bit R2 - UK - 25 CAL	2.157,-

Partnumber	Description	List Excl. btw
<b>Altos R510 optional items</b>		
<b>CPU Upgrade</b>		
[E] SO.IRWIN.30G	Xeon DP 3.0G / 800MHz FSB / 2MB iL2 / HT-enabled	170,-
[E] SO.IRWIN.32G	Xeon DP 3.2G / 800MHz FSB / 2MB iL2 / HT-enabled	365,-
[E] SO.IRWIN.34G	Xeon DP 3.4G / 800MHz FSB / 2MB iL2 / HT-enabled	645,-
[E] SO.IRWIN.36G	Xeon DP 3.6G / 800MHz FSB / 2MB iL2 / HT-enabled	974,-
<b>CPU Heatsink</b>		
SO.R510H.001	R510 CPU Heatsink	72,-
<b>Memory Upgrade</b>		
SO.95395.795	512MB DDR PC2700 ECC Registered	109,-
[E] SO.M1GBD.004	1GB DDR PC2700 ECC Registered	279,-
[E] SO.M2GBD.002	2GB DDR PC2700 ECC Registered	730,-
<b>SATA Harddisk</b>		
SO.HA080.CS3	SATA II 3,5" HDD - 80GB 7.2k RPM in carrier	72,-
[D] SO.HA250.CS3	SATA II 3,5" HDD - 250GB 7.2k RPM in carrier	84,-
[D] SO.HA500.CS3	SATA II 3,5" HDD - 500GB 7.2k RPM in carrier	121,-
[D] SO.HA750.CS3	SATA II 3,5" HDD - 750GB 7.2k RPM in carrier	182,-
<b>SCSI U320 Harddisk</b>		
SO.07310.CS2	U320 3,5" HDD-73GB 10K RPM 80 PIN Hot Swap in carrier	267,-
SO.14610.CS2	U320 3,5" HDD-146GB 10K RPM 80 PIN Hot Swap in carrier	365,-
SO.30010.CS2	U320 3,5" HDD-300GB 10K RPM 80 PIN Hot Swap in carrier	535,-
SO.03615.CS2	U320 3,5" HDD-36GB 15K RPM 80 PIN Hot Swap in carrier	267,-
SO.07315.CS2	U320 3,5" HDD-73GB 15K RPM 80 PIN Hot Swap in carrier	340,-
SO.14615.CS2	U320 3,5" HDD-146GB 15K RPM 80 PIN Hot Swap in carrier	389,-
<b>HDD Accessories</b>		
[E] SO.R51BP.S01	R510 SATA Backplane kit for up to 3 HotSwap HDD	145,-
SO.R51BP.S02	R510 SCSI Backplane kit for up to 3 HotSwap HDD	255,-
<b>Storage Interface</b>		
SO.S3000.U04	Altos Array SCSI controller, U320-1CH, (RAID 1 Support) PCI-X 64BIT,66/133MHZ, low profile card with full and low profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	109,-
[E] SO.S3000.U05	Altos Array SCSI controller for Tapes, U320-1CH, PCI-X 64BIT,66/133MHZ, low profile card with full profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	84,-
SO.R0008.A00	Altos Array SATA RAID controller, 8 port SATA II RAID card, 128MB, no BBU	462,-
[E] SO.R1064.A00	RAID SCSI 320-1CH 64BIT 66MHZ PCI2.2 , 64MB SDRAM (SUPPORT RAID 5)	413,-
SO.R1128.A00	Altos Array SCSI RAID controller, 320-1CH 64BIT, 66MHZ PCI, 128MB SDRAM.No BBU	487,-
SO.R2128.A00	Altos Array SCSI RAID controller, 320-2CH 64BIT, 66MHZ PCI, 128MB SDRAM. With BBU	877,-
<b>FDD / CD / DVD</b>		
SO.DVDSL.001	DVD reader combo CD/RW slimline for rack servers R510,R520,R710,R720,R910.	84,-
SO.DVD1R.602	DVD Writer 8x supermulti slimline for rack servers R510,R520,R710,R720,R910. Nero Burning Software included	84,-
SO.FLPR7.101	Slimline Floppy Disk Drive R510-R710	48,-
SO.FLPR7.102	Slimline FDD conversion kit for R510-R710 (needs SO.FLPR7.101)	48,-
<b>Rack Kit</b>		
SO.R0703.007	R510, R710 Rack Cable Arm (R710 needs also SO.R0703.006)	96,-
<b>Keyboard / Mouse</b>		
SO.MSOPT.002	Acer PS/2 Optical Wheel Mouse	22,-
SO.MSOPT.001	Acer USB Optical Wheel Mouse	22,-
NT.KUS03.063	Acer USB US/English Black Keyboard	22,-
NT.KUS03.200	Acer USB Belgic Black Keyboard	22,-
<b>Server Management</b>		
[E] SO.ARM05.003	Acer Remote Management Card 2 standard (without BBU & Modem)	535,-
SO.ARM05.004	Acer Remote Management Card 2 advanced (with BBU & Modem)	657,-
<b>Acer Advantage warranty pack</b>		
SV.WSVAF.E04	warranty 3Yon-site 4H onsite G5xx/R3xx/R5xx (mon-fri. 09:00-18:00, call before 14:00, if later than 14:00 onsite next business morning)	438,-
<b>Software</b>		
[E] SO.SBSEN.OC2	Win 2003 OEM SBS R2 Standard - EN - 5 CAL	304,-
[D] SO.SBPEN.OC2	Win 2003 OEM SBS R2 Premium EN - 5 CAL	755,-
SO.SBSML.CA2	5 USER CAL SBS R2 2003 Products (5 User CAL Booklet, EN/FR/DE/IT/ES)	377,-
[E] SO.OS5UK.OC2	Win 2003 OEM Server R2 - UK - 5 CAL	670,-
SO.OS5ML.CA2	5 USER CAL Windows® Server 2003 R2 Products (5 User CAL Booklet, EN/FR/DE/IT/ES )	121,-
SO.WEE0B.006	Win 2003 OEM Enterprise Server 32 Bit R2 - UK - 25 CAL	2.157,-

Partnumber	Description	List Excl. btw
<b>Altos R510 m2 optional items</b>		
<b>CPU Upgrade</b>		
SO.IRWIN.30H	Xeon DP 3.0GHz, 2MB, 800MHz FSB, R-0 step	243,-
SO.IRWIN.32H	Xeon DP 3.2GHz, 2MB, 800MHz FSB, R-0 step	413,-
SO.IRWIN.34H	Xeon DP 3.4GHz, 2MB, 800MHz FSB, R-0 step	584,-
SO.IRWIN.36H	Xeon DP 3.6GHz, 2MB, 800MHz FSB, R-0 step	877,-
SO.IRWIN.38H	Xeon DP 3.8GHz, 2MB, 800MHz FSB, R-0 step	1.584,-
<b>CPU Heatsink</b>		
SO.R510H.001	R510 CPU Heatsink	72,-
<b>Memory Upgrade</b>		
SO.D4512.M20	512MB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	60,-
[U] SO.D4100.M20	1GB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	243,-
[U] SO.D2400.020	2GB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	730,-
<b>SATA Harddisk</b>		
[E] SO.HA080.G08	SATA II 3,5" HDD - 80GB 7.2k RPM	48,-
[E] SO.HA250.G08	SATA II 3,5" HDD - 250GB 7.2k RPM	72,-
[E] SO.HA500.G08	SATA II 3,5" HDD - 500GB 7.2k RPM	145,-
<b>SCSI U320 Harddisk</b>		
SO.07310.CS2	U320 3,5" HDD-73GB 10K RPM 80 PIN Hot Swap in carrier	267,-
SO.14610.CS2	U320 3,5" HDD-146GB 10K RPM 80 PIN Hot Swap in carrier	365,-
SO.30010.CS2	U320 3,5" HDD-300GB 10K RPM 80 PIN Hot Swap in carrier	535,-
SO.03615.CS2	U320 3,5" HDD-36GB 15K RPM 80 PIN Hot Swap in carrier	267,-
SO.07315.CS2	U320 3,5" HDD-73GB 15K RPM 80 PIN Hot Swap in carrier	340,-
SO.14615.CS2	U320 3,5" HDD-146GB 15K RPM 80 PIN Hot Swap in carrier	389,-
<b>HDD Accessories</b>		
[E] SO.R51BP.S01	R510 SATA Backplane kit for up to 3 HotSwap HDD	145,-
SO.R51BP.S02	R510 SCSI Backplane kit for up to 3 HotSwap HDD	255,-
<b>Storage Interface</b>		
SO.S3000.U04	Altos Array SCSI controller, U320-1CH, (RAID 1 Support) PCI-X 64BIT,66/133MHZ, low profile card with full and low profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	109,-
[E] SO.S3000.U05	Altos Array SCSI controller for Tapes, U320-1CH, PCI-X 64BIT,66/133MHZ, low profile card with full profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	84,-
SO.S3000.U02	Altos Array SCSI controller, U320-2CH, (RAID 1 support), PCI-X 64BIT,66/133MHZ, 2 internal 68P HD, 2 external 68P VHDCI, w/o SCSI cable	279,-
SO.R0008.A00	Altos Array SATA RAID controller, 8 port SATA II RAID card, 128MB, no BBU	462,-
[E] SO.R1064.A00	RAID SCSI 320-1CH 64BIT 66MHZ PCI2.2 , 64MB SDRAM (SUPPORT RAID 5)	413,-
SO.R1128.A00	Altos Array SCSI RAID controller, 320-1CH 64BIT, 66MHZ PCI, 128MB SDRAM.No BBU	487,-
SO.R2128.A00	Altos Array SCSI RAID controller, 320-2CH 64BIT, 66MHZ PCI, 128MB SDRAM. With BBU	877,-
<b>FDD / CD / DVD</b>		
SO.DVDSL.001	DVD reader combo CD/RW slimline for rack servers R510,R520,R710,R720,R910.	84,-
SO.DVDR1.602	DVD Writer 8x supermulti slimline for rack servers R510,R520,R710,R720,R910. Nero Burning Software included	84,-
SO.FLPR7.101	Slimline Floppy Disk Drive R510-R710	48,-
SO.FLPR7.102	Slimline FDD conversion kit for R510-R710 (needs SO.FLPR7.101)	48,-
<b>Rack Kit</b>		
SO.R0703.007	R510, R710 Rack Cable Arm (R710 needs also SO.R0703.006)	96,-
<b>Keyboard / Mouse</b>		
SO.MSOPT.002	Acer PS/2 Optical Wheel Mouse	22,-
SO.MSOPT.001	Acer USB Optical Wheel Mouse	22,-
NT.KUS03.063	Acer USB US/English Black Keyboard	22,-
NT.KUS03.200	Acer USB Belgic Black Keyboard	22,-
<b>Server Management</b>		
[E] SO.ARM05.003	Acer Remote Management Card 2 standard (without BBU & Modem)	535,-
SO.ARM05.004	Acer Remote Management Card 2 advanced (with BBU & Modem)	657,-
<b>Acer Advantage warranty pack</b>		
SV.WSVAE.E04	warranty 3Yon-site 4H onsite G5xx/R3xx/R5xx (mon-fri. 09:00-18:00, call before 14:00, if later than 14:00 onsite next business morning)	438,-
<b>Software</b>		
[E] SO.SBSEN.OC2	Win 2003 OEM SBS R2 Standard - EN - 5 CAL	304,-
[D] SO.SBPEN.OC2	Win 2003 OEM SBS R2 Premium EN - 5 CAL	755,-
SO.SBSML.CA2	5 USER CAL SBS R2 2003 Products (5 User CAL Booklet, EN/FR/DE/IT/ES)	377,-
[E] SO.OS5UK.OC2	Win 2003 OEM Server R2 - UK - 5 CAL	670,-
SO.OS5ML.CA2	5 USER CAL Windows® Server 2003 R2 Products (5 User CAL Booklet, EN/FR/DE/IT/ES )	121,-
SO.WEE0B.006	Win 2003 OEM Enterprise Server 32 Bit R2 - UK - 25 CAL	2.157,-

Partnumber	Description	List Excl. btw
<b>Altos R710 optional items</b>		
<b>CPU Upgrade (m.u.v. TT.R72E0.005)</b>		
SO.IRWIN.30H	Xeon DP 3.0GHz, 2MB, 800MHz FSB, R-0 step	243,-
SO.IRWIN.32H	Xeon DP 3.2GHz, 2MB, 800MHz FSB, R-0 step	413,-
SO.IRWIN.34H	Xeon DP 3.4GHz, 2MB, 800MHz FSB, R-0 step	584,-
SO.IRWIN.36H	Xeon DP 3.6GHz, 2MB, 800MHz FSB, R-0 step	877,-
SO.IRWIN.38H	Xeon DP 3.8GHz, 2MB, 800MHz FSB, R-0 step	1.584,-
<b>CPU Heatsink</b>		
[E] SO.R710H.001	R710 - Additional CPU Heatsink	35,-
<b>Memory Upgrade</b>		
SO.D4512.M20	512MB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	60,-
[U] SO.D4100.M20	1GB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	243,-
[U] SO.D2400.020	2GB DDR-2 400MHz, ECC, Registered, S-rank (G530-G710-R510M2-R710-R910)	730,-
<b>SCSI U320 Harddisk</b>		
SO.07310.CS2	U320 3,5" HDD-73GB 10K RPM 80 PIN Hot Swap in carrier	267,-
SO.14610.CS2	U320 3,5" HDD-146GB 10K RPM 80 PIN Hot Swap in carrier	365,-
SO.30010.CS2	U320 3,5" HDD-300GB 10K RPM 80 PIN Hot Swap in carrier	535,-
SO.03615.CS2	U320 3,5" HDD-36GB 15K RPM 80 PIN Hot Swap in carrier	267,-
SO.07315.CS2	U320 3,5" HDD-73GB 15K RPM 80 PIN Hot Swap in carrier	340,-
SO.14615.CS2	U320 3,5" HDD-146GB 15K RPM 80 PIN Hot Swap in carrier	389,-
<b>Backup Solution</b>		
[E] SO.BSDS5.002	DAT72 Drive, 36/72GB, 3.5"/5.25", internal, U160 SCSI 68pin, black, SCSI cable, no media	389,-
[E] SO.BSAIT.004	AIT-2 Turbo Drive 80/206GB, U160 SCSI 68pin, 3.5"/5.25", internal, black, SCSI cable, no media	609,-
<b>Backup Accessories</b>		
SO.R0703.009	R710 - R720 SCSI Tape conversion Kit	60,-
<b>Tape Media</b>		
SO.03603.001	DAT72 36/72GB data cartridges (5pcs), compatible with DAT72 and DAT160	84,-
SO.05003.002	AIT2-Turbo 50GB data cartridges w MIC (WORM) (5 pcs)	279,-
<b>Cleaning Cartridge</b>		
SO.CLN03.012	DDS4/DAT72 cleaning cartridges (5pcs), compatible with DDS4 and DAT72	48,-
SO.CLN03.011	AIT cleaning cartridges (5pcs)	133,-
<b>Backup Software</b>		
[E] SO.1550B.001	Tapeware Backup software V7.0 XE. For Acer Tapes only	72,-
SO.CAPRO.001	Acer ValueSTOR Server Pro bundle. Arcserve 11.5 for Windows and Linux, 11.1 for NetWare version 11.5. Disaster Recovery Optional (not included), 3x ARCserve Backup Client Agent.	340,-
SO.CASBS.001	Acer ValueSTOR SBS bundle. Arcserve for Windows SBS Premium version 11.5	145,-
<b>Storage Interface</b>		
SO.S3000.U04	Altos Array SCSI controller, U320-1CH, (RAID 1 Support) PCI-X 64BIT,66/133MHZ, low profile card with full and low profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	109,-
[E] SO.S3000.U05	Altos Array SCSI controller for Tapes, U320-1CH, PCI-X 64BIT,66/133MHZ, low profile card with full profile bracket, without cable, Internal (68 PIN) and external (VHDCI) connectors	84,-
SO.S3000.U02	Altos Array SCSI controller, U320-2CH, (RAID 1 support), PCI-X 64BIT,66/133MHZ, 2 internal 68P HD, 2 external 68P VHDCI, w/o SCSI cable	279,-
SO.R0008.A00	Altos Array SATA RAID controller, 8 port SATA II RAID card, 128MB, no BBU	462,-
[E] SO.R1064.A00	RAID SCSI 320-1CH 64BIT 66MHZ PCI2.2 , 64MB SDRAM (SUPPORT RAID 5)	413,-
SO.R1128.A00	Altos Array SCSI RAID controller, 320-1CH 64BIT, 66MHZ PCI, 128MB SDRAM.No BBU	487,-
SO.R2128.A00	Altos Array SCSI RAID controller, 320-2CH 64BIT, 66MHZ PCI, 128MB SDRAM. With BBU	877,-
<b>FDD / CD / DVD</b>		
SO.DVDSL.001	DVD reader combo CD/RW slimline for rack servers R510,R520,R710,R720,R910.	84,-
SO.DVDR1.602	DVD Writer 8x supermulti slimline for rack servers R510,R520,R710,R720,R910. Nero Burning Software included	84,-
SO.FLPR7.101	Slimline Floppy Disk Drive R510-R710	48,-
SO.FLPR7.102	Slimline FDD conversion kit for R510-R710 (needs SO.FLPR7.101)	48,-
<b>Power Supply</b>		
SO.R7103.001	R710 700W Hot Swap Redundant Power Supply	377,-
<b>Rack kit</b>		
[E] SO.R0703.006	R710 Rack Rail Kit. Mandatory for every R710	109,-
SO.R0703.007	R510, R710 Rack Cable Arm (R710 needs also SO.R0703.006)	96,-
<b>Keyboard / Mouse</b>		
SO.MSOPT.002	Acer PS/2 Optical Wheel Mouse	22,-
SO.MSOPT.001	Acer USB Optical Wheel Mouse	22,-
NT.KUS03.063	Acer USB US/English Black Keyboard	22,-
NT.KUS03.200	Acer USB Belgic Black Keyboard	22,-
<b>Network Interface</b>		
[E] LA.ESVPR.100	Intel Pro/100 + Server adapter	84,-
SO.LA01K.005	Intel Pro/1000MT Server Adapter Gigabit 1000BaseT PCI-X 64bit/133Mhz, full and low height bracket	109,-



## - Altos Server Option old models -

Pricelist May 13<sup>th</sup>, 2008

Partnumber	Description	List Excl. btw
	<b>Fan kit</b>	
[E] SO.R71FK.001	R710 - Redundant fan kit. Contains 4 additional Hot Swap fans to provide redundant cooling	213,-
	<b>Server Management</b>	
[E] SO.ARM05.003	Acer Remote Management Card 2 standard (without BBU & Modem)	535,-
SO.ARM05.004	Acer Remote Management Card 2 advanced (with BBU & Modem)	657,-
SO.IMMR7.001	Acer Management module for R710 (IMM PRO)	109,-
	<b>Acer Advantage warranty pack</b>	
SV.WSVAF.E06	warranty 3Yon-site 4H onsite G7xx/R7xx (mon-fri. 09:00-18:00, call before 14:00, if later than 14:00 onsite next business morning)	730,-
	<b>Software</b>	
[E] SO.OS5UK.OC2	Win 2003 OEM Server R2 - UK - 5 CAL	670,-
SO.OS5ML.CA2	5 USER CAL Windows® Server 2003 R2 Products (5 User CAL Booklet, EN/FR/DE/IT/ES )	121,-
SO.WEE0B.006	Win 2003 OEM Enterprise Server 32 Bit R2 - UK - 25 CAL	2.157,-



## Acer Belux pricelist May 13<sup>th</sup>, 2008 : Warranty extensions all products

Partnumber	Description	List EURO
	<b>Specifications</b>	
	<b>2 or 3 years Pick up and delivery (within region Benelux)</b>	
	<b>Reparation within 5 working days</b>	
	<b>All countries in European Union, including Norway and Switzerland</b>	
	<b>With or without accidental damage insurance</b>	
	<b>Warranty upgrades (except warranty upgrades with accidental damage insurance) need registration within 365 days after notebook purchase date.</b>	
	<b>Warranty upgrades with accidental damage insurance need registration within 90 days after notebook purchase date.</b>	

### Warranty Upgrade

SV.WNBAF.E06	AcerAdvantage New Edition warranty upgrade to 2 years pick up and return (within region Benelux)	32,-
--------------	--	------

### Warranty Bundles

Q1.1214Y.B01	Silver15 = Warranty upgrade to 2yrs (1st year Int. Travellers Warranty) pick-up and return (within region Benelux) - repair within 5 w.days + 15,4" notebook case + USB mouse	49,-
Q1.1242Y.B01	Silver17 = Warranty upgrade to 2yrs (1st year Int. Travellers Warranty) pick-up and return (within region Benelux) - repair within 5 w.days + 17" notebook case + USB mouse	49,-
Q2.1214Y.B02	Gold15 = Warranty upgrade to 3yrs (1st year Int.Travellers Warranty) pick-up and return (within region Benelux) - repair within 5 w.days + FREE 15,4" notebook case + FREE USB mouse	82,-
Q2.1242Y.B02	Gold17 = Warranty upgrade to 3yrs (1st year Int.Travellers Warranty) pick-up and return (within region Benelux) - repair within 5 w.days + FREE 17" notebook case + FREE USB mouse	82,-
Q3.1214Y.B03	Platinum15 = Warranty upgrade to 3yrs (incl. 3 years Int.Travellers Warranty) + with accidental damage insurance - pick-up and return (within region Benelux) - repair within 5 w.days + FREE 15,4" notebook case + FREE USB mouse	123,-
Q3.1242Y.B03	Platinum17 = Warranty upgrade to 3yrs (incl. 3 years Int.Travellers Warranty) + with accidental damage insurance - pick-up and return (within region Benelux) - repair within 5 w.days + FREE 17" notebook case + FREE USB mouse	123,-

### Desktop warranty extensions

#### Specifications

<b>Aspire PC</b>	<b>3 years onsite reparation after appointment with the helpdesk at home or business address, withing working hours 09:00-17:00hours</b> <b>Registration within 90 days after AspirePC purchase (Enduser invoice)</b>	
<b>Power PC &amp; Veriton PC</b>	<b>3 years onsite reparation after appointment with the helpdesk at home or business address, withing working hours 09:00-17:00hours</b> <b>Registration within 30 days after Veriton purchase (Enduser invoice)</b>	
[N] SV.WPCAF.E13	Acer Advantage warranty upgrade 3 years onsite (nbd) Veriton 1xxx/2xx/4xx	45,-
SV.WPCAF.E04	Acer Advantage warranty upgrade 3 years onsite (nbd) Veriton 6xx	45,-
SV.WPCAF.E03	Acer Advantage warranty upgrade 3 years onsite Aspire Consumer PC	65,-

### Altos Server warranty extensions

SV.WSVAF.E01	warranty 3Yon-site nbd G3xx	121,-
SV.WSVAF.E04	warranty 3Yon-site 4H onsite G5xx/R3xx/R5xx (mon-fri. 09:00-18:00, call before 14:00, if later than 14:00 onsite next business morning)	438,-
SV.WSVAF.E06	warranty 3Yon-site 4H onsite G7xx/R7xx (mon-fri. 09:00-18:00, call before 14:00, if later than 14:00 onsite next business morning)	730,-
SV.WSVAF.E08	warranty 3Yon-site 4H onsite G9xx/R9xx (mon-fri. 09:00-18:00, call before 14:00, if later than 14:00 onsite next business morning)	974,-





**Acer Belux pricelist May 13<sup>th</sup>, 2008 : Warranty extensions all products**

**Acer Belux : Acer Limited Product Warranty**

The warranty conditions in the table underneath are only applicable to the current products mentioned in this price list. All warranty conditions are only valid in Belgium and Luxembourg and they are based on carry-in or mail-in service, unless mentioned

Product	Warranty coverage	
Acer Aspire notebooks +FR1100	Parts and repair labor (battery excluded)	
Acer TravelMate notebooks	Parts and repair labor (battery excluded)	
AcerPower	Parts and repair labor	
Acer Veriton	Parts and repair labor	
Acer Consumer PC's (Aspire)	Parts and repair labor	
Acer Altos (Altos G3xx excluded) *	Parts, repair labor and on site hardware service	
Altos G3xx*	Parts and repair labor	
Acer Display monitor LCD	Parts and repair labor	
Acer Display monitor LCD X/P series	Parts and repair labor	
Acer Display monitor CRT	Parts and repair labor	
Acer LCD TV (AT19xx and AT20xx excluded)	Parts and repair labor	
Acer LCD TV AT19xx and AT20xx	Parts and repair labor	
Acer Projector	Parts and repair labor	
Acer PDA + Navigation devices	Parts and repair labor	

\* The standard warranty for Altos systems is also valid for hardware options, provided that the options used are mentioned in the Acer price list, that they are obtained from Acer and that they are assembled by one of the official Acer Server Configuratio