





Entry Door Systems




Table of Contents

introduction	3-5
Classic-Craft Glass Options	6
Classic-Craft Mahogany Collection	7
Classic-Craft Canvas Collection	7
Classic-Craft Oak Collection	8
Classic-Craft American Collection	9
Classic-Craft Rustic Collection	9
Fiber-Classic Glass Options	10
Fiber-Classic Mahogany Collection	11-13
Fiber-Classic Oak Collection	14-16
Smooth-Star Glass Options	17
Smooth-Star Collection	18-27
Harvey Prefinished Door Service	28
Therma-Tru Same-Day Stain	28
Jamb and Sill Options	29
Casing Options	30
Hardware	31-32
Sizes and Rough Openings	33
Door Order Checklist	34
Door Order Form	35

This catalog represents Harvey's stocked offering of Therma-Tru doors; made-to-order with short lead times from our manufacturing facility.

Therma-Tru products not shown in this catalog are available special order through your local Harvey branch.









Why fiberglass?

Whether you're a homeowner, remodeler, or builder, you're looking for a high-quality entry door that can add curb appeal and energy efficiency to the home.

At a time when everybody is looking to get the most value out of every dollar they spend, installing an attractive new front entryway is a cost-effective investment that can have a big impact.

On our cover: Classic-Craft American Collection CCA8220 with CCA3500SL sidelites with privacy glass. 8 foot doors not in stock - special order.

The Harvey/Therma-Tru Partnership

As the manufacturer/distributor of choice in the Northeast, Harvey Building Products is proud to partner with Therma-Tru[®]. Year after year, building professionals rank Therma-Tru[®] as the brand they use most, and as the most innovative company in fiberglass entry and patio door systems. Therma-Tru[®] is the preferred brand of exterior doors, building their reputation over more than 40 years—including the over 30 years since they invented the fiberglass door.



State-of-the-art door line

We assemble Therma-Tru entry and patio doors in our state-of-the-art manufacturing facility in Londonderry, New Hampshire.

Operating our own door shop allows us the flexibility to service our customers with competitive lead times and greater control over the quality of the finished product. We set up doors to order in special sizes and custom configurations including double doors and doors with sidelights and transoms. Tell us what you need and we'll build it for you!



Prefinished door service

We offer a service unique to Therma-Tru distributors: our own prefinished door service.

With our in-house, state-of-the-art process, we produce a resilient and durable finish that can't be duplicated in the field. Our system has proven durability in all weather conditions, and provides lasting color vibrancy, expanded color and gloss retention, and high abrasion and humidity resistance. We offer both solid color and wood grain finishes; for more information, see page 28.



Showrooms

Nowhere is our commitment to the Harvey/Therma-Tru partnership more evident than in our product showrooms.

Our showrooms, located throughout New England and in Pennsylvania, give you the opportunity to view a wide selection of Therma-Tru doors in real-life settings. Many different door, glass, and finishing options are on display, and showroom representatives can help guide your decision-making process. For locations, hours and directions, visit harveybp.com.



Certified distributor

Harvey Building Products is a Certified Distributor of Therma-Tru products. We use only Therma-Tru and Therma-Tru-specified components to build door systems. All door units are set up to Therma-Tru specifications so you will receive what you've come to expect from Harvey—the best quality door unit available.

Peace of mind

Homeowners can be confident that Therma-Tru® doors will stand up to the rigors of everyday life due to their high-quality construction and system warranties.

Performance

Therma-Tru door systems are designed and engineered to work as a complete unit for optimal performance and strength. A full system forms a tight seal that can withstand a wide range of temperatures and resist weather elements.



Security

Therma-Tru door systems offer several options to help keep you and your family safe, including an advanced locking system, wrap-around strike plate and reinforced steel core. In fact, Smooth-Star® doors received the highest level possible in the industry's toughest forced entry test.*



Energy efficiency

Filled with a CFC-free poly-urethane foam core, Therma-Tru fiberglass doors provide up to five times the insulation value of wood. And most of the entry door systems are ENERGY STAR® qualified and NFRC certified, which can help lower your energy bills.



Durability

Fiberglass doors simply outperform wood and steel doors. Durable fiberglass construction requires little maintenance and will not dent, ding or rust like steel, nor will it split, crack or rot like wood.



We stand behind our door systems

Therma-Tru's Tru-Defense[®] door systems help offer the best protection against nature's worst conditions, including strong winds, torrential rain and flying debris. And now, Therma-Tru offers homeowners added protection against water leaks. When you purchase a Harvey Therma-Tru entry door, you can rest assured knowing that you've purchased a high quality, beautiful product that was built to last.



^{*}Tested to ASTM F-476 Section 18 Grade 40 by independent lab, October 2005

Tru-Defense® Door System

Therma-Tru's comprehensive Tru-Defense Entry Door Systems give you maximum severe weather resistance with all the warmth and style of a Therma-Tru® fiberglass door. It's the next generation in Therma-Tru's high performance entry door systems. Our Tru-Defense entry door system includes a high dam sill, patent-pending corner seal pads and door bottom sweep. For regions of the country that require an entry door system to meet stringent building codes (i.e. DP-40, DP-47) for severe weather conditions, Therma-Tru also offers a Tru-Defense Certified Entry Door System that has been independently tested and certified when built using our multi-point locking system. Bottom line: Therma-Tru's Tru-Defense entry door systems provide the best protection no matter what part of the country you live in.







Fiber-Classic® and Smooth-Star®

Polyurethane foam core. Offers five times the energy efficiency of a wood door and is CFC-free.

Solid wood square edge on Classic-Craft doors. This reproduces the look of a real wood door. Wood lock stile on Classic-Craft runs the entire length of the door to add structural integrity. Fiber-Classic and Smooth-Star offer a wood lock block.

Decorative glass designs. Encased between two panes of tempered safety glass for energy efficiency and easy cleaning.



Classic-Craft (Square)



Fiber-Classic and Smooth-Star (Bullnose)

Weatherstrip. Foam filled compression weatherstrip remains flexible and seals your entryway against moisture and air infiltration. Removable for finishing. Available in White, Bronze or Stone.

Tru-Defense Sills. High dam design with composite threshold cap locks under the door panel while a flush surface provides full contact between the sweep and the sill to keep water out. Choose from mill, bronze or brass finish.





Tru-Defense Corner Seal Pad. Its innovative design creates a pocket that effectively prevents water infiltration.



Tru-Defense Door Bottom Sweep. Features dual bulbs with dual fins that sit tightly on the sill to help prevent air and water infiltration.

■ For more information on the Tru-Defense Fiberglass Door System Warranty Rider, including duration of the Rider coverage and required Door System components, visit www.thermatru.com/trudefense

Classic-Craft® Glass Options

Longford[™] (Privacy Rating: 8)




Brushed Nickel caming



Black Nickel caming

Cambridge[™] (Privacy Rating: 8)



Brass caming

Rainglass (Privacy Rating: 10)



Brushed Nickel caming

Provincial[™] (Privacy Rating: 6)



Brushed Nickel caming

Glass privacy rating scale

1 2 3 4 5 6 7 8 9 10 Clear — Opaque

Classic-Craft® Mahogany Collection™



- Offers rich, warm wood tones in authentic Honduran Mahogany
- Architecturally correct design up to 25% wider panels
- Solid hardwood square edges

Longford™











Solid Panel



Classic-Craft® Canvas Collection™



- Classic-Craft caliber construction with a smooth paintable surface
- Architecturally correct design up to 25% wider panels
- Solid hardwood square edges

Low-E





CCV920



CCV930





Solid Panel











Classic-Craft® Oak Collection™



- Features warm, White Oak grains for the look of classic Oak
- Architecturally correct design up to 25% wider panels
- Solid hardwood square edges

Cambridge™





Provincial™



Solid Panel





Low-E







CC61



CC70





Wood Grids



CC100



CC102 Wood Grids



CC2020SL



Wood Grids



CC2120SL



CC2270SL







See page 6 for glass close-ups

Classic-Craft® American Collection™ and Rustic Collection™

American Rustic

- Classic-Craft American has the look of Douglas Fir's vertical grains, with craftsman styling and clean lines
- Classic-Craft Rustic has Old-World Mahogany graining for a classic look
- Both have proportionate construction and panel details combined with patented AccuGrain® technology creates a door indistinguishable from real wood

American Collection™ Low-E





......

4-block dentil shelf

16-block dentil shelf

Rustic Collection™



CCR205 Solid Panel



CCR3403XRSL Rainglass



Decorative Hardware




Decorative hardware is peel & stick, field applied

Fiber-Classic® Glass Options

Blackstone[™] (Privacy Rating: 7)



Brushed Nickel caming



Black Nickel caming

Kensington[™] (Privacy Rating: 8)



Brushed Nickel caming

Salinas[™] (Privacy Rating: 10)



Wrought Iron caming

Saratoga[™] (Privacy Rating: 7)



Brushed Nickel caming

Maple Park[™] (Privacy Rating: 6)



Brushed Nickel caming



Black Nickel caming

Sedona[™] (Privacy Rating: 7)



Art Glass



Brushed Nickel caming



Black Nickel caming

Wellesley[™] (Privacy Rating: 6)



Brass caming



Brushed Nickel caming

Internal Blinds



Glass privacy rating scale



Fiber-Classic® Mahogany Collection™



- Deep, welcoming Mahogany grain that is consistent with the trend toward darker, richer wood tones
- Value priced compared to premium wood doors, while still offering all the advantages of fiberglass

Blackstone™

















Maple Park™



FCM900 Brushed Nickel only



FCM901



FCM902



FCM904



FCM6108

FCM901SL

FCM902SL

$Kensington^{^{\text{\tiny{TM}}}}$



FCM151





FCM813SL





Fiber-Classic® Mahogany Collection™

Salinas™











4-block dentil shelf (Available on FCM model doors only)

 $Saratoga^{^{\text{\tiny{TM}}}}$















FCM906 FCM6049 FCM815SL FCM906SL FCM907SL

Wellesley™

















FCM104

FCM105

FCM106

FCM163

FCM6050

FCM105SL FCM147SL





Fiber-Classic® Mahogany Collection™

Sedona™







FCM604 Brushed Nickel



FCM604 Black Nickel



FCM816SL Art Glass



FCM816SL Brushed Nickel Black Nickel



FCM816SL

Internal Blinds







FCM141



FCM6055

Low-E



FCM10



FCM18



FCM32



FCM61 Clear Glass



FCM62



FCM65



FCM80



FCM160



FCM601



FCM605



FCM606



FCM607



FCM608



FCM6041



FCM6042



FCM32SL



FCM62SL



FCM65SL FCM12101SL

Solid Panel





















FCM755

Fiber-Classic® Oak Collection™



- Features the natural warmth and rich look of oak graining to match any home's architectural style
- Value priced compared to premium wood doors, while still offering all the advantages of fiberglass

Blackstone™













FC770





Brushed Nickel only







Maple Park™














FC904







See page 10 for glass close-ups

Fiber-Classic® Oak Collection™

Salinas™







FC115



FC118



FC130



FC775



FC80953



FC113SL FC114SL FC115SL

Saratoga™



FC905



FC906



FC908



FC909



FC80954



FC905SL FC906SL FC907SL

Wellesley™



FC104



FC105



FC127



FC147



FC163



FC713



FC779

Wellesley™



FC796



FC80949



FC104SL FC105SL FC147SL

Kensington™



FC151



FC709



FC798



FC148SL

Fiber-Classic® Oak Collection™

Clear and Low-E





































FC47SL



Clear Only Wood Grids

Solid Panel

















Smooth-Star® Glass Options

Blackstone[™] (Privacy Rating: 7)



Brushed Nickel caming

Concorde[™] (Privacy Rating: 8)



Brass caming



Brushed Nickel caming

Saratoga[™] (Privacy Rating: 7)



Brushed Nickel caming



Black Nickel caming

Salinas[™] (Privacy Rating: 10)



Wrought Iron caming

Maple Park™ (Privacy Rating: 6)



Brushed Nickel caming



Black Nickel caming

Wellesley[™] (Privacy Rating: 6)



Brass caming



Brushed Nickel caming

Crystal Diamonds™ (Privacy Rating: 9)



Brass caming

Kensington™ (Privacy Rating: 8)



Brushed Nickel caming

Internal Blinds



Glass privacy rating scale





- Smooth, paintable surface for a clean look
- Crisp stile and rail lines give greater panel definition

$Blackstone^{\mathsf{m}}$





































See page 17 for glass close-ups

$Concorde^{^{\mathsf{m}}}$


















































Crystal Diamonds™





































Kensington™



Maple Park™



Salinas™



Saratoga™



See page 17 for glass close-ups





Wellesley™



Internal Blinds



Screen Vented Lites



Product Key


FXG = Fixed grilles

GBG = White contoured grilles

sealed between glass

SDL = Simulated divided lites

Clear and Low-E



S256

S262 FXG, GBG

S289

S296

S601

Low-E only

S255 FXG, GBG

S206

S236

Clear only

S237



Smooth-Star[®] Collection[™]

Privacy Glass Doors





All privacy glass doors are stocked in Chord and Granite. Items with ¥ symbol are also available in Rainglass.

Pulse® Doors

Pulse is a contemporary studio of door styles and glass designs that can be combined to make a bold statement.

- Clean lines
- Crisp angles
- Sleek designs
- Vintage style



Blackstone



Crystal Diamonds











S1RT Internal Blind



S1SA Salinas



S1SG Saratoga

Example:

When ordering S1 doors, specify lite location left, center or right (exterior view as shown).





S2 Low-E, Privacy (Chord, Granite, Rainglass)



Clear, Privacy (Chord, Granite, Rainglass)



Clear, Privacy (Chord, Granite, Rainglass)

*S4 and S5 doors: Specify lite location left, center or right (see example).

Solid Panel



























Harvey Prefinished Door Service

With Harvey's state-of-the-art process, we produce a resilient and durable finish that can't be duplicated in the field. We use an environmentally friendly, water-based finish that provides proven durability in all weather conditions. Additional benefits include lasting color vibrancy, expanded color and gloss retention, and high abrasion and humidity resistance. Our finishes are backed by a 10-year warranty.

Wood grain finishes



Frame and casing prefinishing options

	Frame	Brickmould Casing	Flat Casing	
Wood Grain Composite	~	✓	✓	-
White Vinyl Clad Composite	✓	✓	✓	
Clear Pine	✓	✓	N/A	
Primed Finger-Joint	✓	✓	✓	

- Wood grain composite jambs and casing can be prefinished with wood grain or solid colors, or finished in the field
- White vinyl clad composite jambs and casing can be prefinished with solid colors only, or painted in the field
- Prefinished jambs are available with a split finish
- Prefinished casing is applied; nail holes need to be finished on-site (touch up paint is included)
- Primed finger-joint and clear wood jambs and casing are not available prefinished
- See page 30 for details on casing profiles

Therma-Tru® Same-Day® Stain

- Colorfast won't fade, bleach or yellow
- Long-lasting, resists chalking
- Easy to use
- Can make lighter or darker
- Water-based, environmentally-friendly top coat
- · Easy to maintain

All stains shown on Classic-Craft Oak doors.



Mahogany Natural Oak













Jamb and Sill Options



Mill finish fixed composite sill standard. Adjustable composite Sills sills available in all finishes; hardwood sills are mill finish only. Mill finish (standard)



Primed finger-joint

Comparable to Framesaver[™] by Therma-Tru, the primed finger-joint offers great performance at a competitive price point.

- Dimensional stability: reduces swelling and shrinkage by 75% or more
- Barrier to insect and fungal decay
- Resistance to UV degradation

Jamsill Guard®

The Jamsill Guard® is an adjustable sill pan flashing proven to prevent damage caused by exterior door and window leaks.

DualGuard Threshold Tape

Manufactured by ProtectoWrap, Dual Guard Threshold TapeTM acts like a gasket, sealing off the sub-floor and preventing air and moisture infiltration under the threshold to help keep the door frame from racking and the sub-floor from swelling and warping.

- Adheres to concrete, wood and metal surfaces
- Self-adhering for precise placement and easy application
- Designed for all entry/patio doors

Composite Frames & Casings

 Closed Cellular Structure ensures that the door frame will not absorb or wick moisture, and prevents warping, rotting, and splitting

• Rigid Poly-Fiber Formulation eliminates the need for an aluminum support channel

• Twice the screw-holding power of traditional wood door frames

Limited Lifetime Warranty

See next page for composite casing profiles





Wood Grain Composite Can be prefinished wood grain and solid colors, or finished on-site



White Vinyl Clad Composite Can be left as-is, prefinished with a solid color, or painted on-site

Casing Options

Exterior Casings

WGN Composite casing wood grain

- A) Brickmould
- B) Brickmould w/nail fin
- C) Brickmould w/j-channel
- D) 3-1/2" flat no j
- E) 3-1/2" flat w/j-channel

WCP Composite casing white vinyl clad

- F) Brickmould
- G) Brickmould w/nail fin
- H) Brickmould w/j-channel
- I) 3-1/2" flat no j
- J) 3-1/2" flat w/j-channel

Prime finger-joint (PFJ)

- K) Brickmould
- L) 3-1/2" flat (5/4 x 4)

Clear wood casing

M) Clear Pine brickmould

See previous page for information about our composite casing



























Interior Trim Kits



2-1/2 Colonial WM351



2-1/2 Ranch/Clamshell WM 315/8730



2-1/4 Colonial WM366



2-1/4 Beaded Colonial WM376



3-1/2 Colonial WM444



3-1/2 Windsor LGM 7/B200



3-1/2 Stafford GM 650/B225

Available primed and Clear Pine

Hardware

Knobs and Levers



Deadbolts



Single Cylinder (interior thumbturn) Double Cylinder (interior key)

Handlesets



Finishes



Lifetime Bright Brass
Bright Brass (505) (605)



Oil Rubbed Satin Nickel (619) Bronze* (613)



Distressed Nickel Matte Black (622) (621)



Antique Brass (609)



Antique Pewter (620)



Bright Chrome (625)




Satin Chrome (626)



Aged Bronze (716)

^{*}The dark color on the Oil Rubbed Bronze finish may wear off over time due to the finishing method which has no protective coating or plating. Aged Bronze should be used for a more permanent dark bronze color.






Hardware



Therma-Tru multi-point locking handleset





Hinges



Brushed Nickel



Polished Chrome



Brasstone (standard)



Oil Rubbed Bronze



Kickplates (34" x 8") Available in Satin Nickel or Solid Brass



Peepsites





Brass

Satin Chrome

Baldwin® mailslots



Brass



Satin Nickel

Entry Systems: Sizes and Rough Openings

Inswing Door Systems

Description	Size	Actual Unit Size	Rough Opening
Single Door	2'0"	25 ⁵ / ₈ " x 82"	26 ¹ / ₂ " x 82 ¹ / ₂ "
Unit	2'4"	29 ⁵ / ₈ " x 82"	30 ¹ / ₂ " x 82 ¹ / ₂ "
	2'6"	31 ⁵ / ₈ " x 82"	32 ¹ / ₂ " x 82 ¹ / ₂ "
	2'8"	33 ⁵ / ₈ " x 82"	$34^{1}/_{2}^{"} \times 82^{1}/_{2}^{"}$
	2'10"	35 ⁵ / ₈ " x 82"	36 ¹ / ₂ " x 82 ¹ / ₂ "
	3'0"	37 ⁵ / ₈ " x 82"	38 ¹ / ₂ " x 82 ¹ / ₂ "
	3'6"	43 ⁵ / ₈ x 82"	44 ¹ / ₂ x 82 ¹ / ₂ "
Double Door	5'0"	62 ⁹ / ₁₆ " x 82"	63 ¹ / ₄ " x 82 ¹ / ₂ "
Unit	5'4"	66 ⁹ / ₁₆ " x 82"	67 ¹ / ₄ " x 82 ¹ / ₂ "
	6'0"	74 ⁹ / ₁₆ " x 82"	75 ¹ / ₄ " x 82 ¹ / ₂ "
Outswing Door	Systems	5	
Single Door	2'0"	25 ⁵ / ₈ " x 80 ⁵ / ₈ "	26 ¹ / ₂ " x 81"
Unit	2'4"	29 ⁵ / ₈ " x 80 ⁵ / ₈ "	30 ¹ / ₂ " x 81"
	2'6"	$31^{5}/_{8}$ " x $80^{5}/_{8}$ "	32 ¹ / ₂ " x 81"
	2'8"	$33^{5}/_{8}$ " x $80^{5}/_{8}$ "	34 ¹ / ₂ " x 81"
	2'10"	35 ⁵ / ₈ " x 80 ⁵ / ₈ "	36 ¹ / ₂ " x 81"
	3'0"	37 ⁵ / ₈ " x 80 ⁵ / ₈ "	38 ¹ / ₂ " x 81"
	3'6"	$43^{5}/_{8} \times 80^{5}/_{8}$ "	44 ¹ / ₂ x 81"
Double Door	5'0"	62 ⁹ / ₁₆ " x 80 ⁵ / ₈ "	63 ¹ / ₄ " x 81"
Unit	5'4"	$66^9/_{16}$ " x $80^5/_8$ "	67 ¹ / ₄ " x 81"
	6'0"	$74^{9}/_{16}$ " x $80^{5}/_{8}$ "	75 ¹ / ₄ " x 81"

Note 1: Tru-Defense 6'8" Outswing Door Systems Actual unit height is $81^{3}/_{16}$ " and rough opening height is $81^{5}/_{8}$ ". Single Door widths stay the same for unit and rough opening dimensions. Actual Unit widths on double Doors are 5'0"- 62 $^{5}/_{16}$ ", 5'4"- $66^{5}/_{16}$ " and 6'0"- $74^{5}/_{16}$ ". Double rough opening sizes remain unchanged.

Sidelites

Add actual unit	10"	11¹/₂" x 82"	12" x 82 ¹ / ₂ "
size to door rough	12"	13¹/¸" x 82"	14" x 82 ¹ / ₂ "
opening size for	14"	15¹/ءً" x 82"	16" x 82 ¹ /̄ ₂ "
total rough		-	-
opening			

Eight Foot Door Systems - Inswing

g oot boo.	0,0000		
Description	Size	Actual Unit Size	Rough Opening
Single Door	2'0"	25 ⁵ / ₈ " x 98"	26 ¹ / ₂ " x 98 ¹ / ₂ "
Unit	2'4"	29 ⁵ / ₈ " x 98"	$30^{1}/_{2}^{2}$ " x $98^{1}/_{2}^{2}$ "
	2'6"	31 ⁵ / ₈ " x 98"	32 ¹ / ₂ " x 98 ¹ / ₂ "
	2'8"	33 ⁵ / ₈ " x 98"	34 ¹ / ₂ " x 98 ¹ / ₂ "
	2'10"	35 ⁵ / ₈ " x 98"	36 ¹ / ₂ " x 98 ¹ / ₂ "
	3'0"	37 ⁵ / ₈ " x 98"	$38^{1}/_{2}^{"} \times 98^{1}/_{2}^{"}$
	3'6"	43 ⁵ / ₈ x 98"	44 ¹ / ₂ x 98 ¹ / ₂ "
Double Door	4'0"	50 ⁹ / ₁₆ " x 98"	$51^{1}/_{4}^{-}$ " x $98^{1}/_{2}^{-}$ "
Unit	5'0"	62 ⁹ / ₁₆ " x 98"	$63^{1}/_{4}^{"} \times 98^{1}/_{2}^{"}$
	5'4"	66 ⁹ / ₁₆ " x 98"	$67^{1}/_{4}^{"} \times 98^{1}/_{2}^{"}$
	6'0"	74 ⁹ / ₁₆ " x 98"	$75^{1}/_{4}$ " x $98^{1}/_{2}$ "
Note: Outswing heig	ht dimension	ons – 96 ⁵ /。"	97"

Note 2: Tru-Defense 8'0" Outswing Door Systems Actual unit height is $97^3/_{16}$ " and rough opening height is $97^5/_8$ ". See Note 1 above for width information.

Eight Foot Sidelites

Add actual unit	12"	13 ⁹ / ₁₆ " x 98"	14" x 98 ¹ / ₂ "
size to door RO	14"	15 ⁹ / ₁₆ " x 98"	16" x 98 ¹ / ₂ "

Important Additional Information

- All dimensions are accurate only for full system door units using genuine Therma-Tru components.
- There is no allowance in any of the height dimensions for a carpet shim please add accordingly.
- 3. Brick openings are $2^3/4$ " wider and $1^1/_2$ " higher than actual unit size.
- For 7' doors, add 4" to the actual unit size and rough opening height dimensions.
- 5. Rectangular and elliptical transoms are $13^{1}/_{2}$ " in height, add accordingly.
- Half round transoms heights are half the size of the actual unit width, add accordingly.
- 7. Do not store prehung units outside.

Door & Sidelite(s) with Continuous Sill Systems – Inswing

Description	Size	Actual Unit Size	Rough Opening
w/(1) 10" Sidelite	3'0"	48 ²¹ / ₃₂ " x 82"	49 ¹ / ₂ " x 82 ¹ / ₂ "
w/(1) 12" Sidelite	3'0"	50 ²¹ / ₃₂ " x 82"	51 ¹ / ₂ " x 82 ¹ / ₂ "
w/(1) 14" Sidelite	3'0"	52 ²¹ / ₃₂ " x 82"	53 ¹ / ₂ " x 82 ¹ / ₂ "
w/(2) 12" Sidelites	3'0"	63 ²¹ / ₃₂ " x 82"	64 ¹ / ₂ " x 82 ¹ / ₂ "
w/(2) 14" Sidelites	3'0"	67 ²¹ / ₃₂ " x 82"	68 ¹ / ₂ " x 82 ¹ / ₂ "

Door with Boxed Sidelite(s) Systems – Inswing Door & Sidelite(s) with Continuous Sill Systems using "WIDE MULLIONS"

w/(1) 10" Sidelite	2'8"	45 ¹ / ₈ " x 82"	46" x 82 ¹ / ₂ "
	3'0"	49 ¹ / ₈ " x 82"	50" x 82 ¹ / ₂ "
w/(1) 12" Sidelite	2'8"	47 ¹ / ₈ " x 82"	48" x 82 ¹ / ₂ "
	3'0"	51 ¹ / ₈ " x 82"	52" x 82 ¹ / ₂ "
w/(1) 14" Sidelite	2'8"	49 ¹ / ₈ " x 82"	50" x 82 ¹ / ₂ "
	3'0"	53 ¹ / ₈ " x 82"	54" x 82 ¹ / ₂ "
w/(2) 12" Sidelites	2'8"	60 ⁵ / ₈ " x 82"	61 ¹ / ₂ " x 82 ¹ / ₂ "
	3'0"	64 ⁵ / ₈ " x 82"	65 ¹ / ₂ " x 82 ¹ / ₂ "
w/(2) 14" Sidelites	2'8"	64 ⁵ / ₈ " x 82"	65 ¹ / ₂ " x 82 ¹ / ₂ "
	3'0"	68 ⁵ / ₈ " x 82"	69 ¹ / ₂ " x 82 ¹ / ₂ "
Note: Outswing heigh	nt dimensions	s – 80 ⁵ / ₈ "	81"

Fire Doors in Split-Jamb Frame


Description	Size	Actual Unit Size	Rough Opening
Single Unit	3'0"	Public Access	37" x 80 ³ / ₄ "
	2'6"	Full Height	31" x 81 ³ / ₈ "
	2'8"	Full Height	33" x 81 ³ / ₈ "
	3'0"	Full Height	37" x 81 ³ / ₈ "
	No Sill V	ersion Height –	803/ॢ"





Door Order Checklist

- Know your rough opening. Refer to page 33 for entry system dimensional data.
- Know your door frame width. Measure the existing door frame width, which is typically 4-9/16" or 6-9/16" but can vary greatly depending upon your home's construction.
- Know what handing or swing you would like. See page 35 for handing description.
- Specify what jamb material you want. Our current available jamb options are:
 - a) Wood Grain Composite
 - b) White Vinyl Clad Composite
 - c) Clear Pine
 - d) Primed Finger-Joint



- If you have selected a door with decorative glass:
 - a) Specify the caming color: Brass, Brushed Nickel, Black Nickel
 - b) Specify the hinge color: Brasstone, Brushed Nickel, Oil Rubbed Bronze, Polished Chrome, Bright Brass
 - c) Specify the sill finish color: Mill (Silver), Brass, Bronze, Satin Nickel

See page 29 for sill finishes and page 32 for hinge finishes.

- If you will be selecting the Therma-Tru Multi-Point Locking System:
 - a) Specify handle set style
 - b) Specify handle set finish
- If you do not select the Therma-Tru Multi-Point Locking System, please indicate what type of lock preparation is needed. For instance, a standard bore for a typical lock set, and/or a deadbolt bore.
- Select your door finish option. If a prefinished door is desired, select finish color. See page 28 for prefinished door options.







Customer Signature: __



Therma-Tru Door Order Form

Ц	ORDER
	QUOTE



Acct Name			_ Acct	#		Ship V	ia:	Date Ordered:
Phone Fax		Job Con				🗆 w	arehouse Truck	
Job Name						☐ Fa	actory Direct	Cust. P.O.:
			D-1-			☐ Fa	actory Pickup	Ordered By:
Sales Rep			_ Date			☐ Pi	ck up at:	ordered by.
Door Style/Configuration	Door Hand	ina (p	lease ci	rcle)				Order Taken By:
□ Single Door			1			(de	elivery area)	
☐ Double Door	Hinged Left	-Swing	In H	inged Right-Swing In				
☐ 1SL - indicate knob or hinge side (circle one)		•						
□ 2SL	OUTS	CIDE		OUTSIDE	<u>Jamb</u>	_	Nhite Vinyl Clad	
Door: Qty Size: W H	Hinged Left		Out	inged Right-Swing Out	Compo		l Wood Grain	l.
Therma-Tru Model #	Tilliged Leit	-Swiriy	Out F	Inged Right-Swing Out				
		_					5-1/4"	
Sidelites: Qty Size: W H	OUTS	SIDE		OUTSIDE	Primed		I 6-9/16"	
Therma-Tru Model #			'				1 4-9/16"	
Caming: ☐ Brass-1A	Threshold				·g•		5-1/4"	
☐ Brushed Nickel-1C	Adjustable Co	omposit					6-9/16"	
☐ Black Nickel-1D	□ Mill			Outswing - Mill			7-1/4"	
 □ Art A-1D □ Bronze Water Glass/Black Nickel B-1D 	□ Brass□ Bronze			Public Access - Mill Public Access - Bronze			Custom	
Diolize Water diass/black Nicker b 15	□ Satin Nic	kel	_	Tubile 700000 Biolize	Clear I	Pine:	1 4-9/16"	
Glazing: □ Clear □ Low-E							l 6-9/16"	
☐ Impact ☐ Noise Reduction	Other Option	ons						
□ Other	☐ Sill Pan			20-Gauge Security Plate	Steel:		I 4-1/2"-5-1/2" I 6-1/2"-7-1/2"	
Grids: ☐ Fixed Grids ☐ Contoured GBG	☐ Sill Cove			White Weatherstripping			O-1/2 -7-1/2 Other	
☐ Wood Snap-In ☐ SDL	☐ Brass Kid	ckplate		Satin Nickel Kickplate				
Hardware Prep	Hinges				Hardy	ware Op	tions	
Lockset Bore:	☐ Brasston	e (std)		Brushed Nickel				
Deadbolt Bore: ☐ Yes ☐ No	Polished	Chrome	e 🖵	Oil Rubbed Bronze	Deadb	olt Style _		
Special Bore:	☐ Black Nic	ckel		Solid Brass (Classic-Craft)	Hands	et Style _		
Peepsite w/prep: Yes No Peepsite Finish:	☐ Ball-Bear	rina Hin	nnee 🗇	Bommer Hinges	Finish:	П	Lifetime Brass (5	:05)
Mail Slot w/prep:	□ Stainless			Dominior Fillingoo	T IIIIOII.		Bright Brass (605	,
Mail Slot Finish:			ŭ				Antique Brass (6	09)
							Oil Rubbed Bronz	. ,
Door Finish	Exterior Ca	eina					Satin Nickel (619 Antique Pewter (•
Paint Grid: Yes No	Composite:		/hite Vinvl	Clad				
Color:			lood Grain				Matte Black (622	2) `
Finish Frame (Composite): ☐ Yes ☐ No							Bright Chrome (6	
Frame Color In:	Profile:	90		c			Satin Chrome (62	•
Frame Color Out: Prefinished (Composite):		□ 90 □ 90	08 w/nail	TIN		u	Aged Bronze (71	0)
Exterior Color:			/4 x 4 Fla		☐ Ke	ey all lock	s alike	
Interior Color:			/4 x 4 Fla		☐ Ke	ey locks t	o Schlage key # _	
Finish Casing Color:		☐ CI	lear Pine	908				
Color: Unfinished:	Primed Finger Joint:	D 00	0 0					
Unfinished: ☐ Yes ☐ No Therma-Tru Same-Day Stain Kit: ☐ Yes ☐ No	Finger-Joint:		u8 -1/2" Flat	(5/4 x 4)				
Color:		_ 5	., = 1 iat	(o, i n i)				
								
Special Instructions:								

About Harvey Building Products

Harvey has built a solid reputation as a leading manufacturer and distributor of quality building products. A privately-owned and operated business for over 50 years, Harvey Building Products is known for outstanding craftsmanship and superior service as well as standing behind every product we make. In addition to manufacturing durable, attractive windows, doors



and patio rooms, Harvey distributes a full line of building products through professional contractors and builders throughout the Northeast, including siding, roofing, and decking, among other products.



1400 Main Street, Waltham, MA 02451 USA 800-9HARVEY (800-942-7839)

Information about Harvey Building Products and our products and services can be found at harveybp.com.



Due to printing limitations, finishes and colors shown in this brochure are for representation only. Visit your local branch or showroom to see actual samples.