

Equipment Discount Program: Asia Pacific, Europe, Middle East, Africa, Russia/CIS, and Latin America

Last updated 15 April 2013

Program Overview

The Cisco Networking Academy[®] Equipment Discount Program enables academies to purchase equipment that supports the delivery and hands-on learning aspects of Cisco CCNA[®], CCNA Security[®], and CCNP[®] courses at reduced prices.

Note: Cisco reserves the right to modify or discontinue the Networking Academy™ Equipment Discount Program at any time without prior notice or liability. The latest version of this document can be found at www.netacad.com/group/program/equipment-information (Under Equipment Ordering).

Program Validity Period

| Promotion Name | Region | Validity Period |
|----------------------------|---|--------------------------|
| Networking Academy APAC | Asia Pacific; New Zealand; India | 1-MAR-2013 – 30-NOV-2013 |
| Networking Academy EMEA | Central Europe; Europe Austria; Europe France; Europe Germany; Europe Italy; Europe Mediterranean; Europe North; Europe Switzerland; Europe UK | 1-MAR-2013 – 27-JUL-2013 |
| Networking Academy EMEA CE | Emerging Central; Emerging East | 1-MAR-2013 – 27-JUL-2013 |
| Networking Academy RUSSIA | Russia | 1-MAR-2013 – 27-JUL-2013 |
| Networking Academy LATAM | Latin America | 1-MAR-2013 – 27-JUL-2013 |

How to Order

To participate in the Equipment Discount Program, academies can locate and contact a Cisco[®] certified Academy Network Partner (ANP) through the <u>Cisco Partner Locator</u> tool. On the Advanced Search tab of the locator tool, enter the name of a specific reseller and select your country, scroll down to the Additional Partner Programs section, expand the section, check the box for Academy Network Partner, then click **Search**.

After locating an Academy Network Partner, please work directly with them for equipment pricing information and order fulfillment.

Please provide the following information to the ANP:

- · Academy ID number
- · Academy name
- · Academy address, including country
- List of all bundles and quantities you wish to order (see NetAcad Equipment Lists)

Promotion Eligibility

Academy Network Partner (ANP)

Only Academy Network Partners (ANP) are qualified to order NetAcad[™] equipment at discounted prices on behalf of academies. To locate a certified ANP, please use the <u>Partner Locator Tool</u>.

Academy Eligibility

To qualify for an equipment discount, an academy must meet the following requirements:

- · Currently recognized as an active Cisco Academy
- · Currently offers CCNA, CCNA Security, or CCNP courses

Note: It is prohibited for an academy to use discounted equipment for purposes other than teaching the Cisco Networking Academy CCNA, CCNA Security, or CCNP courses (cannot be used for general infrastructure or resale).

The following organizations are not eligible for equipment discounts through this program:

- · Academies that do not meet the criteria listed above
- Research institutions not directly connected with education
- · For-profit network provision companies or organizations
- Healthcare providers (except teaching hospitals)
- For-profit training companies (except private schools)

Note: We will verify eligibility before approving an equipment discount.

Products and Services

Only equipment and services recommended by the NetAcad technical team qualify for this discount (see NetAcad Equipment Lists).

To qualify for the equipment discount, all items within a bundle must be purchased as indicated. No products or quantities can be changed.

An academy is not permitted to order more than the total quantity indicated below per quarter:

- 10 CCNA bundles
- 10 CCNA Security bundles
- 4 CCNP bundles
- 10 of each product add-on

If a request exceeds the maximum number of bundles indicated above, we will need justification from your area academy manager or Academy Support Center.

Discounted services can only be purchased with associated equipment parts or bundles.

Discount Levels

Please contact your Academy Network Partner for a final quote.



NetAcad Equipment Lists

CCNA Equipment Bundles

| Bundle Name | Part Number | Part/Product Family Description | Quantity |
|----------------------------------|---------------------------------------|---|----------|
| BUNDLE CCNA - CCNA BASIC CORE | | | |
| | CAB-CONSOLE-RJ45= CAB-CONSOLE-USB= | Console Cable 6ft with RJ45 and DB9F Console Cable 6 ft with USB Type A and mini-B | 3 3 |
| | CAB-SS-V35FC= | V.35 Cable, DCE Female to Smart Serial, 10 Feet | 3 |
| | CAB-SS-V35MT= | V.35 Cable, DTE Male to Smart Serial, 10 Feet | 3 |
| | CISCO1941/K9 | Cisco 1941 w/2 GE,2 EHWIC slots,256MB CF,512MB DRAM,IP Base | 3 |
| | HWIC-2T= WS-C2960-24TT-L | 2-Port Serial WAN Interface Card Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image | 3 3 |
| BUNDLE CCNA - CCNA STANDARD CORE | | | |
| | CAB-CONSOLE-RJ45= CAB-CONSOLE-USB= | Console Cable 6ft with RJ45 and DB9F Console Cable 6 ft with USB Type A and mini-B | 3 3 |
| | CAB-SS-V35FC= | V.35 Cable, DCE Female to Smart Serial, 10 Feet | 3 |
| | CAB-SS-V35MT= | V.35 Cable, DTE Male to Smart Serial, 10 Feet | 3 |
| | CISCO2901/K9 | Cisco 2901 w/2 GE,4 EHWIC,2 DSP,256MB CF,512MB DRAM,IP Base | 3 |
| | HWIC-2T= | 2-Port Serial WAN Interface Card | 3 |
| | WS-C2960-24TT-L | Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image | 3 |
| BUNDLE CCNA - CCNA PREMIUM CORE | | | |
| | CAB-CONSOLE-RJ45= CAB-CONSOLE-USB= | Console Cable 6ft with RJ45 and DB9F Console Cable 6 ft with USB Type A and mini-B | 3 3 |
| | CAB-SS-V35FC= | V.35 Cable, DCE Female to Smart Serial, 10 Feet | 3 |
| | CAB-SS-V35MT= | V.35 Cable, DTE Male to Smart Serial, 10 Feet | 3 |
| | CISCO2911/K9 | Cisco 2911 w/3 GE,4 EHWIC,2 DSP,1 SM,256MB CF,512MB DRAM,IPB | 3 |
| | HWIC-2T= | 2-Port Serial WAN Interface Card | 3 |
| | WS-C2960-24TT-L | Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image | 3 |

CCNA Security Equipment Bundle

| Bundle Name | Part Number | Part/Product Family Description | Quantity |
|------------------------------|----------------------------|---|----------|
| BUNDLE CCNAS - CCNA SECURITY | Y BASIC CORE* | | |
| | ASA5505-BUN-K9 | ASA 5505 Appliance with SW, 10 Users, 8 ports, 3DES/AES | 1 |
| | CAB-CONSOLE-RJ45= | Console Cable 6ft with RJ45 and DB9F | 4 |
| | CAB-CONSOLE-USB= | Console Cable 6 ft with USB Type A and mini-B | 3 |
| | CAB-SS-V35FC= | V.35 Cable, DCE Female to Smart Serial, 10 Feet | 3 |
| | CAB-SS-V35MT= | V.35 Cable, DTE Male to Smart Serial, 10 Feet | 3 |
| | CISCO1941/K9 | Cisco 1941 w/2 GE,2 EHWIC slots,256MB CF,512MB DRAM,IP Base | 1 |
| | CISCO1941-SEC/K9 | Cisco 1941 Security Bundle w/SEC license PAK | 2 |
| | HWIC-2T= | 2-Port Serial WAN Interface Card | 3 |
| | WS-C2960-24TT-L | Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image | 3 |
| BUNDLE CCNAS - CCNA SECURITY | Y BASIC CORE (RUSSIA ONLY) | | |
| | ASA5505-K8 | ASA DES Security Device | 1 |
| | CAB-CONSOLE-RJ45= | Console Cable 6ft with RJ45 and DB9F | 4 |
| | CAB-CONSOLE-USB= | Console Cable 6 ft with USB Type A and mini-B | 3 |
| | CAB-SS-V35FC= | V.35 Cable, DCE Female to Smart Serial, 10 Feet | 3 |
| | CAB-SS-V35MT= | V.35 Cable, DTE Male to Smart Serial, 10 Feet | 3 |
| | CISCO1941/K9 | Cisco 1941 w/2 GE,2 EHWIC slots,256MB CF,512MB DRAM,IP Base | 3 |
| | HWIC-2T= | 2-Port Serial WAN Interface Card | 3 |
| | WS-C2960-24TT-L | Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image | 3 |
| BUNDLE CCNAS - CCNA SECURITY | Y STANDARD CORE* | | |
| | ASA5505-BUN-K9 | ASA 5505 Appliance with SW, 10 Users, 8 ports, 3DES/AES | 1 |
| | CAB-CONSOLE-RJ45= | Console Cable 6ft with RJ45 and DB9F | 4 |
| | CAB-CONSOLE-USB= | Console Cable 6 ft with USB Type A and mini-B | 3 |
| | CAB-SS-V35FC= | V.35 Cable, DCE Female to Smart Serial, 10 Feet | 3 |
| | CAB-SS-V35MT= | V.35 Cable, DTE Male to Smart Serial, 10 Feet | 3 |
| | CISCO2901/K9 | Cisco 2901 w/2 GE,4 EHWIC,2 DSP,256MB CF,512MB DRAM,IP Base | 1 |
| | CISCO2901-SEC/K9 | Cisco 2901 Security Bundlew/SEC license PAK | 2 |
| | HWIC-2T= | 2-Port Serial WAN Interface Card | 3 |
| | WS-C2960-24TT-L | Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image | 3 |
| BUNDLE CCNAS - CCNA SECURITY | Y PREMIUM CORE* | | |
| | ASA5505-BUN-K9 | ASA 5505 Appliance with SW, 10 Users, 8 ports, 3DES/AES | 1 |
| | CAB-CONSOLE-RJ45= | Console Cable 6ft with RJ45 and DB9F | 4 |
| | CAB-CONSOLE-USB= | Console Cable 6 ft with USB Type A and mini-B | 3 |
| | | | |
| | CAB-SS-V35FC= | V.35 Cable, DCE Female to Smart Serial, 10 Feet | 3 |

| CISCO2911/K9 Cis | xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx | 1 |
|----------------------|---|---|
| CISCO2911-SEC/K9 Cis | co 2911 Security Bundle w/SEC license PAK | 2 |
| HWIC-2T= 2-F | Port Serial WAN Interface Card 3 | 3 |
| WS-C2960-24TT-L Ca | talyst 2960 24 10/100 + 2 1000BT LAN Base Image 3 | 3 |

^{*}Bundle not available in Russia

CCNP Equipment Bundle

| Bundle Name | Part Number | Part/Product Family Description | Quantity |
|----------------------------------|-------------------|--|----------|
| BUNDLE CCNP - CCNP BASIC CORE | | | |
| | CAB-CONSOLE-RJ45= | Console Cable 6ft with RJ45 and DB9F | 4 |
| | CAB-CONSOLE-USB= | Console Cable 6 ft with USB Type A and mini-B | 4 |
| | CAB-SS-V35FC= | V.35 Cable, DCE Female to Smart Serial, 10 Feet | 5 |
| | CAB-SS-V35MT= | V.35 Cable, DTE Male to Smart Serial, 10 Feet | 5 |
| | CISCO1941-SEC/K9 | Cisco 1941 Security Bundle w/SEC license PAK | 4 |
| | HWIC-2T= | 2-Port Serial WAN Interface Card | 5 |
| | WS-C2960-24TT-L | Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image | 2 |
| | WS-C3560V2-24PS-E | Catalyst 3560V2 24 10/100 PoE + 2 SFP + IPS (Enhanced) Image | 2 |
| BUNDLE CCNP - CCNP STANDARD CORE | | | |
| | CAB-CONSOLE-RJ45= | Console Cable 6ft with RJ45 and DB9F | 4 |
| | CAB-CONSOLE-USB= | Console Cable 6 ft with USB Type A and mini-B | 4 |
| | CAB-SS-V35FC= | V.35 Cable, DCE Female to Smart Serial, 10 Feet | 5 |
| | CAB-SS-V35MT= | V.35 Cable, DTE Male to Smart Serial, 10 Feet | 5 |
| | CISCO2901-SEC/K9 | Cisco 2901 Security Bundle w/SEC license PAK | 4 |
| | HWIC-2T= | 2-Port Serial WAN Interface Card | 5 |
| | WS-C2960-24TT-L | Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image | 2 |
| | WS-C3560V2-24PS-E | Catalyst 3560V2 24 10/100 PoE + 2 SFP + IPS (Enhanced) Image | 2 |
| BUNDLE CCNP - CCNP PREMIUM CORE | | | |
| | CAB-CONSOLE-RJ45= | Console Cable 6ft with RJ45 and DB9F | 4 |
| | CAB-CONSOLE-USB= | Console Cable 6 ft with USB Type A and mini-B | 4 |
| | CAB-SS-V35FC= | V.35 Cable, DCE Female to Smart Serial, 10 Feet | 5 |
| | CAB-SS-V35MT= | V.35 Cable, DTE Male to Smart Serial, 10 Feet | 5 |
| | CISCO2911-SEC/K9 | Cisco 2911 Security Bundle w/SEC license PAK | 4 |
| | HWI C - 2T = | 2-Port Serial WAN Interface Card | 5 |
| | WS-C2960-24TT-L | Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image | 2 |
| | WS-C3560V2-24PS-E | Catalyst 3560V2 24 10/100 PoE+2 SFP+IPS (Enhanced) Image | 2 |

Product Add-On Options

Note: *To be eligible for the NetAcad equipment discount, all items within the bundles must be purchased as indicated. No product or quantity can be omitted or changed.



Russia ONLY Not available in Russia

| Product Name | Part Number | Part/Product Family Description | Quantity |
|--|---------------------------------|--|----------|
| PRODUCT [Prod001] - Base Router 1941 | CISCO1941/K9 | Cisco 1941 w/2 GE,2 EHWIC slots,256MB CF,512MB DRAM,IP Base | 1 |
| PRODUCT [Prod002] - Base Router 2901 | CISCO2901/K9 | Cisco 2901 w/2 GE,4 EHWIC,2 DSP,256MB CF,512MB DRAM,IP Base | 1 |
| PRODUCT [Prod003] - Base Router 2911 | CISCO2911/K9 | Cisco 2911 w/3 GE,4 EHWIC,2 DSP,1 SM,256MB CF,512MB DRAM,IPB | 1 |
| PRODUCT [Prod004] - Security Router 1941 | CISCO1941-SEC/K9 | Cisco 1941 Security Bundle w/SEC license PAK | 1 |
| PRODUCT [Prod005] - Security Router 2901 | CISCO2901-SEC/K9 | Cisco 2901 Security Bundle w/SEC license PAK | 1 |
| PRODUCT [Prod006] - Security Router 2911 | CISCO2911-SEC/K9 | Cisco 2911 Security Bundle w/SEC license PAK | 1 |
| PRODUCT [Prod007] - Multilayer Switch | WS-C3560V2-24PS-E | Catalyst 3560V2 24 10/100 PoE + 2 SFP + IPS (Enhanced) Image | 1 |
| PRODUCT [Prod008] - Layer 2 Switch | WS-C2960-24TT-L | Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image | 1 |
| PRODUCT [Prod009] - ASA5505 | ASA5505-BUN-K9 | ASA 5505 Appliance with SW, 10 Users, 8 ports, 3DES/AES | 1 |
| PRODUCT [Prod009] - ASA5505 (RUSSIA ONLY) | ASA5505-K8 | ASA 5505 Appliance with SW, 10 Users, 8 ports, DES | 1 |
| PRODUCT [Prod010] - ASA5510 | ASA5510-BUN-K9 | ASA 5510 Appliance with SW, 5FE,3DES/AES | 1 |
| PRODUCT [Prod010] - ASA5510 (RUSSIA ONLY) | ASA5510-K8 | ASA 5510 Appliance with SW, 5FE, DES | 1 |
| PRODUCT [Prod011] - WAN Interface Card | HWIC-2T= | 2-Port Serial WAN Interface Card | 1 |
| PRODUCT [Prod012] - Serial Cable* | CAB-SS-V35FC= | V.35 Cable, DCE Female to Smart Serial, 10 Feet | 1 |
| | CAB-SS-V35MT= | V.35 Cable, DTE Male to Smart Serial, 10 Feet | 1 |
| PRODUCT [Prod013] - Rackmount Kit | ACS-1941-RM-19= | 19 inch rackmount kit for Cisco 1941/1941WISR | 1 |
| PRODUCT [Prod014] - 16 port serial card for NetLab | HWIC-16A | 16-Port Async HWIC | 1 |
| PRODUCT [Prod015] - Octo Cable for NetLab | CAB-HD8-ASYNC | High Density 8-port EIA-232 Async Cable | 1 |
| PRODUCT [Prod016] - RJ45 Console Cable | CAB-CONSOLE-RJ45= | Console Cable 6ft with RJ45 and DB9F | 1 |
| PRODUCT [Prod017] - USB Console Cable | CAB-CONSOLE-USB= | Console Cable 6 ft with USB Type A and mini-B | 1 |
| PRODUCT [Prod018] - Pilot CCNA Voice Bundle * | CISCO2901/K9 | Cisco 2901 w/2 GE,4 EHWIC,2 DSP,256MB CF,512MB DRAM,IP Base | 2 |
| | CISCO2911/K9 | Cisco 2911 w/3 GE,4 EHWIC,2 DSP,1 SM,256MB CF,512MB DRAM,IPB | 1 |
| | CM8.6-K9-NFR | SW CM 8.6 Appliance Not For Resale | 1 |
| | CP-7962G= | Cisco UC Phone 7962, spare | 4 |
| | CP-PWR-CUBE-3= | IP Phone power transformer for the 7900 phone series | 4 |
| | HWIC-2T= | 2-Port Serial WAN Interface Card | 2 |
| | PVDM3-16= | 16-channel high-density voice and video DSP module SPARE | 3 |
| | SW-CUP8.6-K9 | Cisco Unified Presence 8.6 Application Software | 1 |
| | VWIC3-1MFT-T1/E1= | 1-Port 3rd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1 | 2 |
| | VWIC3-2MFT-T1/E1= | 2-Port 3rd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1 | 1 |
| | WS-C2960-24TT-L | | 3 |
| PRODUCT [Prod019] - Pilot CCNA Voice Upgrade | WS-C2960-2411-L CM8.6-K9-NFR | Catalyst 2960 24 10/100 + 2 1000BT LAN Base Image SW CM 8.6 Appliance Not For Resale | 3 |
| Bundle * | CN8.6-K9-NFK CP-7962G= | Cisco UC Phone 7962, spare | 1 1 |
| | CP-7902G= CP-PWR-CUBE-3= | | 4 |
| | | IP Phone power transformer for the 7900 phone series | 4 |
| | PVDM3-16= | 16-channel high-density voice and video DSP module SPARE | 3 |

| SW | W-CUP8.6-K9 | Cisco Unified Presence 8.6 Application Software | 1 | l |
|----|------------------|--|---|---|
| ∨w | NIC3-1MFT-T1/E1= | 1-Port 3rd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1 | 2 | l |
| VW | NIC3-2MFT-T1/E1= | 2-Port 3rd Gen Multiflex Trunk Voice/WAN Int. Card - T1/E1 | 1 | l |

Service Add-On Options

Note: *To be eligible for the NetAcad equipment discount promotion, all items within the bundles must be purchased as indicated. No product or quantity can be omitted or changed.



| Service Name | Part Number | Part/Product Family Description | Quantity |
|--|---|--|------------------|
| SERVICE [BUNDLE CCNA] - CCNA BASIC CORE* | CON-SMBS-C29602TT CON-SNT-1941 | SMBS 8X5XNBD Catalyst 2960 2410/100 + 2 1000BT LAN SMARTNET 8X5XNBD Cisco 1941 w/2 GE,2 | 3 3 |
| SERVICE [BUNDLE CCNA] - CCNA PREMIUM CORE* | CON-SMBS-C29602TT CON-SNT-2911 | SMBS 8X5XNBD Catalyst 2960 2410/100 + 21000BT LAN SMARTNET 8X5XNBD Cisco 2911 w/3 GE,4 | 3 3 |
| SERVICE [BUNDLE CCNA] - CCNA STANDARD CORE* | CON-SMBS-C29602TT CON-SNT-2901 | SMBS 8X5XNBD Catalyst 2960 2410/100 + 21000BT LAN SMARTNET 8X5XNBD Cisco 2901 | 3 3 |
| SERVICE [BUNDLE CCNAS] - CCNA SECURITY BASIC CORE* | CON-SMBS-AS5BUNK9 CON-SMBS-C29602TT CON-SNT-1941 CON-SNT-1941SEC | SMBS 8X5XNBD ASA5505-BUN-K9 SMBS 8X5XNBD Catalyst 2960 2410/100 + 21000BT LAN SMARTNET 8X5XNBD Cisco 1941 w/2 GE,2 SMARTNET 8X5XNBD Cisco 1941 Security Bundle w/SEC license | 1 3 1 2 |
| SERVICE [BUNDLE CCNAS] - CCNA SECURITY BASIC CORE (RUSSIA ONLY)* | CON-SMT-1941 CON-SMBS-C29602TT CON-SMBS-AS5K8 | SMARTNET 8X5XNBD Cisco 1941 w/2 GE,2 SMBS 8X5XNBD Catalyst 2960 2410/100 + 21000BT LAN SMBS 8X5XNBD ASA5505-K8 | 3 3 1 |
| SERVICE [BUNDLE CCNAS] - CCNA SECURITY PREMIUM CORE* | CON-SMBS-AS5BUNK9 CON-SMBS-C29602TT CON-SNT-2911 CON-SNT-2911SEC | SMBS 8X5XNBD ASA5505-BUN-K9 SMBS 8X5XNBD Catalyst 2960 2410/100 + 2 1000BT LAN SMARTNET 8X5XNBD Cisco 2911 w/3 GE,4 SMARTNET 8X5XNBD Cisco 2911 Security | 1 3 1 2 |
| SERVICE [BUNDLE CCNAS] - CCNA SECURITY STANDARD CORE* | CON-SMBS-AS5BUNK9 CON-SMBS-C29602TT CON-SNT-2901 CON-SNT-2901SEC | SMBS 8X5XNBD ASA5505-BUN-K9 SMBS 8X5XNBD Catalyst 2960 2410/100 + 2 1000BT LAN SMARTNET 8X5XNBD Cisco 2901 SMARTNET 8X5XNBD Cisco 2901 Security | 1 3 1 2 |
| SERVICE [BUNDLE CCNP] - CCNP BASIC CORE* | CON-SMBS-C29602TT CON-SMBS-V224PSE CON-SNT-1941SEC | SMBS 8X5XNBD Catalyst 2960 2410/100 + 21000BT LAN SMBS 8X5XNBD Catalyst 3560V2 2410/100 PoE + 2 SFP En SMARTNET 8X5XNBD Cisco 1941 Security Bundle w/SEC license | 2 2 4 |
| SERVICE [BUNDLE CCNP] - CCNP PREMIUM CORE* | CON-SMBS-C29602TT CON-SMBS-V224PSE CON-SNT-2911SEC | SMBS 8X5XNBD Catalyst 2960 2410/100 + 2 1000BT LAN SMBS 8X5XNBD Catalyst 3560V2 2410/100 PoE + 2 SFP En SMARTNET 8X5XNBD Cisco 2911 Security | 2 2 4 |
| SERVICE [BUNDLE CCNP] - CCNP STANDARD CORE* | CON-SMBS-C29602TT CON-SMBS-V224PSE | SMBS 8X5XNBD Catalyst 2960 2410/100 + 2 1000BT LAN SMBS 8X5XNBD Catalyst 3560V2 2410/100 PoE + 2 SFP En | 2 2 |

| | | CON-SNT-2901SEC | SMARTNET 8X5XNBD Cisco 2901 Security | 4 |
|---|--|-------------------|---|---|
| | SERVICE [Serv001] - 1941 Base Router | CON-SNT-1941 | SMARTNET 8X5XNBD Cisco 1941 w/2 GE,2 | 1 |
| | SERVICE [Serv002] - 2901 Base Router | CON-SNT-2901 | SMARTNET 8X5XNBD Cisco 2901 | 1 |
| | SERVICE [Serv003] - 2911 Base Router | CON-SNT-2911 | SMARTNET 8X5XNBD Cisco 2911 w/3 GE,4 | 1 |
| | SERVICE [Serv004] - 1941 Security Router | CON-SNT-1941SEC | SMARTNET 8X5XNBD Cisco 1941 Security Bundle w/SEC license | 1 |
| | SERVICE [Serv005] - 2901 Security Router | CON-SNT-2901SEC | SMARTNET 8X5XNBD Cisco 2901 Security | 1 |
| | SERVICE [Serv006] - 2911 Security Router | CON-SNT-2911SEC | SMARTNET 8X5XNBD Cisco 2911 Security | 1 |
| | SERVICE [Serv007] - 2960 Layer 2 Switch | CON-SMBS-C29602TT | SMBS 8X5XNBD Catalyst 2960 2410/100 + 21000BT LAN | 1 |
| | SERVICE [Serv008] - 3560 Multilayer Switch | CON-SMBS-V224PSE | SMBS 8X5XNBD Catalyst 3560V2 2410/100 PoE + 2 SFP En | 1 |
| | SERVICE [Serv009] - ASA5505 | CON-SMBS-AS5BUNK9 | SMBS 8X5XNBD ASA5505-BUN-K9 | 1 |
| | SERVICE [Serv009] - ASA5505 (RUSSIA ONLY) | CON-SMBS-AS5K8 | SMBS 8X5XNBD ASA5505-K8 | 1 |
| | SERVICE [Serv010] - ASA5510 | CON-SMBS-AS1BUNK9 | SMBS 8X5XNBD ASA 5510 VPN Edition | 1 |
| | SERVICE [Serv010] - ASA5510 (RUSSIA ONLY) | CON-SMBS-AS1K8 | SMBS 8X5XNBD ASA 5510 App w SW | 1 |
| _ | SERVICE [Serv011] - Pilot CCNA Voice Bundle* | CON-SMBS-C29602TT | SMBS 8X5XNBD Catalyst 2960 2410/100 + 21000BT LAN | 3 |
| | | CON-SNT-2901 | SMARTNET 8X5XNBD Cisco 2901 | 2 |
| | | CON-SNT-2911 | SMARTNET 8X5XNBD Cisco 2911 w/3 GE,4 | 1 |

For More Information

If you have questions after reviewing this information, please contact your area academy manager or Academy Support Center.



Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.