

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

44-in. Front Blade Equipment for Base Machine

1118 mm (44 in.) Cutting Width Thickness
1016 mm (40 in.) Cutting Width
at 25 degree angle
3 Angling Positions
3.05 mm (0.12 in.) Blade

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6001M		44-in. Front Blade <i>For Model Year 2006-2015 Select Series X300 Tractors</i> <i>Rear weights and tire chains are recommended for additional traction.</i>	565.00
-------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
LP33711	Electric Lift Kit (Model Year 2006-2015) <i>For snow blower and front blade</i>		408.00
LP33712	Manual angling kit (44-in. Front Blade X300s)		158.00
	Miscellaneous		
M146542	Front blade rubber squeegee (44-in. blade) <i>Requires 7 03M7188 bolts and 7 14M7273 nuts</i>		59.07
AM135847	Snow Blower and Front Blade Replacement Tractor Side Lift Parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>		209.74

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

44-in. Front Blade

Equipment for Base Machine

1118 mm (44 in.) Cutting Width Thickness
 1016 mm (40 in.) Cutting Width
 at 25 degree angle
 3 Angling Positions
 3.05 mm (0.12 in.) Blade

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

		<i>F.O.B. Davenport, Iowa</i>	
6005M		44-in. Front Blade <i>For model year 2016- Select Series X300 tractors.</i> <i>Rear weights and tire chains are available for additional traction.</i> <i>Sales are restricted to the following countries: Australia, Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Japan, Luxembourg, Netherlands, New Zealand, Norway, Portugal, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.</i>	565.00

DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
LP64865	Electric Lift Kit (Model Year 2016-) <i>For snow blower and front blade</i>		459.00
LP33712	Manual angling kit (44-in. Front Blade X300s)		158.00
	Miscellaneous		
M146542	Front blade rubber squeegee (44-in. blade) <i>Requires 7 03M7188 bolts and 7 14M7273 nuts</i>		59.07
	Spanish North American Kit		
BUC10209	44-in Front Blade Spanish North American Operator's Manual and Decal kit (6005M for 2016- X300 Series)		29.96

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

48-in. Front Blade

Equipment for Base Machine

1219 mm (48 in.) Cutting Width
 1194 mm (47 in.) Cutting Width
 at 15 degree angle
 1067 mm (42 in.) Cutting Width
 at 30 degree angle
 5 Angling Positions

Spring-Trip with Lock
 3.05 mm (0.12 in.) Blade
 Thickness

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6002M		48-in. Front Blade <i>For Model Year 2006-2015 Select Series X500 M-T Tractors</i> <i>Rear weights and tire chains are recommended for additional traction.</i>	790.00
-------	--	---	--------

ATTACHMENTS FOR FIELD CONVERSION

LP33711	Miscellaneous Electric Lift Kit (Model Year 2006-2015) <i>For snow blower and front blade</i>	408.00
M42868	Front blade rubber squeegee (48-in. and 54-in. blades) <i>48-in. (122-cm) Front Blade requires 7 03M7188 bolts and 7 14M7273 nuts. 54-in. (137-cm) Front Blade requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	66.87
BM23448	Manual angling kit (48-in. Front Blade X500 M-T)	257.87
AM119321	Miscellaneous Heavy-duty skid shoe (1) <i>Optional upgrade on 48-in. (122-cm) Front Blades and 54-in. (137-cm) Quick Hitch Front Blade. Standard equipment on 60-in. (152-cm) Quick Hitch Front Blade. Two required.</i>	61.59
AM135847	Snow Blower and Front Blade Replacement Tractor Side Lift Parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	209.74
LP64664	Snow Plow Markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	24.00

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

48-in. Front Blade

Equipment for Base Machine

1219 mm (48 in.) Cutting Width	Spring-Trip with Lock
1194 mm (47 in.) Cutting Width	3.05 mm (0.12 in.) Blade
at 15 degree angle	Thickness
1067 mm (42 in.) Cutting Width	
at 30 degree angle	
5 Angling Positions	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

6006M	48-in. Front Blade <i>For X394, and model year 2016- Select Series X500 M-T tractors.</i> <i>Rear weights and tire chains are recommended for additional traction.</i> <i>Sales are restricted to the following countries: Australia, Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Japan, Luxembourg, Netherlands, New Zealand, Norway, Portugal, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.</i>	790.00
-------	---	--------

DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous Electric Lift Kit (Model Year 2016-) <i>For snow blower and front blade</i>	459.00
M42868	Front blade rubber squeegee (48-in. and 54-in. blades) <i>48-in. (122-cm) Front Blade requires 7 03M7188 bolts and 7 14M7273 nuts. 54-in. (137-cm) Front Blade requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	66.87
BM23448	Manual angling kit (48-in. Front Blade X500 M-T)	257.87
AM119321	Miscellaneous Heavy-duty skid shoe (1) <i>Optional upgrade on 48-in. (122-cm) Front Blades and 54-in. (137-cm) Quick Hitch Front Blade. Standard equipment on 60-in. (152-cm) Quick Hitch Front Blade. Two required.</i>	61.59
LP64664	Snow Plow Markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	24.00
BUC10208	Spanish North American Kit 48-in Front Blade Spanish North American Operator's Manual and Decal kit (6006M for 2016- X500 Series)	62.06

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

48 In. Front Blade (For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors)
Equipment for Base Machine

48 In. Wide, Heavy Gauge,
Curved Blade
Two Adjustable Skid Shoes
Replaceable Cutting Edge
Reinforcing Angle on Back
of Blade

Easy-On, Easy-Off Mounting
Five-Angle Positioning
Spring Breakaway with Lock

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3481M		48 In. Front Blade (For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors) <i>Operator's Manual is Packaged with Attaching Parts Bundle.</i> <i>One 50 Lb. Plastic Wheel Weight on each Rear Wheel or up to Four 42 Lb. Quik-Tatch Weights Recommended for Additional Traction. Tire Chains helpful when Blading Snow.</i>	678.00
-------	--	--	--------

LIFT KIT

1000		Front Implement Lift Kit <i>For GT tractors with Hand Lift</i> <i>GT242, GT262, GT275 require 2-M132142 Brackets, 2-19M7789 Bolts and 2-14M7466 Nuts.</i>	105.00
1001		Front Implement Lift Kit <i>For 325, 335, 345, and 355D Tractors</i>	78.00
1002		Front Implement Lift Kit <i>For 240-285 and 320 Tractors</i> <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts, and 4-14M7296 Flange Head Nuts may be required.</i>	107.00
1003		Front Implement Lift Kit <i>For GX325, GX335, GX345, and GX355</i>	78.00
1004		Front Implement Lift Kit <i>For GT and GX255 with Foot Lift</i> <i>Option code no longer available. Order option code 1010 and source BM21337 though parts.</i>	121.00
1010		Less Front Implement Lift Kit	In Base Price

ATTACHING PARTS

2001		Attaching Parts <i>For 240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, and GX355 Tractors</i> <i>240-285, 320 Tractors require 24M7053 Washers.</i>	33.00
------	--	---	-------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

48 In. Front Blade (For 240-285, 320, 325, 335, 345, 355D, GT and GX Tractors)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS Continued...			
2002		Attaching Parts <i>For GT and GX255 Tractors</i>	44.00
2010		Less Attaching Parts	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Attaching Parts			
BM19218		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, GX355) <i>240-285 and 320 Tractors require six 24M7053 washers.</i>	39.59
BM21340		Attaching Parts (GT and GX255)	50.29
Lift Kit			
BM19996		Front Implement Lift Kit (325, 335, 345, 355D)	88.81
BM20781		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	88.81
BM16733		Front implement lift kit (240-285 and 320) <i>When installing front implement lift kit on the 240 with 38-in. Mower, one M71193 right mower lift stop, one M71194 left mower lift stop, four 03M7190 carriage bolts and four 14M7296 flange head nuts may be required.</i>	121.99
BM18977		Front implement lift kit (LX and GT with hand lift) <i>3481M 48-in. Front Blade on GT242, GT262, or GT275, require: two M132142 brackets, two 19M7789 bolts and two 14M7401 nuts. 3252M 42-in. Snow Thrower on G100, Scotts Yard Tractors, Sabre Yard Tractors, GT242, GT262, or GT275 require: two M132142 brackets, four 19M7285 bolts, and four 14M7466 nuts. 3252M 42-in. Snow Thrower on LX277 AWS require: two M136814 brackets, four 19M7285 bolts, and four 14M7466 Nuts. 3252M 42-in. Snow Thrower on LX172- LX188 require BM19407 mounting parts.</i>	120.91
BM21337		Front implement lift kit (LX, GT, and GX255 with foot lift) <i>LX280 AWS requires two M136814 brackets, four 19M7285 bolts, four 14M7466 nuts, one M155668 bracket, one 19M7786 M10x30 bolt, and one 14M7400 M10 locknut.</i>	139.10
Miscellaneous			
AM119321		Heavy-duty skid shoe (1) <i>For 47-in. Quick Hitch Snow Blowers (SN -060,000) Optional upgrade on 48-in. (122-cm) Front Blades and 54-in. (137-cm) Quick Hitch Front Blade. Standard equipment on 60-in. (152-cm) Quick Hitch Front Blade. Two required.</i>	61.59
BM21341		Manual angling kit (48-in. Front Blade on GT, 240-285, 320, 325, 335, 345, 355D, and GX) <i>For 240-285 and 320 Tractors, also order one AM103783 bracket, one 19M7866 bolt, and one 14M7401 nut.</i>	211.86

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 in. Quick-Hitch Front Blade
Equipment for Base Machine

1372 mm (54 in.) Clearing Width	degrees
Straight	Two Adjustable Skid Shoes
1219 mm (48 in.) Clearing Width	Reinforced Angle Bar on Back of
Fully Angled	Blade Spring Breakaway with
Replaceable Cutting Edge	Lock-Out Pin
Heavy 11-Gauge, Curved Blade	
Angled Left or Right Up to 27	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1492M	54 in. Quick-Hitch Front Blade <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700s, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2026R, 2027R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors. BM20761 hydraulic coupler kit required on 425, X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	515.00
-------	--	--------

DESTINATION

0202	United States <i>Requires option code 0409 English operator's manual and decal kit or option code 0437 Spanish operator's manual and decal kit.</i>	In Base Price
0184	Canada <i>Requires option code 0409 English operator's manual and decal kit or option code 0413 French operator's manual and decal kit.</i>	Same Price
0205	Quebec <i>Requires option code 0413 French operator's manual and decal kit.</i>	Same Price
0195	Mexico <i>Requires option code 0457 Spanish operator's manual and no-text decal kit.</i>	Same Price

OPERATOR'S MANUAL

0409	English operator's manual and decal kit	In Base Price
0413	French Canada operator's manual and decal kit	Same Price
0437	Spanish operator's manual and decal kit	Same Price
0448	English operator's manual and no-text decal kit	Same Price
0457	Spanish operator's manual and no-text decal kit	Same Price

FRONT QUICK-HITCH

6940	Front Quick-Hitch and Hydraulic Lift	615.00
------	--------------------------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 in. Quick-Hitch Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT QUICK-HITCH Continued...			
<i>For X400 and X500 Heavy Duty Garden Tractors, and X700's.</i>			
6947		Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	638.00
6943		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	656.00
6950		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i> <i>Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320).</i> <i>Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	716.00
6953		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes BLV10680 front attaching support kit.</i>	845.00
6952		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i> <i>Includes BLV10796 front attaching support kit.</i>	835.00
6968		Less Front Quick-Hitch	In Base Price
HYDRAULIC ANGLING			
6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700's, and X950R.</i>	189.00
6801		Hydraulic Angling <i>For 425, 445, and 455.</i>	165.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	191.00
6804		Hydraulic Angling <i>For 1023E, and 1025R.</i>	191.00
6803		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	198.00
6805		Hydraulic Angling <i>For 1026R, model year 2017- 2025R, and 2026R.</i>	260.00
6818		Less Hydraulic Angling	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
BM20921		Front Quick-Hitch Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 in. Quick-Hitch Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24898	Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
	BM17347	Front quick hitch and hydraulic lift (415, 425, 445, 455)	731.89
	BM19782	Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s)	706.20
	BM26236	Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s) <i>BM25609 hydraulic angling kit recommended</i>	706.20
	BM20761	Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	56.71
	BLV10708	Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	770.40
		Hydraulic Angling	
	LVB26108	Hydraulic Angling (1023E, 1025R, 1026R)	219.36
	BLV10880	Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	296.39
	BM20922	Hydraulic angling (2210, 2305)	219.36
	BM17650	Hydraulic angling (415, 425, 445, 455)	189.39
	BM25609	Hydraulic angling (X400/X500 HDGTs, X700s)	217.21
	LVB24901	Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
		Miscellaneous	
	LP54000	54-in. (137-cm) Tractor Shovel <i>For X400/X500 HDGTs, and X700s. See Sales Manual for specific requirements.</i>	759.00
	M42868	Front blade rubber squeegee (48-in. and 54-in. blades) <i>48-in. (122-cm) Front Blade requires 7 03M7188 bolts and 7 14M7273 nuts. 54-in. (137-cm) Front Blade requires 10 03M7188 bolts and 10 14M7273 nuts.</i>	66.87
	BM20753	Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
		Miscellaneous	
	BLV10160	Front Attaching Support Kit (1023E, 1025R, and 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB25396	Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	60.99
	LVB24895	Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	88.81
	BLV10680	Front Attaching Support kit (model year 2017- 2025R, 2026R)	276.06

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 in. Quick-Hitch Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LP53767	Front Blade Snow Extension Kit <i>Pair of 9-inch extensions to lengthen 54-inch front blade to 72-inch width. For use in snow removal applications on X400/X500 HDGT's and X700's. Not approved for dirt or any CUT applications.</i>	189.00
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	132.69
	LVB25302	Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	62.06
	AM119321	Heavy-duty skid shoe (1) <i>Optional upgrade on 48-in. (122-cm) Front Blades and 54-in. (137-cm) Quick Hitch Front Blade. Standard equipment on 60-in. (152-cm) Quick Hitch Front Blade. Two required.</i>	61.59
	LP64664	Snow Plow Markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	24.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 in. Quick-Hitch Front Blade
Equipment for Base Machine

1524 mm (60 in.) Clearing Width Straight	Two Adjustable Heavy Duty Skid Shoes
1358 mm (53.5 in.) Clearing Width Fully Angled	Reinforced Angle Bar on Back of Blade Spring Breakaway with
Replaceable Cutting Edge	Lock-Out Pin
Heavy 7-Gauge, Curved Blade	
Angled Left or Right Up to 27 degrees	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

9820M	60 in. Quick-Hitch Front Blade <i>For X400/X500 Heavy Duty Garden Tractors, X700s, X950R, 1023E, 1025R, 1026R, 2210, 2305, 2025R, 2026R, 2027R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support lit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	885.00
-------	--	--------

DESTINATION

0202	United States <i>Requires option code 0409 English operator's manual and decal kit or option code 0437 Spanish operator's manual and decal kit.</i>	In Base Price
0184	Canada <i>Requires option code 0409 English operator's manual and decal kit or option code 0413 French operator's manual and decal kit.</i>	Same Price
0205	Quebec <i>Requires option code 0413 French operator's manual and decal kit.</i>	Same Price
0195	Mexico <i>Requires option code 0457 Spanish operator's manual and no-text decal kit.</i>	Same Price

OPERATOR'S MANUAL

0409	English operator's manual and decal kit	In Base Price
0413	French Canada operator's manual and decal kit	Same Price
0437	Spanish operator's manual and decal kit	Same Price
0448	English operator's manual and no-text decal kit	Same Price
0457	Spanish operator's manual and no-text decal kit	Same Price

FRONT QUICK-HITCH

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 in. Quick-Hitch Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
6940		FRONT QUICK-HITCH Continued... Front Quick-Hitch and Hydraulic Lift <i>For X400 and X500 Heavy Duty Garden Tractors, and X700's.</i>	615.00
6943		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	656.00
6950		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i> <i>Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320).</i> <i>Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	716.00
6953		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R, and 2026R.</i> <i>Includes BLV10680 front attaching support kit.</i>	845.00
6952		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i> <i>Includes BLV10796 front attaching support kit.</i>	835.00
6968		Less Front Quick-Hitch	In Base Price

HYDRAULIC ANGLING

6800		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors, X700's, and X950R.</i>	189.00
6802		Hydraulic Angling <i>For 2210 and 2305.</i>	191.00
6804		Hydraulic Angling <i>For 1023E, and 1025R.</i>	191.00
6803		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	198.00
6805		Hydraulic Angling <i>For 1026R, model year 2017- 2025R, and 2026R.</i>	260.00
6818		Less Hydraulic Angling	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

	Front Quick-Hitch	
BM20921	Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
LVB24898	Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM19782	Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s)	706.20

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 in. Quick-Hitch Front Blade

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s) <i>BM25609 hydraulic angling kit recommended</i>	706.20
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	56.71
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	770.40
LVB26108		Hydraulic Angling Hydraulic Angling (1023E, 1025R, 1026R)	219.36
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	296.39
BM20922		Hydraulic angling (2210, 2305)	219.36
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s)	217.21
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
BM20753		Miscellaneous Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
BLV10160		Miscellaneous Front Attaching Support Kit (1023E, 1025R, and 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	60.99
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	88.81
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	276.06
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	132.69
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	62.06
AM119321		Heavy-duty skid shoe (1)	61.59
LP64664		Snow Plow Markers <i>Compatible with 48-in. Front Blade and 54-in. Quick Hitch Front Blade</i>	24.00

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

ROPS Hard Cab Equipment for Base Machine

Modular Design
Roll-Over Protective Structure
(ROPS) Certified
Steel Doors
Sliding Glass Windows
Front windshield wiper

Safety Glass Rear Window

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

9356M		ROPS Hard Cab <i>For X700 Signature Series Tractors (X710, X730, X734, X738, X739, X750, X754, and X758)</i>	4,799.00
-------	--	---	----------

DESTINATION

001A		US and Canada	In Base Price
------	--	---------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
BM25347	55-amp alternator harness kit	48.16
BM24425	Auxiliary alternator kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements standard 20-amp alternator. Recommended with heated cabs.</i>	399.11
	Miscellaneous	
BM25094	Heater quick connect kit (X710,X730,X734,X738,X739,X750,X754,X758)	180.83
BM25033	Heater, Tuck-Away	457.96
BM25081	Interior review mirror kit (X710,X730,X734,X738,X739,X750,X754,X758)	112.36
BM25062	Mirror Kit (X710,X730,X734,X738,X739,X750,X754,X758)	111.29
BM25061	Rear Wiper Kit (X710,X730,X734,X738,X739,X750,X754,X758)	151.94
BM25063	Strobe Light Kit (X710,X730,X734,X738,X739,X750,X754,X758)	160.50
BM25064	Switch-panel fuse block kit (X710,X730,X734,X738,X739,X750,X754,X758)	310.30
BM25082	Work Light Kit (X710,X730,X734,X738,X739,X750,X754,X758)	225.77

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

ROPS Hard Cab Equipment for Base Machine

Modular Design
Roll-Over Protective Structure
(ROPS) Certified
Steel Doors
Sliding Glass Windows

Safety Glass Rear Window

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

9354M		ROPS Hard Cab <i>For X400/X500 HDGT and X700, X720, X724, X728, X729, X740, X744, X748, X749 Garden Tractors.</i> <i>Not Compatible with 45 Loader.</i> <i>Cab is Shipped in two Boxes.</i>	3,929.00
-------	--	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous		
BM20990	Alternator Kit, 40 amp (X740, X744, X748, X495, X595) <i>Replaces standard 20-amp alternator on X495, X595, and model year 2006 (SN 010,001-020,000) X740, X744, and X748 Tractors. Standard equipment model year 2007- (SN 020,001-). Recommended with heated cab.</i>		499.69
BM24425	Auxiliary alternator kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements standard 20-amp alternator. Recommended with heated cabs.</i>		399.11
	Miscellaneous		
BM21480	Heater, Tuck-Away		457.96
BM20932	Strobe Light		148.73
BM20930	Switch-panel fuse block kit		254.66
BM20934	Window wiper, front electric		210.79

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

ROPS Soft Cab Equipment for Base Machine

Modular Design
Roll-Over Protective Structure
(ROPS) Certified
Vinyl Doors
Clear Vinyl Windows

Clear Vinyl Rear Window

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

9355M		ROPS Soft Cab <i>For X400/X500 HDGT and X700, X720, X724, X728, X729, X740, X744, X748, X749 Garden Tractors.</i> <i>Compatible with 45 Loader.</i>	2,769.00
-------	--	---	----------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
BM20990	Alternator Kit, 40 amp (X740, X744, X748, X495, X595) <i>Replaces standard 20-amp alternator on X495, X595, and model year 2006 (SN 010,001-020,000) X740, X744, and X748 Tractors. Standard equipment model year 2007- (SN 020,001-). Recommended with heated cab.</i>	499.69
BM24425	Auxiliary alternator kit (X710, X730, X734, X738, X739, X700, X720, X724, X728, X729, X475, X485, X575, X585) <i>Supplements standard 20-amp alternator. Recommended with heated cabs.</i>	399.11
BM21480	Miscellaneous Heater, Tuck-Away	457.96
BM20932	Strobe Light	148.73
BM20930	Switch-panel fuse block kit	254.66
BM20934	Window wiper, front electric	210.79

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

**Weather Enclosure (For X400/X500 HDGT and X700, X720, X724, X728, X729, X740,
X744, X748, X749 Garden Tractors)**
Equipment for Base Machine

16 Gauge Steel Tubing
Construction
Molded Plastic Roof
Vinyl Fabric Doors and
Sides
Lexan Window

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Weather Enclosure			
<i>Weather Enclosure is not Modular Design, not ROPS Certified and no Wiper as Standard Equipment.</i>			
ATTACHMENTS FOR FIELD CONVERSION			
		Weather Enclosures	
BM20482		Soft weather enclosure	1,098.89
BM20923		Windshield, safety glass	219.36
BM20925		Wiper, 12-V electric <i>Requires BM20923 Windshield</i>	228.99

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

7 Bu. Rear Bagger (For Riding Mowers)
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:
Polypropylene Hopper Top
Two Easy-to-Empty Bags
Quik-Tatch Mounting
POWER FLOW CHUTE:
Handle for Easy
Installation and Removal
Air Flow Indicator

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		MCS Chutes	
BM20384		Rear bagger chute for 30-in. (76-cm) and 38-in. (97-cm) Mowers	75.97

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For STX38 and STX46 Lawn Tractors)
Equipment for Base Machine

<p>7 BUSHEL HOPPER ASSEMBLY: Polypropylene Hopper Top Two Easy-to-Empty Bags Quik-Tatch Mounting POWER FLOW CHUTE: Handle for Easy Installation and Removal</p>	<p>Air Flow Indicator BLOWER ASSEMBLY: Easy Installation and Removal Polyethylene Housing</p>
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		MCS Chutes	
BM20988		Power Flow chute (7 bu)	75.97
BM20982		Rear bagger chute for 38-in. (97-cm) Mowers	78.11
		Mower Deck and Mower Deck Attachments	
M83459		High Lift Mower Blade (38 In. Mower)	16.99
		Mower Decks	
AM103851		Mower lip kit (left), 38-in. (97-cm) Mower	190.24
AM103852		Mower lip kit (right rear), 38-in. (97-cm) Mower	88.04

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For LT Lawn Tractors)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:
Polypropylene Hopper Top
Two Easy-to-Empty Bags
Quik-Tatch Mounting
POWER FLOW CHUTE:
Handle for Easy
Installation and Removal
Air Flow Indicator

BLOWER ASSEMBLY:
For 48 In. and 54 In. Mowers
Easy Installation and
Removal
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		MCS Chutes	
BM20988		Power Flow chute (7 bu)	75.97
BM20493		Rear bagger chute for LT 38-in. mower	79.19
BM20942		Rear bagger chute for LT 42C Mower	95.23
		MCS Hoppers	
BM20454		7-bu (247-L) 2-Bag Hopper Assembly (LT Tractors) <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i>	449.40
		MCS Power Flow Blowers	
BM20004		QT Blower Assembly for 38-in. Mower	600.27
BM21380		QT Blower Assembly for 48C Mower (LT166, LT180, LT190)	573.51
		Mower Deck and Mower Deck Attachments	
M135589		Hi Lift Blade For 48 In. Mower	13.98
M83459		High Lift Mower Blade (38 In. Mower)	16.99
		Mower Decks	
BM20505		Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	39.59
AM103851		Mower lip kit (left), 38-in. (97-cm) Mower	190.24
AM103852		Mower lip kit (right rear), 38-in. (97-cm) Mower	88.04
		Mower Decks	
BM19894		Leaf bagging kit (48C or 48X Mower)	103.79

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System (For LX Lawn Tractors)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:
Polypropylene Hopper Top
Two Easy-to-Empty Bags
Quik-Tatch Mounting
POWER FLOW CHUTE:
Handle for Easy
Installation and Removal
Air Flow Indicator

BLOWER ASSEMBLY:
For 48 In. and 54 In. Mowers
Easy Installation and
Removal
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		MCS Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20988	Power Flow chute (7 bu)	75.97
	BM20982	Rear bagger chute for 38-in. (97-cm) Mowers	78.11
		MCS Hoppers	
	BM20456	7-bu (247-L) 2-Bag Hopper Assembly (GT, 325-355D, GX, LX280, LX289) <i>For LX280 (Not LX280 AWS) and LX289. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. F.O. B. Greeneville, TN. For 42 In. Convertible Mower only (42C).</i>	449.40
	BM20455	7-bu (247-L) 2-Bag Hopper Assembly (LX172-LX188, LX255, LX266, LX277, LX277 AWS, LX279 and LX288, and LX280 AWS) <i>For LX172-LX188 and LX255, LX266, LX277, LX277 AWS, LX280 AWS and LX288 Lawn Tractors. Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute. LX277 AWS and LX280 AWS Requires BM19797, Adapter Kit.</i>	449.40
		MCS Power Flow Blowers	
	BM22696	48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow chute</i>	541.41
	BM22697	54C/54X/54D High-Performance Power Flow blower <i>Requires BM21681 Power Flow Chute.</i>	541.41
	BM19090	Blower Assembly for 54-in. (137-cm) Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	541.41
		Material Collection System Power Flow Blowers	
	BM18770	QT Blower Assembly for 38 In. Mower (Yellow 38 In. Decks) <i>Not for use on LX277 AWS or LX280 AWS. Requires BM20988 Power Flow Chute.</i>	594.91
		Mower Deck and Mower Deck Attachments	
	M139977	Bagging Mower Blade (42C Mower)	19.50
	M135589	Hi Lift Blade For 48 In. Mower	13.98
	M83459	High Lift Mower Blade (38 In. Mower)	16.99
		Mower Decks	

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection System (For LX Lawn Tractors)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM20505	Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	39.59
	AM103851	Mower lip kit (left), 38-in. (97-cm) Mower	190.24
	AM103852	Mower lip kit (right rear), 38-in. (97-cm) Mower	88.04
		Mower Decks	
	BM19894	Leaf bagging kit (48C or 48X Mower)	103.79
	BM20985	Leaf bagging kit (54C or 54X Mower)	129.47

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For SST Lawn Tractors)
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:
Polypropylene Hopper Top
Two Easy-to-Empty Bags
Quik-Tatch Mounting
POWER FLOW CHUTE:
Handle for Easy
Installation and Removal
Air Flow Indicator

BLOWER ASSEMBLY:
For 48 In. and 54 In. Mowers
Easy Installation and
Removal
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		MCS Chutes	
	BM21681	Power Flow chute (6.5/7 bu)	115.56
	BM20988	Power Flow chute (7 bu)	75.97
	BM20943	Rear bagger chute for 42-in. (107-cm) All-Purpose Mower (42AP)	89.89
		MCS Power Flow Blowers	
	BM22696	48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700)	541.41
		Mower Deck and Mower Deck Attachments	
	M135589	Hi Lift Blade For 48 In. Mower	13.98
		Mower Decks	
	BM20505	Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	39.59
		Mower Decks	
	BM19894	Leaf bagging kit (48C or 48X Mower)	103.79

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GT Garden Tractors)

Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:
Polypropylene Hopper Top
Two Easy-to-Empty Bags
Quik-Tatch Mounting
POWER FLOW CHUTE:
Handle for Easy
Installation and Removal
Air Flow Indicator

BLOWER ASSEMBLY:
For 48 In. and 54 In. Mowers
Easy Installation and
Removal
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		MCS Chutes	
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20988		Power Flow chute (7 bu)	75.97
BM20982		Rear bagger chute for 38-in. (97-cm) Mowers	78.11
		MCS Hoppers	
BM20456		7-bu (247-L) 2-Bag Hopper Assembly (GT, 325-355D, GX, LX280, LX289) <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i> <i>F.O. B. Greeneville, TN. For 42 In. Convertible Mower only (42C).</i>	449.40
		MCS Power Flow Blowers	
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow chute</i>	541.41
BM22697		54C/54X/54D High-Performance Power Flow blower <i>Requires one AM133822 Wheel Adjusting Pin for use on Model Year 2004 Mowers. Requires BM21681 Power Flow Chute.</i>	541.41
BM19090		Blower Assembly for 54-in. (137-cm) Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	541.41
		Mower Deck and Mower Deck Attachments	
M139977		Bagging Mower Blade (42C Mower) <i>For LX, GT and GX Tractors.</i>	19.50
M135589		Hi Lift Blade For 48 In. Mower	13.98
M135590		Hi Lift Blade for 54 In. Mower	17.09
		Mower Decks	
BM20505		Front blowout baffle for 42-in. (107-cm) Mower (42C/42X)	39.59
		Mower Decks	
BM19894		Leaf bagging kit (48C or 48X Mower)	103.79
BM20985		Leaf bagging kit (54C or 54X Mower)	129.47

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

7 Bu. Rear Bagger and 7 Bu. Power Flow Material Collection Systems (For GX and 300 Series Garden Tractors)
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:
Polypropylene Hopper Top
Two Easy-to-Empty Bags
Quik-Tatch Mounting
POWER FLOW CHUTE:
Handle for Easy
Installation and Removal
Air Flow Indicator

BLOWER ASSEMBLY:
For 48 In. and 54 In. Mowers
Easy Installation and
Removal
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		MCS Chutes	
BM21681		Power Flow chute (6.5/7 bu)	115.56
BM20988		Power Flow chute (7 bu)	75.97
BM20982		Rear bagger chute for 38-in. (97-cm) Mowers	78.11
		MCS Hoppers	
BM20456		7-bu (247-L) 2-Bag Hopper Assembly (GT, 325-355D, GX, LX280, LX289) <i>Requires Appropriate Rear Bagger Chute or Blower Assembly and Power Flow Chute.</i> <i>F.O. B. Greeneville, TN. For 42 In. Convertible Mower only (42C).</i>	449.40
		MCS Power Flow Blowers	
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>Requires BM21681 Power Flow chute</i>	541.41
BM22697		54C/54X/54D High-Performance Power Flow blower <i>Requires BM21681 Power Flow Chute.</i>	541.41
BM19090		Blower Assembly for 54-in. (137-cm) Mower <i>Not for 48C or 54C Mower. Requires BM20988 Power Flow Chute.</i>	541.41
		Mower Deck and Mower Deck Attachments	
M135589		Hi Lift Blade For 48 In. Mower	13.98
M135590		Hi Lift Blade for 54 In. Mower	17.09
		Mower Decks	
BM19894		Leaf bagging kit (48C or 48X Mower)	103.79
BM20985		Leaf bagging kit (54C or 54X Mower)	129.47

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

7 Bu. Power Flow Material Collection System (For 425, 445, 455 Garden Tractors)
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:
Polypropylene Hopper Top
Two Easy-to-Empty Bags
Quik-Tatch Mounting
POWER FLOW CHUTE:
Handle for Easy
Installation and Removal
Air Flow Indicator

BLOWER ASSEMBLY:
For 48 In. and 54 In. Mowers
Easy Installation and
Removal
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		MCS Chutes	
BM20988		Power Flow chute (7 bu)	75.97
		MCS Hoppers	
BM20780		7-bu (247-L) 2-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.</i>	494.34
		MCS Power Flow Blowers	
BM19090		Blower Assembly for 54-in. (137-cm) Mower	541.41
		Miscellaneous	
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	116.63
		Mower Deck and Mower Deck Attachments	
M135589		Hi Lift Blade For 48 In. Mower	13.98
M135590		Hi Lift Blade for 54 In. Mower	17.09
		Mower Decks	
BM19894		Leaf bagging kit (48C or 48X Mower)	103.79

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

7 Bu. Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors)
Equipment for Base Machine

7 BUSHEL HOPPER ASSEMBLY:
Polypropylene Hopper Top
Two Easy-to-Empty Bags
Quik-Tatch Mounting
POWER FLOW CHUTE:
Handle for Easy
Installation and Removal
Air Flow Indicator

BLOWER ASSEMBLY:
For 48 In. and 54 In. Mowers
Easy Installation and
Removal
Polyethylene Housing

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		MCS Chutes	
BM21681		Power Flow chute (6.5/7 bu) <i>For 48C, 48X, 54C, or 54X Series Blowers</i>	115.56
		MCS Hoppers	
BM20780		7-bu (247-L) 2-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Requires Appropriate Blower Assembly and Power Flow Chute. Also Requires BM20714, Click-N-Go Bracket.</i>	494.34
		MCS Power Flow Blowers	
BG20859		48A High-Performance Power Flow (X700 Signature Series)	541.41
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	541.41
BG20867		54 HC High-Performance Power Flow (X700 Signature Series)	658.06
BM22697		54C/54X/54D High-Performance Power Flow blower <i>Requires BM21681 Power Flow Chute.</i>	541.41
		Miscellaneous	
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	116.63
		Mower Decks	
BM19894		Leaf bagging kit (48C or 48X Mower)	103.79
BM20985		Leaf bagging kit (54C or 54X Mower)	129.47
BM20986		Leaf bagging kit (62C or 62X Mower)	144.46

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

3-Bag Power Flow Material Collection System (For X500 M-T, GT and GX)
Equipment for Base Machine

Hopper Volume = 14 Bushels
Polyethylene Hopper Top
3 Polyester Bags
Easy-to-Empty Bags
Bags will Accept Plastic
Liners
Mechanical Hopper Top Lock

Gas Cylinder Lift Assist
No Tools Quik-Tatch Hitch
Fill-Minder Indicator

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		MCS Chutes	
BM21682		Power Flow chute (14 bu)	141.24
		MCS Hoppers	
BM21680		14-bu (493-L) 3-Bag Hopper Assembly (X500 M-T) <i>Also Requires ""C or X"" Power Flow Blower Assembly and Power Flow Chute. Requires M146153 Bracket for use on GT and GX Tractors. Front Ballast is Recommended when Bagging. Especially on Hill or Inclines.</i>	934.11
		MCS Power Flow Blowers	
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>For use with MY2006 X320 (Serial 010001-040000), X324 (Serial 010000-040000), Model X500 M-T Tractor (Serial 010001-020000), MY2008 X320 (Serial 085001-), MY2008 X324 (Serial 085001-) MY2008 X500 (Serial 030001-) and X360. Also for use with SKU21895 (48X with Rotatable Anti-Scalp Wheels) Cartoned Deck.</i>	541.41
BM22697		54C/54X/54D High-Performance Power Flow blower	541.41

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

3-Bag Power Flow Material Collection System (For X400/X500 HDGT and X700 Series Garden Tractors)
Equipment for Base Machine

Hopper Volume = 14 Bushels
Polyethylene Hopper Top
3 Polyester Bags
Easy-to-Empty Bags
Bags will Accept Plastic
Liners
Mechanical Hopper Top Lock

Gas Cylinder Lift Assist
No Tools Quik-Tatch Hitch
Fill-Minder Indicator

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		MCS Chutes	
BM21682		Power Flow chute (14 bu)	141.24
		MCS Hoppers	
BM20671		14-bu (493-L) 3-Bag Hopper Assembly (X400/X500 HDGT and X700 Series) <i>Not compatible with 48X deck on X729, X739 or X749 Tractors. Requires BM20714 Click-N-Go Bracket, Requires ""C"" Series high performance power flow blower assembly and power flow chute. Front ballast is recommended when bagging, especially on hills or inclines.</i>	952.30
		MCS Power Flow Blowers	
BG20859		48A High-Performance Power Flow (X700 Signature Series)	541.41
BM22696		48C/48X High-Performance Power Flow blower (X300/X500 M-T/X700) <i>When used on X400/X500 HDGT or X700 Tractor with 48C/48X deck (SN -050589) also order one each of 34M7119 spring pin, M145850 mower wheel pin, and M147235 pin, bent.</i>	541.41
BG20867		54 HC High-Performance Power Flow (X700 Signature Series)	658.06
BM22697		54C/54X/54D High-Performance Power Flow blower	541.41
BG20727		60 HC High-Performance Power Flow (X700 Signature Series)	674.10
		Miscellaneous	
BM20714		Click-N-Go Bracket (X400/X500 HDGTs, X700s)	116.63
		Power Flow Blowers	
BM24514		60 In. High Performance Power Flow	719.04
BM21496		62C/62X High-Performance Power Flow	541.41

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

6.5 Bushel Hopper, Chute and Power Flow for 190C and G110, 54 In.
Equipment for Base Machine

Hopper Volume = 6.5 Bushels
ABS Hopper Top
2 Polyester Bags
Easy-to-Empty Bags
Bags will Accept Plastic
Liners

Ployethylene Blower and Fan
will not Rust or Corrode
No Tools Cargo Mount

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Material Collection System Hoppers	
BM21376		6.5 Bushel Hopper, Chute and Power Flow for 100 Series and G110, 54 In. <i>Front Ballast is Recommended when Bagging, Especially on Hills or Inclines.</i>	790.73

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

Mowers and Attachments for Mowers For Non-Current Riding Lawn Equipment

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Mower Decks	
AM119680		Blowout Reduction kit (54-in. Mower)	90.00
AM108476		Mower deck wear plate, 38-in. (97-cm) Mower	92.24
BM17879		Mower Decks 48 In. Mower for 120, 140, 300, 314, 316, 317, 318, 322 and 332 Tractors <i>330, 322 and 332 Require M119871 Belt. 317 requires only AM119485 Attaching Parts Kit. 316 (80001-95000), 314, 312, 300, 140 and 120 requires one AM119485 Attaching Parts Kit and M87218 Belt. If tractor is not Currently Equipped with a Mower, Order Front Mounting Bracket Assembly (Mule Drive), Front Draft Arm Assembly and Mower Lift Strap Components through Parts.</i> <i>Order AM116964 Export Decal Kit thru Parts.</i>	1,391.00
BM20985		Leaf bagging kit (54C or 54X Mower)	129.47
BM20986		Leaf bagging kit (62C or 62X Mower)	144.46
AM115361		Mulch Kits Leaf Mulcher Kit <i>For 48 In. and 54 In. Mowers.</i>	162.00

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

38 in. Edge Xtra Deck (38X) Equipment for Base Machine

38-in. (96.5-cm) cutting width
Side discharge Edge Xtra
12-gauge, 0.105-in. (2.7-mm)
stamped-steel deck shell
Belt drive
Two greaseable blade spindles

Mower wash port
Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin.

9038M	38 in. Edge Xtra Deck (38X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, and X310). Requires M156856 Right-Hand Lift Arm.</i>	600.00
-------	---	--------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

ATTACHMENTS FOR FIELD CONVERSION

AM130907	Mower Decks Mower deck leveling gauge	6.95
BM21817	Mulch Kits Mulch kit, 38 in. (97 cm)/38X	134.81

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

42 in. Edge Xtra Deck (42X)

Equipment for Base Machine

42-in. (107-cm) cutting width
Side discharge Edge Xtra
12-gauge, 0.105-in. (2.7-mm)
stamped-steel deck shell
Belt drive
Two greaseable blade spindles

Mower wash port
Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin.

9039M	42 in. Edge Xtra Deck (42X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X540, and Model Year 2015 X590).</i>	600.00
-------	---	--------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

ATTACHMENTS FOR FIELD CONVERSION

AM130907	Mower Decks Mower deck leveling gauge	6.95
BM21816	Mulch Kits Mulch kit, 42 in. (107 cm)/42X	101.66

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

42 in. Edge Mulch Deck (42M)

Equipment for Base Machine

42-in. (107-cm) cutting width
 Mulch rear discharge
 12-gauge, 0.105-in. (2.7-mm)
 stamped-steel deck shell
 Belt drive
 Two greaseable blade spindles

Mower wash port
 Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin.

903RM	42 in. Edge Mulch Deck (42M) For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X540, and Model Year 2015 X590). Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.	700.00
-------	--	--------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

ATTACHMENTS FOR FIELD CONVERSION

AM130907	Mower Decks Mower deck leveling gauge	6.95
----------	---	------

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

48 in. Edge Xtra Deck (48X)

Equipment for Base Machine

48-in. (122-cm) cutting width
Side discharge Edge Xtra
11-gauge, 0.120-in. (3-mm)
stamped-steel deck shell
Belt drive
Three greaseable blade spindles
Mower wash port

Four mower wheels and front
center roller
Mower wheels rotate 90 degrees
for easy mower removal

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin.

903SM	48 in. Edge Xtra Deck (48X) <i>For Model Year 2006-2015 Select Series Tractors (Model X300, X304, X310, X320, X324, X340, X360, Model X500, X520, X534, X540, and Model Year 2015 X590).</i> <i>Also order AM136646 Lift Assist Spring Kit when used on X300-38, X300-42X, X300-Less deck, X304-42X, or with MY2006-MY2009 (Serial 010001-150,000) X300-42M tractors.</i>	1,000.00
-------	---	----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

ATTACHMENTS FOR FIELD CONVERSION

AM130907	Mower Decks Mower deck leveling gauge	6.95
BM20007	Mulch Kits Mulch kit (48C/48X)	160.50

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

54 in. Edge Xtra Deck (54X)

Equipment for Base Machine

54-in. (137-cm) cutting width
Side discharge Edge Xtra
10-gauge, 0.135-in. (3.4-mm)
stamped-steel deck shell
Belt drive
Three greaseable blade spindles
Mower wash port

Four mower wheels and front
center roller
Mower wheels rotate 90 degrees
for easy mower removal

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Janesville, Wisconsin.

903TM	54 in. Edge Xtra Deck (54X) <i>For Model Year 2006-2015 Select Series Tractors (X320, X324, X340, X360, Model X500, X520, X534, X540, and Model Year 2015 X590).</i>	1,300.00
-------	---	----------

DESTINATION

0202	United States and Canada	In Base Price
0230	Australia and New Zealand	Same Price
0195	Mexico	Same Price
0250	All Other Countries	Same Price

ATTACHMENTS FOR FIELD CONVERSION

AM130907	Mower Decks Mower deck leveling gauge	6.95
BM20827	Mulch Kits Mulch kit (54C/54D/54X)	217.21

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

42-in. Accel Deep Mower Deck (42A)
Equipment for Base Machine

42-in. (107-cm) cutting width
Side discharge Accel Deep
12-gauge, 0.105-in. (2.7-mm)
stamped-steel deck shell
Belt drive
Two greaseable blade spindles

Mower wash port
Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5370M	42-in. Accel Deep Mower Deck (42A) <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, and X370).</i>	600.00
-------	--	--------

DESTINATION

001A	US/CANADA	In Base Price
0195	MEXICO	Same Price

ATTACHMENTS FOR FIELD CONVERSION

AM130907	Mower Decks Mower deck leveling gauge	6.95
BM24794	Mulch Kits 42A MulchControl kit	139.10

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

42-in. Edge Mulch Mower Deck (42M)
Equipment for Base Machine

42-in. (107-cm) cutting width
Mulch rear discharge
12-gauge, 0.105-in. (2.7-mm)
stamped-steel deck shell
Belt drive
Two greaseable blade spindles

Mower wash port
Two front mower wheels

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5376M	42-in. Edge Mulch Mower Deck (42M) <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, and X370).</i>	700.00
-------	--	--------

DESTINATION

001A	US/CANADA	In Base Price
------	-----------	---------------

ATTACHMENTS FOR FIELD CONVERSION

AM130907	Mower Decks Mower deck leveling gauge	6.95
----------	---	------

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

48-in. Accel Deep Mower Deck (48A)

Equipment for Base Machine

48-in. (122-cm) cutting width
Side discharge Accel Deep
10-gauge, 0.135-in. (3.4-mm)
stamped-steel deck shell
Belt drive
Three greaseable blade spindles
Mower wash port

Four mower wheels and front
center roller
Mower wheels rotate 90 degrees
for easy mower removal

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5372M	48-in. Accel Deep Mower Deck (48A) <i>For Model Year 2016- Select Series Tractors (X330, X350, X354, X370, X380, X384, X390, X394, X570, X580, X584, and X590 Serial 110,001-).</i> <i>X330, X350, and X354 tractors shipped with 42A mower deck or less deck require BM25887 lift assist spring kit.</i>	1,000.00
-------	---	----------

DESTINATION

001A	US/CANANDA	In Base Price
0195	MEXICO	Same Price

ATTACHMENTS FOR FIELD CONVERSION

AM130907	Mower Decks Mower deck leveling gauge	6.95
BM24993	Mulch Kits 48A MulchControl kit	169.06

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

54-in. Accel Deep Mower Deck (54A)
Equipment for Base Machine

54-in. (137-cm) cutting width
Side discharge Accel Deep
10-gauge, 0.135-in. (3.4-mm)
stamped-steel deck shell
Belt drive
Three greaseable blade spindles
Mower wash port

Four mower wheels and front
center roller
Mower wheels rotate 90 degrees
for easy mower removal

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

5373M	54-in. Accel Deep Mower Deck (54A) <i>For Model Year 2016- Select Series Tractors (X380, X384, X390, X394, X570, X580, X584, and X590 Serial 110,001-).</i>	1,300.00
-------	--	----------

DESTINATION

001A	US/CANANDA	In Base Price
0195	MEXICO	Same Price

ATTACHMENTS FOR FIELD CONVERSION

	Mower Decks	
AM130907	Mower deck leveling gauge	6.95
	Mulch Kits	
BM24994	54A MulchControl kit	219.36

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

48-in. Shaft Drive Edge Xtra Mower Deck (48X)
Equipment for Base Machine

48-in. (122-cm) cutting width Side discharge Edge Xtra 11-gauge, 0.120-in. (3-mm) stamped-steel deck shell Shaft drive Three greaseable blade spindles Mower wash port	Four mower wheels and front center roller Mower wheels rotate 90 degrees for easy mower removal
--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9070M	48-in. Shaft Drive Edge Xtra Mower Deck (48X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Signature Series, and Model Year 2013-2015 X700 Signature Series.</i> <i>Model Year 2013-2015 Signature Series Models (X710, X730, X734, X738, X739, X750, X754, and X758) require BM24370 Upstop Kit (Order Through Parts).</i>	1,300.00
-------	---	----------

DESTINATION

0202	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

BM24370	Attaching Parts 48X Draft arm kit, X700 Signature Series <i>Installation on X700 tractors built after 22 September 2016 (including all model year 2017- tractors) also require two M176459 half-moon bushings.</i>	64.20
AM130907	Mower Decks Mower deck leveling gauge	6.95
BM20007	Mulch Kits Mulch kit (48C/48X)	160.50

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)
Equipment for Base Machine

54-in. (137-cm) cutting width Side discharge Edge Xtra 10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell Shaft drive Three greaseable blade spindles Mower wash port	Four mower wheels and front center roller Mower wheels rotate 90 degrees for easy mower removal
--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9071M	54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Series, 2210 and 2305 Compact Utility Tractors.</i>	1,300.00
-------	---	----------

DESTINATION

0202	United States and Canada	In Base Price
0195	Mexico	Same Price

ATTACHING PARTS

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	487.00
1010	Less Attaching Parts	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Attaching Parts		
LVB25631	Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 independent lift kit. Not available for 2210 tractors.</i>	192.60
LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	408.74
Hydraulics		
LVB25822	Loader and Mower Mechanical Diverter Valve Kit (2305, 2320, MY '16 and Older 2025R) <i>Diverter is not compatible with mechanical mower lift system.</i>	421.59
Mower Decks		
AM130907	Mower deck leveling gauge	6.95

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

54-in. Shaft Drive Convertible/Edge Xtra Mower Deck (54C/54X)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Mower Decks	
BM23648		Roller striping kit (X400/X500 HDGT, X700s) <i>Compatible with model year 2004- (SN 040, 001-) 54C, 54X, 62X, and 60-in. (152-cm) 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for additional parts requirements on model year 2004-2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
		Mulch Kits	
BM20827		Mulch kit (54C/54D/54X)	217.21
		Spanish North American Kit	
LVB26020		North American Spanish Labels	0.00
LVB26015		North American Spanish Operator's Manual	0.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

48-in. Shaft Drive Accel Deep Mower Deck (48A)
Equipment for Base Machine

48-in. (122-cm) cutting width Side discharge Accel Deep 10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell Shaft drive Three greaseable blade spindles Mower wash port	Four mower wheels and front center roller Mower wheels rotate 90 degrees for easy mower removal
---	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9077M	48-in. Shaft Drive Accel Deep Mower Deck (48A) <i>For X700 Signature Series (Model Year 2013-).</i>	1,300.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

POWER TAKE-OFF (PTO) CONNECTION

3425	Standard Connect	In Base Price
3426	Auto Connect	247.00
3490	Less Drive Shaft	-182.00

ATTACHMENTS FOR FIELD CONVERSION

Mower Decks		
AM130907	Mower deck leveling gauge	6.95
Mulch Kits		
BM24993	48A MulchControl kit	169.06
Power Take-off (Pto) Connection		
BM25677	AutoConnect attachment, X700 Signature Series	492.20
BM25678	Standard drive shaft with hanger, X700 Signature Series	208.66
Spanish North American Kit		
BM25968	Spanish Label & Owner's Manual Kit Spanish kit (48A, 54HC, 60HC) <i>Model year 2016</i>	33.17
BM26467	Spanish Label & Owner's Manual Kit Spanish kit (48A, 54HC, 60HC) <i>Model year 2017</i>	33.17

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

54-in. Shaft Drive High Capacity Mower Deck (54 HC)
Equipment for Base Machine

54-in. (137-cm) cutting width
Side discharge High Capacity
9-gauge, 0.150-in. (3.8-mm)
stamped-steel deck shell
Shaft drive
Three greaseable blade spindles
Mower wash port

Four mower wheels
Drive-over deck mower
installation/removal

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9074M	54-in. Shaft Drive High Capacity Mower Deck (54 HC) <i>For X700 Signature Series (Model Year 2013-).</i>	1,700.00
-------	---	----------

DESTINATION

0195	Mexico	Same Price
001A	United States and Canada	In Base Price

POWER TAKE-OFF (PTO) CONNECTION

3425	Standard Connect	In Base Price
3426	Auto Connect	247.00
3490	Less Drive Shaft	-182.00

ATTACHMENTS FOR FIELD CONVERSION

Mower Decks		
AM130907	Mower deck leveling gauge	6.95
Mulch Kits		
BM23977	54 HC Mulch kit	232.19
BM26300	54 HC MulchControl attachment <i>Only available for Australia, Austria, Belgium, Canada, Czech-Republic, France, Germany, Ireland, Italy, Lithuania, Luxembourg, Netherlands, New Zealand, Norway, Poland, Spain, Sweden, Switzerland, and United Kingdom, United States.</i>	235.40
Power Take-off (Pto) Connection		
BM25677	AutoConnect attachment, X700 Signature Series	492.20
BM25678	Standard drive shaft with hanger, X700 Signature Series	208.66
Spanish North American Kit		
BM25968	Spanish Label & Owner's Manual Kit Spanish kit (48A, 54HC, 60HC) <i>Model year 2016</i>	33.17

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

54-in. Shaft Drive High Capacity Mower Deck (54 HC)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM26467	Spanish Label & Owner's Manual Kit Spanish kit (48A, 54HC, 60HC) <i>Model year 2017</i>	33.17
	BM25193	Spanish Label & Owner's Manual kit (54HC, 60HC) <i>Model year 2015</i>	23.54

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

60-in. Shaft Drive High Capacity Mower Deck (60 HC)
Equipment for Base Machine

60-in. (152-cm) cutting width	Four mower wheels
Side discharge High Capacity	Drive-over deck mower
9-gauge, 0.150-in. (3.8-mm)	installation/removal
stamped-steel deck shell	
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9075M	60-in. Shaft Drive High Capacity Mower Deck (60 HC) <i>For X700 Signature Series (Model Year 2013-).</i>	2,100.00
-------	---	----------

DESTINATION

0195	Mexico	Same Price
001A	United States and Canada	In Base Price

POWER TAKE-OFF (PTO) CONNECTION

3425	Standard Connect	In Base Price
3426	Auto Connect	247.00
3490	Less Drive Shaft	-182.00

ATTACHMENTS FOR FIELD CONVERSION

Mower Decks		
AM130907	Mower deck leveling gauge	6.95
Mulch Kits		
BM23978	60 HC Mulch kit	242.89
BM25258	60 HC MulchControl attachment <i>Only available for Australia, Austria, Belgium, Canada, Czech-Republic, France, Germany, Ireland, Italy, Lithuania, Luxembourg, Netherlands, New Zealand, Norway, Poland, Spain, Sweden, Switzerland, and United Kingdom, United States.</i>	251.46
Power Take-off (Pto) Connection		
BM25677	AutoConnect attachment, X700 Signature Series	492.20
BM25678	Standard drive shaft with hanger, X700 Signature Series	208.66
Spanish North American Kit		
BM25968	Spanish Label & Owner's Manual Kit Spanish kit (48A, 54HC, 60HC) <i>Model year 2016</i>	33.17

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

60-in. Shaft Drive High Capacity Mower Deck (60 HC)
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM26467	Spanish Label & Owner's Manual Kit Spanish kit (48A, 54HC, 60HC) <i>Model year 2017</i>	33.17
	BM25193	Spanish Label & Owner's Manual kit (54HC, 60HC) <i>Model year 2015</i>	23.54

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

60-in. Shaft Drive 7-Iron Mower Deck (60D)
Equipment for Base Machine

60-in. (152-cm) cutting width	Four mower wheels and front
Side discharge 7-Iron	center roller
7-gauge, 0.179-in. (4.6-mm)	Mower wheels rotate 90 degrees
stamped-steel deck shell	for easy mower removal
Shaft drive	
Three greaseable blade spindles	
Mower wash port	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9076M	60-in. Shaft Drive 7-Iron Mower Deck (60D) <i>Compatible With Model Year 2007-2012 (Serial 020,001-080,000) X700-Series 2-Wheel Steer Tractors. Not Compatible with 4-Wheel Steer Models.</i> <i>Requires Turf Tires or BM22425 HDAP Tires. BM22425 Tires are Factory Equipment on Serial M0X728A020102- and M0X748A020388-.</i> <i>See Sales Manual for Complete Compatibility Information for 3-Point Hitches, Cabs, Special Edition Models and Special Edition Serial Number Breaks.</i>	2,200.00
-------	--	----------

DESTINATION

001A	United States and Canada	In Base Price
------	--------------------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

Mower Decks		
AM130907	Mower deck leveling gauge	6.95
Mulch Kits		
TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	326.36

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)
Equipment for Base Machine

62-in. (157-cm) cutting width Side discharge Edge Xtra 10-gauge, 0.135-in. (3.4-mm) stamped-steel deck shell Shaft drive Three greaseable blade spindles Mower wash port	Four mower wheels and front center roller Mower wheels rotate 90 degrees for easy mower removal
--	--

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Horicon, Wisconsin

9072M	62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X) <i>For X400/X500 HDGTs (Heavy-Duty Garden Tractors), Model Year 2006-2012 X700 Series, 2210 and 2305 Compact Utility Tractors.</i>	1,700.00
-------	---	----------

DESTINATION

0202	United States and Canada	In Base Price
0195	Mexico	Same Price

ATTACHING PARTS

1000	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	265.00
1001	Attaching Parts for 2305 (Independent Mower Lift) <i>Independent Lift is not Available on 2210.</i>	487.00
1010	Less Attaching Parts	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Attaching Parts		
LVB25631	Attaching Parts for 2305 (Independent Mower Lift) <i>Requires LVB25630 independent lift kit. Not available for 2210 tractors.</i>	192.60
LVB25419	Attaching Parts for 2305, 2210 (Mechanical Mower Lift)	303.89
LVB25630	Independent Lift Kit for 2305, 2025R, 2320 Tractors <i>Requires LVB25620 (option code 1001) attaching parts. Requires LVB25631 (independent lift attaching parts). Not available for 2210 tractors.</i>	408.74
Hydraulics		
LVB25822	Loader and Mower Mechanical Diverter Valve Kit (2305, 2320, MY '16 and Older 2025R) <i>Diverter is not compatible with mechanical mower lift system.</i>	421.59
Mower Decks		
AM130907	Mower deck leveling gauge	6.95

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

62-in. Shaft Drive Convertible/Edge Xtra Mower Deck (62C/62X)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Mower Decks	
BM23648		Roller striping kit (X400/X500 HDGT, X700s) <i>Compatible with model year 2004- (SN 040, 001-) 54C, 54X, 62X, and 60-in. (152-cm) 7-Iron Mowers used on X400/X500 HDGT and X700 Ultimate Tractors. See Sales Manual for additional parts requirements on model year 2004-2007 (SN 040,001-100,000) 54C, 54X, 62C and 62X Decks.</i>	286.76
		Mulch Kits	
BM21890		Mulch kit (62C/62D/62X)	237.54
		Spanish North American Kit	
LVB26020		North American Spanish Labels	0.00
LVB26015		North American Spanish Operator's Manual	0.00

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

Mulching Attachments

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
		Mower Decks	
BM20985		Leaf bagging kit (54C or 54X Mower)	129.47
BM20986		Leaf bagging kit (62C or 62X Mower)	144.46
		Mulch Kits	
BM17920		30-in. Tricycler Mulching Attachment <i>Fits 108, 130 and Riders.</i>	129.47
BM19321		46-in. Tricycler Mulching Attachment <i>Fits 46 In. Decks with Hinged Discharge, include Blades.</i>	172.27
BM24993		48A MulchControl kit	169.06
BM23977		54 HC Mulch kit	232.19
BM26300		54 HC MulchControl attachment <i>Only available for Australia, Austria, Belgium, Canada, Czech-Republic, France, Germany, Ireland, Italy, Lithuania, Luxembourg, Netherlands, New Zealand, Norway, Poland, Spain, Sweden, Switzerland, and United Kingdom, United States.</i>	235.40
BM17869		54-in. (137-cm) Tricycler Mulching kit	250.39
BM23978		60 HC Mulch kit	242.89
BM25258		60 HC MulchControl attachment <i>Only available for Australia, Austria, Belgium, Canada, Czech-Republic, France, Germany, Ireland, Italy, Lithuania, Luxembourg, Netherlands, New Zealand, Norway, Poland, Spain, Sweden, Switzerland, and United Kingdom, United States.</i>	251.46
BM17878		60-in. (152-cm) Tricycler Mulching kit	268.57
TCB10953		Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	326.36
BM20686		Mulch Kit, 42-in. rear discharge (LTR155, LTR166, LTR180)	176.56
BM19918		Mulch Kit, 48-in (122-cm)	236.47
BM20007		Mulch kit (48C/48X)	160.50
BM20827		Mulch kit (54C/54D/54X)	217.21
BM21890		Mulch kit (62C/62D/62X)	237.54
BM21816		Mulch kit, 42 in. (107 cm)/42X	101.66
BM20008		Mulch kit, 42 in. (107 cm)/42X (LX/GT) <i>Fits 42 In. Convertible Mower (42C) Only.</i>	101.66
BG20304		Mulch kit, 54 in. (137 cm) <i>Fits G110, 190C.</i>	226.84
		Mulch Kits	

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

Mulching Attachments
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BM24794	42A MulchControl kit	139.10
	BM24994	54A MulchControl kit	219.36
	BM21817	Mulch kit, 38 in. (97 cm)/38X	134.81

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom
Equipment for Base Machine

52 In. (1,321 mm) Clearing Width "Straight"	Heavy Duty No. 50 Chain Drive
48 In. (1,219 mm) Clearing Width "Angled"	(2) Adjustable Rear Mounting
Storage Stands	Caster Wheels
21 In. (533 mm) Diameter	Brush Head Height Adjustment
Polypropylene Brush	Three Spare Driveshaft Shear
Gearbox with 3:1 Reduction	Bolts "Mounted to Shell"

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3880M	52 in. Quick-Hitch Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Not compatible with BM17347, 425-455 Quick-Hitch updated for use on X400/X500 HDGT's and X700's with BM20979 front-hitch angling retro-fit kit. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements.</i>	2,185.00
-------	---	----------

FRONT QUICK-HITCH

1000	Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors, and X700's.</i>	615.00
1012	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	835.00
1005	Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305. Also requires LVB25396 front attaching support.</i>	656.00
1006	Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	716.00
1013	Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	845.00
1010	Less Front Quick-Hitch	In Base Price

HYDRAULIC ANGLING

2000	Hydraulic Angling	190.00
------	-------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
HYDRAULIC ANGLING Continued...			
<i>For X400/X500 Heavy Duty Garden Tractors, X700's, and X950R.</i>			
2001		Hydraulic Angling <i>For 1023E, and 1025R.</i>	191.00
2006		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	198.00
2009		Hydraulic Angling <i>For 1026R, and model year 2017- 2025R.</i>	260.00
2005		Hydraulic Angling <i>For 2210 and 2305.</i>	191.00
2010		Less Hydraulic Angling	In Base Price
FRONT POWER TAKE-OFF (PTO)			
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	259.00
3004		2000 RPM Front PTO <i>For 4010 and 4115.</i>	259.00
3005		2000 RPM Front PTO <i>For 2210 and 2305.</i>	281.00
3006		2000 RPM Front PTO <i>For model year 2013-2016 2025R and 2320.</i>	258.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	360.00
3007		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520, and 2720.</i>	267.00
3016		2000 RPM Front PTO Kit	430.00
3010		Less 2000 RPM Front PTO	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25775 implement drive shaft for rotary brooms. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	335.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00
IMPLEMENT DRIVE SHAFT			
4000		Implement Drive Shaft <i>For 2210, 2305, 1023E, 1025R, and 1026R.</i>	250.00
4006		Implement Drive Shaft <i>For model year 2017- 2025R.</i>	270.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		IMPLEMENT DRIVE SHAFT Continued... <i>Includes BLV10900 implement drive shaft and BLV10794 mounting frame.</i>	
4002		Implement Drive Shaft <i>For model year 2013-2016 2025R and 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors.</i>	263.00
4004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	250.00
4010		Less Implement Drive Shaft	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Front Power Take-Off (PTO)	
	BLV10681	2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	404.46
	BLV10475	2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	LVB25966	2000-rpm Front Power Take-Off (PTO) (2210, 2305)	323.14
	BM18695	2000-rpm Front Power Take-Off (PTO) (4100, 4110)	297.46
	LVB24900	2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	297.46
	LVB25305	2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	297.46
	BM25304	2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
	BM25305	2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	385.20
		Front Quick-Hitch	
	BM20921	Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
	LVB24898	Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
	BM19782	Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s)	706.20
	BM26236	Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s) <i>BM25609 hydraulic angling kit recommended</i>	706.20
	BM20761	Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	56.71
	BLV10708	Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	770.40

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Hydraulic Angling	
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	296.39
BM20922		Hydraulic angling (2210, 2305)	219.36
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s)	217.21
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
		Implement Drive Shaft	
BM25775		Broom implement drive shaft (X400/X500 HDGT and X700s)	286.76
BM20836		Broom implement drive shaft (model year 2013-16 2025R/2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
BM21854		Implement Drive Shaft for Rotary Brooms <i>For use on 425-455, 2210, 2305, and 1023E, 1025R, and 1026R.</i>	286.76
BLV10900		Implement Drive Shaft for Rotary Brooms <i>For model year 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	286.76
		Miscellaneous	
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
		Miscellaneous	
BM21777		Deflector kit (52-in. Rotary Broom)	62.06
BLV10160		Front Attaching Support Kit (1023E, 1025R, and 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	60.99
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	88.81
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	276.06
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	132.69
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	62.06
BM21853		Thatching-wheel kit (52-in. Rotary Broom)	268.57
		Mounting Frame	

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

52 in. Quick-Hitch Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10794	52-in. Quick-Hitch Rotary Broom mounting frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	31.03
	BLV11054	Spanish North American Kit 52-in. Quick Hitch Rotary Broom Spanish kit (CUTs)	99.51
	BM26530	52-in. Quick Hitch Rotary Broom and 60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (X700s)	37.46
	BLV11056	60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (CUTs)	101.66

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
Equipment for Base Machine

57 In. (1,448 mm) Clearing Width "Straight"	Chain and Sprocket Final Drive (2) Adjustable Rear Mounted
50 In. (1,270 mm) Clearing Width "Angled"	Caster Wheels
Storage Stands	Broom Head Float
26 In. (660 mm) Diameter	Four Spare Driveshaft Shear
Polypropylene Brush	Bolts Two Sizes, "Mounted to Shell"
Gearbox with 3:1 Reduction	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3790M	60 In. Heavy-Duty Rotary Broom <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, 2032R, 2036R, 2038R, 2320, 2520, 2720, 3120-3720, 3033R-3046R, 2210, 4010, 4100, 4110, 4115, and 4400-4410 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. See Sales Manual for ballast requirements. Not compatible with BM17347, 400-Series Quick-Hitch. Compact tractors require dual selective control valve and mid PTO. Small chassis compact tractors also require front attaching support kit. See Sales Manual for front attaching support requirements. 3120-3720 Tractors with mid-mount mowers for use with front three-point hitch with A-Frame require LVB25820 (AutoConnect decks) or LVB24810 (old 7-Iron decks).</i>	3,345.00
-------	---	----------

MOUNTING FRAME

1000	Mounting Frame <i>For X400/X500 Heavy Duty Garden Tractors, X700s, 2210, 2305, 2320, 2520, 2720, 4010, 4100, 4110, 4115, model year 2013-2016 2025R, and model year 2013-2016 2032R.</i>	392.00
1004	Mounting Frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	392.00
1001	Mounting Frame with Drive Shaft and Hydraulic Angling (4200-4400 and 4210-4410) <i>Option Code no longer available. Order the following pieces from parts: AM127788, M140171, M40461, M144432, 19H2458, R50647, R121660, M140170, M140169, AM128694, AM127787, M140165, AM128696, AM128695, AM124726 and AM124747.</i>	1,182.00
1002	Mounting Frame with Drive Shaft and Hydraulic Angling <i>For 3033R-3046R, and 3120-3720.</i>	829.00
1003	Mounting Frame with Drive Shaft and Hydraulic Angling <i>For model year 2017- 2032R, 2036R and 2038R.</i>	913.00
1010	Less Mounting Frame	In Base Price

FRONT QUICK-HITCH

2000	Front Quick-Hitch and Hydraulic Lift <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	616.00
2002	Front Quick-Hitch and Hydraulic Lift	755.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT QUICK-HITCH Continued...			
<i>For 4210-4410.</i>			
2004		Front Quick-Hitch and Hydraulic Lift <i>For 2210 and 2305.</i>	655.00
<i>Also requires LVB25396 front attaching support.</i>			
2005		Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	716.00
<i>Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320).</i>			
<i>Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>			
2012		Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors.</i>	845.00
<i>Includes BLV10680 front attaching support kit.</i>			
2011		Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i>	835.00
<i>Includes BLV10796 front attaching support kit.</i>			
2008		Front Three-Point Hitch with A-Frame Quick Attach System <i>For 3120-3720, and 3033R-3046R.</i>	1,439.00
2009		Front Three-Point Hitch with A-Frame Quick Attach System <i>For model year 2017- 2032R, 2036R and 2038R.</i>	1,544.00
2010		Less Front Quick-Hitch and Hydraulic Lift	In Base Price
HYDRAULIC ANGLING			
<i>Hydraulic Angling for 3120-3720, model year 2017- 2032R, 2036R, 2038R, 4200-4400, and 4210-4410 Tractors are included in option codes 1001, 1002, and 1003.</i>			
3000		Hydraulic Angling <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	190.00
3002		Hydraulic Angling Kit <i>For 2210 and 2305.</i>	191.00
3003		Hydraulic Angling <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	198.00
3004		Hydraulic Angling <i>For 1023E, and 1025R.</i>	191.00
3005		Hydraulic Angling <i>For 1026R, and model year 2017- 2025R.</i>	260.00
3010		Less Hydraulic Angling	In Base Price
FRONT POWER TAKE-OFF (PTO)			
4002		2000 RPM Front PTO Kit <i>For 4100 and 4110.</i>	259.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT POWER TAKE-OFF (PTO) Continued...			
4003		2000 RPM Front PTO Kit <i>For 4010 and 4115.</i>	259.00
4004		2000 RPM Front PTO Kit <i>For 4200-4400 and 4210-4410.</i>	220.00
4005		2000 RPM Front PTO Kit <i>For 2210 and 2305.</i>	281.00
4006		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	258.00
4017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	360.00
4007		2000 RPM Front PTO Kit <i>For model year 2013-2016 2032R, 2520, 2720, 3033R-3046R, and 3120-3720.</i>	267.00
4016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	430.00
4010		Less 2000 RPM Front PTO Kit	In Base Price
4014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25775 implement drive shaft for rotary brooms. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	335.00
4015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00
4012		2000 RPM Front PTO Kit <i>For model year 2017- 2032R, 2036R and 2038R.</i>	292.00

IMPLEMENT DRIVE SHAFT

Drive Shaft for Model Year 2017- 2032R, 2036R, 2038R, 3120-3720, 4200-4400 and 4210-4410 Tractors are Included in Option Codes 1001, 1002, and 1003.

5001		Implement Drive Shaft <i>For model year 2013-2016 2025R and 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	263.00
5003		Implement Drive Shaft <i>For 2210, 2305, 1023E, 1025R, and 1026R.</i>	250.00
5005		Implement Drive Shaft <i>For model year 2017- 2025R Tractors.</i>	250.00
5004		Implement Drive Shaft <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	250.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
5010		IMPLEMENT DRIVE SHAFT Continued... Less Implement Drive Shaft	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Front Power Take-Off (PTO)	
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	404.46
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
BLV10633		2000 RPM Front PTO (model year 2017- 2032R, 2036R, and 2038R) <i>Includes RIO override for front implements.</i>	313.50
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	323.14
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	297.46
BM19576		2000-rpm Front Power Take-Off (PTO) (4200-4400, 4210-4410)	296.39
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	297.46
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	297.46
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	385.20
BLV10452		Front Power Take-Off (PTO) Bracket (3033R-3046R)	92.40
		Front Quick-Hitch	
BLV10637		A-Frame Quick Attach System (3120-3720, 3033R-3046R, model year 2017- 2032R, 2036R, and 2038R tractors)	209.00
BLV10634		Auxiliary front hydraulic coupler kit (model year 2017- 2032R, 2036R, and 2038R tractors) <i>Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.</i>	92.40
LVB25878		Front 3-Point Hitch (3120-3720)	1,311.81
BM20921		Front Quick-Hitch and Hydraulic Lift (2305)	751.14
LVB25306		Front Quick-Hitch and Hydraulic Lift (4210-4410)	865.63
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
BLV10439		Front Three-Point Hitch (3033R-3046R) <i>Requires BLV10452 (Front PTO Bracket).</i>	1,353.00
BLV10631		Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors)	1,353.00
BM19782		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s)	706.20
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s) <i>BM25609 hydraulic angling kit recommended</i>	706.20
BLV10638		Hydraulic accumulator kit for Front Three-Point Hitch (model year 2017- 2032R, 2036R, and 2038R tractors) <i>For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway.</i>	123.20
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	56.71
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	770.40
		Hydraulic Angling	
LVB26108		Hydraulic Angling (1023E, 1025R, 1026R)	219.36
BLV10880		Hydraulic angling (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	296.39
BM20922		Hydraulic angling (2210, 2305)	219.36
BM25609		Hydraulic angling (X400/X500 HDGTs, X700s)	217.21
LVB24901		Hydraulic angling (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	226.84
		Implement Drive Shaft	
BM25775		Broom implement drive shaft (X400/X500 HDGT and X700s)	286.76
BM20836		Broom implement drive shaft (model year 2013-16 2025R/2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115)	301.74
BM21854		Implement Drive Shaft for Rotary Brooms <i>For use on 425-455, 2210, 2305, and 1023E, 1025R, and 1026R.</i>	286.76
BLV10900		Implement Drive Shaft for Rotary Brooms <i>For model year 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	286.76
LVB24956		Implement Drive Shaft for Rotary Brooms (3120-3720, 3033R-3046R)	174.41
BLV10800		Implement Drive Shaft for Rotary Brooms (model year 2017- 2032R, 2036R, and 2038R)	224.70
		Miscellaneous	
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
		Miscellaneous	
BM19805		Debris deflector (60-in. Heavy-Duty Rotary Broom)	417.30

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LVB24810	Front 3-Point Hitch and Mid-Mount Mower Draft Arms <i>Required for use with LVB25878 Front Three-Point Hitch with A-Frame (3033R-3046R and 3120-3720 Tractors Only) and old 7-Iron Mid-Mount Mowers.</i>	237.54
	BLV10160	Front Attaching Support Kit (1023E, 1025R, and 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB25396	Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	60.99
	LVB24895	Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	88.81
	BLV10680	Front Attaching Support kit (model year 2017- 2025R, 2026R)	276.06
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	132.69
	LVB25820	Front Three-Point Hitch/Mid Mount Mower Compatibility Brackets <i>Required for use with BLV10316, BLV10439 and BLV10452 Front Three-Point Hitch with A-Frame (3120-3720 and 3033R-3046R Tractors Only) and AutoConnect Mowers.</i>	173.80
	LVB25302	Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	62.06
	BM20706	Heavy-duty wheel kit (60-in. Heavy-Duty Rotary Broom)	361.66
	AM128682	Wafers, Polypropylene Bristle (Pack of 16)	280.16
	AM128683	Wafers, Steel Bristle (Pack of 16)	477.48
		Mounting Frame	
	BM20626	60-in. Rotary Broom mounting frame <i>For use on X400/X500 HDGT's, X700s, 2210, 2305, model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115.</i>	449.40
	BLV10795	60-in. Rotary Broom mounting frame <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	449.40
	LVB25879	Mounting Frame and Hydraulic Angling (3120-3720, 3033R-3046R)	776.81
	BLV10776	Mounting Frame and Hydraulic Angling (3120-3720, 3033R-3046R, model year 2017-2032R, 2036R, and 2038R)	754.36
		Spanish North American Kit	
	BLV11054	52-in. Quick Hitch Rotary Broom Spanish kit (CUTs)	99.51
	BM26530	52-in. Quick Hitch Rotary Broom and 60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (X700s)	37.46
	BLV11056	60-in. Heavy-Duty Quick Hitch Rotary Broom Spanish kit (CUTs)	101.66

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

60 In. Heavy-Duty Rotary Broom
Continued

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

44-in. Snow Blower

Equipment for Base Machine

1118 mm (44 in.) clearing width	Cast iron gear box
One-tool removal and re-installation	Sealed, anti-friction ball bearings
305 mm (12 in.) diameter auger	Remote spout cap control
Reversible and replaceable cutting blade	Adjustable skid shoes
200-degree spout rotation	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

700AM	44-in. Snow Blower <i>Compatible with 100 Series and S240 tractors with a date of manufacture (DOM) after 02-Mar-2014 (DOM 020314) as shown on the tractor's product identification number (PIN) label in the left-rear wheel well.</i> <i>Requires two UC13263 suit case weights and one BG20627 rear weight bracket. Tire chains are recommended for additional traction.</i> <i>Sales are restricted to the following countries: Canada, and United States.</i>	1,449.00
-------	---	----------

DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
M88984	Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	30.76
M157831	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	23.86
AM122263	Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40
AM122264	Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40
LP68150	Snow blower electric lift kit (for snow blower 700AM on 100 Series and S240)	In Catalog
BUC10298	Spanish North American Kit Snow Blower Spanish North American Operator's Manual & Decal Kit (7007M, 7008M, 7009M, and 700AM)	96.30

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

44-in. Snow Blower

Equipment for Base Machine

1118-mm (44-in.) Clearing Width Easy-On, Easy-Off Mounting 305-mm (12-in.) Diameter Auger Reversible and Replaceable Cutting Blade 200 degree Spout Rotation Cast Iron Gear Box	Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Adjustable Skid Shoes
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7001M	44-in. Snow Blower <i>For model year 2006-2015 Select Series tractors (model X300, X304, X310, X320, X324, X340, X360, X300R, X305R, model X500, and X520).</i> <i>Rear weights and tire chains are recommended for additional traction.</i> <i>Winter grill cover recommended on model year 2006-2013 air-cooled engines to prevent carburetor icing.</i> <i>X300 and X304 tractors shipped with 38X, 42X, or less deck require AM136646 lift assist spring kit.</i> <i>X300-42M and X304-42M built with Edge Mulch deck with a single belt (model year 2006-2009, S.N. 010,001- 150,000) require AM136646 lift-assist spring kit.</i> <i>X320, X324, X340, model X500, and X520 tractors built prior to September 2006 (see Sales Manual for tractor serial number breaks) require the original M151924 lift-assist spring be replaced with AM136645 lift-assist spring.</i> <i>X300R and X305R tractors require collection hopper or a rear deflector kit. For snow blowers built prior to April 2008 (S.N. -030,001) see DTAC solution 79224 for adaptation instructions.</i> <i>Not for sale in France.</i>	1,570.00
-------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

LP33711	Miscellaneous Electric Lift Kit (Model Year 2006-2015) <i>For snow blower and front blade</i>	408.00
M88984	Miscellaneous Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	30.76
M157831	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	23.86
AM122263	Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

44-in. Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM122264	Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40
	AM135847	Snow Blower and Front Blade Replacement Tractor Side Lift Parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	209.74
	BM25102	Spanish North American Kit Snow Blower Spanish North American Operator's Manual and Decal kit (7001M/7002M for 2006-2015 X3/X5)	19.26

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

44-in. Snow Blower

Equipment for Base Machine

1118 mm (44 in.) Clearing Width
 Easy-On, Easy-Off Mounting
 305 mm (12 in.) Diameter Auger
 Reversible and Replaceable
 Cutting Blade
 200 degree Spout Rotation
 Cast Iron Gear Box

Sealed, Anti-Friction Ball
 Bearings
 Remote Spout Cap Control
 Adjustable Skid Shoes

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7007M	44-in. Snow Blower	1,570.00
-------	--------------------	----------

For model year 2016- Select Series tractors (X330, X350, X354, X370, X380, X384, X390, X394, X350R, and X570).

Rear weights and tire chains are recommended for additional traction.

X330, X350, and X354 tractors shipped with 42-in. Accel Deep mower deck or less deck require BM25887 lift assist spring kit.

X350R tractors require BM24810 supplemental lift assist spring kit.

X350R tractors require collection hopper or a rear deflector kit.

Sales are restricted to the following countries: Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Luxembourg, Netherlands, Norway, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.

DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

LP64865	Miscellaneous Electric Lift Kit (Model Year 2016-) <i>For snow blower and front blade</i>	459.00
M88984	Miscellaneous Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	30.76
M157831	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	23.86
AM122263	Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40
AM122264	Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

44-in. Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Spanish North American Kit	
	BUC10298	Snow Blower Spanish North American Operator's Manual & Decal Kit (7007M, 7008M, 7009M, and 700AM)	96.30
	BM26208	Snow Blower Spanish North American Operator's Manual and Decal kit (7007M/7008M for 2016- X3/X5, and 7009M 100 Series)	85.60

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

47-in. Snow Blower

Equipment for Base Machine

1194 mm (47 in.) Clearing Width Easy-On, Easy-Off Mounting 406 mm (16 in.) Diameter Auger Reversible and Replaceable Cutting Blade 200 degree Spout Rotation Cast Iron Gear Box	Sealed, Anti-Friction Ball Bearings Remote Spout Cap Control Adjustable Skid Shoes
---	---

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7002M	47-in. Snow Blower <i>For model year 2006-2015 Select Series tractors (X530, X534, X540, and model year 2015 X590).</i> <i>Rear weights and tire chains are recommended for additional traction.</i> <i>Winter grill cover recommended on model year 2006-2013 air-cooled engines to prevent carburetor icing.</i> <i>Also order M158756 spring and M174506 belt when used on model year 2015 X590 (serial 100,001-110,000).</i> <i>Not for sale in France.</i>	1,770.00
-------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

LP33711	Miscellaneous Electric Lift Kit (Model Year 2006-2015) <i>For snow blower and front blade</i>	408.00
M88984	Miscellaneous Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	30.76
M157831	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	23.86
AM122263	Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40
AM122264	Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40
AM135847	Snow Blower and Front Blade Replacement Tractor Side Lift Parts <i>Replaces the tractor mounted lift parts from a 2006-2015 44-in. Snow Blower (7001M/SKU23045), 47-in. Snow Blower (7002M/SKU23047), 44-in. Front Blade (6001M/SKU23044), or 48-in. Front Blade (6002M/SKU23048) for use on a model year 2006-2015 X300/X500 M-T tractor.</i>	209.74

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

47-in. Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Spanish North American Kit	
	BM25102	Snow Blower Spanish North American Operator's Manual and Decal kit (7001M/7002M for 2006-2015 X3/X5)	19.26

JOHN DEERE TURF & UTILITY PRODUCTS EQUIPMENT FOR RIDERS & TRACTORS

47-in. Snow Blower Equipment for Base Machine

1194 mm (47 in.) Clearing Width	Sealed, Anti-Friction Ball
Easy-On, Easy-Off Mounting	Bearings
406 mm (16 in.) Diameter Auger	Remote Spout Cap Control
Reversible and Replaceable	Adjustable Skid Shoes
Cutting Blade	
200 degree Spout Rotation	
Cast Iron Gear Box	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

7008M	47-in. Snow Blower <i>For model year 2016- Select Series tractors (X580, X584, and model year 2016- X590).</i>	1,770.00
	<i>Rear weights and tire chains are recommended for additional traction.</i>	
	<i>Sales are restricted to the following countries: Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Ireland, Italy, Luxembourg, Netherlands, Norway, Poland, Spain, Sweden, Switzerland, United Kingdom, and United States.</i>	

DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

ATTACHMENTS FOR FIELD CONVERSION

	Miscellaneous	
M88984	Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	30.76
M157831	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	23.86
AM122263	Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40
AM122264	Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40
	Spanish North American Kit	
BUC10298	Snow Blower Spanish North American Operator's Manual & Decal Kit (7007M, 7008M, 7009M, and 700AM)	96.30
BM26208	Snow Blower Spanish North American Operator's Manual and Decal kit (7007M/7008M for 2016- X3/X5, and 7009M 100 Series)	85.60

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower
Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable Scraper Blade
47 In. Clearing Width "Straight"	Four Extra Shear Bolts
15.5 In. Diameter Impeller	"Shell Mounted"
16 In. Diameter Auger	Hydraulic Chute Angling
Shear Bolt Protection	Less Front Quick-Hitch
Adjustable Spout Cap Deflector	Less Front PTO
Two-Stage Design	Less Implement Drive and Upstop

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

1474M	47 In. Quick-Hitch Two-Stage Snow Blower <i>For 425, 445, 455, X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2210, 2305, 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, 4115 Tractors.</i> <i>BM20761 hydraulic coupler kit required on 425, X465, X475, X700, and X710 Tractors.</i> <i>Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements.</i> <i>See Sales Manual for ballast requirements.</i>	2,130.00
-------	---	----------

FRONT QUICK-HITCH

2000	Front Quick-Hitch and Hydraulic Lift <i>For 425, 445, and 455.</i>	625.00
2005	Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, and X700s.</i>	615.00
2006	Front Quick-Hitch and Hydraulic Lift <i>For 2210, 2305 Tractors.</i> <i>Also requires LVB25396 front attaching support.</i>	656.00
2007	Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 Tractors.</i> <i>Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320).</i> <i>Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115).</i>	716.00
2013	Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors.</i> <i>Includes BLV10680 front attaching support kit.</i>	845.00
2012	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R.</i> <i>Includes BLV10796 front attaching support kit.</i>	835.00
2010	Less Front Quick-Hitch	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT POWER TAKE-OFF (PTO)			
3000		2000 RPM Front PTO <i>For 425, 445, and 455.</i>	236.00
3003		2000 RPM Front PTO <i>For 4100 and 4110.</i>	259.00
3006		2000 RPM Front PTO <i>For 4010 and 4115.</i>	259.00
3007		2000 RPM Front PTO <i>For 2210, 2305 Tractors.</i>	281.00
3008		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	258.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	360.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	430.00
3009		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520-2720, 3120-3720, and 3033R-3046R.</i>	267.00
3010		Less Power Take Off	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25772 implement drive and upstop. BM25772 is available as an attachment through parts, BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013.</i>	335.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00

IMPLEMENT DRIVE AND UPSTOP

4000		Implement Drive and Upstop <i>For 425, 445, and 455.</i>	221.00
4005		Implement Drive and Upstop <i>For model year 2013-2016 2025R, 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110, and 4115 tractors.</i>	369.00
4006		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, and 1026R.</i>	421.00
4014		Implement Drive and Upstop <i>For model year 2017- 2025R.</i> <i>Includes BLV10899 implement drive shaft and BLV10793 upstop.</i>	421.00
4010		Less Implement Drive and Upstop	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4013		IMPLEMENT DRIVE AND UPSTOP Continued... Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	267.00
ATTACHMENTS FOR FIELD CONVERSION			
		Front Power Take-Off (PTO)	
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	404.46
BLV10475		2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
LVB25966		2000-rpm Front Power Take-Off (PTO) (2210, 2305)	323.14
BM18695		2000-rpm Front Power Take-Off (PTO) (4100, 4110)	297.46
LVB24900		2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	297.46
LVB25305		2000-rpm Front Power Take-Off (PTO) Kit (4010, 4115)	297.46
BM25304		2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
BM25305		2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	385.20
BM17330		2000-rpm front power take-off (PTO) (415, 425, 445, 455)	270.71
		Front Quick-Hitch	
BM20921		Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
LVB24898		Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
BM19782		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s)	706.20
BM26236		Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s)	706.20
BM20761		Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	56.71
BM20896		Hydraulic retro kit <i>Required to fit a Customer's 425, 445 and 455 Snow Blower or Snow Thrower on a New X400/X500 HDGT or X700 Series Tractor.</i>	28.89
BLV10708		Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	770.40

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION Continued...			
		Implement Drive and Upstop	
LVB24902		Implement Drive and Upstop <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720, 4010, 4100, 4110 and 4115 Tractors (for 47SB only).</i>	423.71
LVB26135		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, and 1026R.</i>	483.64
BM20871		Implement Drive and Upstop (425, 445, 455, F900's)	253.59
BM25772		Implement drive and upstop (X400/X500 HDGT and X700s)	307.09
BLV10793		Snow Blower Attaching Kit (Upstop) <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	187.26
BLV10899		Snow Blower Drive Shaft <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	296.39
Miscellaneous			
BLV10843		Electric Remote Spout Control Kit <i>For 1023E, 1025R, and model year 2017- 2025R. Requires separate chassis harness for tractor.</i>	284.61
BM20753		Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86
BLV10720		Remote Spout Control - Chassis Harness <i>For model year 2017- 2025R.</i>	205.44
Miscellaneous			
M88984		Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	30.76
BLV10160		Front Attaching Support Kit (1023E, 1025R, and 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
LVB25396		Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	60.99
LVB24895		Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	88.81
BLV10680		Front Attaching Support kit (model year 2017- 2025R, 2026R)	276.06
LVB24899		Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	132.69
LVB25302		Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	62.06

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

47 In. Quick-Hitch Two-Stage Snow Blower

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	AM119321	Heavy-duty skid shoe (1) <i>For 47-in. Quick Hitch Snow Blowers (SN -060,000)</i>	61.59
	AM128337	Left-Side Skid Shoe Plate and Hardware	50.41
	BM20960	Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
	LVB24958	Remote Spout Cap Control Kit <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors. See Sales Manual for required attaching parts.</i>	156.21
	LVB26213	Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors</i>	209.71
	AM128336	Right-Side Skid Shoe Plate and Hardware	50.41
	M157831	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	23.86
		Spanish North American Kit	
	BLV11058	47-in. and 54-in. Quick Hitch Snowblower Spanish kit (CUTs)	87.74
	BM26532	47-in. and 54-in. Quick Hitch Snowblower Spanish kit (X700s)	35.31

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower
 Equipment for Base Machine

Hydraulic Discharge Chute	Wear Plates
Rotation 100 Degrees Right and Left	Reversible and Replaceable
54 In. Clearing Width "Straight"	Scraper Blade
15 In. Diameter Impeller	Four Extra Shear Bolts
16 In. Diameter Auger	"Shell Mounted"
Shear Bolt Protection	Hydraulic Chute Angling
Adjustable Spout Cap Deflector	Less Front Quick-Hitch
Two-Stage Design	Less Front PTO
	Less Implement Drive and Upstop

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

02C1M	54 In. Quick-Hitch Two-Stage Snow Blower <i>For X400/X500 Heavy Duty Garden Tractors, X700's, 1023E, 1025R, 1026R, 2305, 2025R, model year 2013-2016 2032R, 2320-2720 Tractors. BM20761 hydraulic coupler kit required on X465, X475, X700, and X710 Tractors. Compact tractors require dual selective control valve and front attaching support kit. See Sales Manual for front attaching support requirements. See Sales Manual for ballast requirements.</i>	2,550.00
-------	--	----------

FRONT QUICK-HITCH

2005	Front Quick-Hitch and Hydraulic Lift <i>For X400-X500 Heavy Duty Garden Tractors, and X700s.</i>	615.00
2006	Front Quick-Hitch and Hydraulic Lift <i>For 2305 Tractor. Also requires LVB25396 front attaching support.</i>	656.00
2007	Front Quick-Hitch and Hydraulic Lift <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, and 2320, 2520, 2720 Tractors. Also requires LVB24895 front attaching support (model year 2013-2016 2025R and 2320). Also requires LVB25302 front attaching support (model year 2013-2016 2032R, 2520, 2720).</i>	716.00
2013	Front Quick-Hitch and Hydraulic Lift <i>For model year 2017- 2025R Tractors. Includes BLV10680 front attaching support kit.</i>	845.00
2012	Front Quick-Hitch and Hydraulic Lift <i>For 1023E, 1025R, and 1026R. Includes BLV10796 front attaching support kit.</i>	835.00
2010	Less Front Quick-Hitch	In Base Price

FRONT POWER TAKE-OFF (PTO)

3007	2000 RPM Front PTO	281.00
------	--------------------	--------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT POWER TAKE-OFF (PTO) Continued...			
<i>For 2305 Tractor.</i>			
3008		2000 RPM Front PTO Kit <i>For model year 2013-2016 2025R and 2320.</i>	258.00
3017		2000 RPM Front PTO Kit <i>For model year 2017- 2025R.</i>	360.00
3016		2000 RPM Front PTO Kit <i>For 1023E, 1025R, and 1026R. See DTAC solution 111853 when used with BLV10159 Front Quick-Hitch. BLV10159 Front Quick-Hitch was available as an attachment through parts, 47-in. Snow Blower (1474M) option code 2008, 54-in. Snow Blower (02C1M) option code 2008, 52-in. Rotary Broom (3880M) option code 1001, and 60-in. Broom (3790M) option code 2007. http://dtac.deere.com/Solutions/English/111853.htm</i>	430.00
3009		2000 RPM Front PTO <i>For model year 2013-2016 2032R, 2520-2720, 3120-3720, and 3033R-3046R.</i>	267.00
3010		Less Power Take Off	In Base Price
3014		2-Wheel Drive 2000 RPM Front PTO <i>For X400 Heavy Duty Garden Tractors, X700, X720, X724, X740, X744, X710, X730, X734, X750, and X754. Must be used with BM25772 implement drive and upstop. BM25772 is available as an attachment through parts, BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013.</i>	335.00
3015		4-Wheel Drive 2000 RPM Front PTO <i>For X500 Heavy Duty Garden Tractors, X728, X729, X748, X749, X738, X739, and X758.</i>	335.00
IMPLEMENT DRIVE AND UPSTOP			
4005		Implement Drive and Upstop <i>For model year 2013-2016 2025R, 2013-2016 2032R, 2320, 2520, and 2720 tractors.</i>	288.00
4006		Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, and 1026R.</i>	421.00
4014		Implement Drive and Upstop <i>For model year 2017- 2025R.</i> <i>Includes BLV10899 implement drive shaft and BLV10793 upstop.</i>	421.00
4010		Less Implement Drive and Upstop	In Base Price
4013		Implement Drive and Upstop <i>For X400/X500 Heavy Duty Garden Tractors and X700's.</i>	267.00
ATTACHMENTS FOR FIELD CONVERSION			
		Front Power Take-Off (PTO)	
BLV10681		2000 RPM Front PTO <i>For model year 2017- 2025R, and 2026R. Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements.</i>	404.46

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10475	2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) <i>Includes RIO override for front implements.</i>	306.01
	LVB25966	2000-rpm Front Power Take-Off (PTO) (2210, 2305)	323.14
	LVB24900	2000-rpm Front Power Take-Off (PTO) (model year 2013-2016 2025R and 2320.	297.46
	BM25304	2000-rpm front PTO (X400 and 2-wheel drive X700s) <i>BM25304 must be used with BM25772 implement drive and upstop for snow blowers, or BM25775 implement drive shaft for rotary brooms. BM25772 is available as an attachment through parts, 47-in. Snow Blower (1474M) option code 4013, and 54-in. Snow Blower (02C1M) option code 4013. BM25775 is available as an attachment through parts, 52-in. Rotary Broom (3880M) option code 4004, and 60-in. Broom (3790M) option code 5004.</i>	385.20
	BM25305	2000-rpm front PTO (X500 HDGT and 4-wheel drive X700s)	385.20
	BM20921	Front Quick-Hitch Front Quick-Hitch and Hydraulic Lift (2305) <i>Fits also 2210 Tractors (for 47SB only).</i>	751.14
	LVB24898	Front Quick-Hitch and Hydraulic Lift (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, 2720) <i>Fits also 4010, 4100, 4110 and 4115 Tractors for 47SB only.</i>	820.69
	BM19782	Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s)	706.20
	BM26236	Front quick hitch and hydraulic lift (X400/X500 HDGTs, X700s)	706.20
	BM20761	Hydraulic coupler kit <i>Required on X700, X710, X465, X475, and 425 Tractors</i>	56.71
	BLV10708	Quick Hitch Kit (1023E, 1025R, 1026R, model year 2017- 2025R, 2026R)	770.40
	BM23238	Implement Drive and Upstop Implement Drive and Upstop <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors.</i>	330.63
	LVB26135	Implement Drive and Upstop <i>For 2210, 2305, 1023E, 1025R, and 1026R.</i>	483.64
	BM25772	Implement drive and upstop (X400/X500 HDGT and X700s)	307.09
	BLV10793	Snow Blower Attaching Kit (Upstop) <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	187.26
	BLV10899	Snow Blower Drive Shaft <i>For 1023E, 1025R, 1026R, and model year 2017- 2025R.</i>	296.39
	BLV10843	Miscellaneous Electric Remote Spout Control Kit <i>For 1023E, 1025R, and model year 2017- 2025R. Requires separate chassis harness for tractor.</i>	284.61
	BM20753	Front light kit <i>For X400/X500 HDGT and X700 Series Garden Tractors.</i>	211.86

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR COMPACT UTILITY AND GARDEN TRACTORS

54 In. Quick-Hitch Two-Stage Snow Blower
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	BLV10720	Remote Spout Control - Chassis Harness <i>For model year 2017- 2025R.</i>	205.44
	M88984	Miscellaneous Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	30.76
	BLV10160	Front Attaching Support Kit (1023E, 1025R, and 1026R) <i>See Sales Manual for Front Attaching Support Requirements.</i>	86.67
	LVB25396	Front Attaching Support Kit (2305) <i>2210 and 2305 Tractors with 200X or 200CX hood guard require attaching support kit. Fits also 2210 Tractors (for 47SB only.) See Sales Manual for front attaching support requirements.</i>	60.99
	LVB24895	Front Attaching Support Kit (model year 2013-2016 2025R, 2320) <i>2025R and 2320 tractors with 200X or 200CX hood guard require attaching support kit. See sales manual for front attaching support requirements.</i>	88.81
	BLV10680	Front Attaching Support kit (model year 2017- 2025R, 2026R)	276.06
	LVB24899	Front Hitch/Mid-Mount Mower Combo Bracket (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720) <i>Compatible with 4115 Tractor also. Required for Tool Free Change Between 54D or 62D OnRamp Mid-Mount Mower and Quik-Tatch Front Hitch (model year 2013-2016 2025R, model year 2013-2016 2032R, 2320-2720)</i>	132.69
	LVB25302	Front-Attaching Support Kit <i>For model year 2013-2016 2032R, 2520, 2720, 4100, 4110, 4115 tractors. If tractor is equipped with hood guard, attaching support kit is not required. See Sales Manual for front attaching support requirements.</i>	62.06
	AM128337	Left-Side Skid Shoe Plate and Hardware	50.41
	BM20960	Remote Spout Cap Control Kit <i>For 425-455, 318, 322, 332, 420, 430, X400/X500 HDGT's, F900's, X700's, 2210, 2305, 4010, 4100, 4110, 4115 Tractors. See Sales Manual for Required Attaching Parts.</i>	126.26
	LVB24958	Remote Spout Cap Control Kit <i>For model year 2013-2016 2025R, model year 2013-2016 2032R, 2320, 2520, and 2720 tractors. See Sales Manual for required attaching parts.</i>	156.21
	LVB26213	Remote Spout Cap Control Kit <i>For 1023E, 1025R and 1026R Tractors</i>	209.71
	AM128336	Right-Side Skid Shoe Plate and Hardware	50.41
	M157831	Skid shoe, Plastic (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers. Two required.</i>	23.86
		Spanish North American Kit	
	BLV11058	47-in. and 54-in. Quick Hitch Snowblower Spanish kit (CUTs)	87.74
	BM26532	47-in. and 54-in. Quick Hitch Snowblower Spanish kit (X700s)	35.31

**JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS**

42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335, 345, 355D, 240-285, 320 Tractors)

Equipment for Base Machine

42 In. (107 cm) Clearing Width	Sealed, Anti-Friction Ball
Easy-On, Easy-Off Mounting	Bearings
12 In. Diameter Auger	Remote Spout Cap Control
Reversible and Replaceable	Large, Adjustable Skid Shoes
Cutting Blade	
216 Degree Spout Rotation	
Over-Center Belt Tensioner	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

3252M		42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335, 345, 355D, 240-285, 320 Tractors) <i>Operator's Manual is Packaged with Attaching Parts Bundle.</i> <i>100 Lbs. of Ballast is Recommended on Rear of Tractor.</i>	1,688.00
-------	--	--	----------

LIFT KIT

1000		Front Implement Lift Kit <i>For G100, Scotts/Sabre Yard Tractors, LX/GT Tractors with Hand Lift</i> <i>G100, Scotts/Sabre Yard Tractors and GT242, GT262, GT275 require 2-M132142 Brackets, 4-19M7285 Bolts, and 4-14M7466 Nuts.</i> <i>LX277 AWS requires 2-M136814 Brackets, 4-19M7285 Bolts and 4-4M7466 Nuts.</i> <i>LX172-LX188 require BM19407 Mounting Parts.</i>	95.00
1001		Front Implement Lift Kit <i>For 325, 335, 345, and 355D Tractors</i>	78.00
1002		Front Implement Lift Kit <i>For 240-285 and 320 Tractors</i> <i>When Installing Front Implement Lift Kit on the 240 with 38 In. Mower 1-M71193 Right and 1-M71194 Left Mower Lift Stops, 4-03M7190 Carriage Bolts, and 4-14M7296 Flange Head Nuts may be required.</i>	107.00
1003		Front Implement Lift Kit <i>For GX325, GX335, GX345, and GX355</i>	78.00
1004		Front Implement Lift Kit <i>For LX, GT, and GX255 Tractors with Foot Lift</i> <i>LX280 AWS Requires 2-M136814 Brackets, 4-19M7285</i> <i>Option code no longer available. Order option code 1010 and source BM21337 though parts.</i>	111.00
1010		Less Front Implement Lift Kit	In Base Price

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

42 In. Snow Thrower (For G100, Scotts/Sabre Yard Tractors, LX, GT, GX, 325, 335, 345, 355D, 240-285, 320 Tractors)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHING PARTS			
2001		Attaching Parts <i>For 240-285, 320, 325, 335, 345, 355D, GX325, GX335, GX345, and GX355 Tractors</i> <i>240-285 and 320 Tractors require 1-M137636 Bracket, 2-03M7190 Bolts, 2-19M7866 Bolts and 6-4M7053 Washers.</i>	57.00
2003		Attaching Parts <i>For LX, GT, and GX255 Tractors</i>	75.00
2010		Less Attaching Parts	In Base Price
ATTACHMENTS FOR FIELD CONVERSION			
		Attaching Parts	
BM19216		Attaching Parts (240-285, 320, 325, 335, 345, 355D, GX300 Series) <i>240-285 and 320 Tractors require one M137636 bracket, two 03M7190 bolts, two 19M7866 bolts, and six 24M7053 washers.</i>	78.11
BM21339		Attaching Parts (LX, GT, GX255)	94.16
		Lift Kit	
BM19996		Front Implement Lift Kit (325, 335, 345, 355D)	88.81
BM20781		Front Implement Lift Kit (GX325, GX335, GX345, GX355)	88.81
BM16733		Front implement lift kit (240-285 and 320) <i>When installing front implement lift kit on the 240 with 38-in. Mower, one M71193 right mower lift stop, one M71194 left mower lift stop, four 03M7190 carriage bolts and four 14M7296 flange head nuts may be required.</i>	121.99
BM18977		Front implement lift kit (LX and GT with hand lift) <i>3481M 48-in. Front Blade on GT242, GT262, or GT275, require: two M132142 brackets, two 19M7789 bolts and two 14M7401 nuts.</i> <i>3252M 42-in. Snow Thrower on G100, Scotts Yard Tractors, Sabre Yard Tractors, GT242, GT262, or GT275 require: two M132142 brackets, four 19M7285 bolts, and four 14M7466 nuts. 3252M 42-in. Snow Thrower on LX277 AWS require: two M136814 brackets, four 19M7285 bolts, and four 14M7466 Nuts. 3252M 42-in. Snow Thrower on LX172- LX188 require BM19407 mounting parts.</i>	120.91
BM21337		Front implement lift kit (LX, GT, and GX255 with foot lift) <i>LX280 AWS requires two M136814 brackets, four 19M7285 bolts, four 14M7466 nuts, one M155668 bracket, one 19M7786 M10x30 bolt, and one 14M7400 M10 locknut.</i>	139.10
		Miscellaneous	
M88984		Drift Blade <i>For snow blowers. Requires two 19H1914 bolts and two N10217 lock nuts.</i>	30.76
AM122263		Skid shoe, heavy-duty left-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40
AM122264		Skid shoe, heavy-duty right-hand (1) <i>Used on 44-in. (112-cm) and 47-in. (119-cm) Snow Blowers</i>	61.40
M142891		Wear plate (42-in. snow thrower)	37.21

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

Front Mounted Thatchers

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
FRONT MOUNTED THATCHERS			
TY13056		38 In. Front Thatcher (Center) <i>Requires Mounting Frame.</i>	220.41
TY13036		8 In. Front Thatcher (Extension) <i>Add to 38 In. Thatcher as Needed to Approximate Mower Width.</i> <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
Mounting Frames			
BM20853		Thatcher Mounting Frame <i>For X400/X500 HDGT and X700 Ultimate Tractors.</i>	214.00

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

30-in. Mechanical Tiller
Equipment for Base Machine

762 mm (30 In.) Tilling Width
356 mm (14 In.) Tine Diameter
152 mm (6 In.) Tilling Depth
Easy-On, Easy-Off Mounting

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5003M	30-in. Mechanical Tiller <i>For Select Series Model X500, X520, X530, X540, X570, X580, and X590 Tractors.</i> <i>See Sales Manual for Ballast Requirements.</i>	1,779.00
-------	--	----------

DESTINATION

001A	US and Canada	In Base Price
------	---------------	---------------

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

42-in. Hydraulic Tiller
Equipment for Base Machine

1067 mm (42 In.) Tilling Width
356 mm (14 In.) Tine Diameter
25-152 mm (1-6 In.) Tilling
Depth
Self-Contained Hydraulic Drive
System
Adjustable Rear Hinged Cover

Door
Standard or Counter-Rotating
Tines

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

5002M	42-in. Hydraulic Tiller <i>For Select Series Model X530, X540, X580, and X590 Tractors.</i> <i>See Sales Manual for Ballast Requirements.</i>	2,599.00
-------	---	----------

ATTACHMENTS FOR FIELD CONVERSION

BM19406	Miscellaneous Adjustable skid shoes (42-in. Hydraulic Tiller)	228.99
---------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

42-in. Hydraulic Tiller

Equipment for Base Machine

1067 mm (42 In.) Tilling Width
Shaft Drive with Lock-Back
Collar
Category "1" 3-Point Hitch
Mounting
356 mm (14 In.) Tine Diameter
25-152 mm (1-6 In.) Tilling

Depth
Adjustable Rear Hinged Cover
Door
Standard or Counter-Rotating
Tines

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Davenport, Iowa

4392M	42-in. Hydraulic Tiller <i>For X700s and non-current X400 and X500 Heavy-Duty Garden Tractors (HDGT). See base code 5002M for the version used on X530, X540, X580, and X590 Tractors.</i> <i>Bar tires are recommended on two-wheel drive tractors and HDAP tires recommended on four-wheel drive tractors for tilling applications. Tire chains are not recommended for tilling.</i> <i>72 kg (160 lbs.) of front ballast is required for X400 and X500 HDGT and X700 Series Garden Tractors.</i> <i>X400 and X500 HDGT and X700 Series Garden Tractors must be equipped with 3-Point Hitch.</i>	2,449.00
-------	--	----------

ATTACHMENTS FOR FIELD CONVERSION

BM19406	Miscellaneous Adjustable skid shoes (42-in. Hydraulic Tiller)	228.99
---------	---	--------

JOHN DEERE TURF & UTILITY PRODUCTS

EQUIPMENT FOR RIDERS & TRACTORS

Tow Behind Carts, Trailers, Spreaders, and Implements for RLE Tractors

Equipment for Base Machine

Spreaders:	Drive Gears	No-Stick Nylon Rate Gauge
Capacity and Type:	Delron/Nylon (40- and 80-Lb.)	Stainless Steel Rate Gauge
80 Lb. Pull-Type (TY25010)	Heavy-Duty Die Cast Metal	Linkage and Rotary Agitator
125 Lb. Pull-Type (TY25011)	(110-,	One-Year Limited Warranty
175 Lb. Pull-Type (TY25012)	125-, and 175-Lb.)	
175 Lb. Pull-Type (LPBST35JD)	Tires:	
NEED TO UPDATE ALL SPECS	10 In. Pneumatic (80 Lb.)	
40 Lb. Push-Type (TY24375)	14 In. Pneumatic (125- and	
Hopper Material	175-Lb.)	
Stainless Steel (40 Lb.)	8x2.25 In. Semi-Pneumatic (40	
Polyethylene (80-, 125-, 175,	Lb)	
110- Lb.)	13x5 In. Turf Saver (110 Lb)	
80 Setting Dial-A-Matic Rate	Powder-Coated 16 gauge Tubular	
Control Knob	Steel Frame	
Solid, One-Place Axle	Stainless Steel Hopper Bottom	

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION			
Carts			
LPPCT10JD		Utility Cart, 10P Poly	255.00
LPPCT17JD		Utility Cart, 17P Poly <i>The loaded weight of the cart should never exceed the weight of the tractor plus the operator.</i>	399.00
LPHDC18JD		Utility Cart, 18 Steel	510.00
LPUT21JD		Utility Cart, 21 Steel <i>Available through Order Zone.</i>	925.00
FRONT MOUNTED THATCHERS			
TY13036		8 In. Front Thatcher (Extension) <i>Add to one end of 40 In. Thatcherator to make 48 In. wide, both ends for 56 In. total width</i> <i>Add to 38 In. Thatcher as Needed to Approximate Mower Width.</i> <i>Add 1 or 2 Extensions to 38 In. Center Thatcher as Needed to Approximate Mower Width</i>	54.57
Order Zone			
LP3100		100 Lb. Push-Type Spreader	269.00
LP25011		125 Lb. Pull-Type Spin Spreader	265.00
LP25012		175 Lb. Pull-Type Spin Spreader	299.00
LP3050		50 Lb. Push-Type Spin Spreader	179.00
LPPTK10		Cart Hard Top - 10 cu. Ft.	115.00
Sprayers			
LP19478		Tow-Behind Sprayer, 15 gal. (57 L)	424.00
LP19479		Tow-Behind Sprayer, 25 gal. (95 L)	479.00
LP20485		Tow-Behind Sprayer, 45 gal. (170 L) <i>Compatible with GT, GX, X500M-T and similar sized Lawn and Garden Tractors.</i>	624.00
AM105666		Tow-behind sprayer wiring harness extension (X400/X500 HDGTs, X700s, 322, 330, 332, 425, 445, 455) <i>30 in extension for use with sprayers on (X400's, X500's, 322, 330, 332, 425, 445, 455)</i>	25.60

Spreaders

JOHN DEERE TURF & UTILITY PRODUCTS
EQUIPMENT FOR RIDERS & TRACTORS

Tow Behind Carts, Trailers, Spreaders, and Implements for RLE Tractors
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued...	
	LPAS40JD	Tow-Behind Aerator-Spreader, 40 in. (102 cm)	439.00
	LPBS36JD	Tow-Behind Broadcast Spreader, 175 lb (80 kg)	282.00
		Thatchers	
	LPTA40JD	Tow-Behind Thatcherator, 40 in. (102 cm)	239.00
		Tow Behind	
	LPSTS42JD	Lawn Sweeper, 42 in. (107 cm)	369.00
	LPPRT36JD	Tow-Behind Lawn Roller, 18 x 36 in. (46 x 91 cm) Poly	239.00
	LPPA40JD	Tow-Behind Plug Aerator, 40 in. (102 cm)	425.00
	LPPA48JD	Tow-Behind Plug Aerator, 48 in. (122 cm) <i>Compatible with GT, GX, X500 M-T, X700, and similar-sized lawn and garden tractors</i>	469.00
	LPSAT40JD	Tow-Behind Spiker Aerator, 40 in. (102 cm)	315.00