











SPECIFICATION SHEET

			IV	IT			MT	CNG	AMT			
Variants	LXi MT	LXi MT(0)	VXi MT	VXi MT(0)	ZXi MT	ZXi MT (Opt)	Green VXi	Green VXi (0)	VXi AMT	VXi AMT(0)	ZXi AMT	ZXi AMT (
Exteriors												
ORVM with Turn Indicators	Х	X	X	Х	✓	✓	Х	Х	X	X	√	✓
Front Fog Lamps	Х	X	X	Х	Х	✓	Х	Х	Х	Х	Х	Х
Body Colored Bumper	✓	✓	✓	✓	✓	✓	✓	✓	V	✓	✓	✓
Body Colored ORVMs	Х	X	✓	✓	✓	✓	✓	√	V	✓	✓	✓
Body Colored Outside Door Handles	Х	X	✓	✓	✓	✓	✓	✓	V	✓	✓	✓
Body Colored Back Door Garnish	✓	✓	✓	✓	✓	✓	√	✓	√	✓	✓	_
Grille	Material	Material	Chrome	Chrome								
Full Wheel Covers		X (Center cap)	/	✓	✓	Х	√	✓	√	1	✓	_
Alloy Wheels	X	X	X	X	X	✓	Х	X	X	X	Х	X
Interiors												
Co-Dr Vanity Mirror in Sun Visor	Х	X	√	√	✓	/	_	V		/	✓	_
Door Trim Fabric - Front Door	X	X	X	X		V	X	X	X	X		
Day Night IRVM	X	X	\ \ \ \	×	· /	· /		×	×	×		
Drink Holder	5	5	5	5	5	5	5	5	5	5	5	5
Driver Seat Height Adjuster	X	X	X	X	X	V	X	X	X	X	X	X
Front Seat Back Pockets (Passenger Side)	X	X	X	X		· /	X	X	X	X		· ·
Rear Seat (60:40 split)	X	X	✓	✓	✓	✓	✓	✓	√	√	✓	✓
Rear Headrest	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrate
Comfort and Convenience												
Air Conditioner (Manual)	_	√	√	√	√	√	~	✓	√	√	✓	V
Audio with Radio, CD, USB, AUX-in & Bluetooth	X	X	X	X	· /	· /	X	X	X	X	· ·	
No. of Speakers	X	X	X	X	4	4	X	X	X	X	4	4
Keyless Entry (5 Doors)	X	X	X	X			X	X	X	X		
Security System	X	X	X	X	X	· /	X	X	X	X	X	X
Central Door Lock (5 Doors)	X	X	^						^	^		
Electric Windows (Power Windows)	X	X	Fr/Rr	Fr/Rr								
Power Windows - Auto Down (Driver Side)	X	X	/ / /	11/10	√ / ·	11/101	- 11/1NI ✓	√ /	11/111	/ / /	- 11/Mi	11/10
Outside Mirrors Type	Pivot	Pivot	Inside Manual	Inside Manual	Electrically	Electrically	Inside	Inside	Inside Manual		Electrically	Electrical
**					Adjustable	Adjustable	Manual	Manual			Adjustable	Adjustabl
Audio Controls In Steering Wheel	X	X	X	X	√ √	√ √	X	X	X	X	<u>√</u>	✓ ✓
Power Steering	· ·	· ·	V	V	V	V	V	V	V	V	V	V
Central Console & Instrument Panel												
Illumination Colour	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber	Amber
Tachometer	X	X	X	Х	✓	√	X	X	V	√	✓	✓
Urethane Steering Wheel	√	√	√	√	√	✓	√	√	√	√	<u>√</u>	✓
Tilt Steering	X	X	X	X		√	X	X	X	X		V
Accessory Socket	✓	√	✓	√	✓	✓	✓	✓	✓	✓	✓	√
Dial-Type Climate Control	Black	Black	Silver Painted	Silver Pain								
Gear Position Indicator	Χ	X	X	X	Х	X	Χ	Х	✓	✓	✓	✓
Safety and Security												
Driver Airbag	√	√	√	√	√	√	✓	✓	✓	√	√	✓
Passenger Airbags	X	✓	X	✓	Х	✓	Х	✓	X	✓	Х	✓
Seat Belt Reminder (Driver + Passenger)	✓	✓	✓	✓	✓	✓	✓	√	✓	✓	✓	✓
Pedestrian Protection	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
ABS	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Front Seat Belts Pre-tensioner and Force Limiter	X	✓	X	✓	X	✓	X	✓	X	✓	X	✓
Headlight Leveling	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Rear Window Wiper & Washer	X	X	X	X	√	V	X	X	X	X	✓	V
Front Ventilated Disc	√	V	√	√	√	✓	√	✓	✓	√	√	V
Immobilizer	√	V	V	√	√	√	√	V	V	V		V
Child Proof Rear Door Locks	✓ ✓	✓ ✓	√ ∨	√ ∨	√	√	✓ ✓	√ ∨	√	√ ∨		✓
Rear Window Demister	X	X	X	X	√ ∨	✓ ∨	X	X	X	X	<u>√</u>	✓ ✓
Outside Air Temperature Display	Χ	X	Х	X	X	Х	Х	X	-			<u> </u>
Speed Alert System# Reverse Parking Assist Sensors	✓	✓	√ √	✓	✓	✓ ✓	✓ ✓	√ √	\ \frac{1}{2}	✓ ✓	✓ ✓	✓ ✓

SPECIFICATION SHEET		PETROL	CNG		
Dimensions (in mm)					
Overall Length		3695	3695		
Overall Width		1600	1600		
Overall Height		1560	1560		
Wheelbase		2425	2425		
	Front	1420	1420		
Tread	Rear	1410	1410		
Engine					
Туре		K10B	K10B		
Capacity		998 cc	998 cc		
Engine Type		Aluminium	Aluminium		
Number of Cylinders		3	3		
Number of Valves in Each Cylinder		4	4		
			Petrol Mode: 50@6000		
Maximum Output (kW/rpm)		50@6000	CNG Mode: 43.5@6000		
			Petrol Mode: 90@3500		
Maximum Torque (Nm/rpm)		90@3500	CNG Mode: 78@3500		
Emission Standard Type		BS4+OBD II	BS4+OBD II		
Accelerator Pedal Type		Electric type	Electric type		
Transmission					
Туре		5MT/ Auto Gear Shift	5MT		
Suspension System					
Front		Mac Pherson Strut with Coil Spring	Mac Pherson Strut with Coil Spring		
Rear		Coupled Torsion Beam Axle with Coil Spring	Coupled Torsion Beam Axle with Coil Spring		
Weight (kg)					
Kerb Weight (min./with Full Options)		815/850	920 (VXI), 925 (VXI (0))		
Gross Vehicle Weight		1250	1350		
Capacity					
Seating Capacity	Persons	5	5		
Seating Capacity Luggage Capacity (L)	Persons	5 235	5 -		
Luggage Capacity (L)	Persons	235			
	Persons		-		
Luggage Capacity (L) Fuel Tank Capacity (L)	Persons	235	- 35 (Petrol)		
Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering	Persons	235	- 35 (Petrol)		
Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering Type	Persons	235 35	- 35 (Petrol) 60 (CNG)		
Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering	Persons	235 35	- 35 (Petrol) 60 (CNG)		
Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering Type Tyres	Persons	235 35 Electronic Power Steering LXi-155/80R13	- 35 (Petrol) 60 (CNG) Electronic Power Steering		
Luggage Capacity (L) Fuel Tank Capacity (L) Power Steering Type Tyres Tyre Size*	Persons	235 35 Electronic Power Steering LXi-155/80R13	- 35 (Petrol) 60 (CNG) Electronic Power Steering		













TORQUE BLUE

Maruti Suzuki India Limited reserves the right to change without notice - price, colours, equipment specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment. For variant specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images are used for illustration purposes. 2020 Sales Points, 3200 Service Centres, 1652 cities covered by service network & over 34293 trained sales personnel as on 1st Aprul, 2017. The speed alert system gives audible warning for alert of over-speed to driver. When Vehicle speed exceeds 80km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will stop. This buzzer does not indicate any malfunction in vehicle. 'Spare wheel material is steel and spare tyre size is LV-155/80R13, VXi and above - 165/00R14.



Maruti Suzuki India Limited

Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi-110070, INDIA