CLINICAL GUIDELINES

CMM-202: Trigger Point Injections

Version 1.0 Effective February 14, 2020



CMM-202: Trigger Point Injections	
CMM-202.1: Definitions	3
CMM-202.2: General Guidelines	3
CMM-202.3: Indications	3
CMM-202.4: Non-indications	4
CMM-202.5: Procedure (CPT®) Codes	4
CMM-202.6: References	5

CMM-202.1: Definitions

- Trigger point injections are defined as an injection of a local anesthetic with or without the addition of a corticosteroid into clinically identified myofascial trigger points.
- Myofascial trigger point is defined as a discrete, focal, hyperirritable spot found within a taught band of skeletal muscle or its fascia which when provocatively compressed causes local pain or tenderness as well as characteristic referred pain, tenderness and/or autonomic phenomena. Digital palpation, as well as needle insertion into the trigger point, can often lead to a local twitch response. A local twitch response is a transient visible or palpable contraction of the muscle. The presence of characteristic referred pain, tenderness, muscle shortening and/or autonomic phenomena (e.g., vasomotor changes, pilomotor changes, muscle twitches, etc.) is necessary to render the diagnosis of a myofascial trigger point. Tender points within a muscle or its fascia, which do not refer pain, tenderness and/or autonomic phenomena and lack a local twitch response, cannot be considered a myofascial trigger point.

CMM-202.2: General Guidelines

- Trigger point injections are not without risk, and can expose patients to potential complications.
- The determination of medical necessity for the use of trigger point injections is always made on a case-by-case basis.

CMM-202.3: Indications

- Trigger point injections are considered medically necessary when BOTH of the following criteria are met:
 - A myofascial trigger point has been identified by the presence of ONE or MORE of the following on physical examination:
 - Characteristic referred pain
 - Tenderness
 - Muscle shortening
 - Autonomic phenomena (e.g., vasomotor changes, pilomotor changes, muscle twitches, etc.)
 - Performed using a local anesthetic with or without steroid (e.g., saline or glucose)
- Repeat trigger point injections are considered medically necessary when BOTH of the following are documented:
 - At least 50% pain relief with evidence of functional improvement for a minimum of six (6) weeks following the prior injection(s)
 - Adequate instruction or supervision in self-management strategies (i.e., therapeutic exercise, ergonomic advice, ADL training, etc.)

CMM-202.4: Non-indications

- Trigger point injections are considered not medically necessary for any of the following:
 - When performed with any substance other than local anesthetic with or without steroid (e.g., saline or glucose)
 - When performed on the same day of service as other treatments in the same region
 - When requested for any of the following:
 - Acupuncture
 - Electro-Acupuncture
 - Acupoint injections, aka Biopuncture (saline, sugar, herbals, homeopathic substances)
 - Dry needling
 - Image-guided injection over spinal hardware
- Repeat trigger point injections are considered **not medically necessary** for any of the following:
 - An isolated treatment modality
 - An interval of less than two (2) months
 - More than four (4) trigger point injection sessions per body region per year

CMM-202.5: Procedure (CPT®) Codes

This guideline relates to the CPT[®] code set below. Codes are displayed for informational purposes only. Any given code's inclusion on this list does not necessarily indicate prior authorization is required. Pre- authorization requirements vary by individual payor.

l	CPT ®	Code Description/Definition
	20552	Injection(s); single or multiple trigger point(s), 1 or 2 muscle(s)
	20553	Injection(s); single or multiple trigger point(s), 3 or more muscle(s)

This list may not be all inclusive and is not intended to be used for coding/billing purposes. The final determination of reimbursement for services is the decision of the individual payor (health insurance company, etc.) and is based on the member/patient/client/beneficiary's policy or benefit entitlement structure as well as any third party payor guidelines and/or claims processing rules. Providers are strongly urged to contact each payor for individual requirements if they have not already done so.

CMM-202.6: References

- 1. Al-Shenqiti A. Oldham J. Test-retest reliability of myofascial trigger point detection in patients with rotator cuff tendonitis. *Clinical Rehabilitation*. 19(5):482-7, 2005 Aug.
- 2. Alvarez D, Rockwell P. Trigger points: diagnosis and management. *American Family Physician*. 65(4):653-60, 2002 Feb 15.
- 3. American College of Occupational and Environmental Medicine. *Occupational Medicine Practice Guideline*, 2nd Ed. 2008. Accessed 10/1/08.
- 4. Audette J, Wang F, Smith H. Bilateral activation of motor unit potentials with unilateral needle stimulation of active myofascial trigger points. *American Journal of Physical Medicine & Rehabilitation*. 83(5):368-74, quiz 375-7, 389, 2004 May.
- 5. Bajaj P, Bajaj P, Graven-Nielsen T, et al: Trigger points in patients with lower limb osteoarthritis. *J Musculoskeletal Pain* 2001;9:17–33.
- 6. Baldry P. Management of myofascial trigger point pain. Acupunct Med 2002;20:2–10 25. Chu J: Does EMG (dry needling) reduce myofascial pain symptoms due to cervical nerve root irritation? *Electromyogr Clin Neurophysiol* 1997;37:259–72.
- 7. Bron C, Wensing M, Franssen JL, Oostendorp R. Treatment of myofascial trigger points in common shoulder disorders by physical therapy: a randomized controlled trial. *BMC Musculoskeletal Disorders*. 8:107, 2007.
- 8. Carlsson C. Acupuncture mechanisms for clinically relevant long-term effects—reconsideration and a hypothesis. *Acupunct Med* 2002;20:82–99.
- 9. Casimiro L, Brosseau L, Milne S, et al: Acupuncture and electroacupuncture for the treatment of
- 10. RA. Cochrane Database Syst Rev 2002;(3):CD003788.
- 11. Chen J, Chung K, Hou C, et al: Inhibitory effect of dry needling on the spontaneous electrical activity recorded from myofascial trigger spots of rabbit skeletal muscle. *Am J Phys Med Rehabil* 2001;80:729–35.
- 12. Chen Q, Bensamoun S, Basford J, et al . Identification and quantification of myofascial taut bands with magnetic resonance elastography. *Arch Phys Med Rehabil* 2007;88(12): 1658–61.
- 13. Chen S, Chen J, Wu Y, et al: Myofascial trigger point in intercostal muscles secondary to herpes zoster infection to the intercostal nerve. *Arch Phys Med Rehabil* 1998;79:336–8.
- 14. Chu J. Twitch-obtaining intramuscular stimulation: observation in the management of radiculopathic chronic low back pain. *J Musculoskeletal Pain* 1999;7:131–46.
- 15. Cole T, Edgerton V. Musculoskeletal disorders. In: Cole T, Edgerton V, eds. Report of the Task Force on Medical Rehabilitation Research: June 28-29, 1990, Hunt Valley Inn, Hunt Valley, Md. Bethesda: National Institutes of Health, 1990:61-70.
- 16. Couppe C, Torelli P, Fuglsang-Frederiksen A, et al. Myofascial trigger points are very prevalent in patients with chronic tension-type headache: a double-blinded controlled study. *Clinical Journal of Pain*. 23(1):23-7, 2007 Jan.
- 17. Cummings T, White A: Needling therapies in the management of myofascial trigger point pain: a systemic review. *Arch Phys Med Rehabil* 2001;82:986–92.
- 18. Davies C, Davies A. *The Trigger Point Therapy Workbook (2nd Ed.)*. USA: New Harbinger Publication, Inc., 2004;323.
- 19. Ettlin T, Schuster C, Stoffel R, et al. A distinct pattern of myofascial findings in patients after whiplash injury. *Archives of Physical Medicine & Rehabilitation.* 89(7):1290-3, 2008 Jul.
- 20. Fernandez-Carnero J, Fernandez-de-Las-Penas C, de la Llave-Rincon AI, et al. Prevalence of and referred pain from myofascial trigger points in the forearm muscles in patients with lateral epicondylalgia. *Clinical Journal of Pain*. 23(4):353-60, 2007 May.
- 21. Fernandez-de-Las-Penas C. Alonso-Blanco C. Cuadrado ML. Et al. Myofascial trigger points and their relationship to headache clinical parameters in chronic tension-type headache. *Headache*. 46(8):1264-72, 2006 Sep.
- 22. Fernandez-de-Las-Penas C, Cuadrado M, Arendt-Nielsen L, et al. Association of cross-sectional area of the rectus capitis posterior minor muscle with active trigger points in chronic tension-type headache: a pilot study. *American Journal of Physical Medicine & Rehabilitation*. 87(3):197-203, 2008 Mar.
- 23. Fernandez de las Penas C, Cuadrado M, Gerwin R, Pareja J. Referred pain from the trochlear region in tension-type headache: a myofascial trigger point from the superior oblique muscle.

- Headache. 45(6):731-7, 2005 Jun.
- 24. Fernandez-de-Las-Penas C, Cuadrado M, Pareja JA. Myofascial trigger points, neck mobility, and forward head posture in episodic tension-type headache. *Headache*. 47(5):662-72, 2007 May.Fernandez-de-Las-Penas C, Ge H, Arendt-Nielsen L, et al. Referred pain from trapezius muscle trigger points shares similar characteristics with chronic tension type headache. *European Journal of Pain*: Ejp. 11(4):475-82, 2007 May.
- 25. Fernandez-de-Las-Penas C, Simons D, Cuadrado M, Pareja J. The role of myofascial trigger points in musculoskeletal pain syndromes of the head and neck. *Current Pain & Headache Reports*. 11(5):365-72, 2007 Oct.
- 26. Ferrante F, Bearn L, Rothrock R, King L. Evidence against trigger point injection technique for the treatment of cervicothoracic myofascial pain with botulinum toxin type A. *Anesthesiology*. 103(2):377-83, 2005 Aug.
- 27. Fischer A. Injection techniques in the management of local pain. *J Back Musculoskeletal Rehabil* 1996;7:107-17.
- 28. Fischer A. New approaches in treatment of myofascial pain. *Phys Med Rehabil Clin North Am* 1997;8:153-69.
- 29. Fischer A. Pressure threshold measurement for diagnosis of myofascial pain and evaluation of treatment results. *Clin J Pain* 1987;2:207–14.
- 30. Fischer A. Pressure threshold meter: its use for quantification of tender spots. *Arch Phys Med Rehabil* 1986;67:836–8.
- 31. Fricton J, Kroening R, Haley D, Siegert R. Myofascial pain syndrome of the head and neck: a review of clinical characteristics of 164 patients. *Oral Surg Oral Med Oral Pathol* 1985;60:615-23.
- 32. Ga H, Choi J, Park C, Yoon H. Acupuncture needling versus lidocaine injection of trigger points in myofascial pain syndrome in elderly patients--a randomised trial. *Acupuncture in Medicine*. 25(4):130-6. 2007 Dec.
- 33. Ga H, Choi J, Park C, Yoon H. Dry needling of trigger points with and without paraspinal needling in myofascial pain syndromes in elderly patients. *Journal of Alternative & Complementary Medicine*. 13(6):617-24, 2007 Jul-Aug.
- 34. Ga H, Koh H, Choi J, Kim C. Intramuscular and nerve root stimulation vs. lidocaine injection to trigger points in myofascial pain syndrome. *Journal of Rehabilitation Medicine*. 39(5):374-8, 2007 May.
- 35. Gam A, Warming S, Larsen L, Jet al, Treatment of myofascial trigger-points with ultrasound combined with massage and exercise--a randomised controlled trial. *Pain.* 77(1):73-9, 1998 Jul.
- 36. Ge H, Zhang Y, Boudreau S, et al. Induction of muscle cramps by nociceptive stimulation of latent myofascial trigger points. *Experimental Brain Research*. 187(4):623-9, 2008 Jun.
- 37. Gerwin R, Shannon S, Hong C, et al. Interrater reliability in myofascial trigger point examination. *Pain*. 1997 Jan;69(1-2):65-73.
- 38. Giamberardino M, Tafuri E, Savini A, et al. Contribution of myofascial trigger points to migraine symptoms. *Journal of Pain*. 8(11):869-78, 2007 Nov.
- 39. Gunn C. Treatment of Chronic Pain. Intramuscular Stimulation for Myofascial Pain of Radiculopathic Origin. London. Churchill Livingston. 1996.
- 40. Han S, Harrison P. Myofascial pain syndrome and trigger-point management. *Reg Anesth* 1997;22: 89-101.
- 41. Hanten W, Olson S, Butts N, Nowicki A. Effectiveness of a home program of ischemic pressure followed by sustained stretch for treatment of myofascial trigger points. *Physical Therapy*. 80(10):997-1003, 2000 Oct.Ho K, Tan K. Botulinum toxin A for myofascial trigger point injection: a qualitative systematic review. *European Journal of Pain*: Ejp. 11(5):519-27, 2007 Jul.
- 42. Hoheisel U, Mense S, Simons D, et al: Appearance of new receptive fields in rat dorsal horn neurons following noxious stimulation of skeletal muscle: a model for referral of muscle pain? *Neurosci Lett* 1993;153:9–12.
- 43. Hong C. Algometry in evaluation of trigger points and referred pain. *J Musculoskeletal Pain* 1998;6:47–59.

- 44. Hong C, Chen J, Chen S, et al: Histological findings of responsive loci in a myofascial trigger spot of rabbit skeletal muscle from where localized twitch responses could be elicited. *Arch Phys Med Rehabil* 1996:77:962.
- 45. Hong C, Chen Y, Twehous D, et al: Pressure threshold for referred pain by compression on the trigger point and adjacent areas. *J Musculoskeletal Pain* 1996;4:61–79.
- 46. Hong C. Consideration and recommendation of myofascial trigger point injection. *J Musculoskeletal Pain* 1994;2:29–59.
- 47. Hong C. Current research on myofascial trigger points—pathophysiological studies. *J Musculoskeletal Pain* 1999;7:121–9.
- 48. Hong C, Hsueh T. Difference in pain relief after trigger point injections in myofascial pain patients with and without fibromyalgia. *Arch Phys Med Rehabil* 1996;77:1161-6.
- 49. Hong C, Kuan T, Chen J, Chen S. Referred pain elicited by palpation and by needling of myofascial trigger points: a comparison. *Archives of Physical Medicine & Rehabilitation*. 78(9):957-60, 1997 Sep.
- 50. Hong C. Lidocaine injection versus dry needling to myofascial trigger point. The importance of the local twitch response. *Am J Phys Med Rehabil* 1994;73:256-63.
- 51. Hong C. Myofascial trigger points: pathophysiology and correlation with acupuncture points. *Acupunct Med* 2000;18:41–7.
- 52. Hong C. New trends in myofascial pain syndrome. *Zhonghua Yi Xue Za Zhi (Taipei)* 2002;65:501–12
- 53. Hong C. Pathophysiology of myofascial trigger point. J Formos Med Assoc 1996;95:93–104.
- 54. Hong C. Persistence of local twitch response with loss of conduction to and from the spinal cord. *Arch Phys Med Rehabil* 1994;75:12–6.
- 55. Hong C, Simons D. Response to treatment for pectoralis minor myofascial pain syndrome after whiplash. *J Musculoskeletal Pain* 1993;1:89–131.
- 56. Hong C, Simons D. Pathophysiologic and electrophysiologic mechanisms of myofascial trigger points. *Archives of Physical Medicine & Rehabilitation*. 79(7):863-72, 1998 Jul.
- 57. Hong C, Torigoe Y. Electrophysiologic characteristics of localized twitch responses in responsive bands of rabbit skeletal muscle fibers. *J Musculoskeletal Pain* 1994;2:17–43.
- Hong C, Torigoe Y, Yu J. The localized twitch responses in responsive bands of rabbit skeletal muscle fibers are related to the reflexes at spinal cord level. *J Musculoskeletal Pain* 1995;3:15– 33
- Hong C. Treatment of myofascial pain syndrome. Current Pain & Headache Reports. 10(5):345-9, 2006 Oct.
- 60. Hopwood M, Abram S. Factors associated with failure of trigger point injections. *Clin J Pain* 1994;10:227-34.
- 61. Hou C, Tsai L, Cheng K, et al. Immediate effects of various physical therapeutic modalities on cervical myofascial pain and trigger-point sensitivity. *Archives of Physical Medicine & Rehabilitation*. 83(10):1406-14, 2002 Oct.
- 62. Hsueh T, Cheng P, Kuan T, Hong C. The Immediate Effectiveness of Electrical Nerve Stimulation and Electrical Muscle Stimulation on Myofascial Trigger Points. *American Journal of Physical Medicine & Rehabilitation*. 1997;76(6):471-476.
- 63. Hsueh T, Yu S, Kuan T, et al: Association of active myofascial trigger points and cervical disc lesion. *J Formos Med Assoc* 1998;97:174–80.
- 64. Hubbard D, Berkoff G. Myofascial trigger points show spontaneous needle EMG activity. *Spine* 1993;18:1803–7.
- 65. Imamura S, Fischer A, Imamura M, Teixeira, et al. Pain management using myofascial approach when other treatment failed. *Phys Med Rehabil Clin North Am* 1997;8:179-96.
- 66. Kuan T, Chang Y, Hong C. Distribution of active loci in rat skeletal muscle. *J Musculoskeletal Pain* 1999;7:45–54.
- 67. Kuan T, Chen J, Chen S, et al. Effect of botulinum toxin on endplate noise in myofascial trigger spots of rabbit skeletal muscle. *American Journal of Physical Medicine & Rehabilitation*. 81(7):512-20; quiz 521-3, 2002 Jul.
- 68. Lavelle E, Lavelle W, Smith H. Myofascial trigger points. *Anesthesiology Clinics*. 25(4):841-51, viiiii, 2007 Dec.
- 69. Lee S, Chen C, Lee C, et al. Effects of needle electrical intramuscular stimulation on shoulder

- and cervical myofascial pain syndrome and microcirculation. *Journal of the Chinese Medical Association: JCMA.* 71(4):200-6, 2008 Apr.
- 70. Lewis J, Tehan P. A blinded pilot study investigating the use of diagnostic ultrasound for detecting active myofascial trigger points. *Pain.* 79(1):39-44, 1999 Jan.
- 71. Lewit K. The needle effect in relief of myofascial pain. Pain 1979;6:83-90.
- 72. Ling F, Slocumb J. Use of trigger point injections in chronic pelvic pain. *Obstet Gynecol Clin North Am* 1993;20:809-15.
- 73. Majlesi J, Unalan H. High-power pain threshold ultrasound technique in the treatment of active myofascial trigger points: a randomized, double-blind, case-control study. *Archives of Physical Medicine & Rehabilitation*. 85(5):833-6, 2004 May.
- 74. Melzack R. Myofascial trigger points: relation to acupuncture and mechanism of pain. *Arch Phys Med Rehabil* 1981;62:114–7.
- 75. Mense S, Schmit R. Muscle pain: which receptors are responsible for the transmission of noxious stimuli? In: Rose F, ed. *Physiological aspects of clinical neurology*. Oxford: Blackwell Scientific Publications, 1977:265-78.
- 76. Mense S. Considerations concerning the neurobiological basis of muscle pain. *Can J Physiol Pharmacol* 1991;69:610–6.
- 77. Mense S. Nociception from skeletal muscle in relation to clinical muscle pain. *Pain* 1993;54:241–89.
- 78. Mense S. Peripheral mechanisms of muscle nociception and local muscle pain. *J Musculosketal Pain* 1993;1:133–70.
- 79. Mense S. Referral of muscle pain: new aspects. Am Pain Soc J 1994;3:1–9.
- 80. Meyer H. Myofascial pain syndrome and its suggested role in the pathogenesis and treatment of fibromyalgia syndrome. *Current Pain & Headache Reports*. 6(4):274-83, 2002 Aug.
- 81. Myburgh C, Larsen AH Hartvigsen J. A systematic, critical review of manual palpation for identifying myofascial trigger points: evidence and clinical significance. *Archives of Physical Medicine & Rehabilitation*. 89(6):1169-76, 2008 Jun.
- 82. Ohrbach R, Gale E: Pressure pain thresholds in normal muscles: reliability, measurement effects and topographic differences. *Pain* 1989;37:257–63.
- 83. Ohrbach R, Gale E: Pressure pain thresholds, clinical assessment, and differential diagnosis: reliability and validity in patients with myofascial pain. *Pain* 1989;39:157–69.
- 84. Rachlin E. History and physical examination for regional myofascial pain syndrome. In: Rachlin ES, ed. *Myofascial pain and fibromyalgia: trigger point management.* St. Louis: Mosby, 1994:159-72.
- 85. Rachlin E. Trigger points. In: Rachlin E, ed. *Myofascial pain and fibromyalgia: trigger point management*. St. Louis: Mosby, 1994:145-57.
- 86. Reeves J, Jaeger B, Graff-Radford S: Reliability of the pressure algometer as a measure of myofascial trigger point sensitivity. *Pain* 1986:24:313–21.
- 87. Ruoff G. Technique of trigger point injection. In: Pfenninger J, Fowler G, eds. *Procedures for primary care physicians*. St. Louis: Mosby, 1994:164-7.
- 88. Sciotti V, Mittak V, DiMarco L, Fet al. Clinical precision of myofascial trigger point location in the trapezius muscle. *Pain.* 93(3):259-66, 2001 Sep.
- 89. Shah J, Danoff J, Desai M, et al. Biochemicals associated with pain and inflammation are elevated in sites near to and remote from active myofascial trigger points. *Archives of Physical Medicine & Rehabilitation*. 89(1):16-23, 2008 Jan.
- 90. Simons D, Hong C, Simons L: Endplate potentials are common to midfiber myofascial trigger points. *Am J Phys Med Rehabil* 2002;81:212–22.
- 91. Simons D, Hong C, Simons L: Prevalence of spontaneous electrical activity at trigger spots and at control sites in rabbit skeletal muscle. *J Musculoskeletal Pain* 1995;3:35–48.
- 92. Simons D. Cardiology and Myofascial Trigger Points: Janet G. Travell's Contribution . *Tex Heart Inst J.* 2003; 30(1): 3–7.
- 93. Simons D: Clinical and etiological update of myofascial pain from trigger points. *J Musculoskeletal Pain* 1996;4:93–121.
- 94. Simons D. New views of myofascial trigger points: etiology and diagnosis. *Arch Phys Med Rehabil* 2008;89(1): 157–9.
- 95. Simons D, Travell J, Simons L. Travell & Simons' *Myofascial pain and dysfunction: the trigger point manual.* 2d ed. Baltimore: Williams & Wilkins, 1999.
- 96. Smith-Fassler M, Lopez-Bushnell K: Acupuncture as complementary therapy for back pain. Holist

- Nurs Pract 2001;15:35-44.
- 97. Sola A, Bonica J. Myofascial pain syndromes. In: Bonica JJ, ed. *The management of pain*. 2d ed. Philadelphia: Lea & Febiger, 1990:352-67.
- 98. Srbely J, Dickey J. Randomized controlled study of the antinociceptive effect of ultrasound on trigger point sensitivity: novel applications in myofascial therapy?. *Clinical Rehabilitation*. 21(5):411-7, 2007 May.
- 99. Trinh K, Phillips S, Ho E, et al: Acupuncture for the alleviation of lateral epicondyle pain: a systematic review. *Rheumatology* (Oxford) 2004;43:1085–90.
- 100. Workloss Data Institute. Official Disability Guidelines.
- 101. Yunus M. Fibromyalgia syndrome and myofascial pain syndrome: clinical features, laboratory tests, diagnosis, and pathophysiologic mechanisms. In: Rachlin E, ed. *Myofascial pain and fibromyalgia: trigger point management.* St. Louis: Mosby, 1994:3-29.
- 102. Zaralidou A, Amaniti E, Maidatsi P, et al. Comparison between newer local anesthetics for myofascial pain syndrome management. *Methods & Findings in Experimental & Clinical Pharmacology.* 29(5):353-7, 2007 Jun.
- 103. Zohn D, Mennell J. Musculoskeletal pain: diagnosis and physical treatment. Boston: Little, Brown, 1976:126-9,190-3.