

Exact Oilfield Developing Ltd.

1412 Tamarack Road N.E.

Slave Lake, Alberta, T0G 2A0

Ph.: 780-849-2211 Fax: 780-849-4304

Email: exactoilfield@telusplanet.net

Equipment Specifications

2018 Version



Table of Contents

❖ Knuckle Booms

- Unit 155
- Unit 172
- Unit 213
- Unit 221

❖ Crawler Tractors

- Unit 808
- Unit 604
- Unit 608

❖ Hydrovacs

- Unit 218
- Unit 220
- Unit 225
- Unit 957 (Crawler)

❖ Crawler Dump

- Unit 958
- Unit 956

❖ Nodwell

- T110
- T111

❖ Excavators

- Attachments

❖ Sidebooms

- Unit 453
- Unit 553
- Unit 554
- Unit 653

❖ Loader

❖ Zoom Boom

❖ Mulchers

- Unit 985 & 986
- Unit 983

❖ Tractors and Trailers

- Unit 209
- Unit 214
- Unit 217
- Trailers

❖ Water Truck

- Unit 222

❖ Crew Trucks and Operator Service Trucks

- Unit 173 Portable Sand
Blaster

❖ Additional Job Supplies

Knuckle Booms

Unit 155

550 Super Duty Ford W/ 3 Ton Hiab Articulating Crane

- Deck Length = 9' 3"

Unit 172

5500 Dodge Flat Deck W/ 3 Ton Hiab Articulating Crane

- Deck Length = 6' 3"



Unit 213

Kenworth T300 W/ 8 Ton Palfinger Articulating Crane

- Deck Length = 23 ft.



Unit 221

Kenworth T800 W/ 25 Ton Palfinger Articulating Crane

- Trailers: 53ft. Highboy, Lowboy, Scissor Neck



Crawler Tractor

Unit 808

CAT D8T

- Ripper Shanks up to 9 ft. deep, and brush rakes
- FOP and ROP



Unit 604

CAT D6N LGP

- Brush rake, Blade extension, Winch
- FOP and ROP



Unit 608

CAT D6T LGP

- Multi ripper shank, brush rake, winch
- FOP and ROP



Hydrovacs

Unit 218

Kenworth T800 Tri Drive

- Westech Vac System
- Wireless Remote controls
- Water Tank _____
- Debris Tank _____
- Neoprene end attachments for working safely on electrical lines
- Equipotential ground mats



Unit 220

Western Star 4900 Tri Drive

- 2014 Tornado F4 Slope Hydrovac
- Wireless remote control
- Water Tank = 8 m³
- Debris Tank = 9.5 m³
- 8" dig tube with two 6" extensions
- 8" hydraulic boom 26 ft. reach, 342° rotation
- 75 feet water hose
- Neoprene end attachments for working safely on electrical lines
- Equipotential ground mats



Unit 225

New 2018 Kenworth Hydro vac unit built by Smart Vac

- Single Axle 4x4 unit makes is very versatile in tight areas, with low ground pressure for winter access or soft ground conditions. Can turn around on ROW quite easily.
- The truck can be operated with a class 5 license and air brakes thus resulting in less driver error
- Wireless remote is wired with emergency shut down for any hazardous situations.
- Very low sound output, perfect for working in residential areas or after hours.
- Automatic Transmission
- Ability to haul 3cu fresh water and 4.4cu debris.
- Sloped tank for quick dumping of 10 sec. No need to lift the tank. Makes for quick unload downtime.
- Automatic winterization. Allows for minimal freeze ups and downtime. Minimal chance for operator error.
- Computer operated system for variable speed settings for the pump pressure, booms speed and vaccum.



Unit 957

MST 2600 Marooka c/w Ditch Witch FX30 Hydrovac

- Water Tank = 17m³
- Debris Tank = 3 m³ (No contaminated waste)
- 4" suction hose, up to 3000 psi water pump pressure
- Ground Pressure 6.1 per square inch



Crawler Dump

Unit 958

MST 2200 Marooka Crawler Dump

- Max speed = 9 mph
- Low ground pressure
- Loading capacity = 3.5 m³
- ROP and FOP



Unit 956

Komatsu CD110R Crawler Dump

- Speed
 - Low speed = 4.5 km/h
 - High speed = 10km/h
- Ground Pressure
 - Unloaded = 3.6 psi
 - Loaded = 6.31 psi
- Load capacity = 6.1 m³ or 8 yards
- ROP and FOP
- 360° rotation capability
 - Work in restricted spaces
 - Minimize ground disturbance
 - Always keep forward facing operations
 - Enable dumping at any angle
 - Easy to load material



Nodwell

T110

Terraflex 110 Nodwell w/ mounted water tank

- Max Tank Fill = 9m³
- Safe suggested fill = 6m³
- Deck length 21ft.
- Removable water tank
- Low ground pressure
- Winch
- Easy remote access
- No contaminated waste



T111

Terraflex 110 Nodwell w/ Picker

- Atlas articulating crane
- Deck length with picker = 18 ft.
- Deck length without picker = 21 ft.
- Low ground pressure
- Winch
- Easy remote access



Excavators / Track Hoe

Hitachi - Wajax

Sizes; 200, 210, 240, 250, 290, and 350

Assortment of attachments; digging bucket, clean up bucket, V- bucket's, ripper shanks, and tampers





Sidebooms

Unit 453

450D John Deere Sideboom



Unit 553

CAT D4H LGP Sideboom



Unit 554

CAT D4H LGP WP Sideboom



Unit 653

CAT D5G LGP Sideboom



Loader

Unit 296

544K John Deere Wheel Loader

- Bucket capacity 2.3m³ / 3 yards
- Fork Rack
- Mat Grapple
- Blade



Zoom Boom

Unit 959

JCB Telescopic Boom Forklift 550 – 140

- Fork attachment
- Grapple assembly
- Max lift height: 44' 3" / 13.5 meters
- Max lift capacity: 10,000 lbs
- Max forward reach: 30' 8"
- Lift capacity at full reach: 2,500 lbs



Mulchers

Unit 985 and 986

2 NEW - 2018 CMI Hurricane Mulcher

- Crawler C250
- FAE universal forestry mulching head
HY GB
 - Finer mulched end product
- Back up alarm and camera
- FOP and ROP
- Recovery winch
- Ground Pressure = approx. 3lbs
- 300 Horse Power



Unit 983

Tigercat 480 Mulcher

- FAE500U – 225 Mulching head
- 35000 lbs hydraulic recovery winch
- Able to mulch 3 ft. tree and turn into mulch in 5 minutes
- Ground pressure = approx. 5lbs
- 500 Horse Power



Tractors / Trailers

Unit 209

Kenworth Winch Tractor

Unit 214

Kenworth Winch Tractor

Unit 217

Kenworth Winch Tractor

Trailers

- Highboy
- Lowboy (16 wheel)
- Jeep
- Booster
- Scissor neck



Water Truck

Unit 222

Volvo VHD Water Truck

- 11 cubes of water



Crew Truck and Operator Service Truck

Crew Trucks

- Flat deck with tool boxes
- Fully tooled
- Capable of hauling pipe up to 25 ft. in length
- Capable of hauling various types of pull trailers

Operator Service Trucks

- Tidy tank for hauling dyed diesel
- Tools for daily equipment operations



Unit 173

Dodge 5500 c/w portable sand blasting unit

- Flat deck 11 ½ ft. X 8 ft.
- Air compressor mounted
 - Sullivan DSL 375 CFM
- Manus sand blaster



Additional Job Supplies

- Office Trailer
- Fabrication Shack's
- 20' Rig Mats
- 40' Rig Mats
- Swamp Mats
- Bulk Fuel Storage (Diesel)
- 600 lb S.W.L Suspended Manbasket w/ Test Weight
- 1000 lb S.W.L Star Industries Work Platform (Fork Attachment)
- Spreader Bars
- Medic Unit for Transportation
- Light Towers
- Air Compressors
- Herman Nelsons
- Sloops – stand for Flexpipe reels





