



EXHAUST LINES



ALL-MAKES HEAVY-DUTY EXHAUST LINES

With parts and accessories for all makes and models¹, Alliance Parts is the smartest choice for value on the road. Readily available, easily affordable and assured in quality, Alliance has everything you need to deliver.

PARTS NUMBERING SYSTEM

All part numbers in this program contain the prefix ABP and either N35 or N49 (the company-assigned code for this program). The remaining digits are based on part and design.

Example - ABP N35 50PLS

All Alliance Parts products in the catalog are set up with an Alliance part number. In the back of this catalog, you will find an extensive cross-reference list. This will help link another manufacturer's part to an Alliance ABP number.

WARRANTY

Alliance products are backed by a 1-year/unlimited-mile standard warranty.

Illustrations and photographs used in this catalog may vary slightly from the actual product. Prototype samples are sometimes used for photography. The production parts may vary slightly.

Availability of products shown in this catalog is subject to change without notice.

¹For nearly all heavy-duty truck makes and models.

1	BELLOWS	
	EPA10/TIER 4 “ZERO-LEAK” BELLOWS	5
2	SPLITTER TEE ADAPTERS	
	SPLITTER TEE ADAPTERS	7
3	STACKS	
	CURVED STACKS.....	9
	STRAIGHT STACKS	10
	MITERED STACKS.....	11
4	ELBOWS	
	90-DEGREE ELBOWS	13
	45-DEGREE ELBOWS.....	14
	67-DEGREE (PETE) ELBOWS.....	15
5	TAIL PIPES	
	TAIL PIPES	17
6	EXHAUST CLAMPS	
	PRE-FORMED LAP-JOINT WIDE BAND CLAMPS.....	19
	PRE-FORMED BUTT-JOINT WIDE BAND CLAMPS.....	21
	FLAT BAND CLAMPS WITH HARDWARE.....	22
	NARROW BAND CLAMPS.....	23
	DUAL NARROW BAND CLAMPS.....	24
	U-BOLT CLAMPS	25
	GUILLOTINE CLAMPS.....	26
	MUFFLER GUARD & HEAT SHIELD CLAMPS.....	27
	INSTALLATION INSTRUCTIONS	28
7	FLEX HOSES	
	FLEX HOSES.....	30
	STANDARD FLEX TUBING	31
8	CROSS-REFERENCE	
	CROSS-REFERENCE.....	33



EXHAUST LINES

1

BELLOWS

SPECIFICATIONS



Finish	300 stainless steel
Inlet/Outlet Diameters	2.5-5 in
Lengths	12-18 in
Hardware	Clamps, brackets & gaskets (where required)
Types	Torsional, EGR & long assemblies
Coverage	All major OEM brands

FEATURES & BENEFITS

- A true three-layered bellows with all the benefits of a proprietary unit
- Meets and exceeds EPA10/Tier 4 requirements
- Reverse-compatible for use in 2007 applications
- Each bellows is built with the prior OE modifications
- Improved OE design results in faster installation times and lower replacement costs

PART NUMBERS


ALLIANCE P/N	O.D.	LENGTH	TYPE	ALLIANCE P/N
4"	4"	12.6"	-	ABP N49 PB0320
4"	4"	13.2"	-	ABP N49 PB0405
4"	4"	15.9"	-	ABP N49 KW0330
4"	4"	12.6"	Torsional	ABP N49 KW3541
2.5"	2.5"	13.8"	EGR	ABP N49 KW6559
4"	4"	16"	-	ABP N49 F28578
5"	5"	14"	-	ABP N49 F28675
5"	5"	16.5"	-	ABP N49 F28522
4"	4"	16"	-	ABP N49 F25023
5"	5"	18"	-	ABP N49 F27334
4"	4"	16"	-	ABP N49 F26374
4"	4"	14"	-	ABP N49 F27252
4"	4"	13.5"	Torsional	ABP N49 BB716131
4"	5"	17.7"	-	ABP N49 V28534
4"	4"	17.7"	-	ABP N49 V28536
5"	5"	15.9"	-	ABP N49 V28532
4"	4"	14.5"	Long Assembly	ABP N49 I67C91
4"	4"	13"	Long Assembly	ABP N49 I1154C1
4"	4"	12"	Long Assembly	ABP N49 I462C5

O.D. - Outer Diameter

2

SPLITTER TEE ADAPTERS

SPECIFICATIONS



Pipe Diameters	4-5 in
Finishes	Aluminized steel & chrome-plated
Hardware	None

FEATURES & BENEFITS

- Convert any single exhaust system into a dual system
- Parts are manufactured to fit most exhaust systems
- Available in aluminized steel or chrome-plated

PART NUMBERS

DIAMETER	LENGTH	ALUMINIZED STEEL	CHROME-PLATED
4"	18.5"	ABP N49 40TA	-
5"	25"	ABP N49 50TA	ABP N49 50TC



EXHAUST LINES

3

STACKS

SPECIFICATIONS



Pipe Diameters	4-5 in
Finishes	Aluminized steel & chrome-plated
Lengths	18-96 in
Types	I.D. slotted with flared bottoms & O.D.
Country of Origin	U.S.

FEATURES & BENEFITS

- Dual-nickel-plated for rust resistance

PART NUMBERS

I.D.			
DIAMETER	LENGTH	ALUMINIZED STEEL	CHROME-PLATED
5"	18"	ABP N49 50CS118A	ABP N49 50CS118C
5"	24"	ABP N49 50CS124A	ABP N49 50CS124C
5"	36"	-	ABP N49 50CS136C
5"	48"	ABP N49 50CS148A	ABP N49 50CS148C
5"	60"	ABP N49 50CS160A	ABP N49 50CS160C
5"	72"	-	ABP N49 50CS172C
5"	84"	-	ABP N49 50CS184C
5"	96"	-	ABP N49 50CS196C

O.D.			
DIAMETER	LENGTH	ALUMINIZED STEEL	CHROME-PLATED
4"	24"	ABP N49 40CS224A	ABP N49 40CS224C
4"	36"	ABP N49 40CS236A	ABP N49 40CS236C
4"	48"	ABP N49 40CS248A	ABP N49 40CS248C
4"	60"	ABP N49 40CS260A	ABP N49 40CS260C
5"	18"	ABP N49 50CS218A	ABP N49 50CS218C
5"	24"	ABP N49 50CS224A	ABP N49 50CS224C
5"	36"	ABP N49 50CS236A	ABP N49 50CS236C
5"	48"	ABP N49 50CS248A	ABP N49 50CS248C
5"	60"	ABP N49 50CS260A	ABP N49 50CS260C
5"	72"	ABP N49 50CS272A	ABP N49 50CS272C

I.D. - Inner Diameter | O.D. - Outer Diameter

SPECIFICATIONS




Pipe Diameter	5 in
Finish	Chrome-plated
Lengths	18-72 in
Type	O.D.
Country of Origin	U.S.

PART NUMBERS

O.D.		
DIAMETER	LENGTH	CHROME-PLATED
5"	18"	ABP N49 50S218C
5"	24"	ABP N49 50S224C
5"	36"	ABP N49 50S236C
5"	48"	ABP N49 50S248C
5"	60"	ABP N49 50S260C
5"	72"	ABP N49 50S272C

O.D. - Outer Diameter

SPECIFICATIONS



Pipe Diameters	4-5 in
Finishes	Aluminized steel & chrome-plated
Lengths	36-96 in
Type	O.D.
Country of Origin	U.S.

PART NUMBERS

O.D.			
DIAMETER	LENGTH	ALUMINIZED STEEL	CHROME-PLATED
4"	36"	-	ABP N49 40MS236C
4"	48"	-	ABP N49 40MS248C
5"	36"	ABP N49 50MS236A	ABP N49 50MS236C
5"	48"	ABP N49 50MS248A	ABP N49 50MS248C
5"	60"	-	ABP N49 50MS260C
5"	72"	-	ABP N49 50MS272C
5"	84"	-	ABP N49 50MS284C
5"	96"	-	ABP N49 50MS296C

O.D. - Outer Diameter





EXHAUST LINES

4

ELBOWS

SPECIFICATIONS



Connection Sizes	4-5 in
Finishes	Aluminized steel & chrome-plated
Lengths	6-18 in
Center Line Radiuses	6 & 8 in
Types	I.D./O.D. (long) & O.D./O.D. (long & short)
Country of Origin	U.S.


PART NUMBERS

I.D./O.D.					
TYPE	SIZE	LEG LENGTH	CENTER LINE RADIUS	ALUMINIZED STEEL	CHROME-PLATED
Long	4"	10"	6"	ABP N49 40EL90116A	-
Long	4"	18"	6"	ABP N49 40EL90117A	ABP N49 40EL90117C
Long	4"	6"	4"	ABP N49 40EL90118A	-
Long	5"	15"	8"	ABP N49 50EL90120A	ABP N49 50EL90120C
Long	5"	18"	8"	ABP N49 50EL90121A	-
Long	5"	10"	8"	ABP N49 50EL90123A	ABP N49 50EL90123C
Long	5"	18"	8"	-	ABP N49 50EL90124C

O.D./O.D.					
TYPE	SIZE	LEG LENGTH	CENTER LINE RADIUS	ALUMINIZED STEEL	CHROME-PLATED
Long	4"	12"	6"	ABP N49 40EL90219A	-
Long	4"	18"	6"	ABP N49 40EL90217A	-
Long	5"	15"	8"	ABP N49 40EL90220A	ABP N49 40EL90220C
Long	5"	20"	8"	ABP N49 50EL90224A	-
Short	5"	10"	5.5"	ABP N49 50EL90243A	ABP N49 50EL90243C
Short	5"	10" x 16"	5.5"	ABP N49 50EL90244A	ABP N49 50EL90244C
Short	5"	8.5"	5.5"	ABP N49 50EL90122A	ABP N49 50EL90122C

I.D. - Inner Diameter | O.D. - Outer Diameter

SPECIFICATIONS



Connection Sizes	4-5 in
Finishes	Aluminized steel & chrome-plated
Lengths	8-15 in
Center Line Radiuses	6 & 8 in
Types	I.D./O.D. & O.D./O.D.
Country of Origin	U.S.

FEATURES & BENEFITS

- 45-degree elbows fit most applications


PART NUMBERS

I.D./O.D.				
SIZE	LEG LENGTH	CENTER LINE RADIUS	ALUMINIZED STEEL	CHROME-PLATED
4"	8"	6"	ABP N49 40EL45103A	-
4"	12"	6"	ABP N49 40EL45104A	-
5"	8"	8"	ABP N49 50EL45105A	-
5"	15"	8"	ABP N49 50EL45106A	ABP N49 50EL45106C

O.D./O.D.				
SIZE	LEG LENGTH	CENTER LINE RADIUS	ALUMINIZED STEEL	CHROME-PLATED
4"	8"	6"	ABP N49 40EL45203A	-
4"	12"	6"	ABP N49 40EL45204A	-
5"	15"	8"	ABP N49 50EL45205A	ABP N49 50EL45205C

I.D. - Inner Diameter | O.D. - Outer Diameter

SPECIFICATIONS



Connection Size	5 in
Finishes	Aluminized steel & chrome-plated
Length	11 x 7.8 in
Center Line Radius	6 in
Type	O.D./O.D.
Country of Origin	U.S.

FEATURES & BENEFITS

- 67-degree elbows fit most applications

PART NUMBERS

O.D./O.D.				
SIZE	LEG LENGTH	CENTER LINE RADIUS	ALUMINIZED STEEL	CHROME-PLATED
5"	11" x 7.8"	6"	ABP N49 50EL67250A	ABP N49 50EL67250C




EXHAUST LINES

5

**TAIL
PIPES**

SPECIFICATIONS



Pipe Diameters	4-5 in
Finishes	Aluminized steel & chrome-plated
Lengths	18 & 24 in
Type	O.D.
Country of Origin	U.S.

FEATURES & BENEFITS

- Extends piping length beyond cargo beds and trailers
- Standard fit to most OEM applications

PART NUMBERS

DIAMETER	LENGTH	ALUMINIZED STEEL	CHROME-PLATED
4"	18"	ABP N49 40TS118A	ABP N49 40TS118C
4"	24"	ABP N49 40TS124A	-
5"	18"	ABP N49 50TS118A	ABP N49 50TS118C
5"	24"	ABP N49 50TS124A	-

O.D. - Outer Diameter

6

EXHAUST CLAMPS

SPECIFICATIONS



Band Width	3 in (76.2 mm)
Finishes	Aluminized steel, 304 stainless steel & polished stainless steel
Diameter Range	2-6 in (50.8-152.4 mm)
Hardware	Included with clamp

FEATURES & BENEFITS

- Pre-formed wide band exhaust clamp with step is designed for fast, easy and accurate installation
- Specific OEM and service designs
- Compatible with pipes, flex and mufflers
- Durable installation without damage to pipe ends
- Original reaction block technology for 360-degree seal
- Pre-attached hardware
- High-strength plated fasteners

PART NUMBERS

SIZE	ALUMINIZED STEEL	304 STAINLESS STEEL	POLISHED STAINLESS STEEL
2.5"	ABP N35 25PLA	ABP N35 25PLS	-
3.0"	ABP N35 30PLA	ABP N35 30PLS	-
3.5"	ABP N35 35PLA	ABP N35 35PLS	-
4.0"	ABP N35 40PLA	ABP N35 40PLS	ABP N35 40PLB
5.0"	ABP N35 50PLA	ABP N35 50PLS	ABP N35 50PLB
6.0"	ABP N35 60PLA	ABP N35 60PLS	ABP N35 60PLB

SPECIFICATIONS



Band Width	3 in (76.2 mm)
Finishes	Aluminized steel, 304 stainless steel & polished stainless steel
Diameter Range	2-6 in (50.8-152.4 mm)
Hardware	Included with clamp

FEATURES & BENEFITS

- Pre-formed wide-band exhaust clamp with step is designed for fast, easy and accurate installation
- Specific OEM and service designs
- Compatible with pipes, flex and mufflers
- Durable installation without damage to pipe ends
- Original reaction block technology for 360-degree seal
- Pre-threaded nut bar provides tightening with only one assembly tool
- High-strength plated fasteners
- Pre-attached hardware
- High-temperature gasket provides increased sealing

PART NUMBERS

SIZE	ALUMINIZED STEEL	304 STAINLESS STEEL	POLISHED STAINLESS STEEL
3.0"	ABP N35 30PLAG	ABP N35 30PLSG	-
3.5"	ABP N35 35PLAG	ABP N35 35PLSG	-
4.0"	ABP N35 40PLAG	ABP N35 40PLSG	ABP N35 40PLBG
5.0"	ABP N35 50PLAG	ABP N35 50PLSG	ABP N35 50PLBG

SPECIFICATIONS



Band Width	2.97 in (75.4 mm)
Finish	Bright finish 304 stainless steel
Diameter Range	2-6 in (50.8-152.4 mm)
Hardware	Included with clamp

FEATURES & BENEFITS

- Pre-formed butt-joint wide band clamp is used for joining exhaust members of the same diameter
- Compatible with pipes, flex and mufflers
- Durable installation without damage to pipe ends
- Original reaction block technology for 360-degree seal
- Pre-threaded nut bar provides easy and accurate installation
- High-strength plated fasteners

PART NUMBERS

SIZE	BRIGHT FINISH 304 STAINLESS STEEL
3.5"	ABP N35 35PBA
4.0"	ABP N35 40PBA
5.0"	ABP N35 50PBA

SPECIFICATIONS



Band Width	2.97 in (75.4 mm)
Finish	Bright finish 304 stainless steel
Diameter Range	2-6 in (50.8-152.4 mm)
Hardware	Included with clamp

FEATURES & BENEFITS

- Join exhaust members of the same diameter
- Compatible with pipes, flex and mufflers
- High-strength, plated Grade 8 fasteners
- Bright finish, corrosion resistant, stainless steel band for long life
- Original inverted reaction block technology creates a complete inner circle seal when clamp is secured
- Pre-attached hardware for fast, easy and accurate installation

PART NUMBERS

SIZE	BRIGHT FINISH 304 STAINLESS STEEL
2.0"	ABP N35 20EST
2.25"	ABP N35 22EST
2.5"	ABP N35 25EST
2.75"	ABP N35 27EST
3.0"	ABP N35 30EST
3.5"	ABP N35 35EST
4.0"	ABP N35 40EST
5.0"	ABP N35 50EST
6.0"	ABP N35 60EST

SPECIFICATIONS



Band Width	1.25 in (31.8 mm)
Finish	Aluminized steel
Diameter Range	3.5-5.22 in (88.9-136.2 mm)
Hardware	Included with clamp

FEATURES & BENEFITS

- Provides joint serviceability
- Pre-attached hardware for fast, easy and accurate installation
- Durable installation without damage to pipe ends
- Superior clamp load capability
- Reaction block technology provides a full 360-degree equal distribution of stretching force, prohibiting pipe distortion
- Complete seal around joined exhaust components

PART NUMBERS

SIZE	ALUMINIZED STEEL
3.5"	ABP N35 A35AF
4.0"	ABP N35 100425
5.0"	ABP N35 100725

SPECIFICATIONS



Band Width	Individual: 1.25 in (31.8 mm) Overall: 2.75 in (70 mm)
Finishes	Aluminized steel & 304 stainless steel
Diameter Range	3.5-5.22 in (88.9-136.2 mm)
Hardware	Pre-attached with clamp


FEATURES & BENEFITS

- Provides joint serviceability without damage to pipe ends
- Superior clamp load capability
- Pre-attached hardware for fast, easy and accurate installation
- Pairing available in all combinations of aluminized steel and 304 stainless steel
- Reaction block technology provides a full 360-degree equal distribution of stretching force, prohibiting pipe distortion
- Complete seal around joined exhaust components

PART NUMBERS

SIZE	ALUMINIZED STEEL/304 STAINLESS STEEL
4.0"	ABP N35 04 20289 001
5.0"	ABP N35 04 20289 000

SPECIFICATIONS



Sizes	Closed: 4-6 in Open: 4-5 in
Finishes	Steel-, zinc- and chrome-plated
U-bolt Composition	3/8-16 UNC 2A threads C1018
Saddle	1008 HRPO 11 gauge
Types	Double saddle closed (flat) & open (round) ends
Country of Origin	U.S.

FEATURES & BENEFITS


- Heavy-duty 360-degree seal
- Double-edge saddle provides superior strength

PART NUMBERS

DOUBLE SADDLE CLOSED WITH FLAT U-BOLT		
SIZE	ZINC-PLATED	CHROME-PLATED
4"	ABP N35 400UBFZ	ABP N35 400UBFC
5"	ABP N35 500UBFZ	ABP N35 500UBFC
6"	ABP N35 600UBFZ	ABP N35 600UBFC

DOUBLE SADDLE OPEN WITH ROUND U-BOLT		
SIZE	ZINC-PLATED	STEEL
4"	ABP N35 400UBRZ	ABP N35 400UBRS
5"	ABP N35 500UBRZ	ABP N35 500UBRS

SPECIFICATIONS



Sizes	3-6 in
Finishes	Steel-, zinc- and chrome-plated
U-bolt Composition	3/8-16 UNC 2A threads C1018
Saddle	1008 HRPO 11 gauge
Types	Flat & round bolt
Country of Origin	U.S.

FEATURES & BENEFITS

- Heavy-duty 360-degree seal
- Double-edge saddle provides superior strength

PART NUMBERS

GUILLOTINE CLAMP WITH FLAT U-BOLT		
SIZE	ZINC-PLATED	CHROME-PLATED
3"	ABP N35 300GCFZ	-
3.5"	ABP N35 350GCFZ	-
4"	ABP N35 400GCFZ	ABP N35 400GCFC
5"	ABP N35 500GCFZ	ABP N35 500GCFC
6"	ABP N35 600GCFZ	ABP N35 600GCFC

GUILLOTINE CLAMP WITH ROUND U-BOLT		
SIZE	STEEL	CHROME-PLATED
3"	ABP N35 300GCRS	-
3.5"	ABP N35 350GCRS	-
4"	ABP N35 400GCRS	ABP N35 400GCRC
5"	ABP N35 500GCRS	ABP N35 500GCRC

SPECIFICATIONS



Band Width	Varies by application
Finishes	Aluminized steel, 409 & 430 polished stainless steel
Configuration	Varies by application

FEATURES & BENEFITS

- Simple, multifunction unitized clamp and bracket clamping system effectively mounts or suspends exhaust system components
- Mechanically joined stirrups with contained nuts provide attachment for shields
- Clamp band positioned behind bracket to secure mounted mass
- Application-specific, low-mass brackets engineered for mounting strength and ease of system assembly
- Plated, high-strength, pre-attached English or metric hardware

PART NUMBERS

DAIMLER TRUCK APPLICATION	ALLIANCE P/N
-	ABP N35 20 0008
TCP200009	ABP N35 20 0009
04-18866-000	ABP N35 04 18866 000
04-20769-000	ABP N35 04 20769 000
12-14741-000	ABP N35 12 14741 000
04-18866-001	ABP N35 04 18866 001
-	ABP N35 X1100A
-	ABP N35 Z1100A

Brackets are application- and customer-specific and may not be available for sale with band clamp system clamp load.

INSTALLATION INSTRUCTIONS

1 | CENTER CLAMP

Center clamp around the joint.



2 | INSERT BOLTS

Insert bolts through the clamp end, force bar and install nuts.



3 | TIGHTEN CLAMP

Tighten clamp from either side. Torque to 45-60 lb-ft (60-80 nm).






EXHAUST LINES

7

**FLEX
HOSES**

SPECIFICATIONS



Hose Diameters	4-5 in
Finishes	Aluminized steel, galvanized steel & 304 stainless steel
Type	Standard pre-cut
Unit of Measure	Each

FEATURES & BENEFITS

- 304 stainless steel hoses offer excellent heat and corrosion resistance
- Aluminized steel has reasonable heat and corrosion resistance and can be used when a more economical grade of steel is required
- Galvanized steel has lower heat resistance and corrosion resistance, it can be used when a low-cost flexible hose is required
- All metal hoses are measured in the relaxed/installed position that is halfway between fully compressed and fully extended, providing 10% greater product yield

PART NUMBERS

STANDARD PRE-CUT HOSE				
DIAMETER	LENGTH	ALUMINIZED STEEL	GALVANIZED STEEL	STAINLESS STEEL
4"	12"	ABP N49 4FT12A	ABP N49 4FT12G	ABP N49 4FT12S
4"	18"	ABP N49 4FT18A	ABP N49 4FT18G	ABP N49 4FT18S
4"	20"	ABP N49 4FT20A	ABP N49 4FT20G	ABP N49 4FT20S
4"	24"	ABP N49 4FT24A	ABP N49 4FT24G	ABP N49 4FT24S
4"	30"	ABP N49 4FT30A	ABP N49 4FT30G	ABP N49 4FT30S
4"	36"	ABP N49 4FT36A	ABP N49 4FT36G	ABP N49 4FT36S
5"	12"	ABP N49 5FT12A	ABP N49 5FT12G	ABP N49 5FT12S
5"	18"	ABP N49 5FT18A	ABP N49 5FT18G	ABP N49 5FT18S
5"	20"	ABP N49 5FT20A	-	-
5"	24"	ABP N49 5FT24A	ABP N49 5FT24G	ABP N49 5FT24S
5"	30"	ABP N49 5FT30A	ABP N49 5FT30G	ABP N49 5FT30S
5"	36"	ABP N49 5FT36A	ABP N49 5FT36G	ABP N49 5FT36S

SPECIFICATIONS



Hose Diameters	3.5–6 in
Finishes	Aluminized steel, galvanized & 304 stainless steel
Type	Standard flex rolls
Unit of Measure	Feet

FEATURES & BENEFITS

- 304 stainless steel hoses offer excellent heat and corrosion resistance
- Aluminized steel has reasonable heat and corrosion resistance and can be used when a more economical grade of steel is required
- Galvanized steel has lower heat resistance and corrosion resistance, it can be used when a low-cost flexible hose is required
- All metal hoses are measured in the relaxed/installed position that is halfway between fully compressed and fully extended, providing 10% greater product yield

PART NUMBERS

DIAMETER	LENGTH	ALUMINIZED STEEL	GALVANIZED STEEL	STAINLESS STEEL
3"	10'	ABP N49 3FT10A	-	-
3"	25'	ABP N49 3FT25A	ABP N49 3FT25G	-
3.5"	10'	ABP N49 35FT10A	-	-
3.5"	25'	ABP N49 35FT25A	ABP N49 35FT25G	-
4"	10'	ABP N49 4FT10A	ABP N49 4FT10G	ABP N49 4FT10S
4"	25'	ABP N49 4FT25A	ABP N49 4FT25G	ABP N49 4FT25S
5"	10'	ABP N49 5FT10A	ABP N49 5FT10G	ABP N49 5FT10S
5"	25'	ABP N49 5FT25A	ABP N49 5FT25G	ABP N49 5FT25S
6"	10'	ABP N49 6FT10A	ABP N49 6FT10G	ABP N49 6FT10S
6"	25'	ABP N49 6FT25A	ABP N49 6FT25G	ABP N49 6FT25S

8

**CROSS-
REFERENCE**

BLUEBIRD BUS	
COMPETITOR P/N	ALLIANCE P/N
Q716131	ABP N49 BB716131

DONALDSON	
COMPETITOR P/N	ALLIANCE P/N
J000201	ABP N35 A35AF
J000202	ABP N35 A40AF
J000203	ABP N35 A50AF
J000210	ABP N35 20EST
J000211	ABP N35 25EST
J000212	ABP N35 22EST
J000213	ABP N35 27EST
J000214	ABP N35 30EST
J000215	ABP N35 35EST
J000216	ABP N35 40EST
J000217	ABP N35 50EST
J000218	ABP N35 60EST
J000230	ABP N35 400UBRS
J000232	ABP N35 500UBRS
J008681	ABP N49 40EL90118A
J009486	ABP N35 400GCRC
J009487	ABP N35 500GCRC
J009604	ABP N35 30PLA
J009605	ABP N35 35PLA
J009606	ABP N35 40PLA
J009607	ABP N35 50PLA
J009623	ABP N35 40PLS
J009624	ABP N35 50PLS
J024748	ABP N49 40CS224A
J024749	ABP N49 40CS224C
J024750	ABP N49 50CS224A
J024751	ABP N49 50CS224C
J024754	ABP N49 4FT18G
J024755	ABP N49 5FT18G
J024758	ABP N49 50CS124C
J024835	ABP N49 4FT24G
J024836	ABP N49 4FT24S
J024837	ABP N49 5FT24G
J024838	ABP N49 5FT24S

DONALDSON	
COMPETITOR P/N	ALLIANCE P/N
J034673	ABP N49 4FT36S
J034674	ABP N49 5FT36S
J034743	ABP N49 4FT36G
J034744	ABP N49 5FT36G
J190023	ABP N49 40EL45104A
J190025	ABP N49 50EL45105A
J190027	ABP N49 50EL45106A
J190028	ABP N49 50EL45106C
J190052	ABP N35 25PLA
J190055	ABP N35 60PLA
J190058	ABP N35 25PLS
J190060	ABP N35 30PLS
J190061	ABP N35 35PLS
J190063	ABP N35 60PLS
J240006	ABP N49 4FT12S
J240007	ABP N49 5FT12S
J540008	ABP N49 50MS260C
P206297	ABP N49 40TA
P206298	ABP N49 50TA
P206336	ABP N49 40CN104A
P206344	ABP N49 40EL90116A
P206345	ABP N49 40EL90117A
P206347	ABP N49 50EL90120A
P206349	ABP N49 50EL90224A
P206353	ABP N49 40EL90117C
P206354	ABP N49 50EL90124C
P206382	ABP N49 40CS248A
P206383	ABP N49 50CS248A
P206384	ABP N49 40TS118C
P206385	ABP N49 50CS218C ABP N49 50TS118C
P206386	ABP N49 40CS248C
P206387	ABP N49 50CS248C
P206389	ABP N49 50S248C
P206391	ABP N49 50S260C
P206407	ABP N35 300GCRS
P206409	ABP N35 350GCRS
P206410	ABP N35 400GCRS

DONALDSON	
COMPETITOR P/N	ALLIANCE P/N
P206411	ABP N35 50GCRS
P206552	ABP N49 3FT18S
P206554	ABP N49 4FT18S
P206555	ABP N49 5FT18S
P206602	ABP N35 400UBFZ
P206603	ABP N35 500UBFZ
P206610	ABP N35 400UBFC
P206611	ABP N35 500UBFC
P207296	ABP N49 50CS148A
P207298	ABP N49 50CS118A
P207302	ABP N49 50CS160C
P207309	ABP N49 50CS118C
P207321	ABP N49 50CS148C
P207329	ABP N49 40EL90217A
P207339	ABP N49 50EL90123A
P207346	ABP N49 50EL90120C
P207353	ABP N49 40EL45203A
P207354	ABP N49 50EL45205A
P207365	ABP N49 50EL90243A
P207596	ABP N35 600UBFZ
P207598	ABP N35 600UBFC
P208358	ABP N49 40CS236A
P208359	ABP N49 40CS236C
P208373	ABP N49 50S236C
P208374	ABP N49 50CS236A
P208375	ABP N49 50CS236C
P208386	ABP N49 40TS118A
P208388	ABP N49 40CS260A
P208389	ABP N49 40CS260C
P208392	ABP N49 50CS218A ABP N49 50TS118A
P208394	ABP N49 50CS260A
P208395	ABP N49 50CS260C
P209348	ABP N49 50EL90121A
P209910	ABP N49 50CS196C
P209916	ABP N49 50S272C
P216204	ABP N49 50CS136C
P216205	ABP N49 50CS172C
P216227	ABP N49 50MS236C

DONALDSON	
COMPETITOR P/N	ALLIANCE P/N
P216228	ABP N49 50MS248C
P222740	ABP N35 40PLB
P222741	ABP N35 50PLB
P222742	ABP N35 60PLB
P224479	ABP N49 4FT12G
P224481	ABP N49 5FT12G
P224590	ABP N49 50S224C
P224600	ABP N49 50CS272C
P224609	ABP N49 50MS272C
P224638	ABP N49 50CS184C
P224698	ABP N49 40MS236C
P224701	ABP N49 40MS248C
P224709	ABP N49 50CS160A
P226129	ABP N49 3FT25G
P226142	ABP N49 4FT10G
P226143	ABP N49 5FT10G
P226146	ABP N49 4FT10S
P226147	ABP N49 5FT10S
P226150	ABP N49 6FT10G
P226153	ABP N49 6FT10S
P226154	ABP N49 35FT25G
P226155	ABP N49 4FT25G
P226156	ABP N49 4FT25S
P226157	ABP N49 5FT25G
P226158	ABP N49 5FT25S
X004476	ABP N35 25EST
X004478	ABP N35 30EST
X004480	ABP N35 35EST
X004482	ABP N35 40EST
X004484	ABP N35 50EST
X004536	ABP N35 20EST
X004537	ABP N35 22EST
X004538	ABP N35 27EST
X004539	ABP N35 60EST
X007784	ABP N35 40PLS
X007785	ABP N35 50PLS
X007805	ABP N35 35PLA
X007824	ABP N35 40PLA

DONALDSON	
COMPETITOR P/N	ALLIANCE P/N
X007829	ABP N35 25PLS
X007830	ABP N35 30PLS
X007831	ABP N35 35PLS
X007833	ABP N35 25PLA
X007834	ABP N35 30PLA
X009076	ABP N35 60PLS
X009096	ABP N35 60PLA

DTNA	
COMPETITOR P/N	ALLIANCE P/N
O4-23657-018	ABP N49 F28522
O4-23697-016	ABP N49 F25023
O4-24534-016	ABP N49 F26374
O4-24535-018	ABP N49 F28522
O4-24545-016	ABP N49 F25023
O4-27116-000	ABP N49 F28675
O4-27238-000	ABP N49 F28675
O4-27252-000	ABP N49 F27252
O4-28522-00	ABP N49 F28522
O4-28578-000	ABP N49 F28578
O4-28675-000	ABP N49 F28675
A04-25021-016	ABP N49 F26374
A04-25021-018	ABP N49 F28578
A04-25022-018	ABP N49 F28522
A04-25023-016	ABP N49 F25023
A04-25922-018	ABP N49 F28578
A04-26193-018	ABP N49 F28578
A04-26200-018	ABP N49 F27334
A04-26374-016	ABP N49 F26374
A04-27334-018	ABP N49 F27334

GRAND ROCK	
COMPETITOR P/N	ALLIANCE P/N
AS-35A	ABP N35 A35AF
AS-4A	ABP N35 A40AF
AS-5A	ABP N35 A50AF
EZ-2	ABP N35 20EST
EZ-225	ABP N35 22EST

GRAND ROCK	
COMPETITOR P/N	ALLIANCE P/N
EZ-25	ABP N35 25EST
EZ-275	ABP N35 27EST
EZ-3	ABP N35 30EST
EZ-35	ABP N35 35EST
EZ-4	ABP N35 40EST
EZ-5	ABP N35 50EST
EZ-6	ABP N35 60EST
FB-4C	ABP N35 400UBFC
FB-4ZN	ABP N35 400UBFZ
FB-5C	ABP N35 500UBFC
FB-5ZN	ABP N35 500UBFZ
FB-6C	ABP N35 600UBFC
FB-6ZN	ABP N35 600UBFZ
G15-3300	ABP N49 3FT25G
G15-35300	ABP N49 35FT25G
G15-412	ABP N49 4FT12G
G15-4120	ABP N49 4FT10G
G15-418	ABP N49 4FT18G
G15-424	ABP N49 4FT24G
G15-4300	ABP N49 4FT25G
G15-436	ABP N49 4FT36G
G15-512	ABP N49 5FT12G
G15-5120	ABP N49 5FT10G
G15-518	ABP N49 5FT18G
G15-524	ABP N49 5FT24G
G15-5300	ABP N49 5FT25G
G15-536	ABP N49 5FT36G
G15-6120	ABP N49 6FT10G
HD-4ZN	ABP N35 400UBRZ
HD-5ZN	ABP N35 500UBRZ
K4-24SBA	ABP N49 40CS224A
K4-24SBC	ABP N49 40CS224C
K4-36SBA	ABP N49 40CS236A
K4-36SBC	ABP N49 40CS236C
K4-48SBA	ABP N49 40CS248A
K4-48SBC	ABP N49 40CS248C
K4-60SBA	ABP N49 40CS260A
K4-60SBC	ABP N49 40CS260C

GRAND ROCK	
COMPETITOR P/N	ALLIANCE P/N
K5-18EXA	ABP N49 50CS118A
K5-18EXC	ABP N49 50CS118C
K5-18SBA	ABP N49 50CS218A
K5-18SBC	ABP N49 50CS218C
K5-24EXC	ABP N49 50CS124C
K5-24SBA	ABP N49 50CS224A
K5-24SBC	ABP N49 50CS224C
K5-36EXC	ABP N49 50CS136C
K5-36SBA	ABP N49 50CS236A
K5-36SBC	ABP N49 50CS236C
K5-48EXA	ABP N49 50CS148A
K5-48EXC	ABP N49 50CS148C
K5-48SBA	ABP N49 50CS248A
K5-48SBC	ABP N49 50CS248C
K5-60EXA	ABP N49 50CS160A
K5-60EXC	ABP N49 50CS160C
K5-60SBC	ABP N49 50CS260C
K5-72EXC	ABP N49 50CS172C
K5-72SBC	ABP N49 50CS272C
K5-84EXC	ABP N49 50CS184C
K5-96EXC	ABP N49 50CS196C
P4-36SBC	ABP N49 40MS236C
P4-48SBC	ABP N49 40MS248C
P5-36SBC	ABP N49 50MS236C
P5-48SBC	ABP N49 50MS248C
P5-60SBC	ABP N49 50MS260C
P5-72SBC	ABP N49 50MS272C
PF-25	ABP N35 25PLS
PF-25A	ABP N35 25PLA
PF-3	ABP N35 30PLS
PF-35	ABP N35 35PLS
PF-35A	ABP N35 35PLA
PF-3A	ABP N35 30PLA
PF-4	ABP N35 40PLS
PF-4A	ABP N35 40PLA
PF-5	ABP N35 50PLS
PF-5A	ABP N35 50PLA
PF-5P	ABP N35 50PLB

GRAND ROCK	
COMPETITOR P/N	ALLIANCE P/N
PF-6P	ABP N35 60PLB
RB-4C	ABP N35 400GCRC
RB-5C	ABP N35 500GCRC
RO-4	ABP N35 400UBRS
RO-5	ABP N35 500UBRS
S5-24SBC	ABP N49 50S224C
S5-36SBC	ABP N49 50S236C
S5-48SBC	ABP N49 50S248C
S5-60SBC	ABP N49 50S260C
SF-318	ABP N49 3FT18S
SF-4120	ABP N49 4FT10S
SF-418	ABP N49 4FT18S
SF-424	ABP N49 4FT24S
SF-4300	ABP N49 4FT25S
SF-436	ABP N49 4FT36S
SF-512	ABP N49 5FT12S
SF-5120	ABP N49 5FT10S
SF-518	ABP N49 5FT18S
SF-524	ABP N49 5FT24S
SF-5300	ABP N49 5FT25S
SF-536	ABP N49 5FT36S
SF-6120	ABP N49 6FT10S
SF-6300	ABP N49 6FT25S
Y-500A	ABP N49 50TA
Y-500C	ABP N49 50TC
Z1100A-AM	ABP N35 Z1100A

HEAVY-DUTY MANUFACTURING	
COMPETITOR P/N	ALLIANCE P/N
10-400A	ABP N49 40CN104A
14-400A	ABP N49 40TA
14-500A	ABP N49 50TA
14-500CP	ABP N49 50TC
16-300M	ABP N49 3FT25G
16-350M	ABP N49 35FT25G
16-400-10M	ABP N49 4FT10G
16-400-10S	ABP N49 4FT10S
16-400M	ABP N49 4FT25G

HEAVY-DUTY MANUFACTURING	
COMPETITOR P/N	ALLIANCE P/N
16-400S	ABP N49 4FT25S
16-500-10M	ABP N49 5FT10G
16-500-10S	ABP N49 5FT10S
16-500M	ABP N49 5FT25G
16-500S	ABP N49 5FT25S
16-600-10M	ABP N49 6FT10G
16-600-10S	ABP N49 6FT10S
16-600M	ABP N49 6FT25G
16-600S	ABP N49 6FT25S
17B-300-18SS	ABP N49 3FT18S
17B-400-12	ABP N49 4FT12G
17B-400-12SS	ABP N49 4FT12S
17B-400-18SS	ABP N49 4FT18S
17B-400-24	ABP N49 4FT24G
17B-400-24SS	ABP N49 4FT24S
17B-400-36	ABP N49 4FT36G
17B-400-36SS	ABP N49 4FT36S
17B-500-12	ABP N49 5FT12G
17B-500-12SS	ABP N49 5FT12S
17B-500-18	ABP N49 5FT18G
17B-500-18SS	ABP N49 5FT18S
17B-500-24	ABP N49 5FT24G
17B-500-24SS	ABP N49 5FT24S
17B-500-36	ABP N49 5FT36G
17B-500-36SS	ABP N49 5FT36S
18-300	ABP N35 300GCRS
18-300Z	ABP N35 300GCFZ
18-350	ABP N35 350GCRS
18-350Z	ABP N35 350GCFZ
18-400	ABP N35 400GCRS
18-400CP	ABP N35 400GCFC ABP N35 400GCRC
18-400Z	ABP N35 400GCFZ
18-500	ABP N35 500GCRS
18-500CP	ABP N35 500GCFC ABP N35 500GCRC
18-500Z	ABP N35 500GCFZ
18-600CP	ABP N35 600GCFC
18-600Z	ABP N35 600GCFZ

HEAVY-DUTY MANUFACTURING	
COMPETITOR P/N	ALLIANCE P/N
18A-350	ABP N35 A35AF
18A-400	ABP N35 A40AF
18A-500	ABP N35 A50AF
19-400CP	ABP N35 400UBFC
19-400Z	ABP N35 400UBFZ
19-500CP	ABP N35 500UBFC
19-500Z	ABP N35 500UBFZ
19-600CP	ABP N35 600UBFC
19-600Z	ABP N35 600UBFZ
19A-400	ABP N35 400UBRS
19A-500	ABP N35 500UBRS
2-401-36CP	ABP N49 40MS236C
2-401-48CP	ABP N49 40MS248C
2-500-18CP	ABP N49 50S218C
2-500-24CP	ABP N49 50S224C
2-500-36CP	ABP N49 50S236C
2-500-48CP	ABP N49 50S248C
2-500-60CP	ABP N49 50S260C
2-500-72CP	ABP N49 50S272C
2-501-36A	ABP N49 50MS236A
2-501-36CP	ABP N49 50MS236C
2-501-48A	ABP N49 50MS248A
2-501-48CP	ABP N49 50MS248C
2-501-60CP	ABP N49 50MS260C
2-501-72CP	ABP N49 50MS272C
2-501-84CP	ABP N49 50MS284C
2-501-96CP	ABP N49 50MS296C
20-200-ES	ABP N35 20EST
20-225-ES	ABP N35 22EST
20-250-ES	ABP N35 25EST
20-275-ES	ABP N35 27EST
20-300-ES	ABP N35 30EST
20-350-ES	ABP N35 35EST
20-400-ES	ABP N35 40EST
20-500-ES	ABP N35 50EST
20-600-ES	ABP N35 60EST
20A-250	ABP N35 25PLA
20A-300	ABP N35 30PLA

HEAVY-DUTY MANUFACTURING	
COMPETITOR P/N	ALLIANCE P/N
20A-350	ABP N35 35PLA
20A-400	ABP N35 40PLA
20A-500	ABP N35 50PLA
20A-600	ABP N35 60PLA
20B-350	ABP N35 35PBA
20B-400	ABP N35 40PBA
20B-500	ABP N35 50PBA
20S-250	ABP N35 25PLS
20S-300	ABP N35 30PLS
20S-350	ABP N35 35PLS
20S-400	ABP N35 40PLS
20S-500	ABP N35 50PLS
20S-600	ABP N35 60PLS
3-401-24A	ABP N49 40CS224A
3-401-24CP	ABP N49 40CS224C
3-401-36A	ABP N49 40CS236A
3-401-36CP	ABP N49 40CS236C
3-401-48A	ABP N49 40CS248A
3-401-48CP	ABP N49 40CS248C
3-401-60A	ABP N49 40CS260A
3-401-60CP	ABP N49 40CS260C
3-500-18A	ABP N49 50CS118A
3-500-18CP	ABP N49 50CS118C
3-500-24CP	ABP N49 50CS124C
3-500-36CP	ABP N49 50CS136C
3-500-48A	ABP N49 50CS148A
3-500-48CP	ABP N49 50CS148C
3-500-60A	ABP N49 50CS160A
3-500-60CP	ABP N49 50CS160C
3-500-72CP	ABP N49 50CS172C
3-500-84CP	ABP N49 50CS184C
3-500-96CP	ABP N49 50CS196C
3-501-18A	ABP N49 50CS218A
3-501-18CP	ABP N49 50CS218C
3-501-24A	ABP N49 50CS224A
3-501-24CP	ABP N49 50CS224C
3-501-36A	ABP N49 50CS236A
3-501-36CP	ABP N49 50CS236C

HEAVY-DUTY MANUFACTURING	
COMPETITOR P/N	ALLIANCE P/N
3-501-48A	ABP N49 50CS248A
3-501-48CP	ABP N49 50CS248C
3-501-60A	ABP N49 50CS260A
3-501-60CP	ABP N49 50CS260C
3-501-72A	ABP N49 50CS272A
3-501-72CP	ABP N49 50CS272C

NAVISTAR	
COMPETITOR P/N	ALLIANCE P/N
2512967C91	ABP N49 167C91
3846462C5	ABP N49 1462C5
3859149C91	ABP N49 167C91
3859154C1	ABP N49 1154C1
4042712C91	ABP N49 167C91

NELSON GLOBAL	
COMPETITOR P/N	ALLIANCE P/N
89016C	ABP N49 50S218C
89017C	ABP N49 50S224C
89018C	ABP N49 50S236C
89043A	ABP N49 40CS224A
89043C	ABP N49 40CS224C
89044A	ABP N49 40CS236A
89044C	ABP N49 40CS236C
89045A	ABP N49 40CS248A
89045C	ABP N49 40CS248C
89046A	ABP N49 50CS224A
89046C	ABP N49 50CS224C
89047A	ABP N49 50CS236A
89047C	ABP N49 50CS236C
89048A	ABP N49 50CS248A
89048C	ABP N49 50CS248C
89049A	ABP N49 50CS260A
89049C	ABP N49 50CS260C
89058C	ABP N49 50CS124C
89060A	ABP N49 50CS148A
89060C	ABP N49 50CS148C
89074A	ABP N49 40EL45104A

NELSON GLOBAL	
COMPETITOR P/N	ALLIANCE P/N
89075A	ABP N49 50EL45106A
89075C	ABP N49 50EL45106C
89085A	ABP N49 50EL45206A
89096A	ABP N49 50EL90243A
89105A	ABP N49 40EL90116A
89106A	ABP N49 40EL90117A
89106C	ABP N49 40EL90117C
89107A	ABP N49 50EL90120A
89107C	ABP N49 50EL90120C
89108A	ABP N49 50EL90121A
89108C	ABP N49 50EL90124C
89115A	ABP N49 40EL90217A
89116A	ABP N49 40EL90219A
89117A	ABP N49 50EL90220A
89117C	ABP N49 50EL90220C
89118A	ABP N49 50EL90224A
89123A	ABP N49 50EL90244A
89146A	ABP N49 50CS118A
89146C	ABP N49 50CS118C
89155A	ABP N49 40TS118A
89155C	ABP N49 40TS118C
89156A	ABP N49 50CS218A ABP N49 50TS118A
89156C	ABP N49 50CS218C ABP N49 50TS118C
89222A	ABP N49 40CS260A
89222C	ABP N49 40CS260C
89227A	ABP N49 50CS160A
89227C	ABP N49 50CS160C
89296A	ABP N49 50CS272A
89296C	ABP N49 50CS272C
89308K	ABP N49 4FT12A
89309K	ABP N49 4FT18A
89310K	ABP N49 4FT24A
89311K	ABP N49 4FT30A ABP N49 4FT36A
89521K-20	ABP N35 20EST
89522K-20	ABP N35 22EST
89525K-20	ABP N35 30EST

NELSON GLOBAL	
COMPETITOR P/N	ALLIANCE P/N
89526K-20	ABP N35 35EST
89527K-20	ABP N35 40EST
89528K-20	ABP N35 50EST
89529K-20	ABP N35 60EST
89548C	ABP N35 400GCRC
89549C	ABP N35 500GCRC
89558K	ABP N35 400UBFZ
89559K	ABP N35 500UBFZ
89560K	ABP N35 600UBFZ
89568K	ABP N35 400UBFC
89569K	ABP N35 500UBFC
89570K	ABP N35 600UBFC
89606K	ABP N49 4FT18G
89607K	ABP N49 4FT24G
89608K	ABP N49 4FT36G
89609K	ABP N49 5FT18G
89611K	ABP N49 5FT36G
89613K	ABP N49 3FT18S
89624K	ABP N49 4FT10S
89625K	ABP N49 5FT10S
89626K	ABP N49 6FT10S
89644K	ABP N49 4FT10G
89645K	ABP N49 5FT10G
89646K	ABP N49 6FT10G
89687K	ABP N49 40CN104A
89712K	ABP N49 3FT25G
89713K	ABP N49 35FT25G
89714K	ABP N49 4FT25G
89715K	ABP N49 5FT25G
89716K	ABP N49 6FT25G
89723K	ABP N49 4FT25S
89724K	ABP N49 5FT25S
89725K	ABP N49 6FT25S
89727K	ABP N49 4FT18S
89728K	ABP N49 4FT24S
89729K	ABP N49 4FT36S
89730K	ABP N49 5FT12S
89731K	ABP N49 5FT18S

NELSON GLOBAL	
COMPETITOR P/N	ALLIANCE P/N
89733K	ABP N49 5FT36S
89759K	ABP N49 4FT10A
89760K	ABP N49 4FT25A
89772K	ABP N49 5FT10A
89773K	ABP N49 5FT25A
89781A	ABP N49 50EL45105A
89782A	ABP N49 40EL45203A
89783A	ABP N49 50EL45205A
89784A	ABP N49 50EL90123A
89784C	ABP N49 50EL90123C
89918C	ABP N49 50S260C
89923A	ABP N49 40EL90118A
89940A	ABP N49 40TA
89950A	ABP N49 50TA
89950C	ABP N49 50TC
89988C	ABP N49 50CS172C
89989C	ABP N49 50CS184C
89990C	ABP N49 50CS196C
89992C	ABP N49 40MS248C
89993C	ABP N49 50MS236C
89994C	ABP N49 50MS248C
900043K	ABP N35 400UBRS
900044K	ABP N35 500UBRS
90191K	ABP N49 3FT10A
90206K	ABP N49 35FT10A
90214K	ABP N49 35FT25A
90354A-10	ABP N35 30PLA
90355A-10	ABP N35 35PLA
90356A-10	ABP N35 40PLA
90358A-10	ABP N35 50PLA
90359A-10	ABP N35 60PLA
90362A-10	ABP N35 25PLS
90364A-10	ABP N35 30PLS
90365A-10	ABP N35 35PLS
90366A-10	ABP N35 40PLS
90368A-10	ABP N35 50PLS
90369A-10	ABP N35 60PLS
90375A-10	ABP N35 35PBA

NELSON GLOBAL	
COMPETITOR P/N	ALLIANCE P/N
90376A-10	ABP N35 40PBA
90378A-10	ABP N35 50PBA
90438C	ABP N49 50MS260C
90524K	ABP N49 6FT25A
90546K-10	ABP N35 40PLB
90547K-10	ABP N35 50PLB
90589C	ABP N49 50MS272C
90590C	ABP N49 50MS284C
90591C	ABP N49 50MS296C
90605C	ABP N49 50S248C
90874A-20	ABP N35 A35AF
90875A-20	ABP N35 A40AF
90877A-20	ABP N35 A50AF
90902K	ABP N49 5FT12G
90903K	ABP N49 4FT12G

PACCAR	
COMPETITOR P/N	ALLIANCE P/N
M66-3541	ABP N49 KW3541
M66-6541-0320	ABP N49 PB0320
M66-6541-0335	ABP N49 PB0335
M66-6541-0405	ABP N49 PBO405
M66-6559	ABP N49 KW6559
M66-7064-0330	ABP N49 KW0330
M66-7091-0320	ABP N49 PB0320
M66-7091-0335	ABP N49 PB0335
M66-7091-0405	ABP N49 PBO405

TORCA	
COMPETITOR P/N	ALLIANCE P/N
10-0425-AM	ABP N35 100425
10-0725-AM	ABP N35 100725
13-0001-AM	ABP N35 04 20289 000
13-0005-AM	ABP N35 04 20289 001
20-0008-AM	ABP N35 20 0008
20-0009-AM	ABP N35 20 0009
20-0011-AM	ABP N35 04 18866 000
20-0104-AM	ABP N35 04 20769 000

TORCA	
COMPETITOR P/N	ALLIANCE P/N
20-0384-AM	ABP N35 12 14741 000
20-0396-AM	ABP N35 04 18866 001
32-0029	ABP N35 30PLAG
32-0031	ABP N35 30PLSG
32-0036	ABP N35 35PLAG
32-0038	ABP N35 35PLSG
32-0043	ABP N35 40PLAG
32-0045	ABP N35 40PLSG
32-0046	ABP N35 40PLBG
32-0057	ABP N35 50PLAG
32-0059	ABP N35 50PLSG
32-0060	ABP N35 50PLBG
A35AF-AM	ABP N35 A35AF
A40AF-AM	ABP N35 A40AF
A50AF-AM	ABP N35 A50AF
B35AA	ABP N35 35PBA
B40AA	ABP N35 40PBA
B50AA	ABP N35 50PBA
E20ST	ABP N35 20EST
E22ST	ABP N35 22EST
E25ST	ABP N35 25EST
E27ST	ABP N35 27EST
E30ST	ABP N35 30EST
E35ST	ABP N35 35EST
E40ST	ABP N35 40EST
E50ST	ABP N35 50EST
E60ST	ABP N35 60EST
L25AA	ABP N35 25PLA
L25SA	ABP N35 25PLS
L30AA	ABP N35 30PLA
L30SA	ABP N35 30PLS
L35AA	ABP N35 35PLA
L35SA	ABP N35 35PLS
L40AA	ABP N35 40PLA
L40BA	ABP N35 40PLB
L40SA	ABP N35 40PLS
L50AA	ABP N35 50PLA
L50BA	ABP N35 50PLB

TORCA	
COMPETITOR P/N	ALLIANCE P/N
L50SA	ABP N35 50PLS
L60AA	ABP N35 60PLA
L60BA	ABP N35 60PLB
L60SA	ABP N35 60PLS
X1100A-AM	ABP N35 X1100A
Z1100A-AM	ABP N35 Z1100A

VOLVO	
COMPETITOR P/N	ALLIANCE P/N
21428532	ABP N49 V28532
21428534	ABP N49 V28534
21428536	ABP N49 V28536
21959389	ABP N49 V28532
21959393	ABP N49 V28534
21959395	ABP N49 V28536
22307697	ABP N49 V28532
22307701	ABP N49 V28534
22307703	ABP N49 V28536

WALKER	
COMPETITOR P/N	ALLIANCE P/N
33223	ABP N35 35PLS
33224	ABP N35 40PLS
33225	ABP N35 50PLS
33271	ABP N35 60PLS
33316	ABP N35 A50AF
33968	ABP N35 35PLA
33969	ABP N35 40PLA
33970	ABP N35 50PLA
35227	ABP N35 A35AF
35228	ABP N35 A40AF
35620	ABP N35 20EST
35621	ABP N35 22EST
35622	ABP N35 27EST
35975	ABP N35 50EST
35976	ABP N35 40EST
35977	ABP N35 35EST
35978	ABP N35 30EST

WALKER

COMPETITOR P/N	ALLIANCE P/N
35979	ABP N35 25EST
35980	ABP N35 60EST



————— FIND YOUR NEAREST LOCATION AT ALLIANCEPARTS.COM —————



DTNA/APSM-M-1106. Specifications are subject to change without notice. Copyright © Daimler Trucks North America LLC. All rights reserved. Alliance Parts is a brand of Daimler Trucks North America LLC, a Daimler company.