Fall Protection Safety Systems

Capital Safety knows that while on the job you need comfort, mobility and safety. They've designed each component of their safety systems to be fully customizable, ready to fit any size or shape. And because every safety system provides flexibility and full mobility, they make it easier to keep working productively while remaining fully protected.

With over 25 years of fall protection expertise, Capital Safety offers the broadest line of safety equipment in the industry: harnesses, shock absorbing lanyards, self-retracting lifelines, rescue and retrieval equipment, netting, and more. They engineer all safety systems to meet (and exceed) every code.

Capital Safety also has a complete line of specialty items to address unique safety concerns and provide safety solutions for challenging environments. For example, flame-resistant Kevlar® webbing harnesses and lanyards assure safety when working around flame and excessive heat. Nonsparking and nonconductive hardware offers the protection you need while working in explosive environments or when electrical conductivity is an issue.

With their total safety systems approach, Capital Safety takes fall protection to a new level. And to make sure you have total protection, each one of their five basic systems typically contains four safety components: body support, connecting component, anchorage connector and anchorage.









Full Body Harness Sizing Chart

One size fits most - approximately medium	Universal
90 - 130 lb	X-Small
130 - 170 lb	Small
170 - 240 lb	Medium
240 - 300 lb	Large
300 - 340 lb	X-Large
340 - 390 lb	XX-Large
390 - 420 lb	3X-Large

A person's height may also affect sizing choices.


Full Body Harnesses

First™ Harness

FIRST full body harnesses provide fundamental fall protection with exceptional value.

Features:

- Adjustable dorsal D-ring for proper fit
- 1.75" wide polyester web
- Minimum tensile strength: > 5,000 lb.
- Zinc-plated stamped steel



	Item #	Code	Description	Stock*
A	NB17510	DBI	Medium-Large (Universal)	Υ





PROJECIA

5-Point Positioning Harness with Back & Side D-Rings, Pass-Thru Buckle Leg Straps

Item #	Code	Description	Stock*
AB17540	DBI	Medium-Large (Universal)	Υ

* \mathbf{Y} = stock item; \mathbf{A} = readily available by order





Full Body Harnesses



Delta™ Vest-Style Harness

New, improved Delta harnesses combine "industry-first" advancements with popular features that have made Delta the workhorse of the industry. Today's Delta represents more than twenty years of design, research, manufacturing know-how and on-the-job performance.

Features:

- Lanyard keepers hold your unused snap hooks and help reduce trip hazards
- Revolver ™ vertical torso adjuster eliminates loose ends and locks into place preventing slippage
- Repel[™] webbing is water repellent to reduce attraction of mold and dirt and has up to five times more abrasion resistance
- Delta ™ comfort hip pad is constructed with a soft, breathable interior that's more comfortable and supports your back and hips better while you're carrying a heavy load
- Spring loaded, stand-up dorsal D-ring automatically stands-up ensuring fast, easy and safe connections to your fall arrest system
- Delta No-Tangle™ design creates a frame that allows the harness to fall into place when donned
- Built-in, impact rip-stitch indicators allow you to inspect the harness at a glance for prior damaging impact loads
- 420 lb. capacity
- I-Safe™ Velcro® cover protects harness labels and holds DBI-SALA's i-Safe identification tag, giving you an efficient way of recording and storing information on inspections









Full Body Harness with Back & Side D-Rings, Tongue Buckle Leg Straps

Item #	Code	Description	Stock*
1102025	DBI	Medium-Large (Universal)	Υ
1102027	DBI	X-Large	Υ

Full Body Harness with Back & Side D-Rings, Pass-Thru Buckle Leg Straps

Item #	Code	Description	Stock*
1103875	DBI	Medium-Large (Universal)	Υ
1103877	DBI	X-Large	Υ





PRO™ Vest-Style Harness

Introducing the all new, fully functional Protecta $\mathsf{PRO}^{\mathsf{TM}}$ harnesses. With designs that incorporate improved fit, updated colors, and durable yet lightweight construction, Protecta PRO™ harnesses provide greater comfort and added safety-which translates to reduced worker fatigue and increased productivity.

All PRO™ Harnesses feature:

- 420 lb. capacity
- Lanyard keepers hold your unused snap hooks and help reduce trip hazards
- Built-in, impact rip-stitch indicators allow you to inspect the harness, at a glance, for prior damaging impact loads
- Spring loaded, stand-up dorsal D-ring automatically stands-up ensuring fast, easy and safe connections to your fall arrest system
- Lightweight hardware reduces weight and fatigue
- Body belt and hip pad provide added lumbar support, positioning capabilities and tool carrying options

Full Body Harness with Back & Side D-Rings, Tongue Buckle Leg Straps

Item #	Code	Description	Stock*
1191209	DBI	Medium-Large (Universal)	Υ
1191210	DBI	X-Large	Υ



Full Body Harness with Back D-Ring, Tongue Buckle Leg Straps

Item #	Code	Description	Stock*
1191237	DBI	Medium-Large (Universal)	Υ



Compliance In A Can™ Light

- 5-point harness with pass-thru buckle legs (#1191995)
- Single-leg, shock-pack 6' lanyard with 3,600 lb. hooks (#1341001)

Item #	Code	Description	Stock*
2199802	DBI	Harness & Lanyard Kit	Υ

Lanyards





ShockWave™2 **Shock Absorbing Lanyard**

ShockWave2 lanyards are designed to expand to 6 ft. and contract to 41/2 ft. in reaction to your movements, reducing trip fall hazards, dragging and snagging. In case of a fall, the inner core immediately begins to extend and absorb energy, limiting arresting forces to 900 lb. or less.

Item #	Code	Description	Stock*
1224306	DBI	6' Single Leg Lanyard w/Snap Hooks	Υ
1224321	DBI	6' Single Leg Lanyard w/Snap Hook & Steel Rebar Hook	Υ
1224412	DBI	6' Double Leg Lanyard w/ Snap Hook & Flat Steel Rebar Hook	Υ

EZ-Stop™ II Rope Adjuster Lanyard

Rope adjuster at one end of EZ-Stop II shock absorbing lanyard lets you safely slide along a lifeline to reach a new work position and then locks onto lifeline to provide fall protection.

Item #	Code	Description	Stock*
1224005	DBI	Rope Adjuster Lanyard	Υ





Ideal for restraint or positioning applications.

- 1" wide polyester webbing
- Self-locking snap hooks at both ends

Item #	Code	Description	Stock*
1231103	DBI	3' Web Lanyard	Y
1231104	DBI	4' Web Lanyard	Υ





PRO-Stop™ Shock Absorbing Lanyard

PRO-Stop lanyards feature polyester tubular web, 3,600 lb. gated hooks, and an energy absorbing design that limits average fall arresting forces to 900 lb.

Item	#	Code	Description	Stock*
13402	20	DBI	6' Single Leg Lanyard w/Self-Locking Snap Hooks	Υ



FIRST™ Shock Absorbing Lanyard

Stretch tubular lanyard expands to 6 ft. and contracts to 41/2 ft.

Item #	Code	Description	Stock*
AE57801	DBI	6' Single Leg Lanyard w/Snap Hook & Rebar Hook	Υ

PRO™ Chain Rebar Assembly Lanyard

Swiveling chain rebar assembly with snap hooks and flat steel rebar at

Item #	Code	Description	Stock*
1350150	DBI	24" Chain Rebar Assembly	Υ





Self-Retracting Lifelines (SRLs)





Rebel™ SRL

- 11' x 1" high strength thin webbing with housing carabiner and lifeline hook
- Anodized aluminum housing
- 310 lb. capacity
- Maximum arresting force of 900 lb.

Item #	Code	Description	Stock*
AD111A	DBI	11' Rebel SRL	Y
AD120A	DBI	20' Rebel SRL	Υ



Steel Cable SRL

- Begins fall arrest within 2'
- 30' working length
- 3/16" galvanized cable
- Shock-resistant, thermoplastic housing
- Zinc-coated internal components
- Double-locking swiveling snap hook on lifeline and carabiner on housing
- Capacity: 310 lb.

Item #	Code	Description	Stock*
3590500	DBI	Steel Cable SRL	Υ



Anchors & Connectors

Tie-Off Adapter

- Pass-thru design
- 13/4" polyester strength member
- 3" wide polyester wear pad

Item #	Code	Description	Stock*
1003000	DBI	3' Tie-off Adapter	Υ
1003006	DBI	6' Tie-off Adapter	Υ



Web Strap Anchor Sling

- 13/4" x 6' polyester web strap
- Minimum breaking strength >5,000 lbs.
- 3" polyester web scuff guard
- · Zinc-plated, stamped steel D-ring

	Item #	Code	Description	Stock*
ſ	AJ47410	DBI	Web Strap Anchor Sling	Υ



D-Ring Anchorage Plate

- Bolt or weld to structure
- Two 1/2" diameter attachment holes
- 304 stainless steel anchorage plate
- Cadmium-plated steel D-ring
- Plate size: 1/4" x 2" x 41/2"

Item #	Code	Description	Stock*
2101630	DBI	D-ring Anchorage Plate	Y



Scaffold Choker

- 1" x 17" long
- Attaches to 3" diameter anchorage
- Polyester web

Item #	Code	Description	Stock*
1201390	DBI	Scaffold Choker	Υ



Saflok™ Carabiner

- Steel carabiner with 3,600 lb. self-closing,
- 11/16" opening

Item #	Code	Description	Stock*
2000112	DBI	Saflok Carabiner	Υ




Glyder™ 2 Sliding Beam Anchor

Provides complete horizontal mobility on I-beams.

- Wear pads eliminate metal-to-metal contact for smooth operation
- Integrated ratcheting adjustment system for easy installation
- Dual beam grip adjustment prevents twisting and turning • Extremely lightweight at only 3.7 lb.
- User capacity of 420 lb.
- Fits flange $3\frac{1}{2}$ " to 14" wide and up to $1\frac{1}{4}$ " thick

Item #	Code	Description	Stock*
2104700	DBI	Glyder™ 2 Sliding Beam Anchor	Y



- locking gate

Item #	Code	Description	Stock*
2000112	DBI	Saflok Carabiner	Υ



Snap Hook with Eye

Solid steel, captive-eye, #18 rebar hook with 21/4" double-locking gate opening.






Anchors & Connectors

Reusable **Roof Anchor**

- 5,000 lb. anchorage point
- Steel construction
- Includes (20) 16D nails for single use
- steel D-ring





Compliance In A Can™ - Roofer's Kit

- Reusable roof anchor (#AJ730A)
- 5-point harness with pass-thru buckle legs (#1191995)
- Rope grab (#1340005)
- 50' 5/8" polyester/polypropylene lifeline (#1204001)

Item #	Code	Description	Stock*
2199803	DBI	Roofer's Kit	Υ

Rope Grabs & Lifelines

Rope Grab

- Inertia/cam locking system
- Energy (shock) absorbing design
- Attach or detach anywhere along
- Fits 5/8" diameter rope lifeline
- · Corrosion resistant stainless steel and thermoplastic construction



Item #	Code	Description	Stock*
5000335	DBI	Rope Grab	Y

COBRATM Rope Grab • Constructed of high impact steel

- Operates in automatic or manual mode
- Attach or detach anywhere along
- Fits 5/8" diameter rope lifeline
- · Designed for use with nylon or polyester rope



Item #	Code	Description	Stock*	
AC202D	DBI	COBRA Rope Grab	Y	

Lifeline Assemblies

- 5/8" polyester/polypropylene blend rope
- Self-locking snap hook at one end

Item #	Code	Code Description	
1202754	DBI	Lifeline Assembly - 30 ft.	Υ
1202794	DBI	Lifeline Assembly - 50 ft.	Υ
1202821	DBI	Lifeline Assembly - 75 ft.	Υ
1202844	DBI	Lifeline Assembly - 100 ft.	Y



Confined Space and Rescue Systems



|McQuade& |Bannigan Inc.

Winch/SRL/Tripod Combination

The Elk River Economy Confined Space System includes an EZE-MAN winch (50'), 5/8" nylon rope lifeline (50' with a 3/4" throat opening

Centurion auto-lock snap hook on one end and a thimble eye on the other end), Elk River 5/8" rope grab (attached 3' rope lanyard with 3/4" double-locking snap hook), and a five D-ring universal full body harness.

System also contains:

- Tripod pulley, head assembly & leg assembly
- Auto-lock carabiners
- Rope grab
- Yoke
- Yellow rope bag, burgundy tripod bag, blue small harness bag & red winch bag



Item #	Code	Description	Stock*
05612	ELK	Confined Space System	Υ

Rain Gear



Hi-Viz® Polyester Rain Suit w/Stripes

- CLIMATE GEAR™ rain suit is ANSI-rated with Class 3 certified reflective stripes
- Includes jacket, bib-style pants and detachable drawstring hood

Item #	Code	Description	Stock*
R111-L	CUS	Large 3-Piece Rain Suit	Υ
R111-XL	CUS	X-Large 3-Piece Rain Suit	Υ
R111-XXL	CUS	XX-Large 3-Piece Rain Suit	Υ



Hi-Viz® Polyester Rain Suit

 CLIMATE GEAR™ three-piece rain suit includes jacket, bib-style pants and detachable drawstring hood

Item #	Code	Description	Stock*
R107L	CUS	Large 3-Piece Rain Suit	Y
R107X	CUS	X-Large 3-Piece Rain Suit	Y
R1072X	CUS	XX-Large 3-Piece Rain Suit	Y



PVC/Polyester Rain Suit

- 35 mm PVC/polyester fabric with double heat-welded seams and nonconductive hardware
- Jacket has a storm fly front, detachable hood, corduroy collar, ventilated cape back and underarms, and two flapped pockets
- Bib overall has fly front

Item #	Code	Description	Stock*
MRS	RAI	Medium 3-Piece Rain Suit	Υ
LRS	RAI	Large 3-Piece Rain Suit	Υ
XLRS	RAI	X-Large 3-Piece Rain Suit	Υ
XXLRS	RAI	XX-Large 3-Piece Rain Suit	Υ
XXXLRS	RAI	XXX-Large 3-Piece Rain Suit	Υ
XXXXLRS	RAI	XXXX-Large 3-Piece Rain Suit	Υ



Rubber Rain Boots

Yellow rubber boots fit over shoes.



Rain Gear

frogg toggs® Rain Gear

This protective outerwear is 100% waterproof, 100% windproof and breathable. Rain Toggs are constructed with a patented process of three layers of polypropylene material with a center layer of microporous film. Because the pores are 20,000 times smaller than a water droplet, moisture cannot penetrate yet the fabric will still breathe. Also, the patented seaming process eliminates needle holes and possible water entry. The full cut of these suits allows them to fit easily over work clothes and weighs less than one pound.



11			e.		
🃂 sa	fety	TO	Ī	П	S
		when	5	ы	-

Item #	Code	Description	Stock*
RTL	RAI	Large Rain Suit	Υ
RTXL	RAI	X-Large Rain Suit	Υ
RTXXL	RAI	XX-Large Rain Suit	Υ
RTXXXL	RAI	XXX-Large Rain Suit	Υ

Protective Clothing

MicroMax® NS Disposable Coverall

General purpose protective clothing provides microporous protection from dirt, grease, grime and light chemical splash. Economical and lightweight, MicroMAX® NS features high MVTR and is breathable for worker comfort.

- Zipper
- Elastic wrists and ankles





Lakeland

Item #	Code	Description	Stock*
CTL417LLK	SAF	Large Coverall	Y
CTL417XLLK	SAF	X-Large Coverall	Υ
CTL417XXLLK	SAF	XX-Large Coverall	Υ
CTL428LLK	SAF	Large Coverall with Hood	Υ
CTL428XLLK	SAF	X-Large Coverall with Hood	Υ
CTL428XXLLK	SAF	XX-Large Coverall with Hood	Υ

KleenGuard® Shoe Covers

Fully elasticized, polypropylene shoe covers keep workers cool and comfortable in a wide range of work situations.





Protective Outerwear



Class 3 Thermal Bomber Jacket

3-in-1 jacket with hood

- Zip out 300 g fleece liner
- 3M[™] Scotchlite [™] reflective material
- 2" Level 2 ANSI-compliant tape
- Weatherproof, 100% polyester outer shell
- Breathable PU coating
- Inset hood with drawstring and stoppers
- Storm front with zipper and snap closure

Item #	Code	Description	Stock*
8380-L	ERG	Large Thermal Bomber Jacket	Υ
8380-XL	ERG	X-Large Thermal Bomber Jacket	Υ
8380-2XL	ERG	XX-Large Thermal Bomber Jacket	Υ
8380-3XL	ERG	XXX-Large Thermal Bomber Jacket	Υ



Class 3 Economy Bomber Jacket

3-in-1 jacket with hood

- Zip out 190 g fleece liner
- 2" Level 2 ANSI-compliant tape
- Weatherproof, 100% polyester outer shell
- Inset hood with drawstring and stoppers

Item #	Code	Description	Stock*
8379-L	ERG	Large Economy Bomber Jacket	Υ
8379-XL	ERG	X-Large Economy Bomber Jacket	Υ
8379-XXL	ERG	XX-Large Economy Bomber Jacket	Υ



Safety Vests

GloWear® Class 2 Economy Vest • ANSI-compliant polyester mesh

- Hook & loop closure
- 2" Level 2 ANSI-compliant tape
- Lime



Item #	Code	Description	Stock*
8205HL-L-XL	ERG	Large/X-Large Econo Vest	Υ
8205HL-2XL-3XL	ERG	XX-Large/XXX-Large Econo Vest	Υ

GloWear® Class 2 **Two-Tone Vest**

- ANSI-compliant polyester mesh
- Zipper closure
- 3M[™] Scotchlite™ reflective material, 2" Level 2 ANSIcompliant tape
- Tape set on 4.5" contrasting color background
- One inside pocket
- Lime



Item #	Code	Description	Stock*
8230Z-S-M	ERG	Small/Medium Two-Tone Vest	Υ



Economy Two-Tone Vest • ANSI-compliant polyester mesh

- Zipper closure
- 2" Level 2 ANSI-compliant tape
- Tape set on 4.5" contrasting color background
- One inside pocket
- Lime, orange

Item #	Code	Description	Stock*
8229Z-S-M	ERG	Small/Medium Lime Economy Two-Tone Vest	Υ
8229Z-L-XL	ERG	Large/X-Large Lime Economy Two-Tone Vest	Υ
8229Z-2XL-3XL	ERG	2XL/3XL Lime Economy Two-Tone Vest	Υ
8229Z-S-M-ORA	ERG	Small/Med. Orange Economy Two-Tone Vest	Υ
8229Z-L-XL-ORA	ERG	Large/XL Orange Economy Two-Tone Vest	Υ
8229Z-2XL-3XL-0RA	ERG	2XL/3XL Orange Economy Two-Tone Vest	Υ
8229Z-4XL-5XL-0RA	ERG	4XL/5XL Orange Economy Two-Tone Vest	Υ

GloWear® Class 2 Two-Tone Expandable Vest

- ANSI-compliant polyester mesh
- Hook & loop closure
- 3M™ Scotchlite™ reflective material, 2" Level 2 ANSIcompliant tape
- Tape set on 4.5" contrasting color background
- One multi-division inside pocket & radio tabs/holders
- Lime

Item #	Code	Description	Stock*
8240HL-M-L	ERG	Medium/Large Expandable Two-Tone Vest	Υ
8240HL-XL-2XL	ERG	Large/XX-Large Expandable Two-Tone Vest	Υ



Item #	Code	Description	Stock*
8240HL-M-L	ERG	Medium/Large Expandable Two-Tone Vest	Υ
8240HL-XL-2XL	ERG	Large/XX-Large Expandable Two-Tone Vest	Υ

GloWear®

Public Safety Vest

- ANSI-certified solid front/mesh back
- 5-point breakaway design
- 3M[™] Scotchlite[™] reflective material, 2" Level 2 ANSIcompliant tape
- Tape set on 4.5" contrasting color background
- One multi-division inside pocket & radio tabs/holders
- Lime

Item #	Code	Description	Stock*
8245PSV-S-M	ERG	Small/Medium Public Safety Vest	Υ
8245PSV-L-XL	ERG	Large/X-Large Public Safety Vest	Υ
8245PSV-2X-3X	ERG	XX-Large/XXX-Large Public Safety Vest	Υ

Head & Face Protection



V-Gard® Hard Hat

V-Gard protective caps and hats from MSA consist of a polyethylene shell and suspension system working together as a protection system. V-Gard headwear features advanced styling in either cap or hat styles, offering comfortable protection.

V-Gard caps and hats meet or exceed the applicable requirements for a Type I helmet (top impact) as outlined in ANSI Z89.1-2009, Class E, and also as outlined in CSA Z94.1-2005 (Class E) with 1-Touch and Fas-Trac suspensions.

Item #	Code	Description	Stock*		
Hard Hat w/Fas-Trac Suspension (4-pt. ratchet)					
VGARD-BLUE	MSA	Blue Slotted Hard Hat	Υ		
VGARD-GRAY	MSA	Gray Slotted Hard Hat	Υ		
VGARD-GREEN	MSA	Green Slotted Hard Hat	Υ		
VGARD-HVORANGE	MSA	Hi-Viz Orange Slotted Hard Hat	Υ		
VGARD-PINK	MSA	Pink Slotted Hard Hat	Υ		
VGARD-RED	MSA	Red Slotted Hard Hat	Υ		
VGARD-WHITE	MSA	White Slotted Hard Hat	Υ		
VGARD-YELLOW	MSA	Yellow Slotted Hard Hat	Υ		
Hard Hat v	v/Fas-Tra	ac Suspension (4-pt. ratchet) & Full Brim			
VGARDFB-ORANGE	MSA	Hi-Viz Orange Full Brim Hard Hat	Υ		
VGARDFB-WHITE	MSA	White Full Brim Hard Hat	Υ		
Hard Hat	w/Fas-T	rac Suspension (6-pt. ratchet) & Vented			
10034027	MSA	White Vented Slotted Hard Hat	Υ		
10034028	MSA	Blue Vented Slotted Hard Hat	Υ		
10034035	MSA	Orange Vented Slotted Hard Hat	Υ		





MSA officially-licensed NFL* and Nascar V-Gard helmets can be specially ordered. Other logos available too.

Fas-Trac Suspension

*NFL Properties, the NFL, and its Member Clubs make no express or implied claims with respect to the effectiveness and safety of these products and have not manufactured or endorsed these products in any way.



Defender™ Faceshield Frame

Without Visor

Designed to fit any of MSA's protective caps or hats. When properly positioned, they will securely hold faceshields, visors and welding shields.



Do not mix suspension and helmet sizes. Make sure the sizes match (example: standard-size suspension with standard-size helmet). Use only MSA suspensions on an MSA helmet. Failure to comply with the above will reduce the energy-absorbing ability of the protective helmet, which can result in serious injury or death.



*Y = stock item; A = readily available by order



Defender™ Headgear Faceshield Frame

Without Visor

MSA's Defender Headgear Faceshield Assembly consists of

a lightweight, flexible headband that adjusts to accommodate head sizes 6½ to 8. The assembly provides limited impact protection to the eyes, face, and front of the head, but is not unbreakable. It must be used with approved spectacles or goggles and additional safety equipment as required. Avoid areas where the chance of severe lens impact exists.



V-Gard® Visor

Made of durable polycarbonate. Helps protect wearers from flying debris, splash or spray.

• 8 x 15¹/₂" x .040

Item #	Code	Description	Stock*
10017934	MSA	V-Gard Visor	Υ
10021614	MSA	Defender Faceshield Frame	Υ
10021611	MSA	Defender Headgear Faceshield Frame	Υ

Head & Face Protection





4-Point Ratchet Suspension Hard Hat

- High density polyethylene shell
- Low profile design
- Rain trough on sides and back of helmet channel moisture away
- Universal accessory slots fit cap mounted ear muffs and chin straps
- Soft brow pad is replaceable and washable
- Snap lock suspension features "tuck away" adjustments for all day, hassle-free wear
- Ratchet suspension is easy to adjust—allows the wearer to modify the fit while wearing the hat



Item #	Code	Description	Stock*
HP14110	PYR	White Cap Style Hard Hat	Υ
HP14120	PYR	Red Cap Style Hard Hat	Υ
HP14130	PYR	Yellow Cap Style Hard Hat	Υ
HP14131	PYR	Hi-Viz Green Cap Style Hard Hat	Υ
HP14135	PYR	Green Cap Style Hard Hat	Υ
HP14140	PYR	Orange Cap Style Hard Hat	Υ
HP14141	PYR	Hi-Viz Orange Cap Style Hard Hat	Υ
HP14160	PYR	Blue Cap Style Hard Hat	Y



Winter Liner

N-Ferno™ 3-Layer Extreme Winter Liner

- Three layers-nylon, foam and poly Sherpa
- Warming pack pockets near ears





N-Ferno™ 2-Layer Winter Liner

- Two layers-cotton twill and poly fleece
- Warming pack pockets near ears

Item #	Code	Description	Stock*
6950-ERG	ERG	3-Layer Winter Liner	Υ
6852	ERG	2-Layer Winter Liner	Υ



Polar Fleece Winter Liner

 Warm acrylic polar fleece with lining



Item #	Code	Description	Stock*
WL500	GLV	Polar Fleece Winter Liner	Υ

Cold Weather Accessories

N-Ferno™ Hand & **Toe Warming Packs**

- Self-contained packs heat up when exposed to air—up to eight hours for hand packs and five hours for toe packs
- All natural ingredients
- Seal from oxygen in Zip-Loc bag to reuse

Item #	Code	Description	Stock*
6990	ERG	Hand Warming Pack	Υ
6992	ERG	Toe Warming Pack	Υ







Trex™ Ice Traction Device

- One-piece traction device for shoes or boots has rugged steel studs for gripping and stability
- · Stretchable rubber for fit and easy on/off
- Flexible to -40°F
- Large fits shoe size 8-11
- X-large fits shoe size 11-14

Item #	Code	Description	Stock*
6300-L	ERG	Large Traction Device	Υ
6300-XL	ERG	X-Large Traction Device	Υ



Premium Driver's Gloves



Model 1509

- Keystone thumb
- Pull strap adjuster
- Double sewn
- index finger seam Leather strap for
- A-grade cowhide
- snug fit

	1
111	1
	M
110000	540

Model 1510

- Grain pigskin
- Keystone thumb
- Pull strap adjuster Double sewn
- index finger se
- Kevlar sewn

eam	Sp Wo
tock*	Мос
Υ	• Spl
Υ	• Knı wir
	_

Item #	Code	Description	Stock*
1509L	GLV	Large	Υ
1509XL	GLV	X-Large	Y
1510PL	GLV	Large	Υ
1510PXL	GLV	X-Large	Y

Cowhide Leather Gloves

Shirred back



Item #	Code	Description	Stock*
2503L	GLV	Large	Υ
2503XL	GLV	X-Large	Υ

Jersey Gloves

Model 3401

- 8 oz. brown jersey
- Unlined

Item #	Code	Description	Stock*
3401L	GLV	X-Large	Υ

Dotted Knit Gloves

Model 3825

- · String knit; cotton/polyester
- Ambidextrous



Leather Driving Gloves

Model 1510

- A-grade cowhide
- Keystone thumb
- Pull strap adjuster
- Double sewn index finger seam



Item #	Code	Description	Stock*
1510GL	GLV	Large	Y
1510GXL	GLV	X-Large	Υ

lit Cowhide ork Gloves

del 4500

- lit cowhide palm
- uckle strap and ng thumb
- Canvas back



Cotton/Synthetic **Gloves**

GLV

Model 3385

- Rubber palmdipped string knit

3385XL



Large

Insulated Driver's Gloves

Model 1506

- Grain cowhide
- Straight thumb
- Shirred back
- Red fleece lined





Mechanic's Gloves

Model 2136R

- Armorskin synthetic leather
- Neoprene knuckle to absorb shocks
- Breathable knit back
- Slip on style
- Precurved design follows natural curve of hands



Item #	Code	Description	Stock*
2136RL	GLV	Large	Υ
2136RXL	GLV	X-Large	Υ
2136RXXL	GLV	XX-Large	Υ

Insulated Mechanic's Gloves

Model 2136BKH

- Armorskin synthetic leather
- Stretch back
- Slip on style
- Heatlok lining



Item #	Code	Description	Stock*
2136BKH-9	GLV	Medium	Υ
2136BKH-10	GLV	Large	Υ
2136BKH-11	GLV	X-Large	Υ
2136BKH-12	GLV	XX-Large	Υ

Waterproof Winter Gloves

Model 2180

- Synthetic leather palm
- Knit back

Υ

- Waterproof Breathable Porell liner
- Velcro closure



Item #	Code	Description	Stock*
2180L	GLV	Large	Υ
2180XL	GLV	X-Large	Υ
2180XXL	GLV	XX-Large	Υ





Mechanic's Gloves



Model 145: Tradesman™

- Syntrex[™] synthetic palm material and textured fingertip pads for increased abrasion and tear resistance
- Padded and reinforced palm and fingertips for enhanced wear and durability
- Fist-Flex™ inserts and Stretch-Fit[™] thumb
- Neoprene cuff with medical grade hookand-loop closure and textured pull-on tab
- Terry-Flex[™] thumb helps gently remove sweat or debris from face

Item #	Code	Description	Stock*
145L	CUS	Large	Υ
145XL	CUS	X-Large	Υ
145XXL	CUS	XX-Large	Υ



Model 125: Handyman™

- SyntrexTM synthetic palm material and textured fingertip pads for increased abrasion and tear resistance
- Padded palm, fingers and knuckles provide protection
- Stretch-Fit™ thumb and spandex back for a better fit and greater flexibility
- Wide elastic cuff with medical grade hookand-loop closure and textured pull-on tab

Item #	Code	Description	Stock*
125L	CUS	Large	Υ
125XL	CUS	X-Large	Υ
125XXL	CUS	XX-Large	Υ



Model 123: Workright OC™

- Padded synthetic palm material and stretch spandex back
- Open cuff design
- Textured fingertip pads and padded knuckles for protection

Item #	Code	Description	Stock*
123L	CUS	Large	Υ
123XL	CUS	X-Large	Υ
123XXL	CUS	XX-Large	Υ

SEE US FOR CUSTOM SIGNAGE

All signs are printed in shop—no set-up fees or long turn-around time. From small stickers to large building signs, we offer many different sign materials, and we can match colors and designs.

Contact us for all your sign needs.

- ADA Signs
 Apparel
 Banners
- Decals/stickers
 Job Site Signs
- Labels
 Lawn Signs
- Parking SignsSafety Signs
- Traffic Signs
- Sign stands available

signs@MQB.com





Winter Work Gloves



Model 1927

- Model 1927KW
- Pigskin construction
- With knit wrist

•	Heatkeep®	lining
_		

Item #	Code	Description	Stock*
1927-L	GLV	Large	Y
1927-XL	GLV	X-Large	Y
1927KW-M	GLV	Medium	Y
1927KW-L	GLV	Large	Υ
1927KW-XL	GLV	X-Large	Υ

Lined Waterproof Suede **Pigskin Gloves**

Model 1958

- Brown duck back
- aquaNOT!® waterproof lining
- Heatkeep® lining

Item #	Code	Description	Stock*
1958-L	GLV	Large	Υ
1958-XL	GLV	X-Large	Υ

Lined Cowhide Driver's Gloves

Model 98RL

- Black fleece thermal lining
- Shirred elastic

black	iic .iic		
Item #	Code	Description	Stock*
98RL-L	GLV	Large	Υ





Unlined Work Gloves



Model 1917

- Grain pigskin leather
- Rubberized cuff
- Model 1917KW
- With knit wrist

Item #	Code	Description	Stock*
1917-L	GLV	Large	Υ
1917-XL	GLV	X-Large	Υ
1917KW-L	GLV	Large	Υ
1917KW-XL	GLV	X-Large	Υ

Lined Suede **Pigskin Gloves**

Model 1926

- Suede pigskin palm
- Heatkeep® lining

Item #	Code	Description	Stock*
1926-L	GLV	Large	Υ
1926-XL	GLV	X-Large	Υ

Liners

Glove

Model 1775

 Heavy-weight, cotton-polyester blend

Item #	Code	Description	Stock*
1775	GLV	Universal	Υ

Jersey Gloves

Model 820

- 8 oz. brown jersey with red fleece lining
- Gunn cut
- Elastic back

Item #	Code	Description	Stock*
820RL-L	GLV	Large	Υ



Model 1919

- Grain pigskin with safety cuff
- 3M™ Scotchlite reflective material
- Safety green nylon back

Item #	Code	Description	Stock*
1919-L	GLV	Large	Υ
1919-XL	GLV	X-Large	Υ



- Unlined grain pigskin
- 3M™ Scotchlite reflective material
- Heatkeep® lining

Model 908: Green nylon mesh back

Model 909: Orange nylon mesh back

Item #	Code	Description	Stock*
908-L	GLV	Large	Υ
908-XL	GLV	X-Large	Υ
909-S	GLV	Small	Υ
909-M	GLV	Medium	Υ
909-L	GLV	Large	Υ
909-XL	GLV	X-Large	Υ



Lined Safety Gloves

- Lined pigskin with safety cuff
 3M™ Scotchlite reflective material
- Heatkeep® lining

Model 1938: Safety orange nylon back

Model 1939: Safety green nylon back

Item #	Code	Description	Stock*
1938-L	GLV	Large	Y
1938-XL	GLV	X-Large	Y
1939-L	GLV	Large	Υ
1939-XL	GLV	X-Large	Υ



PVC Coated Gloves



Model 3361

- Knit wrist
- PVC dipped
- Smooth Finish
- Interlock lined
- Model 3365
- 14" gauntlet PVC dipped
- Smooth finish
- Interlock lined

Item #	Code	Description	Stock*
3361-MAJ	GLV	Large	Υ
3365-MAJ	GLV	Large	Υ

Nitrile Gloves

Model 3225

• 13-gauge nylon shell with foam nitrile-coated palm



Item #	Code	Description	Stock*
3225L	GLV	Large	Υ
3225XL	GLV	X-Large	Υ



Nitrile & Latex Disposable Gloves

- Blue nitrile gloves are 4 mil. industrial grade with rolled cuff
- White latex gloves are 5 mil. industrial grade with rolled cuff
- Ambidextrous
- Powdered & powder-free styles available
- 100 gloves per box

Code	Description	Stock*
osabl	e Gloves	
GLV	Large Powder	Υ
GLV	X-Large Powder	Υ
GLV	X-Large Powder-free	Υ
osabl	e Gloves	
GLV	Large Powder	Υ
GLV	X-Large Powder	Υ
GLV	Large Powder-free	Υ
	GLV GLV GLV OSABIO GLV GLV	Osable Gloves GLV Large Powder GLV X-Large Powder GLV X-Large Powder-free Osable Gloves GLV Large Powder GLV X-Large Powder



with knit wrist

Item #	Code	Description	Stock*	
2002-CLC	CUS	Universal Size	Y	



Nitrile Gloves

Model 1890

- · Nylon knitted shell
- Smooth finish nitrile coated palm and fingers



Item #	Code	Description	Stock*
1890-L	GLV	Large	Υ
1890-XL	GLV	X-Large	Y

Thermal Lined **Nitrile** Gloves

Model 1875

- 100% Acrylic thermal knit shell
- Nitrile coated palm
- Elastic knit wrist



Item #	Code	Description	Stock*
1875-L	GLV	Large	Υ
1875-XL	GLV	X-Large	Υ



Insulated PVC Gloves

- Safety orange PVC with sandy finish
- Thermal foam lining
- Actifresh treatment protects PVC gloves from microbial deterioration

Item #	Code	Description	Stock*
4160-KIN	GLV	Rubberized Safety Cuff	Υ
4170-KIN	GLV	3.5" Knit Wrist	Υ
4184-KIN	GLV	14" Gauntlet	Υ

Protective Eyewear



Achieva®

- · Scratch resistant coating
- Impact resistant polycarbonate lenses provide 99.9% UV protection
- Rubber temple tips provide a secure fit
- Built-in brow guard provides additional protection above the eyes
- Curved lens protects against airborne particles

Item #	Code	Description	Stock*
SG6580S	PYR	Indoor/Outdoor Mirror	Υ



Avante®

- Gray lens with double layer of silver and orange coating
- Impact and scratch resistant polycarbonate lenses provide 99.9% UV protection
- Sports styling provides maximum protection
- Vented frame allows air flow to prevent fogging
- Built-in rubber nose pads

Item #	Code	Description	Stock*
SS4545D	PYR	Orange Mirror	Y



Forum[®]

- · Scratch resistant coating
- Impact resistant polycarbonate lenses provide 99.9% UV protection
- · First-class optical lens provides unrestricted vision
- Soft PVC nosepiece
- 9.75 base curved lens provides excellent side protection

Item #	Code	Description	Stock*
SB6610D	PYR	Clear	Υ
SB6620D	PYR	Gray	Υ





Fortress[®]

- Lightweight sports styling with adjustable nose pad and vented lens
- Anti-scratch, impact resistant, polycarbonate lens provides 99.9% UV protection
- Straight back, rubber-coated temple tips

Item #	Code	Description	Stock*
SS3732D	PYR	Mango Mirror	Υ



- Scratch resistant coating
- Impact resistant polycarbonate lenses provide 99.9% UV protection

Item #	Code	Description	Stock*
S4110S	PYR	Clear	Υ
S4120S	PYR	Gray	Υ
S4130S	PYR	Amber	Υ
S4180S	PYR	Indoor/Outdoor Mirror	Υ



- resistant polycarbonate lenses provide 99.9% UV protection
- First-class optical lens provides unrestricted
- Ventilated nosepiece to reduce fogging
- Soft, dual injected rubber temple tips and flexible nosepiece
- 9.75 base curved lens provides excellent side protection against airborne particles

Item #	Code	Description	Stock*
S5810S	PYR	Clear	Υ
S5820S	PYR	Gray	Υ
S5880S	PYR	Indoor/Outdoor Mirror	Υ





Reatta®

- · Scratch resistant coating
- Impact resistant polycarbonate lenses provide 99.9% UV protection
- Sports style lens provides maximum protection
- Vented lens allows air flow to prevent
- Adjustable nose pad

Item #	Code	Description	Stock*
SBS4820D	PYR	Gray	Υ



Solara[®]

- Straight back temples with rubber inserts
- Built-in nose pads elevate frame for precision fit
- Extended, impact resistant, polycarbonate lenses provide 99.9% UV protection

Item #	Code	Description	Stock*
SB4310D	PYR	Clear	Υ
SB4320D	PYR	Gray	Υ



- For use over prescription glasses
- Scratch resistant coating
- Impact resistant polycarbonate lenses provide 99.9% UV protection
- Vented temples for added comfort

Item #	Code	Description	Stock*
S510S	PYR	Clear	Υ



Protective Eyewear



- Scratch resistant coating
- Impact resistant polycarbonate lenses provide 99.9% UV protection
- First-class optical lens provides unrestricted vision
- Ventilated at top of frame and nosepiece to reduce fogging
- Soft, dual injected rubber temple tips and flexible nosepiece
- 9.75 base curved lens provides excellent side protection against airborne particles

Item #	Code	Description	Stock*
SB5710D	PYR	Clear	Υ
SB5720D	PYR	Gray	Υ
SB5760D	PYR	Blue	Υ



- Scratch resistant coating
- Soft, nonslip, rubber temple tips and integrated nosepiece
- Impact resistant polycarbonate lenses provide 99.9% UV protection

Item #	Code	Description	Stock*
S2510ST	PYR	Clear Anti-Fog	Υ
S2520S	PYR	Gray	Υ
S2530S	PYR	Amber	Υ
S2560S	PYR	Infinity Blue	Υ
S2565S	PYR	Purple Haze	Υ
S2575S	PYR	Blue Mirror	Υ
S2580S	PYR	Clear Mirror	Υ
S2510R20	PYR	Clear +2.0 Reading	Υ





- Anti-fog lenses
- Impact and scratch resistant polycarbonate lenses provide 99.9% UV protection
- Slim temples and foam padding provide custom and comfortable fit

Item #	Code	Description	Stock*
SB4610STP	PYR	Clear	Υ



- Straight back, rubber coated temple tips
- Soft, built-in nose pads elevate frame for precision fit
- Impact resistant polycarbonate lenses provide 99.9% UV protection

Item #	Code	Description	Stock*
SS3345E	PYR	Orange Mirror	Υ
SS3375E	PYR	Blue Mirror	Υ



Vinyl Goggle

Scratch resistant, polycarbonate goggle is perforated for ventilation and protects against impacts and harmful UV rays. ANSI approved.



G204T Chemical Splash Goggle

Scratch resistant, polycarbonate goggle features vent caps to restrict influx of liquids. Anti-fog lens protects against impacts and harmful UV rays. ANSI approved.

Item #	Code	Description	Stock*
G201	PYR	Clear	Υ
G204T	PYR	Clear Chemical Splash	Υ



Nemesis*

- Lightweight construction and sleek, sporty style
- Single lens wraparound protection
- Soft touch temples

Item #	Code	Description	Stock*
3000354	SAF	Clear	Υ
3000356	SAF	Smoke Mirror	Υ
3000357	SAF	Indoor/Outdoor	Υ
3000707	SAF	Smoke Anti-Fog	Υ



- One-piece polycarbonate front with adjustable temples
- Wraparound protection

200020E CAE Cmoke Mirror V	Item #	Code	Description	Stock*
3000303 SAF SHIOKE WIITOI T	3000305	SAF	Smoke Mirror	Υ

Protective Eyewear

Edge Safety Eyewear

Features:

- Polycarbonate lenses comply with ANSI Z87.1+ 2010 & Ballistic MIL standards, and block 99.9% of UVA/UVB/UVC rays
- Nosepads and temple tips are made of TPR, a material that increases its grip as it becomes moist or warm
- Frames consist of a flexible and durable TR90/Nylon compound material
- Wrap-around frames and straight temples



Item #	Code	Description	Stock*
SDK117	EDG	Black Frame/Silver Mirror Lens	Υ
SDKAP119	EDG	Black Frame/Aqua Precision Red Mirror Lens	Υ



Item #	Item # Code Description		Stock*
SR116	EDG	Black Frame/Smoke Lens	Υ
SR118	EDG	Black Frame/Blue Mirror Lens	Υ



Item #	Code	Description	Stock*
SW116	EDG	Black Frame/Smoke Lens	Υ
SW118	EDG	Black Frame/Blue Mirror Lens	Υ



Item #	Code	Description	Stock*
SK117 EDG Black Frame/Silver Mirror Lens		Υ	
SKAP119	EDG	Black Frame/Aqua Precision Red Mirror Lens	Υ
SK-XL116	EDG	Black XL Frame/Silver Mirror Lens	Υ
TSK216	EDG	Polarized/Black Frame/Smoke Lens	Υ



Rrazpau	Designer
Drazeau	Designer

Kazbek

Item #	Code	Description	Stock*
XB146	EDG	White Frame/Smoke Lens	Υ

Hearing Protection




E-A-Rsoft™ Blasts™ Foam Ear Plugs

Corded and Uncorded

- Slow-recovery polyurethane foam
- NRR 33 dB
- One pair; Yellow Neon™

Item #	Code	Description	Stock*
312-1252	MMM	Uncorded Blasts Plugs	Υ
311-1252	MMM	Corded Blasts Plugs	Υ



E-A-Rsoft™ UltaFit Plus™ Corded Ear Plugs

- Proprietary, premolded, triple-flange design
- Soft polymer is washable and reusable
- NRR 26 dB
- One pair

Item #	Code	Description	Stock*
340-6002	MMM	Corded UltraFit Plus Plugs	Υ



Comfort Band™ Hearing Protector

- Designed to be worn under the chin
- Soft, easily cleanable pads and durable plastic neck band
- NRR 23

Item #	Code	Description	Stock*
10003344	SAF	Comfort Band Hearing Band	Υ



Hearing Protection

Peltor™ Optime™ Ear Muffs

Over-the-Head

- Features a stainless steel headband for consistent force and effective hearing protection
- Ultra light with liquid/foam filled ear muff cushions
- NRR 26



Cap Mount

- Universal mounting attachment fits most hard hats
- Ultra light with liquid/foam filled ear muff cushions
- NRR 23



Item #	Code	Description	Stock*
Н9А	MMM	Over-the-Head Ear Muffs	Υ
Н9Р3Е	MMM	Cap Mount Ear Muffs	Υ

Protective Eyewear

Safety Glasses Accessories

- Lens Cleaning Tissues
- Slip-on Side Shields

Retainer Cord					
Item #	Code	Description	Stock*		
LCC100	PYR	100-Tissue Canister	Υ		
99700	SAF	Slip-on Side Shields One Pair	Υ		
CORD-BLACK	SAF	Safety Glasses Retainer Cord - Black	Υ		

Respirators

Economical Disposable N95 Respirator

- Two-strap design with stapled attachment
- Cushioning nose foam and adjustable nose clip



Item #	Code	Description	
8200-MMM	MMM	3M Economical Respirator - 20/box	Υ

Classic Disposable N95 Respirator

- Two-strap design with welded attachment
- Cushioning nose foam and adjustable

nose clip	_	THE 0210	
Item #	Code	Description	Stock*
8210-MMM	MMM	3M Classic Respirator - 20/box	Υ

Disposable N95 Respirator

with 3M™ CoolFlow™ Valve

- · CoolFlow exhalation valve reduces heat build-up
- Adjustable nose clip reduces potential for eyewear fogging
- Two-strap design with stapled attachment



Item #	Code	Description	Stock*
8210V	MMM	3M Respirator w/Valve	Υ

Full Facepiece Respirator

- Center adapter directs exhaled breath and moisture downward to reduce debris from depositing in valve
- · Large lens for wide field
- CoolFlow exhalation valve reduces heat build-up
- Three respirator modes: air purifying, supplied air, powered air purifying



60923HB1-C









6800-MMM

Item #	Code	Description	Stock*			
Facepiec	Facepiece Respirator					
6800-MMM	MMM	Full Facepiece Respirator	Υ			
Replacement Cartridges & Filters						
5N11	MMM	N95 Filter - 10 Filters	Υ			
502	MMM	Adapter for 5N11 Filter	Y			
60923HB1-C	MMM	Organic Vapor Cartridge - Pair	Υ			
2091	MMM	P100 Filter - Pair	Υ			

PRODUCTS NOT LISTED?

All of the products we sell are not listed in this catalog. If you don't find everything you need,

PLEASE CALL US—WE CAN HELP!

First Aid Kits



Item	6060-AAC	6084	6088
# Employees / Kit Size	10	25	50
Adhesive Strips, 1" x 3"	16	100	100
Large Wound Dressing	1	1	2
Gauze Pads	(4) 3"	(5) 4"	(10) 4"
Gauze Bandage, 4"	1	1	2
Eye Pads	2	-	-
Adhesive Tape, ½" x 5 Yds	1	1	1
Triangular Bandage, 40"	1	1	2
Antiseptic Wipes	30	30	60
First Aid/Burn Cream Packets9 gm	6	6	12
Cold Pack	1	1	2
Latex Exam Gloves	4	4	4
Scissors	1	1	1
Forceps	1	1	1
First Aid Instructions	1	1	1
Total Pieces Per Kit	69	153	198
Code	SAF	SAF	SAF
Stock*	Y	Υ	Υ

Emergency Eyewash Station

One bottle of sterile isotonic buffered solution for flushing or irrigating the eyes on a wall mount-ready station.

Item #	Code	Description	Stock*
24201	SAF	32 oz. Eyewash Station Refill Bottle	Υ
24202	SAF	32 oz. Single Bottle Eyewash Station	Υ



Water Coolers & Accessories

Water Cooler - Plastic 400 Series

- HDPE hide won't chip, peel, buckle or rust
- Ultratherm® insulation for maximum cold retention
- UV stabilizers prevent fading and cracking
- White, FDA-grade inner liner resists stains and odors
- "Drinking Water" imprint meets OSHA requirements
- 5-year warranty
- All parts are replaceable for extended life
- Sizes: 3 gallon, 5 gallon, 10 gallon
- Accessories: Sheet Metal Cooler Rack, Plastic Cup Dispenser, 4½" Rolled Rim Cone Cups (5,000/case)

Item #	Code	Description	Stock*
IGL3	IGL	3-gallon 400 Series Water Cooler	Y
IGL5	IGL	5-gallon 400 Series Water Cooler	Υ
IGL10	IGL	10-gallon 400 Series Water Cooler	Y
9551	IGL	Sheet Metal Cooler Rack	Y
DISP	IGL	Black, Plastic Cup Dispenser	Y
CUP	IGL	4½ oz. Rolled Rim Cone Cups	Υ







Safety Lights

INTERPLEX

Solar Barricade Light

- Compact, solar powered barrier warning light
- Daily charge enables the Maverick to operate for five nights
- Can be used safely for years before batteries need to be replaced

Item #	Code	Description	Stock*
MAVERICK	MAV	Barricade Light	Υ





Barricade Light

Estimated bulb life is 5 years

- 7" polycarbonate reflex lens
- Hi-density polyethylene UV stabilized
- 12 V photo cell

Item #	Code	Description	Stock*
400APC	EMC	Flashing Light - Yellow Base	Υ
400CPC	EMC	Steady Burn - Orange Base	Υ





Magnetic Mount Rotating Beacon

- Smooth and quiet belt-driven rotators; 160 fpm
- Free-form optical reflectors maximize beam pattern & light output
- Polycarbonate base and twist-on lens with locking screws
- 5.2 amps; 12 VDC
- Factory installed magnet with 15' straight cable and cigarette plug

15" Magnetic Mount Rotating Mini-Bar Light

- · Smooth and quiet belt-driven rotators; 160 fpm
- Free-form optical reflectors maximize beam pattern & light output
- 10.5 amps; 12 VDC
- Two factory installed fitted vacuum magnets with 15' straight cable and cigarette plug

Item #	Code	Description	Stock*
5813AMG	EC0	Rotating Beacon	Υ
5135AVM	EC0	Rotating Mini-Bar	Υ




Batteries

6-Volt Industrial Spring Terminal Battery

Item #	Code	Description	Stock*
6VHD	RAY	6 Volt Battery	Υ

Safety Fence







LIMIT[®] Modular Barrier System

- Highly visible, reusable and selfsupporting
- Lightweight—only 48.82 lb.
- Collapsible—minimizes storage space
- Resistant to atmospheric agents
- Use for road & utility work, restricted areas, sporting events, building sites, temporary foot paths

Item #	Code	Description	Stock*
2A120061	FEN	Modular Barrier System - Set of (4) 48" x 48" Panels	Υ



Item #	Code	Description	Stock*
SC-18-3	SAF	18" Traffic Cone - 3 lb.	Υ
SC-28-7	SAF	28" Traffic Cone - 7 lb.	Υ
SC-28-10-64C	SAF	28" Traffic Cone w/Reflective Collar - 10 lb.	Υ

Barrels

SASCO Safety **Traffic Cone**



Traffic Safety







Item #	Code	Description	Stock*
SS18	SAF	18" .040 Aluminum Paddle w/10" Handle	Υ
SS24HI-7	SAF	24" Reflective .080 Aluminum Paddle w/12" Handle	Υ

Safety Triangle

- Meets FMVSS standards
- · Reflective, high density polypropylene plastic
- Triangles rotate 360° on a weighted base
- Features a snap-lock set up and wire bracing to control degree of tilt, even in extreme wind conditions
- Kit includes three folded triangles and a heavy-duty ABS case

Item #	Code	Description	Stock*
HWT3	SAF	Highway Triangle Warning Kit	Υ



- UV stabilized, high impact polymer with nonslip texture
- Fill with concrete; can be installed with #4 or #5 rebar
 Concrete Keeper™ retaining hooks and ribs
- · Available colors: Safety Yellow, Handicap Blue

Item #	Code	Description	Stock*
TUF-STOP-BLUE	TUF	72" Parking Bumper - Handicap Blue	Υ
TUF-STOP-YEL	TUF	72" Parking Bumper - Safety Yellow	Υ

Safety Flags

Vinyl Flag

- Fluorescent red or orange vinyl-coated nylon
- Hardwood dowel handle



Mesh Flag

- Fluorescent red or orange knitted vinyl mesh material
- · Hardwood dowel handle
- · Resists cracking, peeling and fraying



Item #	Code	Description	Stock*
SF24-360R	SAF	24" x 24" Orange Vinyl Flag w/36" Handle	Υ
SF24-36TR	SAF	24" x 24" Red Vinyl Flag w/36" Handle	Υ
SFKV18-240R	SAF	18" x 18" Orange Mesh Flag w/24" Handle	Υ
SFKV18-24TR	SAF	18" x 18" Red Mesh Flag w/24" Handle	Υ
SFKV24-360R	SAF	24" x 24" Orange Mesh Flag w/36" Handle	Υ

Airport Flag

- 36" x 36" nylon flag
- Alternating checkerboard 12" x 12' orange and white squares

Item #	Code	Description	Stock*
SMAF	SAF	Airport Flag	Υ

Pennant Flag

• 100' Pennant flag made of low density UV polyethylene



Banners



Highway Banner

Item #	Code	Description	Stock*
OLB7M	SAF	18" x 84" Mesh "OVERSIZE LOAD" Vinyl Banner	Υ
OLB8	SAF	18" x 96" Solid "OVERSIZE LOAD" Vinyl Banner	Υ



Signs

OSHA Safety Signs

- Rigid plastic
- Comply with OSHA regulations





	Item #	Code	Description	Stock*
Janes Barrello	M23R	SIG	4" X 18" FIRE EXTINGUISHER	Y
EXIT	M24RB	SIG	10" X 14" EXIT	Y
EMERGENCY EXIT ONLY	M34RB	SIG	7" X 10" EMERGENCY EXIT ONLY	Υ
CAUTION SERVICE TORS SERVICE TORS	SA118R	SIG	7" X 17" CAUTION - HEARING PROTECTION REQUIRED	Y
FIRST AID	SA119R	SIG	7" X 17" FIRST AID	Y
E.	ТМ94Н	SIG	10" X 14" - aluminum Handicap (graphic) PARKING	Y
WARNING LEAD WORK AREA POISON NO SMOKING OR EATING	W6RB	SIG	10" X 14" WARNING - LEAD WORK AREA	Y



High Intensity Stop Sign

• 30" x 30" aluminum sign

Item #	Code	Description	Stock*
STOPSIGN-30HI	SIG	Stop Sign	Υ

Signs



Roll-Up Signs

- Durable, 18 oz., reinforced solid vinyl
- 36" x 36"
- Fluorescent orange with gray back
- Fiberglass rib sets are riveted in the center
- Velcro strap secures rolled up sign for easy carrying and storage

Item #	Code	Description	Stock*
RUNR36-200-B	SIG	BUMP	Υ
RUNR36-200-D	SIG	DETOUR	Υ
RUNR36-200-ERW	SIG	END ROAD WORK	Υ
RUNR36-200-FA	SIG	FLAGMAN AHEAD	Υ
RUNR36-200-FL	SIG	FLAGMAN	Υ
RUNR36-200-MWS	SIG	MEN WORKING (symbol)	Υ
RUNR36-200-MWW	SIG	MEN WORKING (words)	Υ
RUNR36-200-NS	SIG	NO SHOULDER	Υ
RUNR36-200-0L	SIG	ONE LANE	Υ
RUNR36-200-RC	SIG	ROAD CLOSED	Υ
RUNR36-200-RCA	SIG	ROAD CLOSED AHEAD	Υ
RUNR36-200-RW	SIG	ROAD WORK AHEAD	Υ

Vehicle Signs

Construction Vehicle Sign

- 48" x 24"
- .080" aluminum in diamond grade reflective orange
- Meets Federal MUTCD and OSHA regulations



Item #	Code	Description	Stock*
24X48-VEHICLE	SIG	CONSTRUCTION VEHICLE DO NOT FOLLOW	Υ

Magnetic New York State Certified Escort Sign

- Required for certified escorts in New York
- Yellow backing with blue letters
- Printed on .030" magnetic sheet
- Sold in pairs

Item #	Code	Description	Stock*
ESCORT.MAGNET	SIG	NYS Escort Sign	Υ



Labels



	Item #	Code	Description	Stock*
DIESEL FUEL	B1080Y	SIG	DIESEL FUEL 1" x 9" Pipe Marker Pressure Sensitive Vinyl Label	Y
GASOLINE	B1117Y	SIG	GASOLINE 1" x 9" Pipe Marker Pressure Sensitive Vinyl Label	Y
MIXED GAS	B1168Y	SIG	MIXED GAS 1" x 9"Pipe Marker Pressure Sensitive Vinyl Label	Y
De la companya della companya della companya de la companya della	DL161AP	SIG	FLAMMABLE LIQUID 4" x 4" DOT Placard Pressure Sensitive Vinyl Label	Y
1993	DL40BP	SIG	1993 10¾" x 10¾" DOT Placard Pressure Sensitive Vinyl Label	Y
GASOLINE	M51P	SIG	GASOLINE 4" x 12" Stick-on Label Pressure Sensitive Vinyl	Y
DIESEL	M52P	SIG	DIESEL FUEL 4" x 12" Stick-on Label Pressure Sensitive Vinyl	Y
NO SMOKING	S1AP	SIG	NO SMOKING 4" x 4" Pressure Sensitive Vinyl Label	Y

Lock-Out Tags

Electrical Lock-out Kit

Everything you need to identify and secure a variety of energy sources.

- (1) 12" poly carrying case
- (2) single pole circuit breaker lockouts
- (2) double pole breaker lockouts
- (1) single entry plug lockout
- (1) 1½" safety lockout hasps
- (1) 1" safety lockout hasps
 (3) ³/₄" shackle padlocks
- (1) ID label pack
- (1) Lockout Tag packs & fasteners
- (1) Training Manual

Item #	Code	Description	Stock*
EL0K2	SIG	Electrical Lock-Out Kit	Υ

"DO NOT START" Lock-out Tag

- .015 mil unrippable vinyl
- 6" x 3³/₄"
- 3/8" brass grommets
- 10-pack

Item #	Code	Description	Stock*
LOTAG14	SIG	Lock-out Tags	Y





Sign Stands



DynaLite™ Nonspring Stand

for Roll-Up Signs

- Powder coated steel and aircraft quality steel
- Sign attaches with Screwlock™, which quickly and firmly attaches to the vertical fiberglass rib
- 22" legs telescope to 38"

Item #	Code	Description	
DL1000W	SIG	DynaLite Nonspring Stand	Α



for Roll-Up Signs

- Stackable bases are made of rubber from recycled tires
- Features latch-style sign holder and two molded handles for easy transport

Item #	Code	Description	
DSB100	SIG	Rubber Stacker Stand	Υ



UniFlex™ Single Spring Stand

for Roll-Up Signs

- Features a heavy-duty steel coil spring design that provides superior stability in windy conditions
- Display roll-up signs 12" off the ground and feature foot actuated kick releases and three locking positions for storage and stability on uneven terrain
- Sign attaches with Screwlock™, which quickly and firmly attaches to the vertical fiberglass rib
- 30" aluminum legs telescope to 51"

Item #	Code	Description	Stock*
UF2000W	SIG	UniFlex Single Spring Stand	Υ





WindMaster® Sign Stand

- For use with roll-up, aluminum, plywood, plastic and aluminum laminate
- Patented BreakAway® feature allows vertical upright to detach from sign stand upon impact
- Steel base and aircraft aluminum alloy legs and uprights
- Legs adjust for stability on uneven terrain and have rubber end caps for traction
- Dual-spring base withstands high gust winds
- Deployed height: 11'2" & 13'2"
- Sign height: 5' & 7'

Item #	Code	Description	Stock*
4860K-3	SIG	Windmaster Sign Stand	Υ

Marking Flags

Wire Marking Flags

Heavy-gauge PVC flag will not tear in the wind or crack from cold weather. An exclusive hot melt glue system ensures that the flags stay on the wire and not on the ground.

Available in 2.5" x 3.5". Sold in packs of 100.

Item #	Code	Description	Stock*
SM30-Blue	SAF	Blue	Υ
SM30-Orange	SAF	Orange	Υ
SM30-Red	SAF	Red	Υ
SM30-White	SAF	White	Υ
SM30-Yellow	SAF	Yellow	Υ





Tapes

Flagging/ Surveyor Tape

- Rugged, polyethylene plastic
- Perfect for marking boundary lines, trees and right-of-way




Item #	Code	Description	Stock*
F-DKBLUE	TPE	Dark Blue - 100 yards - 2.5 mil	Υ
F-GREEN	TPE	Hi-Viz Lime - 50 yards - 4.5 mil	Υ
F-ORANGE	TPE	Hi-Viz Orange - 50 yards - 4.5 mil	Y
F-PINK	TPE	Hi-Viz Pink - 50 yards - 4.5 mil	Υ
F-RED	TPE	Red - 100 yards - 2.5 mil	Y
F-WHITE	TPE	White - 100 yards - 2.5 mil	Υ
F-YELLOW	TPE	Yellow - 100 yards - 2.5 mil	Y

Tapes

Barrier Tape

- 3" x 1000' 3-mil poly tape
- Poly barricade tape provides warning of temporary safety hazards

Item #	Code	Description	Stock*
BURIED.ELECLINE	TPE	CAUTION BURIED ELECTRIC LINE	Y
BURIED.GAS.LINE	TPE	CAUTION BURIED GAS LINE	Υ
CAUTION-3	TPE	CAUTION	Y
CAUTION-CONSTR	TPE	CAUTION CONSTRUCTION AREA	Υ
CAUTION-TRENCH	TPE	CAUTION OPEN TRENCH	Y
DAN-DO.NOT.ENTR	TPE	DANGER DO NOT ENTER	Y
BURIED.FIBER-OP	TPE	BURIED FIBER OPTIC PHONE LINE (ORANGE)	Α
BURIED.SEWER	TPE	BURIED SEWER LINE (GREEN)	Α
BURIED.WATER	TPE	BURIED WATER LINE (BLUE)	Α
CAUTION-PAINT	TPE	CAUTION - WET PAINT (YELLOW)	Α
CAUTION-NOPARK	TPE	CAUTION - NO PARKING (YELLOW)	Α
CAUTION-T'PHONE	TPE	CAUTION - TELEPHONE LINE (YELLOW)	Α
DAN-ASBESTO-TPE	TPE	DANGER - ASBESTOS (RED)	А



CAUTION-TRENCH

BURIED.ELECLINE

Detectable Underground Tape

- 3" x 1000'
- Double-laminated aluminum foil tape



Item #	Code	Description	Stock*
DETECT.ELECT	TPE	BURIED ELECTRIC LINE BELOW	Υ
DETECT.GAS	TPE	BURIED GAS LINE BELOW	Υ
DETECT.SEWER	TPE	BURIED SEWER LINE BELOW	Υ
DETECT.WATER	TPE	BURIED WATER LINE BELOW	Υ



Reflective Tape

Engineering Grade ASTM Type II

Pressure sensitive tape has enclosed glass beads that reflect light, making the tape highly visible at night or in blackout conditions. Available in 1", 2" and 4" widths and lengths of 10 or 50 yard rolls in red, white, blue, yellow, orange, and green.

Item #	Code	Description	Stock*
1X30WHITE	TPE	1" x 30' White	Y

Barricade Tape

- Vinyl-coated, nylon-reinforced fluorescent tape
- Extremely strong and reusable

Item #	Code	Description	Stock*
RB100	SAF	1" x 150' Tape	Υ
RB200	SAF	2" x 150' Tape	Α



Floor & Aisle Marking Tape

- 2" wide by 18 yards long
- Stretchy, bright film printed with diagonal yellow and black stripes
- Abrasion-resistant top coat
- Pressure sensitive

Item #	Code	Description	Stock*
F218YB	SAF	Floor Tape	Υ




Pavement Tape

- Construction grade offers reflectivity and economy plus a longer standard roll length
- Incorporates high-index glass bead technology for maximum brilliance and reflectivity
- Foil-backed construction withstands weather and road conditions



Item #	Code	Description	Stock*
4X50PW	TPE	4" x 50 yards - White	Υ
4X50PY	TPE	4" x 50 yards - Yellow	Υ





Rebar Caps

Standard Rebar Cap

Provides protection from protruding rebar. Fits #3 - #9 rebar.

Item #	Code	Description	Stock*
D10	SAF	Rebar Cap	Υ



OSHA Rebar Cap

Provides impalement protection from protruding rebar. Fits #4 - #9 rebar.

Item #	Code	Description	Stock*
PC110	SAF	OSHA Rebar Cap	Υ



Fire Extinguishers



Kidde ABC Dry Chemical Fire Extinguisher

These dry chemical extinguishers use a nontoxic monoammonium phosphate agent that effectively fights Class ABC fires.

Disposable Extinguisher - Model 466142K

lightweight, easy-to-use extinguishers are the perfect answer for areas that need supplemental protection. Extinguishers have seamless aluminum cylinders so they won't leak.

Service Lite Extinguisher - Model 21006204

Single-use extinguishers are dependable and able to do the job when an emergency arises.

Pro Line™ Extinguisher - Model 466204/466206

Pro Line extinguishers are designed to meet most industrial and commercial applications. Extinguishers feature metal valves, seamless aluminum and steel cylinders, and chip-resistant paint. The handle and lever are made of pressed, heavy-gauge metal for added strength.



A.	
466204	466206

Item#	466142K	21006204	466204	466206
Code	KID	KID	KID	KID
Size (lb.)	2.5	5	10	20
Dimensions (HxWxD in.)	13.75 x 4.78 x 3.25	16 x 7.8 x 4.5	21 x 8 x 5	21.6 x 8.3 x 7
UL Rating	1A:10B:C	3A:40B:C	4A:60B:C	10A:80B:C
Discharge Time (sec.)	8-12	13-15	19-21	19-22
Discharge Range (ft.)	6-8	12-18	20	20
Operating Pressure (psi)	100	195	195	195
Cylinder Material	Aluminum	Aluminum	Steel	Steel
Bracket Provided	Nylon Strap	Wall Hanger	Wall Hook	Wall Hook
Stock*	Υ	Υ	Υ	Υ

Ask us for complete specifications and prices!

Safety Cans



Type I Safety Can for Gasoline, Kerosene & Diesel

Eagle Type I safety cans meet OSHA and NFPA Code 309 requirements and are FM, UL and ULC approved for safe handling and storage of gasoline and other flammable liquids.

- 2-piece, no-weld construction
- No top or side seams
- Nonsparking brass pour spout and flame arrestor
- Spring-closing lid with neoprene gasket that relieves internal pressure at 5 psi
- Lead free constructed of 24-gauge hot dipped galvanized steel
- Includes an F-15 HDPE funnel, making filling and dispensing easier
- Red/gasoline, Blue/kerosene, Yellow/diesel

Item #	Code	Description	Stock*
UI10FS	EAG	Gasoline - 1 gallon - Red	Υ
UI20FS	EAG	Gasoline - 2 gallon - Red	Υ
UI50FS	EAG	Gasoline - 5 gallon - Red	Υ
UI50FSY	EAG	Diesel - 5 gallon - Yellow	Υ
UI50FSB	EAG	Kerosene - 5 gallon - Blue	Υ



Type II Safety Can for Gasoline

Eagle Type II safety cans meet OSHA and NFPA Code 309 requirements and are FM, UL and ULC approved for safe handling and storage of

- · Galvanized steel construction
- Two openings—one with a pressure-relief spring closing lid for filling, the second with an actuated pour valve and flexible metal spout for safer controlled
- dispensing • Filler spout and flame arrestors in both openings are nonsparking
- brass designed for flashback protection

Item #	Code	Description	Stock*
U226S	EAG	Gasoline - 2 gallon - Red	Υ
U251S	EAG	Gasoline - 5 gallon - Red	Υ

Safety Storage Cabinets

Small Storage Cabinet

These cabinets are available in single door manual or self-closing. Ideal for flammables, these cabinets can be used on counter tops, workbenches or on the floor.

Standard Size Cabinet

The standard sized cabinets are available in twodoor manual, two-door sliding, and two-door selfclosing. These floor model cabinets are designed for storage of larger containers of flammable liquids.







These items are nonstock, but readily available by special order.

Model Numbers Capacity WxDxH **Self-Closing** # Shelves Maximum Sliding Manual Shelf **Self-Closing** Depth Weight Close 4 gallon 17¹/₄" x 18" x 22¹/₂" 1904 1903 143/4" 70 lb. 12 gallon 23" x 18" x 35" 1925 1924 143/4" 135 lb. 15 gallon 43" x 18" 221/4" ADD 15 ADD 14 optional 183/4" 145 lb. 16 gallon 23" x 18" x 44" 1906 1905 1 143/4" 150 lb. 35" x 22" x 55" 22 gallon 1970 183/4" 215 lb. 1971 23" x 18" x 65" 143/4" 24 gallon 1923 2310 3 270 lb. 24 gallon 43" x 12" x 44" 3 83/4" 1976 1975 235 lb. 30 gallon 3010 43" x 18" x 44" 1930 1932 143/4" 257 lb. 1 2 45 gallon 1947 4510 143/4" 353 lb 43" x 18" x 65" 1945 2 60 gallon 31¹/₄" x 31¹/₄" x 65" 1960 1962 6010 28" 364 lb. 90 gallon 43" x 34" x 65" 1992 9010 291/21 485 lb.



Padlocks

Master Lock

No. 1 Padlock

Commercial grade padlock features superior protection from drilling and prying.

- 1³/₄" wide laminated steel body for superior strength
- 15/16" tall, 5/16" diameter hardened steel shackle for extra cut resistance
- 4-pin cylinder helps prevent picking
- Dual locking levers provide extra pry resistance

No. 5 Padlocks

Commercial grade padlock features superior protection from drilling and prying.

- 2" wide laminated steel body for superior strength
- 1" tall, 3/8" diameter hardened boron alloy shackle for superior cut resistance
- 4-pin cylinder helps prevent picking
- Dual locking levers provide extra pry resistance

No. 7 Padlocks


- 1½" wide laminated steel body for superior strength
- 9/16" tall, 3/16" diameter standard steel shackle
- 4-pin cylinder helps prevent picking
- Dual locking levers provide extra pry resistance



Item #	Code	Description	Stock*
1KA	ML	#1 Padlock–Keyed alike	Υ
1-ML	ML	#1 Padlock-Not keyed alike	Υ
5KA	ML	#5 Padlock–Keyed alike	Υ
5-ML	ML	#5 Padlock-Not keyed alike	Υ
7KA	ML	#7 Padlock–Keyed alike	Υ
7-ML	ML	#7 Padlock-Not keyed alike	Υ

 $\mathbf{*Y} = \text{stock item}; \mathbf{A} = \text{readily available by order}$

Spill Containment Products



17-Gallon Spill Kit Pick-up Size

Item #	Code	Description	Stock*
SPILL.KIT-17	IVI	15 - 17" x 19" x ¾" Pads 2 - 3" x 4' Socks 1 - 18" x 18" Pillow 1 - Disposable Bag w/Tie 1 - Pair Nitrile Gloves	Υ

55-Gallon Spill Kit In Drum

Item #	Code	Description	Stock*
SPILL.KIT-55	IVI	50 - 17" x 19" x 3/6" Pads 8 - 3" x 4' Socks 6 - 18" x 18" Pillows 3 - 5" x 10' Booms 4 - Disposable Bag w/Ties 4 - Pair Nitrile Gloves 1 - 55-Gallon Polyethylene Drum	Υ

Oil Absorbent Pad

Item #	Code	Description	Stock*
PAD15X19	IVI	15" x 19" Oil Absorbent Pad	Υ

INDUSTRIAL SCIENTIFIC
CORPORATION

Multi-Gas Monitors

Ventis™ MX4 4-Gas Monitor

The Ventis MX4 allows you to select your sensor configuration to meet your monitoring needs at any time. Select one of four configurations to measure from one to four of the following gases: combustible gases/methane, O2, C0, H2S, NO2, SO2.

Additional features:

- Broad sensor measuring ranges provide the ability to see changes in hazardous conditions beyond normal monitoring ranges
- Interchangeable lithium-ion and alkaline battery packs
- PEAK reading storage provides quick access to an on-screen review of highest exposure conditions
- On-board continuous data logging: storage of a minimum of three months of sensor data allows for routine review of gas exposures, revealing areas of safety concern and potential improvement
- Audible, visual and vibrating alarms 95 dB audible, ultra bright visual and strong vibration alarms
- Programmable bump test mode
- · Calibration overdue alarm prompts user and prevents normal use if instrument has not been calibrated
- Short-term and time-weighted average exposure measurements and alarms
- Quick-Cal calibration mode allows all sensors to be calibrated simultaneously using one cylinder of blended calibration gas

Item #	Code	Description	Stock*
VTS-K1231100101	ISC	Ventis MX4 Multi-Gas Monitor	Α

