Fashion Stone

Porcelain Tiles


















STONE Fashion Stone





Fashion Stone








fashion stone light grey

fashion stone grey

fashion stone black





fashion stone ivory








fashion stone clay

Finishes



lappato



Eu. Pallet Eu. Pallet
50.40 1056.00
51.84 1029.00
51.84 1125.00
53.82 1068.00
21.60 1000.00
- 672.00
- 624.00
- 450.00
- 510.00
- 900.00
- 950.40

STONE **Fashion Stone**



fashion stone light grey 21x24



21X24

fashion stone black

fashion stone ivory 21X24



fashion stone beige 21X24



fashion stone clay 21X24









fashion stone ivory mosaic 30x60



fashion stone light grey mosaic 30x30

fashion stone light grey mosaic 25.5x29.5



fashion stone grey mosaic 25.5x29.5

21X24






fashion stone ivory mosaic 30x30




fashion stone clay mosaic 30x30



fashion stone clay mosaic 25.5x29.5



fashion stone light grey mosaic 30x40



city stone ivory mosaic 30x40




fashion stone black mosaic 25.5x29.5

fashion stone grey mosaic 30x40



city stone beige mosaic 30x40




fashion stone black mosaic 30x40



city stone clay mosaic 30x40










fashion stone beige mosaic 30x45



fashion stone grey mosaic 30x60




fashion stone beige mosaic 30x60



fashion stone black mosaic 30x45



fashion stone clay mosaic 30x45




fashion stone black mosaic 30x60



fashion stone clay mosaic 30x60

STONE Fashion Stone



Name	Code	Size(CM)	Name Name	Code	Size(CM)
fashion stone light grey	AGBo6FNSELIGZYLNLR	60x60	fashion stone light grey	Ao6GFNSE-LIG.MYX7R	60x60
fashion stone grey	AGBo6FNSEGRYZYLNLR	60x60	fashion stone grey	Ao6GFNSE-GRY.MYX7R	60x60
fashion stone black	AGBo6FNSEBLKZYLNLR	60x60	fashion stone black	A06GFNSE-BLK.MYX7R	60x60
fashion stone ivory	AGBo6FNSEIVOZYLNLR	60x60	fashion stone ivory	A06GFNSE-IVO.MYX7R	60x60
fashion stone beige	AGBo6FNSEBEEZYLNLR	60x60	fashion stone beige	A06GFNSE-BEE.MYX7R	60x60
fashion stone clay	AGBo6FNSECLAZYLNLR	60x60	fashion stone clay	A06GFNSE-CLA.MYX7R	60x60

Name	Code	Size(CM)	Code	Size(CM)	Code	Size(CM)	Code	Size(CM)
ashion stone light grey	AGB75FNSELIGZMLS5R	75×75	AGBo6FNSELIGZMLNLF		AGB75FNSELIGZMLS5L	75×75	AGBo6FNSELIGZMLNLL	60x60
ashion stone grey	AGB75FNSEGRYZMLS5R	75×75	AGBo6FNSEGRYZMLNL		AGB75FNSEGRYZMLS5L	75×75	AGBo6FNSEGRYZMLNLL	60x60
ashion stone black	AGB75FNSEBLKZMLS5R	75×75	AGBo6FNSEBLKZMLNL		AGB75FNSEBLKZMLS5L	75×75	AGBo6FNSEBLKZMLNLL	60x60
ashion stone ivory	AGB75FNSEIVOZMLS5R				AGB75FNSEIVOZMLS5L			60x60
,		75×75	AGB06FNSEIVOZMLNLF			75×75	AGBo6FNSEIVOZMLNLL	
ashion stone beige	AGB75FNSEBEEZMLS5R	75×75	AGB06FNSEBEEZMLNLI		AGB75FNSEBEEZMLS5L	75×75	AGBo6FNSEBEEZMLNLL	60x60
ashion stone clay	AGB75FNSECLAZMLS5R	75×75	AGBo6FNSECLAZMLNL	R 60x60	AGB75FNSECLAZMLS5L	75×75	AGBo6FNSECLAZMLNLL	60x60
ashion stone light grey	AGB09FNSELIGZMLNLR	30x60	AGXooFNSELIGZMLNLR	29.5x29.5	AGB09FNSELIGZMLNLL	30x60	AGXooFNSELIGZMLNLL	29.5x29.5
ashion stone grey	AGB09FNSEGRYZMLNLR	30x60	AGXooFNSEGRYZMLNL	R 29.5x29.5	AGB09FNSEGRYZMLNLL	30x60	AGXooFNSEGRYZMLNLL	29.5x29.5
ashion stone black	AGB09FNSEBLKZMLNLR	30x60	AGXooFNSEBLKZMLNL	R 29.5x29.5	AGB09FNSEBLKZMLNLL	30x60	AGXooFNSEBLKZMLNLL	29.5x29.5
fashion stone ivory	AGB09FNSEIVOZMLNLR	30x60	A00GFNSE#IVO.M2X0R	29.5x29.5	AGB09FNSEIVOZMLNLL	30x60	AooGFNSE#IVO.M2XoL	29.5x29.5
ashion stone beige	AGB09FNSEBEEZMLNLR	30x60	AooGFNSE#BEE.M2XoR	29.5x29.5	AGB09FNSEBEEZMLNLL	30x60	AooGFNSE#BEE.M2XoL	29.5x29.5
ashion stone clay	AGB09FNSECLAZMLNLR	30x60	AGXooFNSECLAZMLNLI	R 29.5x29.5	AGB09FNSECLAZMLNLL	30x60	AGXooFNSECLAZMLNLL	29.5x29.5
ashion stone light grey	AGWZZFNSELIG005695	21X24	AGXZZFNSELIG005577	9.7×9.7	AGWZZFNSELIG005699	21x24	AGXZZFNSELIG005853	9.7×9.7
fashion stone grey	AGWZZFNSEGRY005694	21X24	AGXZZFNSEGRY005576	9.7×9.7	AGWZZFNSEGRY005698	21x24	AGXZZFNSEGRY005852	9.7×9.7
fashion stone black	AGWZZFNSEBLK005692	21X24	AGXZZFNSEBLK005574	9.7×9.7	AGWZZFNSEBLK005696	21x24	AGXZZFNSEBLK005840	9.7×9.7
fashion stone ivory	AGWZZFNSEIVO006648	21x24	AGXZZFNSEIVO006673	9.7×9.7	AGWZZFNSEIVO006646	21x24	AGXZZFNSEIVO006672	9.7x9.7
fashion stone beige	AGWZZFNSEBEE006647	21X24	AGXZZFNSEBEE006675	9.7×9.7	AGWZZFNSEBEE006645	21X24	AGXZZFNSEBEE006674	9.7×9.7
fashion stone clay	AGWZZFNSECLA005693	21X24	AGXZZFNSECLA005575	9.7x9.7	AGWZZFNSECLA005697	21X24	AGXZZFNSECLA005851	9.7×9.7
	Ν							
Name	Code		Size(CM)	Name		Code		Size(CM)
fashion stone light grey mosaic 30			30x30	· · · · · ·	t grey mosaic 30x30		IZZFNSELIG005883	30x30
fashion stone grey mosaic 30x30	AGMZZFNSE		30x30	fashion stone gre			IZZFNSEGRY005882	30x30
fashion stone black mosaic 30x30	AGMZZFNSE		30x30	fashion stone blac			IZZFNSEBLK005880	30x30
fashion stone ivory mosaic 30x30	AGMZZFNSE		30x30	fashion stone ivor			IZZFNSEIVO006610	30x30
fashion stone beige mosaic 30x30			30x30	fashion stone beig			IZZFNSEBEE006608	30x30
fashion stone clay mosaic 30x30	AGMZZFNSE	CLA005634	30x30	fashion stone clay	mosaic 30x30	AGN	IZZFNSECLA005881	30x30
fashion stone light grey mosaic 30	x40 AGMZZFNSE	LIG005632	30x40	fashion stone ligh	t grey mosaic 30x40	AGN	IZZFNSELIG005879	30x40
fashion stone grey mosaic 30x40	AGMZZFNSE		30X40	fashion stone gre			IZZFNSEGRY005878	30x40
fashion stone black mosaic 30x40	AGMZZFNSE		30X40	fashion stone bla			IZZFNSEBLK005876	30x40
fashion stone ivory mosaic 30x40	AGMZZFNSE		30X40				IZZFNSEIVO006614	30x40
fashion stone beige mosaic 30x40			30X40			IZZFNSEBEE006612	30x40	
fashion stone clay mosaic 30x40	AGMZZENSE		30X40	fashion stone clay			IZZFNSECLA005877	30x40
Stone city mosaic 30x40	100012211031		<u>ە</u>			Adi		
fashion stone light grey mosaic 25			25.5x29.5	fashion stone ligh			/ZZFNSELIG005666	25.5x29.5
fashion stone grey mosaic 25.5x29	-5 AGWZZFNSE	GRY005499	25.5x29.5	fashion stone gre	y 25.5x29.5	AGW	/ZZFNSEGRY005665	25.5x29.5
fashion stone black mosaic 25.5x2	9-5 AGWZZFNSE	BLK005497	25.5x29.5	fashion stone bla	k 25.5x29.5	AGW	/ZZFNSEBLK005663	25.5x29.5
fashion stone ivory mosaic 25.5x2	9-5 AGWZZFNSI	EIVO006651	25.5x29.5	fashion stone ivor	y 25.5x29.5	AGW	ZZFNSEIVO006652	25.5x29.5
fashion stone beige mosaic 25.5x2	9-5 AGWZZFNSE	BEE006649	25.5x29.5	fashion stone beig	ge 25.5x29.5	AGW	/ZZFNSEBEE006650	25.5x29.5
fashion stone clay mosaic 25.5x29	5 AGWZZFNSI	ECLA005498	25.5x29.5	fashion stone clay	25.5x29.5	AGW	ZZFNSECLA005664	25.5x29.5
fashion stone light grey mosaic 30	x45 AGMZZFNSE	LIG005640	30x45	fashion stone ligh	t grey mosaic 30x45	AGN	IZZFNSELIG005887	30x45
fashion stone grey mosaic 30x45	AGMZZFNSE		30x45	fashion stone gre			IZZFNSEGRY005886	30x45
fashion stone black mosaic 30x45	AGMZZFNSE		30x45	fashion stone bla			IZZFNSEBLK005884	30x45
fashion stone ivory mosaic 30x45	AGMZZFNSE		30x45 30x45	fashion stone ivor			IZZFNSEIVO006619	30x45 30x45
fashion stone beige mosaic 30x45	AGMZZENSE		30x45 30x45	fashion stone bei	,		IZZENSEBEE006617	30x45 30x45
fashion stone clay mosaic 30x45	AGMZZENSE			fashion stone clay			IZZENSEELOO6617	30x45 30x45
	AGMZZENSE		30x45		J074J	Adiv		JV^4J
fashion stone light grey mosaic 30	x60 AGMZZFNSE	LIG005644	30x60	fashion stone ligh	t grey mosaic 30x60	AGN	IZZFNSELIG005891	30x60
fashion stone grey mosaic 30x60	AGMZZFNSE	GRY005643	30x60	fashion stone gre		AGN	IZZFNSEGRY005890	30x60
fashion stone black mosaic 30x60	AGMZZFNSE	BLK005641	30x60	fashion stone blac	k mosaic 30x60	AGN	1ZZFNSEBLK005888	30x60
fashion stone ivory mosaic 30x60	AGMZZFNSE	IVO006640	30x60	fashion stone ivor	y mosaic 30x60	AGN	IZZFNSEIVO006635	30x60
fashion stone beige mosaic 30x6c	AGMZZFNSE	BEE006632	30x60	fashion stone bei	ge mosaic 30x60	AGN	IZZFNSEBEE006631	30x60
fashion stone clay mosaic 30x60	AGMZZFNSE	CLA005642	30x60	fashion stone clay	mosaic 30x60	AGN	IZZFNSECLA005889	30x60
fashion stone light grey skirting	AGSZZFNSE	LIG005558	75x8	fashion stone ligh	t grey skirting	AGS	ZZFNSELIG005747	75x8
ashion stone grey skirting	AGSZZFNSE		75x8	fashion stone gre			ZZFNSEGRY005746	75x8
fashion stone black skirting	AGSZZFNSE		75x8	fashion stone bla	<u> </u>		ZZFNSEBLK005744	75x8
fashion stone ivory skirting	AGSZZFNSE		75x8	fashion stone ivor			ZZFNSEIVO006702	75x8
fashion stone beige skirting	AGSZZFNSE	-	75x8	fashion stone bei			ZZFNSEBEE006698	75x8
fashion stone clay skirting	AGSZZFNSE	-	75x8	fashion stone clay			ZZFNSECLA005745	75x8
fashion stone light grey skirting	AGSZZFNSE	16005514	60x8	fashion stone ligh	t grev skirting	٨٢٩	ZZFNSELIG005691	60x8
ashion stone grey skirting	AGSZZENSE		60x8	fashion stone ligh			ZZFNSELIG005691 ZZFNSEGRY005690	60x8
			60x8	-				60x8
ashion stone black skirting	AGSZZFNSE			fashion stone blac			ZZFNSEBLK005688	
fashion stone ivory skirting	AGSZZFNSE		60x8	fashion stone ivor	, ,		ZZFNSEIVO006478	60x8
fashion stone beige skirting fashion stone clay skirting	AGSZZFNSE AGSZZFNSE		60x8 60x8	fashion stone beig fashion stone clay	· · ·		ZZFNSEBEE006616 ZZFNSECLA005689	60x8 60x8
· · ·								
fashion stone light grey step	AGTZZFNSE		30x60	fashion stone ligh			ZZFNSELIG006682	30x60
fashion stone grey step	AGTZZFNSE	GRY005608	30x60	fashion stone gre	y step	AGT	ZZFNSEGRY006681	30x60
fashion stone black step	AGTZZFNSE	BLK005676	30x60	fashion stone blac	k step	AGT	ZZFNSEBLKoo6679	30x60
	AGTZZFNSE	VO006792	30x60	fashion stone ivor	y step	AGT	ZZFNSEIVO006791	30x60
ashion stone ivory step								
fashion stone ivory step fashion stone beige step	AGTZZFNSE	BEE006784	30x60	fashion stone beig	ge step	AGT	ZZFNSEBEE006783	30x60

TECHNICAL FEATURES

PORCELAIN TILES (BIa - GL):

Porcelain tiles are manufactured using pure, selectively imported raw materials mixed using the most advanced extraction and sorting techniques; they are obtained with a production process similar to that of single-fired tiles.

The resulting product is top-quality porcelain tile, obtained by raw materials wet grinding, followed by partial drying by spraying, silo storage to allow homogenization of properties, and pressing with highly efficient hydraulic presses up to specific pressures more than 500 kg/cm2. The high pressure combined with high firing temperature exceeding 1200 °C results in highly compact & strong ceramic surface with very low water absorption (lower than 0.1% according to UNI EN ISO 10545-3) and extremely high mechanical resistance (average value exceeding 50 N/mm2 according to UNI EN ISO 10545-4).

Thanks to their low porosity, these porcelain tiles are frost-proof and rated as belonging to the BIa GL class according to the European Standard UNI EN 14411 which requires water absorption ≤ 0.5%.

The MoR (modulus of rupture) in accordance with UNI EN ISO 10545-4 results to 50 N/mm2 while the required value is 35 N/mm2. RAK Ceramics porcelain tiles are available in a wide range of designs, sizes and finishes.

ADVICE ON LAYING

Although our porcelain tiles can be installed using traditional cement mortars, we advise using modern adhesives. While installing on wall, the two-layer spreading system is recommended to perfectly wet the back of the tile.

Quickly dipping each tile in water before installation will remove any dust on the back of the tile for perfect adhesion. Do not wet the tiles if you are using vinyl, acrylic resin adhesives or two-component organic-solvent based adhesive.

It is advisable to incorporate suitable shrinkage - flexion joints (movement/ expansion joints) when installing on large floors: the joints should never be spaced more than 4 - 5 linear meters apart indoors and 3 linear meters apart outdoors. Be careful while using strong coloured grouts as they might leave stains on the surface of the tiles that may be difficult to remove later.

TECHNICAL CHARACTERISTICS - PORCELAIN TILES (BIa - GL)

Test Description \leftrightarrow Length & Width Thickness **Rectangle Squareness** 90° Straightness of sides Surface Flatness ~ 1 H₂0 Water Absorption \downarrow Modulus of Rupture \uparrow \uparrow Breaking Strength R Resistance to surface abra \boxtimes Linear Thermal Expansion Resistance to Thermal Sho 莈 Crazing Resistance * Frost Resistance Resistance to chemicals * Resistance to stains Colour Resistance to UV Lig \searrow

			RAK Ceramics	RAK Ceramics Specifications		
	Standard Test Method	International Standard ISO 13006	(Rectified)	(Unrectified)		
	BS EN ISO 10545-2	+/- 0.6%	+/- 0.1%	+/- 0.3%		
	BS EN ISO 10545-2	+/-5.0%	+/- 5.0%	+/- 5.0%		
	BS EN ISO 10545-2	+/- 0.6%	+/- 0.2%	+/- 0.4%		
	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%	+/- 0.3%		
	BS EN ISO 10545-2	+/- 0.5%	+/- 0.3%	+/- 0.3%		
	BS EN ISO 10545-3	<=0.5%	<=0.4%	<=0.4%		
	BS EN ISO 10545-4	>=35 N/mm2	>=40 N/mm2	>=40 N/mm2		
	BS EN ISO 10545-4	>=1300N	>=1500N	>=1600N		
rasion	BS EN ISO 10545-6	Manufacturer to state Abrasion Class	PEI Class 2 -5	PEI Class 2 -5		
n	BS EN ISO 10545-8	<=9x10 ⁻⁶⁰ C1	<=7x10 ⁻⁶⁰ C ⁻¹	<=7X10 ⁶⁰ C ¹		
nock	BS EN ISO 10545-9	No visible defect	No visible defect	No visible defect		
	BS EN ISO 10545-11	No crazing	No crazing	No crazing		
	BS EN ISO 10545-12	No visible damage	No visible damage	No visible damage		
	BS EN ISO 10545-13	No visible defect	No visible defect	No visible defect		
	BS EN ISO 10545-14	Manufacturer to state class	Stain removed Min.class 4	Stain removed Min.class 4		
Light	DIN 51094	No change in color	No change in color	No change in color		

Note : Shade variation across the batches is inherent to the manufacturing process and the pre-laying colour comparison is recommended

MAINTENANCE AND CLEANING OF TILES

Maintenance of ceramic and porcelain tiles on dry surfaces is relatively easy. RAK Ceramics tiles are highly scratch and stain resistant.

- By regularly sweeping the floor, you can help avoid scratches that small pebbles or sand can create.
- Make it a habit to always wipe the soles of your shoes on a mat before entering the house. Thoroughly wipe up any spills using plain warm water. • While they are not likely to stain your ceramic tiles, spills may stain the grout between the tiles and if they are left to sit for too long, may also stain the actual tiles.
- Plain water is the ideal cleaner because it leaves no residue if you dry the surface of the tiles thoroughly after cleaning.
- If tiles are left wet after cleaning, there may be some unsightly mineral residue after the water dries, but this can easily be removed by spot cleaning.
- If stains resist cleaning with water alone, you can use a mild acidic solution, such as white vinegar. Use it highly diluted and rinse with plain water then dry.
- As food stains are acidic in nature, try using a mild alkaline solution.
- Use common detergents sparingly, rinse with plain water and dry thoroughly.

RAK CERAMICS CARE EXCLUSIVE POST INSTALLATION CLEANING SERVICE

We have collaborated with Fila, a leading company in cleaning, protection and maintenance of ceramic surfaces to offer an exclusive cleaning service to address our customers post installation concerns.

Cleaning after laying is of vital importance as a lot of unseen debris and reactive chemicals can affect the visual appearance of the ceramic material. With this new service, our customers can take advantage of Fila's professional on-site consultation. For more info please visit www.rakceramics.com



TILE-LAYING RECOMMENDATIONS

All RAK Ceramics products are subject to size and shade variations. Please check the size, batch number, caliber, tone, choice, color, quality of the pieces before the installation, as no claims will be accepted once the tiles are installed.

work.

the tiles are installed.

Therefore, if any issue is found on the delivered product, the contractor for installation or the client should not install the tiles. The issue should be communicated to RAK Ceramics for investigation and further action for resolution as required.

The substrate must be a compact cement bed. Levelling system ensures flatness between tiles avoiding movements during the mortar setting. This reduces the time for the ceramic laying obtaining a perfect lippage-free finish. Avoid movements between the tiles due to the mortar setting.

The width of grout joints must be established by the installation supervisor, unless grout widths are regulated by national laying standards. The grout colour should be selected according to the colour of the tile. We recommend to select a matching colour. Before using fine-grain coloured grout on lapped, polished or brushed products, always test it. If the pigment is very adhesive, it may be very difficult to remove.

We recommend to lay the tiles by using suitable adhesives for each kind of product and surface. As general rule, tiles must be installed in the same position. The minimum joint is 2 mm for rectified tiles, although we suggest a higher joint for big size products. After grouting, remove any excess product as quickly as possible by repeatedly washing the area with a sponge and water.

Steps to follow 1. First, set the tool to the scale according to the ceramic thickness. 2. Introduce the crossheads and continue laying the adjacent tiles. 3. Put the wedges in the crosshead manually. 4. Tighten the wedges with the pliers to level the pieces. 5. Allow for setting for the time recommended by the manufacturer of the adhesive cement. 6. Remove the crossheads. Hit the crosshead with a rubber mallet or with your foot in the direction of the joint. Do not hit the wedges.

The company will not accept any claim if this is due to the problems caused by not following these suggestions and instructions.



LATICRETE IS A RECOMMENDED PARTNER OF RAK CERAMICS

Place some tiles on the floor - 2 or 3 sqm - and check the overall technical and aesthetic characteristics with care and check if there is enough product to finish the

Manufacturer's responsibility is only limited to replacement of defective material if any, prior to fixing of tiles and we will not entertain claim of any nature after

Product Guide

ICONS

R RATING TABLE

Collections	Туроlogy	Colours	RL	RN	R 🛐
	Porcelain Tiles	Light Grey	Rg	R10	R11 (60x60, 20mm thickness)
		Grey	Rg	R10	R11 (60x60, 20mm thickness)
Fashion Stone		Black	Rg	R10	R11 (60x60, 20mm thickness)
		White	Rg	R10	R11 (60x60, 20mm thickness)
		Beige	Rg	R10	R11 (60x60, 20mm thickness)
		Clay	Rg	R10	R11 (60x60, 20mm thickness)

TYPOLOGY





FINISH

Ν

SURFACE STRUCTURE



Tiles with an uneven, irregular surface, with a structure perceptible to the eye and touch.

SURFACE LOOK



Natural looking surface.

INDICATIONS FOR USE





ß

SUGGESTED APPLICATIONS



Residential areas, hotel rooms, bathrooms



COLOUR VARIATIONS

NATURAL

Pressed tiles without further work after firing.

The least amount of shade variation attainable.



LIGHT COMMERCIAL TRAFFIC AREA



Indoor public areas subject to medium pedestrian traffic such as restaurants, bars, offices, shops, hotel public areas, convention rooms.

Outdoor public environments subject to medium pedestrian traffic such as outdoor terraces, stairs, corridors, raised paving, private garden, swimming pool and wellness areas. Always check the slipperiness characteristics according to the intended environment, in conformity with applicable regulations or laws.

LAPPATO

Semi polished/honed products achieved by polishing the tile's surface with an abrasive wheel,

not long enough to attain the luster of a typical polished tile.

In printing, colour of the products may differ slightly from actual, pictures are only for reference.

Contact

RAK CERAMICS P.O. Box 4714, Ras Al Khaimah, United Arab Emirates (U.A.E.) Tel.: +971 7 2467000 Fax: +971 7 2445270 Email : info@rakceramics.com

RAKCERAMICS.COM

