FEDERAL DEMOCRATIC REPUBLIC OF ETHIOPIA CENTRAL STATISTICAL AGENCY

AGRICULTURAL SAMPLE SURVEY 2009/10 [2002 E.C.]

VOLUME II

REPORT ON LIVESTOCK AND LIVESTOCK CHARACTERISTICS (PRIVATE PEASANT HOLDINGS)



ADDIS ABABA FEBRUARY 2010

STATISTICAL BULLETIN 468

| I doit of Contents | Tabl | e of | Content | S |
|--------------------|------|------|---------|---|
|--------------------|------|------|---------|---|

| CHAPTER I.INTRODUCTION AND OBJECTIVES OF THE SURVEY | |
|--|----------------|
| | 1 |
| 1.2 Objectives of the Survey | 2 |
| CHAPTER II.SURVEY METHODOLOGY AND OPERATIONS 2.1 Coverage | 3 3 |
| 2.2 Sampling Frame | 3 |
| 2.3 Sample Design | 3 |
| 2.4 Selection Procedure | 4 |
| 2.5 Basic Concepts and Definitions | 4 |
| 2.6 Field Organization | 6 |
| 2.7 Training of Field Staff | 6 |
| 2.8 Method of Data Collection | 7 |
| 2.9 Data Processing | 7 |
| 2.9.1 Editing, Coding, and Verification | 7 |
| 2.9.2 Data Entry, Cleaning, and Processing | 7 |
| CHAPTER III.SUMMARY OF THE SURVEY RESULTS 3.1 LIVESTOCK NUMBER BY BREED, AGE, SEX, AND PURPOSE | 8 8 |
| | 11 |
| 3.4.1 Milk Production | 26 27 27 |
| 3.7 ANIMAL FEED | 32 |
| 3.8 LIVESTOCK EXTENSION | 35 |
| Statistical Tables | - 69 |
| Appendix II | |

Abbreviations

| CSA | - | Central Statistical Agency |
|------|---|---|
| CV | - | Coefficient of Variation |
| E.C. | - | Ethiopian Calendar |
| EA | - | Enumeration Area |
| NA | - | Not Available |
| SE | - | Standard Error |
| SNNP | - | Southern Nation Nationalities and People's Region |

ii

CHAPTER I INTRODUCTION AND OBJECTIVES OF THE SURVEY

1.1 INTRODUCTION

Ethiopia is believed to have the largest livestock population in Africa. This livestock sector has been contributing considerable portion to the economy of the country, and still promising to rally round the economic development of the country. It is eminent that livestock products and by-products in the form of meat, milk, honey, eggs, cheese, and butter supply ---etc provide mainly the needed animal protein that contribute to the improvement of the nutritional status of the people. Livestock also plays an important role in providing export commodities, such as live animals, hides, and skins to earn foreign exchanges to the country. On the other hand, draught animals provide power for the cultivation of the smallholdings and for crop threshing virtually all over the country and are also essential modes of transport to take holders and their families long-distances, to convey their agricultural products to the market places and bring back their domestic necessities. Livestock as well confer a certain degree of security in times of crop failure, as they are a "near-cash" capital stock. Furthermore, livestock provides farmyard manure that is commonly applied to improve soil fertility and also used as a source of energy.

Due to the very important role that the livestock sector plays in the economy of the country, formulation of development plan regarding the sector is indispensable. It is therefore imperative that livestock development plans and policies should be formulated on the basis of reliable statistical data, and hence, timely and accurate livestock data are required for the formulation, implementation, monitoring, and evaluation of development plans and programs in the sector. These livestock data can be generated mainly using surveys and censuses. In this regard, subsequent surveys and a solitary agricultural census have been carried out by the Central Statistical Agency (CSA) to make available data on livestock. The 2009/10 Annual Agricultural Sample Survey was also conducted to produce these same data so as to keep hold of continuity and update users .

In this report: estimates of livestock that include cattle, sheep, goats, draught animals (horses, mules, donkeys and camels), poultry and beehives were made based on the information obtained from the holders within the sampled agricultural households in rural sedentary areas of the country as to the reference date (November 10, 2009 or Hidar 1, 2002 E.C.) and reference period (November 11, 2008 to November 10, 2009 or Hidar 2, 2001 E.C. to Hidar 1, 2002 E.C.). The report comprises the results obtained from the livestock survey as well as brief discussions made on the results. The survey results at regional levels for the sedentary rural areas are presented in Statistical Tables 3.1 - 3.30. The standard errors (SE) and coefficients of variation (CV) are given in Annex Tables 1 - 10, for some variables.

1.2 OBJECTIVES OF THE SURVEY

The general objective of the livestock survey is to produce data that could be used for development planning and policy formulation regarding the sector, and the specific objectives are to purvey quantitative information on the size and characteristics of livestock in rural sedentary areas at regional level. In order to meet these objectives, data on: livestock number by type, age, sex, purpose and breed; livestock products particularly milk, egg, and honey; livestock diseases and vaccination; and animal feed were collected from sampled agricultural households in rural sedentary areas.

CHAPTER II SURVEY METHODOLOGY AND OPERATIONS

2.1 COVERAGE

The 2009/10 (2002 E.C) Annual Livestock Sample Survey covered the rural agricultural population in all the regions of the country except the non-sedentary population of three zones of Afar & six zones of Somali regions.

To be covered by the survey, a total of 1,660 enumeration areas (EAs) were selected. However, due to various reasons that are beyond control, in 10 EAs the survey could not be successful and hence interrupted. Thus, all in all the survey succeeded to cover 1,650 EAs (99.4%) throughout the regions. The Livestock Sample Survey was conducted on the basis of 30 agricultural households selected from each EA. Regarding the ultimate sampling units, it was intended to cover a total of 49,800 agricultural households, however, 49,738 (99.9%) were actually covered by the survey.

2.2 SAMPLING FRAME

The list containing EAs of all regions and their respective agricultural households obtained from the 1999 E.C Cartographic Census Frame was used as the sampling frame in order to select EAs (Primary Sampling Units). Consequently, all sample EAs were selected from this frame based on the design proposed for the survey. Second stage sampling units, households, on the other hand, were selected from a fresh list of households that were prepared for each EA at the beginning of the survey.

2.3 SAMPLE DESIGN

A two stage stratified cluster sample design was used to select the sample in which the clusters or primary sampling units (PSUs) were enumeration areas and second stage sampling units were households. Regions are considered as domain of estimation for which major findings of the survey are reported.

2.4 SELECTION SCHEME

Enumeration areas from each stratum were selected systematically using probability proportional to size sampling technique; size being number of households of EAs obtained from the 1999 E.C Cartographic Census frame. Within each sample EA 30 agricultural households were selected systematically from the fresh list of households prepared at the beginning of the survey.

Estimation procedure of totals, ratios & sampling error, and the measurement of precision of estimates (CV) are given in Appendix-I. Distribution of sampling units (sampled and covered EAs) by stratum is also presented in Appendix-II.

2.5 BASIC CONCEPTS AND DEFINITIONS

It is thought essential that the definitions used for some key terms in the survey should be laid open and these are given as follows.

Enumeration Area (EA): An enumeration area in rural parts of the Country is a locality that is less than or equal to a farmer's association area and usually consists of 150-200 households.

Households: A household may be either;

a) A one person household, that is a person who makes provision for his own food or other essentials for living without combining with any other person to form part of a multi person household or

b) A multi person household, that is, a group of two or more persons who live together and make common provision for food or other essentials for living. The persons in the group may pool their incomes and have a common budget to greater or lesser extent. They may be related or unrelated persons, or a combination of both.

Agricultural Households: A household is considered an agricultural household when at least one member of the household is engaged in growing crops and /or breeding and raising livestock in private or in partnership with others.

Holder: A holder is a person who exercises management control over the operations of the agricultural holding and takes the major decision regarding the utilization of the available resources. He also has technical and economic responsibility for the holding. He may operate the holding directly as an owner or as a manager.

Under conditions of traditional agricultural holding the holder may be regarded as the person, who with or without help of others, operates land or raises livestock in his own right, i.e. the person who decides on what, when, where and how to grow crops or raise livestock and has right to determine the utilization of the products.

Holding: A holding is all the land and/or livestock kept which is used wholly or partly for agricultural production and is operated as one technical unit by one person alone, or with others, without regard to title, legal form, size or location.

Draught Animal: For this survey, it refers to animals that are engaged in activities such as ploughing, threshing... etc.

Dairy Cow: Refers to any type of cow used to give milk previously and/or provide milk currently or have never given milk before and pregnant now. Heifers are not included in this category.

Milking Cow: Refers to cows actually milked during the year, Nov 11, 2008 to Nov 10, 2009.

Meat Animals: Cattle, sheep, goats, and camels reared only for meat either for home

consumption and/or for sale, are defined as meat animals.

Laying Hens: Refer to all hens and pullets of all types that laid eggs during the reference period, Nov 11, 2008 to Nov 10, 2009.

Other Purposes: Cattle which participate in activities such as transporting and the like other than animals kept for draught, milk and beef purposes are categorized as cattle for other purposes. Moreover, Sheep and Goats that are kept for other purposes other than breeding, wool, meat, and milk production are included in this category.

2.6 FIELD ORGANIZATION

The entire 25 Branch Statistical Offices of the CSA participated in the survey undertaking, especially in organizing the second stage training, in deploying the field staff to their respective sites of assignment, and retrieving completed questionnaires and submitting them to the head office for data processing. They were also responsible in administering the financial and logistic aspect of the survey within the areas of their assignment. In the data collection, enumerators and field supervisors were involved with an average supervisor-enumerator ratio of 1 to 5. To accomplish the data collection operation, all the enumerators were supplied with the necessary survey equipment at the completion of the training. To assist the data collection activities in deployment, supervision, and retrieval of completed questionnaires, reasonably adequate four-wheel vehicles were used.

2.7 TRAINING OF FIELD STAFF

The field staff-training program was carried out in two stages. The first-stage consisted of trainees from the head office, Branch Statistical Office heads, and some of the field supervisors. The training was given for about twelve days at CSA's headquarters in Addis Ababa. Many of these personnel trained in the first-stage

conducted similar training for field supervisors and enumerators for about three weeks in branch offices, which are distributed around the country. During the second-stage training, the field staff were given detailed classroom instruction on the objectives and uses of the survey, concepts and definitions of terms used, interviewing procedures, how to fill questionnaires, ...etc. The enumerators' training also includes a field practice to strengthen the concepts discussed in the classroom.

2.8 METHOD OF DATA COLLECTION

In each selected site, a fresh list of households was prepared and then agricultural households were identified from the list of households. From these identified agricultural households, 30 agricultural households were selected using systematic sampling techniques. Thus, all agricultural holders belonging to each selected agricultural households were interviewed and the appropriate data were collected. The reference date for enumerating livestock, poultry, & beehives was November 10, 2009 (Hidar 1/2002 E.C.).

2.9 DATA PROCESSING

2.9.1 Editing, Coding, and Verification

The editing and coding instruction manuals were prepared, and intensive training was given to the editor-coders. Those trained editors-coders were accomplished the editing and coding tasks. In due course, professional staff members were assigned to facilitate the editing and coding activities and the edited and coded questionnaires were verified by statistical technicians as well as by professionals.

2.9.2 Data Entry, Cleaning, and Processing

The data were entered in personal computers by data encoders using CSpro (Census and Survey Processing system) software. Then the data were checked and cleaned by regular staff members. Finally, the data processing activity was also done by personal computers (PCs) to produce results that were indicated in the tabulation plan.

CHAPTER III SUMMARY OF THE SURVEY RESULTS

3.1 LIVESTOCK NUMBER BY BREED, AGE, SEX, AND PURPOSE

The 2009/10 livestock survey has covered the rural sedentary areas of the country on sample basis. The total number of each type of livestock as well as the numbers disaggregated by breed, age, sex, and purpose possessed by holders on the reference date (November 10, 2009), irrespective of ownership, were recorded by interviewing each holder within the selected agricultural households in the sampled enumeration areas of the country. The numbers also include the livestock belonging to the holding but temporarily away or in transit at the time of the enumeration.

3.1.1 Cattle Population

The estimates of cattle for the rural sedentary areas at country level are presented in Summary Table III.1. As shown on the table, the total cattle population for the country is estimated to be 50.8 million. Out of this total cattle population, the female cattle constitute about 54.87 percent and the remaining 45.13 percent are male cattle.

Regarding age groups, the majority of the cattle population (that is about 63.9 percent) is in the 3 years and less than 10 years age category, with about 28.3 percent female and about 35.6 percent male. Moreover, about 15.92 percent are less than three years and and more than one year, those with age category 10 years and over took small portion i.e. 2.71 percent of the total estimated number of cattle population (also see Fig III.1).

On the other hand, the results obtained indicated that 99.19 percent of the total cattle in the country are local breeds. The remaining are hybrid and exotic breeds that accounted for about 0.72 percent and 0.09 percent, respectively. Moreover, distribution of cattle by purpose is given in the same table. Among cattle aged 3 years and less than 10 years, those used for draught purposes accounted for 25.2 percent and the percentage share of beef cattle is the lowest that is about 0.65 percent. Beef cattle here refer to all cattle reared exclusively for meat that is used either for home consumption or for sale.

| | Total | | Male | | Female | | |
|------------------------------|------------|-------|------------|------|------------|-------|--|
| Age, Breed, and Purpose | Number | % | Number | % | Number | % | |
| Total | 50,884,005 | 100 | 22,962,496 | 45.1 | 27,921,509 | 54.87 | |
| Under 6 months | 5,033,459 | 9.89 | 2,446,645 | 4.81 | 2,586,815 | 5.08 | |
| 6 months - under 1 year | 3,858,534 | 7.58 | 1,812,283 | 3.56 | 2,046,251 | 4.02 | |
| 1 year – under 3 years | 8,098,576 | 15.92 | 3,526,579 | 6.93 | 4,571,997 | 8.99 | |
| 3 years – under 10 years | 32,516,353 | 63.9 | 14,420,383 | 28.3 | 18,095,970 | 35.56 | |
| 10 years and older | 1,377,084 | 2.71 | 756,607 | 1.49 | 620,477 | 1.22 | |
| Cattle by Breed | | | | | | | |
| Total | 50,884,005 | 100 | 22,962,496 | 45.1 | 27,921,509 | 54.87 | |
| Indigenous | 50,473,023 | 99.19 | 22,803,451 | 44.8 | 27,669,572 | 54.38 | |
| Hybrid | 367,452 | 0.72 | 145,440 | 0.29 | 222,012 | 0.44 | |
| Exotic | 43,530 | 0.09 | 13,606 | 0.03 | 29,925 | 0.06 | |
| Aged 3 – 10 Years by Purpose | | | | | | | |
| Total | 32,516,353 | 63.9 | 14,420,383 | 28.3 | 18,095,970 | 35.56 | |
| Used for Milk | 6,727,303 | 13.22 | | | 6,727,303 | 13.22 | |
| Used for Draught | 12,849,282 | 25.25 | 12,717,153 | 25 | 132,129 | 0.26 | |
| Used for Beef | 332,130 | 0.65 | 268,933 | 0.53 | 63,197 | 0.12 | |
| Used for Breeding | 11,082,251 | 21.78 | 944,171 | 1.86 | 10,138,081 | 19.92 | |
| Used for Other | 1,525,386 | 3 | 490,126 | 0.96 | 1,035,260 | 2.03 | |
| Dairy Animals | | | | | | | |
| Dairy Cows | 6,727,303 | 13.22 | | | 6,727,303 | 13.22 | |
| Milking Cows | 9,627,747 | 18.92 | | | 9,627,747 | 18.92 | |

SUMMARY TABLE III.1: Estimated Number of Cattle by Sex, Age, Breed, and Purpose, Ethiopia - 2009/10




FIGURE III.1 DISTRIBUTION OF CATTLE BY AGE AND SEX

Dairy-cows¹ are estimated to be around 6.7 million and milking-cows² are 9.6 million heads during the reference period.

Moreover, cattle population by sex, age, breed, and purpose are presented for each region in the Statistical Tables given at the end of this chapter.

¹A Dairy Cow refers to a cow that is primarily kept for milk and has been milked previously or was being milked at the time of enumeration or has never been milked before but expected to be milked in the future or pregnant at the time of enumeration.

²*A Milking Cow refers to any type of cow that actually milked during the reference period (Nov. 11, 2008 to Nov. 10, 2008).*




FIGURE III.2 - DISTRIBUTION OF CATTLE AGED 3 AND LESS THAN 10 YEARS BY PURPOSE, AND SEX

3.1.2 Sheep And Goat Populations


The estimated numbers and percentage distributions of sheep and goats in the rural sedentary areas of the country are given in Summary Table III.2. As pointed out in this table, about 25.9 million sheep are estimated to be found in the country, out of which about 73.1 percent are females, and about 26.9 percent are males. According to the survey result, the number of goats reported in the country is estimated to be about 21.9 million. Out of these total goats, about 69.17 percent are females and 30.83 percent are males (see Summary Table III. 2 and Fig. III. 3).

SUMMARY TABLE III.2: Estimated Numbers of Sheep and Goats by Sex, Age, Breed,

| | Total | | Male | | Female | ; |
|---|-------------|-------|-----------|------------|------------|------------|
| Age, Breed, and Purpose | Number | % | Number | % | Number | % |
| Total Sheep | 25,979,919 | 100 | 6,988,627 | 26.9 | 18,991,292 | 73.1 |
| Under 6 months | 6,332,749 | 24.38 | 3,119,907 | 12.01 | 3,212,842 | 12.37 |
| 6 months - under 1 year | 2,627,372 | 10.11 | 1,145,455 | 4.41 | 1,481,917 | 5.7 |
| 1 year - under 2 years | 2,694,438 | 10.37 | 984,155 | 3.79 | 1,710,282 | 6.58 |
| 2 years and older | 14,325,360 | 55.14 | 1,739,110 | 6.69 | 12,586,250 | 48.45 |
| Sheep by Breed | | | | | | |
| Total | | | | | 18,991,292 | |
| Indigenous | 25,954,696 | 99.9 | 6,976,987 | 26.86 | 18,977,709 | 73.05 |
| Hybrid | * | * | * | * | 13,025 | 0.05 |
| Exotic | * | * | * | * | * | * |
| Sheep Aged 2 Years and Older | | | | | | |
| by Purpose | 4 4 005 000 | 44 | 4 700 440 | 0.00 | 40 500 050 | 40.45 |
| Total | | | | | 12,586,250 | |
| Used for Mutton | , | | | | , | |
| Used for Wool | 75,079 | | , | | , | |
| Used for Breeding | | | | | 12,396,705 | |
| Used for Other | 124,388 | | | | , | |
| Total Goats | 21,960,706 | | | | 15,189,810 | |
| Under 6 months | | | 2,356,603 | | | |
| 6 months - under 1 year | | | 1,161,585 | | | |
| 1 year - under 2 years | | | | | | |
| 2 years and older | 11,645,651 | 53.03 | 2,250,576 | 10.25 | 9,395,075 | 42.78 |
| Goats by Breed | 04 000 700 | 400 | 0 770 005 | ~~ ~~ | 45 400 040 | 00.47 |
| Total | | | | | 15,189,810 | |
| Indigenous | | | 6,770,369 | 30.83 * | 15,186,360 | 69.15 • |
| Hybrid | 1,639 * | 0.01 | * | * | * | * |
| Exotic | • | ^ | ~ | ^ | ^ | î |
| Goats Aged 2 Years and Older by Purpose | | | | | | |
| Total | 11,645,651 | 53 03 | 2 250 576 | 10 25 | 9,395,075 | 42 78 |
| Used for Milk | | | 2,200,010 | 10.20 | 659,664 | |
| Used for Meat | | | 692,188 | 3.15 | | |
| Used for Breeding | , | | 1,508,076 | | 8,659,713 | |
| Used for Other | | | | | | |
| Used for Other | 00,005 | 0.50 | 30,312 | 0.23 | 29,100 | 0.14 |

and Purpose, Ethiopia - 2009/10

Pertaining to the age distribution of both the sheep and the goats, the largest portions are in the age group of two years and older (55.14 percent and 53.03 percent, in that order). These are followed by the young stock under six months for both sheep and goats i.e. about 24.38 percent and 22.4 percent, correspondingly (see Figure III.3).



With respect to breed, almost all of the sheep and the goats are indigenous (99.9 percent and 99.98 percent, respectively).

Summary Table III.2 also discloses the numbers and percentages of sheep and goats raised for different purposes in the country. The percentages of both sheep and goats kept for mutton and meat are significantly higher for males. Moreover, the data reveals that female sheep and female goats are primarily kept for breeding purposes. Among the sheep flock two years and older (55.14% of the total sheep), 51.87 percent are kept for breeding; about two percent for mutton and less than one percent of them were kept for wool production. Likewise, amid the goat population aged two years and older (53.03% of the total), goats kept for breeding accounted for about 46.3 percent while goats kept for meat accounted for about three percent. The number of female goats kept for milk at country level is estimated to be about 659 thousand, which is 3 percent of the total goats (see Figures III.4 and III.5).





FIGURE III.4 DISTRIBUTION OF SHEEP AGED 2 YEARS AND OLDER BY SEX, AND PURPOSE

FIGURE III.5 DISTRIBUTION OF GOATS AGED 2 YEARS AND OLDER BY SEX, AND PURPOSE



The numbers and percentage distributions of sheep and goats at regional level are given in the *Statistical Tables* and Figure III.9.

3.1.3 Horse, Donkey, Mule And Camel Populations

Summary Table III.3 shows the estimates of horses, donkeys, mules, and camels for the rural sedentary areas of the country for private holdings. As per the survey results, there are about 1.9 million horses, five million donkeys,0.3 million mules, and 0.8 million camels in the sedentary areas of the country.


As indicated in the same table, donkeys are the overwhelming majority compared with the other draught animals. Out of the total donkey population in the country, about 52.12 percent are females and the remaining 47.88 percent are males. With respect to age distribution, the majorities of the horses, donkeys and mules are of the age group 3 years and older. Furthermore, 74.06 percent of the camels are of the age group 4 years and older.

The estimates of these animals by purpose are also given in Summary Table III.3. Among the horses aged 3 years and older, about 1.2 million were used for transportation, 0.14 million were for draught and the remaining 0.22 million were used for other purposes. With regard to donkeys, about 3.4 million were used for transportation whereas about 0.8 million and 0.2 million were used for draught and other purposes, respectively.

| | Total | | Male | | Female | | |
|--------------------------|-------------------|---------------|------------------|---------------|----------|-------|--|
| Age, Breed, and Purpose | Number | % | Number | % | Number | % | |
| Total Horses | 1,995,306 | 100 | 941,347 | 47.18 | 1,053,95 | 52.82 | |
| Under 3 Years | 422,775 | 21.19 | 203,979 | 10.22 | 218,797 | 10.97 | |
| 3 years and older | 1,572,530 | 78.81 | 737,369 | 36.96 | 835,162 | 41.86 | |
| Horses Aged 3 Years and | | | | | | | |
| Older by Purpose | | | | | | | |
| All Uses | 1,572,530 | 78.81 | 737,369 | 36.96 | 835,162 | 41.86 | |
| Transportation | 1,208,433 | 60.56 | 650,147 | 32.58 | 558,286 | 27.98 | |
| Draught | 143,955 | 7.21 | 68,755 | 3.45 | 75,200 | 3.77 | |
| Other Uses | 220,142 | 11.03 | 18,466 | 0.93 | 201,675 | 10.11 | |
| Total Donkeys | 5,715,129 | 100 | 2,736,29 | 47.88 | 2,978,83 | 52.12 | |
| Under 3 Years | 1,216,711 | 21.29 | 603,774 | 10.56 | 612,937 | 10.72 | |
| 3 years and older | 4,498,417 | 78.71 | 2,132,52 | 37.31 | 2,365,89 | 41.4 | |
| Donkeys Aged 3 Years and | | | | | | | |
| Older by Purpose | | | | | | | |
| All Uses | 4,498,417 | 78.71 | 2,132,52 | 37.31 | 2,365,89 | 41.4 | |
| Transportation | 3,478,579 | 60.87 | 1,693,43 | 29.63 | 1,785,14 | 31.24 | |
| Draught | 813,845 | 14.24 | 389,994 | 6.82 | 423,852 | 7.42 | |
| Other Uses | 205,993 | 3.6 | 49,095 | 0.86 | 156,899 | 2.75 | |
| Total Mules | 365,584 | 100 | 177,793 | 48.63 | 187,791 | 51.37 | |
| Under 3 Years | 49,582 | 13.56 | 24,949 | 6.82 | 24,633 | 6.74 | |
| 3 years and older | 316,002 | 86.44 | 152,844 | 41.81 | 163,158 | 44.63 | |
| Mules Aged 3 Years and | ŗ | | , | | , | | |
| Older by Purpose | | | | | | | |
| All Uses | 316,002 | 86.44 | 152,844 | 41.81 | 163,158 | 44.63 | |
| Transportation | 292,492 | 80.01 | 137,660 | 37.65 | 154,832 | 42.35 | |
| Draught | 15,062 | 4.12 | 10,592 | 2.9 | 4,470 | 1.22 | |
| Other Uses | 8,448 | 2.31 | 4,592 | 1.26 | 3,855 | 1.05 | |
| Total Camels | 807,581 | 100 | 273,606 | 33.88 | 533,975 | 66.12 | |
| Under 4 Years | 209,456 | 25.94 | 88,792 | 10.99 | 120,664 | 14.94 | |
| 4 years and older | 598,125 | 74.06 | 184,814 | 22.88 | 413,311 | 51.18 | |
| Camels Aged 4 Years and | | | | | | | |
| Older by Purpose | 500 405 | 74.00 | 101 01 1 | 22.00 | 440.044 | E4 40 | |
| All Uses Meat | 598,125 11,181 | 74.06 1.38 | 184,814 8,673 | 22.88 1.07 | 413,311 | 51.18 | |
| Milk | 239,708 | 29.68 | 0,073 | 1.07 | 239,708 | 29.68 | |
| Transportation | 169,962 | 21.05 | 145,290 | 17.99 | 24,672 | 3.06 | |
| Draught | 10,309 | 1.28 | 8,392 | 1.04 | | | |
| Other Uses | 166,964 | 20.67 | 22,459 | 2.78 | 144,505 | 17.89 | |
| Other Uses | 100,004 | 20.07 | 22,409 | 2.10 | 177,505 | 11.09 | |

SUMMARY TABLE III.3: Estimated Numbers of Horses, Donkeys, Mules, and Camels by Sex, Age, and Purpose, Ethiopia - 2009/10

FIGURE III.6 DISTRIBUTION OF HORSES, DONKEYS, MULES, AND CAMELS BY AGE AND SEX



* Note that for camels the 'Age Categories' are under 4 years and 4 years & older




FIGURE III.7 DISTRIBUTION OF HORSES, DONKEYS, AND MULES BY PURPOSE AND SEX

Considering the purpose of the mules, the data shows that the predominance(80.01%) was used for transportation and very few were intended for draught and other purposes. The survey result also indicates that 29.68 percent of the camels reported were kept for milk, 21.05 percent were for transportation, and only 1.28 percent was for draught purposes. On the other hand, the number of camels kept for meat was about 11 thousand heads (see also Figures III.6 to III.8).





FIGURE III.8 DISTRIBUTION OF CAMELS BY PURPOSE AND SEX

For the regional distributions of draught animals refer to the statistical tables presented at the end of this chapter and Figure III.9.




3.1.4 Poultry Population

Data on poultry population are collected as part of the livestock survey, and the total poultry population at country level is estimated to be about 42 million. In this report, poultry includes cocks, cockerels, pullets, laying hens, non-laying hens and chicks. Consequently, as shown in Summary Table III.4 and Figure III.10, most of the poultry are chicks (36.44 percent), followed by laying hens (33.5 percent). Pullets are estimated to be 4.1 million in the country. Cocks and cockerels are also estimated separately, and are 4.7 million and 2.2 million,

respectively. The others are non-laying hens that make up about 3.4 percent (1.45 million) of the total poultry population in the country. With regard to breed, 96.61 percent, 0.55 percent and 2.84 percent of the total poultry were reported to be indigenous, hybrid and exotic, respectively. For the regional distributions of poultry refer to the statistical tables presented at the end of this chapter.

| | All Number % | | Indigeno | Indigenous | | | Exotic | |
|-----------------|--------------|-------|------------|------------|---------|------|-----------|------|
| Type of Poultry | | | Number | % | Number | % | Number | % |
| All Poultry | 42,053,263 | 100 | 40,627,571 | 96.61 | 231,478 | 0.55 | 1,194,214 | 2.84 |
| Cocks | 4,786,694 | 11.38 | 4,602,222 | 10.94 | 42,594 | 0.1 | 141,877 | 0.34 |
| Cockerels | 2,291,393 | 5.45 | 2,221,212 | 5.28 | 11,853 | 0.03 | 58,328 | 0.14 |
| Pullets | 4,105,852 | 9.76 | 3,960,665 | 9.42 | 36,369 | 0.09 | 108,818 | 0.26 |
| Non-Laying Hens | 1,459,862 | 3.47 | 1,417,969 | 3.37 | 7,889 | 0.02 | 34,004 | 0.08 |
| Chicks | 15,323,056 | 36.44 | 14,967,301 | 35.59 | 16,628 | 0.04 | 339,127 | 0.81 |
| Laying Hens | 14,086,407 | 33.5 | 13,458,202 | 32 | 116,145 | 0.28 | 512,059 | 1.22 |

SUMMARY TABLE III.4: Estimated Number of Poultry by Type and Breed, Ethiopia - 2009/10



3.1.5 Beehive Population

Information on beehives was also collected during the livestock survey. As stated by the Ministry of Agriculture, there are three types of beehives, and these are traditional, intermediate, and modern.

Traditional [Fixed comb] Hive is a hollow structure made of cheap materials like clay, straw, bamboo, false banana leaves, logs, barks of tree, and animal dung. The bees fill all the available space with honeycombs from the top to down wards. The honeycombs cannot be removed since they are attached to the top and the sides of the hive. The honey can be removed only by removing one wall of the hive and breaking or cutting out the honeycomb (Reihard Fichtl and Admasu, 1994; Gezahegn Taddesse, 1993 E.C.).


Intermediate [Transitional] Hive is a long trough-shaped box with sloping sidewalls covered with bars of a fixed width. The hive consists of a bottom board, two sidewalls and front and back walls. One opening is made in the front wall to serve as flight entrance. The cover of the hive can be made from any material, which gives adequate protection against light, sun, and rain (Gezahegn Taddesse, 1993 E.C.; P.Seegeren et al, 1996).

Modern Hive [Hive with Frames] is a brood (offspring) chamber (box) with a fixed bottom board and flight board. In the bottom board there is a ventilation hole of size (15cmx30cm), which can be covered with fine wire mesh or other suitable material. The brood chamber holds ten frames, which are kept separately at the right distance by means of side bar, or nails. Queen excluder (not necessary) placed horizontally on top of the brood chamber (Gezahegn Taddesse, 1993 E.C.; P.Seegeren et al, 1996).


Any type of the above beehives was enumerated if it produced honey at least once during the reference period (November 11, 2008 to November 10, 2009). Accordingly, the result of the survey revealed that a total of about 4.5 million hives is estimated to be found in the rural

sedentary areas of the country. From this total hives, the greater part (96.7 percent) is reported to be traditional (see Summary Table III.5).

| Luiiopia 2 | 1007/10 | |
|-----------------------|-----------|-------|
| Type of Beehive | Number | % |
| All Beehives | 4,598,226 | 100 |
| Traditional Beehives | 4,447,011 | 96.71 |
| Intermediate Beehives | 33,151 | 0.72 |
| Modern Beehives | 118,064 | 2.57 |



SUMMARY TABLE III.5: Estimated Number of Beehives by Type,



For the regional distributions refer to the statistical tables presented at the end of this chapter.

3.2 NUMBERS OF BIRTHS, PURCHASES, AND ACQUIRED ANIMALS BY TYPE (ACQUISITION)

According to the survey result, about 57.3 million chickens, 11.1 million sheep, 9.5 million cattle and 8.6 million goats were born during the reference period in the rural sedentary areas of the country. Females accounted for the greater portions of most of the newly born animals (see Summary Table III.6).

With regard to other acquisitions, households have purchased about 16.2 million animals (either to build their stock or for some other reasons) and acquired about 1.6 million animals through gifts or any other means during the reference period (see Summary Table III.6).

SUMMARY TABLE III.6 Estimated Numbers of Births, Purchases, and Acquired Animals by Type during the Reference Period, Ethiopia - 2009/10

| | N | umber of Birtl | ns | Num | ber of Purch | ases | Acquired by any Other Means | | | |
|----------------------|------------|----------------|------------|-----------|--------------|-----------|--------------------------------|---------|---------|--|
| Type of Livestock | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Cattle | 9,540,559 | 4,588,667 | 4,951,892 | 3,376,501 | 2,014,474 | 1,362,028 | 554,875 | 235,760 | 319,115 | |
| Sheep | 11,155,855 | 5,361,205 | 5,794,651 | 3,521,001 | 1,797,747 | 1,723,254 | 452,947 | 68,966 | 383,980 | |
| Goats | 8,662,714 | 4,032,083 | 4,630,631 | 1,597,004 | 618,556 | 978,448 | 219,637 | 44,520 | 175,117 | |
| Horses | 198,770 | 100,624 | 98,146 | 179,745 | 105,553 | 74,192 | 13,695 | 1,856 | 11,839 | |
| Donkeys | 430,644 | 217,153 | 213,491 | 500,876 | 327,522 | 173,354 | 23,544 | 8,972 | 14,572 | |
| Mules | 19,577 | 8,440 | 11,137 | 46,380 | 20,688 | 25,692 | 2,262 | 2,262 | - | |
| Camels | 99,842 | 45,368 | 54,473 | 24,621 | 20,861 | 3,760 | 1,640 | 733 | 907 | |
| Poultry | 57,318,012 | 27,656,084 | 29,661,928 | 7,316,008 | 3,300,236 | 4,015,772 | 418,830 | 106,941 | 311,889 | |

3.3 NUMBERS OF SALES, SLAUGHTERS, DEATHS, AND OFFERINGS BY TYPE (ATTENUATION)

The estimated numbers of sales, slaughters, deaths and offered animals are indicated in Summary Table III.7. About 10 million chickens, 6 million sheep, 5 million cattle and 4 million goats were sold and about 15.3 million animals (chicken, cattle, sheep, goats and camels) were slaughtered by households during the reference period. The estimated number of deaths is about 37.1 million chicks,4.5 million cattle,6.9 million sheep,4.8 million goats and households have also offered about 1.1 million animals to their relatives or others as gifts.

SUMMARY TABLE III.7 Estimated Numbers of Sales, Slaughters, Deaths, and Offerings by Type during the Reference Period,

| Type of Livestock | | Number of Sales | | | Number of Slaughters | | | Number of Deaths* | | | Offerings | | |
|-------------------|------------|-----------------|-----------|------------|----------------------|-----------|------------|-------------------|------------|---------|-----------|---------|--|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Cattle | 5,236,888 | 3,115,126 | 2,121,762 | 352,009 | 198,309 | 153,700 | 4,529,978 | 1,941,127 | 2,588,851 | 418,187 | 177,721 | 240,466 | |
| Sheep | 6,283,985 | 3,242,163 | 3,041,822 | 3,314,765 | 2,427,347 | 887,418 | 6,963,566 | 2,159,750 | 4,803,816 | 233,207 | 62,396 | 170,811 | |
| Goats | 4,251,167 | 2,144,074 | 2,107,093 | 1,775,170 | 1,201,230 | 573,940 | 4,841,077 | 1,696,766 | 3,144,310 | 201,209 | 68,661 | 132,549 | |
| Horses | 140,721 | 88,588 | 52,134 | | | | 210,326 | 88,109 | 122,218 | 8,487 | 1,466 | 7,021 | |
| Donkeys | 344,773 | 208,141 | 136,631 | | | | 352,357 | 181,204 | 171,154 | 11,329 | 3,592 | 7,737 | |
| Mules | 34,724 | 15,559 | 19,165 | | | | 18,249 | 7,904 | 10,345 | * | * | - | |
| Camels | 63,986 | 49,156 | 14,830 | 5,160 | 2,727 | 2,433 | 62,377 | 20,308 | 42,068 | * | * | * | |
| Poultry | 10,255,532 | 5,531,427 | 4,724,105 | 10,904,517 | 6,811,267 | 4,093,250 | 37,161,451 | 16,928,590 | 20,232,861 | 367,310 | 131,787 | 235,522 | |

Ethiopia - 2009/10

* Includes animals that died from diseases and other causes

3.4 LIVESTOCK PRODUCTS

This section summarizes results on livestock products at country level. The various animal products include milk and milk products, eggs, wool, meat, hides and skins. Although data on such livestock products are not easily obtainable in the Ethiopian traditional agricultural sector, an endeavor was made to collect data on milk and honey productions. The data were collected subjectively from the holders in the sampled households and the results obtained are briefly discussed below.

3.4.1 Milk Production

Estimation of milk production entails three components, namely number of milking cows, number of months milking cows actually milked within the reference period and average milk production per cow per day. Hence, data on these components have been collected and the total milk production in the sedentary areas of the country is estimated by multiplying these three components. However, two basic concepts about milk production should be mentioned here. "Gross production", which includes whole fresh milk actually milked and milk sucked by young animals and also milk fed to other animals. "Net production" consists of whole milk actually milked and milk fed to other animals but excludes milk sucked by young animals. Therefore, in the case of this survey, milk production is estimated based on the concept of "net production", and as indicated in Summary Table III.8, the estimate of total cow milk production for the rural sedentary areas of the country during the reference period, is about 2 .94 billion liters. On the other hand, the estimate of camel milk for the same areas of the country is about 150 million liters.

Data on lactation period and average milk yield per cow per day were also collected. As a result, the average lactation period per cow during the reference period at country level is estimated to be about *six* months, and average milk yield per cow per day is about 1.6 liters. With regard to camel, the average lactation period is about *ten* months whereas the average daily milk yield is about 5 liters in the sedentary areas of the country.

3.4.2 Honey Production

To estimate honey production, number of hives, frequency of honey production and honey production per harvest are required. Therefore, these data were collected from the holders within sampled households in the rural sedentary areas of the country. As a result, the estimate of total honey production is about 41 million kilograms of which the greater portion is harvested from traditional hives (see Summary Table III.8).

As can be seen from the survey data, honey was harvested on average 1.52, 1.86, and 1.56 times during the reference period from traditional, intermediate and modern hives, respectively (see Summary Table III.8).

3.4.3 Egg Production

To estimate egg production, the average number egg laying periods per hen per annum, length of a single egg-laying period per hen, and average number of eggs laid per hen per egg-laying period are required. Therefore, these data were collected from the livestock holders within sampled livestock owned households. As a result, the estimate of total number of eggs produced during the year is about 76 million (Summary Table III.8). Average egg-laying period per hen and average number of eggs laid per hen during the reference period are also estimated for local, hybrid and exotic breeds. Consequently, the average number egg-laying period per hen per year is about four and five for the local, hybrid and exotic breeds, respectively. The average length of a single egg-laying period per hen is estimated to be about 21, 38 and 159 days for local, hybrid and exotic breeds, in that order. The average number of eggs laid per hen per egg- laying period in the country is about 12,33 and 135 eggs, correspondingly (see Summary Table III.8)

SUMMARY TABLE III.8: Milk, Honey, and Egg Production, Ethiopia - 2009/10

| Item | Quantity Pr | oduced and Fi | reque | ency |
|--|-------------|---------------|-------|--------|
| Milk Production | | | | |
| Cow Milk | | | | |
| Average Daily Milk Production (Liters/Cow) | | | | 1.688 |
| Average Lactation Period (Months) | | | | 6 |
| Total Milk Production (Liters) | | 2,94 | 0,21 | 6,526 |
| Camel Milk | | | | |
| Average Daily Milk Production (Liters/Camel) | | | | 5.053 |
| Average Lactation Period (Months) | | | | 10 |
| Total Milk Production (Liters) | | 15 | 0,31 | 5,343 |
| Honey Production | | | | |
| All Types of Beehives (Number) | | | 4,59 | 8,226 |
| Production (Kilograms) | | 4 | 1,52 | 24,967 |
| Average Frequency (Harvests/Year) | | | | 1.53 |
| Traditional Beehives (Number) | | | 4,44 | 7,011 |
| Production (Kilograms) | | 3 | 8,83 | 3,445 |
| Average Frequency (Harvests/Year) | | | | 1.52 |
| Intermediate Beehives (Number) | | | 3 | 3,151 |
| Production (Kilograms) | | | 58 | 80,891 |
| Average Frequency (Harvests/Year) | | | | 1.86 |
| Modern Beehives (Number) | | | 11 | 8,064 |
| Production (Kilograms) | | | 2,11 | 0,631 |
| Average Frequency (Harvests/Year) | | | | 1.56 |
| Egg Production | Indigenous | Hybrid | | Exotic |
| Average Number of Egg-laying Period/Year | 4 | 5 | * | |
| Average Length of a Period (in days) | 21 | 38 | | 159 |
| Average Number of Eggs/Hen/Period | 12 | 33 | | 134 |
| Total Egg Production (Number) | 78,065,930 | * | * | |

3.5 LIVESTOCK VACCINATION, DISEASE, AND TREATMENT

Diseases have numerous negative impacts on productivity of herds i.e. death of animals, loss of weights, slow down growth, poor fertility performance, decrease in physical power and the likes. There have been many ways of fighting against diseases and among these, vaccinations (preventive measures) and treatments (curative measures) are the major ones. However, no efficient fight against disease or disease prevention is possible if descriptive data on prevalence of diseases, vaccinations, and treatments are not available. The availability of these data is also very important to set-up strategies that can assist in preventing and controlling diseases, by and large in improving veterinary services of the country. Hence, it was considered desirable to collect information on vaccinations, treatments, diseases and deaths of animals.

| | | Vaccinated against: | | | | | | | | |
|-------------------|---------------------|----------------------|-----------------------|-----------------------------------|--|-------------------------|-----------|--|--|--|
| Type of Livestock | Total Vaccinated | Anthrax ³ | Blackleg ⁴ | Pleuro- Pneumonia ⁵ | Hemorrhagic Septicemia ⁶ | Rinderpest ⁷ | Others | | | |
| | | | | | | 1,233,54 | | | | |
| Cattle | 14,796,122 | 4,709,580 | 4,893,469 | 1,506,774 | 2,244,017 | 9 | 208,733 | | | |
| Sheep | 4,167,599 | 391,629 | 371,749 | 1,205,484 | 1,046,332 | 92,346 | 1,060,060 | | | |
| Goats | 2,758,930 | 326,898 | 202,376 | 798,949 | 875,502 | * | 489,680 | | | |
| Camels | 93,410 | * | * | * | * | * | 4,668 | | | |

SUMMARY TABLE III.9a: Estimated Number of Vaccinated Livestock by Type, Ethiopia - 2009/10

SUMMARY TABLE III.9b: Estimated Numbers of Livestock Afflicted and Treated, Ethiopia - 2008/09

| Item | Number | % |
|-----------------------------|------------|-------|
| Total Afflicted | 40,187,550 | 100 |
| Cattle | 8,454,729 | 21.04 |
| Sheep | 7,275,541 | 18.1 |
| Goats | 4,963,025 | 12.35 |
| Horses, Donkeys, and Mules. | 908,902 | 2.26 |
| Camels | 87,441 | 0.22 |
| Poultry | 18,497,913 | 46.03 |
| Total Treated | 8,733,744 | 21.73 |
| Cattle | 4,311,038 | 10.73 |
| Sheep | 2,100,809 | 5.23 |
| Goats | 1,056,267 | 2.63 |
| Horses, Donkeys, and Mules. | 350,355 | 0.87 |
| Camels | 18,806 | 0.05 |
| Poultry | 896,470 | 2.23 |

Data on these parameters specifically on numbers of vaccinated, afflicted, and treated animals were therefore collected and the results are shown in Summary Tables III.9a and III.9b. The estimated number of vaccinated animals within the reference period in the rural areas of the country is about 14.7 million. Out of these animals, about 68 percent were cattle followed by sheep, which took about 19 percent share. Goats also accounted for about 12.6 percent of the total vaccinated animals. The survey results also revealed that 93.4 thousand camel was vaccinated during the reference period.

As indicated in Summary Tabel III.9b, about 40 million animals were diseased / afflicted by different types of diseases during the reference period and only 8.7 million of them

³ Anthrax- is an infectious disease of animals especially cattle and sheep that causes skin ulcers and is transmittable to humans by inhalation and through feces and infected meat.

⁴ Blackleg- is an infectious bacterial disease of farm animals that couses swellings on the legs.

⁵ Pleuro-pneumomia – is an infectious bacterial disease of animals mainly cattle that couses cough and fever and is transmittable to other animals easily.

⁶ Hemorrhagic- septicaemia- is an infectious bacterial disease of animals.

were treated. The cattle constituted about 21 percent of the total treated animals in the country and substantial numbers of sheep and goats were treated as well (see Summary Table III.9b). For the regional distributions refer to the statistical tables presented at the end of this chapter.




FIGURE III.12 DISTRIBUTION OF ANIMALS VACCINATED, AFFLICTED, AND TREATED BY TYPE

3.6 NUMBER OF HOLDINGS BY SIZE OF LIVESTOCK⁸

Concerning the number of holdings by size of livestock, the summary results for cattle, sheep, goats, draught animals, and poultry are given in the following tables (Summary Table III.10a - d).

⁷ Rinder pest – is sometimes a fatal viral disease mainly affecting cattle, sheep, and goats that occures chiefly in Africa and Asia.

Most of the holdings, about 52 percent, reported one to four cattle and considerable portion (20 percent) of the holdings possess five to nine cattle. About 19.83 percent of the total holdings were also without cattle during the reference date (Summary Table III.10a).

| Size | Number of Holdings | % |
|-------------------------|--------------------|-------|
| All Holdings | 14,003,803 | 100 |
| Holdings with no Cattle | 2,777,472 | 19.83 |
| 1-2 Head | 3,751,421 | 26.79 |
| 3-4 Head | 3,706,240 | 26.47 |
| 5-9 Head | 2,929,966 | 20.92 |
| 10-19 Head | 709,179 | 5.06 |
| 20-49 Head | 110,253 | 0.79 |
| 50-99 Head | 10,747 | 0.08 |
| 100-199 Head | 5,986 | 0.04 |
| >=200 Head | 2,539 | 0.02 |

Summary Table III.10a: Number of Holdings by Size of Cattle, Ethiopia - 2009/10

The result of the survey also revealed that about 24.34 percent and 17 percent of the total holdings were with one to four head of sheep and goats, in that order. The majority of the holdings, about 62.15 percent and about 72.55 percent have reported no sheep and no goat, correspondingly (see Summary Table III.10b).

| | Ethiopia – 2009/10 | | | | | |
|-------------------------------|--------------------|-------|-------------|-------|--|--|
| | Sheep | Sheep | | Goats | | |
| | Number | | Number | | | |
| Size | Of Holdings | % | of Holdings | % | | |
| All Holdings | 14,003,803 | 100 | 14,003,803 | 100 | | |
| Holdings with no Sheep/Goats. | 8,703,114 | 62.15 | 10,160,328 | 72.55 | | |
| 1-4 Head | 3,408,543 | 24.34 | 2,381,109 | 17 | | |
| 5-9 Head | 1,370,648 | 9.79 | 980,415 | 7 | | |
| 10-49 Head | 505,906 | 3.61 | 458,952 | 3.28 | | |
| 50-99 Head | 11,855 | 0.08 | 13,963 | 0.1 | | |
| 100-199 Head | 3,048 | 0.02 | 6,215 | 0.04 | | |
| 200-499 Head | 689 | * | 2,586 | 0.02 | | |
| >=500 Head | - | - | 235 | * | | |

Summary Table III.10b: Number of Holdings by Sizes of Sheep and Goats,

With regard to drought animals, from the holdings that owned draught animals, most of them were with one to two head. About 98 percent, 97 percent, 91 percent, and 70 percent

⁸ The measures of size used for classification were adapted from FAO recommendation (2005).

of the total holdings were with no camel; no mule, no horse, and no donkey, respectively (see Summary Table III.10c).

| | Horses | | Donkeys | | Mules | | Camels | |
|---------------------------|-----------------------|------|-----------------------|-------|-----------------------|-------|-----------------------|-------|
| Size | Number of Holdings | % | Number of Holdings | % | Number of Holdings | % | Number of Holdings | % |
| All Holdings | 14,003,803 | 100 | 14,003,803 | 100 | 14,003,803 | 100 | 14,003,803 | 100 |
| Holdings with no Animals. | 12,743,792 | 91 | 9,934,645 | 70.94 | 13,664,002 | 97.57 | 13,823,166 | 98.71 |
| 1-2 Head | 1,093,727 | 7.81 | 3,798,309 | 27.12 | 336,986 | 2.41 | 99,593 | 0.71 |
| 3-4 Head | 140,793 | 1.01 | 249,134 | 1.78 | 2,406 | 0.02 | 33,098 | 0.24 |
| 5-9 Head | 24,144 | 0.17 | 19,508 | 0.14 | 409 | * | 27,074 | 0.19 |
| >= 10 Head | 1,347 | 0.01 | 2,207 | 0.02 | - | - | 20,872 | 0.15 |

Summary Table III.10c: Number of Holdings by Size of Draught Animals, Ethiopia - 2009/10

The size of poultry that most holdings reported is the 10 to 49 size group followed by the one to nine size group. Sizeable (44.77 percent) holdings were also without poultry (see Summary Table III.10d).

Summary Table III.10d: Number of Holdings by size of Poultry, Ethiopia - 2009/10

| Etinopia - 2009/10 | | | | |
|--------------------------|--------------------|-------|--|--|
| Size | Number of Holdings | % | | |
| All Holdings | 14,003,803 | 100 | | |
| Holdings with no Poultry | 6,269,815 | 44.77 | | |
| 1-9 Head | 6,465,008 | 46.17 | | |
| 10-49 Head | 1,267,630 | 9.05 | | |
| 50-99 Head | 1,248 | 0.01 | | |
| 100-199 Head | 102 | * | | |
| 200-499 Head | - | - | | |

3.7 ANIMAL FEED

Data on animal feed practices of holders in the rural sedentary areas of the country were gathered to assess the feed utilization experience. For the purpose of this report, animal feeds are classified as green fodder (grazing), crop residue, improved feed, hay, industrial by-products, and other feeds. *Green fodder* is simply pasture grasses; *crop residue* includes harvested by-products (straw and chaff of cereals and pulses, etc.); *improved feed* is like alfalfa; *hay* includes any type of grass, clover etc. cut and dried as fodder; and finally industrial *by-products* are like oil cake (rapeseed cake, nueg cake, sunflower cake, etc.), bran, and brewery residue.

According to the information collected on feed usage experience of holders in the rural areas of the country, green fodder (grazing) is the major type of feed (about 61.92 percent) followed by crops residue that is 27.01 percent. Hay and by-products were also used as animal feeds that comprise about 6.55 and 0.78 percent of the total feeds, respectively. Moreover, as shown in Summary Table III.11 and Figure III.13, very small amount of improved feed (only 0.52 percent) was used as animal feed and other types of feed that accounted for about 3.59 percent were also used in the country.

SUMMARY TABLE III.11: Animal Feed Practices in Ethiopia - 2009/10

| Item | | Percentage |
|----------------------|-------------------|---------------------|
| nom | Number of | from the total feed |
| | Holders Reporting | utilized |
| Total | | 100 |
| Green Fodder/Grazing | 12,294,191 | 61.92 |
| Crops Residue | 10,569,128 | 27.01 |
| Improved Feed | 162,750 | 0.52 |
| Нау | 4,048,369 | 6.55 |
| By-products | 903,056 | 0.78 |
| Others | 3,548,044 | 3.59 |




FIGURE III.13 ANIMAL FEED PRACTICES OF HOLDERS

Summary Table III.11 also highlights the number of holders reported each type of feed. According to the data, about 12 million holders have used green fodder to feed their animals. Significant number of holders (about 10 million) in the rural areas of the country also reported that they used to feed crops residue for their animals. Moreover, about 3.9 million, and about 0.8 million holders have reported to use hay and by-products, respectively. Quite a number of holders (about 3 million) as well reported to use other types of feeds while about 161 thousand holders used improved feed during the reference period.

Sources of animal feeds were also assessed and own holdings were the major source of all types of feeds for the majority of the holders during the reference period. Communual holdings were also observed as the main sources of green fodder for considerable number of holders. Substantial numbers of holders have also purchased different types of feed to nourish their animals (see Summary Table III.12).

Green fodder/ Crops Improved By-Source of Feed Residue Feed products Others Grazing Hay All Sources..... 4,530,270 9,412,617 131,188 2,759,990 465,942 2,318,375 209,937 141,160 21,109 507,613 374,330 656,717 Own Holding..... 3,987,015 121,012 81,991 2,214 53,162 553 Purchased..... 3,323,856 784,019 9,099 648,764 38,459 342,436 Communal Holdings/Government 243,112 110,320 800 50,012 22,112 177,354 From any Two or More Sources... Other Sources.....

SUMMARY TABLE III.12 Estimated Number of Holders Reporting Animal Feed by Source and Type of Feed, Ethiopia - 2009/10

3.8 LIVESTOCK EXTENSION

This section of the survey results elicited information about livestock extension packages practiced by holders during the reference period. As can be seen from Summary Table III.13, a total of about 164.8 thousand holders (about 1 percent of the total holders) were involved in livestock extension packages during the reference period. More than 47,612 of these holders were involved in beef and poultry development packages. About a (one third) of them were engaged in poultry development packages whereas 14.14 % of them have practiced honey and wax development package. Moreover, about 2.33 % of the holders practiced at least two types of packages concurrently within the reference period.

| Type of Livestock Extension Packages | Number of Holders Practiced | % |
|--------------------------------------|--------------------------------|----------|
| Total | 166,334 | 100 |
| Dairy Development Package | 40,496 | 24.3462 |
| Beef/Meat/Mutton Development Package | 47,612 | 28.62433 |
| Poultry Development Package | 50,821 | 30.55358 |
| Honey and Wax Development Package | 23,521 | 14.14083 |
| Two or More of the Packages | 3,884 | 2.335061 |

SUMMARY TABLE III.13 Estimated Number of Holders Practiced Livestock Extension Packages during the Reference Period by Type of Package, Ethiopia - 2009/10

STATISTICAL TABLES PRESENTING RESULTS AT REGION LEVEL

| | | | | ALL L | IVESTOC | K | | | |
|------------------|------------|-----------|-----------|-----------|-----------|---------|---------|------------|-----------|
| Geographic Area | CATTLE | SHEEP | GOATS | HORSES | DONKEYS | MULES | CAMELS | POULTRY | BEEHIVES |
| Ethiopia | 50,884,005 | , , | | 1,995,306 | , , | , | - | 42,053,263 | |
| Tigray | 3,242,931 | 1,149,717 | 2,621,227 | * | 456,093 | 4,920 | 32,288 | 4,266,077 | 195,662 |
| Afar | 550,361 | 603,673 | 960,971 | - | 36,992 | * | 218,430 | 29,369 | * |
| Amhara | 12,746,768 | 8,596,993 | 4,878,462 | 352,648 | 2,108,347 | 127,716 | 34,649 | 12,739,620 | 822,336 |
| Oromia | 22,475,349 | 9,452,831 | 7,346,055 | 1,299,295 | 2,494,536 | 174,676 | 257,322 | 15,336,939 | 2,485,754 |
| Somale | 590,976 | 1,066,657 | 1,508,932 | - | 118,089 | - | 254,839 | 55,752 | 1,852 |
| Benshangul-Gumuz | 421,603 | 89,108 | 335,545 | * | 52,718 | 758 | - | 820,994 | 232,798 |
| SNNP | 10,543,129 | 4,935,092 | 4,057,497 | 335,709 | 424,931 | 57,431 | - | 8,503,564 | 774,980 |
| Gambela | 220,772 | 26,149 | 37,833 | 375 | * | * | - | 210,332 | 83,417 |
| Harari | 45,416 | 5,098 | 41,302 | - | 9,091 | - | * | 39,185 | 731 |
| Dire Dawa | 46,699 | 54,600 | 172,881 | _ | 13,979 | - | 7,821 | 51,431 | 534 |

TABLE 3-1: NUMBER OF LIVESTOCK BY TYPE OF ANIMAL, REGION

TABLE 3-2: NUMBER OF CATTLE BY AGE AND SEX OF ANIMAL, AND REGION

| | | | | | | CATT | LE | | | | |
|-----------------|------------|---------------|------------|---------------|-------------|--------------|------------|-------------|--------------|-------------|--------------|
| Geographic Area | ALL | | | MALE | ļ | | | | FEMALE | | |
| | CATTLE | < 6 Months | 6 Mo < 1yr | 1 yr - <3 yrs | 3 - <10 yrs | 10 yrs &Over | < 6 Months | 6 Mo < 1 yr | 1yr - <3 yrs | 3 - <10 yrs | 10 yrs &Over |
| Ethiopia | 50,884,005 | 2,446,6 | 1,812,2 | 3,526,579 | 14,420,38 | 756,607 | 2,586,815 | 2,046,251 | 4,571,997 | 18,095,970 | 620,477 |
| Tigray | 3,242,931 | 133,804 | 119,977 | 224,886 | 994,304 | 75,118 | 153,851 | 148,448 | 296,062 | 1,046,405 | 50,075 |
| Afar | 550,361 | 27,081 | 20,414 | 19,540 | 38,221 | 2,101 | 43,665 | 39,186 | 60,452 | 289,528 | 10,174 |
| Amhara | 12,746,768 | | | | 4,406,587 | | 545,942 | 425,231 | 941,576 | 3,983,081 | 260,636 |
| Oromia | 22,475,349 | 1,140,8 45 | 792,263 | 1,646,883 | 6,407,406 | 245,604 | 1,169,837 | 876,192 | 2,079,719 | 7,911,361 | 205,239 |
| Somale | 590,976 | | | 37,381 | | | 39,011 | 37,337 | 69,997 | 258,263 | 5,318 |
| Benshangul-Gumz | 421,603 | 16,492 | 21,220 | 35,750 | 108,276 | 7,907 | 21,001 | 22,077 | 44,069 | 136,210 | 8,602 |
| SNNP | 10,543,129 | 568,695 | 415,470 | 656,918 | 2,337,823 | 28,002 | 589,959 | 476,637 | 1,038,506 | 4,358,111 | 73,008 |
| Gambela | 220,772 | 11,883 | 11,526 | * | 27,618 | 3,815 | 18,159 | * | * | 78,123 | 6,141 |
| Harari | 45,416 | 2,222 | 2,026 | 4,763 | 6,874 | * | 2,865 | 2,827 | 5,556 | 17,624 | 635 |
| Dire Dawa | 46,699 | 2,862 | 1,789 | 5,135 | 8,130 | * | 2,526 | 1,747 | 6,556 | 17,264 | 648 |

| | | | | | SHEEP | | | | | |
|------------------|------------|------------|-------------|--------------|-------------|------------|-------------|--------------|-------------|--|
| Geographic Area | ALL | | MA | LE | | FEMALE | | | | |
| | SHEEP | < 6 Months | 6 Mo < 1 yr | 1yr - <2 yrs | 2 yrs &Over | < 6 Months | 6 Mo < 1 yr | 1yr - <2 yrs | 2 yrs &Over | |
| Ethiopia | 25,979,919 | 3,119,907 | 1,145,455 | 984,155 | 1,739,110 | 3,212,842 | 1,481,917 | 1,710,282 | 12,586,250 | |
| Tigray | 1,149,717 | 76,284 | 61,810 | 53,811 | 94,229 | 88,814 | 83,973 | 107,716 | 583,081 | |
| Afar | 603,673 | 36,486 | 26,399 | 23,066 | 50,476 | 52,706 | 45,435 | 64,761 | 304,345 | |
| Amhara | 8,596,993 | 949,481 | 354,080 | 326,365 | 525,038 | 933,488 | 415,404 | 516,937 | 4,576,199 | |
| Oromia | 9,452,831 | 1,405,479 | 411,555 | 306,353 | 410,311 | 1,423,431 | 542,457 | 547,178 | 4,406,068 | |
| Somale | 1,066,657 | 80,757 | 55,719 | 68,392 | 172,146 | 90,803 | 81,146 | 99,781 | 417,913 | |
| Benshangul-Gumuz | 89,108 | 12,651 | 5,452 | 3,059 | 5,761 | 11,956 | 7,293 | 6,797 | 36,139 | |
| SNNP | 4,935,092 | 549,803 | 225,208 | 197,874 | 473,649 | 601,491 | 299,851 | 359,441 | 2,227,774 | |
| Gambela | 26,149 | 3,248 | 1,277 | 1,117 | 3,090 | 3,993 | 1,662 | 1,479 | 10,283 | |
| Harari | 5,098 | 516 | 257 | 517 | 555 | 406 | 347 | 496 | 2,005 | |
| Dire Dawa | 54,600 | 5,202 | 3,699 | 3,602 | 3,855 | 5,755 | 4,350 | 5,695 | 22,443 | |
| | | | | | | | | | | |

TABLE 3-3: NUMBER OF SHEEP BY AGE AND SEX OF ANIMAL, AND REGION

TABLE 3-4: NUMBER OF GOATS BY AGE AND SEX OF ANIMAL, AND REGION

| | | | | | GOATS | | | | | |
|-------------------|------------|------------|---------------|--------------|-------------|------------|---------------|--------------|-------------|--|
| Geographic Area | ALL | | MA | LE | | FEMALE | | | | |
| Scographic i lieu | GOATS | < 6 Months | 6 Mo < 1 yr | 1yr - <2 yrs | 2 yrs &Over | < 6 Months | 6 Mo < 1 yr | 1yr - <2 yrs | 2 yrs &Over | |
| Ethiopia | 21,960,706 | 2,356,603 | 1,161,585 | 1,002,131 | 2,250,576 | 2,562,258 | 1,535,584 | 1,696,893 | 9,395,075 | |
| Tigray | 2,621,227 | 181,804 | 138,935 | 124,356 | 257,530 | 223,049 | 218,118 | 269,585 | 1,207,851 | |
| Afar | 960,971 | 56,496 | 37,954 | 35,202 | 67,813 | 95,489 | 87,598 | 117,507 | 462,911 | |
| Amhara | 4,878,462 | 541,257 | 260,203 | 234,062 | 517,001 | 553,666 | 331,239 | 343,292 | 2,097,740 | |
| Oromia | 7,346,055 | 1,014,689 | 399,437 | 279,177 | 450,090 | 1,056,906 | 488,380 | 471,552 | 3,185,824 | |
| Somale | 1,508,932 | 116,466 | 83,884 | 87,812 | 204,772 | 142,305 | 113,227 | 139,446 | 621,019 | |
| Benshangul-Gumuz | 335,545 | 45,168 | 21,753 | 12,984 | 14,537 | 52,510 | 27,157 | 26,494 | 134,942 | |
| SNNP | 4,057,497 | 375,644 | 202,483 | 214,704 | 720,073 | 408,532 | 249,695 | 304,101 | 1,582,265 | |
| Gambela | 37,833 | 3,970 | 2,222 | 1,543 | 4,486 | 5,626 | 3,717 | 3,678 | 12,591 | |
| Harari | 41,302 | 4,090 | 3,305 | 2,626 | 2,390 | 4,618 | 2,516 | 4,247 | 17,510 | |
| Dire Dawa | 172,881 | 17,020 | 11,408 | 9,665 | 11,884 | 19,557 | 13,935 | 16,990 | 72,423 | |

TABLE 3-5: NUMBER OF HORSES AND DONKEYS BY AGE AND SEX OF ANIMAL,, AND REGION

| | | HORSES AND DONKEYS | | | | | | | | | | |
|------------------|-----------|--------------------|--------------|-----------|--------------|-----------|-----------|--------------|-----------|--------------|--|--|
| Geographic Area | | HORSES | | | | | | DONKEYS | | | | |
| <u>8</u> | ALL | MA | LE | FEM | ALE | ALL | M | ALE | FEM | ALE | | |
| | HORSES | < 3 Years | 3 Yrs & more | < 3 Years | 3 Yrs & more | DONKEYS | < 3 Years | 3 Yrs & more | < 3 Years | 3 Yrs & more | | |
| Ethiopia | 1,995,306 | 203,979 | 737,369 | 218,797 | 835,162 | 5,715,129 | 603,774 | 2,132,521 | 612,937 | 2,365,897 | | |
| Tigray | * | * | * | * | * | 456,093 | 48,293 | 209,257 | 38,867 | 159,677 | | |
| Afar | - | - | - | - | - | 36,992 | 3,708 | 11,361 | 3,005 | 18,917 | | |
| Amhara | 352,648 | 31,167 | 123,613 | 37,862 | 160,006 | 2,108,347 | 248,472 | 689,439 | 271,415 | 899,020 | | |
| Oromia | 1,299,295 | 145,346 | 470,311 | 151,800 | 531,837 | 2,494,536 | 255,681 | 962,328 | 251,876 | 1,024,651 | | |
| Somale | * | - | * | - | - | 118,089 | 15,761 | 44,334 | 11,640 | 46,354 | | |
| Benshangul-Gumuz | * | * | * | - | * | 52,718 | 4,791 | 28,163 | 4,963 | 14,800 | | |
| SNNP | 335,709 | 27,099 | 140,008 | 28,080 | 140,521 | 424,931 | 25,217 | 178,398 | 28,720 | 192,596 | | |
| Gambela | 375 | - | 375 | - | - | * | - | * | - | - | | |
| Harari | - | - | - | - | - | 9,091 | 541 | 5,054 | 548 | 2,949 | | |
| Dire Dawa | - | - | - | - | - | 13,979 | 1,310 | 3,834 | 1,904 | 6,931 | | |

TABLE 3-6: NUMBER OF MULES AND CAMELS BY AGE AND SEX OF ANIMAL, AND REGION

| | | | MULES | | | | | CAMELS | | |
|------------------|-----------|-----------|-------------|-----------|-------------|------------|-----------|-------------|-----------|-------------|
| Geographic Area | | MA | LE | FEMALE | | | MALE | | FEMALE | |
| | | | 3 Years and | | 3 Years and | | | 4 Years and | | 4 Years and |
| | All Mules | < 3 Years | Older | < 3 Years | Older | All Camels | < 4 Years | Older | < 4 Years | Older |
| Ethiopia | 365,584 | 24,949 | 152,844 | 24,633 | 163,158 | 807,581 | 88,792 | 184,814 | 120,664 | 413,311 |
| Tigray | 4,920 | - | 2,323 | - | 2,597 | 32,288 | 2,825 | 29,463 | - | - |
| Afar | * | - | * | - | - | 218,430 | 17,996 | 31,209 | 38,542 | 130,683 |
| Amhara | 127,716 | 11,610 | 44,296 | 13,908 | 57,902 | 34,649 | 6,549 | 28,101 | - | - |
| Oromia | 174,676 | 9,007 | 74,443 | 9,434 | 81,792 | 257,322 | 33,183 | 41,577 | 45,604 | 136,957 |
| Somale | * | - | - | - | * | 254,839 | 26,707 | 51,844 | 34,802 | 141,487 |
| Benshangul-Gumuz | 758 | - | 412 | - | 346 | - | - | - | - | - |
| SNNP | 57,431 | 4,331 | 31,313 | 1,291 | 20,496 | - | - | - | - | - |
| Gambela | * | - | * | - | - | - | - | - | - | - |
| Harari | - | - | - | - | - | * | * | * | * | * |
| Dire Dawa | - | - | - | - | - | 7,821 | 1,211 | 2,406 | 1,249 | 2,955 |

| | | CATTLE AGED 3 – 10 YEARS | | | | | | | | | | | | |
|------------------|----------------|--------------------------|---------|----------|---------|-----------|---------|--------|------------|-----------|--|--|--|--|
| Geographic Area | | | MAL | Æ | | FEMALE | | | | | | | | |
| | Total | Draught | Beef | Breeding | Other | Milk | Draught | Beef | Breeding | Other | | | | |
| Ethiopia | 32,516,35 | 12,717,153 | 268,933 | 944,171 | 490,126 | 6,727,303 | 132,129 | 63,197 | 10,138,081 | 1,035,260 | | | | |
| Tigray | 2,040,710 | 952,444 | 2,704 | 27,881 | 11,277 | 54,211 | 6,836 | 2,131 | 971,066 | 12,161 | | | | |
| Afar | 327,749 | 14,113 | 1,775 | 21,909 | 424 | 150,614 | * ; | * | 133,871 | | | | | |
| Amhara | 8,389,6 | | 35,914 | 66,444 | 106,059 | 358,854 | 77,803 | 12,506 | 3,329,75 | 204,160 | | | | |
| Oromia | 14,318,76 7 | 5,796,690 | 168,634 | 250,728 | 191,354 | 3,336,552 | 33,648 | 24,434 | 4,189,850 | 326,877 | | | | |
| Somale | 343,407 | 60,537 | 7,286 | 14,623 | * | 99,312 | * : | * | 153,640* | | | | | |
| Benshangul-Gumuz | 244,486 | 101,154 | k | 2,155 | 4,491 | 25,020 | 2,657 | * | 103,416 | 4,948 | | | | |
| SNNP | 6,695,934 | 1,576,559 | 46,221 | * | 168,383 | 2,663,545 | 9,778 | 21,677 | 1,188,183 | 474,928 | | | | |
| Gambela | 105,741 | 6,628 | 2,653 | 13,218 | * | 27,758 | * | * | 46,714* | | | | | |
| Harari | 24,498 | 5,007 | 1,532 | * | * | 4,872 | * . | - | 12,029 | 660 | | | | |
| Dire Dawa | 25,394 | 5,852 | 1,739 | 348 | * | 6,566 | * . | - | 9,554 | 1,114 | | | | |

TABLE 3-7: CATTLE AGED 3 - 10 YEARS BY SEX, PURPOSE, AND REGION

TABLE 3-8: SHEEP AGED 2 YEARS AND OLDER BY SEX, PURPOSE, AND REGION

| ~ | | | SHE | EP AGED | 2 YEARS | AND OLD | ER | | | |
|------------------|------------|-------------|-------|-----------|---------|-------------|--------|------------|--------|--|
| Geographic Area | | | MA | LE | | FEMALE | | | | |
| | Total | Mutton/Meat | Wool | Breeding | Other | Mutton/Meat | Wool | Breeding | Other | |
| Ethiopia | 14,325,360 | 586,095 | 7,625 | 1,079,065 | 66,325 | 64,028 | 67,455 | 12,396,705 | 58,063 | |
| Tigray | 677,310 | 4,430 | 2,087 | 85,663 | * | 495 | 8,844 | 572,936 | 805 | |
| Afar | 354,821 | 3,261' | ÷ | 46,756 | * | 748 | 552 | 302,959 | 86 | |
| Amhara | 5,101,238 | 221,456' | ÷ | 264,898 | 36,714 | 14,698 | 17,408 | 4,524,292 | 19,801 | |
| Oromia | 4,816,379 | 160,955' | ÷ | 227,595 | 19,419 | 33,040 | 34,154 | 4,308,525 | 30,349 | |
| Somale | 590,060 | 94,985' | * | 76,860 | * | 10,822 | 1,456 | 405,346 | 289 | |
| Benshangul-Gumuz | 41,900 | 1,846- | | 3,792 | * | 19 | 194 | 35,926 | - | |
| SNNP | 2,701,423 | 97,090* | ŧ | 368,243 | 7,425 | 3,934 | 4,829 | 2,212,279 | 6,733 | |
| Gambela | 13,372 | 439- | | 2,513 | * | 33 | 17 | 10,233 | - | |
| Harari | 2,560 | 461- | | * | * | - | - | 2,005 | - | |
| Dire Dawa | 26,298 | 1,174- | | * | - | 238 | - | 22,205 | - | |

| | | GOATS AGED 2 YEARS AND OLDER | | | | | | | | | | |
|------------------|------------|------------------------------|-----------|----------------|--------|---------|-----------|--------|--|--|--|--|
| Geographic Area | | | MALE | | | | | | | | | |
| | Total | Meat | Breeding | Other | Meat | Milk | Breeding | Other | | | | |
| Ethiopia | 11,645,651 | 692,188 | 1,508,076 | 50,312 | 45,946 | 659,664 | 8,659,713 | 29,753 | | | | |
| Tigray | 1,465,380 | 35,208 | 215,872* | • | * | 4,585 | 1,195,107 | * | | | | |
| Afar | 530,724 | 6,819 | 60,512* | k . | 1,210 | 200,776 | 260,327 | * | | | | |
| Amhara | 2,614,742 | 252,587 | 239,225 | 25,189 | 11,366 | 5,535 | 2,069,270 | 11,570 | | | | |
| Oromia | 3,635,914 | 187,108 | 252,156 | 10,826 | 12,358 | 319,087 | 2,845,460 | 8,918 | | | | |
| Somale | 825,792 | 98,379 | 104,699 | 1,694 | * | 72,778 | 538,974 | * | | | | |
| Benshangul-Gumuz | 149,479 | 2,957 | 10,725* | . . | * | * | 133,542 | * | | | | |
| SNNP | 2,302,338 | 100,403* | | 4,670 | * | 52,315 | 1,518,857 | 3,635 | | | | |
| Gambela | 17,077 | 295 | 4,097* | ŧ | 108 | 675 | 11,773 | * | | | | |
| Harari | 19,900 | 1,918 | 420* | . . | * 3 | * | 16,908 | * | | | | |
| Dire Dawa | 84,307 | 6,514 | 5,370- | - | * | 2,772 | 69,493 | - | | | | |

TABLE 3-9: GOATS AGED 2 YEARS AND OLDER BY SEX, PURPOSE, AND REGION

TABLE 3-10: HORSES AGED 3 YEARS AND OLDER BY SEX, PURPOSE, AND REGION

| | | HO | ORSES AGE | D 3 YEARS | AND OLDE | R | |
|------------------|-----------|----------------|-----------|-----------|----------------|---------|---------|
| Geographic Area | | | | FEMALE | | | |
| | Total | Transportation | Draught | Other | Transportation | Draught | Other |
| Ethiopia | 1,572,530 | 650,147 | 68,755 | 18,466 | 558,286 | 75,200 | 201,675 |
| Tigray | * | * | * | - | * | * | * |
| Afar | - | - | - | - | - | - | - |
| Amhara | 283,619 | 65,611 | 55,771 | * | 43,817 | 58,459 | 57,730 |
| Oromia | 1,002,149 | 457,136 | 7,186 | 5,989 | 414,197 | 8,434 | 109,207 |
| Somale | * | * | - | - | | - | - |
| Benshangul-Gumuz | * | * | - | - | * | * | - |
| SNNP | 280,529 | 124,075 | * | * | 98,012 | 7,907 | 34,602 |
| Gambela | 375 | 375 | - | - | - | - | - |
| Harari | - | - | - | - | - | - | - |
| Dire Dawa | - | - | - | - | - | - | - |

| | | DOI | NKEYS AGI | ED 3 YEAR | S AND OLDI | ER | | | |
|------------------|-----------|----------------|-----------|-----------|----------------|---------|---------|--|--|
| Geographic Area | | | MALE | | | FEMALE | | | |
| | TOTAL | Transportation | Draught | Other | Transportation | Draught | Other | | |
| Ethiopia | 4,498,417 | 1,693,432 | 389,994 | 49,095 | 1,785,146 | 423,852 | 156,899 | | |
| Tigray | 368,934 | 166,401 | 42,697* | * | 120,404 | 38,556* | | | |
| Afar | 30,278 | 11,200* | د × | ŧ | 16,998* | , | 1,806 | | |
| Amhara | 1,588,459 | 489,458 | 188,598 | 11,383 | 559,729 | 243,240 | 96,052 | | |
| Oromia | 1,986,979 | 793,734 | 136,772 | 31,822 | 845,785 | 125,544 | 53,322 | | |
| Somale | 90,688 | 44,210- | . * | ÷ | 45,388* | * | | | |
| Benshangul-Gumuz | 42,964 | 13,647 | 12,262* | ÷ | 11,053 | 3,011* | | | |
| SNNP | 370,995 | 166,800 | 8,351 | 3,247 | 176,866 | 12,267 | 3,463 | | |
| Gambela | * | * - | | | | - | | | |
| Harari | 8,003 | 4,175 | 878- | | 2,334 | 562* | | | |
| Dire Dawa | 10,765 | 3,455 | 379 | | 6,589 | 310* | | | |

TABLE 3-11: DONKEYS AGED 3 YEARS AND OLDER BY SEX, PURPOSE, AND REGION

TABLE 3-12: MULES AGED 3 YEARS AND OLDER BY SEX, PURPOSE, AND REGION

| | | М | ULES AGEI | D 3 YEARS | AND OLDE | R | |
|------------------|---------|----------------|-----------|-----------|----------------|---------|-------|
| Geographic Area | | | MALE | | | FEMALE | |
| | TOTAL | Transportation | Draught | Other | Transportation | Draught | Other |
| Ethiopia | 316,002 | 137,660 | 10,592 | 4,592 | 154,832 | 4,470 | 3,855 |
| Tigray | 4,920 | 2,101 | * - | - | 2,597- | - | |
| Afar | * | * . | | - | | | |
| Amhara | 102,198 | 36,638 | * * | * | 54,862 | 2,578* | |
| Oromia | 156,235 | 70,794 | * * | * | 79,502 | * * | |
| Somale | * | | | - | * | | |
| Benshangul-Gumuz | 758 | 412 | | - | 230 | * | |
| SNNP | 51,809 | 27,658 | * 5 | * | 17,616 | 1,232* | |
| Gambela | * | * | | - | | | |
| Harari | - | | | - | | - | |
| Dire Dawa | - | | | - | | - | |

| | | CAMELS AGED 4 YEARS AND OLDER | | | | | | | | | | |
|------------------|---------|-------------------------------|-------|---------|--------|----------------|--------|------------|---------|---------|--|--|
| Geographic Area | TOTAL | MALE FE | | | | | | FEMALE | EMALE | | | |
| Geographic Area | TOTAL | Transportation | Meat | Draught | Other | Transportation | Meat | Draught | Milk | Others | | |
| Ethiopia | 598,125 | 145,290 | 8,673 | 8,392 | 22,459 | * | 24,672 | * | 239,708 | 144,505 | | |
| Tigray | 29,463 | 23,481 | * | 3,188 | * | - | - | - | - | - | | |
| Afar | 161,892 | 30,340 | * | - | * | - | * | - | 72,642 | 52,720 | | |
| Amhara | 28,101 | 21,641 | * | * | * | - | - | - | - | - | | |
| Oromia | 178,534 | 32,958 | * | * | 6,132 | * | * | * | 100,048 | 23,680 | | |
| Somale | 193,330 | 34,375 | 6,152 | 1,750 | 9,567 | * | 7,974 | ! * | 65,024 | 66,913 | | |
| Benshangul-Gumuz | - | - | - | - | - | - | - | - | - | - | | |
| SNNP | - | - | - | - | - | - | - | - | - | - | | |
| Gambela | - | - | - | - | - | - | - | - | - | - | | |
| Harari | * | * | * | - | - | - | - | - | * | * | | |
| Dire Dawa | 5,361 | 2,307 | * | - | * | - | 998 | 3- | 1,236 | 721 | | |

TABLE 3-13: CAMELS AGED 4 YEARS AND OLDER BY SEX, PURPOSE, AND REGION

TABLE 3-14: NUMBER OF CATTLE BY SEX, BREED, AND REGION

| Geographic Area | | | MALE | | | FEMALE | |
|------------------|------------|----------------------|---------|------------|------------|---------|--------|
| | Total | Indigenous | Hybrid | Exotic | Indigenous | Hybrid | Exotic |
| Ethiopia | 50,884,005 | 22,803,451 | 145,440 | 13,606 | 27,669,572 | 222,012 | 29,925 |
| Tigray | 3,242,931 | 1,539,986 | 7,204 | * | 1,679,097 | 13,125 | 2,619 |
| Afar | 550,361 | 107,045 [°] | * | - | 442,520 | * | * |
| Amhara | 12,746,768 | 6,557,268 | 28,695 | 4,339 | 6,107,543 | 42,501 | 6,422 |
| Oromia | 10,127,447 | 98,630 | 6,924 | 12,089,076 | 137,274 | 15,999 | |
| Somale | 590,976 | 181,050 | - | - | 409,926 | - | - |
| Benshangul-Gumuz | 421,603 | 189,645 | - | - | 231,897 | * | - |
| SNNP | 10,543,129 | 3,995,176 | 10,397 | * | 6,503,629 | 28,119 | 4,472 |
| Gambela | 220,772 | 72,232 | * | - | 148,428 | * | - |
| Harari | 45,416 | 15,644 | * | * | 28,713 | * | * |
| Dire Dawa | 46,699 | 17,957· | - | - | 28,742 | - | - |

| Geographic Area | | | MALE | | | FEMALE | |
|------------------|------------|------------|----------|--------|------------|--------|--------|
| | Total | Indigenous | Hybrid | Exotic | Indigenous | Hybrid | Exotic |
| Ethiopia | 25,979,919 | 6,976,987 | ÷ | * | 18,977,709 | 13,025 | * |
| Tigray | 1,149,717 | 286,134 | | - | 863,583- | | - |
| Afar | 603,673 | 136,426 | | - | 467,247- | | - |
| Amhara | 8,596,993 | 2,143,946 | ŧ. | * | 6,432,341* | ÷ | - |
| Oromia | 9,452,831 | 2,533,104 | ŧ. | - | 6,916,073* | ł | - |
| Somale | 1,066,657 | 377,014· | | - | 689,643- | | - |
| Benshangul-Gumuz | 89,108 | 26,923· | | - | 62,186- | | - |
| SNNP | 4,935,092 | 1,446,535 | | - | 3,487,751* | * | * |
| Gambela | 26,149 | 8,704 | <u>.</u> | * | 17,389- | | * |
| Harari | 5,098 | 1,845 | | - | 3,253- | | - |
| Dire Dawa | 54,600 | 16,357 · | - | - | 38,243- | | - |

TABLE 3-15 NUMBERS OF SHEEP BY SEX, BREED, AND REGION

TABLE 3-16: NUMBER OF GOATS BY SEX, BREED, AND REGION

| Geographic Area | | | MALE | | FEMALE | | | |
|------------------|------------|------------|--------|--------|------------|--------|--------|--|
| | Total | Indigenous | Hybrid | Exotic | Indigenous | Hybrid | Exotic | |
| Ethiopia | 21,960,706 | 6,770,369 | * | * | 15,186,360 | * | * | |
| Tigray | 2,621,227 | 702,624 | - | - | 1,917,086 | * | * | |
| Afar | 960,971 | 197,465 | - | - | 763,505 | - | - | |
| Amhara | 4,878,462 | 1,552,524 | - | - | 3,325,380 | - | * | |
| Oromia | 7,346,055 | 2,143,022 | - | * | 5,201,919 | - | * | |
| Somale | 1,508,932 | 492,934 | - | - | 1,015,998 | | - | |
| Benshangul-Gumuz | 335,545 | 94,443 | - | - | 241,103- | - | - | |
| SNNP | 4,057,497 | 1,512,749 | * | - | 2,543,961 | * | - | |
| Gambela | 37,833 | 12,220 | - | - | 25,613- | - | - | |
| Harari | 41,302 | 12,411 | - | - | 28,891 | - | - | |
| Dire Dawa | 172,881 | 49,977 | - | - | 122,904 | - | - | |

| Geographic Area | Total Poultry | Cocks | Cockerels | Pullets | Non-Laying Hens | Chicks | Laying Hens |
|------------------|---------------|----------|-----------|-----------|--------------------|-----------|-------------|
| Ethiopia | 42,053,263 | | | | | | |
| Tigray | 4,266,077 | 394,067 | 334,576 | 484,898 | 225,914 | 1,613,931 | 1,212,691 |
| Afar | 29,369 | | , | 2,090 | 3,524 | 10,902 | 7,859 |
| Amhara | 12,739,620 | | 572,540 | 1,149,408 | 383,892 | 4,876,295 | 4,351,151 |
| Oromia | 15,336,939 | 1,923,63 | 828,175 | 1,452,045 | 640,177 | 4,967,448 | 5,525,457 |
| Somale | 55,752 | 8,225 | 5,150 | 4,936 | 3,364 | 14,572 | 19,506 |
| Benshangul-Gumuz | 820,994 | 72,287 | 60,804 | 101,935 | 13,644 | 394,268 | 178,056 |
| SNNP | 8,503,564 | 937,630 | 465,289 | 873,079 | 174,520 | 3,349,894 | 2,703,152 |
| Gambela | 210,332 | 29,410 | 19,413 | 27,718 | 11,283 | 75,523 | 46,984 |
| Harari | 39,185 | 5,959 | 2,441 | 4,926 | 1,813 | 10,473 | 13,573 |
| Dire Dawa | 51,431 | 5,516 | 1,640 | 4,817 | 1,729 | 9,749 | 27,979 |

TABLE 3-17: POULTRY INVENTORY BY TYPE, AND REGION a. All

b. Indigenous Breeds

| Geographic Area | Total Poultry | Cocks | Cockerels | Pullets | Non-Laying Hens | Chicks | Laying Hens |
|------------------|------------------|-----------|-----------|-----------|--------------------|------------|-------------|
| Ethiopia | 40,627,571 | 4,602,222 | 2,221,212 | 3,960,665 | 1,417,969 | 14,967,301 | 13,458,202 |
| Tigray | 3,867,841 | 358,332 | 314,648 | 448,203 | 211,632 | 1,492,710 | 1,042,317 |
| Afar | 26,506 | 3,367 | 1,179 | 2,001 | 3,030 | 9,960 | 6,970 |
| Amhara | 12,297,019 | 1,348,634 | 555,638 | 1,105,108 | 372,301 | 4,772,361 | 4,142,977 |
| Oromia | 14,880,253 | 1,852,578 | 803,287 | 1,404,176 | 627,538 | 4,871,314 | 5,321,361 |
| Somale | 55,752 | 8,225 | 5,150 | 4,936 | 3,364 | 14,572 | 19,506 |
| Benshangul-Gumuz | 819,158 | 71,858 | 60,737 | 101,868 | 13,617 | 393,742 | 177,336 |
| SNNP | 8,386,518 | 919,124 | 457,699 | 858,226 | 171,834 | 3,317,313 | 2,662,321 |
| Gambela | 209,198 | 28,993 | 19,166 | 27,511 | 11,217 | 75,523 | 46,787 |
| Harari | 37,815 | 5,880 | 2,340 | 4,724 | 1,813 | 10,426 | 12,632 |
| Dire Dawa | 47,510 | 5,231 | 1,368 | 3,912 | 1,622 | 9,381 | 25,996 |

c. Hybrid

| Geographic Area | Total Poultry | Cocks | Cockerels | Pullets | Non-Laying Hens | Chicks | Laying Hens |
|------------------|---------------|--------------|-----------|---------|--------------------|---------|-------------|
| Ethiopia | 1,194,214 | 141,877 | 58,328 | 108,818 | 34,004 | 339,127 | 512,059 |
| Tigray | 331,403 | 31,340 | 18,937 | 31,055 | 13,427 | 119,359 | 117,286 |
| Afar | * . | - | - | - | * | * | * |
| Amhara | 334,733 | 33,023 | 10,603 | 23,377 | 7,232 | 92,301 | 168,196 |
| Oromia | 436,702 | 66,984 | 24,887 | 45,285 | 10,710 | 95,018 | 193,818 |
| Somale | - | - | - | - | - | - | - |
| Benshangul-Gumuz | * | k | - | - | - | - | * |
| SNNP | 83,440 | 9,648 | 3,175 | 8,365 | * | 30,613 | 29,500 |
| Gambela | * | * | - | * | * | - | * |
| Harari | 1,070 | * | - | - | - | - | 666 |
| Dire Dawa | 2,238 | 219 | * | * | * | - | 1,329 |

d. Exotic Breeds

| Geographic Area | Total Poultry | Cocks | Cockerels | Pullets | Non-Laying Hens | Chicks | Laying Hens |
|------------------|------------------|--------|-----------|---------|--------------------|--------|-------------|
| Ethiopia | 231,478 | 42,594 | 11,853 | 36,369 | 7,889 | 16,628 | |
| Tigray | 66,832 | 4,395 | - | 5,640 | - | - | 53,088 |
| Afar | * * | * | * | * | * | * | * |
| Amhara | 107,868 | 24,670 | 6,304 | 20,924 | - | - | 39,978 |
| Oromia | 19,983 | 4,074 | - | - | - | - | 10,279 |
| Somale | - | - | - | - | - | - | - |
| Benshangul-Gumuz | * * | r | * | * | * | * | * |
| SNNP | 33,607 | 8,858 | 4,414 | 6,488 | * | - | 11,331 |
| Gambela | * * | | * | * | * | - | * |
| Harari | 300* | ÷ | * | * | - | * | 274 |
| Dire Dawa | | - | * | * | - | * | - |

| | All Be | ehives | Tra | ditional Be | ehives | Inte | ermediate B | eehives | М | odern Beeh | ives |
|------------------|--------------------|-------------------------------------|--------------------|------------------------------------|----------------------------------|--------------------|------------------------------------|-------------------------------------|--------------------|------------------------------------|-------------------------------------|
| Geographic Area | Number of hives | Total annual honey production | Number of hives | Avg. frequency of production | Total annual honey production | Number of hives | Avg. frequency of production | Total annual honey production | Number of hives | Avg. frequency of production | Total annual honey production |
| Ethiopia | 4,598,226 | 41,524,967 | 4,447,011 | 1.52 | 38,833,445 | 33,151 | 1.86 | 580,891 | 118,064 | 1.56 | 2,110,631 |
| Tigray | 195,662 | 3,203,088 | 157,496 | 1.47 | 2,382,789 | 3,031 | 1.57 | 29,958 | 35,135 | 1.46 | 790,342 |
| Afar | 161 | * | 161 | * | * | - | - | - | - | - | - |
| Amhara | 822,336 | 7,453,349 | 768,928 | 1.44 | 6,732,865 | 13,225 | 1.91 | 183,424 | 40,183 | 1.34 | 537,061 |
| Oromia | 2,485,754 | 15,825,245 | 2,437,960 | 1.49 | 14,879,636 | 10,935 | 2.2 | * | * | 1.99 | 701,102 |
| Somale | 1,852 | * | 1,852 | 1.89 | * | - | - | - | - | - | - |
| Benshangul-Gumuz | 232,798 | 1,362,948 | 231,597 | 1.28 | 1,337,738 | * | * | * | * | * | * |
| SNNP | 774,980 | 11,794,672 | 764,554 | 1.75 | 11,621,132 | 5,670 | 1.57 | 120,884 | 4,755 | 1.67 | 52,656 |
| Gambella | 83,417 | 1,857,435 | 83,238 | 2.21 | 1,851,222 | * | * | * | * | * | * |
| Harari | 731 | 4,182 | 731 | 1.66 | 4,182 | - | - | - | - | - | - |
| Dire Dawa | 534 | * | 493 | 1.52 | * | * | * | * | - | - | - |

TABLE 3-18: BEEHIVE INVENTORY AND PRODUCTION OF HONEY BY TYPE, AND REGION

TABLE 3 – 19: ESTIMATED NUMBERS OF BIRTHS, PURCHASES, AND ACQUIRED ANIMALS DURING THE REFERENCE PERIOD BY REGION **a. Cattle**

| Geographic Area | Nu | mber of Birt | hs | Number of Purchases | | | Acquired by any Other Means | | |
|------------------|-----------|--------------|-----------|---------------------|-----------|-----------|--------------------------------|---------|---------|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Ethiopia | 9,540,559 | 4,588,667 | 4,951,892 | 3,376,501 | 2,014,474 | 1,362,028 | 554,875 | 235,760 | 319,115 |
| Tigray | 606,495 | 282,496 | 323,999 | 178,607 | 118,066 | 60,542 | 19,255 | 9,816 | 9,438 |
| Afar | 148,321 | 55,759 | 92,562 | 4,229 | 1,510 | 2,719 | 2,371 | 490 | 1,881 |
| Amhara | 1,986,850 | 982,422 | 1,004,429 | 872,726 | 590,833 | 281,893 | 59,632 | 22,784 | 36,848 |
| Oromia | 4,248,041 | 2,060,506 | 2,187,535 | 1,438,245 | 905,643 | 532,602 | 254,439 | 117,084 | 137,355 |
| Somale | 144,031 | 62,713 | 81,318 | 9,387 | 4,295 | 5,092 | 1,866 | 884 | 982 |
| Benshangul-Gumuz | 91,508 | 43,984 | 47,523 | 35,333 | 19,876 | 15,457 | 1,415 | 474 | 941 |
| SNNP | 2,235,942 | 1,068,098 | 1,167,843 | 824,909 | 366,904 | 458,005 | 120,237 | 17,419 | 102,817 |
| Gambela | 59,520 | 23,424 | 36,096 | 9,799 | 5,795 | 4,005 | 2,495 | 831 | 1,665 |
| Harari | 10,370 | 4,312 | 6,058 | 1,759 | 754 | 1,005 | 657 | 137 | 520 |
| Dire Dawa | 9,480 | 4,952 | 4,528 | 1,506 | 798 | 709 | 812 | 284 | 528 |

b. Sheep

| Geographic Area | Nui | mber of Birtl | Births Number of Purchases Acquired by any Other Means | | | | • Other | | |
|-------------------|------------|---------------|--|-----------|-----------|-----------|---------|--------|---------|
| Geographic / lieu | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Ethiopia | 11,155,855 | 5,361,205 | 5,794,651 | 3,521,001 | 1,797,747 | 1,723,254 | 452,947 | 68,966 | 383,980 |
| Tigray | 369,426 | 166,940 | 202,487 | 108,870 | 42,388 | 66,482 | 6,649 | 2,981 | 3,667 |
| Afar | 183,838 | 73,389 | 110,449 | 10,647 | 5,778 | 4,869 | 1,929 | 562 | 1,367 |
| Amhara | 4,084,883 | 2,023,990 | 2,060,893 | 1,720,618 | 997,343 | 723,275 | 161,706 | 24,210 | 137,497 |
| Oromia | 4,347,560 | 2,093,204 | 2,254,357 | 1,105,278 | 559,184 | 546,094 | 156,719 | 21,871 | 134,847 |
| Somale | 312,468 | 136,919 | 175,549 | 11,644 | 5,083 | 6,560 | 3,523 | * | 2,305 |
| Benshangul-Gumuz | 48,631 | 22,804 | 25,827 | 18,690 | 6,381 | 12,309 | 395 | - | 395 |
| SNNP | 1,774,932 | 828,642 | 946,290 | 536,277 | 176,698 | 359,579 | 120,237 | 17,419 | 102,817 |
| Gambela | 10,828 | 4,791 | 6,038 | 6,687 | 3,511 | 3,175 | 720 | 158 | 562 |
| Harari | 1,605 | 783 | 822 | 996 | 657 | 339 | * | * | * |
| Dire Dawa | 21,683 | 9,744 | 11,939 | 1,296 | 723 | 573 | 950 | * | 476 |

c. Goats

| | | | | | | | Acquired by any Other | | | |
|------------------|-----------|--------------|-----------|-----------|---------------|---------|-----------------------|--------|---------|--|
| Geographic Area | Nu | mber of Birt | ns | Nun | nber of Purcl | nases | | Means | | |
| | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Ethiopia | 8,662,714 | 4,032,083 | 4,630,631 | 1,597,004 | 618,556 | 978,448 | 219,637 | 44,520 | 175,117 | |
| Tigray | 922,120 | 388,398 | 533,722 | 142,616 | 42,707 | 99,909 | 5,560 | * | 4,298 | |
| Afar | 301,265 | 106,665 | 194,600 | 13,004 | 6,908 | 6,097 | 4,227 | 1,168 | 3,059 | |
| Amhara | 2,251,727 | 1,100,897 | 1,150,830 | 674,282 | 330,437 | 343,846 | 43,444 | 7,639 | 35,806 | |
| Oromia | 3,163,375 | 1,505,782 | 1,657,594 | 486,708 | 147,598 | 339,111 | 101,474 | 20,120 | 81,355 | |
| Somale | 461,764 | 204,079 | 257,685 | 17,777 | 7,416 | 10,361 | 4,619 | 2,361 | 2,257 | |
| Benshangul-Gumuz | 218,293 | 96,387 | 121,906 | 47,575 | 11,839 | 35,736 | 999 | * | 965 | |
| SNNP | 1,248,093 | 586,910 | 661,183 | 206,064 | 67,076 | 138,988 | 55,811 | 10,976 | 44,835 | |
| Gambela | 15,005 | 5,735 | 9,270 | 2,307 | 889 | 1,418 | * | * | * | |
| Harari | 14,978 | 7,423 | 7,555 | 1,994 | 748 | 1,245 | 690 | * | 605 | |
| Dire Dawa | 66,093 | 29,808 | 36,285 | 4,677 | 2,939 | 1,738 | 1,746 | 506 | 1,240 | |

d. Horses

| | | | | | | | Acquired by any Other | | | |
|------------------|---------|-------------|--------|---------|---------------|--------|-----------------------|-------|--------|--|
| Geographic Area | Nu | mber of Bir | ths | Nun | nber of Purch | nases | | Means | | |
| | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Ethiopia | 198,770 | 100,624 | 98,146 | 179,745 | 105,553 | 74,192 | 13,695 | 1,856 | 11,839 | |
| Tigray | * | * | * | * | * | * | - | - | - | |
| Afar | * | * | * | * | * | * | - | - | - | |
| Amhara | 31,463 | 15,816 | 15,647 | 47,522 | 26,232 | 21,290 | 2,559 | * | 2,143 | |
| Oromia | 136,610 | 69,015 | 67,595 | 100,005 | 59,960 | 40,046 | 8,930 | * | 7,715 | |
| Somale | * | * | * | - | - | - | - | - | - | |
| Benshangul-Gumuz | * | * | * | * | * | * | - | - | - | |
| SNNP | 27,029 | 14,024 | 13,005 | 30,308 | 18,393 | 11,914 | 2,182 | * | 1,982 | |
| Gambela | * | * | - | * | * | * | - | * | - | |
| Harari | - | - | - | - | - | - | - | - | - | |
| Dire Dawa | - | - | - | - | - | - | - | - | - | |

e. Donkeys

| Geographic Area | N | umber of Bi | rths | Nun | nber of Purcl | nases | Acquired by any Other Means | | | |
|------------------|---------|-------------|---------|---------|---------------|---------|--------------------------------|-------|--------|--|
| Geographic Area | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Ethiopia | 430,644 | 217,153 | 213,491 | 500,876 | 327,522 | 173,354 | 23,544 | 8,972 | 14,572 | |
| Tigray | 29,049 | 16,868 | 12,181 | 43,652 | 30,855 | 12,798 | 1,119 | * | * | |
| Afar | 2,631 | 1,297 | 1,334 | * | * | * | * | * | * | |
| Amhara | 175,062 | 87,796 | 87,266 | 186,327 | 121,222 | 65,105 | 4,362 | * | 3,493 | |
| Oromia | 195,509 | 96,749 | 98,760 | 204,477 | 132,817 | 71,660 | 12,090 | 4,648 | 7,441 | |
| Somale | 3,700 | 1,971 | 1,729 | 1,933 | 1,263 | 670 | * | * | * | |
| Benshangul-Gumuz | 4,004 | 2,231 | 1,773 | 12,539 | 8,176 | 4,363 | * | * | - | |
| SNNP | 19,884 | 9,851 | 10,033 | 49,962 | 31,551 | 18,411 | 4,919 | 1,998 | 2,921 | |
| Gambela | - | - | - | * | * | - | * | - | - | |
| Harari | 271 | 161 | * | 202 | 156 | * | * | - | * | |
| Dire Dawa | 534 | 229 | 305 | 221 | * | 169 | 252 | * | * | |

f. Mules

| Coorenatie Area | Num | ber of B | irths | Numb | er of Puro | chases | Acqui | red by an Means | y Other |
|------------------|--------|----------|---------|----------|------------|--------|-------|--------------------|---------|
| Geographic Area | 1 (dil | | ii uiis | 1 (unite | | enases | | means | |
| | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Ethiopia | 19,577 | 8,440 | 11,137 | 46,380 | 20,688 | 25,692 | 2,262 | 2,262 | - |
| Tigray | * | * | - | * | * | * | * | * | - |
| Afar | - | - | | * | * | - | - | - | - |
| Amhara | 4,555 | 1,864 | 2,692 | 21,133 | 7,864 | 13,269 | - | - | - |
| Oromia | 11,059 | 4,680 | 6,380 | 17,258 | 7,706 | 9,552 | * | * | - |
| Somale | * | * | * | - | - | - | - | - | - |
| Benshangul-Gumuz | - | - | - | * | * | * | - | - | - |
| SNNP | 2,886 | * | * | 6,848 | 4,316 | 2,532 | * | * | - |
| Gambela | - | - | - | - | - | - | * | * | - |
| Harari | - | - | - | - | - | - | - | * | - |
| Dire Dawa | - | - | - | - | - | - | - | - | - |

g. Camels

| Geographic Area | Nui | nber of E | Births | Numbe | er of Purc | chases | Acquired by any Other Means | | | |
|------------------|--------|-----------|--------|--------|------------|--------|--------------------------------|------|--------|--|
| | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Ethiopia | 99,842 | 45,368 | 54,473 | 24,621 | 20,861 | 3,760 | 1,640 | 733 | 907 | |
| Tigray | - | - | - | 9,569 | 9,569 | - | * | - | * | |
| Afar | 28,317 | 10,239 | 18,078 | 990 | 604 | 386 | * | * | * | |
| Amhara | - | - | - | 6,258 | 5,866 | * | - | - | - | |
| Oromia | 38,727 | 21,327 | 17,400 | 4,921 | 4,006 | * | * | * | * | |
| Somale | 29,626 | 11,875 | 17,751 | 2,662 | 660 | 2,002 | 559 | * | 274 | |
| Benshangul-Gumuz | - | - | - | - | - | - | - | - | - | |
| SNNP | * | * | * | - | - | - | - | - | - | |
| Gambela Region | - | - | - | - | - | - | - | - | - | |
| Harari | * | * | * | - | - | - | - | - | - | |
| Dire Dawa | 535 | 189 | 347 | 220 | 156 | * | - | - | - | |

h. Poultry

| Geographic Area | Total Number of Births | Total Number of Purchases | Total Acquired by any Other Means |
|------------------|---------------------------|------------------------------|-----------------------------------|
| Ethiopia | 57,318,012 | 7,316,008 | 418,830 |
| Tigray | 6,309,119 | 567,735 | 45,457 |
| Afar | 25,306 | 262,990 | 227 |
| Amhara | 19,895,770 | 3,373,781 | 97,772 |
| Oromia | 18,060,598 | 2,038,428 | 170,765 |
| Somale | 54,010 | 4,244 | 928 |
| Benshangul-Gumuz | 1,632,374 | 126,536 | 2,166 |
| SNNP | 11,020,653 | 1,175,912 | 96,881 |
| Gambela | 233,651 | 21,519 | 2,080 |
| Harari | 36,217 | 1,213 | 380 |
| Dire Dawa | 50,316 | 1,128 | 2,173 |

TABLE 3 – 20: ESTIMATED NUMBERS OF SALES, SLAUGHTERS, DEATHS, AND OFFERED ANIMALS DURING THE REFERENCE PERIOD BY REGION **a. Cattle**

| | N | umber of Sal | es | Num | ber of Slaug | ghters | Nu | mber of Dea | ths | Offerings | | | |
|------------------|-------------------|--------------------|---------------|------------------|--------------|-------------|--------------------|-------------|--------------------|------------------|-------------|------------------|--|
| Geographic Area | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Ethiopia | 5,236,8 88 | 3,115,1 26 | 2,121,7 62 | 352,00 9 | 198,30 9 | 153,70 0 | 870,811 | 372,152 | 498,659 | 418,18 7 | 177,72 1 | 240,46 6 | |
| Tigray | 342,831 | 205,517 | 137,314 | 39,899 | 23,532 | 16,367 | 341,654 | 145,461 | 196,193 | 32,134 | 14,099 | 18,035 | |
| Afar | 39,666 1,139,3 | 20,959 | 18,706 | 9,813 | * | 2,706 | 122,873 | 30,233 | 92,640 | 895 | 305 | 590 | |
| Amhara | 72 2,524,9 | 725,385 1,547,4 | 413,986 | 88,801 127,90 | 47,457 | 41,344 | 890,719 2,079,2 | 410,856 | 479,863 1,157,0 | 43,369 192,56 | 20,499 | 22,870 108,88 | |
| Oromia | 93 | 50 | 977,544 | 0 | 70,062 | 57,838 | 44 | 922,171 | 73 | 9 | 83,680 | 9 | |
| Somale | 55,243 | 37,587 | 17,656 | 3,165 | 2,486 | 679 | 125,658 | 41,464 | 84,195 | 1,251 | * | 528 | |
| Benshangul-Gumuz | 27,381 1,088,2 | 14,129 | 13,251 | 2,666 | 1,332 | 1,334 | 58,882 | 27,621 | 31,261 | 997 143,21 | 643 | * | |
| SNNP | 32 | 551,364 | 536,868 | 79,090 | 45,849 | 33,241 | 890,339 | 355,130 | 535,209 | 1 | 56,615 | 86,596 | |
| Gambela Region | 12,601 | 8,884 | 3,717 | 422 | 256 | 166 | 11,829 | 5,386 | 6,443 | * | * | * | |
| Harari | 3,179 | 1,961 | 1,218 | * | * | * | 2,310 | 800 | 1,511 | 576 | 101 | 475 | |
| Dire Dawa | 3,391 | 1,891 | 1,501 | 123 | 123 | - | 6,470 | 2,006 | 4,464 | 529 | * | 303 | |

b. Sheep

| | N | umber of Sal | es | Num | per of Slaugh | nters | Nu | mber of Dea | ths | | Offerings | |
|------------------|--------------------|-------------------|-------------------|-------------------|-------------------|-----------------|--------------------|---------------|-------------------|-----------------------|---------------------|-----------------------|
| Geographic Area | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Ethiopia | 6,283,9 85 | 3,242,1 63 | 3,041,8 22 | 3,314,7 65 | 2,427,3 47 | 887,41 8 | 6,963,5 66 | 2,159,7 50 | 4,803,8 16 | 233,20 7 331,81 | 62,39 6 89,80 | 170,81 1 242,01 |
| Tigray | 311,432 | 149,014 | 162,419 | 190,314 | 136,426 | 53,888 | 341,654 | 145,461 | 196,193 | 6 | 00,00 | 5 |
| Afar | 130,268 2,323,6 | 73,492 1,133,6 | 56,776 1,189,9 | 20,456 2,077,8 | 13,047 1,495,3 | 7,409 582,55 | 122,873 3,037,7 | 30,233 | 92,640 2,127,6 | 895 | 305 23,99 | 590 |
| Amhara | 01 2,587,0 | 20 1,420,1 | 81 1,166,8 | 98 | 46 | 2 184,38 | 58 2,208,9 | 910,074 | 83 1,485,0 | 92,502 | 2 21,45 | 68,510 |
| Oromia | 32 | 62 | 70 | 762,863 | 578,481 | 2 | 85 | 723,889 | 96 | 74,106 233,20 | 5 62,39 | 52,651 170,81 |
| Somale | 171,396 | 114,844 | 56,552 | 54,310 | 40,428 | 13,882 | 218,997 | 77,026 | 141,972 | 7 | 6 | 1 |
| Benshangul-Gumuz | 16,413 | 7,593 | 8820 | 13,253 | 10,309 | 2,944 | 30,107 | 10,691 | 19,416 | * | * 11,43 | * |
| SNNP | 732,088 | 335,656 | 396,432 | 188,279 | 147,333 | 40,946 | 851,193 | 265,351 | 585,842 | 48,008 | 0 | 36,578 |
| Gambela | 3,379 | 2,086 | 1,293 | 3,396 | 2,620 | 776 | 2,541 | 860 | 1,681 | * | * | * |
| Harari | 1,003 | 643 | 360 | 793 | 718 | * | 388 | * | 281 | * | * | * |
| Dire Dawa | 7,371 | 5,054 | 2,318 | 3,203 | 2,637 | 565 | 11,813 | 3,178 | 8,634 | 544 | * | 354 |

c. Goats

| | N | umber of Sal | es | Numl | ber of Slaugh | iters | Nu | mber of Dea | ths | | Offerings | |
|------------------|---------|--------------|---------|---------|---------------|--------|---------|-------------|---------|--------|-----------|--------|
| Geographic Area | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| | 4,251,1 | 2,144,0 | 2,107,0 | 1,775,1 | 1,201,2 | 573,94 | 4,841,0 | 1,696,7 | 3,144,3 | 201,20 | 68,66 | 132,54 |
| Ethiopia | 67 | 74 | 93 | 70 | 30 | 0 | 77 | 66 | 10 | 9 | 1 | 9 |
| | | | | | | | | | | 554,77 | 153,7 | 401,04 |
| Tigray | 506,341 | 260,300 | 246,042 | 286,901 | 193,012 | 93,889 | 726,477 | 214,685 | 511,793 | 4 | 31 | 3 |
| Afar | 247,360 | 131,964 | 115,396 | 37,566 | 24,395 | 13,171 | 194,842 | 60,632 | 134,211 | 7,290 | 2,352 | 4,937 |
| | 1,130,7 | | | | | 282,04 | 1,570,7 | | | | 15,96 | |
| Amhara | 67 | 537,979 | 592,788 | 852,637 | 570,588 | 9 | 34 | 578,803 | 991,931 | 48,365 | 8 | 32,396 |
| | 1,709,0 | | | | | 126,42 | 1,541,1 | | | | 29,61 | |
| Oromia | 49 | 847,383 | 861,666 | 390,271 | 263,842 | 9 | 21 | 553,793 | 987,328 | 89,558 | 2 | 59,947 |
| Somale | 268,239 | 175,510 | 92,730 | 63,781 | 45,037 | 18,744 | 260,447 | 91,806 | 168,641 | 6,505 | 2,445 | 4,059 |
| | | | | | | | | | | 155,80 | 57,31 | |
| Benshangul-Gumuz | 46,635 | 24,173 | 22,462 | 28,321 | 17,944 | 10,377 | 169,457 | 62,093 | 107,363 | 0 | 3 | 98,487 |
| | | | | | | | | | | | 11,46 | |
| SNNP | 309,904 | 145,932 | 163,972 | 105,402 | 78,369 | 27,032 | 325,609 | 120,528 | 205,081 | 31,660 | 4 | 20,196 |
| Gambela | 2,468 | 1,544 | 924 | 515 | 405 | * | 3,584 | 1,334 | 2,250 | 227 | * | * |
| Harari | 5,084 | 2,690 | 2,394 | 2,594 | 2,407 | 186 | 3,962 | 1,203 | 2,759 | 701 | * | 609 |
| Dire Dawa | 25,318 | 16,599 | 8,719 | 7,181 | 5,228 | 1,953 | 44,843 | 11,890 | 32,954 | 2,456 | 649 | 1,807 |

d. Horses

| | Number of Sales | | | Nun | nber of Dea | ths | Offerings | | | |
|------------------|-----------------|--------|--------|---------|-------------|-------------|-----------|-------|--------|--|
| Geographic Area | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Ethiopia | 140,721 | 88,588 | 52,134 | 210,326 | 88,109 | 122,21 8 | 8,487 | 1,466 | 7,021 | |
| Tigray | 2,956 | 2,184 | * | * | * | * | * | - | * | |
| Afar | * | * | * | * | * | * | * | - | * | |
| Amhara | 27,182 | 16,615 | 10,567 | 42,569 | 15,385 | 27,184 | * | * | * | |
| Oromia | 85,624 | 53,861 | 31,764 | 129,357 | 52,537 | 76,820 | * | * | * | |
| Somale | * | * | * | * | * | * | - | - | - | |
| Benshangul-Gumuz | * | * | * | * | * | * | - | - | - | |
| SNNP | 22,855 | 14,871 | 7,984 | 27,844 | 15,452 | 12,392 | 2,413 | * | 2,220 | |
| Gambela Region | - | - | - | * | * | * | - | - | - | |
| Harari | * | * | - | - | - | - | - | - | - | |
| Dire Dawa | * | * | * | - | - | - | * | - | * | |

e. Donkeys

| | Number of Sales | | | Nu | mber of Dea | ths | Offerings | | | |
|------------------|-----------------|---------|---------|---------|-------------|---------|-----------|-------|--------|--|
| Geographic Area | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Ethiopia | 344,773 | 208,141 | 136,631 | 352,357 | 181,204 | 171,154 | 11,329 | 3,592 | 7,737 | |
| Tigray | 31,094 | 20,709 | 10,385 | 32,350 | 15,280 | 17,070 | * | * | - | |
| Afar | 601 | 494 | * | 2,048 | 1,075 | 974 | - | - | - | |
| Amhara | 129,945 | 71,413 | 58,532 | 126,467 | 67,100 | 59,366 | * | * | * | |
| Oromia | 146,418 | 94,293 | 52,125 | 154,752 | 79,489 | 75,263 | 6,491 | 2,371 | 4,120 | |
| Somale | 2,061 | * | 840 | 3,317 | 1,981 | 1,337 | * | * | * | |
| Benshangul-Gumuz | 2,805 | 1,987 | 818 | 7,794 | 4,757 | 3,038 | * | * | - | |
| SNNP | 31,613 | 17,891 | 13,722 | 24,868 | 11,098 | 13,771 | * | * | * | |
| Gambela Region | * | * | - | * | * | - | - | - | - | |
| Harari | * | * | * | 346 | 288 | * | * | * | - | |
| Dire Dawa | * | * | * | 349 | * | 279 | * | - | * | |

f. Mules

| | N | umber of Sal | es | Nu | mber of Dea | ths | Offerings | | | |
|------------------|--------|--------------|--------|--------|-------------|--------|-----------|------|--------|--|
| Geographic Area | Total | Male | Female | Total | Male | Female | Total | Male | Female | |
| Ethiopia | 34,724 | 15,559 | 19,165 | 18,249 | 7,904 | 10,345 | * | * | - | |
| Tigray | * | * | * | * | - | * | - | - | - | |
| Afar | * | * | - | * | * | - | - | - | - | |
| Amhara | 19,631 | 9,140 | 10,490 | 3,769 | 1,989 | 1,780 | - | - | - | |
| Oromia | 10,135 | 3,239 | 6,896 | 10,846 | 4,232 | 6,614 | * | * | - | |
| Somale | - | - | - | - | - | - | - | - | - | |
| Benshangul-Gumuz | * | * | | | | | - | - | - | |
| SNNP | 4,074 | 2,531 | * | 2,595 | 1,459 | 1,136 | - | - | - | |
| Gambela Region | - | - | - | - | - | - | - | - | - | |
| Harari | - | - | - | - | - | - | - | - | - | |
| Dire Dawa | - | - | - | - | - | - | - | - | - | |

g. Camels

| | Number of Sales | | Num | ber of Slau | ghters | Nu | mber of De | aths | | Offering | s | |
|------------------|-----------------|--------|--------|-------------|--------|--------|------------|--------|--------|----------|------|--------|
| Geographic Area | Total | Male | Female | Total | Male | Female | Total | Male | Female | Total | Male | Female |
| Ethiopia | 63,986 | 49,156 | 14,830 | 5,160 | 2,727 | 2,433 | 62,377 | 20,308 | 42,068 | * | * | * |
| Tigray | 6,852 | 6,852 | - | - | - | - | 2,561 | 2,310 | * | - | - | - |
| Afar | 7,976 | 5,786 | * | 1,979 | * | 758 | 23,256 | 4,717 | 18,538 | * | * | * |
| Amhara | 8,862 | 8,519 | * | - | - | - | 2,517 | 2,031 | * | - | - | - |
| Oromia | 29,320 | 20,335 | 8,985 | * | * | * | 20,438 | 6,131 | 14,307 | * | * | - |
| Somale | 10,752 | 7,573 | 3,179 | 1,697 | 1,145 | 552 | 12,540 | 4,438 | 8,102 | * | * | - |
| Benshangul-Gumuz | - | - | - | - | - | - | * | * | * | - | - | - |
| SNNP | - | - | - | - | - | - | * | * | - | * | * | * |
| Gambela Region | - | - | - | - | - | - | - | - | - | - | - | - |
| Harari | * | * | - | - | - | - | * | * | - | - | - | - |
| Dire Dawa | 154 | * | 133 | - | - | - | 495 | 256 | * | - | - | - |

h. Poultry

| Geographic Area | Total Number of Sales | Total Number of Slaughters | Total Number of Deaths | Offerings |
|----------------------|--------------------------|-------------------------------|---------------------------|-----------|
| Ethiopia | 10,255,532 | 10,904,517 | 37,161,451 | 367,310 |
| Tigray | 1,512,565 | 2,256,601 | 3,062,506 | 78,890 |
| Afar | 2,720 | 4,432 | 17,314 | * |
| Amhara | 3,894,457 | 5,271,941 | 13,226,932 | 81,319 |
| Oromia | 3,313,679 | 2,294,332 | 13,226,932 | 119,442 |
| Somale | 12,077 | 2,874 | 49,569 | * |
| Benshangul- Gumuz | 172,983 | 208,880 | 1,087,725 | 6,850 |
| SNNP | 1,310,713 | 844,378 | 7,965,974 | 77,526 |
| Gambela | 22,420 | 19,415 | 156,287 | 1,097 |
| Harari Dira Dawa | 8,439 | 1,450 | 24,648 | 954 |
| Dire Dawa | 5,480 | * | 41,873 | 547 |

TABLE 3-21: NUMBER OF DAIRY ANIMALS, MILK PRODUCTION, AND LACTATION PERIOD BY REGION

| Geographic Area | Number of Dairy Cows | Number of Milking Cows | Average Daily Milk Prod. | Average Lactation Period (Months) | Total Milk Production (Lt) | Number of Dairy Camels | Number of Milking Camels | Milk | Average Lactation Period (Months) | Total Milk Production (Lt) |
|------------------|----------------------------|------------------------------|--------------------------------|--|-------------------------------|------------------------------|--------------------------------|-------|--|-------------------------------|
| Ethiopia | 6,727,303 | 9,627,747 | 1.688 | 6 | 2,940,216,526 | 239,708 | 143,087 | 5.053 | 10 | 150,315,343 |
| Tigray | 54,211 | 592,757 | 1.291 | 6 | 155,429,348 | - | - | * | - | - |
| Afar | 150,614 | 128,042 | 2.636 | 6 | 79,738,518 | 72,642 | 34,035 | 4.656 | 9 | 49,275,840 |
| Amhara | 358,854 | 2,150,823 | 2.131 | 6 | 634,109,344 | - | * | - | - | - |
| Oromia | 3,336,552 | 4,395,333 | 1.503 | 6 | 1,308,958,104 | 100,048 | 64,675 | * | 10 | 55,297,340 |
| Somale | 99,312 | 138,569 | 1.601 | 6 | 41,318,417 | 65,024 | 40,412 | 3.657 | 10 | 44,115,537 |
| Benshangul-Gumuz | 25,020 | 85,517 | 1.249 | 7 | 24,219,827 | - | - | - | * | - |
| SNNP | 2,663,545 | 2,076,458 | 1.65 | 6 | 667,561,669 | - | - | * | - | - |
| Gambela | 27,758 | 38,436 | 2.11 | 6 | 21,616,465 | - | - | - | - | - |
| Harari | 4,872 | 11,132 | 2.09- | 6 | 4,621,620 | * | * | * | * | * |
| Dire Dawa | 2,663,545 | 2,076,458 | 1.481 | 5 | 2,643,214 | 1,236 | 1,136 | 2.891 | 10 | 948,571 |

| a. muigenous | Diceas | | | | |
|------------------|-------------------|---|----------------------------------|--|-------------------------------------|
| Geographic Area | Total Laying Hens | Average Number of Egg-laying period/Year | Average Length of a Period | Average Number of Eggs /Hen /Period | Total Egg Production (Number) |
| Ethiopia | 13,458,202 | 4 | 21 | 12 | 78,065,930 |
| Tigray | 1,042,317 | 5 | 22 | 13 | 7,735,336 |
| Afar | 6,970 | 6 | 21 | 12 | 60,799 |
| Amhara | 4,142,977 | 4 | 21 | 12 | 25,749,751 |
| Oromia | 5,321,361 | 4 | 21 | 12 | 31,275,830 |
| Somale | 19,506 | 4 | 16 | 12 | 106,819 |
| Benshangul-Gumuz | 177,336 | 3 | 18 | 11 | 736,616 |
| SNNP | 2,662,321 | 4 | 19 | 11 | 11,996,046 |
| Gambela | 46,787 | 3 | 17 | 12 | 200,055 |
| Harari | 12,632 | 4 | 19 | 11 | 66,043 |
| Dire Dawa | 25,996 | 5 | 18 | 10 | 138,635 |

a. Indigenous Breeds

b. Hybrid

| Geographic Area | Total Laying Hens | Average Number of Egg-laying period/Year | Average Length of a Period | Average Number of Eggs /Hen /Period | Total Egg Production (Number) |
|------------------|-------------------|---|----------------------------------|--|-------------------------------------|
| Ethiopia | 512,059 | 5 | 38 | 33 | * |
| Tigray | 117,286 | 5 | 45 | 43 | 1,697,561 |
| Afar | * | * | * | * | * |
| Amhara | 168,196 | 6 | 33 | 27 | * |
| Oromia | 193,818 | 4 | 39 | 34 | 2,096,074 |
| Somale | - | * | * | * | * |
| Benshangul-Gumuz | * | 4 | 20 | 17 | * |
| SNNP | 29,500 | 4 | 35 | 32 | 354,644 |
| Gambela | * | * | 27 | 22 | * |
| Harari | 666 | 3 | * | * | 9,242 |
| Dire Dawa | 1,329 | 6 | 21 | 16 | 12,277 |

| c. Exotic Breeds | | | | | |
|------------------|----------------------|---|----------------------------------|--|-------------------------------------|
| Geographic Area | Total Laying Hens | Average Number of Egg-laying period/Year | Average Length of a Period | Average Number of Eggs /Hen /Period | Total Egg Production (Number) |
| Ethiopia | 116,145 | * | 159 | 134 | * |
| Tigray | 53,088 | * | 216 | 195 | * |
| Afar | * | - | - | - | - |
| Amhara | 39,978 | * | 133 | 100 | * |
| Oromia | 10,279 | * | 98 | 71 | - |
| Somale | - | - | * | * | - |
| Benshangul-Gumuz | * | - | * | * | - |
| SNNP | 11,331 | * | 105 | 98 | - |
| Gambela | * | * | * | * | * |
| Harari | 274 | - | 102 | 98 | - |
| Dire Dawa | * | - | * | * | - |

TABLE 3-23: ESTIMATED NUMBER OF VACCINATED LIVESTOCK BY REGION a. Cattle

| | | | | Vaccinated | against: | | |
|------------------|---------------------|-----------|-----------|----------------------|---------------------------|------------|-----------|
| Geographic Area | Total Vaccinated | Anthrax | Blackleg | Pleuro- Pneumonia | Hemorrhagic Septicemia | Rinderpest | Others |
| Ethiopia | 14,796,122 | 4,709,580 | 4,893,469 | 1,506,774 | 2,244,017 | - | 1,442,282 |
| Tigray | 1,837,917 | 691,165 | 620,138 | 273,085 | 132,987 | - | 109,880 |
| Afar | * | * | * | * | - | - | * |
| Amhara | 2,759,444 | 1,113,332 | 753,053 | 295,244 | 79,263 | - | 418,693 |
| Oromia | 7,225,243 | 2,043,011 | 2,413,475 | 635,405 | 1,553,626 | | 579,725 |
| Somale | 79,030 | * | * | * | - | - | - |
| Benshangul-Gumuz | 180,243 | 11,208 | 89,911 | 10,356 | 66,862 | - | * |
| SNNP | 2,656,947 | 817,807 | 1,010,811 | 242,595 | 378,401 | * | 204,899 |
| Gambela | 13,132 | 6,005 | 555 | 3,306 | * | - | * |
| Harari | 7,475 | 3,085 | * | * | * | - | * |
| Dire Dawa | 21,005 | 5,286 | 4,493 | * | 5,325 | * | * |

<u>Remark:</u>The data on render pest is corrected because it was eradicated in 2008. This data was collected from hoders in the selected household due to misunderstanding of concepts .

b. Sheep

| | | Vaccinated against: | | | | | |
|------------------|---------------------|---------------------|----------|----------------------|---------------------------|------------|-----------|
| Geographic Area | Total Vaccinated | Anthrax | Blackleg | Pleuro- Pneumonia | Hemorrhagic Septicemia | Rinderpest | Others |
| Ethiopia | 4,167,599 | 391,629 | 371,749 | 1,205,484 | 1,046,332 | | 1,172,428 |
| Tigray | 627,831 | 41,138 | 55,543 | 88,184 | 404,363 | * | * |
| Afar | * | * | * | * | - | - | * |
| Amhara | 2,264,793 | 166,289 | 205,080 | 622,698 | 304,914 | | 965,817 |
| Oromia | 895,793 | 125,953 | 76,630 | 400,942 | 189,010 | | 103,259 |
| Somale | 128,038 | * | * | 40,181 | * | - | * |
| Benshangul-Gumuz | 7,127 | * | * | * | - | - | * |
| SNNP | 200,710 | 34,667 | 26,026 | 43,081 | 78,611 | * | * |
| Gambela | * | * | * | * | - | * | * |
| Harari | * | - | - | - | - | - | * |
| Dire Dawa | * | * | * | * | * | * | * |

<u>Remark:</u>The data on render pest is corrected because it was eradicated in 2008. This data was collected from hoders in the selected household due to misunderstanding of concepts .

c. Goats

| | | | | Vaccinated | l against: | | |
|------------------|---------------------|---------|----------|----------------------|---------------------------|------------|---------|
| Geographic Area | Total Vaccinated | Anthrax | Blackleg | Pleuro- Pneumonia | Hemorrhagic Septicemia | Rinderpest | Others |
| Ethiopia | 2,758,930 | 326,898 | 202,376 | 798,949 | 875,502 | * | 489,680 |
| Tigray | 897,645 | 60,514 | 81,839 | 48,262 | 592,922 | * | 112,947 |
| Afar | * | * | * | 5,473 | - | - | - |
| Amhara | 567,310 | 112,321 | 28,027 | 120,747 | 52,557 | * | 201,749 |
| Oromia | 810,711 | 106,005 | 67,855 | 448,607 | 71,627 | * | 104,294 |
| Somale | 265,583 | * | * | 97,710 | * | - | * |
| Benshangul-Gumuz | * | * | * | * | * | - | * |
| SNNP | 59,088 | 9,506 | * | * | 14,504 | - | 7,694 |
| Gambela | * | * | * | * | * | * | * |
| Harari | * | * | - | - | - | - | * |
| Dire Dawa | * | * | * | * | 32,035 | * | * |

d. Camels

| | | | | Vaccinated | l against: | | |
|------------------|---------------------|---------|----------|----------------------|---------------------------|------------|--------|
| Geographic Area | Total Vaccinated | Anthrax | Blackleg | Pleuro- Pneumonia | Hemorrhagic Septicemia | Rinderpest | Others |
| Ethiopia | - | - | - | - | - | - | - |
| Tigray | - | - | - | - | - | - | - |
| Afar | - | - | - | - | - | - | - |
| Amhara | - | - | - | - | - | - | - |
| Oromia | - | - | - | - | - | - | - |
| Somale | - | - | - | - | - | - | - |
| Benshangul-Gumuz | - | - | - | - | - | - | - |
| SNNP | - | - | - | - | - | - | - |
| Gambela | - | - | - | - | - | - | - |
| Harari | - | - | - | - | - | - | - |
| Dire Dawa | - | - | - | - | - | - | - |

<u>Remark:</u>;The data on render pest is corrected because it was eradicated in 2008.This data was collected from hoders in the selected household due to misunderstanding of concepts .

TABLE 3-24: ESTIMATED NUMBER OF LIVESTOCK AFFLICTED/DISEASED BY REGION

| Geographic Area | Cattle | Sheep | Goats | Draught | Camels | Poultry |
|------------------|-----------|-----------|-----------|---------|--------|-----------|
| | | | | Animals | | |
| | | | | | | 18,497,91 |
| Ethiopia | 8,454,729 | 7,275,541 | 4,963,025 | 908,902 | 87,441 | 3 |
| Tigray | 474,887 | 390,392 | 780,051 | 41,172 | 3,112 | 1,717,362 |
| Afar | 129,487 | 131,456 | 201,358 | 3,106 | 16,916 | 14,196 |
| Amhara | 1,743,235 | 3,159,275 | 1,477,462 | 269,743 | 4,732 | 6,043,257 |
| Oromia | 4,098,335 | 2,398,128 | 1,592,359 | 483,816 | 40,851 | 6,706,667 |
| Somale | 113,926 | 178,536 | 219,353 | 4,433 | 20,748 | 24,551 |
| Benshangul-Gumuz | 183,126 | 36,781 | 217,025 | 19,375 | - | 746,491 |
| SNNP | 1,675,940 | 964,915 | 428,293 | 85,703 | * | 3,140,865 |
| Gambela | 22,861 | 3,300 | 3,936 | * | - | 93,724 |
| Harari | 4,434 | 218 | 3,577 | 616 | * | 3,359 |
| Dire Dawa | 8,498 | 12,540 | 39,612 | 825 | 845 | 7,440 |
| | | | | | | |

Note: Draught animals in this table refer to Horses, Donkeys, and Mules.

| Geographic Area | Cattle | Sheep | Goats | Draught Animals | Camels | Poultry |
|------------------|-----------|-----------|-----------|--------------------|--------|---------|
| Ethiopia | 4,311,038 | 2,100,809 | 1,056,267 | 350,355 | 18,806 | 896,470 |
| Tigray | 231,067 | 150,418 | 248,477 | 11,615 | 2,853 | 96,282 |
| Afar | 2,307 | 3,066 | 7,657 | * | * | * |
| Amhara | 961,367 | 1,161,218 | 309,934 | 105,674 | 2,359 | 221,009 |
| Oromia | 2,200,707 | 632,013 | 315,828 | 198,400 | 8,918 | 500,173 |
| Somale | * | 31,391 | 28,315 | 1,027 | 4,160 | - |
| Benshangul-Gumuz | 116,228 | 10,617 | 61,935 | 8,469 | - | 13,801 |
| SNNP | 747,844 | 110,589 | 78,986 | 24,413 | * | 63,801 |
| Gambela | 8,693 | 946 | * | * | - | 942 |
| Harari | 1,515 | * | 1,022 | 330 | * | - |
| Dire Dawa | 1,634 | 499 | 2,978 | * | * | * |

TABLE 3-25: ESTIMATED NUMBER OF LIVESTOCK TREATED BY REGION

TABLE 3-26- a: ESTIMATED NUMBER OF LIVESTOCK DIED FROM DISEASE BY REGION

| Geographic Area | Cattle | Sheep | Goats | Horses | Donkeys | Mules | Camels | Poultry |
|-----------------|-----------|-----------|-----------|---------|---------|--------|--------|------------|
| Ethiopia | 3,659,167 | 5,827,590 | 3,777,540 | 176,419 | 294,763 | 15,227 | 49,756 | 18,133,711 |
| Tigray | 239,379 | 331,816 | 554,774 | * | 22,255 | * | 1,788 | 1,586,966 |
| Afar | 113,112 | 112,187 | 164,754 | * | 1,825 | - | 19,699 | 12,501 |
| Amhara | 659,182 | 2,687,201 | 1,240,628 | 36,341 | 108,589 | 3,367 | * | 6,317,334 |
| Oromia | 1,724,756 | 1,810,497 | 1,221,383 | 109,793 | 130,506 | 8,692 | 17,188 | 6,410,168 |
| Somale | 58,037 | 95,877 | 130,959 | * | 2,533 | - | 8,688 | 20,642 |
| Benshangul- | | | | | | | | |
| Gumuz | 52,892 | 26,102 | 155,800 | * | 7,406 | 279 | * | 707,210 |
| SNNP | 794,199 | 751,809 | 270,247 | 21,731 | 21,008 | 2,324 | * | 2,974,121 |
| Gambela | 10,290 | 2,004 | 2,791 | * | * | - | - | 94,652 |
| Harari | 1,985 | 289 | 2,804 | - | 325 | - | * | 2,999 |
| Dire Dawa | 5,334 | 9,808 | 33,400 | - | 250 | - | * | 7,121 |

| TABLE 3-26- b: ESTIMATED NUMBER OF LIVESTOCK DIED FROM OTHER CAUSES |
|---|
| BY REGION |

| Geographic Area | Cattle | Sheep | Goats | Horses | Donkeys | Mules | Camels | Poultry |
|------------------|---------|-----------|-----------|--------|---------|-------|--------|------------|
| Ethiopia | 870,811 | 1,135,976 | 1,063,537 | 33,907 | 57,594 | 3,022 | 12,620 | 19,027,740 |
| Tigray | 102,275 | 139,055 | 171,703 | * | 10,095 | * | * | 1,475,540 |
| Afar | 9,762 | 18,727 | 30,088 | * | * | * | * | * |
| Amhara | 231,537 | 350,556 | 330,105 | 6,228 | 17,878 | * | * | 5,211,289 |
| Oromia | 354,487 | 398,488 | 319,738 | 19,564 | 24,246 | 2,155 | * | 6,816,765 |
| Somale | 67,621 | 123,120 | 129,489 | * | 785 | - | 3,853 | 28,928 |
| Benshangul-Gumuz | 5,991 | 4,005 | 13,656 | - | 389 | - | - | 380,515 |
| SNNP | 96,140 | 99,383 | 55,363 | 6,114 | 3,860 | * | - | 4,991,853 |
| Gambela | 1,538 | 537 | 793 | - | - | - | - | 61,636 |
| Harari | 325 | * | 1,158 | - | * | - | - | 21,649 |
| Dire Dawa | 1,135 | 2,005 | 11,444 | - | * | - | 153 | 34,753 |

TABLE 3 -27- a: NUMBER OF HOLDINGS BY SIZE OF CATTLE

| Geographic Area | Holdings with no cattle | 1-2 Head | 3-4 Head | 5-9 Head | 10-19 Head | 20-49 Head | 50-99 Head | 100-199 Head | >=200 Head |
|------------------|----------------------------|-----------|-----------|-----------|------------|------------|------------|-----------------|------------|
| Ethiopia | 2,777,472 | 3,751,421 | 3,706,240 | 2,929,966 | 709,179 | 110,253 | 10,747 | 5,986 | 2,539 |
| Tigray | 191,890 | 219,771 | 254,041 | 181,191 | 49,526 | 9,836 | - | 99 | - |
| Afar | 14,030 | 3,435 | 5,115 | 7,904 | 9,045 | 8,519 | 1,358 | 215 | - |
| Amhara | 753,048 | 1,174,560 | 1,201,327 | 774,613 | 126,032 | 19,615 | 601 | - | - |
| Oromia | 1,107,579 | 1,352,977 | 1,332,528 | 1,353,415 | 438,801 | 55,489 | 2,995 | 650 | - |
| Somale | 48,889 | 28,021 | 27,371 | 32,717 | 12,992 | 3,047 | 82 | - | - |
| Benshangul-Gumuz | 77,627 | 20,910 | 17,292 | 19,633 | 9,690 | 2,231 | 257 | - | - |
| SNNP | 556,468 | 928,872 | 854,082 | 554,320 | 60,921 | 8,818 | 4,511 | 4,905 | 2,536 |
| Gambela | 18,561 | 5,766 | 3,758 | 2,482 | 1,740 | 2,656 | 943 | 118 | 3 |
| Harari | 3,720 | 7,529 | 4,964 | 2,156 | 198 | 23 | - | - | - |
| Dire Dawa | 5,650 | 9,580 | 5,761 | 1,535 | 236 | 21 | - | - | - |
| | | | | | | | | | |
| | | | | | | | | | |

| Geographic Area | Holdings with no Sheep | 1-4 Head | 5-9 Head | 10-49 Head | 50-99 Head | 100-199 Head | 200-499 Head | >=500 Head |
|------------------|------------------------|-----------|-----------|------------|------------|-----------------|-----------------|------------|
| Ethiopia | 8,703,114 | 3,408,543 | 1,370,648 | 505,906 | 11,855 | 3,048 | 689 | - |
| Tigray | 705,569 | 97,848 | 73,215 | 29,308 | 414 | - | - | - |
| Afar | 18,588 | 5,125 | 5,525 | 18,092 | 2,053 | 238 | - | - |
| Amhara | 2,443,449 | 877,908 | 525,331 | 202,394 | 714 | - | - | - |
| Oromia | 3,549,891 | 1,387,359 | 522,362 | 183,657 | 1,165 | - | - | - |
| Somale | 72,984 | 24,953 | 17,390 | 34,486 | 3,154 | 152 | - | - |
| Benshangul-Gumuz | 125,620 | 16,038 | 4,809 | 1,173 | - | - | - | - |
| SNNP | 1,728,677 | 985,536 | 218,432 | 35,138 | 4,302 | 2,659 | 689 | - |
| Gambela | 30,308 | 3,937 | 1,191 | 591 | - | - | - | - |
| Harari | 16,245 | 2,192 | 133 | 20 | - | - | - | - |
| Dire Dawa | 11,776 | 7,648 | 2,260 | 1,046 | 53 | - | - | - |
| | | | | | | | | |

TABLE 3 -27- b: NUMBER OF HOLDINGS BY SIZE OF SHEEP

TABLE 3 -27- c: NUMBER OF HOLDINGS BY SIZE OF GOATS

| Geographic Area | Holdings with no Goats | 1-4 Head | 5-9 Head | 10-49 Head | 50-99 Head | 100-199 Head | 200-499 Head | >=500 Head |
|------------------|---------------------------|-----------|----------|------------|------------|-----------------|-----------------|------------|
| Ethiopia | 10,160,328 | 2,381,109 | 980,415 | 458,952 | 13,963 | 6,215 | 2,586 | 235 |
| Tigray | 579,580 | 110,537 | 119,273 | 96,627 | 176 | 161 | - | - |
| Afar | 10,906 | 5,076 | 4,404 | 24,608 | 4,091 | 536 | - | - |
| Amhara | 3,009,077 | 654,608 | 281,084 | 104,690 | 337 | - | - | - |
| Oromia | 4,019,637 | 1,066,191 | 420,855 | 136,483 | 1,268 | - | - | - |
| Somale | 46,021 | 28,659 | 23,662 | 50,861 | 3,483 | 404 | 29 | - |
| Benshangul-Gumuz | 90,323 | 29,922 | 18,132 | 9,064 | 199 | - | - | - |
| SNNP | 2,365,361 | 465,665 | 102,276 | 30,088 | 4,137 | 5,114 | 2,557 | 235 |
| Gambela | 29,773 | 3,005 | 2,219 | 1,027 | 3 | - | - | - |
| Harari | 6,634 | 9,143 | 2,509 | 304 | - | - | - | - |
| Dire Dawa | 3,007 | 8,304 | 6,001 | 5,202 | 269 | - | - | - |

| | | | Horses | | | Donkeys | | | | |
|------------------|-------------------------------|-----------|----------|----------|-----------|--------------------------------|-----------|----------|----------|-----------|
| Geographic Area | Holdings with no Horses | 1-2 Head | 3-4 Head | 5-9 Head | >=10 Head | Holdings with no Donkeys | 1-2 Head | 3-4 Head | 5-9 Head | >=10 Head |
| Ethiopia | 12,743,79 | 1,093,727 | 140,793 | 24,144 | 1,347 | 9,934,645 | 3,798,309 | 249,134 | 19,508 | 2,207 |
| Tigray | 903,035 | 1,963 | 1,356 | - | - | 571,270 | 315,178 | 19,699 | 207 | - |
| Afar | 49,621 | - | - | - | - | 32,212 | 12,686 | 3,704 | 864 | 155 |
| Amhara | 3,794,977 | 237,808 | 15,628 | 1,383 | - | 2,528,331 | 1,438,349 | 79,643 | 3,473 | - |
| Oromia | 4,905,890 | 601,410 | 113,901 | 21,886 | 1,347 | 3,917,030 | 1,585,299 | 128,055 | 13,092 | 958 |
| Somale | 153,027 | 92 | - | - | - | 77,732 | 67,768 | 7,205 | 414 | - |
| Benshangul-Gumuz | 147,057 | 515 | 68 | - | - | 109,609 | 34,790 | 3,097 | 144 | - |
| SNNP | 2,713,154 | 251,563 | 9,841 | 875 | - | 2,639,424 | 326,452 | 7,150 | 1,313 | 1,094 |
| Gambela | 35,652 | 375 | - | - | - | 35,674 | 353 | - | - | - |
| Harari | 18,590 | - | - | - | - | 10,795 | 7,700 | 95 | - | - |
| Dire Dawa | 22,783 | - | - | - | - | 12,562 | 9,734 | 487 | - | - |

TABLE 3 -27- d: NUMBER OF HOLDINGS BY SIZES OF HORSES AND DONKEYS

TABLE 3 -27- e: NUMBER OF HOLDINGS BY SIZES OF MULES AND CAMELS

| | | | Mules | | | | | Camels | | |
|------------------|---------------------|----------|----------|----------|-----------|---------------------|----------|----------|----------|-----------|
| | Holdings with no | | | | | Holdings with no | | | | |
| Geographic Area | Mules | 1-2 Head | 3-4 Head | 5-9 Head | >=10 Head | | 1-2 Head | 3-4 Head | 5-9 Head | >=10 Head |
| Ethiopia | 13,664,002 | 336,986 | 2,406 | 409 | - | 13,823,166 | 99,593 | 33,098 | 27,074 | 20,872 |
| Tigray | 901,661 | 4,693 | - | - | - | 885,711 | 17,846 | 1,624 | 1,173 | - |
| Afar | 49,588 | 33 | - | - | - | 29,174 | 6,535 | 2,707 | 3,551 | 7,654 |
| Amhara | 3,927,223 | 122,573 | - | - | - | 4,026,123 | 21,610 | 1,249 | 814 | - |
| Oromia | 5,487,470 | 154,306 | 2,249 | 409 | - | 5,574,997 | 33,293 | 17,657 | 13,169 | 5,318 |
| Somale | 153,093 | 26 | - | - | - | 110,247 | 18,029 | 9,070 | 8,039 | 7,734 |
| Benshangul-Gumuz | 146,901 | 739 | - | - | - | 147,640 | | - | - | - |
| SNNP | 2,920,683 | 54,593 | 157 | - | - | 2,975,433 | | - | - | - |
| Gambela | 36,003 | 24 | - | - | - | 36,027· | | - | - | - |
| Harari | 18,590 | - | - | - | - | 18,198 | 168 | 51 | 75 | 98 |
| Dire Dawa | 22,783 | - | - | - | - | 19,608 | 2,113 | 740 | 253 | 69 |

| Geographic Area | Holdings with no poultry | 1-9 Head | 10-49 Head | 50-99 Head | 100-199 Head | >=200 Head |
|------------------|-----------------------------|-----------|------------|------------|-----------------|------------|
| Ethiopia | 6,269,815 | 6,465,008 | 1,267,630 | 1,248 | 102 | - |
| Tigray | 259,107 | 492,958 | 154,289 | - | - | - |
| Afar | 44,960 | 3,789 | 872 | - | - | - |
| Amhara | 1,420,254 | 2,270,568 | 358,974 | - | - | - |
| Oromia | 2,830,015 | 2,371,946 | 442,473 | - | - | - |
| Somale | 140,625 | 11,547 | 947 | - | - | - |
| Benshangul-Gumuz | 50,356 | 63,013 | 34,138 | 133 | - | - |
| SNNP | 1,486,211 | 1,221,214 | 267,101 | 907 | - | - |
| Gambela | 17,508 | 10,999 | 7,210 | 208 | 102 | - |
| Harari | 11,617 | 5,880 | 1,093 | - | - | - |
| Dire Dawa | 9,158 | 13,094 | 531 | - | - | - |

TABLE 3 -27- f: NUMBER OF HOLDINGS BY SIZE OF POULTRY

TABLE 3-28: ANIMAL FEED PRACTICES OF PEASNT HOLDERS – PERCENTAGE USED BY TYPE OF FEED, AND REGION

| Geographic Area | Total (%) | Green Fodder | Crop Residue | Improved Feed | Hay | By-Product | Others |
|------------------|-----------|-----------------|-----------------|------------------|-------|------------|--------|
| Ethiopia | 100 | 59.53 | 28.27 | 0.2 | 7.36 | 0.79 | 3.86 |
| Tigray | 100 | 38.37 | 39.17 | 0.35 | 16.86 | 1.62 | 3.62 |
| Afar | 100 | 88.25 | 6.67 | 0.09 | 1.63 | 0.93 | 2.42 |
| Amhara | 100 | 43.72 | 36.35 | 0.31 | 15.72 | 0.54 | 3.35 |
| Oromia | 100 | 66.65 | 24.8 | 0.11 | 3.22 | 0.91 | 4.3 |
| Somale | 100 | 80.21 | 18.44 | - | 0.53 | 0.29 | 0.53 |
| Benshangul-Gumuz | 100 | 86.63 | 7.56 | 0.03 | 1.19 | 0.24 | 4.34 |
| SNNP | 100 | 70.54 | 22.69 | 0.17 | 2 | 0.63 | 3.98 |
| Gambela | 100 | 93.92 | 4.03 | 0.28 | 0.03 | 0.63 | 1.12 |
| Harari | 100 | 38.57 | 47.93 | 1.68 | 3.78 | 6.71 | 1.33 |
| Dire Dawa | 100 | 71.51 | 19.73 | 0.24 | 1.42 | 2.94 | 4.16 |

| Geographic Area | Green | Crop | Improved | | | |
|------------------|------------|------------|----------|-----------|------------|-----------|
| | Fodder | Residue | Feed | Hay | By-Product | Others |
| Ethiopia | 12,294,191 | 10,569,128 | 162,750 | 4,048,369 | 903,056 | 3,548,044 |
| Tigray | 770,841 | 742,233 | 12,133 | 607,788 | 110,776 | 169,386 |
| Afar | 47,418 | 18,374 | 169 | 3,156 | 1,223 | 4,179 |
| Amhara | 3,568,927 | 3,381,277 | 64,887 | 2,299,883 | 174,263 | 1,006,510 |
| Oromia | 4,887,266 | 4,045,671 | 43,515 | 811,687 | 425,793 | 1,384,908 |
| Somale | 147,867 | 91,463 | - | 5,255 | 2,302 | 7,550 |
| Benshangul-Gumuz | 119,247 | 51,183 | 315 | 11,603 | 2,619 | 27,477 |
| SNNP | 2,694,293 | 2,198,510 | 39,899 | 305,631 | 173,910 | 938,393 |
| Gambela | 20,860 | 5,044 | 147 | 21 | 1,874 | 1,549 |
| Harari | 15,511 | 16,765 | 1,398 | 2,002 | 4,889 | 987 |
| Dire Dawa | 21,961 | 18,607 | 287 | 1,345 | 5,407 | 7,105 |

TABLE 3-29 - a: ANIMAL FEED PRACTICES OF PEASNT HOLDERS – NUMBER OF HOLDERS REPORTING BY TYPE OF FEED, AND REGION

TABLE 3-29 - b: NUMBER OF HOLDERS REPORTING ANIMAL FEED BY SOURCE OF FEED, AND REGION 1 Green Fodder

| 1. Green Fodder | | | | | |
|------------------|-------------|-----------|------------------------------------|---------------------------------|---------|
| Geographic Area | Own Holding | Purchased | Communal/ Government Holding | From any Two or More Sources | Others |
| Ethiopia | 4,530,270 | 209,937 | 3,987,015 | 3,323,856 | 243,112 |
| Tigray | 87,021 | 2,307 | 505,508 | 173,635 | 2,371 |
| Afar | 2,029 | 223 | 42,983 | 2,162 | 22 |
| Amhara | 887,254 | 55,302 | 1,600,232 | 992,299 | 33,840 |
| Oromia | 1,988,948 | 124,894 | 1,263,990 | 1,352,347 | 157,087 |
| Somale | 8,788 | 182 | 117,632 | 20,877 | 387 |
| Benshangul-Gumuz | 4,477 | 653 | 103,106 | 10,899 | 112 |
| SNNP | 1,535,613 | 26,292 | 317,903 | 767,632 | 46,852 |
| Gambela | 5,694 | 45 | 12,614 | 130 | 2,378 |
| Harari | 9,279 | - | 3,237 | 2,967 | 28 |
| Dire Dawa | 1,167 | 38 | 19,810 | 910 | 36 |

2. Crop Residue

| Geographic Area | Own Holding | Purchased | Communal/ Government Holding | From any Two or More Sources | Others |
|------------------|-------------|-----------|------------------------------------|---------------------------------|---------|
| Ethiopia | 9,412,617 | 141,160 | 121,012 | 784,019 | 110,320 |
| Tigray | 585,616 | 12,906 | 4,208 | 137,120 | 2,383 |
| Afar | 15,740 | 446 | 1,526 | 576 | 87 |
| Amhara | 2,983,522 | 43,976 | 19,694 | 298,038 | 36,047 |
| Oromia | 3,660,668 | 54,225 | 56,702 | 221,061 | 53,015 |
| Somale | 73,347 | 7,426 | 4,363 | 5,871 | 455 |
| Benshangul-Gumuz | 44,888 | 355 | 2,857 | 2,900 | 183 |
| SNNP | 2,010,913 | 21,540 | 30,712 | 117,811 | 17,534 |
| Gambela | 4,760 | - | 201 | 84 | - |
| Harari | 15,441 | 140 | 512 | 388 | 284 |
| Dire Dawa | 17,722 | 147 | 237 | 170 | 332 |

3. Improved Feed

| Geographic Area | Own Holding | Purchased | Communal/ Government Holding | From any Two or More Sources | Others |
|------------------|-------------|-----------|------------------------------------|---------------------------------|--------|
| Ethiopia | 131,188 | 21,109 | 553 | 9,099 | 800 |
| Tigray | 6,678 | 1,819 | 326 | 3,144 | 166 |
| Afar | 134 | 35 | - | - | - |
| Amhara | 57,401 | 5,124 | - | 2,008 | 354 |
| Oromia | 30,831 | 10,979 | 185 | 1,520 | - |
| Somale | - | - | - | - | - |
| Benshangul-Gumuz | 237 | 20 | - | 58 | - |
| SNNP | 34,638 | 3,045 | - | 2,052 | 164 |
| Gambela | 42 | - | 42 | 63 | - |
| Harari | 1,002 | 56 | - | 254 | 85 |
| Dire Dawa | 225 | 31 | - | - | 31 |

| 4. Hay | | | | | |
|------------------|-------------|-----------|------------------------------------|---------------------------------|--------|
| Geographic Area | Own Holding | Purchased | Communal/ Government Holding | From any Two or More Sources | Others |
| Ethiopia | 2,759,990 | 507,613 | 81,991 | 648,764 | 50,012 |
| Tigray | 418,273 | 30,509 | 17,355 | 134,678 | 6,973 |
| Afar | 1,643 | 564 | 847 | 102 | - |
| Amhara | 1,526,151 | 307,417 | 43,696 | 399,717 | 22,901 |
| Oromia | 589,217 | 120,903 | 11,795 | 71,994 | 17,777 |
| Somale | 2,818 | 1,069 | - | - | 1,369 |
| Benshangul-Gumuz | 8,328 | 227 | 2,294 | 754 | - |
| SNNP | 210,842 | 46,349 | 6,005 | 41,443 | 992 |
| Gambela | - | - | - | - | - |
| Harari | 1,925 | 22 | - | 55 | - |
| Dire Dawa | 792 | 552 | - | - | - |

5. By-Product

| Geographic Area | Own Holding | Purchased | Communal/ Government Holding | From any Two or More Sources | Others |
|------------------|-------------|-----------|------------------------------------|---------------------------------|--------|
| Ethiopia | 465,942 | 374,330 | 2,214 | 38,459 | 22,112 |
| Tigray | 67,160 | 29,146 | 137 | 6,775 | 7,558 |
| Afar | 166 | 1,022 | 35 | - | - |
| Amhara | 115,206 | 39,982 | 1,054 | 14,497 | 3,525 |
| Oromia | 189,869 | 211,215 | 989 | 15,036 | 8,684 |
| Somale | 1,179 | 1,032 | - | 92 | - |
| Benshangul-Gumuz | 1,938 | - | - | 570 | 112 |
| SNNP | 88,449 | 81,808 | - | 1,444 | 2,210 |
| Gambela | 1,734 | 69 | - | 46 | 24 |
| Harari | 148 | 4,741 | - | - | - |
| Dire Dawa | 92 | 5,315 | - | - | - |

| | | Number of Holders Practiced | | | | | |
|------------------|---------------------------------|--|-----------------------------------|--|-----------------------------|--|--|
| Geographic Area | Dairy Development Package | Beef/Meat/Mutton Development Package | Poultry Development Package | Honey and Wax Development Package | Any Two or More Packages | | |
| Ethiopia | 40,496 | 47,612 | 50,821 | 23,521 | 3,884 | | |
| Tigray | 15,562 | 15,354 | 11,157 | 15,741 | 845 | | |
| Afar | 32 | 70 | - | - | - | | |
| Amhara | 5,640 | 24,925 | 14,518 | 4,460 | 335 | | |
| Oromia | 9,537 | 5,823 | 11,229 | 2,161 | 2,509 | | |
| Somale | 194 | 22 | - | - | - | | |
| Benshangul-Gumuz | 19 | 19 | 132 | 75 | - | | |
| SNNP | 9,480 | 1,240 | 13,638 | 1,084 | 195 | | |
| Gambela | - | - | - | - | - | | |
| Harari | - | - | 25 | - | - | | |
| Dire Dawa | 31 | 160 | 122 | - | - | | |

TABLE 3 – 30: ESTIMATED NUMBER OF HOLDERS PRACTICED LIVESTOCK EXTENSION PACKAGES DURING THE REFERENCE PERIOD BY REGION

ANNEX TABLES PRESENTING ESTIMATES, STANDARD ERRORS, AND COEFFICIENTS OF VARIATION FOR SELECTED LIVESTOCK VARIABLES

[Annex Tables 1 –10]

| Geographic Area | | CATTLE | | | SHEEP | | | GOATS | |
|------------------|------------|-----------|-------|------------|---------|-------|------------|-----------|-------|
| | Number | SE | CV | Number | SE | CV | Number | SE | CV |
| Ethiopia | 50,884,005 | 1,235,503 | 2.43 | 25,979,919 | 985,687 | 3.79 | 21,960,706 | 1,277,480 | 5.82 |
| Tigray | 3,242,931 | 123,583 | 3.81 | 1,149,717 | 110,420 | 9.6 | 2,621,227 | 171,889 | 6.56 |
| Afar | 550,361 | 72,094 | 13.1 | 603,673 | 98,273 | 16.28 | 960,971 | 123,242 | 12.82 |
| Amhara | 12,746,768 | 366,493 | 2.88 | 8,596,993 | 490,396 | 5.7 | 4,878,462 | 318,410 | 6.53 |
| Oromia | 22,475,349 | 525,983 | 2.34 | 9,452,831 | 480,264 | 5.08 | 7,346,055 | 404,619 | 5.51 |
| Somali | 590,976 | 60,859 | 10.3 | 1,066,657 | 174,021 | 16.31 | 1,508,932 | 147,298 | 9.76 |
| Benshangul-Gumuz | 421,603 | 38,631 | 9.16 | 89,108 | 8,650 | 9.71 | 335,545 | 35,003 | 10.43 |
| SNNP | 10,543,129 | 1,040,172 | 9.87 | 4,935,092 | 669,393 | 13.56 | 4,057,497 | 1,139,493 | 28.08 |
| Gambella | 220,772 | 88,547 | 40.11 | 26,149 | 4,389 | 16.78 | 37,833 | 10,484 | 27.71 |
| Harari | 45,416 | 3,917 | 8.62 | 5,098 | 899 | 17.64 | 41,302 | 2,754 | 6.67 |
| Dire Dawa | 46,699 | 3,496 | 7.49 | 54,600 | 11,032 | 20.2 | 172,881 | 25,180 | 14.56 |
| | | | | | | | | | |

Annex Table 1- Estimates of Livestock, Standard Errors and Coefficients of Variation by Type, and Region

Annex Table 1-Cont'd

| Geographic Area | Н | ORSES | | - | MULES | | D | ONKEYS | | CA | MELS | |
|------------------|-----------|---------|--------|---------|--------|-------|-----------|---------|---------|---------|--------|-------|
| | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV |
| | | | | | | | | | | | | |
| Ethiopia | 1,995,306 | 130,915 | 6.56 | 365,584 | 20,223 | 5.53 | 5,715,129 | 119,761 | 2.1 | 807,581 | 85,904 | 10.64 |
| Tigray | 6,470 | 3,427 | 52.97 | 4,920 | 1,400 | 28.45 | 456,093 | 20,545 | 4.5 | 32,288 | 5,463 | 16.92 |
| Afar | - | - | - | 33 | 30 | 91.37 | 36,992 | 5,901 | 15.95 | 218,430 | 46,969 | 21.5 |
| Amhara | 352,648 | 42,413 | 12.03 | 127,716 | 12,179 | 9.54 | 2,108,347 | 61,315 | 2.91 | 34,649 | 7,248 | 20.92 |
| Oromia | 1,299,295 | 119,921 | 9.23 | 174,676 | 14,793 | 8.47 | 2,494,536 | 89,153 | 3.57 | 257,322 | 55,634 | 21.62 |
| Somali | 92 | 92 | 100.36 | 26 | 25 | 98.75 | 118,089 | 15,128 | 12.81 | 254,839 | 44,617 | 17.51 |
| Benshangul-Gumuz | 717 | 425 | 59.23 | 758 | 217 | 28.59 | 52,718 | 4,081 | 7.74 | | - | - |
| SNNP | 335,709 | 30,769 | 9.17 | 57,431 | 6,310 | 10.99 | 424,931 | 43,931 | 10.34 · | | - | - |
| Gambella | 375 | 175 | 46.51 | 24 | 22 | 93.62 | 353 | 301 | 85.29 | | - | - |
| Harari | - | - | - | - | - | - | 9,091 | 829 | 9.12 | 2,232 | 1,141 | 51.13 |
| Dire Dawa | - | - | - | - | - | - | 13,979 | 1,364 | 9.76 | 7,821 | 1,984 | 25.37 |

| Geographic Area | < | 6MONTHS | | 6MON7 | HS -<1YE | AR | 1- | <3YEAR | 5 | 3-<1 | 10YEARS | | 10Y | EARS & OLI | DER |
|------------------|-----------|---------|-------|-----------|----------|-------|---------------------|---------|-------|----------------|---------|-------|---------|------------|-------|
| Ocographic Alca | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV |
| Ethiopia | 2,446,645 | 65,926 | 2.69 | 1,812,283 | 56,872 | 3.14 | 3,526,57 9 | 108,584 | 3.08 | 14,420,38 3 | 368,542 | 2.56 | 756,607 | 51,888 | 6.86 |
| Tigray | 133,804 | 9,024 | 6.74 | 119,977 | 9,302 | 7.75 | 224,886 | 11,003 | 4.89 | 994,304 | 31,521 | 3.17 | 75,118 | 8,959 | 11.93 |
| Afar | 27,081 | 4,431 | 16.36 | 20,414 | 3,102 | 15.2 | 19,540 | 3,572 | 18.28 | 38,221 | 4,859 | 12.71 | 2,101 | 802 | 38.18 |
| Amhara | 510,884 | 24,815 | 4.86 | 401,285 | 20,893 | 5.21 | 877,889 1,646,88 | · · | 3.91 | 4,406,587 | 102,346 | 2.32 | 393,656 | 42,341 | 10.76 |
| Oromia | 1,140,845 | 44,300 | 3.88 | 792,263 | 30,008 | 3.79 | | 58,110 | 3.53 | 6,407,406 | 152,865 | 2.39 | 245,604 | 27,625 | 11.25 |
| Somali | 31,876 | 3,791 | 11.89 | 26,311 | 3,628 | 13.79 | 37,381 | 4,954 | 13.25 | 85,143 | 10,278 | 12.07 | 339 | 265 | 78.3 |
| Benshangul-Gumuz | 16,492 | 2,100 | 12.73 | 21,220 | 2,235 | 10.53 | 35,750 | 4,018 | 11.24 | 108,276 | 11,462 | 10.59 | 7,907 | 2,607 | 32.97 |
| SNNP | 568,695 | 40,472 | 7.12 | 415,470 | 41,935 | 10.09 | 656,918 | 83,537 | 12.72 | 2,337,823 | 317,238 | 13.57 | 28,002 | 6,752 | 24.11 |
| Gambella | 11,883 | 3,139 | 26.42 | 11,526 | 4,935 | 42.82 | 17,434 | 9,082 | 52.09 | 27,618 | 9,173 | 33.22 | 3,815 | 1,762 | 46.18 |
| Harari | 2,222 | 334 | 15.04 | 2,026 | 315 | 15.55 | 4,763 | 530 | 11.12 | 6,874 | 936 | 13.61 | 23 | 23 | 98.28 |
| Dire Dawa | 2,862 | 417 | 14.57 | 1,789 | 278 | 15.56 | 5,135 | 441 | 8.6 | 8,130 | 1,154 | 14.19 | 42 | 41 | 97.15 |

| Annex Table 2- | Estimates of Cattle, | Standard Errors an | nd Coefficients of | f Variation by | Age group, | and Region |
|----------------|----------------------|--------------------|--------------------|----------------|------------|------------|
| Male Cattle | | | | • | 0 0 1 | C |

Annex Table 2- Cont'd

Female Cattle

| Geographic Area | < | 6MONTHS | | 6MONT | HS -<1YE | AR | 1- | <3YEARS | 5 | 3-<1 | 10YEARS | | 10YI | EARS & OLI | DER |
|------------------|-----------|---------|-------|-----------|----------|-------|---------------------|----------|-------|----------------|---------|-------|---------|------------|-------|
| Geographic Alea | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV |
| Ethiopia | 2,586,815 | 79,079 | 3.06 | 2,046,251 | 70,469 | 3.44 | 4,571,99 7 | 152,273 | 3.33 | 18,095,97 0 | 466,112 | 2.58 | 620,477 | 40,539 | 6.53 |
| Tigray | 153,851 | 10,825 | 7.04 | 148,448 | 12,045 | 8.11 | 296,062 | 16,612 | 5.61 | 1,046,405 | 45,192 | 4.32 | 50,075 | 6,470 | 12.92 |
| Afar | 43,665 | 6,805 | 15.58 | 39,186 | 5,435 | 13.87 | 60,452 | 8,926 | 14.76 | 289,528 | 38,903 | 13.44 | 10,174 | 3,177 | 31.23 |
| Amhara | 545,942 | 27,811 | 5.09 | 425,231 | 28,252 | 6.64 | 941,576 2,079,71 | 43,502 | 4.62 | 3,983,081 | 120,893 | 3.04 | 260,636 | 33,020 | 12.67 |
| Oromia | 1,169,837 | 49,328 | 4.22 | 876,192 | 33,657 | 3.84 | | 75,382 | 3.62 | 7,911,361 | 215,151 | 2.72 | 205,239 | 18,245 | 8.89 |
| Somali | 39,011 | 5,299 | 13.58 | 37,337 | 5,486 | 14.69 | 69,997 | 11,721 | 16.75 | 258,263 | 24,578 | 9.52 | 5,318 | 2,394 | 45.01 |
| Benshangul-Gumuz | 21,001 | 2,719 | 12.95 | 22,077 | 2,165 | 9.81 | 44,069 1,038,50 | <i>'</i> | 10.91 | 136,210 | 13,040 | 9.57 | 8,602 | 3,281 | 38.15 |
| SNNP | 589,959 | 52,742 | 8.94 | 476,637 | 52,389 | 10.99 | | 121,539 | 11.7 | 4,358,111 | 389,030 | 8.93 | 73,008 | 12,102 | 16.58 |
| Gambella | 18,159 | 8,112 | 44.67 | 16,569 | 8,986 | 54.23 | 29,504 | 17,982 | 60.95 | 78,123 | 26,046 | 33.34 | 6,141 | 2,266 | 36.9 |
| Harari | 2,865 | 485 | 16.93 | 2,827 | 338 | 11.97 | 5,556 | 748 | 13.47 | 17,624 | 1,333 | 7.56 | 635 | 221 | 34.74 |
| Dire Dawa | 2,526 | 398 | 15.75 | 1,747 | 252 | 14.43 | 6,556 | 622 | 9.48 | 17,264 | 1,268 | 7.35 | 648 | 204 | 31.42 |

| Coographia Area | | <6MONTHS | | 6MONTHS | - <1YEAR | | | 1-<2YEARS | | 2 YEARS & OLDER | | | |
|------------------|-----------|----------|-------|-----------|----------|-------|---------|-----------|-------|-----------------|---------|-------|--|
| Geographic Area | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV | |
| Ethiopia | 3,119,907 | 108,937 | 3.49 | 1,145,455 | 57,234 | 5 | 984,155 | 65,951 | 6.7 | 1,739,110 | 190,326 | 10.94 | |
| Tigray | 76,284 | 8,817 | 11.56 | 61,810 | 7,709 | 12.47 | 53,811 | 6,613 | 12.29 | 94,229 | 15,018 | 15.94 | |
| Afar | 36,486 | 6,369 | 17.46 | 26,399 | 4,712 | 17.85 | 23,066 | 4,391 | 19.04 | 50,476 | 10,090 | 19.99 | |
| Amhara | 949,481 | 62,851 | 6.62 | 354,080 | 28,988 | 8.19 | 326,365 | 31,620 | 9.69 | 525,038 | 52,427 | 9.99 | |
| Oromia | 1,405,479 | 74,128 | 5.27 | 411,555 | 29,597 | 7.19 | 306,353 | 34,795 | 11.36 | 410,311 | 38,281 | 9.33 | |
| Somali | 80,757 | 11,352 | 14.06 | 55,719 | 10,174 | 18.26 | 68,392 | 16,959 | 24.8 | 172,146 | 41,811 | 24.29 | |
| Benshangul-Gumuz | 12,651 | 1,784 | 14.1 | 5,452 | 721 | 13.22 | 3,059 | 493 | 16.12 | 5,761 | 1,044 | 18.12 | |
| SNNP | 549,803 | 46,588 | 8.47 | 225,208 | 37,054 | 16.45 | 197,874 | 42,278 | 21.37 | 473,649 | 173,003 | 36.53 | |
| Gambella | 3,248 | 539 | 16.58 | 1,277 | 230 | 18.03 | 1,117 | 260 | 23.26 | 3,090 | 866 | 28.04 | |
| Harari | 516 | 141 | 27.41 | 257 | 87 | 33.92 | 517 | 131 | 25.24 | 555 | 111 | 19.95 | |
| Dire Dawa | 5,202 | 1,026 | 19.71 | 3,699 | 846 | 22.87 | 3,602 | 806 | 22.39 | 3,855 | 1,573 | 40.8 | |
| | | | | | | | | | | | | | |

| Annex Table 3- Estimates of Sheep, Standard Errors and Coefficients of Variation by Age group, and Region | 1 |
|---|---|
| Male Sheen | |

Annex Table 3-Cont'd

| Casaranhia Araa | <6MONTHS | | | 6MONTHS | - <1YEAR | | | 1-<2YEARS | | 2 YEARS & OLDER | | |
|------------------|-----------|---------|-------|-----------|----------|-------|-----------|-----------|-------|-----------------|---------|-------|
| Geographic Area | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV |
| Ethiopia | 3,212,842 | 118,098 | 3.68 | 1,481,917 | 71,313 | 4.81 | 1,710,282 | 84,972 | 4.97 | 12,586,250 | 431,940 | 3.43 |
| Tigray | 88,814 | 9,719 | 10.94 | 83,973 | 9,587 | 11.42 | 107,716 | 13,349 | 12.39 | 583,081 | 56,592 | 9.71 |
| Afar | 52,706 | 7,328 | 13.9 | 45,435 | 6,811 | 14.99 | 64,761 | 10,781 | 16.65 | 304,345 | 58,534 | 19.23 |
| Amhara | 933,488 | 62,826 | 6.73 | 415,404 | 29,643 | 7.14 | 516,937 | 39,484 | 7.64 | 4,576,199 | 264,378 | 5.78 |
| Oromia | 1,423,431 | 78,790 | 5.54 | 542,457 | 42,525 | 7.84 | 547,178 | 43,399 | 7.93 | 4,406,068 | 223,229 | 5.07 |
| Somali | 90,803 | 13,466 | 14.83 | 81,146 | 13,880 | 17.11 | 99,781 | 16,875 | 16.91 | 417,913 | 60,154 | 14.39 |
| Benshangul-Gumuz | 11,956 | 1,504 | 12.58 | 7,293 | 1,029 | 14.11 | 6,797 | 1,059 | 15.57 | 36,139 | 3,638 | 10.07 |
| SNNP | 601,491 | 58,805 | 9.78 | 299,851 | 45,439 | 15.15 | 359,441 | 56,534 | 15.73 | 2,227,774 | 237,837 | 10.68 |
| Gambella | 3,993 | 962 | 24.09 | 1,662 | 497 | 29.93 | 1,479 | 446 | 30.15 | 10,283 | 1,637 | 15.92 |
| Harari | 406 | 126 | 31.02 | 347 | 113 | 32.48 | 496 | 138 | 27.71 | 2,005 | 371 | 18.52 |
| Dire Dawa | 5,755 | 1,224 | 21.28 | 4,350 | 1,185 | 27.25 | 5,695 | 1,108 | 19.46 | 22,443 | 3,893 | 17.35 |

| Geographic Area | | <6MONTHS | | 6MONT | HS - <1YEA | R | | 1-<2YEARS | | 2 Y | EARS & OLE | ER |
|------------------|-----------|----------|-------|-----------|------------|-------|-----------|-----------|-------|-----------|------------|-------|
| | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV |
| Ethiopia | 2,356,603 | 98,847 | 4.19 | 1,161,585 | 70,552 | 6.07 | 1,002,131 | 80,446 | 8.03 | 2,250,576 | 338,717 | 15.05 |
| Tigray | 181,804 | 15,553 | 8.55 | 138,935 | 11,391 | 8.2 | 124,356 | 11,856 | 9.53 | 257,530 | 29,430 | 11.43 |
| Afar | 56,496 | 7,286 | 12.9 | 37,954 | 5,402 | 14.23 | 35,202 | 5,691 | 16.17 | 67,813 | 11,550 | 17.03 |
| Amhara | 541,257 | 39,086 | 7.22 | 260,203 | 24,613 | 9.46 | 234,062 | 25,474 | 10.88 | 517,001 | 50,268 | 9.72 |
| Oromia | 1,014,689 | 55,760 | 5.5 | 399,437 | 28,914 | 7.24 | 279,177 | 22,988 | 8.23 | 450,090 | 42,088 | 9.35 |
| Somali | 116,466 | 10,735 | 9.22 | 83,884 | 9,203 | 10.97 | 87,812 | 15,031 | 17.12 | 204,772 | 31,680 | 15.47 |
| Benshangul-Gumuz | 45,168 | 5,188 | 11.49 | 21,753 | 3,019 | 13.88 | 12,984 | 1,646 | 12.68 | 14,537 | 2,296 | 15.79 |
| SNNP | 375,644 | 68,497 | 18.23 | 202,483 | 57,264 | 28.28 | 214,704 | 69,899 | 32.56 | 720,073 | 329,254 | 45.73 |
| Gambella | 3,970 | 606 | 15.26 | 2,222 | 583 | 26.26 | 1,543 | 637 | 41.29 | 4,486 | 1,799 | 40.09 |
| Harari | 4,090 | 402 | 9.83 | 3,305 | 397 | 12 | 2,626 | 373 | 14.21 | 2,390 | 400 | 16.72 |
| Dire Dawa | 17,020 | 2,105 | 12.37 | 11,408 | 1,831 | 16.05 | 9,665 | 2,457 | 25.42 | 11,884 | 3,289 | 27.68 |
| | | | | | | | | | | | | |

Annex Table 4- Estimates of Goats, Standard Errors and Coefficients of Variation by Age group, and Region Male Goats

Annex Table 4 – Cont'd

Female Goats

| Geographic Area | | <6MONTHS | | 6MONT | HS - <1YEAF | ર | | 1-<2YEARS | | 2 Y | EARS & OLD | ER |
|------------------|-----------|----------|-------|-----------|-------------|-------|-----------|-----------|-------|-----------|------------|-------|
| | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV |
| Ethiopia | 2,562,258 | 117,495 | 4.59 | 1,535,584 | 88,509 | 5.76 | 1,696,893 | 108,180 | 6.38 | 9,395,075 | 471,680 | 5.02 |
| Tigray | 223,049 | 20,643 | 9.25 | 218,118 | 17,826 | 8.17 | 269,585 | 22,805 | 8.46 | 1,207,851 | 75,986 | 6.29 |
| Afar | 95,489 | 13,165 | 13.79 | 87,598 | 14,009 | 15.99 | 117,507 | 15,718 | 13.38 | 462,911 | 65,989 | 14.26 |
| Amhara | 553,666 | 40,512 | 7.32 | 331,239 | 29,794 | 8.99 | 343,292 | 33,401 | 9.73 | 2,097,740 | 123,558 | 5.89 |
| Oromia | 1,056,906 | 65,161 | 6.17 | 488,380 | 38,128 | 7.81 | 471,552 | 36,017 | 7.64 | 3,185,824 | 178,968 | 5.62 |
| Somali | 142,305 | 13,639 | 9.58 | 113,227 | 10,672 | 9.43 | 139,446 | 16,796 | 12.04 | 621,019 | 58,143 | 9.36 |
| Benshangul-Gumuz | 52,510 | 6,045 | 11.51 | 27,157 | 4,468 | 16.45 | 26,494 | 3,635 | 13.72 | 134,942 | 15,243 | 11.3 |
| SNNP | 408,532 | 84,169 | 20.6 | 249,695 | 69,519 | 27.84 | 304,101 | 90,636 | 29.8 | 1,582,265 | 401,703 | 25.39 |
| Gambella | 5,626 | 1,759 | 31.27 | 3,717 | 1,577 | 42.41 | 3,678 | 1,142 | 31.04 | 12,591 | 2,845 | 22.59 |
| Harari | 4,618 | 517 | 11.19 | 2,516 | 334 | 13.25 | 4,247 | 472 | 11.11 | 17,510 | 1,087 | 6.21 |
| Dire Dawa | 19,557 | 2,832 | 14.48 | 13,935 | 3,006 | 21.57 | 16,990 | 3,351 | 19.73 | 72,423 | 8,345 | 11.52 |

| | | | MA | LE | | | | | FEM. | ALE | | |
|------------------|---------|---------|-------|---------|------------|--------|---------|---------|-------|---------|------------|-------|
| Geographic Area | | <3YEARS | | 3YI | EARS & OLD | ER | | <3YEARS | | 3YE | ARS & OLDE | ER |
| | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV |
| Ethiopia | 203,979 | 16,532 | 8.1 | 737,369 | 47,418 | 6.43 | 218,797 | 21,289 | 9.73 | 835,162 | 60,070 | 7.19 |
| Tigray | 232 | 228 | 98.32 | 2,522 | 1,287 | 51.04 | 1,054 | 622 | 58.96 | 2,662 | 1,550 | 58.22 |
| Afar | | | | | | | | | | | | |
| Amhara | 31,167 | 4,784 | 15.35 | 123,613 | 17,766 | 14.37 | 37,862 | 6,437 | 17 | 160,006 | 22,457 | 14.04 |
| Oromia | 145,346 | 15,207 | 10.46 | 470,311 | 41,691 | 8.86 | 151,800 | 19,814 | 13.05 | 531,837 | 53,619 | 10.08 |
| Somali | | | - | 92 | 92 | 100.36 | - | - | - | - | | |
| Benshangul-Gumuz | 135 | 133 | 98.67 | 447 | 227 | 50.79 | - | - | - | 135 | 131 | 96.82 |
| SNNP | 27,099 | 4,370 | 16.12 | 140,008 | 13,891 | 9.92 | 28,080 | 4,338 | 15.45 | 140,521 | 15,053 | 10.71 |
| Gambella | | | - | 375 | 175 | 46.51 | - | - | - | - | | |
| Harari | - | - | - | - | - | - | - | - | - | - | - | - |
| Dire Dawa | - | - | - | - | - | - | - | - | - | - | - | - |
| | | | | | | | | | | | | |

Annex Table 5- Estimates of Horses, Standard Errors and Coefficients of Variation by Age group, and Region

Annex Table 6- Estimates of Donkeys, Standard Errors and Coefficients of Variation by Age group, and Region

| | | | MA | LE | | | FEMALE | | | | | | |
|------------------|---------|---------|-------|-----------|----------------|-------|---------|---------|-------|-----------|------------|-------|--|
| Geographic Area | | <3YEARS | | 3Y | 3YEARS & OLDER | | | <3YEARS | | 3Y. | EARS & OLD | ER | |
| | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV | |
| Ethiopia | 603,774 | 22,239 | 3.68 | 2,132,521 | 69,279 | 3.25 | 612,937 | 23,830 | 3.89 | 2,365,897 | 67,861 | 2.87 | |
| Tigray | 48,293 | 3,975 | 8.23 | 209,257 | 16,065 | 7.68 | 38,867 | 3,624 | 9.32 | 159,677 | 10,620 | 6.65 | |
| Afar | 3,708 | 654 | 17.65 | 11,361 | 1,902 | 16.74 | 3,005 | 677 | 22.53 | 18,917 | 3,649 | 19.29 | |
| Amhara | 248,472 | 14,029 | 5.65 | 689,439 | 38,593 | 5.6 | 271,415 | 15,953 | 5.88 | 899,020 | 35,340 | 3.93 | |
| Oromia | 255,681 | 15,949 | 6.24 | 962,328 | 51,618 | 5.36 | 251,876 | 16,482 | 6.54 | 1,024,651 | 50,725 | 4.95 | |
| Somali | 15,761 | 2,659 | 16.87 | 44,334 | 5,386 | 12.15 | 11,640 | 2,523 | 21.68 | 46,354 | 7,517 | 16.22 | |
| Benshangul-Gumuz | 4,791 | 736 | 15.37 | 28,163 | 2,292 | 8.14 | 4,963 | 714 | 14.39 | 14,800 | 2,181 | 14.74 | |
| SNNP | 25,217 | 4,411 | 17.49 | 178,398 | 18,678 | 10.47 | 28,720 | 4,597 | 16.01 | 192,596 | 24,390 | 12.66 | |
| Gambella | - | - | - | 353 | 301 | 85.29 | - | - | - | - | - | - | |
| Harari | 541 | 135 | 24.88 | 5,054 | 804 | 15.9 | 548 | 177 | 32.35 | 2,949 | 458 | 15.54 | |
| Dire Dawa | 1,310 | 258 | 19.71 | 3,834 | 433 | 11.28 | 1,904 | 271 | 14.22 | 6,931 | 840 | 12.11 | |
| | | | | | | | | | | | | | |

| | | MALE | | | | | | FEMALE | | | | | | |
|------------------|--------|---------|-------|----------------|--------|-------|--------|---------|-------|---------|------------|-------|--|--|
| Geographic Area | | <3YEARS | | 3YEARS & OLDER | | | | <3YEARS | | 3YI | EARS & OLD | ER | | |
| Geographic Area | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV | | |
| Ethiopia | 24,949 | 4,341 | 17.4 | 152,844 | 10,934 | 7.15 | 24,633 | 4,421 | 17.95 | 163,158 | 12,045 | 7.38 | | |
| Tigray | - | - | - | 2,323 | 779 | 33.54 | - | - | - | 2,597 | 889 | 34.23 | | |
| Afar | - | - | - | 33 | 30 | 91.37 | - | - | - | - | - | - | | |
| Amhara | 11,610 | 2,775 | 23.9 | 44,296 | 6,475 | 14.62 | 13,908 | 3,613 | 25.98 | 57,902 | 6,358 | 10.98 | | |
| Oromia | 9,007 | 2,970 | 32.97 | 74,443 | 7,774 | 10.44 | 9,434 | 2,475 | 26.24 | 81,792 | 9,720 | 11.88 | | |
| Somali | - | - | - | - | - | - | - | - | - | 26 | 25 | 98.75 | | |
| Benshangul-Gumuz | - | - | - | 412 | 141 | 34.27 | - | - | - | 346 | 153 | 44.28 | | |
| SNNP | 4,331 | 1,523 | 35.16 | 31,313 | 4,070 | 13 | 1,291 | 601 | 46.55 | 20,496 | 3,060 | 14.93 | | |
| Gambella | - | - | - | 24 | 22 | 93.62 | - | - | - | - | - | - | | |
| Harari | - | - | - | - | - | - | - | - | - | - | - | - | | |
| Dire Dawa | - | - | - | - | - | - | - | - | - | - | - | - | | |
| | | | | | | | | | | | | | | |

Annex Table 7- Estimates of Mules, Standard Errors and Coefficients of Variation by Age group, and Region

Annex Table 8- Estimates of Camels, Standard Errors and Coefficients of Variation by Age group, and Region

| | | | MA | LE | | | FEMALE | | | | | | |
|------------------|--------|---------|-------|---------|-----------|-------|---------|---------|-------|---------|------------|-------|--|
| Geographic Area | | <4YEARS | | 4YE | ARS & OLD | ER | | <4YEARS | | 4YE | EARS & OLD | ER | |
| | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV | |
| Ethiopia | 88,792 | 10,656 | 12 | 184,814 | 16,927 | 9.16 | 120,664 | 16,099 | 13.34 | 413,311 | 52,154 | 12.62 | |
| Tigray | 2,825 | 1,274 | 45.08 | 29,463 | 5,297 | 17.98 | - | - · | - | - | - | - | |
| Afar | 17,996 | 4,643 | 25.8 | 31,209 | 5,643 | 18.08 | 38,542 | 9,111 | 23.64 | 130,683 | 32,350 | 24.75 | |
| Amhara | 6,549 | 2,339 | 35.72 | 28,101 | 6,374 | 22.68 | - | - · | - | - | - | - | |
| Oromia | 33,183 | 7,878 | 23.74 | 41,577 | 11,171 | 26.87 | 45,604 | 11,517 | 25.25 | 136,957 | 30,083 | 21.97 | |
| Somali | 26,707 | 4,761 | 17.83 | 51,844 | 7,799 | 15.04 | 34,802 | 6,574 | 18.89 | 141,487 | 27,704 | 19.58 | |
| Benshangul-Gumuz | - | - | - | - | - | - | - | - | - | - | - | - | |
| SNNP | - | - | - | - | - | - | - | - | - | - | - | - | |
| Gambella | - | - | - | - | - | - | - | - | - | - | - | - | |
| Harari | 322 | 164 | 51.02 | 215 | 125 | 58.16 | 467 | 242 | 51.82 | 1,229 | 643 | 52.35 | |
| Dire Dawa | 1,211 | 386 | 31.85 | 2,406 | 595 | 24.72 | 1,249 | 488 | 39.05 | 2,955 | 808 | 27.36 | |
| | | | | | | | | | | | | | |

| | Tota | l Poultry | , · | C | ocks | | Co | ockerels | | I | Pullets | 0 | Non-la | ying Hen | s | Cl | nicks | | Layi | ng Hens | |
|------------------|---------------------|-----------|--------------|-----------|--------|--------------|---------------|----------|-------|-----------|-------------|-------|---------------|----------|------------|----------------|--------------------|--------------|-----------|---------|------|
| Geographic Area | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE C | CV | Number | SE | CV |
| Ethiopia | 42,053,26 3 | 678,410 | 1.61 | 4,786,694 | 91,215 | 1.91 | 2,291,39 3 | 77,967 | 3.4 | 4,105,852 | 109,01 0 | 2.65 | 1,459,86 2 | 69,719 | | 15,323,05 6 | | .31 14 | 4,086,407 | 208,176 | 1.4 |
| Tigray | | 177,211 | 4.15 22.9 | 394,067 | 20,371 | 5.17 21.6 | 334,576 | 26,859 | 8.03 | 484,898 | 29,764 | 6.14 | 225,914 | 21,881 | | 1,613,931 | | .05 8.2 | 1,212,691 | 44,182 | 3.6 |
| Afar | 29,369 12,739,62 | 6,737 | 4 | 3,635 | 788 | 8 | 1,358 | 461 | 33.96 | 2,090 | 525 | 25.11 | 3,524 | 1,221 | 65 9.4 | , | 3,080 229,52 | 5 | 7,859 | 1,759 | 22.3 |
| Amhara | 0 15,336,93 | 382,341 | 3 | 1,406,327 | 50,355 | 3.58 | 572,546 | 39,839 | 6.96 | 1,149,408 | 57,073 | 4.97 | 383,892 | 36,364 | 7 | 4,876,295 | 7 4 205,07 | .71 4 | 4,351,151 | 112,482 | 2.5 |
| Oromia | 9 | 441,228 | 2.88 20.7 | 1,923,636 | 62,773 | 3.26 20.1 | 828,175 | 51,936 | 6.27 | 1,452,045 | 72,349 | 4.98 | 640,177 | 51,835 | 8.1 31. | 4,967,448 | 8 4 3 | .13 5 0.6 | 5,525,457 | 151,234 | 2.7 |
| Somali | 55,752 | 11,572 | 6 | 8,225 | 1,659 | 7 | 5,150 | 2,040 | 39.61 | 4,936 | 1,083 | 21.94 | 3,364 | 1,070 | 79 21. | 14,572 | 4,470 | 8 | 19,506 | 4,058 | 20 |
| Benshangul-Gumuz | 820,994 | 47,600 | 5.8 | 72,287 | 4,088 | 5.65 | 60,804 | 5,618 | 9.24 | 101,935 | 8,303 | 8.15 | 13,644 | 2,931 | 48 10. | 394,268 | 30,020 7 141,17 | .61 | 178,056 | 9,713 | 5.4 |
| SNNP | 8,503,564 | 291,422 | 3.43 11.0 | 937,630 | 37,163 | 3.96 17.6 | 465,289 | 32,063 | 6.89 | 873,079 | 49,183 | 5.63 | 174,520 | 18,882 | 82 18. | 3,349,894 | 6 4 1 | .21 2 0.9 | 2,703,152 | 75,643 | 2. |
| Gambella | 210,332 | 23,293 | 7 13.6 | 29,410 | 5,178 | 1 14.2 | 19,413 | 2,909 | 14.98 | 27,718 | 3,723 | 13.43 | 11,283 | 2,108 | 68 31. | 75,523 | 8,239 1 | 1 8.4 | 46,984 | 3,716 | 7.9 |
| Harari | 39,185 | 5,358 | 7 | 5,959 | 849 | 5 11.5 | 2,441 | 547 | 22.39 | 4,926 | 985 | 20 | 1,813 | 569 | 4 30. | 10,473 | 1,932 1 | 4 5.8 | 13,573 | 1,822 | 13.4 |
| Dire Dawa | 51,431 | 5,193 | 10.1 | 5,516 | 639 | 8 | 1,640 | 466 | 28.42 | 4,817 | 1,193 | 24.76 | 1,729 | 529 | 59 | 9,749 | 1,542 | 1 | 27,979 | 2,940 | 10.5 |

| Annex Table 9- Estimates of Poultry, Standard Errors and Coefficients of Variation by Type, a |
|---|
|---|

Annex Table 10- Estimates of Beehives, Standard Errors and Coefficients of Variation by Type, and Region

| ALL BEEHIVES | | TRADITIONAL | | | INT | ERMEDIAT | ΈE | MODERN | | | |
|--------------|---|--|---|--|--|--|---|--|--|---|---|
| Number | SE | CV | Number | SE | CV | Number | SE | CV | Number | SE | CV |
| 4,598,226 | 194,055 | 4.22 | 4,447,011 | 193,294 | 4.35 | 33,151 | 6,135 | 18.51 | 118,064 | 14,758 | 12.5 |
| 195,662 | 17,049 | 8.71 | 157,496 | 15,578 | 9.89 | 3,031 | 1,100 | 36.28 | 35,135 | 5,582 | 15.89 |
| 161 | 87 | 53.86 | 161 | 87 | 53.86 | - | - | - | - | - | - |
| 822,336 | 51,644 | 6.28 | 768,928 | 50,600 | 6.58 | 13,225 | 3,655 | 27.64 | 40,183 | 6,932 | 17.25 |
| 2,485,754 | 168,940 | 6.8 | 2,437,960 | 168,709 | 6.92 | 10,935 | 4,300 | 39.32 | 36,859 | 11,661 | 31.64 |
| 1,852 | 890 | 48.09 | 1,852 | 890 | 48.09 | - | - | - | - | - | - |
| 232,798 | 37,787 | 16.23 | 231,597 | 37,808 | 16.32 | 203 | 138 | 68.08 | 998 | 568 | 56.9 |
| 774,980 | 61,732 | 7.97 | 764,554 | 61,210 | 8.01 | 5,670 | 2,133 | 37.63 | 4,755 | 1,511 | 31.76 |
| 83,417 | 30,323 | 36.35 | 83,238 | 30,328 | 36.44 | 45 | 44 | 98.21 | 134 | 99 | 73.96 |
| 731 | 186 | 25.49 | 731 | 186 | 25.49 | - | - | - | - | - | - |
| 534 | 218 | 40.77 | 493 | 202 | 41.1 | 42 | 41 | 97.15 | - | - | - |
| | Number 4,598,226 195,662 161 822,336 2,485,754 1,852 232,798 774,980 83,417 731 | Number SE 4,598,226 194,055 195,662 17,049 161 87 822,336 51,644 2,485,754 168,940 1,852 890 232,798 37,787 774,980 61,732 83,417 30,323 731 186 | NumberSECV4,598,226194,0554.22195,66217,0498.711618753.86822,33651,6446.282,485,754168,9406.81,85289048.09232,79837,78716.23774,98061,7327.9783,41730,32336.3573118625.49 | NumberSECVNumber4,598,226194,0554.224,447,011195,66217,0498.71157,4961618753.86161822,33651,6446.28768,9282,485,754168,9406.82,437,9601,85289048.091,852232,79837,78716.23231,597774,98061,7327.97764,55483,41730,32336.3583,23873118625.49731 | NumberSECVNumberSE4,598,226194,0554.224,447,011193,294195,66217,0498.71157,49615,5781618753.8616187822,33651,6446.28768,92850,6002,485,754168,9406.82,437,960168,7091,85289048.091,852890232,79837,78716.23231,59737,808774,98061,7327.97764,55461,21083,41730,32336.3583,23830,32873118625.49731186 | Number SE CV Number SE CV 4,598,226 194,055 4.22 4,447,011 193,294 4.35 195,662 17,049 8.71 157,496 15,578 9.89 161 87 53.86 161 87 53.86 822,336 51,644 6.28 768,928 50,600 6.58 2,485,754 168,940 6.8 2,437,960 168,709 6.92 1,852 890 48.09 1,852 890 48.09 232,798 37,787 16.23 231,597 37,808 16.32 774,980 61,732 7.97 764,554 61,210 8.01 83,417 30,323 36.35 83,238 30,328 36.44 731 186 25.49 731 186 25.49 | Number SE CV Number SE CV Number 4,598,226 194,055 4.22 4,447,011 193,294 4.35 33,151 195,662 17,049 8.71 157,496 15,578 9.89 3,031 161 87 53.86 161 87 53.86 - 822,336 51,644 6.28 768,928 50,600 6.58 13,225 2,485,754 168,940 6.8 2,437,960 168,709 6.92 10,935 1,852 890 48.09 1,852 890 48.09 - 232,798 37,787 16.23 231,597 37,808 16.32 203 774,980 61,732 7.97 764,554 61,210 8.01 5,670 83,417 30,323 36.35 83,238 30,328 36.44 45 731 186 25.49 731 186 25.49 - | Number SE CV Number SE CV Number SE CV Number SE 4,598,226 194,055 4.22 4,447,011 193,294 4.35 33,151 6,135 195,662 17,049 8.71 157,496 15,578 9.89 3,031 1,100 161 87 53.86 161 87 53.86 - - 822,336 51,644 6.28 768,928 50,600 6.58 13,225 3,655 2,485,754 168,940 6.8 2,437,960 168,709 6.92 10,935 4,300 1,852 890 48.09 1,852 890 48.09 - - 232,798 37,787 16.23 231,597 37,808 16.32 203 138 774,980 61,732 7.97 764,554 61,210 8.01 5,670 2,133 83,417 30,323 36.35 83,238 30,328 36.44 | Number SE CV Number SE CV Number SE CV Number SE CV 4,598,226 194,055 4.22 4,447,011 193,294 4.35 33,151 6,135 18.51 195,662 17,049 8.71 157,496 15,578 9.89 3,031 1,100 36.28 161 87 53.86 161 87 53.86 - - - 822,336 51,644 6.28 768,928 50,600 6.58 13,225 3,655 27.64 2,485,754 168,940 6.8 2,437,960 168,709 6.92 10,935 4,300 39.32 1,852 890 48.09 1,852 890 48.09 - - - 232,798 37,787 16.23 231,597 37,808 16.32 203 138 68.08 774,980 61,732 7.97 764,554 61,210 8.01 5,670 2,133 </td <td>NumberSECVNumberSECVNumberSECVNumber4,598,226194,0554.224,447,011193,2944.3533,1516,13518.51118,064195,66217,0498.71157,49615,5789.893,0311,10036.2835,1351618753.861618753.86822,33651,6446.28768,92850,6006.5813,2253,65527.6440,1832,485,754168,9406.82,437,960168,7096.9210,9354,30039.3236,8591,85289048.091,85289048.09232,79837,78716.23231,59737,80816.3220313868.08998774,98061,7327.97764,55461,2108.015,6702,13337.634,75583,41730,32336.3583,23830,32836.44454498.2113473118625.4973118625.49</td> <td>NumberSECVNumberSECVNumberSECVNumberSE4,598,226194,0554.224,447,011193,2944.3533,1516,13518.51118,06414,758195,66217,0498.71157,49615,5789.893,0311,10036.2835,1355,5821618753.861618753.86822,33651,6446.28768,92850,6006.5813,2253,65527.6440,1836,9322,485,754168,9406.82,437,960168,7096.9210,9354,30039.3236,85911,6611,85289048.091,85289048.09232,79837,78716.23231,59737,80816.3220313868.08998568774,98061,7327.97764,55461,2108.015,6702,13337.634,7551,51183,41730,32336.3583,23830,32836.44454498.211349973118625.4973118625.49</td> | NumberSECVNumberSECVNumberSECVNumber4,598,226194,0554.224,447,011193,2944.3533,1516,13518.51118,064195,66217,0498.71157,49615,5789.893,0311,10036.2835,1351618753.861618753.86822,33651,6446.28768,92850,6006.5813,2253,65527.6440,1832,485,754168,9406.82,437,960168,7096.9210,9354,30039.3236,8591,85289048.091,85289048.09232,79837,78716.23231,59737,80816.3220313868.08998774,98061,7327.97764,55461,2108.015,6702,13337.634,75583,41730,32336.3583,23830,32836.44454498.2113473118625.4973118625.49 | NumberSECVNumberSECVNumberSECVNumberSE4,598,226194,0554.224,447,011193,2944.3533,1516,13518.51118,06414,758195,66217,0498.71157,49615,5789.893,0311,10036.2835,1355,5821618753.861618753.86822,33651,6446.28768,92850,6006.5813,2253,65527.6440,1836,9322,485,754168,9406.82,437,960168,7096.9210,9354,30039.3236,85911,6611,85289048.091,85289048.09232,79837,78716.23231,59737,80816.3220313868.08998568774,98061,7327.97764,55461,2108.015,6702,13337.634,7551,51183,41730,32336.3583,23830,32836.44454498.211349973118625.4973118625.49 |

APPENDIX I

Number of Planned and Actually Covered Sampling Units

| | Enume | ration Areas | House | eholds |
|---------------|---------|--------------|---------|---------|
| Region | Planned | Covered | Planned | Covered |
| Tigray | 152 | 152 | 4560 | 4560 |
| Afar | 49 | 48 | 1470 | 1409 |
| Amhara | 336 | 336 | 10590 | 10575 |
| Oromia | 452 | 452 | 13560 | 13560 |
| Somali | 72 | 70 | 2160 | 1950 |
| | 90 | 90 | 2700 | 2699 |
| Benishangul- | | | | |
| | 380 | 380 | 11400 | 11400 |
| SNNP | | | | |
| Gambella | 81 | 74 | 2430 | 2156 |
| Gambella | | | | |
| Harari | 24 | 24 | 720 | 717 |
| | 24 | 24 | 720 | 712 |
| Dire Dawa | | | | |
| C | 1660 | 1650 | 49800 | 49738 |
| Country Total | | | | |

APPENDIX-I (a). Number of Planned and Actually Covered Sampling Units (EAs & Households) of the 2008/09 (2001 E.C.), Livestock Sample Survey

APPENDIX II

Estimation Procedures of Totals, Ratios, and Sampling Errors

APPENDIX II: Estimation Procedures of Totals, Ratios and Sampling Errors

The following formulas were used to estimate total livestock & its products, and ratio of specific characteristics in a stratum.

1. For Estimating Total livestock and products:

$$\hat{Y}_{h} = \sum_{i=1}^{n_{h}} W_{hi} \sum_{j=1}^{h_{hi}} y_{hij} = \sum_{i=1}^{n_{h}} W_{hi} y_{hi}$$

in which,
$$W_{hi} = \frac{M_h H_{hi}}{n_h m_{hi} h_{hi}}$$
 is the basic weight.

Where:

h represents the stratum

$$n_h$$
 is the total number of sample EAs successfully covered in the hth stratum.

 M_h is the measure of size of the hth stratum as obtained from the sampling frame.

- m_{hi} is the measure of size of the ith sample EA in the hth stratum obtained from the sampling frame.
- H_{hi} is the total number of agricultural households of the ith sample EA in the hth stratum.
- h_{hi} is the number of sample agricultural households successfully covered in the ith sample EA in the hth stratum.
- y_{hij} is the value of a specific livestock(its products) for agricultural households j, in the ith EA in the hth stratum.
- y_{hi} is the sample total values of a specific livestock(its products) for EA i in stratum h
- \hat{Y}_h is estimated total of specific livestock and its products in stratum h

2. For Estimating Ratios in stratum h:

$$\hat{R}_h = \frac{\hat{Z}_h}{\hat{X}_h}$$
, where the numerator and denominator are estimates of domain totals

for characteristic z and x, respectively.

3. Sampling Variance of Estimates:

Sampling variance for the estimate of stratum total of livestock and its products, and ratios are estimated by the following formulas.

$$Var(\hat{Y}_{h}) = (1 - f_{h}) \frac{n_{h}}{n_{h} - 1} \sum_{i=1}^{n_{h}} \left(\hat{Y}_{hi} - \frac{\hat{Y}_{h}}{n_{h}} \right)^{2} + f_{h} \sum_{i=1}^{n_{h}} (1 - f_{hi}) \left(\frac{h_{hi}}{h_{hi} - 1} \right) \sum_{j=1}^{h_{hi}} \left(\hat{Y}_{hij} - \frac{\hat{Y}_{hi}}{h_{hi}} \right)^{2}$$
$$Var(\hat{R}_{h}) = \frac{1}{\hat{X}_{h}^{2}} \left[Var(\hat{Z}_{h}) + \hat{R}_{h}^{2} Var(\hat{X}_{h}) - 2\hat{R}_{h} Cov(\hat{Z}_{h}, \hat{X}_{h}) \right]$$

Where,

$$Cov(\hat{Z}_{h}, \hat{X}_{h}) = (1 - f_{h}) \frac{n_{h}}{n_{h} - 1} \sum_{i=1}^{n_{h}} \left(\hat{Z}_{hi} - \frac{\hat{Z}_{h}}{n_{h}} \right) \left(\hat{X}_{hi} - \frac{\hat{X}_{h}}{n_{h}} \right) + f_{h} \sum_{i=1}^{n_{h}} (1 - f_{hi}) \left(\frac{h_{hi}}{h_{hi} - 1} \right) \sum_{j=1}^{h_{hi}} \left(\hat{Z}_{hij} - \frac{\hat{Z}_{hi}}{h_{hi}} \right) \left(\hat{X}_{hij} - \frac{\hat{X}_{hi}}{h_{hi}} \right)$$

 f_h = average first stage probability of selection of EAs within stratum h.

 $f_{hi} = \frac{h_{hi}}{H_{hi}}$ = Average second stage probability of selection within the *i*th sample EA in stratum *h*.

 $\hat{Y}_{hi}, \hat{Z}_{hi}, \hat{X}_{hi}$ are weighted total livestock and its products of characteristic y, z and x, respectively, in the ith EA and hth stratum.

 $\hat{Y}_{hij}, \hat{Z}_{hij}, \hat{X}_{hij}$ are weighted value of livestock and its products of characteristic y, z and x, respectively, from jth agricultural household in the ith EA and hth stratum.

Since all strata are independent, the total variance at regional and country level is computed by aggregating the result obtained at Zone/Special Wereda level, i.e.

$$Var(\hat{Y}) = \sum_{h}^{L} Var(\hat{Y}_{h}), Var(\hat{R}) = \sum_{i=1}^{L} Var(\hat{R}_{h})$$

Where, *L* is the number of strata (Zone/Special Wereda).

In estimating the sampling variance by the above formula, selection of EAs within a stratum is assumed to be with replacement. By so doing the variance estimate may be slightly over estimated but it greatly simplifies the estimation procedure.

4. Coefficient of Variation (CV) of Estimates:

Coefficient of Variation (CV) in percentage of estimate of stratum total of livestock and its products is given by:

$$CV(\hat{Y}_{h}) = \frac{\sqrt{Var(\hat{Y}_{h})}}{\hat{Y}_{h}} * 100, CV(\hat{R}_{h}) = \frac{\sqrt{Var(\hat{R}_{h})}}{\hat{R}_{h}} * 100$$

5. Ninety-five percent confidence interval (CI) of stratum total of Livestock (its product):

$$\hat{Y}_h \pm 1.96 * SE(\hat{Y}_h)$$

Where $SE(\hat{Y}_h) = \sqrt{Var(\hat{Y}_h)}$ is standard error of the estimate of the stratum total.

,

Estimates of standard error and confidence interval for the ratio estimate can also be calculated by adopting the above formulas.

APPENDIX III Survey Questionnaire

Form ASS - 2001/7

Female

Annual Agricultural Sample Survey

Livestock and Beehives Population - 2008/09 (2001 E.C.)

Part I - Identification Particulars

| Region | Zone | Wereda | Farmers' | Enumeration | Household | Holder |] | Holde | r | | | Type of Holding |
|--------|------|--------|-------------|-------------|-----------|--------|------|-------|-----|-------------|--------|-----------------|
| | | | Association | Area | Number | Number | Name | | Sex | Edu. Status | Family | Crop=1 |
| | | | | | | | | | | (Highest | | Livestock=2 |
| | | | | | | | | | M=1 | Grade | Size | |
| | | | | | | | | Age | F=2 | Completed) | | Both=3 |
| | | | | | | | | 8- | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

PART II - LIVESTOCK POPULATION AND PRODUCTS QST I - Did You Have Livestock and/or Beehives on November 10, 2008?

Yes Complete questions below

No – End of the question

Number of Cattle by Age and Purpose on Feb 10, 2008


| 1. Cattle of all ages |
|---|
| a. Cattle less than 6 months |
| b. Cattle 6 months and less than 1 year |
| c. Cattle 1 year and less than 3 years |
| d. Cattle 3 years and less than 10 years |
| 1. Beef Cattle |
| 2. Cattle for breeding |
| 3. Dairy cows |
| 4. Cows that gave milk for the last 12 months |
| 5. Draft cattle |
| 6. Cattle for other purposes |
| e. Cattle 10 years and older |
| f. Grand Total |
| 1. Local breed |
| 2. Exotic |
| |

| None | Total |] |
|------|-------|---|
| | 1 | |
| | 4 | |
| | 7 | |
| | 10 | |
| | 13 | |
| | 16 | |
| | 19 | |
| | 22 | |
| | 24 | |
| | 26 | |
| | 29 | |
| | 32 | |
| | 35 | |
| | 38 | |
| | 41 | |
| | 44 | |

| | Male | [| |
|--------|------|---|-------------|
| 2 | | | 3 |
| 2 5 | | | 3 6 9 |
| 8 | | | |
| 11 | | | 12 |
| 14 | | | 15 |
| 17 | | | 18 |
| 20 | | | 21 |
| | | | 23 25 |
| | | | 25 |
| 27 | | | 28 |
| 30 | | | 31 |
| 33 | | | 34 |
| 36 | | | 37 |
| 39 | | | 40 |
| 42 | | | 43 |
| 45 | | | 46 |

3. Hybrid_

Number of Sheep by Age and Purpose on Nov 10, 2008



Number of Goats by Age and Purpose on Nov 10, 2008

| | None | Total | Male | Female |
|--|------|-------|------|--------|
| 3. Goats of all ages | | 86 | 87 | 88 |
| a. Goats less than 6 months | | 89 | 90 | 91 |
| b. Goats 6 months and less than 1 year | | 92 | 93 | 94 |
| c. Goats 1 year and less than 2 years | | 95 | 96 | 97 |
| d. Goats 2 years and older | | 98 | 99 | 100 |
| 1. Goats for meat | | 101 | 102 | 103 |
| 2. Dairy Goats | | 104 | | 105 |
| 3. Goats for breeding | | 106 | 107 | 108 |
| 4. Goats for other purposes | | 109 | 110 | 111 |
| e. Grand Total | | 112 | 113 | 114 |
| 1. Local breed | | 115 | 116 | 117 |
| 2. Exotic | | 118 | 119 | 120 |
| 3. Hybrid | | 121 | 122 | 123 |

Number of Horses, Mules, Donkeys and Camels by age and Purpose on Nov 10, 2008

| Horses |
|---|
| 4. Horses of all ages |
| a. Horses less than 3 years |
| b. Horses 3 years and older |
| 1. Horses used primary for draft purposes |
| 2. Horses for transportation |
| 3. Horses for other purposes |
| |

a. Mules less than 3 years b. Mules 3 years and older _____ 1. Mules used primary for draft purposes _____ 2. Mules for transportation 3. Mules for other purposes _____

| None | Total | |
|------|-------|--|
| | 124 | |
| | 127 | |
| | 130 | |
| | 133 | |
| | 136 | |
| | 139 | |

| Male | Female | |
|------|--------|--|
| 125 | 126 | |
| 128 | 129 | |
| 131 | 132 | |
| 134 | 135 | |
| 137 | 138 | |
| 140 | 141 | |

| None | | Tota |
|------|-----|------|
| | 142 | |
| | 145 | |
| | 148 | |
| | 151 | |
| | 154 | |
| | 157 | |

No

| Male | Female | |
|------|--------|--|
| 43 | 144 | |
| 46 | 147 | |
| 49 | 150 | |
| 52 | 153 | |
| 55 | 156 | |
| 58 | 159 | |

пг

Donkeys

Camels

7. Camels of all ages

1. Camels for slaughter

4. Camels for transportation

Mules

5. Mules of all ages

| 6. Donkeys of all ages | |
|-------------------------------|---------|
| a. Donkeys less than 3 years | |
| | |
| | urposes |
| 2. Donkeys for transportation | |
| 3. Donkeys for other purpos | Ses |
| | |

a. Camels less than 4 years b. Camels 4 years and older

2. Camels for draft purposes _____ 3. Camels for milk

5. Camels for other purposes _____

| one | Total |
|-----|-------|
| | 160 |
| | 163 |
| | 166 |
| | 169 |
| | 172 |
| | 175 |

| Male | Female | |
|------|--------|--|
| 161 | 162 | |
| 164 | 165 | |
| 167 | 168 | |
| 170 | 171 | |
| 173 | 174 | |
| 176 | 177 | |

| None | Total | |
|------|-------|--|
| | 178 | |
| | 181 | |
| | 184 | |
| | 187 | |
| | 190 | |
| | 193 | |
| | 195 | |
| | 198 | |

| Male | Female |
|------|--------|
| 179 | 180 |
| 182 | 183 |
| 185 | 186 |
| 188 | 189 |
| 191 | 192 |
| 209 | 194 |
| 196 | 197 |
| 199 | 200 |

| Total | |
|-------|--|
| 201 | |
| 205 | |
| 209 | |
| 213 | |
| 217 | |
| 221 | |
| 225 | |

| Indigenous | Hybrid | Exotic |
|------------|--------|--------|
| 202 | 223 | 204 |
| 206 | 207 | 208 |
| 210 | 211 | 212 |
| 214 | 215 | 216 |
| 218 | 219 | 220 |
| 222 | 223 | 224 |
| 226 | 227 | 228 |

QST II- Did You Have Livestock During The Reference Period (Nov 12, 2007 to Nov 10, 2008)?

Yes Complete questions below

No – End of the question None

None

| 0 | / 1 11 | | c | • • |
|----------------------------------|----------------|--------------|-----------|---------|
| Total Beehives | (produced hone | v during the | reference | period) |
| | | | | |

- a. Traditional Beehives _____
- b. Intermediate Beehives _____
- c. Modern Beehives _____

| | Total |
|-----|-------|
| 229 | |
| 230 | |
| 231 | |
| 232 | |

Yes=1 No=2

10. Honey production per beehive in kg during the reference period

| a. Average honey production/ Traditional hive/harvest | |
|--|--|
| Number of harvests/Traditional hive/year | |
| b. Average honey production/ Intermediate hive/harvest | |
| Number of harvests/Intermediate hive/year | |
| c. Average honey production/ Modern hive/harvest | |
| Number of harvests/Modern hive/year | |

| 233 | - |
|-----|---|
| 234 | |
| 235 | |
| 236 | |
| 237 | |
| 238 | |

Milk, Egg, and Honey Production during the reference period

11. Dairy cows and Camels

- a. Cows that gave milk during the reference Period_____
- b. Average number of months cows actually milked _____
- c. Average lactation period of cows in months _____
- d. Milk production per day per cow in liters _____
- e. Camels that gave milk during the reference period_____
- f. Average number of months camels actually milked
- g. Average lactation period of camels in months _____
- h. Milk production per day per camel _____

| 239 240 | |
|-------------------|--|
| 240 | |
| 241 | |
| 242 | |
| 242 243 | |
| 244 | |
| 244 245 246 | |
| 246 | |

| 12. Egg production per hen per clutch | None | Indigenous 247 | Hybrid 248 | Exotic 249 |
|--|------|----------------|---------------|------------|
| 13. Average number of days per clutch | | 250 | 251 | 252 |
| 14. Total Number of clutch during the reference period | | 253 | 254 | 255 |

None

15. Livestock Diseases and Treatments during the Reference Period

| 1 | 2 | | 4 | | | 5 | | | | | |
|---------|----------------|-------|----------------|--------|---------------|------|--------|--|--|--|--|
| | | Aff | licted/Disease | ed | Total Treated | | | | | | |
| Sr. No. | Livestock Type | Total | Male | Female | Total | Male | Female | | | | |
| 1 | Cattle | | | | | | | | | | |
| 2 | Sheep | | | | | | | | | | |
| 3 | Goats | | | | | | | | | | |
| 4 | Horses | | | | | | | | | | |
| 5 | Donkeys | | | | | | | | | | |
| 6 | Mules | | | | | | | | | | |
| 7 | Camel | | | | | | | | | | |
| 8 | Poultry | | | | | | | | | | |

| 1 | 2 | | 3 | | | 4 | | | 5 | | | 6 | | | 7 | | | 8 | | | 9 | | | 10 | |
|------------|----------------|---|--------|---|---|--------------------|---|---|---|------------------|---|---|---|---------|---|---|-----------------------|---|---|-------------------------|---|---|---|----|---|
| Sr. No. | Livestock Type | | Births | 5 | Р | Purchases Acquired | | | | Sales Slaughters | | | | Offered | | | Died from Diseases | | | Died from other Reasons | | | | | |
| | | Т | Μ | F | Т | Μ | F | Т | Μ | F | Т | Μ | F | Т | Μ | F | Т | Μ | F | Т | М | F | Т | М | F |
| 1 | Cattle | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | Sheep | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Goats | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 | Horses | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 | Donkeys | | | | | | | | | | | | | | | | | | | | | | | | |
| 6 | Mules | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | Camels | | | | | | | | | | | | | | | | | | | | | | | | |
| 8 | Poultry | | | | | | | | | | | | | | | | | | | | | | | | |

16. Number of Births, Purchases, Sales, Slaughters, and Deaths during the Reference Period

17. Livestock diseases, treatment and Vaccination during the Reference Period

| 1 | 2 | | 3 | | | 4 | | | 5 | | | 6 | | | 7 | | | 8 | | | 9 | |
|---------|----------------|---|----------------|---|---|--------------------|---|---|-----------------------------|---|---|---|------------|---|---|--------|---|---|---|---|---|---|
| | | | | | | Vaccinated against | | | | | | | | | | | | | | | | |
| | | | Total ccina | | А | Anthrax Blackleg I | | | Pleuro-Pneumonia Septicemia | | | | Rinderpest | | | Others | | | | | | |
| Sr. No. | Livestock Type | Т | Μ | F | Т | Μ | F | Т | Μ | F | Т | М | F | Т | М | F | Т | Μ | F | Т | М | F |
| 1 | Cattle | | | | | | | | | | | | | | | | | | | | | |
| 2 | Sheep | | | | | | | | | | | | | | | | | | | | | |
| 3 | Goats | | | | | | | | | | | | | | | | | | | | | |
| 4 | Camels | | | | | | | | | | | | | | | | | | | | | |

18. Livestock Feeds utilized during the reference period

| 1 | 2 | 3 | 4 | 5 | 5 | 6 |
|---------|---------------------------|------|------------------------|--|----------------|------|
| Sr. No. | Type of Livestock Feed | Code | Utilized yes=1 no=2 | Percent from the total feed Utilized | Source of Feed | Code |
| 1 | Green fodder/Grazing | 1 | | | | |
| 2 | Crop Residue | 2 | | | | |
| 3 | Improved Feed | 3 | | | | |
| 4 | Нау | 4 | | | | |
| 5 | Bi-products | 5 | | | | |
| 6 | Others | 7 | | | | |
| | Total | | | 100 | | |
| | | | | | | |

Own Holding=1 Purchased=2 Communal Holding=3 1 & 2 = 4 1 & 3=5 2 & 3=6 1, 2, & 3=7 Others=8

19. Did you participate in any Livestock Extension Program during the reference period?

Yes=1 No=2

=1

=2

=3

=4

=5

=6

20. If yes to 19, what was the type of the package?

Dairy development package Beef/Meat/Mutton development package Poultry development package Honey and Wax development Package Any two or more of the above packages Any other livestock package