


PROCEEDINGS OF THE SIXTH INTERNATIONAL SYMPOSIUM ON FIELD  
MEASUREMENTS IN GEOMECHANICS, 15–18 SEPTEMBER 2003, OSLO,  
NORWAY

# Field Measurements in Geomechanics

*Edited by*

Frank Myrvoll

*Division for Monitoring and Geophysics  
Norwegian Geotechnical Institute  
Oslo Norway*



A A BALKEMA PUBLISHERS

LISSE / ABINGDON / EXTON (PA) / TOKYO

## Table of Contents

Preface	XI
Organisation	XIII
 <i>Theme 1 Case histories</i>	
Comparison of degree of improvement assessed by observational methods using field instrumentation <i>A Arulrajah &amp; H Nikraz</i>	03
Behaviour and stabilization of a natural slope excavated at the toe <i>J E Barradas</i>	11
Field study on piled raft foundation of twelve storeyed building at Chennai <i>V Balakumar &amp; K Ilamparuthi</i>	17
Castreccioni Dam the history and evolution of the dam monitoring system <i>C M Brutti E Perfetti &amp; A Zattoni</i>	23
Performance of a row of spaced bored piles used to stabilise a Gault Clay slope on the M25 <i>D R Carder R K W Lung &amp; K J Barker</i>	31
Load test program for the Bandra Worli Sea Link Project <i>C W Felice</i>	39
Correlation of cone resistance with undrained strength of some very soft to hard cohesive clays <i>B Gebreselassie H G Kempfert &amp; M Rauthel</i>	45
Monitoring a preload test on soft ground <i>A Gens &amp; A Lloret</i>	53
Application of a new integrated multi parametric monitoring system for the analysis of micro movements in the Civil Protection activities An example <i>F Giuffredi L Zanolini &amp; L Foglino</i>	61
Geological analysis based on tunnel monitoring in Taiwan High Speed Railway Project <i>Y Goto R Abe T Fujii &amp; S Omura</i>	67
Observed platform response to monster wave <i>O E Hansteen H P Jostad &amp; T I Tjelta</i>	73
Electrical resistance tomography system to monitor an acid rock drainage (ARD) waste rock repository <i>G Heath R Versteeg D Paul R Markiewicz &amp; K Wangerud</i>	87
Geotechnical investigation of the New Baltimore Slide <i>K M Heinrendt A N Styler &amp; C F Henderson</i>	95
Vibrations from the demolition of a large offshore platform <i>H Heyerdahl C Madshus K Tronstad &amp; E Lied</i>	103
Vibrations due to driving of large displacement concrete piles in residual granitic soils <i>C E Ho &amp; C G Tan</i>	111

Comparison of field measurements and predicted performance beneath full scale embankments <i>B Indraratna &amp; I Sathananthan</i>	117
Load tests on straight and step tapered bored piles in weakly cemented sand <i>N F Ismael</i>	129
Web based displacement monitoring system using GPS for the maintenance of roadside slopes <i>T Iwasaki K Takechi A Takeishi T Masunari Y Takechi &amp; N Shimizu</i>	137
Field model tests for a novel suction anchor application <i>P Johansson PM Aas &amp; S B Hansen</i>	145
Evaluation of initial state of lumpy fill in land reclamation <i>M Karthikeyan TS Tan GR Dasari KK Phoon RG Robinson GP Tan CP Tee &amp; PW Lam</i>	155
Instrumentation and monitoring of combined piled rafts (CPRF) state-of-the art report <i>R Katzenbach &amp; Ch Moormann</i>	161
STATNOMIC load testing on a bored pile for a bridge foundation and monitoring of load distribution of the piles during construction of the bridge <i>P Kityodom T Matsumoto &amp; H Matsui</i>	179
Tunnel deformation during excavation – a kinematic approach based on geodetic observations <i>VA Kontogianni &amp; S C Stros</i>	189
Full-scale testing of the reinforced soil Segmental Retaining Wall <i>SH Lee TH Koh SK Hwang JW Lee &amp; JM Kim</i>	195
Comparison of conventional and Osterberg cell pile load tests <i>C F Leung &amp; R F Shen</i>	203
Behaviour of a diaphragm wall in dense gravels <i>M Long &amp; B Dhouwt</i>	209
Puttesund Bridge – instrumentation for strengthening and lifting <i>I Markey</i>	215
Prediction of tunnel behavior in time dependent soft rock using displacement measurements of borehole <i>H Mashimo &amp; H Shiroma</i>	221
The construction of a high geosynthetic reinforced soil structure <i>N Meyer F Bussert &amp; H Obermeyer</i>	229
Geotechnical long term monitoring impact of groundwater lowering on adjacent high rise buildings <i>Ch Moormann</i>	237
Monitoring program for an unlined headrace tunnel in unfavourable ground conditions <i>F Myrvoll SB Hansen JA Roti &amp; A Halvorsen</i>	245
Pile raft soil interaction in piled-raft foundations design <i>NZ Gotman</i>	255
An attempt to explain the complex behaviour of a simple cylindrical arch dam <i>C Oosthuizen RH Goldie &amp; CJ Dorfling</i>	261
Geodetic surveying & TRIVEC monitoring system at Katse dam value added or waste? <i>C Oosthuizen PA Naude CJ Pretorius VF Mota &amp; FPJ Muller</i>	267
Total and pore pressure cells method in the madness <i>C Oosthuizen PA Naude &amp; LC Hattinagh</i>	273
Observational construction procedure of pipe roofing based on back analysis <i>T Otani R Sasaki M Maeda S Toru M Shinji &amp; S Sakurai</i>	279

Estimation of overconsolidation ratio from piezocone tests in Singapore marine clays <i>K K Phoon H E Low &amp; T S Tan</i>	287
Influences on the performance of piles observed by means of field measurements on combined pile raft foundations <i>O Reul</i>	293
Behaviour of a large diameter bored pile in a sandstone <i>P Rocha Filho</i>	299
Radioactive waste disposal in geological salt formations – current concepts, possible improvements and status of underground field testing <i>T Rothfuchs &amp; W Brewitz</i>	307
A comparison between predicted and observed behavior of Alavian dam Iran <i>J Sadrekarimi M A Kia &amp; A Sadrekarimi</i>	313
An evaluation technique for slope stability based on displacements measured at the slope surface <i>S Sakurai K Adachi A Takeishi &amp; T Iwasaki</i>	321
Determining the mass modulus of soft rocks in the Middle East <i>P Scott</i>	329
Deep basement construction in central London – how field measurement reflected prediction <i>P Scott</i>	335
Large scale field measurements on geocontainers during the dumping process <i>R R Schrijver A Bezuijen A J M Peters &amp; E Berendsen</i>	341
Stabilisation of endangered clay slopes by unconventional pore pressure release technique <i>R Schulze &amp; H J Kohler</i>	347
Investigation of surface settlement induced by underground metro excavation in Tehran <i>N Shariatmadari &amp; M Rezaei</i>	355
Stress measurement in Carboniferous massif in eastern Czech part of Upper Silesian Basin and numerical model <i>L Stas A Kolcun J Simkovicova &amp; K Soucek</i>	361
Geotechnical instrumentation of an earth buttress soil nailed slope <i>S A Tan W L Cheang P H Ooi &amp; K Y Yong</i>	369
Measurements of ground deformation around an advancing NATM tunnel heading <i>J P van der Berg &amp; C R I Clayton</i>	377
Repository concepts for nuclear waste disposal in clay formations <i>J Verstricht P Blumling &amp; T Merceron</i>	387
Monitoring of complex rock slope instabilities – correction and analysis of inclinometer/extensometer surveys and integration with surface displacement data <i>H Willenberg K F Evans E Eberhardt &amp; S Loew</i>	393
Observational construction using the TBM excavation control system <i>T Yamamoto S Shirasagi Y Mito S Yamamoto &amp; K Aoki</i>	401
 <i>Theme 2 Measurement technology</i>	
Displacement measurement by image processing in a field test on dike failure <i>H G B Allersma</i>	411
Dam crest measurements using differential GPS as a part of an integrated monitoring programme for small concrete dams <i>C Bernstone</i>	419

New multilevel groundwater monitoring systems for use in heterogeneous rock and soils <i>N Brownlie R Epps H Edmonds D Harris &amp; H R Fisch</i>	425
Behavior of closed vibrating wire piezometers corrected for temperature and barometric effects used to monitor water level in overflow weirs <i>E Brylawski</i>	431
Permanent real time microseismic monitoring of abandoned mines for public safety <i>S Couffin P Bigarre M Bennani &amp; J P Josien</i>	437
A case study of vibrating-wire sensors that have vibrated continuously for 27 years <i>E DiBiagio</i>	445
New developments in TDR cable surveillance of potential instability <i>C H Dowding M L Dussud &amp; K M O Connor</i>	459
Long-term instrument performance – experience from a large scale test in rock salt <i>J Droste &amp; T Rothfuchs</i>	469
In situ monitoring of hydrocarbon biodegradation in frozen arctic soil <i>B Engene &amp; A G Rike</i>	475
Long term performance of vibrating wire gages based on field and laboratory testing <i>A I Feldman G J Buechel H L Ellis &amp; M S Kucker</i>	483
Controlled boring process (CBP) – a new approach to deformation reduced tunneling in urban areas <i>C Frenzel &amp; U Rehm</i>	493
A method for piles monitoring using long gage fibre optic sensors <i>B Glisic D Inaudi S Vurpillot &amp; C Nan</i>	499
Performance of pore pressure transducers in soft clay and peat <i>G Greeuw R R Schrijver &amp; A J M Peters</i>	507
Evaluation of rock mass elastic constants by using earthmover load <i>S Kawasaki K Kaneko Y Obara N Nakamura &amp; R Tsukayama</i>	513
The use of Differential Monitoring Stability (DMS) for remote monitoring of excavation and landslide movements <i>M Lovisolo S Ghirotto C Scardia &amp; M Battaglio</i>	519
SOILWATCH – a ground and groundwater environmental monitoring system <i>T Løken</i>	525
Monitoring a harbor structure during reinforcement using a GPS based monitoring system <i>L Manetti &amp; B Glisic</i>	531
GPS based continuous displacement monitoring system <i>T Masunari K Tanaka H Okubo H Oikawa K Takechi T Iwasaki &amp; N Shimizu</i>	537
Piezometers in fully grouted boreholes <i>PE Mikkelsen &amp; G E Green</i>	545
Advances in inclinometer data analysis <i>PE Mikkelsen</i>	555
Vision metrology applied for configuration and displacement measurement <i>S Muura M Imai Y Ohmishi S Hattori &amp; K Akimoto</i>	569
A new study on the reliability and quality assurance of inclinometer measurements <i>Ch Moormann</i>	575

A study on new soil investigation method using seismic waves generated by dynamic penetration tests <i>Y Murata H Saito M Takemori T Takahara &amp; N Sugawara</i>	585
In-situ shear box and root pull out apparatus for measuring the reinforcing effects of vegetation <i>J E Norris &amp; J R Greenwood</i>	593
A simple 3 Dimensional crack width-tilt gauge out of Africa <i>C Oosthuizen P A Naude &amp; C J Dorfling</i>	599
Development of an improved load cell for construction work <i>G Price I F Wardle &amp; P Rocha Filho</i>	605
Grouted rockbolts instrumentation using Fabry-Perot sensor – preliminary investigation <i>M Quirion &amp; C Kamichaitis</i>	613
Low cost extensometer to measure strains in geogrids <i>M Robinson F Saidin &amp; R D Holtz</i>	619
Geotechnical tools in the abyss a useful experience for innovative instruments <i>J F Rolin J Meunier &amp; P Jegou</i>	625
Slope failure monitoring during embankment excavation <i>J Rosenfield</i>	631
Development and implementation of the downhole freestanding shear device <i>O A Safaqaq M F Riemer &amp; C Grizzle</i>	637
The measurement of stress in concrete <i>B Sellers</i>	643
Displacement monitoring using GPS and its interpretation method for the assessment of slope stability <i>N Shimizu &amp; H Matsuda</i>	657
Displacement measurement on tunnel face by using photo survey and its estimation by 3D numerical analysis <i>M Shinji S Morimoto M I Junica K Nakagawa &amp; T Endo</i>	665
The problematic management of the displacement monitoring system of a landslide <i>L Simeoni &amp; L Mongioli</i>	673
Investigation of permeability and evaporation of rock mass around a tunnel <i>T Tani T Koyama M Minami &amp; T Maejima</i>	681
A deep gallery excavation in clay monitoring our modelling skills <i>J Verstricht W Bastiaens F Bernier &amp; X L Li</i>	687
Penang Bridge deformation monitoring using Real Time Kinematic GPS a first experience in Malaysia <i>W A Wan Aziz &amp; D Mimi</i>	693
Development of a Retrievable Subsurface Accelerometer <i>D H Whang P J Fox T Nolan III &amp; P Nolan</i>	699
A new <i>in situ</i> thermal experiment in the argillaceous rock of Mont Terri laboratory using Optical Fiber Bragg Grating sensors <i>Y Wileveau V Dewynter Marty S Rougeault &amp; P Ferdinand</i>	705
The DI B experiment instrumentation to perform an <i>in situ</i> diffusion experiment <i>A Yllera J M Barcala A Hernandez &amp; P L Martin</i>	715
A new geotextile strain gage <i>J Aasen &amp; R D Holtz</i>	721

### *Theme 3 Planning administration and quality assurance*

King's Cross Station Redevelopment London design of the monitoring system <i>M Beth S Macklin &amp; Z Nichols</i>	731
A relevant geotechnical and structural monitoring project the experience of the new Milan-Bologna High Speed Railway Line <i>R Di Bianco E Pressi G Maggi &amp; G Pezzetti</i>	739
Planning administration and quality assurance of instrumentation projects – an overview <i>J Dunnichiff</i>	747
Components of structural monitoring process and selection of monitoring system <i>B Ghisic &amp; D Inaudi</i>	755
Eliminating lightning damage for field data acquisition systems <i>JM Klebba</i>	763
Amsterdam Noord/Zuidlijn one of the largest settlement monitoring projects in Europe <i>FJ Kaalberg S Braakman &amp; DK Cook</i>	769
Use of the Internet for quality assurance of construction projects <i>AJM Peters &amp; WO Molendijk</i>	775
Quality assurance in the supply and procurement of instrumentation components and systems <i>G Pezzetti D Bruzzi &amp; G Sørum</i>	781
Repository concepts for nuclear waste disposal in crystalline rock <i>GR Simmons P Blumling F Huertas T Merceron J P Salo &amp; C Svemar</i>	789
An approach to long term preclosure and postclosure monitoring for a nuclear fuel waste repository <i>PM Thompson &amp; GR Simmons</i>	799
Author index	811