SM

EMERGENCY RESPONSE, FIRE, RESCUE, EMS, AND POLICE CATALOG

UNITED SALES ASSOCIATES



Presented by United Sales Associates, Manufacturers' Representatives representing leading manufacturers of industrial safety products in the safety, industrial, construction, sanitary maintenance, and fire markets in the states of Ohio, Michigan, West Virginia, Indiana, Kentucky, Tennessee, Pennsylvania, and New York. *Our products are sold through authorized distributors.*



7537 State Road, Cincinnati, OH 45255-2438 Ph: 1-800-837-4266 • Fax: 513-231-1456 Web: www.unitedsales.com • E-mail: assocs@unitedsales.com

Branches: Cincinnati, Cleveland, Louisville, Indianapolis, Buffalo, Nashville, and Grand Rapids

FOR MORE INFORMATION - CONTACT UNITED SALES ASSOCIATES PH: 1-800-837-4266 * E-MAIL: assocs@unitedsales.com

EMERGENCY RESPONSE * EMERGENCY RESPONSE * EMERGENCY RESPONSE



HAZMAT DECONTAMINATION SHOWER SYSTEMS, SHELTERS AND ACCESSORIES PORTABLE * FIXED * MOBILE

INFLATABLE, PORTABLE HAZMAT DECON SHOWER SYSTEMS AND SHELTERS

- Available in all sizes from one-person units to mass casualties units.
- Designed with nothing to assemble.
- Can be fully inflated and operable via connection to an outside water supply in minutes
- Standard colors: EMS Blue, Green and White (other colors at extra cost).
- Seams are quadruple overlapped and glued to prevent leaking.
- Fabric materials (roof and sides) are polyurethane on polyester making them very chemical and UV resistant.
- Air chambers are polyester fabric coated with PVC on both sides, 1100 DTEX thick.
- Integrated air berms (air chamber) for containment to hold brown water.
- Fill ports are both compressed air (high pressure) and low pressure inflator/deflator.



DAT® 6012 (Interior) Shelter 20' W x 40' L x 10" H, 6 windows, 3 skylights

Medical Surge Capacity System



FSI offers a Medical Surge Capacity solution to provide immediate shelters, emergency car supplies, tools and other equipment for life safety and rescue operations during mass casualty events.

FSI Medical Surge Capacity Systems are 10 to 120-bed standalone or interconnected spokeand-hub design, fully equipped isolation shelter systems for multiple-use, modular, scalable "sufficiency of care" facilities.



Spoke-and-Hub design

Mobile Decon Shower Unit

Fully Mobile Self Contained 19' decontamination Mass Casualty Undress/Shower/ Redress Trailer with generator, clean and brown water holding tanks, detergent injection system. Provides hot water and electric-

ity in emergency situations

not available

where permanent facilities are

F-THD20-20' Trailer System

Portable Patient Isolation Chamber

Provides safe transportation of victims of radiological, biological or chemical incidents to more advanced medical treatment. Creates a negative airflow when connected to the HEPA Air Filter system, it eliminates cross-contamination and protects health care providers. with PAPR with rechargeable battery and charger, creates flow when connected to optional HEPA air filter system. Comes with 4" re-sealable red colored

access ports to allow passage of O2 or Intravenous tubes from outside to patient.



Tychem® F 60151



DAT® 3060 Shelter 11' w x 21' L x 9' H 200 sq. ft, 2 win-

DAT® 3060S Shower 3 Line 3/4 stage mass casualty decon shower system



MCI Trailer Systems

Fully configurable for MassTrauma / Mass Casualty/ Mass Decon or any combination.

Several styles. sizes. options are available.





Tychem® TK

The Highest Level of Protection for **Initial Hot-Zone Entry**

CHEMICAL PROTECTIVE

CLOTHING

The lime yellow material is highly visible in both bright and dim light, offering greater safety in emergency situations. Tychem® TK is easily seen in smoky or hazy environments, and is ideal for hazardous material handling, domestic preparedness, emergency response and transportation emergency teams. The true sealed window does not fog between film layers providing better vision.

Available in Rear Entry. All deluxe and NFPA 1994 Certified Level NFPA 1994 Certified Class 1, Part #TK644 Front Entry, TK 654 l A's are available with a "wide view" lens system.

Specifically Designed for Protection **Against Chemical Warfare Agents**

Tychem® F is a lightweight material that was develeconomic means of protection against chemical war-

oped specifically for protection against chemical warfare agents. While it does not offer the same strength as other Tychem® fabrics, it does offer an fare agents and toxic industrial chemicals.

Tychem TK® 650 Level A

EMER	GENCY	RESP	ONSE

NDUSTRIES, INC

Tychem® BR



Tychem® BR151 Level B Suit

Гychem® SL



Tychem® SL 72150





Chem-Ply™/N-440



Also available in NFPA 1994 Certified Class 3 Ensemble, Part # BR780 or LV780

An Effective Choice for Hot-Zone

Cleanup and Warm-Zone Operations

Chemical Protective Clothing backed by superior permeation data on over 200 nasty chemicals, including the ones involved in most industrial or hazmat incidents, as well as chemical and biological WMD. Excellent tear, puncture and abrasion resistance, plus enhanced comfort make these garments a dream to work in. Also available in Tychem[®] LV (low visibility military green).

Reliable and economical Level B protection against a spectrum of chemicals. Tychem® SL is a great lightweight laminate that is effective for cold-zone or perimeter warm-zone operations.

All Tychem[®] fabrics shown have been tested against chemical warfare agents. Complete permeation data available from Lakeland.

Gloves for Handling Hazardous Materials

Unique all-Neoprene construction makes the STANZOIL Chem-Ply the most effective and economical chemical-barrier glove available. Choose from the 22-mil and 30-mil, 14" or 18" versions or 14", 40-mil version to find the best combination of chemical/mechanical resistance and dexterity for your application.

In compliance with NFPA 1992-1994 Ed Hazardous Chemical Emergency Standard.



Fluonit 468 combines Nitrile layer and several outer layers of Fluoroelastomer to provide extreme hazardous chemical protection.

The Nitrile interior provides the glove with

superior mechanical resistance. It has a green Nitrile interior with black Fluoroelastomer outer layers. As the black Fluoroelastomer wears through abrasion the green inner layer will appear, indicating gloves should be replaced.





Triage Tape System

FSI Triage 4 Tape System

Green, Yellow, Red, Black Tape with Carry Bag

Identifies Injury Severity

Black Tape: Morgue, pulseless/non-breathing. Red Tape: Immediate, life threatening injuries. Yellow Tape: Delayed serious, non-life threatening. Green Tape: Minor injuries, walking wounded.

FIRE AND RESCUE * FIRE AND RESCUE

🕼 LaCrosse

Durable, Comfortable and ready for the Job!

Gunnison	14" Lightweight Bunker Boot—NFPA Certified
#0012 9010	 7.5 oz. DefenderTM 750 Kevlar/Nomex® upper fabric provides reduced weight, added abrasion resistance, and excellent Thermal protection with breathable, fire and chemical resistant 7.5 oz struck-through leather bottom. Vibram® 1275 Olympia Fire & Ice outsole for increased slip resistance in fire fighting environments. LaCrosse exclusive Flex-Shield puncture resistant midsole construction features multiple layers of Kevlar and polyester threads. Many more features to add to comfort and safety.
Phoenix	14" Insulated Bunker Boot—NFPA Certified
	 Right angle heel, Vibram® Olympia Outsole. CROSSTECH[™] protective fabric liner. Made in the USA. Breathable, fire and chemical resistant leather. Tapered design for increased ease of donning and doffing Heavy duty, stitched and riveted leather pull straps.

• Thermoplastic heel counter for stability and support.

· Same heel, liner and leather as the Phoenix features.

• Rugged, smooth working side zipper makes donning and

• Fire-resistant Nomex® in upper, fire retardant zipper

• Rugged stitchdown construction for increased stability

#0012 9000

10" Non-Insulated Leather Side-Zip Boot_NFPA Certified Maltese



• 360° of 3MTM ScotchliteTM reflective material for better visibilty in low light conditions. #0012 9100 • Can be resoled for additional wear.

• Made in the USA.

skived to fit upper.

doffing quick and easy.

• USAR approved.

Gunnison, Phoenix, and Maltese are available in men's sizes 5-13 (whole and half sizes); 14-16 (whole sizes only); narrow, medium, wide and extra wide widths (through size 15). Women's Sizes 5-10 (whole and half sizes); narrow, medium and wide widths.

Insulated and Non-Insulated Rubber Bunker Boots—NFPA Certified

All styles 16"

- Extra thick felt midsole provides protection against cold and heat.
- Built in cushioned insole provides all day comfort.
- Steel toe and puncture resistant steel midsole meets or exceeds ASTM/ANSI specifications.
- Extra wide, heavy duty, ribbed steel shank.
- Firmly anchored pull-up loops to minimize leg chafing.

SSF 500: Non Insulated, with Trac Lite[™] outsole for enhanced traction. SSF 2000: Insulated with Trac Lite[™] outsole.

SSF 1500: Insulated with Tractor Tread outsole rugged, all purpose tread pattern with right angle heel and bumper to grip ladder rungs.

SSF 1500 and SSF 2000

•Kevlar®/Nomex® lining throughout for durability and protection against punctures.

•Insulated with open cell polymeric foam to guard against cold and heat.

•Thick , external rubber shin guard adds extra protection and comfort on ladders.

Available in Men's sizes 3-13 (whole & half); 14, 15 (whole only); Narrow, Medium and Wide



FIRE AND RESCUE * FIRE AND RESCUE

LaCrosse

Blazer™



Part #0012 9200



NFPA Certified

8" Unlined Wildland Boot

- Vibram® high logger style, fire resistant outsole. • Stitchdown construction reduces foot fatigue with a wider, more stable base.
- Breathable 5.0-5.5 fire and chemical resistant leather.
- Removable kiltie channels debris away from the foot. • Extra heavy-duty shank for additional arch support.

· Protective, abrasion-resistant PVC impregnated counter pocket and double layer toe cap.

· Stitched, thermo-molded plastic heel counter for comfort and added foot stability.

· Completely recraftable by LaCrosse® to meet or exceed NFPA Certification.



Smoke Jumper

Wildland Fire Fighting Gear

Be better protected and able to perform for any given situation! Garments offer enhanced protection to increase your coverage and minimize exposure, and are designed to enable greater freedom of movement when fighting the unpredictable wildland fire.

Brushcoat and Brushpants available in Nomex® IIIA (93% Nomex, 5% Kevlar®, 2% P140 Carbon Fiber) and Indura Ultra Soft (88% Cotton, 12% High Tenacity Nylon).

Jackets sizes available: Small (38-40) through 2XL (54-56). Pants sizes available: Waist sizes: S (28-30), M (32-34), L (36-38), XL (40-42), 2XL (44-46). Inseams: 30, 32, or 34. All pants supplied with finished leg bottoms (hook and loop take up tabs on leg bottoms).



COMBAT LITE®

COMBAT®

Crash / Fire/ Rescue Gear

Combat® Series of aluminized turnout gear combines the quality features of the Attack Series with a highly reflective aluminized layer. Combat® Lite couples the Sterling Heights design with an aluminized layer for additional protection.

Combat® and Combat Lite® meet or exceed the requirements for crash, fire and rescue from the FAA, International Civil Aviation Organization and the US Military. Additionally, they meet or exceed requirements for marine and offshore use. NFPA 1976 compliant.

COMBAT ELITE

Same as Combat and Combat Lite except it is in- stock for immediate delivery. Many standard features and sizes available.



Ph: 800-827-4266 * Fax: 513-231-1456 www.unitedsales.com * assocs@unitedsales.com

> Visit our web site to see our other **Product Catalogs!**

FIRE AND RESCUE * FIRE AND RESCUE



THE FASTEST

DELIVERY

ON THE PLANET!

OSX[™] Turnout Gear is stocked for immediate delivery. It has a host of standard features. If you're tired of waiting for custom gear, THINK FYREPEL. AND OSX™!



Easy entry waist high reinforced pants, 35" pocketed

Yellow Nomex® Outer Shell Q9® Thermal Barrier coat, trimmed with hi-viz 3M

Stedair 3000® Moisture Barrier Scotchlite® reflective trim. Full time protection that is NFPA compliant. Quality that provides all the answers at turnout time!

OSX™ 2000



32" coat, tailored high back pants with standard 29" inseam allows wearers to move with 3M Scotchlite® reflective trim.

OSXTM 2000 Materials Khaki Advance® Outer Shell **O9®** Thermal Barrier Stedair 3000® Moisture Barrier

OSX[™] 1000 Materials

more ease and efficiency. NFPA Compliant with high visibility

STANDARD FEATURES			OSX	
Coats	 Integrated collar with Velcro closure (2000 only). Underarm gussets. Mic Clip. 3" reflective trim is double stitched. Velcro pocket closures/moisture barrier lined pockets. Self material cuffs. Thumbhole wristlets. Flashlight loop & hook 	Pants	 Velcro / snap fly closure system. Adjustable waist take-up tabs. Diamond crotch for ease of movement. Larger knee pads. 3" reflective trim is double stitched. Self material cuffs. 	

Fyrepel[™] also offers the Attack[®] and Battalion[®] customized Turnout Gear and accessories. Be sure to ask your Lakeland Sales Representative for details.



FR Cotton Extrication Suit

- Stand up collar with hook & loop closure.
- · Bi-swing back, hook & loop adjustable straps at wrist.
- 12" leg zipper with hook & loop adjustable straps at ankle.
- Brass zipper front with hook & loop storm flaps.
- · Lined Sleeves, padded elbows, forearms, knees & shins, two rear pockets with flaps.
- Side Entry pockets with pass-through hook & loop closures.
- Semi-bellows pocket with flap on each thigh.
- Radio pocket with flap and utility strap with mic clip above the pocket.
- Hook & loop take-up straps at waist.
- · Large pocket on right chest with utility loop, scissor pocket w/strap.
- Reflective trim around upper sleeves, lower legs and across upper back.

Available in Royal Blue and Navy Blue





Rollgliss® ascending and descending rope systems are market leaders, in use all over the world with fire departments, in industry, in public services, by rescue teams as well as by arm and police forces.

*

FIRE AND RESCUE

FIRE AND RESCUE

- Interchangeable pulley system with a 3:1 ratio with 50 ft. travel distance (200 ft. 3/8" rope), any length available.
- Includes R350 rope unit, pulleys, rope control device, securing strap, anchoring sling, carabiners and carrying bag.

Part #8902004

SOLO ULTRA™/997

• Powder free, contains no natural rubber latex proteins.

EMS / POLICE * EMS / POLICE

- Reduces chances of dermatitis and potential to confuse
- powder with hazardous substances and residues. • Meets ASTM F1671 Resistance to Blood Borne
- Pathogens. • Textured fingertips provide safe wet or dry grip.
- Rolled cuff decreases potential of tearing during
- donning the gloves. • Sizes: XS-XL

ACCESSORIES * ACCESSORIES

Fold & Roll TM Sign System

Can be rapidly deployed in less than

SORIES * ACCESSORIES

ACCESSORIES



COOL VEST! Get Comfortable with a Phase Change Cool Vest®

Working in HazMat/Protective suits can make anyone lose their cool. The Phase Change Cool Vests® worn under these suits give the user a greater degree of comfort. In fact, it creates a climate of 58° F

for up to three hours. Designed for comfort, these vests are washable and lightweight. Built-in side and shoulder adjustments provide a better fit. The vests come in many styles, sizes and fabrics.

Available in Polycotton, Banox (FR Cotton), or Nomex®



Style #00055 Polycotton Style #00056 Banox (FR) Cotton Style #00058 Nomex

Level A / NFPA Test Kit



Maintain your encapsulated suits with this easy to use test kit. Kit features an easy to read Magnehelic pressure gauge, digital timer, sturdy brass and steel fittings, hoses and connectors in a waterproof case. Complete instructions included.

WELLS LAMONT INDUSTRY GROUP

MechPro Grip. Pigskin premium grain leather. Reinforced padded palm patch for grip and extra wear. Reinforced leather thumb, fingertips and knuckle strap. Hook and loop closure. Sizes M-XL. Part #7790.

Grain Cowhide. Keystone thumb, bound hem. Elastic shirred back. Sizes S-XL. Part #Y0131



Leather Gloves

Car

Leather Palm—Standard shoulder split palm. Wing thumb, full feature. Safety Cuff. Sizes S, L. Part #Y3407





out contaminants.

and grinding.

minutes.

• Does not melt, drip or ignite at 350° for 5


· Fits naturally to contour of face blocking

• Available in IRUV 3.0 & 5.0 for cutting

Meets ANSI Z87.1+ standards.
Side vents to increase airflow

Ausafed SMC) Goggles for Wildland Firefighting

WILDCAT



• NCHRP 350 compatibility, MUTCD compliant.

Allsafe SMC

- Aluminum and steel construction.
- Coral Pink super bright material.
- 48" Fold and Roll™ and Dynaflex™ signs with quick-locking Stablock™ sign holding system.
 Many standard legends, others available by spe-
- Many standard legends, others available by special order.
- Telescoping aluminum legs with two position height adjustment and anti-skid foot pads.
- Kick release system for quick leg deployment.
- Dual torsion springs to withstand wind resistance.



Specialty Vests

Incident Management Disaster Preparedness

Constructed of heavy duty vinyl coated fluorescent knit fabric. 4" x 18" reflective patches on

front and back. Many standard legends available, or build your own!



Gator® Overpack Salvage Drum

Ideal for Overpacking damaged drums for transport

95-gallon Overpack Salvage Drum is the safe and economical solution to the transportation and temporary storage of damaged or leaking drums of hazardous materials. Rugged, UV-protected polyethylene withstands the rigors of land, air and sea transportation. "X" rating offers the highest UN and D. O.T. certification available. Can be used with all packing classes of hazardous materials, I, II and III including solvents, acids, poisons and explosives.

Justrite Part #28201

100% polyethylene construction provides superior chemical resistance and durability for a variety of uses such as collection and transport, emergency response, contamination site cleanup, and spill control kits.



UNO™ D.O.T. Safety Cans

.

Transport fuel safety with UNO D.O.T. Safety Cans

Satisfy both D.O.T. and FM requirements for over-the-road transport and the dispensing of fuel once you reach the work site. Optimum protection from fire risks combined with innovative ease-of-use features provide safety and efficiency.



Available in 1, $2\frac{1}{2}$, and 5 gallon cans





* ACCESSORIES ACCESSORIES

ACCESSORIES

NOX

Products for your Spill Related Needs

ACCESSORIES

STARDUST Super Absorbent


- · Absorbs Spills of any type liquid or semi-liquid.
- Absorbs Spills on contact works immediately.
- Leaves no history of there having been a spill providing a safe, dry work, residue free work surface immediately.

STARPOWER Super Cleaner Degreaser

- Water Based.
- Environmentally Friendly Super Cleaner and Degreaser.
- Starpower is a multipurpose/universal safe and easy to use cleaner and degreaser with a multitude of uses. Starpower can be used in plants, on machinery, in food processing, pressure washers, parts washers, floor scrubbers to save time, cost and improve performance and efficiency.



with Firefighters, this is the lightest weight belt on the market, with no sacrifice to safety.



- · Tongue Buckle.
- Extra wide body pad provides increased support and comfort.
- Sizes XS XL.
- NFPA Approved.



Smokers Cease-Fire Cigarette Butt Receptacle

DBI #1000564

Self Extinguishing!

- Made of flame-retardant, sturdy polyethylene, it won't rust, dent, or crack.
- Unique rain bonnet opening keeps rain out and discourages other trash.
- · Simply lift off lid to empty big galvanized steel pail inside.
- Tie-down notches offer security and greater stability under severe weather conditions.
- Available in seven colors.





Socks designed with flame retardant

but also designed with comfort in mind!

- 15" Over the Calf Black Sock.
- · Lightweight.
- Welt top-keeps socks up.
- · Lin-toe-seamless toe that reduces irritation. · Arch and ankle support-adds comfort, stability and better fit.
- Extra cushion in heel and toe-reduces impact.
- Y-heal-conforms to foot.
- Ventilation channels- help foot breathe and keep cool.
- Anti-microbial for odor control.
- Sizes S-XL



Air Heating System for FSI Shelters

- 136,000 BTU.
- 110 V diesel fuel powered.
- 12" x 25' ducting.
- FSI #F-HST • Built-in 10 gal fuel tank.

- Adjustable from 2-8 ft
- 3 legs set/unit
- 7 wheels/axle
- 200 lbs./ft capacity
- Priced per section

Also available: F-RS12: adjustable 3-12 ft, 4 leg sets/unit. F-RS16: adjustable from 4'3"-16'9", 5 leg sets/unit

Fire Safety Ventilation Products

- · Designed to fit in tight compartments and small spaces without sacrificing performance or features.
- · Compact design features fold down "T" handle. • A "tilt and lock" device allows unit to be angled 20°
- up or down.
- Sturdy and lightweight 1" wrap around frame.
- · Available with a 5.5 hp Honda Engine (Standard or Oil Alert).
- Gasoline, Electric or Explosion proof motors available.



Fantraxx 18" Low Profile Positive



This Catalog is a representation of the many Emergency Response, Fire, Rescue, EMS and Police Products offered by our manufacturers. Please contact your United Sales Associates Representative for additional information or any questions.

For More Information Call: 1-800-837-4266

Phoenix Fire Socks



Part #H601008

Air Heating Units

Conveyor Roller System



FSI #F-RS



NORTH AMERICA

materials for safety,