

# Fisher Scientific Costa Rica Catalog

Phone: 506-2239-7270 • Web: [www.fishersci.com](http://www.fishersci.com) • Address: Flexipark Freezone Alajuela, Costa Rica





## Welcome...

### To the 2014 Fisher Scientific Costa Rica Catalog!

Fisher Scientific has been serving science for more than a century – we are proud to be a single source for innovative products and services designed to accelerate productivity, efficiency and results. Our Costa Rica team of sales and technical specialists allows us to provide you with these same services locally including inventory of key products. In the past year we have expanded our warehouse and now stock over 200 products that can be used in the field, on the bench, in the hood, on the shelf and in the freezer.

## Bienvenido...

### Para el 2014 Catálogo Fisher Scientific Costa Rica!

Fisher Scientific ha estado al servicio de la ciencia desde hace más de un siglo - estamos orgullosos de ser una fuente única para productos y servicios innovadores diseñados para acelerar la productividad, la eficiencia y los resultados. Tenemos un equipo de ventas y especialistas técnicos en Costa Rica a su disposición, que nos permite brindar los mismos servicios a nivel local, incluyendo un inventario de los productos clave. En el último año hemos ampliado nuestro almacén y ahora contamos con más de 200 productos que se pueden utilizar en el campo, en la industria, en cuartos de ambiente controlados y en laboratorios.



#### on the bench

- pH Meters
- Mixers
- Microscopes
- Pipetters (multichannel)
- Pipetters (single-channel)



#### in the hood

- Separatory Funnels
- Serological Pipets
- Timers
- Burets



#### on the shelf

- Media/Serum
- Petri Dishes
- Pipet Tips
- Centrifuge Tubes
- Wipers



#### in the freezer

- Cryo Boxes (cardboard)
- Cryo Boxes (polypropylene)
- Stainless-steel Racks
- Vials
- Labels



#### in the field

- Bottles/Jars
- Gloves
- Bags
- Scoops

In addition to the catalog you can view products on line at [www.fishersci.com/costarica](http://www.fishersci.com/costarica) or for a complete product listing and the newest additions to the portfolio visit [www.fishersci.com](http://www.fishersci.com).

Our Costa Rica team can address your questions and assist you with order placement.

## Fisher Scientific Costa Rica

Flexipark Freezone  
San Rafael de Alajuela  
300 East Holcim  
Alajuela, Costa Rica  
Telephone: +506 2239 7270  
[www.fishersci.com/costarica](http://www.fishersci.com/costarica)

**Cristina Pacheco**  
Commercial Director  
[cristina.pacheco@thermofisher.com](mailto:cristina.pacheco@thermofisher.com)

**Adriana Moreno**  
Sales Representative  
[adriana.moreno@thermofisher.com](mailto:adriana.moreno@thermofisher.com)

**William Paniagua**  
Sales Representative  
[william.paniagua@thermofisher.com](mailto:william.paniagua@thermofisher.com)

## Contacts



# Table of Contents

	Page		
Apparel		Jars	
Beard Covers.....	1	Plastic.....	7
BOUFFANTS/CAPS/HAIRNETS.....	1	Knives and Blades	
Coveralls.....	1	Blades.....	7
Frocks.....	1	Scalpel.....	7
Hoods.....	2	Labels and Tape	
Shoe/boot covers.....	2	Self Adhesive paper.....	7
Sleeves.....	2	Tape.....	7
Bags		Microscope Slides	
Autoclave Bags.....	2	Glass.....	7
Biohazard Bags.....	2	Mops and Brooms	
Sample Bags.....	2	Controlled Environment.....	7
Beakers		Mops.....	8
Plastic.....	3	Pipets	
Bottles		Serological.....	8
Amber.....	3	Transfer.....	8
Plastic.....	3	Samplers	
Wash bottle.....	3	Spatula.....	8
Cleaners		Sampling	
Cleaners.....	3	Spatula.....	8
Hand Sanitizer.....	4	Specimen Collection	
Connectors		Urine Collection.....	8
Connector.....	4	SWABS	
Dishes		Controlled Environment.....	9
Aluminum.....	4	Syringes and Needles	
Glass.....	4	Syringes.....	9
Eye protection		Tools	
Goggles.....	4	Pliers.....	9
Lens Cleaner.....	4	Scissors.....	9
Shields.....	4	Lindstrom Cutters.....	10
Spectacles.....	4	Tubes	
First Aid		Centrifuge.....	10
Bandages.....	5	Tweezers	
Floor Coverings		Angulated.....	10
Controlled Environment.....	5	Duckbill.....	10
Funnels		Straight.....	10
Plastic.....	5	Vials	
Gloves		Glass.....	11
Controlled Environment.....	5	Wipers	
Examination.....	5	Controlled Environment.....	11
Latex.....	6	General Purpose.....	12
Nitrile.....	6	Polyester.....	12
Sterile.....	6		
Hand Protection			
Finger Cots.....	6		
Hemostat			
Straight.....	6		





# Apparel

## Beard Covers

### Keystone™ Latex-free Beard Covers



**19-722-004**

Cover, Beard; Keystone; Polypropylene; Latex free; Slip on; Securew with elastic back; 1000cs.; White Cover, Beard; Keystone; Polypropylene; Latex-free; Slip on; Secure with elastic back; Size: Large; White; Cube.: 0.6 cu.ft; Wt.: 4 lb.

### AlphaProTech Critical Cover™ GenPro™ Beard Cover



**19-130-1511** - 1000/Cs.

Cover, Beard; AlphaProTech; Critical Cover; GenPro; Lightweight and durable; Limited barrier to particulates and contamination; Latex free; White; Universal size

## BOUFFANTS/CAPS/HAIRNETS

### Keystone™ Bouffant Caps



**19-074-242**

Cap, Bouffant; Keystone; Polypropylene; Disposable; White; Defense against contamination; Fits securely on the head; Keeps hair out of eyes and away from work area; Color: green; Cube: 2.2 cu. ft.; Size: 21 in. (53.34cm); Wt.: 10 lb.

**19-722-000**

PP; 21 in.; White; 10 Bags/Cs.

### International Enviroguard\* Polypropylene Bouffant Caps

**19-472-414**

Cap, Bouffant; International Enviroguard; Polypropylene; Green; 24 in.

### AlphaProTech Critical Cover™ GenPro™ Bouffants



**19-130-1507** - 1000/Cs.

Cap, Bouffant; AlphaProTech; Critical Cover; GenPro; Lightweight; Non-binding, latex-free elastic band; Serged seams; White; Size: 21 in. (53.3cm); 1000/Cs.

**19-130-1510** - 1000/Cs.

White; 24 in.; 1000/Cs.

## Coveralls

### AlphaProTech Critical Cover™ AlphaGuard™ Coveralls



**19-130-1503A**

Coveralls, AlphaGuard; AlphaProTech; Critical Cover; Ultra clean material with a low particle count; Fluid repellent; Elastic wrist, ankle and back; Serged seams; Blue; Small

### AlphaProTech Critical Cover™ ComforTech™ Coveralls



**19-161-902B**

Coverall, ComforTech; AlphaProTech; Critical Cover; Lightweight durable material; Protects against particles, biologicals and many fluids; 99.9% filtration efficiency; Elastic wrist and ankle; Serged seams; White; Medium; 25/cs.

**19-161-902C**

Elastic Wrist and Ankles; Serged seams; Large

**19-161-902D**

Elastic Wrist and Ankles; Serged seams; X-Large

**19-161-902E**

Elastic Wrist and Ankles; Serged seams; 2X-Large

**19-161-902F**

Elastic Wrist and Ankles; Serged seams; 3X-Large

**19-161-902G**

Elastic Wrist and Ankles; Serged seams; 4X-Large

## Frocks

### AlphaProTech Critical Cover™ ComforTech™ Frocks



**19-130-4231**

Frock, ComforTech; AlphaProTech; Critical Cover; Lightweight; Breathable; Protects from light chemical splash and biologicals; Mandarin style snap collar; Raglan sleeve; Elastic wrist; Snap close, serged seams; White; Small; 25/cs.

**19-130-4232**

Snap close; Medium

**19-130-4233**

Snap close; Large

**19-130-4234**

Snap close; X-Large

**19-130-4235**

Snap close; 2X-Large

**19-130-4236**

Snap close; 3X-Large

**19-130-4237**

Snap close; 4X-Large

## Hoods

### Keystone™ Polypropylene Hoods



**19-068-501**

Hood, Disposable; Keystone; Polypropylene; Latex-free; Lightweight; Elastic closure; White; Universal size; 1000/cs.

## Shoe/boot covers

### Keystone™ Polypropylene Shoe Covers - Non-Skid



**19-055-171**

Cover, Shoe; Keystone; Polypropylene; Non-skid; Blue with white thread; Contamination control; Clean room compatible; Safety-slip/fall prevention; Water resistant; Color: Blue; Size: Universal

**19-055-185**

Size: X-Large; Dimension: 18.5 x 9 in.

### Keystone™ Polypropylene Shoe Cover - Non-skid



**19-055-175**

Cover, Shoe; Keystone; Polypropylene; Non-skid; Blue with white thread; Contamination control; Clean room compatible; Safety-slip/fall prevention; Water resistant; Color: Blue; Size: Large

### Keystone™ Polypropylene Shoe Covers - Super Sticky, Non-Skid



**19-055-236**

Cover, Shoe; Keystone; Polypropylene; Super sticky; Non-skid bottom; Contamination control; Clean room compatible; Safety-slip/fall prevention; White; Large; 6.2 lb. (2.72kg)

### AlphaProTech Critical Cover™ CPE Shoe Covers



**19-130-1475**

Cover, Shoe; AlphaProTech; Critical cover; CPE; Non-Conductive; Latex-free; All Film; Fluid resistant; Lightweight; Seamless sole; Heat sealed seam; White; X-Large; 1000 Pair/Cs.

**19-130-1476**

Blue; X-Large

### AlphaProTech Critical Cover™ Microbreathe™ UltraGrip™ Boot Covers



**19-130-1492**

Cover, Boot; AlphaProTech; Critical Cover; UltraGrip; Microbreathe; High top; Barrier protection; Elastic top and ankle, anti-skid sole; Serged seams; Particle holdout; Boot color: white; Thread color: yellow; Medium; 100 pair/ Cs.

**19-130-1493**

Elastic Ankles; Universal; White thread

**19-130-1494**

Elastic Ankles; X-Large; Black thread

**19-130-4193**

Ankle ties; Medium; Yellow thread

**19-130-4194**

Ankle ties; Universal; White thread

**19-130-4195**

Ankle ties; X-Large; Black thread

## Sleeves

### AlphaProTech Critical Cover™ ChemTech™ Sleeves



**19-125-020**

Sleeve; AlphaProTech; Critical Cover; ChemTech; Strong and durable with sonic welded seams; Tunneled elastic at both ends; Tapered design; Yellow; Universal; 100/Cs

## Bags

### Autoclave Bags

#### Fisherbrand™ Instant Sealing Sterilization Pouches



**01-812-50** - 200/Pk.

Pouch; Instant sealing sterilization; Peel off protective strip; Triple heat-processed seams; 2mil-thick blue transparent polyester/polypropylene laminate film side; Size: 3.5 x 5 in. (8.89 x 12.7cm)

**01-812-51** - 200/Pk.

3.5 x 9 in.

**01-812-54** - 200/Pk.

5.25 x 10 in.

**01-812-55** - 200/Pk.

7 x 13 in.

**01-812-57** - 100/Pk.

10 x 15 in

**01-812-58** - 100/Pk.

12 x 18 in.

## Biohazard Bags

### Bel-Art™ Scienceware™ Benchtop Biohazard Waste Disposal Bags



**03-410-591**

Bags, Biohazard; Bel Art; Autoclavable; Bright red; Polyethylene; Biohazard symbol; Sterilization indicator patch; One long flap for easy opening; Can be used on benchtops and desks; W x H: 8.5 x 11 in. (22 x 28cm); 100/Pk.

## Sample Bags

### Whirl-Pak™ Sterile Bag for Stomacher™ Lab Blenders



**01-812**

Bags, Sample; Sterile; For Stomacher Lab Blender; Round bottom; Low-density polyethylene; Write-on label; Capacity: 52 oz.; 4mil thick; 7 W x 13 L in.

### Nasco Whirl-Pak™ Easy-To-Close Bags



**01-812-1A**

Bags, Sample; Whirl-Pak; Easy-to-Close; Sterile; Transparent polyethylene; Capacity: 24 oz.; Write-on style; 3mil

**01-812-78C**

Capacity: 24 oz.; Write-on style; 4mil

# Beakers

## Plastic

### Fisherbrand™ Polypropylene Disposable Beakers



**01-291-5** - 50/Pk.  
 Beaker, Polypropylene, Fisherbrand; Disposable, w/Pour spout; Unbreakable; Steam-autoclavable; Resistant to strong acids, organic solvents, other common reagents; Dripless lip; Stacking ribs; Grad. in mL and oz; 250mL

**01-291-7** - 100/Pk.  
 Capacity: 100mL; Graduations: 50mL

**01-291-8** - 100/Pk.  
 Capacity: 15mL; Graduations: 5mL

**01-291-10** - 100/Pk.  
 Capacity: 50mL; Graduations: 5mL

### Fisherbrand™ Tri-Cornered Polypropylene Beakers



**14-955-111F** - 100/Cs.  
 Beaker, Disposable; Fisherbrand; Tri-cornered lip; Polypropylene; Resistant to commonly used acids, alkalis and solvents; Graduated; Autoclavable; Capacity: 0.26 gal. (1000mL); 100/Cs.

# Bottles

## Amber

### Fisherbrand\* Amber Boston Rounds with PTFE-Faced PE-Lined Caps



**02-911-738**  
 Bottle, Boston round; Fisherbrand; Amber; Narrow mouth; With attached PTFE faced PE-lined closures; For light sensitive solvents, chemicals and samples; Capacity: 16 oz. (500mL); 28mm-400 screw cap size; 12/cs.

### Qorpak\* Safety Coated Amber Boston Round Bottles



**02 991 467**  
 Bottle, Round; Qorpak; Type III Glass; Amber; Boston; Safety Coated; Slip resistant; w/attached Green thermoset F217 and PTFE lined cap; Screw cap size: 28mm-400; 16 oz. (480mL); O.D. x H: 2.95 x 6.61 in. (75 x 168mm); Bulk Pk; 60/Cs.

**02 991 360**  
 With Green thermoset F217 and PTFE lined cap; 33mm-400; 32 oz (960mL); Bulk Pk; 30/Cs

### Qorpak\* Safety Coated Amber Jugs



**02 992 066**  
 Jug, Qorpak; Type III Glass; Amber; Safety Coated; Slip resistant; Protects employees; w/attached Black phenolic F217 and PTFE lined cap; Screw cap size: 38mm-430; 84 oz. (2,500mL); O.D. x H: 5.39 x 12.2 in. (137 x 310mm); 6/Cs.

# Plastic

### Thermo Scientific™ Nalgene™ Translucent Wide-Mouth Economy Bottles



**03-313-4D**  
 Bottle; Nalgene; HDPE sample; Translucent; Economical; For field sampling; Wide-mouth; Leakproof; Polypropylene screw caps included; capacity: 8 oz. (250mL); 43mm-415 screw cap size

# Wash bottle

### Fisherbrand™ Red Washing/Dispensing Bottles



**03-409-16B**  
 Bottle; Fisherbrand; Washing/Dispensing; Polyethylene; Polypropylene cap and nozzle; Rigid spout; Tip may be cut back to increase flow; Capacity: 16 oz. (500mL)

### Thermo Scientific™ Nalgene™ Color-Coded Wash Bottles



**03-409-17C**  
 Wash Bottle; Thermo Scientific Nalgene; Color-coded; LDPE; Polypropylene screw closure; Leakproof closure and stem; Tip may be cut back to increase flow; Closure size: 28mm; Capacity: 16 oz. (500mL); Color: Red

# Cleaners

## Cleaners

### Spectrum Medical Algae Inhibitor



**15-459-20**  
 N-Alkyl Dimethyl Benzyl Ammonium Chloride, Algae Inhibitor, For Water Baths, Clear Bath, CAS Reg. 68424-65-1, 8 oz. (230mL)

## Hand Sanitizer

### Micronova™ Touch-Free Dispenser and Soaps



**19-035-378C**

Sanitizer; NovaClenz; Clear gel; 60% ethyl alcohol; Sanitizes without sink, water, or towels; Superior antiseptic properties

## Connectors

### Connector

#### Cadence Science™ Tubing Connector: Catheter or Tubing to Female Luer Lock



**14-630-154**

Adapter, Tubing Connector; Cadence Science; Catheter or Tubing to Female Luer Lock; Touhy Borst (1-5 French); Plated brass

## Dishes

### Aluminum

#### Fisherbrand™ Aluminum Weighing Dishes



**08-732-103**

Dishes, Weighing; Fisherbrand; Aluminum; With smooth sides; 2.375 fl. oz.

## Glass

#### Kimble Kimax™ Petri Dishes Set



**08-746G**

Dish, Petri; Kimble Chase; Kimax; Set; Includes 12 tops and bottoms; Designed from Federal Specification NNN-D-1478; Reinforced beaded edges; Used-on bright red ceramic enamel marking spot cover; Dia. x H: 100 x 20mm

## Eye protection

### Goggles

#### North V-Maxx Goggles



**19-065-516**

Goggles; Honeywell; V-Maxx; Sporty style; For increased wearer acceptance; Fits a wide variety of workers; Closed vent; Wraparound design; Clear polycarbonate lens; Red elastic headband; Fog-Ban anti-fog coating

### Lens Cleaner

#### Uvex™ Clear™ Towelettes



**19-085-447** - 100/Pk.

Towelette; Uvex; Clear; Lens cleaning; Handy pocket size; Pre-moistened; Formulated for anti-fog and scratch resistant hardcoat lenses; 100/Box

## Shields

#### 3M™ Slip-on-Plastic Side Shields



**19-047-727**

Side-Shield; 3M; Slip-on; Protective eyewear; Can be used with a variety of different eyewear styles; Does not meet ANSI standards; Clear plastic; 20 side shields/cs.

## Spectacles

#### North A700 Series Spectacles



**19-160-0217** - Ea.

Spectacle, Protective; Honeywell; A700; 9-base polycarbonate anti-scratch hardcoated lens; 99.9% UV; Lightweight; w/Sport temples; Soft temple-tip pads; Wrap-around fit; Molded universal nose bridge; Clear frame; Clear lens

#### Uvex™ Bandido™ Spectacles



**19-003-337N**

Glasses, Safety; Uvex; Bandido; Frameless; Lenses coated with Uvextreme anti-fog or Ultra-dura hardcoat; Sporty, color-accented temples; Built-in browguard; Lens Tint: Clear UD; Frame Color: Black Accent



# First Aid

## Bandages

### Certified Safety Certi-Rip Elastic Cohesive Bandages



**19-808-925**

Bandage, Elastic cohesive; Certified Safety; Certi-Rip; For visibility in food industry; Easy to tear; Sticks in all conditions; No clips needed; For sprains and holding gauze in place; Color: tan; Width: 2.5cm (1 in.); Length: 4.6m (5 yds.)

### Brasel Multi-Use Self-Adhesive Gauze

**50-465-250**

Gauze, Self-Adhesive; Brasel; White; multi-use self adhesive gauze for first aid, prevention of cuts or scrapes or to improve grip of tools or other items; 1 x 10 yd.; 12/Pk.

# Floor Coverings

## Controlled Environment

### Purus™ 30-Layer Cleanroom Tacky Mats



**17-125-730**

Mat, Cleanroom; Purus; 30 Layers; Adhesive coating; Numbered tabs; Material: Polyethylene (1.8mil); Color: Gray; Size: 36 x 45 in. (9.4 x 114.3cm); Case of 4

**19-125-825**

White; 26 x 45 in.; 1.4mil; 8/Case

# Funnels

## Plastic


### Fisherbrand™ Powder Funnels



**10-500-2** - 6/Pk.

Funnel, Powder; Fisherbrand; Polypropylene; External ribbing prevents vapor lock; Parallel stem; Autoclavable; Top dia. x H: 105 x 103mm; Capacity: 0.05 gal. (225mL)

### TWD Scientific™ Tradewinds Direct Weighing Funnels



**17-988-493**

Weighing Funnels; Polypropylene; Fits Volumetric Flasks: 500mL, 1L; Funnel Size: Large; Case of: 32 Pk.

# Gloves

## Controlled Environment

### TechNiGlove International CL100 Powder Free Nitrile Gloves for Controlled Environments

**19-170-056**

Gloves, Nitrile; TechNiGlove International; Class 100; For controlled environments; Powder free; Ambidextrous; Microtextured fingertips; Beaded cuff; Tensile strength: >12.5 Mpa; Blue; Length: 12 in.; 5 mil; XX-Large

**19-170-051**

Blue; Size: X-Small; Weight: 20 lb.

**19-170-052**

Blue; Size: Small; Weight: 20 lb.

**19-170-053**

Blue; Size: Medium; Weight: 21 lb.

**19-170-054**

Blue; Size: Large; Weight: 21 lb.

**19-170-055**

Blue; Size: X-Large; Weight: 22 lb.

### Nitritex™ BioClean Tiso™ Nitrile Cleanroom Gloves

**19-668-300**

Gloves, Controlled Environment, Nitrile, Nonsterile; BioClean Tiso; ISO Class 4 Compatible; Length: 12 in. (300mm); Ambidextrous; Nontextured outer surface; Microtextured inner surface; Powder-free; Beaded cuff; Bagged; White; Small

### Kimberly-Clark Professional™ KIMTECH PURE™ G5 Nitrile Gloves



**19-002-942**

Gloves; Nitrile controlled environment; KIMBERLY-CLARK PROFESSIONAL KIMTECH PURE G5; Powder- and perfume-free; Beaded cuff; Length: 10 in. (25cm); Fingertip thickness: 5.9mil; Size: X-Small; Blue

**11-390-13A**

Size: Small

**11-390-13B**

Size: Medium

**11-390-13C**

Size: Large

**11-390-13D**

Size: X-Large


### Techniglove International Nitrile Gloves

**19-168-911A**

Gloves, Nitrile; Techniglove Intl; Length: 9 1/2 in.; Powder-free; Class 100; Thickness: 5 mil; Puncture resistant; Plastic (PVC) dispenser box; Size: X-Small

# Examination

### Kimberly-Clark Professional™ Purple Nitrile and Purple Nitrile-XTRA™ Exam Gloves



**19-149-863** - 100/Pk.

Gloves, Exam; Kimberly-Clark Professional; Purple Nitrile; Acrylonitrile butadiene; Ambidextrous; Latex- and powder-free; Textured fingertips; Beaded cuff; Odorless; Single-use; Thickness: 6mil; Length: 9.5 in.; X-Small

**19149863A** - 100/Pk.

Length: 9.5 in.; Small

**19149863B** - 100/Pk.

Length: 9.5 in.; Medium

**19149863C** - 100/Pk.

Length: 9.5 in.; Large

## Latex

### Cardinal Health\* Multi-Flex\* CC100\* Latex Cleanroom Gloves



**19-025-161**  
Gloves; Latex; Cleanroom; Powder-free; Multi-Flex CC100; 6-1/2 in.; Antislip grip; Nominal length: 12 in. (30.5cm); Average thickness: 7mil  
**19-048-591**  
Size: 7.5

## Nitrile

### Nitritex\* BioClean Liso\* Gloves



**19-668-071**  
Gloves; Nitritex; BioClean Liso; ISO Class 4 compatible; Smooth finish; Powder-free; Beaded cuff; White; Size: Small; Length: 12 in. (300mm)  
**19-668-072**  
Size: Medium  
**19-668-073**  
Size: Large

### Fisherbrand™ Comfort Nitrile Exam Gloves



**19-041-171A** - 200/Pk., 10/Pk./Cs.  
Gloves, Exam; Fisherbrand; Ultra Soft; Nitrile; Textured fingers; Latex free; Powder free; Ambidextrous; Nonsterile; Beaded cuff; X-Small  
**19-041-171B** - 200/Pk., 10/Pk./Cs.  
Small  
**19-041-171C** - 200/Pk., 10/Pk./Cs.  
Medium  
**19-041-171D** - 200/Pk., 10/Pk./Cs.  
Large  
**19-041-171E** - 200/Pk., 10/Pk./Cs.  
X-Large

### Kimberly-Clark Professional™ KIMTECH PURE™ G3 NXT™ Nitrile Gloves



**19-059-326A**  
Gloves, Nitrile; Kimberly-Clark Professional; Kimtech Pure G3 NXT; Textured fingertips, beaded cuff; Packaged in Class 100 cleanroom; Double bagged w/case liner; For ISO Class 4 or higher cleanroom environments; Length: 12 in. (30.5m); X-Small  
**19-059-326B**  
Small  
**19-059-326C**  
Medium  
**19-059-326D**  
Large  
**19-059-326E**  
X-Large

## Sterile


### Kimberly-Clark Professional™ KIMTECH PURE™ G3 Sterile Nitrile Gloves



**19-149-857** - 200/Cs.  
Gloves, Controlled Environment; Kimtech Pure G3; Nitrile; Sterile; Hand specific; Packaged in Class 100 cleanroom; Double-bagged with case liner; Recommended for ISO Class 4 or higher; Length: 12 in.; Size: 6  
**19-149-857A** - 200/Cs.  
Size 6.5  
**19-149-857B** - 200/Cs.  
Size: 7.0  
**19-149-857C** - 200/Cs.  
Size: 7.5

## Hand Protection Finger Cots

### North Powdered Latex Finger Cots



**19-055-210**  
Finger Cots; Latex; North; Medium Size; Powdered; Thickness: 3mil; Length: 2-3/4 in. (7cm); Rolled; White; Standard Packaging  
**19-069-936**  
Large Size; Standard Packaging

### North Multiple-Washed Latex Finger Cots



**19-062-392**  
Finger Cots; Latex; North; Multiple-Washed; Thickness: 3mil; Powder-Free; Rolled; White; Length: 2-3/4 in. (7cm); X-Large

### North Nitrile Finger Cots



**19-017-535A**  
Finger cot; North; Nitrile; White; Rolled; Powder-Free; Anti-Static; Gr/150; Length: 2.75 in.; Thickness: 3mil; Size: small  
**19-017-535B**  
Size Medium  
**19-017-535C**  
Size Large  
**19-017-535D**  
Size X-Large

## Hemostat Straight

### Excelta™ Serrated Hemostats




**17-467-659**  
Hemostat, Locking; Excelta; Fine Precision; Stainless-steel; Straight serrated jaws; w/Vinyl-coated handles; Length: 5 in. (12.7cm)

# Jars

## Plastic

**Fisherbrand™ Polypropylene Jars**  
**02-912-026**  
 Jar; Fisherbrand; Polypropylene; With attached linerless cap; Color: natural; Capacity: 2 oz. (60mL); Screw cap size: 43mm-400




# Knives and Blades


## Blades

**American Safety Razor Double-Edge Blades**  
**17-989-120**  
 Razor Blades; American Safety Razor; Double-Edge; Industrial grade; Stainless steel; Oiled; 0.1mm (0.004 in.) thick; Case of 5000


**Fisherbrand™ Disposable-Blade Dissecting Knife Handles**  
**08-913-5 - Ea.**  
 Blade, Disposable; Fisherbrand; Flat with corrugated grip; For dissecting knife handles; Re-usable handles; Length: 4.87 in.; Size: 3



**American Safety Razors\* Extra Keen\* Single edge razor blade**  
**17-989-010**  
 Blade, Razor; American Safety Razor; Extra Keen; Single edge; Blue 0.009 high carbon steel; Special triple facet edge; Non rust aluminum back; Fits in any toolbox; Clamshell storage box



**Fisherbrand™ Stainless-Steel Blades for Dissecting Knife Handles**  
**08-916-5B - 100/Pk.**  
 Blade, Knife handle; Fisherbrand; Surgical quality, stainless steel; Sterile; Individually foil-wrapped; Strong and uniformly sharp; For handle sizes 3, 5, 7; Blade size: 11; Length: 1.562 in. (4cm)  
**08-918-5B - 100/Pk.**  
 Blade size: 21; Length: 1.562 in. (4cm)




**American Safety Razor Single-Edge Blades**  
**NC0625675**  
 Razor Blades; American Safety Razor, Single-Edge; Uncoated; Degreased; 3-facet; Stainless steel; 0.009 thick; 50 blades/dispenser

## Scalpel

**Walter Stern™ Scalpel Blade Series 300**  
**13-812-52**  
 Blade, Scalpel; Walter Stern; Series 300; Style No.: 11; Stainless-steel; Sterile; Individual sealed; Fits handles No. 3, 3L, 4, 4L and 7  
**17-654-456**  
 Style No.: 10

**Excelta™ Safety Scalpels**  
**17-467-103**  
 Scalpel, Safety; Excelta; High precision; Smaller handle to fit between thumb/index finger; Includes replaceable 177-11 blade/safety cover




# Labels and Tape

## Self Adhesive paper


**Mettler Toledo™ Printer Accessories**  
**09-320-300**  
 Roll, Paper; Mettler Toledo; Self-adhesive; Accessory for printers

## Tape


**Propper White Autoclave Indicator Tape**  
**1188912 - Ea.**  
 Tape, Autoclave Indicator; Fisherbrand; Strate-Line; For steam sterilization; Crepe-embossed paper with pressure-sensitive adhesive; White stripes turn black; 1 in. x 60 yd.(2.5cm x 55.5m); 36/Cs.



**3M\* Scotch\* Brand High-Performance Box Sealing Tape**  
**19-047-264**  
 Tape, Packing; 3M; Scotch; Box Sealing Tape 373; Pressure sensitive; Performs well on single- and double-wall corrugated cartons with higher value contents and on medium-weight regular slotted containers shipped singly; Clear; 72mm x 100m




**Micronova™ CR100 PC™ Cleanroom Tape—White**  
**19-035-335M**  
 Tape, Cleanroom; Micronova; Vinyl; Extremely conformable; Matte finish can be written on w/ cleanroom pen; Clean peel; 1 in. x 36yd.; White



# Microscope Slides

## Glass

**Fisherbrand™ Superfrost™ Plus and ColorFrost™ Plus Microscope Slides**  
**12-550-15 - 144/Pk., 10/Pk./Cs.**  
 Slide, Microscope; Fisherbrand; Superfrost Plus; Treatment process that electrostatically adheres tissue sections and cells to glass; Chemical-resistant white marking surface; Size: 75 x 25mm; White



# Mops and Brooms

## Controlled Environment

**Micronova™ NovaKnit™ Series Mops**  
**19-305-853**  
 Mop, Cleanroom; Micronova; NovaKnit; Low linting; Absorbent; 100% Polyester Fabric; Autoclavable; Size: 16 oz.



**Micronova™ MicroMop™ Fabric Mops**



**19-035-364B**  
Mop; MicroMop Lite; For ISO Class 5 to 8 (Class 100 to 100,000) cleanrooms; Latex rayon blend retains its absorbency and efficiency over several uses; Resistant to chlorine and isopropyl alcohol; Launderable and autoclavable

**Foamtec PharmaMOP™ Clean Room Mop Head**



**NC0488868**  
Mop Head; Foamtec; Clean Room; Polyester/ Microfiber PharmaMOP head w/ textured fabric over Sahara foam core w/ strips of Sahara foam on front/back end to enhance cleaning performance while allowing for even application of disinfectants

**Mops**

**Foamtec\* PharmaMOP\* Cleanroom Mops**



**19-304-761**  
Mop, Cleanroom; Foamtec; PharmaMOP; Locking head frame; Ultra-light weight; Two direction 360 deg. swivel and mop head; Compatible w/steam sterilization cycle; w/5.25 ft. telescoping handle; 16 in. (40.6cm); 1.05 lbs. (476g )


**Foamtec\* PharmaMOP\* Cleanroom Mop Heads**



**19-130-3500** - 100/Cs.  
Mop head, Cleanroom; Foamtec; PharmaMOP; For application of standard vol. of disinfectant cleaners to ceilings, walls and floors; Lightweight with telescoping handle and frame; Polyester over 0.125 foam core for abrasion free mopping

**Pipets Serological**

**Fisherbrand™ Sterile Polystyrene Disposable Serological Pipets with Magnifier Stripe**



**13-678-11** - 200/Cs.  
Pipet, Serological; Fisherbrand; Polystyrene; Disposable; With magnifier stripe; Sterile; Nonwetttable; Color code: Red; Tip style: Standard; Subdivisions: 0.50mL; Capacity: 25mL; Tolerance: +/-50mL; Individual paper/ plastic wrap  
**13-678-11D** - 200/Cs.  
Subdivisions: 0.10mL; Capacity: 5mL; Color: Blue; Individual paper/plastic wrap

**Transfer**

**Thermo Scientific\* Samco\* Extra Long Transfer Pipets**



**13-711-40**  
Pipet, Transfer; Thermo Scientific; Samco; 23.0mL extra long; 12 in.; Non-sterile

**Samplers Spatula**

**Excelta™ Micro Spatulas**



**17-456-035**  
Micro-Spatula; Excelta; High Precision; With plastic handle; Can be used to apply lubricants to small moving parts and for applying adhesives during electronics; Overall length: 2.5 in. (6.4cm); Tip size: 0.010 in. (0.025cm); Black  
**17-456-036**  
With plastic handle; Tip size: 0.015 in. (0.038cm); Blue  
**17-456-037**  
With plastic handle; Tip size: 0.020 in. (0.051cm); Green

**Sampling Spatula**

**Bel-Art™ Scienceware™ Sterileware™ Sampling Spatulas**



**14-358-20**  
Spatula, Sterile Sampling; Bel-Art Sterileware, L: 9 in. (23cm); Polystyrene; V-shape channel for powder, granular transfer; Point pierces plastic-lined point; Gamma irradiated, individual wrap; Lot stamp; Cap: 15cc

**Specimen Collection Urine Collection**

**Falcon\* Sterile Sample Containers**



**11-838-1**  
Container, Sample; Corning; Falcon; Without lid; Class I Medical; Polypropylene; Sterile; Capacity: 4.5 oz. (110mL)



# SWABS

## Controlled Environment


### Texwipe™ CleanTip™ Swabs: CleanFoam™ Series

 **18-374**  
Swabs; CleanTip CleanFoam; Laundered heads constructed of 100 pores per inch open-cell polyurethane foam; Tip Diameter: 3/16 in.; Head Type: Foam; rigid; Handle Length: 2-3/4 in.; Handle Material: Polypropylene


**18-378**  
Medium compressed, w/rigid tip; Head type: Foam point; Handle length: 2.75 in.

**19-034-190**  
Small compressed, w/rigid tip; Tip Diameter: 0.125 in.; Head Type: Foam point; Handle Length: 2 in.


### Texwipe™ CleanTip™ Swabs: Absorbond™ Series

 **18-384** - 500/Pk.  
Swab, Micro Absorbond; ITW Texwipe; Soft and nonabrasive; Cleanroom laundered; Chemical and solvent resistant; Double-layer alpha polyester; Flexible paddle; Thermally sealed; Light green PP handle; Bag-Within-A-Bag; 500/ Bag

### Texwipe™ CleanTip™ Alpha™ Polyester Series Swabs

 **18-385** - 100/Pk.  
Swab, Alpha; ITW Texwipe; With long handle; Soft and nonabrasive; Cleanroom laundered; Chemical and solvent resistant; Double-layer alpha polyester; Flexible paddle; Thermally sealed; Light green PP handle; Bag-Within-A-Bag; 100/Bag

### Foamtec\* CleanWIPE\* 1000 Series Swabs

 **14-900-3**  
Swab, Cleanroom; Foamtec; Material: CleanWIPE Retriculated Polyurethane Foam; Tip: Semi-flexible; Shape: Bulb; Overall Length: 3 in.; Blue polypropylene handle; Head Thickness x W x L: 3.2 x 4.1 x 10.5mm


**19-304-619**  
Semi-flexible; Small round; Blue PP handle; Handle thickness x W x L: 3.85 x 3.4x 11mm

**19-304-624**  
Rigid; Medium cylinder; Wooden handle; Handle thickness x W x L: 4.5 x 4.5 x 201mm


# Syringes and Needles

## Syringes

### BD\* Syringes with Luer-Lok\* Tips


 **13-689-8** - Pk. of 40, Cs. of 4  
Syringe, General purpose; BD; Disposable; With Luer-Lok tip; Without needle; Graduations: 1mL; Sterile; Single use; Latex free; Capacity: 2 oz. (60mL); 40/Pk.

### AirTite™ All-Plastic Norm-Ject™ Syringes

 **14-817-28**  
Syringe; Air-Tite; Norm-Ject; Luer Slip (centric); 5mL; All-Plastic; HPLC Certified for Chromatography; FDA Registered; CE Marked; ISO Compliant; Sterile; No latex, rubber, silicone oil, BPA, Styrene, or DEHP; From Germany; Pack 100

**14-817-35**  
50mL (60mL) Luer Slip (eccentric), Sterile; Graduations: 1cc


### BD\* General Use Syringes

 **22-124-967**  
Syringe, General Use; BD; Luer lock; Volume: 20mL; 1mL graduations; Sterile; Single use; Tapered plunger rod, positive plunger rod stop, Luer-Lok thread

# Tools

## Pliers

### Excelta™ Chain Nose Pliers


 **17-456-012**  
Plier, Chain Nose; Excelta; Serrated/non-serrated jaws; With radiused edges, ergonomically designed ESD safe handles; Overall length: 4.75 in. (12.07cm)

### Excelta\* Needle Nose Pliers

 **17-456-013**  
Plier, Needle nose; Excelta; Small head; Fine precision; Rust-free AISI 440 stainless-steel; Ergonomically designed ESD-safe handles; For perfect jaw alignment; Smooth jaw; Overall length: 4.75 in. (120.6mm)


## Scissors

### Excelta™ Rounded Tip Utility Scissors with Radius Edges

 **17-456-162**  
Scissors, Rounded Tip; Excelta; with Radius Edges; Two star; 6.25 in. long light-duty stainless-steel utility scissors; Handles made of thermo plastic elastomer; Extended tang for durability


# Lindstrom Cutters

**Techni Tool™ Lindstrom™ 8140 Diagonal Cutter**  
**NC0278031**  
 Cutter, Lindstrom; Techni Tool; Series 80; Micro-level; Made of high quality ball bearing steel w/ screw-type precision lap joints; Smooth, clean penetration at cutting edge; Forged components maximize strength; Precision screw joint minimizes friction and maximizes alignment of cutting edges; Semi-flush; Max. cut: 16 AWG; Size: 4.33 in.




# Tubes Centrifuge

**Falcon™ 50mL Conical Centrifuge Tubes**  
**14-432-22 - 500**  
 Tube, Centrifuge; Corning; Falcon; High-clarity; Conical; Flat-top screw cap; Polypropylene; Sterile; w/writing patch; Class I Medical; RCF rating: 16000; Sterile; Nominal dimension: 30 x 115mm; Nominal volume: 50mL; 25/Pk.




# Tweezers Angulated

**Excelta™ High Precision Angulated Cutting Tweezers**  
**18-100-822**  
 Tweezers, Cutting; Excelta; Parallel cutting blades; Fine round tip; High precision; Carbon steel with ESD safe epoxy coating; Cutting capac.: 0.010 in. Soft Copper Wire; 4.5 in. (11.4cm) long  
**17-456-028**  
 High Precision; Coated carbon steel; 11.4cm L  
**17-456-030**  
 High Precision; Coated carbon steel; Fine round tip; 11.4cm L




# Duckbill

**Excelta™ Duckbill Point Tweezers**  
**17-456-042**  
 Tweezer, Electronic; Excelta; High Precision; Used for handling labels and SMD components; Tapered tips with flat round points; NEVERUST stainless-steel; Anti-magnetic; Overall length: 4.75 in. (12.06cm); CTM: 0.0591 W x .0078 in.H




# Straight


**Excelta™ Miniature Tweezers**  
**17-447-120**  
 Tweezers, Miniature; Excelta; High precision; For work under microscope/engineered to fit small hands; 300 series stainless steel; Angle tips and sharp points; Length: 3.5 in. (8.89cm)  
**17-447-123**  
 High precision; 300 series SS; Flat tips, round points; 6.9cm L  
**17-447-125**  
 High precision; 400 series SS; Straight tips, fine points; 7.9cm L




**Excelta™ Cobaltima™ Forceps with Extreme Fine Points**  
**17-467-146**  
 Tweezers; Excelta; COBALTIMA; Ultra precision; Cobalt steel alloy resists corrosion and temp. up to 500deg.C; For long reach; Tapered micro fine tip; Design: 4-CO; Length: 4.37 in. (11.09cm); CTM: 0.003 x 0.001 in.




**Excelta™ Precision Tweezers With Straight Strong Medium Tips**  
**17-456-014**  
 Tweezers, Electronic; Excelta; High Precision; Antimagnetic stainless steel; Includes finger serrations; Design: 00D; Straight strong tips with serrated points; Length: 4.75 in. (12.06cm); CTM: 0.0177 x 0.0098 in.  
**17-456-017**  
 High Precision; Antimagnetic SS; Design: 00; Medium tips w/straight strong points; L: 11.4cm  
**17-456-018**  
 Fine Precision; Antimagnetic SS; Design: 00; Medium tips w/straight strong points; L: 11.4cm  
**17-456-020**  
 High Precision; Antimagnetic SS; Design: 0C; Straight precision tips w/fine points; L: 8.89cm




**Excelta\* Carbofib Tip Tweezers**  
**17-456-026**  
 Tweezers; Excelta; Flat carbofib tip; High precision; Stainless-steel body; Screw on replaceable tips; No tip serration; Made in Switzerland; ESD-safe; Style: 2A-flat round point tip; Overall length: 5 in. (127mm); Tip size: 0.060 in. (1.52mm)



**Excelta™ COBALTIMA™ Miniature Tweezers**  
**17-447-124**  
 Tweezers, Miniature; Excelta; COBALTIMA; Ultra precision; For work under microscope/engineered to fit small hands; Straight tips with fine points; Length: 3.12 in. (7.9cm); CTM: 0.003 x 0.002 in.  
**17-447-128**  
 Tapered tips with very fine points; CTM: 0.002 W x 0.001 in.H



**Excelta\* Delrin Tip Tweezers**  
**17-456-025**  
 Tweezers; Fine delrin-tip; Excelta; Softip; Non-magnetic stainless-steel; W/screw on replaceable tips; Electrically insulative; Temp. resistant; Chemical resistant; Overall L: 5" (12.7cm); Medium; Tip W: 0.40" (1.0cm)



# Vials Glass

## Thermo Scientific\* Clear VOA Vials with 0.125" Septa



**12-100-102**  
Vials, EPA; Thermo Scientific; Borosilicate glass; Open top; Includes assembled polypropylene caps and PTFE/silicone septa; Directly compatible w/autosamplers; 60mL clear; No foam; Level 1 Procedure B

## Fisherbrand™ Class B Clear Glass Threaded Vials




**03-339-22N** - 144/Pk.  
Vial, Sample; Fisherbrand; Type I, Class B clear borosilicate glass; Closure: Black phenolic screw top; Liner: white rubber; GPI thread finish: 24-400; Capacity: 11 dr. (40.7mL); O.D. x L: 28 x 108mm

# Wipers

## Controlled Environment

### Berkshire™ Ultra-Seal™ 3000 Wipers



**17-988-421**  
Wipers, Cleanroom; Berkshire Ultra-Seal 3000; Wipers; Durable, two-ply; Knitted in tube form from high quality continuous-filament polyester yarn; Basis wt.: 134g/sq. meter; Size: 9 x 9 in. (23 x 23cm)

### Contec™ Polywipe-C Heatseal Wipers




**19-033-750**  
Wipe, Poly, Heatseal; Contec; Lightweight; 100% polyester; interlock knit wipe; 12 X 12 in.; 100 wipes/pack; 10 bags/case

### Foamtec MiraWIPE\* Wipers8



**19042470**  
Wiper; Foamtec; MiraWIPE; Continuous filament micro denier polyester; No-run, no-stretch woven; For critical surfaces; Reduces cleaning time; Unsurpassed cleaning efficiency; Class 10; Wide seal edge; 9 x 9 in. (22.8 x 22.8cm)

### Berkshire™ Choice™ 700 Wipers



**19051321**  
Wiper, Cleanroom; Berkshire; Choice 700 Filament knit; Polyester w/ultrasonic seal; Low particles, fibers, ions; Works w/IPA, acetone; Abrasion resistant; Size: 23 x 23cm (9 x 9 in.)

### Contec™ Prostat™ Nonwoven Presaturated Wipers



**19-064-205** - 30/Pk.  
Wiper, Cleanroom; Contec; PROSTAT 911; Presaturated; Nonwoven, meltblown polypropylene; Saturated w/solution of 70% isopropyl alcohol and 30% deionized water; Contain low levels of Na and other ions; ISO Class 5; 9 x 11 in. (22.8 x 27.9cm)  
**19-150-0704** - 50/Pk.  
PROSTAT 850; Presaturated w/70% IPA/30% DI water sol.; PP; 8 x 8 in.

### Contec\* Amplitude Lambda Wipers

**19-120-891**  
Wiper; Contec; Amplitude; Lambda; Hydroentangled 58% cellulose /42% polyester; Durable; Low levels of particles and residues; Size: 9 x 9 in.  
**19-120-892**  
Size: 4 x 4 in.

### Contec™ Presaturated Polynit Heatseal Wipers



**19-165-631** - 30/Pk.  
Wipers, Polynit Heatseal; Contec; 100% textured polyester; Presaturated with 70% IPA/30% DI water; Laser-cut, sealed edges; Ideal for general purpose product wipedown; ISO Class 3 (Class 1); Nonsterile; Size: 9 x 9 in.

### Berkshire™ SatPax™ 3000 Presaturated Specialty Wipers



**18-999-2793**  
Wiper, Cleanroom; Berkshire; SatPax 3000; Presaturated; 2-ply tubular knit w/sealed edge; Laundered; Tear resistant; For critical-process cleaning applications; Saturation: 33%; VOC by weight: 31%; J-fold; Size: 9 x 9 in. (23 x 23cm)

### Texwipe™ VersaWipe™ Wipers



**19-120-2433** - 300/Pk.  
Wiper, Dry; Texwipe; VersaWipe; Hydroentangled, nonwoven blend of 55% cellulose and 45% polyester; Low particle counts and extractable levels; For general wiping and spill control; No chemical binders; Autoclavable; Size: 9 x 9 in. (23 x 23cm)

### Texwipe™ ThermaSeal™ 60 Wipers



**191300543**  
Wiper, Dry; Texwipe; ThermaSeal 60; Thermally sealed-edge; 100% continuous-filament; Double-knit; Laundered in an ISO Class 4; Autoclavable; Polyester; For general wiping and cleaning; Size: 9 x 9 in. (23 x 23cm)

### Berkshire™ Durx™ 670 Cleanroom Wipers



**06-665-30B** - 300/Pk.  
Wipers, Cleanroom; Berkshire Durx 670; Made from mechanically hydroentangled polyester and cellulose; Basis weight: 67.6g/sq. meter; 9L x 9 in. W (23 x 23cm); ISO Class 5 (Class 100)

**Texwipe™ TechniCloth™ Nonwoven Wipers**



**18-315A** - 1200/Pk.  
Wiper, Dry; ITW Texwipe; TechniCloth; Hydroentangled, nonwoven blend of 55% cellulose and 45% polyester; Hydroentanglement process uses jets of water to blend fibers; For general wiping and spill control; Size: 4 x 4 in. (10.16 x 10.16cm)  
**18-315C** - 300/Pk.  
9 x 9 in.

**Current Technologies HYPE-WIPE™ and Mini HYPE-WIPE™ Bleach Towelettes**



**14-412-56** - 100/Cs.  
Towelettes, Bleach; Hype-Wipe; EPA registered as a one-step cleaner/disinfectant; Formulated at 0.525%, 1:10 dilution of sodium hypochlorite; Passed the AOAC Hard Surface Disinfection Carrier test; Full Size: 6 L x 12 in. W

**Polyester**

**Texwipe™ Alpha™ 10 Sealed-Border Wipers**



**18-323A** - 100/Pk.  
Supplies/tape, Stationery; ITW Texwipe Alpha 10; Controlled environment; Wipers, sealed-border; Double-knit 100% continuous filament polyester; Abrasion resistant; Dry wipers; Basis weight: 130g/sq. meter; Size: 9 x 9 in. (23 x 23cm)

**Texwipe™ AlphaWipe™ Polyester Wipers**



**18-320** - 300/Pk.  
Wiper, Dry; Texwipe; AlphaWipe; 100% continuous-filament polyester; Laundered cut edge; Soft, nonabrasive; Double-knit; No-run interlock pattern; Resists abrasion; Size: 4 x 4 in. (10 x 10cm); Stacked  
**18-322** - 150/Pk.  
9 x 9 in.; Stacked

**Texwipe™ Honeycomb™ 10 Sealed-Border Wipers**



**18-328A**  
Wiper, Dry; Texwipe; Vectra Honeycomb 10; Surface texture enables grit encapsulation and removal; Sealed-border; Double-knit; ISO Class 3 to 5; 100% continuous-filament polyester; Basis wt.: 170g/sq. meter; Size: 9 x 9 in. (23 x 23cm)

**Texwipe™ TechniCloth™ II Blended Wipers**



**18-330A**  
Wiper, Dry; Texwipe; TechniCloth II; Non woven; Made of cellulose/polyester hydroentangled blend; With ULP treatment; Basis wt. 68g/sq. meter; Size: 9 x 9 in. (23 x 23cm)  
**18-330C**  
12 x 12 in.  
**18-330E**  
18 x 18 in.

**Texwipe™ SterileWipe™ Sterile Dry Wipers**



**18-335B** - 500/Cs.  
Wiper, Dry; Texwipe; SterileWipe HS II; Nonwoven 55% cellulose/45% polyester-blend; With ULP treatment; Gamma irradiated; Chemically resistant; Basis wt. 68g/sq. meter; Size: 12 x 12 in. (31 x 31cm)

**Lymtech Scientific Sterile Cleanroom Wipers**

**NC0581760**  
Wipers, Cleanroom; Lymtech Scientific; Sterile; 24 x 36; Hydroentangled blend of 55% cellulose / 45% polyester, blue. Gamma irradiated to a minimum dose of 25 kGy and a maximum dose of kGy; 10/bag, 3 bags/Pk., 6 Pk/Cs.

**General Purpose**

**Kimberly-Clark™ Kimtech Science™ Kimwipes™ Delicate Task Wipers**



**06-666-A** - 280/Pk.  
Wiper, General-Purpose; Kimberly-Clark; Kimwipes; For delicate tasks; Nonabrasive, soft, low lint cellulose fibers; Single wiper dispenser; White; 1-ply; 4.4 x 8.4 in. (11.2 x 21.3cm)  
**06-666**  
Size: 4.4 x 8.4 in.; 1-ply



**Product Index**

Cat. No.	Page	Cat. No.	Page	Cat. No.	Page
01-291-10	3	17-988-421	11	19-149-857	6
01-291-5	3	17-988-493	5	19-149-857A	6
01-291-7	3	17-989-010	7	19-149-857B	6
01-291-8	3	17-989-120	7	19-149-857C	6
01-812	2	18-100-822	10	19-149-863	5
01-812-1A	2	18-315A	12	19-150-0704	11
01-812-50	2	18-315C	12	19-160-0217	4
01-812-51	2	18-320	12	19-161-902B	1
01-812-54	2	18-322	12	19-161-902C	1
01-812-55	2	18-323A	12	19-161-902D	1
01-812-57	2	18-328A	12	19-161-902E	1
01-812-58	2	18-330A	12	19-161-902F	1
01-812-78C	2	18-330C	12	19-161-902G	1
02 991 360	3	18-330E	12	19-165-631	11
02 991 467	3	18-335B	12	19-168-911A	5
02 992 066	3	18-374	9	19-170-051	5
02-911-738	3	18-378	9	19-170-052	5
02-912-026	7	18-384	9	19-170-053	5
03-313-4D	3	18-385	9	19-170-054	5
03-339-22N	11	18-999-2793	11	19-170-055	5
03-409-16B	3	19-002-942	5	19-170-056	5
03-409-17C	3	19-003-337N	4	19-304-619	9
03-410-591	2	19-017-535A	6	19-304-624	9
06-665-30B	11	19-017-535B	6	19-304-761	8
06-666	12	19-017-535C	6	19-305-853	7
06-666-A	12	19-017-535D	6	19-472-414	1
06666C	12	19-025-161	6	19-668-071	6
08-732-103	4	19-033-750	11	19-668-072	6
08-746G	4	19-034-190	9	19-668-073	6
08-913-5	7	19-035-335M	7	19-668-300	5
08-916-5B	7	19-035-364B	8	19-722-000	1
08-918-5B	7	19-035-378C	4	19-722-004	5
08732101	4	19-041-171A	6	19-808-925	5
09-320-300	7	19-041-171B	6	19042470	11
10-500-2	5	19-041-171C	6	19051321	11
11-390-13A	5	19-041-171D	6	191300543	11
11-390-13B	5	19-041-171E	6	19149863A	5
11-390-13C	5	19-047-264	7	19149863B	5
11-390-13D	5	19-047-727	4	19149863C	5
11-838-1	8	19-048-591	6	22-124-967	9
1188912	7	19-055-171	2	50-465-250	5
12-100-102	11	19-055-175	2	NC0278031	10
12-550-15	7	19-055-185	2	NC0488868	8
13-678-11	8	19-055-210	6	NC0581760	12
13-678-11D	8	19-055-236	2	NC0625675	7
13-689-8	9	19-059-326A	6		
13-711-40	8	19-059-326B	6		
13-812-52	7	19-059-326C	6		
14-358-20	8	19-059-326D	6		
14-412-56	12	19-059-326E	6		
14-432-22	10	19-062-392	6		
14-630-154	4	19-064-205	11		
14-817-28	9	19-065-516	4		
14-817-35	9	19-068-501	2		
14-900-3	9	19-069-936	6		
14-955-111F	3	19-074-242	1		
15-459-20	3	19-085-447	4		
17-125-730	5	19-120-2433	11		
17-447-120	10	19-120-891	11		
17-447-123	10	19-120-892	11		
17-447-124	10	19-125-020	2		
17-447-125	10	19-125-825	5		
17-447-128	10	19-130-1475	2		
17-456-012	9	19-130-1476	2		
17-456-013	9	19-130-1492	2		
17-456-014	10	19-130-1493	2		
17-456-017	10	19-130-1494	2		
17-456-018	10	19-130-1503A	1		
17-456-020	10	19-130-1507	1		
17-456-025	10	19-130-1510	1		
17-456-026	10	19-130-1511	1		
17-456-028	10	19-130-3500	8		
17-456-030	10	19-130-4193	2		
17-456-035	8	19-130-4194	2		
17-456-036	8	19-130-4195	2		
17-456-037	8	19-130-4231	1		
17-456-042	10	19-130-4232	1		
17-456-162	9	19-130-4233	1		
17-467-103	7	19-130-4234	1		
17-467-146	10	19-130-4235	1		
17-467-659	6	19-130-4236	1		
17-654-456	7	19-130-4237	1		





## Glove Sizing Guide

Selecting the right glove size means a comfortable, safe fit, and helps ensure that workers will wear their gloves. Gloves that are too large reduce dexterity and can get caught in machinery. Gloves that are too small are binding and cause the hand to tire more quickly.

To find your glove size, use a tape measure to determine the circumference of your hand around the palm area. If your hand circumference is 9", for example, your closest glove size is a 9. Be aware that gloves can also come in non-numerical sizes. In most cases, the size conversion chart below should be a good guide.

Non-numerical Size	Numerical Size
Extra Small (XS)	6-7
Small (S)	7-8
Medium (M)	8-9
Large (L)	9-10
Extra Large (XL)	10-11
Extra Extra Large (XXL)	11-12

Of course, there are other methods for determining glove size. For your convenience, one of our suppliers has created the following chart that bases glove size on hand width. Please feel free to use it as well, understanding that all of these resources are just guides. Glove sizing varies, depending on manufacturer, origin, and style. Your exact fit will ultimately be found only through use.





## Conversion Tables

Find the unit of measurement from which you want to convert under the column "Unit." Move across the line until you reach the column under the unit to which you want to convert. Multiply your existing measurement by the listed factor to obtain the conversion. (E.g., Suppose you want to convert 5 sq. in. into sq. cm. Find "sq. in." under the "Unit" column in the Area table below. Move across this line until you come to the column under "sq. cm." Multiply 5 sq. in. by 6.452 to get 32.260 sq. cm.)

### Area

Unit	Sq. In.	Sq. Ft.	Sq. Yd.	Sq. cm	Sq. m
Sq. In.	1	0.006944	0.0007716	6.452	0.000645
Sq. Ft.	144	1	0.1111	929	0.0929
Sq. Yd.	1296	9	1	8361	0.8361
Sq. cm	0.155	0.001076	0.0001196	1	0.0001
Sq. m	1550	10.76	1.196	10,000	1

### Force

Unit	Dyne	Lb.	Newton
Dyne	1	2.248 x 10 <sup>-6</sup>	10 <sup>-5</sup>
Lb.	444,823	1	4.448
Newton	100,000	0.2248	1

### Heat

1 cal./g•°C = 1 BTU/lb. •°F = 4.184 joule/g•°C = 4184 joule/kg•°C  
 1 cal./g = 1 BTU/lb. = 4.184 joule/g = 4184 joule/kg

### Length

Unit	In.	Ft.	Yd.	Mile (Statute)	cm	m	km
In.	1	0.0833	0.02778	1.578 x 10 <sup>-5</sup>	2.54	0.0254	2.54 x 10 <sup>-5</sup>
Ft.	12	1	0.333	1.894 x 10 <sup>-4</sup>	30.48	0.3048	3.048 x 10 <sup>-4</sup>
Yd.	36	3	1	5.682 x 10 <sup>-4</sup>	91.44	0.9144	9.144 x 10 <sup>-4</sup>
Mile (Statute)	63,360	5280	1760	1	160,900	1609	1.609
cm	0.3937	0.03281	0.01094	6.214 x 10 <sup>-6</sup>	1	0.01	10 <sup>-5</sup>
m	39.37	3.281	1.094	6.214 x 10 <sup>-4</sup>	100	1	10 <sup>-3</sup>
km	39,370	3281	1094	0.6214	100,000	1000	1

1 angstrom (Å) = 10<sup>-10</sup>m = 10<sup>-5</sup>cm = 10<sup>-4</sup>µm  
 1 fermi = 1 femtometer (fm) = 10<sup>-15</sup>m = 10<sup>-13</sup>cm = 10<sup>-9</sup>µm

1 light-year = 5.9 x 10<sup>12</sup> miles (statute) = 9.46 x 10<sup>12</sup>km  
 1 micron (µm or μ) = 10<sup>-6</sup>m = 10<sup>-4</sup>cm = 10<sup>-3</sup>mm

### Liquid Measures

(All drams, ounces, quarts, and gallons are U.S. liquid except where indicated.)

Unit	Dram	Oz.	Qt.	Gal.	Cu. In.	Cu. Ft.	mL	L	Cu. cm	Cu. m
Dram	1	0.125	0.00391	9.766 x 10 <sup>-4</sup>	0.2256	1.3055 x 10 <sup>-4</sup>	3.6967	0.0036967	3.6967	----
Oz.	8	1	0.03125	7.813 x 10 <sup>-3</sup>	1.805	1.0444 x 10 <sup>-3</sup>	29.5735	0.02957	29.5735	----
Qt.	256	32	1	0.25	57.75	0.03342	946.4	0.9464	946.4	9.464 x 10 <sup>-4</sup>
Gal.	1024	128	4	1	231	0.1337	3785	3.785	3785	3.785 x 10 <sup>-3</sup>
Cu. In.	4.4329	0.5541	0.01732	4.329 x 10 <sup>-3</sup>	1	5.787 x 10 <sup>-4</sup>	16.39	0.01639	16.39	1.639 x 10 <sup>-5</sup>
Cu. Ft.	7660.05	957.51	29.92	7.48052	1728	1	28,316.9	28.32	28,316.9	2.832 x 10 <sup>-2</sup>
mL	0.2705	0.0338	0.001057	2.642 x 10 <sup>-4</sup>	0.06103	3.532 x 10 <sup>-5</sup>	1	0.001	1	10 <sup>-6</sup>
L	270.512	33.814	1.057	0.2642	61.024	0.03531	1000	1	1000	10 <sup>-3</sup>
Cu. cm	0.2705	0.0338	0.001057	2.642 x 10 <sup>-4</sup>	0.06103	3.532 x 10 <sup>-5</sup>	1	0.001	1	10 <sup>-6</sup>
Cu. m	----	----	1057	264.2	61,023.7	35.31	10 <sup>6</sup>	1000	10 <sup>6</sup>	1

1 gal. U.K. = 1.20095 gal. U.S.  
 1 gal. U.S. = 0.832675 gal. U.K.

1 lb. of water = 27.68 cu. in. = 0.01602 cu. ft. = 0.1198 gal.

### Inch Equivalents

Fraction (inches)	Decimal (inches)	Millimeters
1/4	0.015625	0.3969
1/2	0.03125	0.7938
3/8	0.0625	1.5875
1/2	0.125	3.175
3/4	0.1875	4.7625

Fraction (inches)	Decimal (inches)	Millimeters
1/4	0.25	6.35
3/8	0.3125	7.9375
1/2	0.375	9.525
3/4	0.4375	11.1125


Fraction (inches)	Decimal (inches)	Millimeters
1/2	0.50	12.70
5/8	0.5625	14.2875
3/4	0.625	15.875
7/8	0.6875	17.4625
1	0.75	19.05

Fraction (inches)	Decimal (inches)	Millimeters
1/8	0.8125	20.6375
3/8	0.875	22.225
1/2	0.9375	23.8125
1	1.0	25.40

### Metric Prefixes

Prefix	Abbreviation	Meaning
peta-	P	x 10 <sup>15</sup>
tera-	T	x 10 <sup>12</sup>
giga-	G	x 10 <sup>9</sup>
mega-	M	x 10 <sup>6</sup>
kilo-	k	x 10 <sup>3</sup>
deci-	d	x 10 <sup>-1</sup>
centi-	c	x 10 <sup>-2</sup>
milli-	m	x 10 <sup>-3</sup>
micro-	µ	x 10 <sup>-6</sup>
nano-	n	x 10 <sup>-9</sup>
pico-	p	x 10 <sup>-12</sup>
femto-	f	x 10 <sup>-15</sup>


### OHM'S LAW





© 2014 Thermo Fisher Scientific Inc. All rights reserved.  
Trademarks used are owned as indicated at [www.fishersci.com/trademarks](http://www.fishersci.com/trademarks).

**In Costa Rica:** Flexipark Freezone  
San Rafael de Alajuela  
300 East Holcim  
Alajuela, Costa Rica  
Phone: + (506) 2239 7270

 **Fisher  
Scientific**  
A Thermo Fisher Scientific Brand