

Telephone: 0117 908 2956  
 Mobile: 0772 719 8327  
 E-mail: [info@oakflooringsuppliers.co.uk](mailto:info@oakflooringsuppliers.co.uk)  
 Web: [www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

**OAK FLOORING SUPPLIES**  
 Unit 7, New Work Trust Co Ltd  
 Station Road Workshops  
 Station Road, Kingswood  
 Bristol BS15 4PJ, United Kingdom



## Floor sander hire Bristol



### SANDING EQUIPMENT HIRE PRICE LIST

MACHINES	1 DAY	2 DAYS	3 to 7 DAYS rate per extra day	WEEKEND SPECIAL Friday afternoon to Monday 8 a.m.
Bona Edge Sander	£35.00	£65.00	£30.00	£65.00
Bona Belt Sander	£45.00	£85.00	£40.00	£85.00
Trio Finishing Sander	£95.00	£185.00	£90.00	£185.00
Bosh Corner Belt Sander	£25.00	£35.00	£20.00	£35.00
Buffing Machine	£40.00	£75.00	£35.00	£75.00
Dust Care System	£50.00	£95.00	£45.00	£95.00
Rotex Orbital	£25.00	£45.00	£20.00	£45.00
Bona Power Scrubber	£65.00	£125.00	£60.00	£125.00

**All above Prices are excluded of VAT.**

[www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

Telephone: 0117 908 2956  
Mobile: 0772 719 8327  
E-mail: [info@oakflooringsuppliers.co.uk](mailto:info@oakflooringsuppliers.co.uk)  
Web: [www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

OAK FLOORING SUPPLIES  
Unit 7, New Work Trust Co Ltd  
Station Road Workshops  
Station Road, Kingswood  
Bristol BS15 4PJ, United Kingdom



## Bona Belt sander

The Bona Belt sanding machine makes big jobs seem small. The compact design makes the machine simple to manoeuvre and easy to transport and it can also be disassembled and reassembled quickly and easily. The Bona Belt has a very efficient vacuum, which minimises dust.

- Field of application: For sanding of all kinds of wooden and parquet floors.
- Features.
- Unique construction with a simple change of drums with either a 200 mm or a 250 mm width.
- Ergonomic designed handle facilitates raising and lowering of the drum.
- 1-phase (230V) 2.2 KW with Easy start.
- Very efficient vacuuming.
- The compact design makes the machine simple to manoeuvre and easy to transport.

### Technical data

- Drum width: 200 alt. 250 mm
- Sanding belt size: 200 x 750 mm alt. 250 x 750 mm
- Motor power: 1-phase 2.2 KW with Easy start
- Total weight: 74 kg
- Drum revolutions: 1750 rpm
- Dust discharge: < 2 mg / m<sup>3</sup> air



[www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

Telephone: 0117 908 2956  
Mobile: 0772 719 8327  
E-mail: [info@oakflooringsuppliers.co.uk](mailto:info@oakflooringsuppliers.co.uk)  
Web: [www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

OAK FLOORING SUPPLIES  
Unit 7, New Work Trust Co Ltd  
Station Road Workshops  
Station Road, Kingswood  
Bristol BS15 4PJ, United Kingdom



## Bona Edge Sander

The Bona Edge 130 is an extremely strong edge sander although it has a light weight. It can be fitted with holed-discs or Velcro discs. It also picks up dust better than any other edge sander on the market. For the contractor's convenience the Bona Edge 130 has illumination and is easy to use. The shorter sanding arm improves manoeuvrability and makes the machine easier to control.

### Field of application:

- For edge sanding of all kinds of wooden floors and parquet floors.
- Features
- Light weight
- Powerful motor
- High sanding ability
- Very manoeuvrable
- Efficient vacuuming
- Both for discs with holes and velcro discs
- Built-in 'hour meter' so usage can be monitored.

### Technical data:

- Disc diameter: 178 mm
- Motor power: 1-phase 2.0 kW
- Total weight: 14,5 kg alt. 15,5 kg
- Length sanding arm: 130 mm
- Disc speed: 3000 rpm
- Dust discharge: < 1 mg /m<sup>3</sup> air



Telephone: 0117 908 2956  
Mobile: 0772 719 8327  
E-mail: [info@oakflooringsuppliers.co.uk](mailto:info@oakflooringsuppliers.co.uk)  
Web: [www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

OAK FLOORING SUPPLIES  
Unit 7, New Work Trust Co Ltd  
Station Road Workshops  
Station Road, Kingswood  
Bristol BS15 4PJ, United Kingdom



## Trio finishing sander

### *Powerful versatility*

The TRIO is the versatile and powerful floor sanding machine in floor finishing. From thorough sub-floor treatment via renovation work on pre-finished parquet floors to perfect fine and intermediate sanding, the three disc sanding machine covers a comprehensive spectrum.

The powerful motor has been optimally designed for both the heavy-duty and/or sensitive requirements of these areas of application. The integrated, sensor-monitored dust extractor and well thought-out filter system guarantee almost dust-free work. Disposal of the dust bag is also dust-free. Basic equipment ex factory: Universal sanding disc and additional 8 kg weight.

#### **Ideal use:**

Excellent for floor finishing and renovating solid wood, engineered, cork and stained floors. For cleaning and polishing as well as for the dry treatment of screed and sub-floors. Only suitable for dry processing.



[www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

Telephone: 0117 908 2956  
Mobile: 0772 719 8327  
E-mail: [info@oakflooringsuppliers.co.uk](mailto:info@oakflooringsuppliers.co.uk)  
Web: [www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

OAK FLOORING SUPPLIES  
Unit 7, New Work Trust Co Ltd  
Station Road Workshops  
Station Road, Kingswood  
Bristol BS15 4PJ, United Kingdom



## Buffing machine

Single disc sander, the buffer, the rotary machine... This type of machine has a lot of different names and maybe even more areas of use. But for the floor sander it is usually used for sanding between coats, sanding after the last belt sanding, distributing oil, polishing oiled surfaces, etc. From originally being a cleaning machine the Bona Buffer has been adapted more for our type of work. The changes include such things as different types of mounting plates, vacuum system and power/rpm adaptation.

### **A good machine and a true member of the Bona family.**

- Simply constructed and simple to use.
- A rotating plate inside a cast aluminium body, driven by a powerful motor.
- Handles and shaft fully adjustable in height to meet the needs of all users.
- Different mounting plates allowing the machine to be used for many different areas of use.

The asymmetrical mounted motor gives the Buffer perfect balance, whilst preventing the torque from the motor causing undesired pressure on the handles. A powerful vacuum, the Bona S20 Vac, removes dust very efficiently. With perfect balance and ergonomically correct working position; almost anybody can **use a Buffer after a couple of minutes' practice.**



[www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

Telephone: 0117 908 2956  
Mobile: 0772 719 8327  
E-mail: [info@oakflooringsuppliers.co.uk](mailto:info@oakflooringsuppliers.co.uk)  
Web: [www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

OAK FLOORING SUPPLIES  
Unit 7, New Work Trust Co Ltd  
Station Road Workshops  
Station Road, Kingswood  
Bristol BS15 4PJ, United Kingdom



## Areas of use

For sanding wooden floors, cutting back between coats, sand and recoat, distributing and polishing floor oil, and cleaning applications.

## Features

- Easily connects to Bona S20 vacuum unit.
- A tight sealing ring between machine and floor.
- Strong fold-away carrying handle in the front.
- Fully adjustable handle height.
- Asymmetrical placed motor for perfect balance.
- Sturdy transport wheels.
- A variation of different 'quick-change' mounting plates for different jobs
- Bona Buffer
- 6-terminal motor with reinforced torque
- 1600 W/230V
- 120 rpm
- 440 mm wide
- 380 mm mounting plate
- 330 mm high
- 12,5 m cable
- 33 kg



[www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

Telephone: 0117 908 2956  
Mobile: 0772 719 8327  
E-mail: [info@oakflooringsuppliers.co.uk](mailto:info@oakflooringsuppliers.co.uk)  
Web: [www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

OAK FLOORING SUPPLIES  
Unit 7, New Work Trust Co Ltd  
Station Road Workshops  
Station Road, Kingswood  
Bristol BS15 4PJ, United Kingdom



## Bona Dust Care System

The Bona DCS 70 is more than a vacuum cleaner. It is a revolution for your working environment. Use it for sanding without dust. Thanks to the two-step cyclonic separation and the unique filter design, dust is collected safely within the Bona DCS 70.

It's portable so you can take it anywhere on the job site and connect up the hose to your sanding machine. Your working environment will be cleaner and you can work faster. Your customers will also be happier and are willing to pay more for your services.

Field of application: For dust free sanding of all kinds of **wooden floors and parquet floors.**

### Features

- Healthier working conditions – in compliance with new regulations.
- Totally sealed system – thanks to a unique seamless bag system, no dust can escape when changing the dust bag.
- Greater customer satisfaction because of sanding without dust and reduced odour.
- Exclusive design from Bona – a unique separation process makes this no ordinary vacuum cleaner.
- Ergonomic – designed to be easy to use and transport.
- Superb end-result after applying finish because no dust is left on the surface of the bare wood.
- Made for professional use – robust, high quality machine for flooring contractors.

[www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

Telephone: 0117 908 2956  
Mobile: 0772 719 8327  
E-mail: [info@oakflooringsupplies.co.uk](mailto:info@oakflooringsupplies.co.uk)  
Web: [www.oakflooringsupplies.co.uk](http://www.oakflooringsupplies.co.uk)

**OAK FLOORING SUPPLIES**  
Unit 7, New Work Trust Co Ltd  
Station Road Workshops  
Station Road, Kingswood  
Bristol BS15 4PJ, United Kingdom



### Technical data:

- Weight: 43 kg
- Dimensions: 800 x 600 x 1200 mm
- Collection capacity: Approx 70 litres
- Motor: 1400W, 230V, 5A
- Air flow: 235 cubic metres per hour
- Coarse filter: Conical folded polyester filter, 1,0 sq. m
- Fine filter: Class H 13 (99.996%, 0.3µm), 1,0 sq.m
- Hose aperture: 35 mm in diameter
- Length of hose: 7.5 m including connection adapters for:
- Bona Belt, Bona Flexidrum,
- Bona Edge and Bona Mini Edge and Edge 130



[www.oakflooringsupplies.co.uk](http://www.oakflooringsupplies.co.uk)



Telephone: 0117 908 2956  
Mobile: 0772 719 8327  
E-mail: [info@oakflooringsupplies.co.uk](mailto:info@oakflooringsupplies.co.uk)  
Web: [www.oakflooringsupplies.co.uk](http://www.oakflooringsupplies.co.uk)

OAK FLOORING SUPPLIES  
Unit 7, New Work Trust Co Ltd  
Station Road Workshops  
Station Road, Kingswood  
Bristol BS15 4PJ, United Kingdom



## Festool Rotal Orbital

### Main applications:

- Sanding off old paint and varnish
- Sanding wooden materials
- Renovation work such as sanding steps
- Sanding and polishing mineral materials
- Preliminary and coarse sanding of repair compound
- Hologram-free polishing



[www.oakflooringsupplies.co.uk](http://www.oakflooringsupplies.co.uk)

Telephone: 0117 908 2956  
Mobile: 0772 719 8327  
E-mail: [info@oakflooringsuppliers.co.uk](mailto:info@oakflooringsuppliers.co.uk)  
Web: [www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

**OAK FLOORING SUPPLIES**  
Unit 7, New Work Trust Co Ltd  
Station Road Workshops  
Station Road, Kingswood  
Bristol BS15 4PJ, United Kingdom



Never before has such a powerful sander been so refined. The Rotex RO 150 changes effortlessly from coarse sanding, to fine sanding, to polishing. Changing sanding pads is simple, and requires no extra tools. 720 Watts of power means the RO 150 can take on any job. Yet its 5 lb. frame, minimal vibration and superior ergonomic design make it so easy to work with. The gear box is completely enclosed and impervious to dust, making the RO 150 extremely reliable, even in the most demanding environments.

**Dual-Mode Sanding with a gear-driven, aggressive mode** for rapid stock removal or polishing and random orbital mode for fine sanding.

- Jetstream dust extraction design delivers highly efficient dust removal, resulting in cleaner air, better finishes, and longer abrasive and pad life.
- FastFix tool-free backing pad changing system allows the sander to adapt to different surfaces and tasks with appropriate pads.
- Compact Size with a compact form and a 6" pad, the RO 150 delivers performance to even the tightest of places.

[www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

Telephone: 0117 908 2956  
Mobile: 0772 719 8327  
E-mail: [info@oakflooringsuppliers.co.uk](mailto:info@oakflooringsuppliers.co.uk)  
Web: [www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)

OAK FLOORING SUPPLIES  
Unit 7, New Work Trust Co Ltd  
Station Road Workshops  
Station Road, Kingswood  
Bristol BS15 4PJ, United Kingdom



## Bosch Corner Belt Sander

*A revolution in corner sanding!*

A small belt sander that allows access to even the tightest corners, leaving a clean and perfect finish every time.

It's small yet powerful, ideal for getting into corners removing old paint, adhesives or bitumen with ease. Fantastic value in our package hire.



[www.oakflooringsuppliers.co.uk](http://www.oakflooringsuppliers.co.uk)