## LUBE SPECIFICATION CHART

## Fluid Specification - Fill Quantity - Maintenance Interval Please Refer to the last page for notes on part number super-sessions

Fluid Capacities shown are recommended initial fill.

Refer to Owner's Manual or Service Manual for Procedures related to Fluid Changing and Level validation.

<sup>\*</sup> Service Note: Under extreme use, change the front gearcase fluid every 25 hours. "Extreme Use" is defined as constant ADC operation on hilly or mountainous terrain, or if ADC is the primary mode of AWD operation.

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
					2	2013 AT	V Mode	ls						
2013	Trail Boss 330	n/a	1.9 qts (1.8 L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2013	Trail Blazer 330	n/a	1.9 qts (1.8 L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2013	Phoenix 200	n/a	1.2 Qts (1.1 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	0452462	n/a
			50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs					With Oil Change	
2013	Sportsman 90 Outlaw 90 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	n/a
			10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			
2013	Outlaw 50 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	n/a
			10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			
2013	Sportsman 400 HO	n/a	2.0 Qts (1.9 L)	33.8 oz (1 L)	n/a	8.96 oz (265 ml)	2.7 Qts / (2.6 L)			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2013	Sportsman 800 EFI	n/a	2.0 qts (1.9 L)	33.8 oz (1 L)	n/a	8.96 oz (265 ml)	3.6 Qts/3.4 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2013	Sportsman 500 HO Touring 500	n/a	2 qts (1.9 L)	33.8 oz (1 L)	n/a	8.96 oz (265 ml)	2.7 Qts/2.5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2013	Sportsman 550 Touring 550 550 X2	n/a	2 qts (1.9 L)	37 oz (1.1 L)	7.1 oz (210 ml) [6.1 oz (180 ml) X2 only]	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2. Qts/1.9 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2013	Big Boss 6x6	n/a	2.0 qts (1.9 L)	17.2 oz (510 ml)	5 oz (150 ml) Rear 13.5 oz (400ml) Middle	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	3.6 Qts/3.4 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2013	Sportsman XP 850HO Touring 850HO	n/a	2.0 qts (1.9 L)	37 oz (1.1 l)	7.1 oz (210 ml)	9.3 oz (275 ml) 1.7 oz (50ml) before bleeding of ADC	2.7 Qts/2.6 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2013	Scrambler XP 850 HO	n/a	2.0 qts (1.9 L)	37 oz (1.1 l)	7.1 oz (210 ml)	6.7 to 7.6 oz (220-225 ml) 1.7 oz (50ml) before bleeding of ADC	2.7 Qts/2.6 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
					2	013 Util	ity Mod	els						
2013	Ranger 500 EFI	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	3.7 Qts/3.5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2013	Ranger Crew 500	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	5.36 Qts/ 5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2013	Ranger 800	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	3.25 Qts/3.1 L			2874124 with Walker Shock (LE)	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2013	Ranger 800 Mid- Size	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	10.1 oz (300 ml)	3.75 Qts/3.5 L				n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2013	Ranger Crew 800	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	6.4 Qts/ 6.0 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2013	Ranger 800 6X6	n/a	2.0 qts (1.9 L)	43.6 oz (1290ml)	18 oz (532 ml) Rear 6.75 oz (200 ml) Mid case	9 oz (265 ml)	3.25 Qts/3.1 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2013	Ranger Diesel / Crew	n/a	2.0 Qts (1.9 L) 2878473 Summer Oil 2878474 Winter Oil	32 oz (946ml)	22 oz (532 ml)	6.75 oz (200 ml)	6.2 Qts / 5.9 L [6.64 Qts/6.28L (Crew)]			n/a	n/a	Refer to Service Manual	3070131	2878471 Summer Kit 2878472 Winter Kit
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2013	Ranger XP 900	n/a	2.5 qts ( 2.5 L)	41 oz (1200ml)	n/a	6.75 oz (200 ml)	5.0 Qts/ 4.7 L				n/a	Refer to Service Manual	2540086	PS-4 2879323 Extreme Duty 2879324
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	Replace every 2 years		Replace every 2 yrs	With Oil Change	
2013	Ranger 400	n/a	2.0 Qts (1.9 L)	33.8 oz (1000ml)	n/a	8.98 oz (265 ml)	3.7 Qts/3.5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2013	Ranger EV	n/a	n/a	n/a	20.3 oz (600 ml) Rear	6.1 oz (180 ml)	n/a			n/a	n/a	Refer to Service Manual	n/a	n/a
					Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs		

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2013	Ranger RZR 800 Ranger RZR-S 800	n/a	2.0 qts (1.9 L)	14 oz (414 ml) Transfercase 24 oz (710 ml) Transmission	26 oz (769 ml) Rear	6.75 oz (200 ml)	4.8 Qts/4.5 L			2874124 with Walker Shock	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2013	Ranger RZR-4 800	n/a	2.0 qts (1.9 L)	14 oz (414 ml) Transfercase 24 oz (710 ml) Transmission	26 oz (769 ml) Rear	6.75 oz (200 ml)	5.5 Qts/5.2 L				n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	Replace every 2 years		Replace every 2 yrs	With Oil Change	
2013	Ranger RZR XP 900	n/a	2.5 qts ( 2.5 L)	44 oz (1300ml)	n/a	6.75 oz (200 ml)	4.9 Qts/ 4.6 L				n/a	Refer to Service Manual	2540086	PS-4 2879323 Extreme Duty 2879324
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	Replace every 2 years		Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2013	Ranger RZR XP 4 900	n/a	2.5 qts ( 2.5 L)	44 oz (1300ml)	n/a	6.75 oz (200 ml)	4.9 Qts/ 4.6 L				n/a	Refer to Service Manual	2540086	PS-4 2879323 Extreme Duty 2879324
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	Replace every 2 years		Replace every 2 yrs	With Oil Change	
2013	Ranger RZR 570	n/a	2 Qts (1.9 L)	44 oz (1300ml)	n/a	6.75 oz (200 ml)	4.25 Qts / 4 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2013	Ranger RZR 170	n/a	Extreme Duty Oil 2878920 37oz (1.1 L)	23.7 oz (700 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a
			50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs						

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
					2012	ATV M	odels							
2012	Scrambler 500 4x4	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	8.97 oz (265 ml)	2.25 Qts/2.1 L			n/a	As Required	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2012	Trail Boss 330	n/a	1.9 qts (1.8 L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2012	Trail Blazer 330	n/a	1.9 qts (1.8 L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2012	Phoenix 200	n/a	1.2 Qts (1.1 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	0452462	n/a
			50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs					With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2012	Sportsman 90 Outlaw 90 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	n/a
			10 hrs Break in 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			
2012	Outlaw 50 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	n/a
			10 hrs Break in 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			
2012	Sportsman 400 HO	n/a	2.0 Qts (1.9 L)	33.8 oz (1 L)	n/a	8.96 oz (265 ml)	2.7 Qts / (2.6 L)			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2012	Sportsman 800 EFI	n/a	2.0 qts (1.9 L)	33.8 oz (1 L)	n/a	8.96 oz (265 ml)	3.6 Qts/3.4 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2012	Sportsman 500 HO	n/a	2 qts (1.9 L)	33.8 oz (1 L)	n/a	8.96 oz (265 ml)	2.7 Qts/2.5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2012	Sportsman 550 Touring 550 550 X2	n/a	2 qts (1.9 L)	37 oz (1.1 L)	7.1 oz (210 ml) [6.1 oz (180 ml) X2 only]	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2. Qts/1.9 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2012	Big Boss 6x6	n/a	2.0 qts (1.9 L)	17.2 oz (510 ml)	5 oz (150 ml) Rear 13.5 oz (400ml) Middle	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	3.6 Qts/3.4 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2012	Sportsman XP 850HO Touring 850HO	n/a	2.0 qts (1.9 L)	37 oz (1.1 l)	7.1 oz (210 ml)	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2.7 Qts/2.6 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
					2	012 Util	lity Mod	els						
2012	Ranger 500 EFI	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	3.7 Qts/3.5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2012	Ranger Crew 500	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	5.36 Qts/ 5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2012	Ranger 800 / XP HD	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	3.25 Qts/3.1 L			2874124 with Walker Shock	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2012	Ranger Crew 800	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	6.4 Qts/ 6.0 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2012	Ranger 800 6X6	n/a	2.0 qts (1.9 L)	43.6 oz (1290ml)	18 oz (532 ml) Rear 6.75 oz (200 ml) Mid case	9 oz (265 ml)	3.25 Qts/3.1 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2012	Ranger Diesel / [Crew]	n/a	2.0 Qts (1.9 L) 2878473 Summer Oil 2878474 Winter Oil	32 oz (946ml)	22 oz (532 ml)	6.75 oz (200 ml)	6.2 Qts / 5.9 L [6.64 Qts/6.28L (Crew)]			n/a	n/a	Refer to Service Manual	3070131	2878471 Summer Kit 2878472 Winter Kit
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2012	Ranger 400	n/a	2.0 Qts (1.9 L)	33.8 oz (1000ml)	n/a	8.98 oz (265 ml)	3.7 Qts/3.5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2012	Ranger EV	n/a	n/a	n/a	20.3 oz (600 ml) Rear	6.1 oz (180 ml)	n/a			n/a	n/a	Refer to Service Manual	n/a	n/a
					Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs		
2012	Ranger RZR 800 Ranger RZR-S 800	n/a	2.0 qts (1.9 L)	14 oz (414 ml) Transfercase 24 oz (710 ml) Transmission	26 oz (769 ml) Rear	6.75 oz (200 ml)	4.8 Qts/4.5 L			2874124 with Walker Shock	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2012	Ranger RZR-4 800	n/a	2.0 qts (1.9 L)	14 oz (414 ml) Transfercase 24 oz (710 ml) Transmission	26 oz (769 ml) Rear	6.75 oz (200 ml)	5.5 Qts/5.2 L				n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	Replace every 2 years		Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2012	Ranger RZR XP 900	n/a	3.5 qts ( 3.31 L)	44 oz (1300ml)	n/a	6.75 oz (200 ml)	4.9 Qts/ 4.6 L				n/a	Refer to Service Manual	2520799	PS-4 2879129 Extreme Duty 2879130
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	Replace every 2 years		Replace every 2 yrs	With Oil Change	
2012	Ranger RZR 570	n/a	2 Qts (1.9 L)	44 oz (1300ml)	n/a	6.75 oz (200 ml)	4.25 Qts / 4 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2012	Ranger RZR 170	n/a	Extreme Duty Oil 2878920 37oz (1.1 L)	23.7 oz (700 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a
			50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs						

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
					4	2011 AT	V Mode	ls						
2011	Scrambler 500 HO 4x4	n/a	2.0 Qts (1.9 L)	32 oz (.95 L)	n/a	8.97 oz (265 ml)	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2011	Trail Boss 330	n/a	1.9 qts (1.8 L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2011	Trail Blazer 330	n/a	1.26 qts (1.82L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2011	Phoenix 200	n/a	1.2 Qts (1.1 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	0452462	n/a
			50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs					With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2011	Outlaw 525 IRS	n/a	1.7 Qts (1.6 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520754 & 2520755	n/a
			10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2011	Sportsman 90 Outlaw 90 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	n/a
			10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			
2011	Sportsman 50 Outlaw 50 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	
			10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			
2011	Sportsman 400 HO	n/a	2.0 Qts (1.9 L)	3.8 oz (1 L)	n/a	8.5 oz (251 ml)	2.7 Qts / (2.6 L)			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2011	Sportsman 800 EFI	n/a	2.0 qts (1.9 L)	3.8 oz (1 L)	n/a	8.5 oz (251 ml)	3.6 Qts/3.4 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Sportsman 500 HO	n/a	2 qts (1.9 L)	3.8 oz (1 L)	n/a	8.97 oz (265 ml)	2.7 Qts/2.5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Sportsman 500 HO Touring / 500 EFI	n/a	2 qts (1.9 L)	3.8 oz (1 L)	n/a	8.97 oz (265 ml)	2.7 Qts/2.5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2011	6x6 800 EFI	n/a	2.0 qts (1.9 L)	17.2 oz (510 ml)	5 oz (150 ml) Rear 13.5 oz (400ml) Middle	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	3.6 Qts/3.4 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Sportsman XP 850 XP 850EPS Touring 850	n/a	2.0 qts (1.9 L)	37 oz (1.1 l)	7.1 oz (210 ml)	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2.7 Qts/2.6 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2011	Sportsman 550 550EPS Touring 550	n/a	2.0 qts (1.9 L)	32 oz (.964 l)	7.1 oz (210 ml) [6.1 oz (180 ml) X2 only]	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2. Qts/1.9 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Sportsman X2 550	n/a	2.0 qts (1.9 L)	32 oz (.964 l)	6.1 oz (180 ml)	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2 Qts/1.9 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2011	Sportsman X2 850	n/a	2.0 qts (1.9 L)	37 oz (1.1 l)	6.1 oz (180 ml)	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2 Qts/1.9 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
					2	011 Util	lity Mod	els						
2011	Ranger 500 EFI	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	3.7 Qts/3.5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Ranger 500 EFI Crew	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	5.36 Qts/ 5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2011	Ranger XP 800 EPS Ranger HD 800	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	3.25 Qts/3.1 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Ranger 800 Crew	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	6.4 Qts/ 6.0 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Ranger 800 6X6	n/a	2.0 qts (1.9 L)	43 oz (1272ml)	18 oz (532 ml) Rear 6.75 oz (200 ml) Mid case	9 oz (265 ml)	3.25 Qts/3.1 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Ranger EV / LSV	n/a	n/a	n/a	20.3 oz (600 ml) Rear	9 oz (265 ml)	n/a			n/a	n/a	Refer to Service Manual	n/a	n/a
					Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs		

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2011	Ranger RZR Ranger RZR-S	n/a	2.0 qts (1.9 L)	14 oz (414 ml) Transfercase 24 oz (710 ml) Transmission	26 oz (769 ml) Rear	6.75 oz (200 ml)	4.8 Qts/4.5 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Ranger RZR-4	n/a	2.0 qts (1.9 L)	14 oz (414 ml) Transfercase 24 oz (710 ml) Transmission	26 oz (769 ml) Rear	6.75 oz (200 ml)	5.5 Qts/5.2 L			n/a	n/a	Refer to Service Manual	2540086	PS-4 2202166 Extreme Duty 2879004
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Ranger RZR XP	n/a	3.5 qts ( 3.31 L)	44 oz (1300ml)	n/a	6.75 oz (200 ml)	4.9 Qts/ 4.6 L			As Required	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	Replace every 2 years		Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2011	Ranger Diesel	n/a	2.0 Qts (1.9 L) 2878473 Summer Oil 2878474 Winter Oil	32 oz (946ml)	22 oz (532 ml)	6.75 oz (200 ml)	6.2 Qts / 5.9 L			n/a	n/a	Refer to Service Manual	3070131	2878471 Summer Kit 2878472 Winter Kit
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Ranger 400	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	8.98 oz (265 ml)	3.7 Qts/3.5 L			n/a	n/a	Refer to Service Manual	2520799	PS-4 2877473 Extreme Duty 2878923
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2011	Ranger RZR 170	n/a	PS-4 Extreme Duty Oil 2878920 37oz (1.1 L)	23.7 oz (700 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	n/a	n/a
			50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs						

Model	Description	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
					4	2010 AT	V Mode	ls						
2010	Scrambler 500 HO 4x4	n/a	2.0 Qts (1.9 L)	32 oz (.95 L)	n/a	8.97 oz (265 ml)	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2010	Trail Boss 330	n/a	1.9 qts (1.8 L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2010	Trail Blazer 330	n/a	1.26 qts (1.82L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2010	Phoenix 200	n/a	1.2 Qts (1.1 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	0452462	2875523
			50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs					With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2010	Outlaw 525 IRS	n/a	1.7 Qts (1.6 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520754 & 2520755	n/a
			10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2010	Outlaw 525 S	n/a	1.7 Qts (1.6 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520754 & 2520755	n/a
			10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2010	Outlaw 450 MXR	n/a	1.7 Qts (1.6 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520754 & 2520755	n/a
			10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2010	Sportsman 90 Outlaw 90 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	
			10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2010	Sportsman 50 Outlaw 50 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	
			10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			
2010	Sportsman 300	n/a	1.7 Qts (1.6 L)	20.3 oz (592ml)	n/a	5 oz (148 ml)	n/a		n/a	n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2010	Sportsman 400 HO	n/a	2.0 Qts (1.9 L)	20.3 oz (592ml)	n/a	5 oz (148 ml)	2.2 Qts / 2 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2010	Sportsman 800 EFI	n/a	2.0 qts (1.9 L)	17.2 oz (510 ml)	5 oz (150 ml)	8.97 oz (265 ml)	3.6 Qts/3.4 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2010	Sportsman 500 HO	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	8.97 oz (265 ml)	2.7 Qts/2.5 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2010	Sportsman 500 HO Touring	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2.7 Qts/2.5 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2010	6x6 800 EFI	n/a	2.0 qts (1.9 L)	17.2 oz (510 ml)	5 oz (150 ml) Rear 13.5 oz (400ml) Middle	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	3.6 Qts/3.4 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2010	Sportsman Touring 850 EPS	n/a	2.0 qts (1.9 L)	32 oz (.964 l)	7.1 oz (210 ml)	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2 Qts/1.9 L			n/a	n/a	Refer to Service Manual	2520799	2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2010	Sportsman Touring 550 EPS	n/a	2.0 qts (1.9 L)	32 oz (.964 l)	7.1 oz (210 ml)	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2 Qts/1.9 L			n/a	n/a	Refer to Service Manual	2520799	2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		_	Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2010	Sportsman X2 550 EFI	n/a	2.0 qts (1.9 L)	32 oz (.964 l)	6.1 oz (180 ml)	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2 Qts/1.9 L			n/a	n/a	Refer to Service Manual	2520799	2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2010	Sportsman X2 800 EFI	n/a	2.0 qts (1.9 L)	32 oz (.964 l)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2 Qts/1.9 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2010	Sportsman XP 850 Sportsman XP 850 EPS	n/a	2.0 qts (1.9 L)	32 oz (.964 l)	7.1 oz (210 ml)	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2 Qts/1.9 L			n/a	n/a	Refer to Service Manual	2520799	2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2010	Sportsman 550 Sportsman 550 EPS	n/a	2.0 qts (1.9 L)	32 oz (.964 l)	7.1 oz (210 ml)	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2 Qts/1.9 L			n/a	n/a	Refer to Service Manual	2520799	2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model Year	Description	Injection Oil Requirement VES 2877882 qt 2877883 gl	Engine Oil Requirement  PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL (ATV Gearcase Lube) Transmission  AGL 2878068 qt 2878069 gl	Angle Drive Fluid 2876160 qt	Front Drive Fluid  Demand Drive 2877922 qt	Antifreeze 60/40 Pre-mix 2871534 qt 2871323 gl	All Season Grease 2871322 302 2871423 140z	U-Joint Grease 2871515 30z 2871551 140z	Shock Fluid 2870995 qt	Chain Lube 2872348 16oz	Brake Fluid DOT 4 2872189 120z	Oil Filter Number	Oil Change Kit Number PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
					2	010 Util	ity Mod	els						
2010	Ranger 500 EFI	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a		3.25 Qts/3.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	200
2010	Ranger XP 800 EPS Ranger HD 800 Ranger Crew	n/a	2.0 qts (1.9 L)	33.8 oz (1000ml)	n/a	9 oz (265 ml)	3.25 Qts/3.1 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2010	Ranger 800 6X6	n/a	2.0 qts (1.9 L)	43 oz (1272ml)	18 oz (532 ml) Rear 6.75 oz (200 ml) Mid case	9 oz (265 ml)	3.25 Qts/3.1 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2010	Ranger EV	n/a	n/a	n/a	20.3 oz (600 ml) Rear	9 oz (265 ml)	n/a			n/a	n/a	Refer to Service Manual	n/a	n/a
					Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs		

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2010	Ranger RZR Ranger RZR-S	n/a	2.0 qts (1.9 L)	14 oz (414 ml) Transfercase 24 oz (710 ml) Transmission	26 oz (769 ml) Rear	6.75 oz (200 ml)	4.8 Qts/4.5 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2010	Ranger 400	n/a	2.0 Qts (1.9 L)	33.8 oz (1000ml)	n/a	8.98 oz (265 ml)	2.25 Qts / 2.13 I	-		n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2010	Ranger RZR 170	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	23.7 oz (700 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	n/a	2875523
			50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs						

Model	Description	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
						2009 AT	V Mode	ls						
2009	Scrambler 500 4x4	n/a	2.0 qts (1.9 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2009	Trail Boss 330	n/a	1.9 qts (1.8 L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2009	Trail Blazer 330	n/a	1.9 qts (1.8 L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2009	Phoenix 200	n/a	1.2 Qts (1.1 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	0452462	2875523
			50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs					With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2009	Outlaw 525 IRS	n/a	1.7 Qts (1.6 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520754 & 2520755	n/a
			10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2009	Outlaw 525 S	n/a	1.7 Qts (1.6 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520754 & 2520755	n/a
			10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2009	Outlaw 450 MXR	n/a	1.7 Qts (1.6 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520754 & 2520755	n/a
			10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2009	Sportsman 90 Outlaw 90 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (.900L)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	
			10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2009	Sportsman 50 Outlaw 50 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (.900L)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	
			10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			
2009	Sportsman 300	n/a	2.0 Qts (1.9 L)	15.2 oz (450ml)	n/a	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2009	Sportsman 400 HD	n/a	2.0 Qts (1.9 L)	15.2 oz (450ml)		8 oz (237ml)	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2009	Sportsman 800 EFI	n/a	2.0 qts (1.9 L)	15 oz (400 ml)	5 oz (150 ml) Rear	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2009	Sportsman 500 EFI	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) LT Fluid 1.7 oz (50ml) before bleeding of ADC Fluid	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2009	Sportsman 500 HO	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2009	Sportsman Big Boss 6x6 800 EFI	n/a	2.0 qts (1.9 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	5 oz (150 ml) Demand Drive	3.3 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2009	Sportsman Touring 800 EFI	n/a	2.0 qts (2.1 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	n/a			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2009	Sportsman Touring 500 EFI	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	n/a			n/a	n/a	Refer to Service Manual	3084963	2876738
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2009	Sportsman X2 500 EFI	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) LT Fluid 1.7 oz (50ml) before bleeding of ADC Fluid	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years		General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2009	Sportsman X2 800 EFI	n/a	2.0 qts (2.1 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	n/a			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2009	Sportsman XP 850 EFI	n/a	2.0 qts (1.9 L)	32 oz (.964 l)	7.1 oz (210 ml) Rear	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2520799	2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2009	Sportsman XP 550 EFI	n/a	2.25 qts (2.13 L)	32 oz (.964 l)	7.1 oz (210 ml) Rear	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	2520799	2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model Year	Description	Injection Oil Requirement VES 2877882 qt 2877883 gl	Engine Oil Requirement  PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL (ATV Gearcase Lube) Transmission  AGL 2878068 qt 2878069 gl	Angle Drive Fluid 2876160 qt	Front Drive Fluid  Demand Drive 2877922 qt	Antifreeze 60/40 Pre-mix 2871534 qt 2871323 gl	All Season Grease 2871322 30z 2871423 140z	U-Joint Grease 2871515 30z 2871551 140z	Shock Fluid 2870995 qt	2872348 16oz	Brake Fluid DOT 4 2872189 120z	Oil Filter Number	Oil Change Kit Number PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
			2010313 gi					_						
					2	009 Uti	lity Mod	els						
2009	Ranger 4x4 EFI 500 Series	n/a	2.25 qts (2.13 L)	43.6 oz (1,313 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	2.3 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2009	Ranger 2x4 EFI 500 Series	n/a	2.25 qts (2.13 L)	46.6 oz (1,413 ml)	18 oz (532 ml) Rear	n/a	2.3 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually		Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2009	Ranger XP 700 EFI 700 Series	n/a	2.0 qts (1.9 L)	43.6 oz (1,313 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	3.3 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2009	Ranger 6X6 700 EFI 700 Series	n/a	2.0 qts (1.9 L)	43.6 oz (1,313 ml)	6.75 oz (200 ml) Mid Case 18 oz (532 ml) Rear	5 oz (150 ml)	3.3 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2009	Ranger Crew 700 EFI 700 Series	n/a	2.0 qts (1.9 L)	43.6 oz (1,313 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	3.3 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2009	Ranger RZR 800 EFI 800 Series	n/a	2.0 qts (1.9 L)	14 oz (414 ml) Transfercase 24 oz (710 ml) Transmission	18 oz (532 ml) Rear	6.75 oz (200 ml)	4 Qts/3.8 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2009	Ranger RZR 170	n/a	Extreme Duty Oil 2878920 37oz (1.1 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	0452462	2875523
2003	Kunger KZK 170		50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs					With Oil Change	
						2008 AT	V Mode	ls						
2008	Scrambler 500 4x4	n/a	2.0 qts (1.9 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	Scrambler 300 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2008	Trail Boss 330	n/a	1.9 qts (1.8 L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2008	Trail Boss 330		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2008	Trail Blazer 330	n/a	1.9 qts (1.8 L)	11.3 oz (435 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	Trail Blazer 330		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
	BL : 000	n/a	1.2 Qts (1.1 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	0452462	2875523
2008	Phoenix 200		50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs					With Oil Change	
2008	Outlaw 525 IRS	n/a	1.7 Qts (1.6 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520754 & 2520755	n/a
2008	Ouliaw 525 IRS		10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2008	Outlaw 525 S	n/a	1.7 Qts (1.6 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520754 & 2520755	n/a
2006	Outlaw 525 S		10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2008	Outlaw 400 MXR	n/a	1.7 Qts (1.6 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520754 & 2520755	n/a
2000	Outlaw 400 WAR		10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2008	Sportsman 90 Outlaw 90 (4	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	
	Stroke)		10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			
2008	Outlaw 50 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	
	Saskey		10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
		n/a	2.0 Qts (1.9 L)	15.2 oz (450ml)	n/a	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual		
2008	Sportsman 300		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
		n/a	2.0 Qts (1.9 L)	15.2 oz (450ml)		8 oz (237ml)	n/a			n/a	n/a	Refer to Service Manual		
2008	Sportsman 400		100 hrs/ 6 months	Replace Annually		Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2008	Sportsman 800 EFI	n/a	2.0 qts (1.9 L)	15 oz (400 ml)	5 oz (150 ml) Rear	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2008	Sportsman 500 EFI	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2008	Sportsman 500 HO	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	oportsman 300 mo		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2008	Sportsman 6x6	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	9 oz (266 ml)	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	oportsman oxo		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2008	800 Touring	n/a	2.0 qts (2.1 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	n/a			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2008	500 EFI Touring	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2008	500 EFI X2	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2008	800 EFI X2	n/a	2.0 qts (2.1 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	n/a			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model Year	Description	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Tear		VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
					2	008 Util	lity Mod	els						
2008	Ranger 2x4	n/a	2.25 qts (2.13 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	n/a	2.3 Qts/2.1 L		n/a	n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	500 Series		100 hrs/ 6 months	Replace Annually	Replace Annually		Replace every 2 yrs	General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2008	Ranger 4x4 EFI	n/a	2.25 qts (2.13 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	2.3 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	500 Series		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2008	Ranger 6x6 700 EFI	n/a	2.0 qts (1.9 L)	15.2 oz (450 ml)	6.75 oz (200 ml) Middle 10 oz (300 ml) Rear	5 oz (150 ml)	2.3 Qts (3 L)			n/a	n/a	Refer to Service Manual	2540006	2202166
	700 EI I		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
	Ranger XP	n/a	2.0 qts (1.9 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	3.3 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2008	700 EFI 700 Series		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model	Description	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
	Ranger 6X6	n/a	2.0 qts (1.9 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	3.3 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2008	700 EFI 700 Series		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
	Ranger Crew	n/a	2.0 qts (1.9 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	3.3 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2008	700 EFI 700 Series		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2008	Ranger RZR 800 EFI 800 Series	n/a	2.0 qts (1.9 L)	14 oz (414 ml) Transfercase 24 oz (710 ml) Transmission	18 oz (532 ml) Rear	6.75 oz (200 ml)	4 Qts/3.8 L			n/a	n/a	Refer to Service Manual	2540006	2202166
	800 Series		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
					2	2007 AT	V Mode	ls						
2007	Scrambler 500 4x4	n/a	2.0 qts (1.9 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2007	Scrambler 300 4x4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
		n/a	1.2 Qts (1.1 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	0452462	2875523
2007	Phoenix 200		50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs					With Oil Change	
2007	Outlaw 525	n/a	1.3 Qts (1.25 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	2520754 & 2520755	n/a
2007	Outlaw 525		10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
		n/a	2 Qts (1.9 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3088036	2202511
2007	Outlaw		10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
		n/a	2 Qts (1.9 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3088036	2202511
2007	Predator 500		10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2007	Sportsman 90 Outlaw 90 (4	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	
	Stroke)		10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			
2007	Predator 50 (4 Stroke)	n/a	PS-4 Extreme Duty Oil 2878920 30oz (900ml)	11.8 oz (350 ml)	n/a	n/a	n/a		n/a	n/a	As Required	n/a	n/a	
	Stroke)		10 hrs Breakin 40 hrs or annual	Replace Annually				General Lube every 50 hrs			Pre-Ride			
2007	Trail Boss 330	n/a	1.9 qts (1.8 L)	11.3 oz (400 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2007	11411 2000 000		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
	_	n/a	1.75 Qts (1.66 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	0452462	2875523
2007	Sawtooth		50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2007	Havelove 2014	n/a	2.0 Qts (1.9 L)	15.2 oz (450ml)	n/a	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2007	Hawkeye 2x4		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2007	Hawkeye 4x4	n/a	2.0 Qts (1.9 L)	15.2 oz (450ml)	n/a	8 oz (237ml)	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2007	памкеуе 4х4		100 hrs/ 6 months	Replace Annually		Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2007	X2 800 EFI	n/a	2.0 qts (2.1 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	n/a			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2007	X2 500 EFI	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2007	Sportsman 800 EFI	n/a	2.0 qts (1.9 L)	15 oz (400 ml)	5 oz (150 ml) Rear	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
			100 hrs/ 6 months	Replace Annually	Replace Annually	Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
		n/a	2.0 qts (1.9 L)	15 oz (400 ml)	5 oz (150 ml) Rear	9 oz (266 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2007	Sportsman 700 EFI		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2007	Swartoway 450	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	9 oz (266 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2007	Sportsman 450		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2007	Sportsman 500 EFI	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	9.3 oz (275ml) 1.7 oz (50ml) before bleeding of ADC	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually		Annually* ADC Fluid every 2 Years	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2007	Sportsman 6x6	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	9 oz (266 ml)	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2007	Sportsman oxo		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	

Model	Description	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year		VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
					2	007 Util	lity Mod	els						
2007	Ranger 2x4	n/a	2.25 qts (2.13 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	n/a	2.3 Qts/2.1 L		n/a	n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2007	500		100 hrs/ 6 months	Replace Annually	Replace Annually		Replace every 2 yrs	General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2007	Ranger 4x4	n/a	2.25 qts (2.13 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	2.3 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2007	500 EFI		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2007	Ranger 6x6 700 EFI	n/a	2.0 qts (1.9 L)	15.2 oz (450 ml)	6.75 oz (200 ml) Middle 10 oz (300 ml) Rear	5 oz (150 ml)	2.3 Qts (3 L)			n/a	n/a	Refer to Service Manual	2540006	2202166
	700 EI I		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
	Ranger XP	n/a	2.0 qts (1.9 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	3.3 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2007	700 EFI		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model Year	Description	Injection Oil Requirement VES 2877882 qt 2877883 gl	Engine Oil Requirement  PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL (ATV Gearcase Lube) Transmission  AGL 2878068 qt 2878069 gl	Angle Drive Fluid 2876160 qt	Front Drive Fluid  Demand Drive 2877922 qt	Antifreeze 60/40 Pre-mix 2871534 qt 2871323 gl	All Season Grease 2871322 3oz 2871423 14oz	U-Joint Grease 2871515 3oz 2871551 14oz	Shock Fluid  2870995 qt	Chain Lube 2872348 1602	Brake Fluid DOT 4 2872189 1202	Oil Filter Number	Oil Change Kit Number PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
					-	2006 AT	V Mode	els						
2006	Savambler 500 4v4	n/a	2.0 qts (1.9 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2006	Scrambler 500 4x4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
		n/a	2 Qts (1.9 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	n/a	Refer to Service Manual	3088036	2202511
2006	Outlaw		10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs		500 hrs/ Annual		Replace every 2 yrs	With Oil Change	
	Predator 500	n/a	2 Qts (1.9 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3088036	2202511
2006	Predator TLD		10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs		500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2006	Sportsman 90	VES GOLD	n/a	10 oz (300 ml)	n/a	n/a	n/a	Conorolluba	n/a	n/a	As Required	n/a	2530009	
2006	Predator 90			Replace Annually				General Lube every 50 hrs			Pre-Ride		Replace Annually	
2006	Predator 50	VES GOLD	n/a	10 oz (300 ml) Replace	n/a	n/a	n/a	General Lube	n/a	n/a	As Required	n/a	2530009 Replace	
2300	i iodatoi oo			Annually				every 50 hrs			Pre-Ride		Annually	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
		n/a	1.2 Qts (1.1 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	0452462	2875523
2006	Phoenix 200		50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs					With Oil Change	
		VES GOLD	n/a	11 oz (325 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	
2006	Trail Blazer 250			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	
2006	Trail Boss 330	n/a	1.9 qts (1.8 L)	11.3 oz (400 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	Trail Boss 330		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2006	Magnum 220 4:4	n/a	1.9 qts (1.8 L)	13.50 oz (400 ml)	16 oz (480 ml) Rear	5 oz (150 ml)	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2006	Magnum 330 4x4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
		n/a	1.75 Qts (1.66 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	0452462	2875523
2006	Sawtooth		50 Hours or 12 Months	Replace Annually	Replace Annually			General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2006	Hawkeye 2x4	n/a	2.0 Qts (1.9 L)	15.2 oz (450ml)	n/a	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2006	памкеуе 2х4		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2006	Hawkeye 4x4	n/a	2.0 Qts (1.9 L)	15.2 oz (450ml)	n/a	n/a	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	Hawkeye 4x4		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2006	Sportsman X2	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	Sportsman A2		100 hrs/ 6 months	Replace Annually		Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
		n/a	2 qts (1.9 L)	15 oz (400 ml)	5 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2006	MV7		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
		n/a	2 qts (1.9 L)	15 oz (400 ml)	5 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2006	Sportsman 800 EFI		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
		n/a	2 qts (1.9 L)	15 oz (400 ml)	5 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2006	Sportsman 700 EFI		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
	Sportsman 700	n/a	2 qts (1.9 L)	15.2 oz (400 ml)	5 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2006	Twin		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2006	Sportsman 500	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2006	Н.О.		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2000	Specificary 450	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2006	Sportsman 450		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2006	Sporteman 500 EEI	n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2006	Sportsman 500 EFI		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
		n/a	2.25 qts (2.13 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2006	Sportsman 6x6		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
					2	006 Util	lity Mod	els						
	Ranger TM 2x4	n/a	1.64 qts (1.55 L)	15.2 oz (450 ml)	18.2 oz (538 ml) Rear	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	3088311	n/a
2006	Robin V-Twin 653		100 hrs/ 6 months	Replace Annually	Replace Annually			General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2006	Ranger 500 2x4	n/a	2.0 qts (2.1 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	Ranger 300 2X4		100 hrs/ 6 months	Replace Annually	Replace Annually			General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2006	Ranger 500 4x4	n/a	2.0 qts (2.1 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	Ranger 300 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2006	Ranger 500 6x6	n/a	2.0 qts (2.1 L)	15.2 oz (450 ml)	6.75 oz (200 ml) Middle 10 oz (300 ml) Rear	5 oz (150 ml)	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
	Ranger XP 4x4	n/a	2 qts (1.9 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2006	700 Engine		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2006	Ranger 6x6 700 EFI Engine	n/a	2 qts (1.9 L)	15.2 oz (450 ml)	6.75 oz (200 ml) Middle 10 oz (300 ml) Rear	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	2540006	2202166
	Liftingme		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
						2005 AT	V Mode	ls						
2005	Scrambler 500 4x4	n/a	2 qts (1.9 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	Colambiel 300 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
		n/a	2.25 Qts (2.1 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3088036	2202511
2005	Predator 500		10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs		500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2005	Predator 50 Sportsman 90	VES GOLD	n/a	10 oz (300 ml) Replace	n/a	n/a	n/a	General Lube	n/a	n/a	As Required	n/a	2530009 Replace	
2003	Predator 90			Annually				every 50 hrs			Pre-Ride		Annually	
		n/a	1.2 Qts (1.1 L)	18.6 oz (550 ml)	4 oz (120 ml) Rear	n/a	n/a		n/a	n/a	n/a	n/a	0452462	2875523
2005	Phoenix 200		100 Miles or Monthly	Replace Annually	Replace Annually			General Lube every 50 hrs					With Oil Change	
		VES GOLD	n/a	11 oz (325 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	
2005	Trail Blazer 250			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	
2005	Trail Boss	n/a	1.9 qts (1.8 L)	11.3 oz (400 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2005	Trail boss		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2005	Magnum 330 2x4	n/a	1.9 qts (1.8 L)	13.50 oz (400 ml)	10 oz (295 ml) Rear	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2005	Magnum 330 2x4		100 hrs/ 6 months	Replace Annually	Replace Annually			General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2005	Magnum 330 4x4	n/a	1.9 qts (1.8 L)	13.50 oz (400 ml)	16 oz (480 ml) Rear	5 oz (150 ml)	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	Magnum 330 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2005	ATP 330 4x4	n/a	1.9 qts (1.8 L)	13.50 oz (400 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	ATF 330 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2005	ATP 500 4x4	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2005	A1P 300 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
		n/a	2 qts (1.9 L)	15 oz (400 ml)	5 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2005	Sportsman 800 EFI		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
		n/a	2 qts (1.9 L)	15 oz (400 ml)	5 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2005	Sportsman 700 EFI		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
		n/a	2 qts (1.9 L)	15.2 oz (400 ml)	5 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2005	Sportsman 700		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
		n/a	2 qts (1.9 L)	15 oz (400 ml)	5 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2005	Sportsman 600 EFI		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
		n/a	2 qts (1.9 L)	15.2 oz (400 ml)	5 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2005	Sportsman 600		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model	Description	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2005	Sportomor 400	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2005	Sportsman 400		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2005	Sportsman 500	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	oportsman 500		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2005	Sportsman 500 6x6	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	oportsman 500 0x0		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	

Model Year	Description	Injection Oil Requirement	Engine Oil Requirement PS-4 2876244 qt 2876245 gl	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid Demand	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter Number	Oil Change Kit Number PS-4 kits listed. Refer to the last page for Extreme Duty
		2877882 qt 2877883 gl	Extreme Duty 2878920 qt 2878919 gl	2878068 qt 2878069 gl	2876160 qt	Drive 2877922 qt	2871534 qt 2871323 gl	3oz 2871423 14oz	3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz		Part Numbers
					2	005 Util	lity Mod	els						
	Ranger TM 2x4	n/a	1.64 qts (1.55 L)	15.2 oz (450 ml)	18.2 oz (538 ml) Rear	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	3088311	n/a
2005	Robin V-Twin 653		100 hrs/ 6 months	Replace Annually	Replace Annually			General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2005	Ranger 500 2x4	n/a	2 qts (1.9 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	Ranger 300 2X4		100 hrs/ 6 months	Replace Annually	Replace Annually			General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2005	Ranger 500 4x4	n/a	2 qts (1.9 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2005	Nanger 500 4x4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2005	Ranger 500 6x6	n/a	2 qts (1.9 L)	15.2 oz (450 ml)	6.75 oz (200 ml) Middle 10 oz (300 ml) Rear	5 oz (150 ml)	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
	Ranger XP 4x4	n/a	2 qts (1.9 L)	15.2 oz (450 ml)	18 oz (532 ml) Rear	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2005	700 Engine		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
					4	2004 AT	V Mode	ls						
		n/a	2.25 Qts (2.1 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3088036	2202511
2004	Predator 500		10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs		500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
2004	Scrambler 500 4x4	n/a	2 qts (1.9 L)	32 oz (946 ml)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts (1.9 L)			As Required	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	Scrambler 500 4x4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
	Predator 50	VES GOLD	n/a	7 oz (210 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	
2004	Sportsman 90 Predator 90			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	11 oz (325 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	
2004	Trail Blazer 250			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2004	Trail Boss 330	n/a	1.9 qts (1.8 L)	11.3 oz (400 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	Trail Boss 330		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2004	Magnum 330 2x4	n/a	1.9 qts (1.8 L)	13.50 oz (400 ml)	16 oz (480 ml) Rear	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	Magnum 330 2X4		100 hrs/ 6 months	Replace Annually	Replace Annually			General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2004	Magnum 330 4x4	n/a	1.9 qts (1.8 L)	13.50 oz (400 ml)	16 oz (480 ml) Rear	5 oz (150 ml)	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	Magnum 330 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2004	ATP 330 4x4	n/a	1.9 qts (1.8 L)	13.50 oz (400 ml)	16 oz (480 ml) Rear	5 oz (150 ml)	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	ATP 330 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2004	ATP 500 4x4	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	10 oz (300 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	ATP 300 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2004	Sportsman 400 Late Build and	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	5 oz (150 ml) Demand Drive	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	Hunter Edition		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2004	Sportsman 400	n/a	2 qts (1.9 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	Early Build		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2004	Sportsman 500	n/a	2 qts (1.9 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	Early Build		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2004	Sportsman 500	n/a	2 qts (1.9 L)	32 oz (.95 L)	na	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	Late Build and Hunter Edition		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2004	Sportsman 500 6x6	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	Sportsman 300 6x6		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
	Sportsman 600	n/a	2 qts (1.9 L)	15.2 oz (450 ml)	4 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2004	Late Build and Hunter Edition		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
	Sportsman 600	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	4 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2004	Early Build		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
	Sportsman 700	n/a	2 qts (1.9 L)	15.2 oz (450 ml)	10 oz (300 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2004	Late Build and Hunter Edition		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
	Sportsman 700	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	10 oz (300 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2004	Early Build		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
					2	004 Uti	lity Mod	els						
2004	Ranger 2x4 Model 11	n/a	2 qts (1.9 L)	27 oz (800 ml)	10 oz (300 ml) Rear	n/a	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	425 engine		100 hrs/ 6 months	Replace Annually	Replace Annually		Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2004	Ranger 4x4 Model 11	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	10 oz (300 ml) Rear	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2004	500 engine		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2004	Ranger 6x6 Model 11	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	6.75 oz (200 ml) Middle 10 oz (300 ml) Rear	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
	500 engine		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
					2	2003 AT	V Mode	ls						
		n/a	2.25 Qts (2.1 L)	n/a	n/a	n/a	2.25 Qts/2.1 L			As Required	As Required	Refer to Service Manual	3088036	2202511
2003	Predator 500		10 hrs/ 100 mi (160 km)				Replace every 2 yrs	General Lube every 50 hrs		500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	With Oil Change	
		n/a	2 qts (1.9 L)	13.50 oz (400 ml)	5 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2003	Sportsman 700		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
		n/a	2 qts (1.9 L)	13.50 oz (400 ml)	5 oz (150 ml) Rear	5 oz (150 ml)	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2202166
2003	Sportsman 600		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	
2003	Sportsman 500 6x6	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	5 oz (150 ml)	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	Sportsman 300 0x0		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
2003	Sportsman 500	n/a	2 qts (1.9 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	Sportsman 300		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2003	Sportsman 400	n/a	2.25 qts (2.1 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	Sportsman 400		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2003	Trail Boss 330	n/a	1.9 qts (1.8 L)	11.3 oz (400 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	11aii B033 330		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
2003	Scrambler 500 4x4	n/a	2 qts (1.9 L)	32 oz (946 ml)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	Scrambler 500 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
2003	Magnum 330 2x4	n/a	1.9 qts (1.8 L)	13.50 oz (400 ml)	16 oz (480 ml) Rear	n/a	n/a		n/a	n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	waynum 330 2X4		100 hrs/ 6 months	Replace Annually	Replace Annually			General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
		n/a	1.9 qts (1.8 L)	13.50 oz (400 ml)	16 oz (480 ml) Rear	5 oz (150 ml)	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	Magnum 330 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2003	Magnum 330 HDS	n/a	1.9 qts (1.8L)	13.50 oz (400 ml)	16 oz (480 ml) Rear	5 oz (150 ml)	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	Magnum 330 HD3		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
		VES GOLD	n/a	11 oz (325 ml)	4 oz (120 ml) Front	5 oz (150 ml)	2.25 Qts (2.1 L)			n/a	As Required	Refer to Service Manual	2530009	n/a
2003	Trail Blazer 400		Counter Balancer Fluid 100 cc required	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
	Predator 90	VES GOLD	n/a	7 oz (210 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	
2003	Sportsman 90 Scrambler 50			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	11 oz (325 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	
2003	Trail Blazer 250			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
					2	003 Util	ity Mod	els						
2003	Bangar 2v4	n/a	2 qts (1.9 L)	27 oz (800 ml)	10 oz (300 ml) Rear		2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	Ranger 2x4		100 hrs/ 6 months	Replace Annually	Replace Annually		Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2003	Ranger 4x4	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	10 oz (300 ml) Rear	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2003	Kanger 4x4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2003	Ranger 6x6	n/a	2.25 Qts/2.1 L	13.50 oz (400 ml)	6.75 oz (200 ml) Middle 10 oz (300 ml) Rear	5 oz (150 ml)	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			Replace every 2 yrs	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
					2	2002 AT	V Mode	ls						
2002	Magnum 325 2x4	n/a	1.9 qts (1.8L)	13.5 oz (400 ml)	10 oz (300 ml) Rear	n/a	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2002	wagnum 325 2x4		100 hrs/ 6 months	Replace Annually	Replace Annually			General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2002	Magnum 325 4X4	n/a	1.9 qts (1.8L)	13.50 oz (400 ml)	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml)	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2002	Magnum 500 4X4	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	13.5 oz (400 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2002	Expedition 425	n/a	5.5 qts (5.2 L)	n/a	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963	n/a
			100 hrs/ 6 months		Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2002	Expedition 325	n/a	4.5 qts (4.25 L)	n/a	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	n/a			n/a	n/a	Refer to Service Manual	3084963	n/a
2002	Expedition 323		100 hrs/ 6 months		Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
		n/a	2 qts (1.9 L)	13.50 oz (400 ml)	5 oz (150 ml) Front	5 oz (150 ml) Hubs	3.2 Qts/3 L			n/a	n/a	Refer to Service Manual	2540006	2872166
2002	Sportsman 700		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs				Replace every 2 yrs	With Oil Change	2202166
2002	Constanting 500 CuC	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2002	Sportsman 500 6x6		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
2002	Sportomen 500 U.O.	n/a	2 qts (1.9 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2002	Sportsman 500 H.O.		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2002	Sportsman 400	n/a	2.25 qts (2.1 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2002	Sportsman 400		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2002	Trail Boss 325 2x4	n/a	1.9 qts (1.8 L) 2.4 qts (1.9 L)	11.3 oz (335 ml)	10 oz (300 ml) Rear	n/a	n/a		n/a	n/a	As Required	n/a	3084963 or 2520799	2876738 subbing to 2877473
2002	11aii B055 323 2X4		100 hrs/ 6 months	Replace Annually	Replace Annually			General Lube every 50 hrs			Pre-Ride		With Oil Change	
2002	Scrambler 500 4x4	n/a	2 qts (1.9 L)	32 oz (946 ml)	4 oz (120 ml) Rear	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2002	Scrambler 500 4X4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
2002	Sarambler 500 2:4	n/a	2 qts (1.9 L)	32 oz (946 ml)	n/a	n/a	2.25 Qts (1.9 L)		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2002	Scrambler 500 2x4		100 hrs/ 6 months	Replace Annually			Replace every 2 yrs	General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
	Scrambler 400L	VES GOLD	n/a	27 oz (800 ml)	4 oz (120 ml) Rear	5 oz (150 ml) Hubs	2 Qts (1.9 L)			As Required	As Required	Refer to Service Manual	2530009	n/a
2002	4x4		Counter Balancer Fluid 100 cc required	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	Replace Annually	
	Scrambler 400L	VES GOLD	n/a	27 oz (800 ml)	n/a	n/a	2 Qts (1.9 L)		n/a	As Required	As Required	Refer to Service Manual	2530009	n/a
2002	2x4		Counter Balancer Fluid 100 cc required	Replace Annually			Replace every 2 yrs	General Lube every 50 hrs		500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	27 oz (800 ml)	4 oz (120 ml) Rear	5 oz (150 ml) Hubs	2.25 Qts (2.1 L)			n/a	As Required	Refer to Service Manual	2530009	n/a
2002	XPIorer 400L 4x4		Counter Balancer Fluid 100 cc required	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	32 oz (.95 L)	4 oz (120 ml) Rear	5 oz (150 ml) Hubs	n/a			n/a	As Required	Refer to Service Manual	2530009	n/a
2002	Xplorer 250 4x4			Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	11 oz (325 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	n/a
2002	Trail Blazer			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	

Model	Description	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
					2	002 Util	ity Mod	els						
2002	Ranger 2X4 Model 10	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	10 oz (300 ml) Rear	n/a	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2002	425 engine		100 hrs/ 6 months	Replace Annually	Replace Annually		Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2002	Ranger 4X4 Model 10	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	10 oz (300 ml) Rear	5 oz (150 ml) Hubs	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2002	500 engine		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
					2	2001 AT	V Mode	ls						
2001	Sportsman 500 6x6	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2001	Sportsman 300 0x6		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
2001	Sportsman 500	n/a	2 qts (1.9 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2001	oportsman 500		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2004	Sportomor 400	n/a	2.25 qts (2.1 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2001	Sportsman 400		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2001	Magnum 500	n/a	2 qts (1.9 L)	13.5 oz (400 ml)	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
	_		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2001	Magnum 325 4x4	n/a	2 qts (1.9 L)	13.5 oz (400 ml)	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	n/a			n/a	n/a	n/a	3084963 or 2520799	2876738 subbing to 2877473
	-		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs				With Oil Change	
2001	Magnum 325 2x4	n/a	2 qts (1.9 L)	13.5 oz (400 ml)	10 oz (300 ml) Rear	n/a	n/a			n/a	n/a	n/a	3084963 or 2520799	2876738 subbing to 2877473
2001	magnum 323 2X4		100 hrs/ 6 months	Replace Annually	Replace Annually			General Lube every 50 hrs	Lube every 50 hrs				With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2224	O	n/a	2 qts (1.9 L)	32 oz (946 ml)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2001	Scrambler 500		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
	Scrambler 400L	VES GOLD	n/a	11 oz (325 ml)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	2 Qts (1.9 L)			As Required	As Required	Refer to Service Manual	2530009	n/a
2001	4x4		Counter Balancer Fluid 100 cc required	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	27 oz (800 ml)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (2.1 L)			n/a	As Required	Refer to Service Manual	2530009	n/a
2001	XPlorer 400L 4x4		Counter Balancer Fluid 100 cc required	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	27 oz (9800 ml)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	n/a			n/a	As Required	Refer to Service Manual	2530009	n/a
2001	Xplorer 250 4x4			Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
2001	Trail Boss 325	n/a	1.9 qt (1.8 L)	11 oz (320 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2001	11aii 5055 323		100 hrs/ 6 months	Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	

Model	Description	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
		VES GOLD	n/a	11 oz (325 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	n/a
2001	Trail Blazer			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	
2001	Expedition 425	n/a	5.5 qts (5.2 L)	n/a	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963	n/a
			100 hrs/ 6 months		Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2001	Expedition 325	n/a	4.5 qts (4.25 L)	n/a	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	n/a			n/a	n/a	Refer to Service Manual	3084963	n/a
			100 hrs/ 6 months		Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
					2	001 Uti	ity Mod	els						
2001	Ranger 2X4 Model 10	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	10 oz (300 ml) Rear	n/a	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2001	425 engine		100 hrs/ 6 months	Replace Annually	Replace Annually		Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
2001	Ranger 4X4 Model 10	n/a	2 qts (1.9 L)	13.50 oz (400 ml)	10 oz (300 ml) Rear	5 oz (150 ml) Hubs	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2001	500 engine		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
					2	2000 AT	TV Mode	els						
2000	Specifican en E00	n/a	2 qts (1.9 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	Sportsman 500		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2000	Sportsman 335	n/a	2.25 qts (2.1 L)	32 oz (.95 L)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	Sportsillali 333		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2000	Magnum 500	n/a	2 qts (1.9 L)	13.5 oz (400 ml)	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2000	Magnum 325 4x4	n/a	2 qts (1.9 L)	13.5 oz (400 ml)	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	n/a			n/a	n/a	n/a	3084963 or 2520799	2876738 subbing to 2877473
2300	magnam 020 4x4		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs				With Oil Change	
2000	Magnum 325 2x4	n/a	2 qts (1.9 L)	13.5 oz (400 ml)	10 oz (300 ml) Rear	n/a	n/a			n/a	n/a	n/a	3084963 or 2520799	2876738 subbing to 2877473
2000	Magnum 323 2X4		100 hrs/ 6 months	Replace Annually	Replace Annually			General Lube every 50 hrs	Lube every 50 hrs				With Oil Change	
2000	Scrambler 500	n/a	2 qts (1.9 L)	32 oz (946 ml)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	Scrambler 300		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
	Scrambler 400L	VES GOLD	n/a	32 oz (946 ml)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	2 Qts (1.9 L)			As Required	As Required	Refer to Service Manual	2530009	n/a
2000	4x4		Counter Balancer Fluid 100 cc required	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	Replace Annually	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
	Scrambler 400L	VES GOLD	n/a	11 oz (325 ml)	4 oz (120 ml) Front	n/a	2.25 Qts (2.1 L)		n/a	As Required	As Required	Refer to Service Manual	2530009	n/a
2000	2x4		Counter Balancer Fluid 100 cc required	Replace Annually	Replace Annually		Replace every 2 yrs	General Lube every 50 hrs		500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	16 oz (500 ml)	4 oz (120 ml) front	5 oz (150 ml) Hubs	2.25 Qts (2.1 L)			n/a	As Required	Refer to Service Manual	2530009	n/a
2000	XPIorer 400L 4x4		Counter Balancer Fluid 100 cc required	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	32 oz (947 ml)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	n/a			n/a	As Required	Refer to Service Manual	2530009	n/a
2000	Xplorer 250 4x4			Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
2000	Trail Boss 325	1.9 qt (1.8 L)	n/a	11 oz (320 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	11dii 5055 323			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
		VES GOLD	n/a	11 oz (325 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	n/a
2000	Trail Blazer			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number PS-4 kits listed.
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
2000	Expedition 425	n/a	5.5 qts (5.2 L)	n/a	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	2.25 Qts/2.1 L			n/a	n/a	Refer to Service Manual	3084963	n/a
	·		100 hrs/ 6 months		Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
2000	Expedition 325	n/a	4.5 qts (4.25 L)	n/a	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	n/a			n/a	n/a	Refer to Service Manual	3084963	n/a
	·		100 hrs/ 6 months		Replace Annually	Replace Annually		General Lube every 50 hrs	AVARY ALL			Replace every 2 yrs	With Oil Change	
					2	2000 Uti	ility Mod	lel						
2000	Ranger 500 6x6	n/a	2 qts (1.9 L)	20 oz (505 ml)	n/a	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
2000	Ranger 300 0x0		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	

Model Year	Description	Injection Oil Requirement	Engine Oil Requirement PS-4 2876244	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease 2871322	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter Number	Oil Change Kit Number PS-4 kits listed. Refer to the last page for
		VES 2877882 qt 2877883 gl	qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	3oz 2871423 14oz	3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz		Extreme Duty Part Numbers
					•	1999 AT	V Mode	ls						
1999	Sportsman 500	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
1999	Sportsman 300		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
1999	Sportsman 335	n/a	2.25 qts (2.1 L)	32 oz (.95 L)	3.25 oz (105 ml) Front	5 oz (150 ml) Hubs	n/a			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
.000	oponomian coo		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually		General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
1999	Magnum 500	n/a	2 qts (1.9 L)	13.5 oz (400 ml)	5 oz (150 ml) Front, 10 oz (300 ml) Rear	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
			100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
1999	Scrambler 500	n/a	2 qts (1.9 L)	16 oz (473 ml)	4 oz (120 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
.000	30141113101 000		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
		VES GOLD	n/a	16 oz (500 ml)	n/a	5 oz (150 ml) Hubs	2 Qts (1.9 L)			As Required	As Required	Refer to Service Manual	2530009	n/a
1999	Scrambler 400L		Counter Balancer Fluid 100 cc required	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	11 oz (325 ml)	n/a	n/a	2.25 Qts (2.1 L)		n/a	As Required	As Required	Refer to Service Manual	2530009	n/a
1999	Sport 400L		Counter Balancer Fluid 100 cc required	Replace Annually			Replace every 2 yrs	General Lube every 50 hrs		500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	16 oz (500 ml)	3.25 oz (105 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (2.1 L)			n/a	As Required	Refer to Service Manual	2530009	n/a
1999	XPIorer 400L		Counter Balancer Fluid 100 cc required	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	20 oz (505 ml)	n/a	5 oz (150 ml) Hubs	n/a			n/a	As Required	Refer to Service Manual	2530009	n/a
1999	Xplorer 300			Replace Annually		Replace Annually		General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
		VES GOLD	n/a	20 oz (505 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	n/a
1999	Xpress 300			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
	Trail Blazer	VES GOLD	n/a	11 oz (325 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	n/a
1999	Trail Boss 250			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	
					1	999 Uti	lity Mod	lel						
1999	Ranger 500 6x6	n/a	2 qts (1.9 L)	20 oz (505 ml)	n/a	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
1999	Kanger 300 0x0		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
					ATV N	Models (	Older Th	an 1999						
1997	XPlorer 500	n/a	3 qts (1.9 L)	32 oz (.95 L)	3.25 oz (105 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
1997	Ariolei 300		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
1996 to	Sportsman 500	n/a	2 qts (1.9 L)	32 oz (.95 L)	3.25 oz (105 ml) Front	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
1998	oportaman 500		100 hrs/ 6 months	Replace Annually	Replace Annually	Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	Refer to the last page for Extreme Duty Part Numbers
4000	Din Dage 500 Gus	n/a	2 qts (1.9 L)	20 oz (500 ml)	n/a	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
1998	Big Boss 500 6x6		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
1996 and	Magnum 6x6	n/a	2 qts (1.9 L)	20 oz (500 ml)	n/a	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
1997	wagnum <del>oxo</del>		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
1996 to	400L 6x6	VES GOLD	n/a	20 oz (500 ml)	n/a	5 oz (150 ml) Hubs	2 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	2530009	n/a
1997	400L 6x6		Counter Balancer Fluid 100 cc required	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
1996 to	Magnum 4x4	n/a	2 qts (1.9 L)	20 oz (500 ml)	n/a	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
1998	Magnum 4x4		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
1996 to	Marriago 2014	n/a	2 qts (1.9 L)	20 oz (500 ml)	n/a	n/a	2.25 Qts (1.9 L)		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
1998	Magnum 2x4		100 hrs/ 6 months	Replace Annually			Replace every 2 yrs	General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
1996 to	Sportman 4x4 400l	VES GOLD	n/a	20 oz (500 ml)	n/a	5 oz (150 ml) Hubs	2 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	2530009	n/a
1997	Sportman 4x4 400L		Counter Balancer Fluid 100 cc required	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
1997 and	Scrambler 500	n/a	2 qts (1.9 L)	32 oz (.95 L)	n/a	5 oz (150 ml) Hubs	2.25 Qts (1.9 L)			n/a	n/a	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
1998	Scrambler 500		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs			Replace every 2 yrs	With Oil Change	
1996 to	Sarambler 4001	VES GOLD	n/a	16 oz (500 ml)	n/a	5 oz (150 ml) Hubs	2 Qts (1.9 L)			As Required	As Required	Refer to Service Manual	2530009	n/a
1998	Scrambler 400L		Counter Balancer Fluid 100 cc required	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	Replace Annually	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
1996 to		VES GOLD	n/a	16 oz (500 ml)	n/a	n/a	2 Qts (1.9 L)		n/a	As Required	As Required	Refer to Service Manual	2530009	n/a
1998	Sport 400L		Counter Balancer Fluid 100 cc required	Replace Annually			Replace every 2 yrs	General Lube every 50 hrs		500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	Replace Annually	
1996 to	V	VES GOLD	n/a	20 oz (500 ml)	n/a	n/a	2 Qts (1.9 L)		n/a	n/a	As Required	Refer to Service Manual	2530009	n/a
1998	XPress 400L		Counter Balancer Fluid 100 cc required	Replace Annually			Replace every 2 yrs	General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	
1996 to		VES GOLD	n/a	16.9 oz (500 ml)	n/a	5 oz (150 ml) Hubs	2 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	2530009	n/a
1998	XPIorer 400L		Counter Balancer Fluid 100 cc required	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
1996 to		VES GOLD	n/a	20 oz (505 ml)	n/a	5 oz (150 ml) Hubs	n/a			n/a	As Required	Refer to Service Manual	2530009	n/a
1998	Xplorer 300			Replace Annually		Replace Annually		General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
1996 to		VES GOLD	n/a	20 oz (505 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	n/a
1998	Xpress 300			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	

Model		Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
Year	Description	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
		VES GOLD	n/a	20 oz (505ml)	n/a	n/a	2 Qts (1.9 L)			As Required	As Required	Refer to Service Manual	2530009	n/a
1995	Scrambler		Counter Balancer Fluid 100 cc required	Replace Annually			Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs	500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	Replace Annually	
1995	Magnum 2x4	n/a	2 qts (1.9 L)	20 oz (505ml)	n/a	n/a	2 Qts (1.9 L)		n/a	n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
1995	magnum 2x4		100 hrs/ 6 months	Replace Annually			Replace every 2 yrs	General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	With Oil Change	
1995	Magnum 4x4	n/a	2 qts (1.9 L)	20 oz (505ml)	n/a	5 oz (150 ml) Hubs	2 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	3084963 or 2520799	2876738 subbing to 2877473
1995	Magnum 4x4		100 hrs/ 6 months	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	With Oil Change	
1994	Trail Blazer	VES GOLD	n/a	16.9 oz (500 ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	n/a
and 1995	Trail Boss 250			Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	
1994		VES GOLD	n/a	16.9 oz (500 ml)	n/a	n/a	2 Qts (1.9 L)		n/a	As Required	As Required	Refer to Service Manual	2530009	n/a
and 1995	Sport 400L		Counter Balancer Fluid 100 cc required	Replace Annually			Replace every 2 yrs	General Lube every 50 hrs		500 hrs/ Annual	Pre-Ride	Replace every 2 yrs	Replace Annually	

Model	Description	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	PO-4 Kits listed.
Year		VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	
1994	2x4 300	VES GOLD	n/a	20 oz (505ml)	n/a	n/a	n/a		n/a	n/a	As Required	Refer to Service Manual	2530009	n/a
and 1995				Replace Annually				General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	
1994	4x4 300 Big Boss 300 6x6	VES GOLD	n/a	20 oz (505ml)	n/a	5 oz (150 ml) Hubs	n/a			n/a	As Required	Refer to Service Manual	2530009	n/a
and 1995				Replace Annually		Replace Annually		General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
1994	4x4 400L Xplorer 4x4	VES GOLD	n/a	20 oz (505ml)	n/a	5 oz (150 ml) Hubs	2 Qts (1.9 L)			n/a	As Required	Refer to Service Manual	2530009	n/a
and 1995	Sportsman 4x4 Big Boss 6x6 400L		Counter Balancer Fluid 100 cc required	Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	
1994		VES GOLD	n/a	20 oz (505ml)	n/a	n/a	2 Qts (1.9 L)		n/a	n/a	As Required	Refer to Service Manual	2530009	n/a
and 1995	2x4 400L		Counter Balancer Fluid 100 cc required	Replace Annually			Replace every 2 yrs	General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	
1990 to	350L Sportsman Trail Boss 2x4 Trail Boss 4x4 350L 4x4 350L 2x4 350L 6x6	VES GOLD	n/a	20 oz (505ml)	n/a	n/a	2 Qts (1.9 L)		n/a	n/a	As Required	Refer to Service Manual	2530009	n/a
1993			Counter Balancer Fluid 100 cc required	Replace Annually			Replace every 2 yrs	General Lube every 50 hrs			Pre-Ride	Replace every 2 yrs	Replace Annually	

Model	Description	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid	Front Drive Fluid	Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4		Oil Change Kit Number  PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
Year		VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz		
1985 to 1993	Trail Boss Cyclone Trail Boss 2x4 Trail Boss 4x4 Big Boss 4x6	VES GOLD	n/a	16.9 oz (500 ml)	n/a	5 oz (150 ml)	2 Qts (1.9 L) when applicable		If equipped	n/a	As Required	Refer to Service Manual	2530009	n/a
	Big Boss 6x6 Scrambler Trail Blazer			Replace Annually		Replace Annually	Replace every 2 yrs	General Lube every 50 hrs	Lube every 50 hrs		Pre-Ride	Replace every 2 yrs	Replace Annually	

Mod	si	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid		Antifreeze 60/40 Pre-mix	All Season Grease	U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter Number	Oil Change Kit Number PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers
Yea	LIASCRIPTION	VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl		2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz		

## The following Oil Change Kit Part Number Super-Sessions have occurred:

Old -1 Old -2 NEW

2873554 2876738 is replaced by 2877473 Note: This kit no longer contains gaskets or 3 quarts of oil.

Note: The kit was reduced from 3 quarts to 2 quarts to better match the field operation

where the consumer is not draining the sump or bleeding the Oil Pump.

Note: 2 Quarts of oil will fill all but the 500 Explorers with larger reservoirs.

2878923 is replaced by 2878924

The following Oil Filter Part Number Super-Sessions have occurred:

OLD NEW

3084963 is replaced by 2520799 Note: 2520799 maybe used every where 3084963 was used (do not use 3084963 in place of 2520799)

Oil Change Kit Options:

The following Oil Change Kits are available in both PS-4 Plus and PS Extreme Duty Engine Oil

	PS-4 Plus	Extreme Du
2 Quart	2877473	2878924
2 Quart	2202166	2879004
2.5 Quart	2879323	2879324
3.5 Quart	2879129	2879130

odel	Description	Injection Oil Requirement	Engine Oil Requirement	AGL (ATV Gearcase Lube) Transmission	Angle Drive Fluid		Antifreeze 60/40 Pre-mix		U-Joint Grease	Shock Fluid	Chain Lube	Brake Fluid DOT 4	Oil Filter	Oil Change Kit Number
ear		VES 2877882 qt 2877883 gl	PS-4 2876244 qt 2876245 gl Extreme Duty 2878920 qt 2878919 gl	AGL 2878068 qt 2878069 gl	2876160 qt	Demand Drive 2877922 qt	2871534 qt 2871323 gl	2871322 3oz 2871423 14oz	2871515 3oz 2871551 14oz	2870995 qt	2872348 16oz	2872189 12oz	Number	PS-4 kits listed. Refer to the last page for Extreme Duty Part Numbers

## The following Engine Oil Part Number Super-Sessions have occurred:

OLD		NEW
2874414	is replaced by	2876244
2874415	is replaced by	2876245
2874416	is replaced by	2876247
2874417	is replaced by	2876246
2874865	is replaced by	2876244
2874867	is replaced by	2876246

## The following Drive Train Oil Part Number Super-Sessions have occurred:

