

FSI® FSI North America®

A Division of Fire Safety International Inc.®

311 Abbe Rd. Sheffield Lake OH USA 44054

Phone (440) 949-2400 Fax (440) 949-2900 E-mail: sales@fsinorth.com Web: www.fsinorth.com

HAZMAT DECON AND SHELTER PRODUCTS AND ACCESSORIES PRICE LIST

All items below avail. on various GSA Contracts and Prime Vendor and State Contracts from Authorized FSI distributors - lists supplied on demand.

FSI HAZMAT DECON PRODUCTS SUGGESTED US \$ LIST PRICES EFFECTIVE OCTOBER 1, 2011

Updated NOV 17 2011

Version number: 1111711MC

STATE OF NJ POLICE & HOMELAND SECURITY EQUIP. AND SUPPLIES BID # 12-X-21817

Product substitutions that meet intent of the offered product below must be allowed as required.

SUBJECT TO CHANGE WITHOUT NOTICE - POSSESSION OF DOES NOT GUARANTEE ACCESS TO THESE COSTS

NON-CANCELABLE ORDERS

All orders placed for surge units/systems, all trailered units/systems, all new sizes or other than standard layout shelters and showers and accessories,

specialty or one off items are all non-cancelable - all at FSI management discretion only!

FSI reserves the right to change the design or parts of/in its' products from time to time without notice and with no obligation to maintain a spare parts inventory or to make matching changes in products previously manufactured.

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO MEET END USER NEEDS. ONCE A NON-STANDARD ORDER HAS BEEN PLACED AND ACCEPTED IT IS NON-CHANGEABLE AND NON-CANCELABLE

AND PLEASE NOTE AN APPROX. DELIVERY TIMELINE OF 14-16 WEEKS +

PART NUMBER	DESCRIPTION	SUGGESTED LIST PRICE		
FSI DAT Series AIR INFLATABLE/PNEUMATIC SHELTERS				
Measured inside to inside - outside to outside add approx. 1.5 - 2 ft. in length and width. All Measurements are approx. only				
n	DAT1530	FSI DAT Series Pneumatic Shelter - Approx. 10' W X 5' L X 9' H (3 M X 1.5 M X 2.7 M) – Shelter only, 50 sq. ft. (4.5 M2) 68 lbs. (31 Kg) An ideal anteroom complete with F-FL10 hanging gusseted velcro flaps	\$3,960.00	
n	DAT2020	FSI DAT Series Pneumatic Shelter - Approx. 7' W X 7' L X 8' H (2.13 M X 2.13 M X 2.4 M) – Shelter only, 50 sq. ft. (4.5 M2) 60 lbs. (28 Kg)	\$4,740.00	
	DAT3030	FSI DAT Series Pneumatic Shelter - Approx. 10' W X 10' L X 9' H (3 M X 3 M X 2.7 M) – Shelter only, 100 sq. ft. (9 M2) 130 lbs. (59 Kg)	\$7,870.00	
	DAT3015	FSI DAT Series Pneumatic Shelter - Approx. 10' W X 15' L X 9' H (3 M X 4.5 M X 2.7 M) – Shelter only, 150 sq. ft. (13.5 M2) 200 lbs. (90 kg)	\$9,670.00	
	DAT3370	FSI DAT Series Pneumatic Shelter - Approx. 13' W X 17' L X 9' H (4 M X 5.2 M X 2.7 M) – Shelter only, 221 sq. ft. (20.5 M2) 240 lbs. (109 Kg)	\$10,630.00	
	DAT3060	FSI DAT Series Pneumatic Shelter - Approx. 11' W X 21' L X 9' H (3.3 M X 6.4 M X 2.7 M) – Shelter only, 230 sq. ft. (21 M2) 243 lbs. (110 kg)	\$10,630.00	
	DAT4070	FSI DAT Series Pneumatic Shelter - Approx. 13' W X 23' L X 9' H (4 M X 7 M X 2.7 M) – Shelter only, 300 sq. ft. (28 M2) 280 lbs. (127 kg)	\$13,030.00	
	DAT4360	FSI DAT Series Pneumatic Shelter - Approx. 17' W X 21' L X 9' H (5.2 M X 6.4 M X 2.7 M) – Shelter only, 357 sq. ft. (33 M2) 320 lbs. (145 kg)	\$16,100.00	
N	DAT6624	UNIQUE DOME SHAPED FSI DAT Series Pneumatic Shelter - Approx. 20' DIAMETER X 9' H (6 M X 2.7 M) Shelter only, 400 sq. ft. (37 M2) 400 lbs. (182 Kg)	\$19,150.00	NEW
	DAT5672	FSI DAT Series Pneumatic Shelter - Approx. 18' W X 24' L X 9' H (5.6 M X 7.2 M X 2.7 M) – Shelter only, 432 sq. ft. (40 M2) 430 lbs. (195 Kg)	\$19,120.00	
n	DAT5699	FSI DAT Series Pneumatic Shelter - Approx. 15' W X 30' L X 9' H (4.6 M X 9.1 M X 2.7 M) – Shelter only, 450 sq. ft. (42 M2) 460 lbs. (209 Kg)	\$19,800.00	new
n	DAT5700SP	FSI DAT Series Pneumatic Shelter - Approx. 22' W X 23' L X 10' H (6.7 M X 7 M X 3 M) – Shelter only, 506 sq. ft. (47 M2) 399 lbs. (181 Kg)	\$20,210.00	new
	DAT5800	FSI DAT Series Pneumatic Shelter - Approx. 20' W X 26' L X 9' H (6 M X 8 M X 2.7 M) – Shelter only, 520 sq. ft. (48 M2) 499 lbs. (226 Kg)	\$22,220.00	
	DAT6000	FSI DAT Series Pneumatic Shelter - Approx. 20' W X 30' L X 9' H (6 M X 9 M X 2.7 M) - Shelter only, 600 sq. ft. (56 M2) 570 lbs (259 Kg)	\$25,080.00	
	DAT6500	FSI DAT Series Pneumatic Shelter - Approx. 25' W X 26' L X 12.5' H (7.6 M X 7.9 M X 3.8 M) - Shelter only, 650 sq. ft. (60 M2) 590 lbs (268 Kg)	\$29,170.00	new
	DAT6600	FSI DAT Series Pneumatic Shelter - Approx. 20' W X 33' L X 10' H (6 M X 10 M X 3 M) - Shelter only, 660 sq. ft. (61 M2) 600 lbs (272 Kg)	\$27,500.00	
	DAT6012	FSI DAT Series Pneumatic Shelter - Approx. 20' W X 40' L X 11' H (6 M X 12 M X 3.3 M) – Shelter only, 800 sq. ft. (74 M2) 710 lbs. (322 kg)	\$31,440.00	
	DAT7500	FSI DAT Series Pneumatic Shelter - Approx. 24' W X 40' L X 11' H (7.3 M X 12 M X 3.3 M) – Shelter only, 960 sq. ft. (89 M2) 925 lbs. (420 Kg)	\$38,100.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
DAT9018	FSI DAT Series Pneumatic Shelter - Approx. 30' W X 50' L X 13' H (9 M X 15 M X 4 M) - Shelter only, 1500 sq. ft. (139 M2) 1,299 lbs. (590 Kg)	\$57,300.00	
DAT9099	FSI DAT Series Pneumatic Shelter - Approx. 20' W X 75' L X 11' H (6 M X 23 M X 3.3 M) - Shelter only, 1500 sq. ft. (139 M2) 1,299 lbs. (590 Kg)	\$87,400.00	
DAT10800	FSI DAT Series Pneumatic Shelter - Approx. 37' W X 50' L X 13' H (11 M X 15 M X 4 M) - Shelter only, 1850 sq. ft. (172 M2) 1,599 lbs. (726 Kg)	\$90,000.00	
CAUTION MUST BE EXERCISED IN THE SPECIFICATION AND PURCHASE OF SUCH EXTREMELY LARGE, HEAVY, AND BULKY SHELTERS AS THE DAT9018/9099/10800. PLEASE BE VERY CERTAIN MANPOWER, AND MECHANICAL ASSISTANCE WILL BE AVAILABLE FOR DEPLOYMENT - IF NOT PLEASE CONSIDER THE PURCHASE OF MULTIPLE SMALLER SHELTER SYSTEMS THAT CAN BE ATTACHED END TO END/SIDE TO SIDE AS NEEDED			
Wts. are approx. and per unit only - does not include Repair Kit/P-EIDHD/P-SCBAF-H/Cartron/skid, etc.			
Standard colour is 'FSI Blue'. 'Army' Green, 'Red Cross' White and Military 'Tan/Sand' also offered at no added charge. Other colours avail. at 15 % upcharge/unit.			
FSI strongly recommends the purchase and use of ground sheets with every shower/shelter for maximum protection and longevity			
FSI DAT Series Shelters only Major Components replacement costs			
All new inner and/or outer Canopy only for any size shelter as above = 60 % of unit cost			
All new Inflatable Frame only for any size shelter = 60% of unit cost			
All new Flooring only for any size shelter = 25 % of unit cost			
FSI Economy Model Shelters			
Approx. dimensions only - see detailed specs. Economy models may offer 1/2 the numbers of windows, skylites, HVAC ducts, and economy air berm, canopy materials with limited/no test approvals Vs. the FSI DAT series of shelters			
DAT100	FSI DAT Series Economy Pneumatic Shelter - Approx. 10' W X 10' L X 8' H – Shelter only, 100 sq. ft. 95 lbs. NO INFLATOR DEFLATOR SUPPLIED - PLEASE ORDER WITH EACH ECONOMY SHOWER AT ADDED COST	\$6,100.00	
DAT150	FSI DAT Series Economy Pneumatic Shelter -Approx. 10' W X 15' L X 8' H – Shelter only, 150 sq. ft. 105 lbs. NO INFLATOR DEFLATOR SUPPLIED - PLEASE ORDER WITH EACH ECONOMY SHOWER AT ADDED COST	\$7,430.00	
DAT200	FSI DAT Series Economy Pneumatic Shelter -Approx. 10' W X 20' L X 8' H – Shelter only, 200 sq. Ft., 145 lbs. NO INFLATOR DEFLATOR SUPPLIED - PLEASE ORDER WITH EACH ECONOMY SHOWER AT ADDED COST	\$8,230.00	
DAT300	FSI DAT Series Economy Pneumatic Shelter -Approx. 13' W X 23' L X 8' H – Shelter only, 300 sq. Ft., 255 lbs. NO INFLATOR DEFLATOR SUPPLIED - PLEASE ORDER WITH EACH ECONOMY SHOWER AT ADDED COST	\$10,160.00	
DAT430	FSI DAT Series Economy Pneumatic Shelter -Approx. 18' W X 24' L X 8' H – Shelter only, 430 sq. Ft., 340 lbs. NO INFLATOR DEFLATOR SUPPLIED - PLEASE ORDER WITH EACH ECONOMY SHOWER AT ADDED COST	\$16,100.00	
DAT600	FSI DAT Series Economy Pneumatic Shelter -Approx. 20' W X 30' L X 8' H - Shelter only, 600 sq. ft., 460 lbs NO INFLATOR DEFLATOR SUPPLIED - PLEASE ORDER WITH EACH ECONOMY SHOWER AT ADDED COST	\$19,800.00	
DAT800	FSI DAT Series Economy Pneumatic Shelter -Approx. 20' W X 40' L X 9' H – Shelter only, 800 sq. Ft., 625 lbs. NO INFLATOR DEFLATOR SUPPLIED - PLEASE ORDER WITH EACH ECONOMY SHOWER AT ADDED COST	\$25,990.00	
DAT1500	FSI DAT Series Economy Pneumatic Shelter -Approx. 30' W X 50' L X 10' H -- Shelter only, 1500 sq. ft., 990 lbs. NO INFLATOR DEFLATOR SUPPLIED - PLEASE ORDER WITH EACH ECONOMY SHOWER AT ADDED COST	\$44,540.00	
NO INFLATOR DEFLATOR SUPPLIED - PLEASE ORDER WITH EACH ECONOMY SHOWER AT ADDED COST			
FSI strongly recommends the purchase and use of ground sheets with every shower/shelter for maximum protection and longevity			
FSI Economy Pop Up Open Sided Shelter only -- approx. dimensions			
DATEZ100	FSI Economy Pop Up Open Sided Shelter - 10' X 10' X 8' H open 4 sides shelter w. 250 denier white, red or blue cloth top (specify) permanently attached fold out white powder coat metal frame, 60 lbs, 48" H X 12" X 12" in carry bag approx. with stakes and carry bag	\$1,120.00	
DATEZ105	Velcro attached 10 ft L sidewalls with vertical zippers to join up to 4 sidewalls per DATEZ100 (or to 2 - 10 ft end walls of DATEZ115 or DATEZ120) and make a completely enclosed shelter in white or FSI Blue color. Priced per sidewall	\$320.00	
DATEZ115	FSI Economy Pop Up Open Sided Shelter - 10' W X 15' L X 8' H open 4 sides shelter w. 250 denier white, red or blue cloth top (specify) permanently attached fold out white powder coat metal frame, 90 lbs, 55" H X 16" X 16" in carry bag approx. with stakes and carry bag	\$1,920.00	
DATEZ1015	Velcro attached 15' L sidewalls with vertical zippers to join up to 2 - 10 ft W side/end walls and make a completely enclosed shelter in white or FSI Blue color. Priced per sidewall	\$400.00	
DATEZ120	FSI Economy Pop Up Open Sided Shelter - 10' W X 20' L X 8' H open 4 sides shelter w. 250 denier white, red or blue cloth top (specify) permanently attached fold out white powder coat steel metal frame, 118 lbs, 60" H X 19" X 19" in carry bag approx. with stakes and carry bag	\$3,270.00	
DATEZ1020	Velcro attached 20' L sidewalls with vertical zippers to join up to 2 - 10 ft W side/end walls and make a completely enclosed shelter in white or FSI Blue color. Priced per 20' L sidewall	\$570.00	
DATEZSSB	Sidewall storage bag holds 60 total ft in L on sidewall canopies	\$90.00	
FSI Pole Tent Shelter Systems			
F-DATPT40120	40 ft W X 120 ft L pole tent shelter system - no floor - no sidewalls - specs on request	\$48,600.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-DATPT40120SWF	40 ft W X 120 ft L pole tent shelter system w. floor and sidewalls - specs on request	\$84,270.00	
	multiple other sizes priced P.O.A.		
NEGATIVE PRESSURE PNEUMATIC ISOLATION SHELTERS FROM FSI			
Designed to meet and exceed CDC requirement of 12 ACH/HR air exchanges per hour and 0.01 inches of water column of negative pressure when used with appropriate air filtration products.			
All Isolation Shelters over 10 ft in Width supplied from 10/01/07 with dual chambers in recognition of possible extended field use for maximum user/patient protection.			
900 + sq ft. shelters have 3 air chambers			
All isolation shelters can be supplied with double sided HD Velcro attachment points around a full size door on ea.			
end, and have double sided HD Velcro attachment points around the supplied 2 full man entry doors (1 on ea. end) of ea. isolation shelter unit.			
Thus like size shelters can be attached end to end via the full size			
entry doors, or any size shelter can be attached end to end via the man door attachment on each end.			
ALL FSI SHELTERS MAY BE PURCHASED AS ISOLATION SHELTERS - IS MODELS. SIMPLY ADD 25 % TO THE SUGGESTED LIST PRICES OF THE SHELTER ONLY AND ADD APPROX. 15 LBS. PER SIZE			
n	DAT1530-IS	FSI DAT Series Pneumatic Isolation Shelter - Approx. 10' W X 5' L X 9' H (3 M X 1.5 M X 2.7 M) – Shelter only, 50 sq. ft. (4.5 M2) 78 lbs. (35 Kg) An ideal anteroom complete with F-FL10 hanging gusseted velcro flaps – w. double door 'airlock', full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures.	\$5,630.00
n	DAT2020-IS	FSI DAT Series Pneumatic Isolation Shelter - Approx. 7' W X 7' L X 8' H (2.13 M X 2.13 M X 2.4 M) – Shelter only, 50 sq. ft. (4.5 M2) 70 lbs. (32 Kg) – w. double door 'airlock', full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures.	\$5,910.00
	DAT3030-IS	FSI DAT Series Isolation Shelter - Approx. 10' W X 10' L X 9' H (3 M X 3 M X 2.7 M) – Shelter only w. double door 'airlock', 100 sq. ft. (9 M2) 140 lbs. (64 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures.	\$9,850.00
	DAT3030-IS-SUV	FSI DAT Series Isolation Shelter with strip screen entrance on one end and hanging velcro attachment on other end complete with wrap around tie closure attachment to fit known SUV type vehicles - Approx. 10' W X 10' L X 9' H (3 M X 3 M X 2.7 M) – Shelter only w. double door 'airlock', 100 sq. ft. (9 M2) 150 lbs. (68 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures.	\$9,800.00
	DAT3015-IS	FSI DAT Series Isolation Shelter - Approx. 10' W X 15' L X 9' H (3 M X 4.5 M X 2.7 M) – Shelter only w. double door 'airlock', 150 sq. ft. (14 M2) 210 lbs. (95 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures	\$12,090.00
	DAT3060-IS	FSI DAT Series Isolation Shelter - Approx. 11' W X 21' L X 9' H (3.3 M X 6.4 M X 2.7 M) – Shelter only w. double door 'airlock', 231 sq. Ft. (21 M2) 250 lbs. (113 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures	\$13,390.00
	DAT3370-IS	FSI DAT Series Isolation Shelter - Approx. 13' W X 17' L X 9' H (4 M X 5.2 M X 2.7 M) – Shelter only w. double door 'airlock', 221 sq. ft. (20.5 M2) 260 lbs. (118 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures	\$14,770.00
	DAT4070-IS	FSI DAT Series Isolation Shelter - Approx. 13' W X 23' L X 9' H (4 M X 7 M X 2.7 M) – Shelter only w. double door 'airlock', 300 sq. Ft. (28 M2) 290 lbs. (132 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures	\$16,320.00
	DAT4360-IS	FSI DAT Series Pneumatic Shelter - Approx. 17' W X 21' L X 9' H (5.2 M X 6.4 M X 2.7 M) – Shelter only w. double door 'airlock', 357 sq. ft. (33 M2) 340 lbs. (154 kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures	\$20,110.00
	DAT5672-IS	FSI DAT Series Isolation Shelter - Approx. 18' W X 24' L X 9' H (5.6 M X 7.2 M X 2.7 M) – Shelter only w. double door 'airlock', 432 sq. Ft. (40 M2) 450 lbs. (204 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures	\$23,910.00
	DAT5800-IS	FSI DAT Series Pneumatic Shelter - Approx. 20' W X 26' L X 9' H (6 M X 8 M X 2.7 M) – Shelter only w. double door 'airlock', 520 sq. ft. (48 M2) 519 lbs. (235 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures	\$27,770.00
	DAT6000-IS	FSI DAT Series Isolation Shelter - Approx. 20 W X 30' L X 9' H (6 M X 9 M X 2.7 M) – Shelter only w. double door 'airlock', 600 sq. Ft. (56 M2) 590 lbs. (268 kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures	\$31,360.00
	DAT6600-IS	FSI DAT Series Pneumatic Shelter - Approx. 20' W X 33' L X 10' H (6 M X 10 M X 3 M) - Shelter only w. double door 'airlock', 660 sq. ft. (61 M2) 615 lbs (279 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures	\$34,370.00
	DAT6012-IS	FSI DAT Series Isolation Shelter - Approx. 20 W X 40' L X 11' H (6 M X 12 M X 3.3 M) – Shelter only w. double door 'airlock', 800 sq. (74 M2) Ft. 730 lbs. (331 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures	\$39,310.00
	DAT7500-IS	FSI DAT Series Isolation Shelter - Approx. 24 W X 40' L X 11' H (7.3 M X 12 M X 3.3 M) – Shelter only w. double door 'airlock', 960 sq. Ft. (89 M2) 945 lbs. (429 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures	\$47,590.00
ALL FSI SHELTERS MAY BE PURCHASED AS ISOLATION SHELTERS - IS MODELS. SIMPLY ADD 25 % TO THE SUGGESTED LIST PRICES OF THE SHELTER ONLY AND ADD APPROX. 15 LBS. PER SIZE			
FSI strongly recommends the purchase and use of ground sheets with every shower/shelter for maximum protection and longevity			
FSI DOUBLE AIRLOCK ISOLATION SHELTER ENTRYWAYS			

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
All FSI DAT® series shelters of 100 sq. ft. plus can be outfitted with an optional double door airlock at the entry end of the shelter. These approx. 5' L X 8' W			
airlocks offer double sided zipper entry and exit full shelter width doors (approx. 2/3rds the width of the shelter), 4 clear vinyl windows with roll down velcro			
closure covers, and 4 adjustable air vents with velcro closure covers. SIMPLY ADD 30 % TO THE DAT SERIES OR ISOLATION SHELTER SERIES PRICES			
EVERY FSI DAT® SERIES INFLATABLE SHOWER/SHELTER UNIT NOW SUPPLIED WITH 1 (ONE) P-EIDHD HEAVY DUTY ELECTRIC INFLATOR DEFLATOR			
(DAT1010S/DAT2020S/DAT3030/DAT3030S receive a P-EID inflator/deflator) AND 1 (ONE) P-SCBAF-H HIGH PRESSURE FITTING FOR SCBA FILL.			
IF NOT DESIRED REDUCE PRICES BELOW BY \$ 225.00			
FSI DAT® 'QE Series'® 'QUICK ERECT' CARBON FIBRE FRAMED SHELTERS			
Measured inside to inside - outside to outside add approx. 1.5 Ft. per dimension.			
Patent pending retractable carbon composite tubing shelter w. patent pending high density polyfiber hub with canopies,			
floors, carry sleeves/bags just as with FSI DAT® series air inflatable products - see detailed specs.			
DATQE1358	FSI DAT® 'QE' 'QUICK ERECT' SHELTERS - Approx. 13.5' W X 8' L X 8.5' H - shelter only, 108 sq. ft., 160 lbs.	\$14,170.00	
DATQE13512	FSI DAT® 'QE' 'QUICK ERECT' SHELTERS - Approx. 13.5' W X 12' L X 8.5' H - shelter only, 162 sq. ft., 185 lbs.	\$18,340.00	
DATQE13516	FSI DAT® 'QE' 'QUICK ERECT' SHELTERS - Approx. 13.5' W X 16' L X 8.5' H - shelter only, 216 sq. ft., 220 lbs.	\$21,600.00	
DATQE13520	FSI DAT® 'QE' 'QUICK ERECT' SHELTERS - Approx. 13.5' W X 20' L X 8.5' H - shelter only, 270 sq. ft., 255 lbs.	\$25,090.00	
DATQE13524	FSI DAT® 'QE' 'QUICK ERECT' SHELTERS - Approx. 13.5' W X 24' L X 8.5' H - shelter only, 324 sq. ft., 305 lbs.	\$28,350.00	
DATQE1354	FSI DAT® 'QE' 'QUICK ERECT' SHELTER sections to add on to DATQE13524 - per section - Approx. 13.5' W X 4' L X 8.5' H - shelter only, 54 sq. ft., 80 lbs.	\$11,930.00	
DAT QE3030	FSI DAT® 'QE' QUICK ERECT SHELTERS - Approx. 10' W X 10' L X 8.5' H - shelter only, 100 sq. ft., 155 lbs.	\$13,790.00	
N DAT QE1310	FSI DAT® 'QE' QUICK ERECT SHELTERS - Approx. 13' W X 11.5' L X 8.8' H - shelter only, 150 sq. ft., 180 lbs.	\$18,000.00	
N DAT QE3015	FSI DAT® 'QE' QUICK ERECT SHELTERS - Approx. 11' W X 15' L X 8.5' H - Shelter only, 165 sq. ft. 186 lbs.	\$18,570.00	
N DAT QE1315	FSI DAT® 'QE' QUICK ERECT SHELTERS - Approx. 13' W X 15' L X 8.5' H - Shelter only, 195 sq. ft. 205 lbs.	\$21,160.00	
N DAT QE3060	FSI DAT® 'QE' QUICK ERECT SHELTERS - Approx. 11' W X 20' L X 8.5' H - Shelter only, 220 sq. Ft., 221 lbs.	\$21,770.00	
N DAT QE1321	FSI DAT® 'QE' QUICK ERECT SHELTERS - Approx. 13' W X 21' L X 8.5' H - Shelter only, 273 sq. Ft., 256 lbs.	\$25,260.00	
N DAT QE1127	FSI DAT® 'QE' QUICK ERECT SHELTERS - Approx. 11' W X 27' L X 8.5' H - Shelter only, 300 sq. ft., 280 lbs.	\$26,720.00	
N DAT QE1327	FSI DAT® 'QE' QUICK ERECT SHELTERS - Approx. 13' W X 27' L X 8.5' H - Shelter only, 351 sq. ft., 320 lbs.	\$32,070.00	
N DATQE1624	FSI DAT® 'QE' QUICK ERECT SHELTERS - Approx. 16' W X 24' L X 10' H - Shelter only, 384 sq. ft., 335 lbs.	\$32,630.00	
N DATQE192-33A	FSI DAT® 'QE' QUICK ERECT SHELTERS - Approx. 20' W X 35' L X 11' H - Shelter only, 700 sq. ft., 750 lbs.	\$47,250.00	
ADDITIONAL SIZES AND CONFIGURATIONS TO BE OFFERED IN FUTURE MONTHS			
DATQEPRRS	pair of replacement struts only for all DATQE series showers/shelters	\$270.00	
DATQETBHUBS	top and bottom hubs only for all DATQE series showers/shelters	\$110.00	
DATQECWWR	Caps with wire rope only for all DATQE series showers/shelters	\$110.00	
DATQECWOWR	Caps WITHOUT wire rope only for all DATQE series showers/shelters	\$100.00	
DATQE1310CB	Carry Bag for DATQE1310 shelter	\$940.00	
FSI strongly recommends the purchase and use of ground sheets with every shower/shelter for maximum protection and longevity			
FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS			
Measured inside to inside - outside to outside add approx. 1.5 Ft. per dimension.			
Retractable 1.5mm thickness ALUMINUM tubing shelter w. patent pending high density polyfiber hub with canopies,			
floors, carry sleeves/bags just as with FSI DAT® series air inflatable products - see detailed specs.			
DATAL48	FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS - L 1.83 m x W 2.43m x H 2.5 m H (6 ft L X 8 ft W X 8.25 ft H) 48 sq ft approx. 89 lbs., packed dim. 40" X 40" X 37"	\$6,570.00	new 04/27/11
DATAL814	FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS - L 1.83 m x W 3.62m x H 2.5 m H (6 ft L X 12 ft W X 8.25 ft H) 72 sq ft approx. 135 lbs., packed dim. 40" X 40" X 37"	\$7,610.00	* Sizes adjusted 04/27
DATAL1014	FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS - L 2.59 m x W 3.62 m x H 2.5m H (8.5 ft L X 12 ft W X 8.25 ft H) 102 sq. ft. approx. 150 lbs., packed dim. 40" X 40" X 37"	\$8,650.00	* Sizes adjusted 04/27
DATAL1514	FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS - L 3.35 m x W 3.62 m x H 2.5 m H (11 ft L X 12 ft W X 8.25 ft H) 132 sq ft. approx. 220 lbs., packed dim. 46" X 46" X 40"	\$11,980.00	* Sizes adjusted 04/27
DAT AL1317	FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS - L 4.9 m X 3.62m X 2.5m H (16 ft L X 12 ft W X 8.25 Ft H) 192 sq ft approx. 240 lbs packed dim. 46" X 46" X 40"	\$14,590.00	* Sizes adjusted 04/27

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
DATAL2214	FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS - L 5.62 m x W 3.62 m x H 2.5m (18.5 ft L X 12 ft W X 8.25 ft H) 222 sq ft. approx. 300 lbs., packed dim. 54" X 54" X 48"	\$15,940.00	* Sizes adjusted 04/27
DATAL1325	FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS - L 7.14 m x W 3.62 m x H 2.5m (23.5 ft L X 12 ft W X 8.25 ft H) 282 sq ft. approx. 350 lbs., packed dim. 58" X 54" X 48"	\$17,710.00	* Sizes adjusted 04/27
DATAL1725	FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS - L 7.14 m x W 4.86 m x H 2.5m (23.5 ft L X 16 ft W X 8.25 ft H) 376 sq ft. approx. 420 lbs., packed dim. 58" X 54" X 58"	\$22,920.00	* Sizes adjusted 04/27
DATAL1728	FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS - L 8.35 m x W 4.86 m x H 2.5m (27.5 ft L X 16 ft W X 8.25 ft H) 440 sq ft. approx. 420 lbs., packed dim. 58" X 54" X 58"	\$26,050.00	* Sizes adjusted 04/27
DATAL2028	FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS - L 8.66 m x W 6.1 m x H 2.5m (28.5 ft L X 20 ft W X 8.25 ft H) 570 sq ft. approx. 620 lbs., packed dim. 65" X 54" X 65"	\$31,250.00	* Sizes adjusted 04/27
DATAL2033	FSI DAT® 'AL Series'® 'QUICK ERECT' ALUMINUM FRAMED SHELTERS - L 10.2 m X 6.1 m W X 2.5 m H (33.5 ft L X 20 ft W X 8.25' H) approx. 670 sq ft approx. 690 lbs approx. packed dim. 60" X 60" X 60"	\$35,420.00	* Sizes adjusted 04/27
DATALPRRS	Pair of 73 cm L (29") replacement struts center or off center riveted (need position of pieces to be replaced with order) only for all DATAL series showers/shelters	\$370.00	
DATALHJ	Hub/joiner and fittings only for all DATAL series showers/shelters	\$210.00	
	Please watch for more size and configurations in the near future		
	Multiple sizes are possible based on adding or subtracting 2.5 ft to the Length and 4 ft each to the Width of the unit with approx. 8.25' H inside H in all cases. Ask for quotations		
	FSI SHELTER ACCESSORIES/ADD-ONS		
	Models shown to base costs on are sample sizes - approx.		
	equal sizes of all DAT, DAT 'QE' and DAT 'AL' series showers and shelters		
	can buy add-on items for this same price point unless otherwise indicated		
F-CDC34A	FSI Shelter - 1/2 Cross Divider Curtain, heavy duty, non see through, light color, removable, slip thru - for sizes as found in DAT3060, DAT3030, DAT3015, DAT3370, DAT4070, DAT4360 - includes QE and AL series similar sizes	\$240.00	
F-CDC34	FSI Shelter - Cross Divider Curtain, heavy duty, non see through, light color, removable, slip thru – for DAT3060, DAT3030, DAT3015, DAT3370, DAT4070, DAT4360 - includes QE and AL series similar sizes	\$340.00	
F-CDC56A	FSI Shelter - ½ Cross Divider Curtain, heavy duty, non see through, light color, removable, slip thru – for DAT5672/5800/6000/6600/6012/7500/9018 - includes QE and AL series similar sizes	\$490.00	
F-CDC56	FSI Shelter - Cross Divider Curtain, heavy duty, non see through, light color, removable, slip thru – for DAT5672/5800/6000/6012/7500/9018 - includes QE and AL series similar sizes	\$560.00	
F-CD34	FSI Shelter - Center Divider Curtain for DAT3060, DAT3030, DAT3015, DAT3370, DAT4070, DAT4360 - includes QE and AL series similar sizes	\$560.00	
F-CD56	FSI Shelter - Center Divider Curtain as above – for DAT5672/5800/6000/6600/6012/7500/9018 - includes QE and AL series similar sizes	\$680.00	
F-S	Skylights for all shelters	\$190.00	
F-STE	Private Stencil X 2 per shelter/shower/pool/other -- limited sizes/styles/colours avail.	\$560.00	
F-STEL	Special Logo X 2 per shelter/shower/pool/other - limited sizes/styles/colours avail.	\$680.00	
F-ERS	Red or Green reflective striping above dirty and clean entry/exit ends of decon units	\$680.00	
F-SD	Side door for shelters	\$290.00	
F-CBS	Heavy duty Carry Bag for DAT1010S/DAT2020S/DAT2525S/DAT2626S/DAT3030/DAT3015/DAT3535S with HD seat belt style outside buckles instead of D-Rings FOR PNEUMATIC SHOWERS AND SHELTERS ONLY	\$340.00	
F-CBM	Heavy duty Carry Bag for DAT3060/DAT3060S/DAT3370/DAT4070/DAT4070S/DAT4360/DAT4099S with HD seat belt style outside buckles instead of D-Rings FOR PNEUMATIC SHOWERS AND SHELTERS ONLY	\$600.00	
F-CBL	Heavy duty Carry Bag for DAT5672/DAT5800/DAT6000/DAT6600/DAT6012 FOR PNEUMATIC SHOWERS AND SHELTERS ONLY	\$910.00	
F-CBXL	Heavy Duty Carry Bag for DAT7500/DAT9018/DAT9099/DAT10800 FOR PNEUMATIC SHOWERS AND SHELTERS ONLY	\$1,130.00	
F-CBS-SB	Heavy duty Carry Bag for DAT1010S/DAT2020S/DAT2525S/DAT2626S/DAT3030/DAT3015/DAT3535S with HD seat belt style outside buckles instead of D-Rings FOR PNEUMATIC SHOWERS AND SHELTERS ONLY	\$660.00	
F-CBM-SB	Heavy duty Carry Bag for DAT3060/DAT3060S/DAT3370/DAT4070/DAT4070S/DAT4360/DAT4099S with HD seat belt style outside buckles instead of D-Rings FOR PNEUMATIC SHOWERS AND SHELTERS ONLY	\$920.00	
F-EW	Additional windows per shelter	\$220.00	
F-AD	Additional approx 17" air duct cloth inlet/outlet for HVAC/Clothing/etc. w. tie closure	\$290.00	
F-AD-VENT	Roof mounted cloth ducting boots - approx 6" diameter X 9 ft long. Used when direct roof ventilation is needed. May not be used for HVAC or any other heating equipment.	\$290.00	
F-RFDK	Retrofit duct kit to add an HVAC duct to an existing FSI DAT series shelter/shower system - includes 19" dia. template, glue, boot w. velcro to affix around the cut opening, hanging HVAC duct piece	\$450.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
	F-RV	Pneumatic replacement high pressure/inflation deflation/over pressure valves - per valve - spec. type with order FOR PNEUMATIC SHOWERS AND SHELTERS ONLY	\$120.00
*	F-3VFP	a complete set of one each of a high pressure/inflation deflation/over pressure valve to be installed on opposite end on opposite side of the DAT series shower or shelter FOR PNEUMATIC SHOWERS AND SHELTERS ONLY	\$450.00
	F-2TDL/2TDE	2 additional tie down ropes along the Length (F-2TDL) - one per side OR the Ends (F-2TDE) - one per end	\$340.00
	F-SC	Cloth Velcro skylite cover -- per skylite cover	\$190.00
	F-DATTEF	approx. 5' long tunnel like extension w. floor piece to join one shelter to another	\$1,680.00
	F-FL10	10" M HD Gusseted Velcro flange attached to ends or side doors of shelters to allow attach to other units side to side or end to end	\$790.00
	DATZ	zippers on each end door Vs. flaps and tie downs	\$570.00
	F-INSULCAN	Insulating inside canopy complete with hanging hooks for all sizes of DAT series shelters inclusive of Isolation Shelters and Medical Surge Capacity Shelters. Heavy Duty 240 gr/yd., 200 denier nylon, polyurethane coated materials dramatically improves internal temperature performance in severe weather environs when units will be left in place for extended periods. UV/Chemical Resistant and Fire Retardant. This double canopy effectively offers 8" of open air insulation from heat and cold between the 2 canopies. The cost is 20 % of the cost of the actual DAT series shelter unit itself.	20 % of shelter unit cost
	F-OHSC3030	FSI 1/2 canopy in 'Reflective White' tm. HD Velcro attached to the outer canopy of DAT series shelters to act as a sun reflective/protective material OR as a weight bearing (snow load/etc. cover for the decon shelter. Fits shelter sizes DAT3030 or DAT3030S	\$1,350.00
	F-OHSC3015	FSI 1/2 canopy in 'Reflective White' tm. HD Velcro attached to the outer canopy of DAT series shelters to act as a sun reflective/protective material OR as a weight bearing (snow load/etc. cover for the decon shelter. Fits DAT3015, DAT3060 or DAT3060S shelters/decon showers.	\$1,690.00
	F-OHSC3370	FSI 1/2 canopy in 'Reflective White' tm. HD Velcro attached to the outer canopy of DAT series shelters to act as a sun reflective/protective material OR as a weight bearing (snow load/etc. cover for the decon shelter. Fits shelter sizes DAT3370, DAT4070 or DAT4070S	\$1,970.00
	F-OHSC5672	FSI 1/2 canopy in 'Reflective White' tm. HD Velcro attached to the outer canopy of DAT series shelters to act as a sun reflective/protective material OR as a weight bearing (snow load/etc. cover for the decon shelter. Fits DAT5672	\$2,710.00
	F-OHSC5700	FSI 1/2 canopy in 'Reflective White' tm. HD Velcro attached to the outer canopy of DAT series shelters to act as a sun reflective/protective material OR as a weight bearing (snow load/etc. cover for the decon shelter. Fits DAT5700/5800	\$3,160.00
	F-OHSC6000	FSI 1/2 canopy in 'Reflective White' tm. HD Velcro attached to the outer canopy of DAT series shelters to act as a sun reflective/protective material OR as a weight bearing (snow load/etc. cover for the decon shelter. Fits DAT6000/6600	\$3,830.00
	F-OHSC6012	FSI 1/2 canopy in 'Reflective White' tm. HD Velcro attached to the outer canopy of DAT series shelters to act as a sun reflective/protective material OR as a weight bearing (snow load/etc. cover for the decon shelter. Fits DAT6012	\$5,350.00
	F-OHSC7500	FSI 1/2 canopy in 'Reflective White' tm. HD Velcro attached to the outer canopy of DAT series shelters to act as a sun reflective/protective material OR as a weight bearing (snow load/etc. cover for the decon shelter. Fits DAT7500	\$6,750.00
n	F-FLDS	Full center length internal closed air ducting 'plenum' system for all FSI shelter systems with multiple air outlet vents (size of shelter dependent) - ideal for ducting in hot/cold air and/or for HEPA/other air filtration and decontamination with Cold Plasma/Ozone/other. -- also ideal for hiding wiring, cables, etc. internally -- 10 % of unit cost or 1,500.00 maximum	10 % of unit 1,500.00
	F-STRSCR	PVC strip screen in man door widths of approx. 40" to be pre-hung on inside air berm of isolation shelters for bump thru entry/exit to better ensure minimal air flow disruption and to meet CDC required 12+ air exch./hr. PER STRIP SCREEN	\$980.00
	F-FITMAT-HUM	Heavy duty base flooring to lay on top of existing shelter floor. 3/4" thick, water proof, non-absorbent, anti-fungal, anti-microbial, 9760 lbs sq/ft static load, rubber subsurface. Each module is 12" X 12" with interlocking teeth to connect to each module. Priced per sq ft.	\$10.00
	F-ANCHORKIT	FSI complete Anchor Kit - includes hammer drill, 2" masonry bit, 4LB Sledge hammer, caulking gun, cement patch product, asphalt patch product, safety glasses.	\$2,820.00
DECONTAMINATION SHOWER CURTAIN STALLS, SHOWER HEADS, BRUSHES - Where possible and feasible FSI will accommodate your request			
		for qty., and placement of these items. Smaller shelters are more limited in scope.	
	F-SCS	Shower curtain stall, heavy duty, non see through, light color, removable, slip thru, for use inside containment Decon Pool as above.	\$570.00
	F-PPSH	A complete set of pre-plumbed qty. of 6 spray nozzle shower heads (3 each in 2 of the 4 corners) with shutoffs, and 1 (one) length of 5' coiled 3/8" hose (stretches to 14') with attached multiple function spray guns with spray patterns and flows meant to gently yet thoroughly drench and decon victims. Flows per shower head and per spray gun = approx. 1 gpm optimum and dependent on water volumes available. Note a complete F-PPSH will completely re-plumb a DAT1010S/2020S/2525S/2626S. The DAT3535S will require a qty. of 2 F-PPSH; the DAT3060S a qty. of 3 F-PPSH; the DAT4070S a qty. of 4 F-PPSH; the DAT4099S a qty. of 5 F-PPSH	\$1,530.00
n	F-MTL	A complete main 'trunk' line of shower plumbing for any shower (specify with order). Includes GHT inlet, 3/4" hose, all shut off outlet valves. Priced per length/strand.	\$1,050.00
n	F-PPDDN	A complete length of hose with a qty. of 3 misting nozzles pre-installed. Priced per length/strand.	\$730.00

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
n	F-SH	Single hanging simple Shower head	\$220.00
	F-SHHT	Single approx. 5' L coiled hose w. shutoff valve and multiple function trigger gun	\$220.00
	F-COHO	Single approx. 5' L coiled hose only	\$130.00
	F-SB	Gentle scrub handheld shower wand approx. 3 ft L	\$130.00
	F-SBTG	Single multiple function trigger gun	\$130.00
	F-SELB	Elbow only for use with 3/4" shower hose used in DAT series showers	\$40.00
n	F-TEE	T' adapter only for use with 3/4" shower hose used in DAT series showers	\$40.00
n	F-ENCA	End cap adapter only for use with 3/4" shower hose used in DAT series showers	\$40.00
n	F-QDIS	Quick disconnect adapter only for use with 3/4" shower hose used in DAT series showers	\$40.00
n	F-Y	Y' adapter only for use with 3/4" shower hose used in DAT series showers	\$40.00
n	F-BAVA	Y' adapter only for use with 3/4" shower hose used in DAT series showers	\$40.00
	F-BOAR-NOZ	Modified decon shower plumbing for DAT3060S with 14 misting nozzles (7 per lane) and 2 hand held nozzles per non-ambulatory lane. Priced per strand.	\$260.00
n	F-MD1A	Single or double center zipper(s) in middle of single large entry door on each end of the DAT series shelters	\$610.00
	F-MD1	Two extra full man doors on each end of DAT series showers/shelters (smallest sizes may not accommodate two full extra man doors on each end)	\$1,070.00
	F-MD2	3 extra full man doors on each end of the DAT series showers/shelters. (smaller sized FSI shelters/showers may not be able to accommodate three man doors on each end)	\$1,530.00
	F-ZCF	Zippered connector flaps on each end of any DAT series shower/shelter & attachable floor pieces on each end. This allows units to be joined end to end to increase size and working space via a tunnel extension on each end. Also attachable to most competitive models	\$2,570.00
	F-ZCF-VES	Vestibule piece sewn on one side of the shelter to connect to another structure (TRAILER OR ANOTHER SHELTER) with attachable floor piece. This allows the FSI Surge shelter and another structure to be joined end to end to increase size and working space via a tunnel extension.	\$2,570.00
	DATWB	4 ft. long x 8" dia. water bladders for use when tie down ropes and stakes are not useable	\$320.00
	F-HD150BT-BAL	150 Gal. Shelter Stabilizing Ballast. Approx 2' X 12'. Made with HD 30 Mil XR-5 materials, w. fill/drain fitting adapter with 1-1/2-inch Iron Pipe Threads. Use when stake and peg kits cannot be used.	\$800.00
D	DAT-Z	Zippers on doors at entrance/exit ends, accessible from both inside and outside of shelter.	DISC
	F-RTRG	Red and Green Reflective Tape Strips to designate shower 'dirty' entry/'clean' exit points Approx. 5-feet total L ea. of green and red reflective tape strips on air berm sections ea. End	\$540.00
	F-LHS	Hanging Straps for placement of interior lights in decon shower lines. Per line	\$170.00
	F-RK	FSI Shelter/Shower full repair kit from FSI in blue bag, swatches of floor/berm/canopy, glue, manual, stakes, tie down ropes, hammer, high pressure air fill hose, and high pressure scba fitting	\$340.00
	F-RKINDE	FSI full shelter/shower repair kit from FSI in blue bag, swatches of floor/berm/canopy, glue, manual, stakes, tie down ropes, hammer, high pressure air fill hose, and high pressure scba fitting and heavy duty P-EIDHD inflator deflator	\$1,330.00
	F-PSS-PT	Polyurethane Seam Sealer. Solual Solucote 125-48 polyurethane seam sealer. 1pint can	\$70.00
	F-PSS-PT4	Polyurethane Seam Sealer. Solual Solucote 125-48 polyurethane seam sealer.	\$250.00
	F-RSK	FSI Shelter/Shower Repair Swatch Kit from FSI in small orange container to include swatches of floor/berm/canopy, and a small tube of MEK air berm glue	\$90.00
	F-SSPK-MMC	FSI Stainless Steel Shelter Stakes. Qty: 12 per pack. Made with high quality stainless steel. 5/8" dia X 18" L.	\$350.00
	F-STMEKG	Small tube of MEK glue for FSI air berms in showers, shelters, boats	\$12.00
FSI Portable Hazmat Decon Shower Systems			
FSI PORTABLE AIR INFLATABLE HAZ MAT DECON SHOWER SYSTEMS			
EVERY FSI DAT® SERIES INFLATABLE SHOWER/SHELTER UNIT NOW SUPPLIED AS STANDARD IN 'FSI BLUE' WITH 1 (ONE) APPROPRIATELY			
SIZED P-EID (FOR DAT1010S/DAT2020S) OR P-EIDHD HEAVY DUTY ELECTRIC INFLATOR DEFLATOR FOR ALL LARGER DAT SERIES			
SHOWERS/SHELTERS AND 1 (ONE) P-SCBAF-H HIGH PRESSURE FITTING FOR SCBA FILL – IF NOT DESIRED REDUCE PRICES BELOW BY 250.00			
ALL FSI DAT® series Decon Shower Systems are ANSI # 113 compliant.			
MATERIAL CONSTRUCTION			
All FSI Air inflatable Decontamination products are of Heavy Duty Reinforced woven polyester fabric 1100 Dtex Polyester coated with PVC plastomer both sides,			
UV/Chem. Resistant with Fire retardant canopies. Technical data: Air pressure internally once inflated = 4.3 psi (0.3 bar)			
USA Fed. Standard FS # 191 5041/5102/5134/5970 Test Method Structural Test results			
Total Weight (g/m2) – 1055 Thickness (mm) – 0.90 Cut strip tensile strength (lbs./in.) – Warp = 450 - Weft = 404 Elongation (%) – Warp = 30 - Weft = 47			
Tongue tear (lbs.) – Warp = 87 – Weft = 100 Adhesion (lbs./in.) – Warp = 9.4 – Weft = 8.9 Density = 30 X 24.5			
FSI DAT Series Pneumatic Decon Showers only Major Components replacement costs			

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
All new inner and/or outer Canopy only for any size decon shower as above = 60 % of unit cost			
All new Inflatable Frame and attached floor only for any size shelter = 75% of unit cost New floor only for any shower/shelter = 15 % of stated price			
DAT1010S	DAT1010S Portable Pneumatic Hazmat Decon Shower - Approx. 3.5' X 3.5' X 8' H, One person Portable Hazmat Decon Shower unit complete, weighs approx. 65 lbs. and comes with 7 spray nozzle heads and a single multi function Trigger gun	\$5,170.00	
DAT1010S-DIL	Disposable inner liner/replaceable canopy for DAT1010S - ** DAT2X1010S requires 2 such disposable liners	\$960.00	
DAT2X1010S	The equivalent of 2 DAT1010S showers attached side by side and complete as a 2 shower stall unit with approx. 7 ft L X 3.5 ft W X 8 ft. H dim.; weighs approx. 120 lbs, and comes w. 7 spray nozzle heads and a single multi function Trigger gun per shower stall	\$9,440.00	
DAT2020S	DAT2020S Portable Pneumatic Hazmat Decon Shower -Approx. 7' W X 7' L X 8' H, 50 sq. Ft., 90 lbs. 7 spray nozzle heads, one multi function Trigger gun. First Responder Portable Haz mat Decon shower system complete.	\$7,600.00	
DATWGG	Large window, gauntlets, and HD chemical resistant gloves for decon of patients/first responders from the outside of FSI DAT series decon showers by an attendant/doctor/nurse/other.	\$740.00	
DAT2020S-DIL	Disposable inner liner/replaceable canopy for DAT2020S	\$1,190.00	
DAT2020S-EX6P	Fully integrated add-on 7 ft X 7 ft X 8" H Decon pool built into the front entry area of the DAT2020S - for decon of boots/first responders, etc. - add to the DAT2020S cost above	\$1,330.00	
DAT2525S	DAT2525S Portable Pneumatic Hazmat Decon Shower -approx. 7' W X 13' L X 8' H, with 4 ft. Undress/5 ft. Shower/4 ft. Redress areas. A First Responder Ambulatory Decon shower system with 6 spray nozzles and 2 trigger gun with coiled hoses, 90 sq. ft., 180 lbs.	\$11,250.00	
DAT2525SMA	DAT2525SMA Portable Pneumatic Hazmat Decon Shower - approx. 7' W X 13' L X 8' H, w. 3 ft. Undress/7 ft. Shower/3 ft. Redress areas. A Single line Ambulatory and/or Non-Ambulatory Decon shower system with 6 spray nozzles and 2 multiple function trigger guns with coiled hoses, 90 sq. ft., 180 lbs.	\$12,720.00	
DAT2525S - DIL	Disposable inner liner/replaceable canopy for DAT2525S/DAT2525SMA	\$1,410.00	
DAT2626S	DAT2626S Portable Pneumatic Hazmat Decon Shower -Single wide stretcher decon shower system to handle 1 non-ambulatory victim w. attendants, 4 multiple function trigger guns, approx. 7'W X 13'L X 8'H, 90 sq. ft., 180 lbs	\$11,250.00	
DAT2626S - DIL	Disposable inner liner/replaceable canopy for DAT2626S	\$1,410.00	
DAT2999S	DAT2999S Portable Pneumatic Hazmat Decon Shower - The equivalent of 3 attached side by side DAT2020S one person first responder decon shower units, approx. 18' L X 7' W X 8' H, approx. 270 lbs., 7 spray nozzle heads and 1 trigger gun per section for a total of 24 water outlets, approx 147 sq. ft.	\$15,190.00	
DAT2999S- DIL	Disposable inner liner/replaceable canopy for DAT2999S	\$3,640.00	
DAT3030S	DAT3030S Portable Pneumatic Hazmat Decon Shower - Approx. 10' W X 10' L X 9' H, 100 sq. Ft., 139 lbs. 2 Line Mass Casualty Decon Shower System that can handle two non-ambulatory stretchers or 4 ambulatory personnel or combinations or the above	\$14,070.00	
DAT3030S-DIL	Disposable inner liner/replaceable canopy for DAT3030S	\$1,880.00	
DAT3535S	DAT3535S Portable Pneumatic Hazmat Decon Shower - 2-Line 3 or 4 stage Mass Casualty Decon Shower System, Approx. 10' W X 15" L X 9' H, 150 sq. ft., 230 lbs., Undress/Detergent Shower/Rinse Shower/Redress configuration. Decon 2 to 4 ambulatory personnel, 2 non-ambulatory or any combination at one time. Each line is 4' undress, 7' detergent/rinse shower area, 4' redress section	\$15,190.00	
DAT3535-DIL	Disposable inner liner/replaceable canopy for DAT3535S	\$2,480.00	
DAT3060S	DAT3060S Portable Pneumatic Hazmat Decon Shower - 3 line 3 or 4 stage Mass Casualty Decon Shower System can decon 3 to 6 ambulatory, 3 non-ambulatory, or any combination. Undress/Detergent Shower/Rinse Shower/Redress configuration. 5' L undress area/ 5' L detergent shower area/5' L rinse shower area/ 5' L redress area. Approx. 13' W X 20' L x 9' H, 260 sq. ft., 335 lbs.	\$22,280.00	
DAT3060S-DIL	Disposable inner liner/replaceable canopy for DAT3060S	\$3,810.00	
DAT4070S	DAT4070S Portable Pneumatic Hazmat Decon Shower - 4 line 3 or 4 Mass casualty Decon Shower System, decons 4 non-ambulatory, 4 to 8 ambulatory, or any combination, approx 14.5' W x 23' L X 9' H - 340 lbs., Undress/Detergent Shower/Rinse Shower/Redress configuration, 4' L undress area/ 15' L shower area/4' redress area approx. 330 sq. ft.	\$26,580.00	
DAT4070S-DIL	Disposable inner liner/replaceable canopy for DAT4070S	\$5,630.00	
DAT4099S	DAT4099S Portable Pneumatic Hazmat Decon Shower - 5 line Mass Casualty Decon Shower System, decons 5 and/or up to 10 non-ambulatory, 5 and/or up to 10 ambulatory personnel or any combination, approx. 15' W X 23.5' L X 9' H - 350 lbs., 4' L undress area/ 15.5' L shower area/4' redress area configuration. Approx.. 335 sq ft.	\$35,080.00	
DAT4099S-DIL	Disposable inner liner/replaceable canopy for DAT4099S	\$6,310.00	
	Wts. are approx. and per unit only - does not include repair kit/P-EIDHD/P-SCBAF-H/Cartron/etc.		
DAT-ZD	Zipper closure doors for any decon shower vs. the velcro closure doors supplied as standard per line add 150.00 to per unit cost. For e.g. a DAT3060S three line shower would cost an additional 450.00; DAT2020S would cost an additional 150.00. Priced per line	\$180.00	
COMPLETE AIR INFLATABLE/PNEUMATIC MASS CASUALTY DECON SHOWER SYSTEMS			
ALL FSI DAT® series Decon Shower Systems are ANSI # 113 compliant.			
FSI also recommends the purchase of a heavy duty bladder tank with every decon shower system: F-HD300BT w. DAT2020S-TLD/2525S-TLD/			

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
	DAT3030S-TLD and the F-HD600BT with the DAT3535S-MCS/TLD, DAT3060S-HFR/HFR-H, and DAT4070S-HCS/HCS-H		
DAT4070S - HCS	DAT4070S-HCS COMPLETE AIR INFLATABLE/PNEUMATIC MASS CASUALTY DECON SHOWER SYSTEMS - High Capacity 4 Line 3 or 4 stage Mass Casualty Decontamination Shower System. Includes 1 DAT4070S, 2 F-Z100WH, 4 F-HSP, 4 F-GH, 1 F-MMU, 4 F-RS, 1 F-EM 8, 4 F-1225-0500-STL, 1 F-WSP33AA, 16 F-TDMSPC, 1 F-HST, 1 F-EM5500. Multiple Options avail., FSI reserves right to sub. products as needed that equal/exceed spec.	\$59,170.00	
DAT4070S - HCS-H	As above but with a qty. of 1 FSI Heat 200 Water heaters and with NO F-Z100WH water heaters	\$62,280.00	
DAT3060S-HFR	3 Line 3 or 4 stage Decon Shower System for Hospitals/First Responders/Other. Includes 1 DAT3060S, 2 F-Z100WH, 4 F-HSP, 2 F-GH, 2 F-RS, 1 F-EM-8, 2 F-1225-0500-STL, 1 F-WSP33AA, 9 F-TDMSPC. Multiple Options avail. FSI reserves right to sub. products as needed that equal/exceed spec.	\$37,470.00	
DAT3060S-HFR-H	3 Line 3 or 4 stage Decon Shower System for Hospitals/First Responders/Other. Includes 1 DAT3060S, 1 FSI HEAT 200A, 4 F-HSP, 2 F-GH, 2 F-RS, 1 F-EM-8, 2 F-1225-0500-STL, 1 F-WSP33AA, 9 F-TDMSPC. Multiple Options avail. FSI reserves right to sub. products as needed that equal/exceed spec.	\$40,500.00	
DAT3535S-TLD	2 Line 3 or 4 stage Decon Shower System for Hospitals/First Responders/Other. Includes 1 DAT3535S, 1 F-Z100WH, 2 F-HSP, 2 F-GH, 2 F-RS, 1 F-EM-8, 2 F-1225-0500-STL, 1 F-WSP33AA, 8 F-TDMSPC. Multiple Options avail. FSI reserves right to sub. products as needed that equal/exceed spec.	\$28,570.00	
DAT3535S-MCS	2 Line 3 or 4 stage Decon Shower System for Hospitals/First Responders/Other. Includes 1 DAT3535S, 1 FSI Heat 200, 2 F-HSP, 2 F-GH, 2 F-RS, 1 F-EM-8, 2 F-1225-0500-STL, 1 F-WSP33AA, 8 F-TDMSPC. Multiple Options avail. FSI reserves right to sub. products as needed that equal/exceed spec.	\$33,020.00	
DAT3030S-TLD	2 Line Decontamination Shower System complete. System includes 1 DAT3030S, 1 F-Z100WH, 2 F-HSP, 2 F-GH, 2 F-RS, 1 F-EM-8, 2 F-1225-0500-STL, 1 F-WSP33AA, 4 F-TDMSPC. Multiple options avail. FSI reserves the right to sub.products as needed that meet/exceed spec.	\$24,190.00	
DAT2525S-TLD	1 Line Mass Casualty Decontamination Shower System complete. System includes 1 DAT2525S, 1 F-Z100WH, 1 F-HSP, 2 F-GH, 1 F-EM-8, 1 F-1225-0500-STL, 1 F-WSP33AA, 2 F-TDMSPC. Multiple options avail. FSI reserves the right to sub.products as needed that meet/exceed spec.	\$17,780.00	
DAT2020S-TLD	First Responder Decontamination Shower System complete. System includes 1 DAT2020S, 1 F-Z100WH, 1 F-HSP, 1 F-GH, 1 F-1225-0500-STL, 1 F-WSP33AA, 2 F-TDMSPC. Multiple options avail. FSI reserves the right to substitute products as needed that meet/exceed spec.	\$13,340.00	
	OTHER SYSTEMS AVAILABLE AND PRICED P.O.A		
	COMBINATION DECON SHOWER SHELTER SYSTEMS		
	ALL FSI DAT® series Decon Shower Systems are ANSI # 113 compliant.		
DAT6120SS	FSI DECON SHOWER SHELTER SYSTEM -a complete outer canopy and removable decon pool, removable shower fixtures and curtain lines allowing this same system to be converted into a 262 sq ft. command or other use shelter system in minutes. As a shower - install decon pool and shower heads and curtains in approx. 5 minutes and have a 3 line 3 or 4 stage Mass Casualty Decon Shower System that can decon 3 to 6 ambulatory, 3 non-ambulatory, or any combination. Undress/Detergent Shower/Rinse Shower/Redress configuration. 5' L undress area/ 5' L detergent shower area/5' L rinse shower area/ 5' L redress area. As a shelter simply remove decon pool/shower heads/shower curtains as desired in approx. 5 minutes and have a complete 262 sq ft shelter system complete with outer canopy and inner insulating canopy that is ready for use. Approx. 13' W X 20' L x 9' H, 260 sq. ft., 395 lbs.	\$24,070.00	new lower price 04 25
DAT6140SS	FSI DECON SHOWER SHELTER SYSTEM -a complete outer canopy and removable decon pool, removable shower fixtures and curtain lines allowing this same system to be converted into a 333 sq ft. command or other use shelter system in minutes. PRE-INSTALLED PLUMBING SYSTEM. As a shower - install decon pool and shower heads and curtains in approx. 5 minutes and have a 3 line 3 or 4 stage Mass Casualty Decon Shower System that can decon 3 to 6 ambulatory, 3 non-ambulatory, or any combination. Undress/Detergent Shower/Rinse Shower/Redress configuration. 5' L undress area/ 5' L detergent shower area/5' L rinse shower area/ 5' L redress area. As a shelter simply remove decon pool/shower heads/shower curtains as desired in approx. 5 minutes and have a complete 333 sq ft shelter system complete with outer canopy and inner insulating canopy that is ready for use.	\$28,750.00	new lower price 04 25
	ALL FSI SHOWERS (as is feasible) MAY BE PURCHASED AS COMBINATION SHOWER SHELTER SYSTEMS AND ARE FULLY CONFIGURED PER CURRENT SHOWER SPECS. WITH ADDED OUTER CANOPY AND REMOVABLE DECON POOL/SHOWER HEADS/CURTAINS AS DESIRED - PLEASE ASK FOR PART NOS.		ADD 20 % to current shower prices
	FSI strongly recommends the purchase and use of ground sheets with every shower/shelter for maximum protection and longevity		
FSI DAT 'QE' QUICK ERECT CARBON FIBRE DECON SHOWER SYSTEMS			
Patent pending retractable carbon composite tubing shelter with canopies, floors, carry sleeves/bags just as with FSI DAT®			
series air inflatable products -- see detailed specifications			
	All QE Series showers have an outer and inner canopy so the framing is not in contact with the showers		
FSI DAT 'QE' Series Decon Showers only Major Components replacement costs			
All new inner and/or outer Canopy only for any size decon shower as above = 60 % of unit cost			

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
All new Carbon Fibre Frame for any size shelter = 75% of unit cost New floor only for any shower/shelter = 15 % of stated price			
DAT QE 2020S	DAT QE2020S Approx. 7' W X 7' L X 8' H, 50 sq. Ft., 99 lbs. 6 spray nozzle heads, one Multi function Trigger gun. First Responder Portable Haz mat Decon shower system complete.	\$10,130.00	
DAT QE2020S-DIL	Disposable inner liner/replaceable canopy for DAT QE2020S	\$1,190.00	
DAT QE2525S	DAT QE2525S approx. 7' W X 13' L X 8' H, with 4 ft. Undress/5 ft. Shower/4 ft. Redress areas. A First Responder Ambulatory Decon shower system with 6 spray nozzles and 1 trigger gun, 90 sq. ft., 145 lbs.		POA
DAT QE2525SMA	DAT2525SMA approx. 7' W X 13' L X 8' H, w. 3 ft. Undress/7 ft. Shower/3 ft. Redress areas. A Single line Ambulatory and/or Non-Ambulatory Decon shower system with 6 spray nozzles and 2 multiple function trigger guns, 90 sq. ft., 145 lbs.		POA
DAT QE2525S-DIL	Disposable inner liner/replaceable canopy for DAT QE2525S/DAT QE2525SMA	\$1,410.00	
DAT QE2626S	Single wide stretcher decon shower system to handle 1 non-ambulatory victim w. attendants, 4 multiple function trigger guns, approx. 7'W X 13'L X 8'H, 90 sq. ft., 145 lbs.		POA
DAT QE2626S-DIL	Disposable inner liner/replaceable canopy for DAT QE2626S	\$1,410.00	
DAT QE3030S	Approx. 10' W X 10' L X 9' H, 100 sq. Ft., 115 lbs. 2 Line Mass Casualty Decon Shower System that can handle two non-ambulatory stretchers or 4 ambulatory personnel or combinations of the above.	\$18,750.00	
DAT QE3030S-DIL	Disposable inner liner/replaceable canopy for DAT QE3030S	\$1,880.00	
DAT QE3535S	2-Line 3 or 4 stage Mass Casualty Decon Shower System, Approx. 10' W X 15" L X 9' H, 150 sq. ft., 165 lbs., Undress/Detergent Shower/Rinse Shower/Redress configuration. Decon 2 to 4 ambulatory personnel, 2 non-ambulatory or any combination at one time. Each line is 4' undress, 7' detergent/rinse shower area, 4' redress section	\$32,090.00	
DAT QE3535S-DIL	Disposable inner liner/replaceable canopy for DAT QE3535S	\$2,480.00	
DAT QE3060S	3 line 3 or 4 stage Mass Casualty Decon Shower System can decon 3 to 6 ambulatory, 3 non-ambulatory, or any combination. Undress/Detergent Shower/Rinse Shower/Redress configuration. Approx. 11' W X 20' L x 8.5' H, 220 sq. ft., 315lbs. Simply Quick Erect, install curtains and pop up decon pool, hang shower heads and trigger guns, place waste pump, attach hoses from water source, and commence decontamination.	\$33,340.00	
DAT QE3060S-DIL	Disposable inner liner/replaceable canopy for DAT QE3060S	\$3,810.00	
DATQE2020SCB	Carry Bag for DATQE2020S complete with outer cinches	\$940.00	
DATQE1310CB	Carry Bag for DATQE1310 complete with outer cinches	\$940.00	
ADDITIONAL SIZES AND CONFIGURATIONS TO BE OFFERED IN FUTURE MONTHS			
	FSI strongly recommends the purchase and use of ground sheets with every shower/shelter for maximum protection and longevity		
FSI DAT® 'AL Series'® ALUMINUM FRAMED DECON SHOWERS			
Measured inside to inside - outside to outside add approx. 1.5 Ft. per dimension.			
Retractable 1.5mm thickness ALUMINUM tubing shelter w. patent pending high density polyfiber hub with canopies, floors, decon pools to install and all plumbing and carry sleeves/bags just as with FSI DAT® series air inflatable products - see detailed specs.			
FSI DATAL Aluminum Framed Series Decon Showers only Major Components replacement costs			
All new inner and/or outer Canopy only for any size decon shower as above = 60 % of unit cost			
All new Aluminum Frame for any size shelter = 75% of unit cost New floor only for any shower/shelter = 15 % of stated price			
DATAL35S	FSI DATAL Aluminum Framed Series Decon Shower - L 1.06 m X W 1.13 m X 2.5 m H (3.5' L X 3.7' W X 8.25 ft H), 13 sq ft packed dim. approx. 40" X 40" X 20" One person Portable Hazmat Decon Shower unit complete, weighs approx. 95 lbs. and comes with 7 spray nozzle heads and a single multi function Trigger gun. See DAT1010S for comparable pneumatic model	\$6,250.00	
DATAL35S-DIL	Disposable inner liner/replaceable canopy for DATAL35S	\$960.00	
DATAL48S	FSI DATAL Aluminum Framed Series Decon Shower - L 1.83 m x W 2.43m x H 2.5 m H (6 ft L X 8 ft W X 8.25 ft H) 48 sq ft approx. 119 lbs., packed dim. 40" X 40" X 47" 7 spray nozzle heads one multifunction Trigger gun. First Responder Portable Haz mat Decon shower system. See DAT2020S for comparable pneumatic model	\$8,860.00	
DATAL48S-DIL	Disposable inner liner/replaceable canopy for DATAL48S	\$1,190.00	
DATAL814S	FSI DATAL Aluminum Framed Series Decon Shower - L 1.83 m x W 3.62m x H 2.5 m H (6 ft L X 12 ft W X 8.25 ft H) 72 sq ft approx. 210 lbs., packed dim. 40" X 40" X 52" with 4 ft. Undress/4.4 ft. Shower/4 ft. Redress areas. A First Responder Ambulatory Decon shower system with 6 spray nozzles and 2 trigger gun with coiled hoses. See DAT2525S for comparable pneumatic model	\$12,300.00	
DATAL814S-DIL	Disposable inner liner/replaceable canopy for DATAL814S	\$1,410.00	
DATAL1014S	FSI DATAL Aluminum Framed Series Decon Shower - L 2.59 m x W 3.62 m x H 2.5m H (8.5 ft L X 12 ft W X 8.25 ft H) 102 sq. ft. approx. 170 lbs., packed dim. 45" X 45" X 55" 2 Line Mass Casualty Decon Shower System that can handle two non-ambulatory stretchers or 4 ambulatory personnel or combinations or the above. See DAT3030S for comparable pneumatic model	\$15,210.00	
DATAL1014S-DIL	Disposable inner liner/replaceable canopy for DATAL1014S	\$1,880.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
DATAL1514S	FSI DATAL Aluminum Framed Series Decon Shower - L 3.35 m x W 3.62 m x H 2.5 m H (11 ft L X 12 ft W X 8.25 ft H) 132 sq ft. approx. 260 lbs., packed dim. 48" X 48" X 58" 2-Line 3 or 4 stage Mass Casualty Decon Shower System. Undress/Detergent Shower /Rinse Shower/Redress configuration. Decon 2 to 4 ambulatory personnel, 2 non-ambulatory or any combination at one time. See DAT3535S for comparable pneumatic model	\$16,670.00	
DATAL1514S-DIL	Disposable inner liner/replaceable canopy for DATAL1514S	\$2,480.00	
DATAL2214S	FSI DATAL Aluminum Framed Series Decon Shower - L 5.62 m x W 3.62 m x H 2.5m (18.5 ft L X 12 ft W X 8.25 ft H) 222 sq ft. approx. 365 lbs., packed dim. 58" X 58" X 68" - 3 line 3 or 4 stage Mass Casualty Decon Shower System can decon 3 to 6 ambulatory, 3 non-ambulatory, or any combination. Undress/Detergent Shower/Rinse Shower/Redress configuration. 4.9' L undress area/ 4.9' L detergent shower area/4.9' L rinse shower area / 4.9' L redress area. See DAT3060S for comparable pneumatic model	\$23,440.00	
DATAL2214S-DIL	Disposable inner liner/replaceable canopy for DATAL2214S	\$3,810.00	
DATAL1325S	FSI DATAL Aluminum Framed Series Decon Shower - L 7.14 m x W 3.62 m x H 2.5m (23.5 ft L X 12 ft W X 8.25 ft H) 282 sq ft. approx. 390 lbs., packed dim. 58" X 58" X 68" 4 line 3 or 4 Mass casualty Decon Shower System, decons 4 non-ambulatory, 4 to 8 ambulatory, or any combination, Undress/Detergent Shower/Rinse Shower/Redress configuration, 5' L undress and redress areas/ 14.5' L detergent and rinse shower areas. See DAT4070S for comparable pneumatic model	\$27,710.00	
DATAL1325S-DIL	Disposable inner liner/replaceable canopy for DATAL1325S	\$5,630.00	
DATALPRRS	Pair of 73 cm L (29") replacement struts center or off center riveted (need position of pieces to be replaced with order) only for all DATAL series showers/shelters	\$370.00	
DATALHJ	Hub/joiner and fittings only for all DATAL series showers/shelters	\$210.00	
	Please watch for more size and configurations in the near future		
	Multiple sizes are possible based on adding or subtracting 2.5 ft to the Length and 4 ft each to the Width of the unit with approx. 8.25' H inside H in all cases. Ask for quotations		
MEDICAL SURGE CAPACITY/FIELD HOSPITAL SYSTEMS FROM FSI			
Heavy Duty pneumatic and structural isolation shelters from 100-1500 sq ft., that can be interconnected in a spoke and hub design for the creation of multiple use, modular, scalable, sufficiency of care' facilities.			
* FSI surge capacity systems, wherever possible/feasible, are based on approx. 50 sq. ft. per patient of space in compliance with generally accepted hospital practices. If cots are placed within 18-24" of each other the capacity of the systems below could be dramatically increased and all that would be required is to double the number of FSI Hospital Bed Systems as detailed below and as found on the FSI EMS price list. FSI systems also offer full privacy chambers per victim using center and cross divider curtains - if not required prices could be adjusted downward.			
All surge shelters can be supplied with double sided HD Velcro attachment points around a full size door on ea. end to connect the isolation shelter to a central 11 ft. X 11 ft. 'hub' shelter in the middle, and double sided HD Velcro attachment points around the supplied four full man entry doors (1 on ea. side and one on ea. end) from each surge capacity patient shelter unit. Thus like size shelters could be attached end to end via the full size entry doors, or any size shelter can be attached end to end via the man door attachment, and all shelters can also be attached side to side via the supplied side man doors			
** FSI does not include the following in our offered field hospitals (but recommended product lists are available on demand). Receiving/Classification Supplies; IV Supplies; Specific Patient Care Supplies; Diagnostic Supplies; Airway Management Supplies; Housekeeping/Misc. Equipment.			
** Payment terms for surge capacity systems differ from portable systems - If and when sold as a fully configured trailer system with multiple components in various sized trailers - the payment terms are 1/3 at time of order, 1/3 at time final inspection is offered (whether inspected or not), and 1/3 at time of shipment and prior to release to client.			
F-SFSCS-300	NOMINAL CAPACITY 10 PERSON MEDICAL SURGE CAPACITY/FIELD HOSPITAL System comes complete with one DAT4070-IS shelter, 1 INSULCAN double insulated canopy, 1 F-FLDS integral closed 'plenum' air duct system, 8 F-CDC34A, 1 F-CD34, 4 F-1225-0500-STL, 1 F-EM5500, 10 F-EM-262, 1 DAT2020S, 1 F-WSP33AA, 2 F-TDMSPC, 1 F-Z100 WH, 1 FSI Heat 201, 1 F-HD300BT, 1 F-HST, 1 F-CP14, 1 F-CP14D, 1 F-EM-396, 1 F-EM-397, 4 F-GH25, 3 F-EM-185, 2 F-EM-30C, 3 F-EM-88, 20 F-RDK, 1 F-SSINK, 1 F-HAS, 1 F-30G, 1 F-GS4, 1 DAP448 ** 15' F-TO15 TRAILER SYSTEM IS OPTIONAL. Optional Items P.O.A. on demand to include appropriate electrical distribution system/panel/box other	\$72,490.00	new lower price 0429

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-SCSS7500-20	SMALL CAPACITY 20 PERSON MEDICAL SURGE CAPACITY/FIELD HOSPITAL - System complete w. 1 SCSS7500-IS shelter w. 1 INSULCAN double insulated canopy, 1 F-FLDS integral closed air duct 'plenum' system, F-FL10 around all 4 man doors (1 on each end and 1 on each side), 4 F-STRCCR strip screens over 4 man doors, 1 DAT3030-IS Isolation shelter to affix on either end or side to DAT7500-IS, 18 F-1225-0500-STL stringable lites, 1 F-EM258 tripod scene lites, 1 F-D150H00100-CM - 5 Ton 60,000 Btu AC/60,000 Btu heat pump, 1 F-GGG168196 - 26K watt (peak) generator with wheels, 1 F-6506G-CEP Spider Power Distribution Center, 20 F-EM-262A cots, 1 F-20A100FTEXT-STL 100' power cord, 1 F-7500CABSR-STL 110' - 5 outlet multi tap cord, 1 F-LSC 72" X 60" X 60" cart, 1 F-HFRC 60" X 35" X 60" cart, 1 DAT3030S 2 line decon shower, 1 F-WSP33AA, 6 F-TDMSPC elevation grids, 1 F-Z100WH water heater, 3 F-GS11 tarps, 1 F-HD300BT bladder tank, 50 F-RDK redress kits, 1 F-SSINK, 2 F-EM-396 portable toilets, 2 F-EM-397 wag bag toilet kits, 4 F-GH25, 1 F-55G overpack drum, 1 F-EM505 Pandemic Flu Suits X 30, 1 F-EM506 Pandemic Flu gowns X 30, 1 F-TO20 20' TRAILER SYSTEM Optional Items P.O.A. on demand	\$190,890.00	new lower price 0429
F-SFSCS-1500	MEDIUM CAPACITY 30 PERSON MEDICAL SURGE CAPACITY/FIELD HOSPITAL - System complete w. 1 DAT10800-IS shelter, 1 INSULCAN double insulated canopy, 1 F-FLDS integral closed air duct 'plenum' system, 4 F-CD56, 27 F-CDC56, 1 F-SS-SLED, 20 F-1225-0500-STL, 1 F-EMAT5T, 1 F-EMAT3T, 1 F-T30UCM, 1 F-ACC-30, 30 F-EM-262, 1 DAT3030S, 1 F-WSP33AA, 6 F-TDMSPC, 1 F-Z100WH, 1 F-HD300BT, 2 F-EM-396, 2 F-EM-397, 4 F-GH25, 6 F-EM-185, 6 F-EM-30C, 6 F-EM-88, 1 F-55G, 75 F-RDK, 2 F-SSINK, 1 BP1280, 2 F-GS4, 2 F-EM259, 2 F-EM164, 2 F-EM505, 2 F-EM506A: 1 F-TO24 24' TRAILER SYSTEM IS OPTIONAL. Optional Items P.O.A. on demand to include appropriate electrical distribution system/panel/box, other.	\$324,430.00	new lower price 0429
F-SFSCS-2300	LARGE CAPACITY 50 PERSON MEDICAL SURGE CAPACITY/FIELD HOSPITAL - System complete w. 1 DAT10800-IS, 1 DAT7500-IS, 2 INSULCAN, double insulated canopy, 2 F-FLDS integral closed air duct 'plenum' system, 6 F-CD56, 45 F-CDC56, 2 F-SS-SLED, 30 F-1225-0500-STL, 1 F-T30UCM, 1 F-ACC-30, 50 F-EM-262, 1 DAT3060S, 1 F-WSP33AA, 9 F-TDMSPC, 1 FSI Heat 200, 1 FSI Heat 201, 1 F - HD600BT, 1 F-EMAT5T, 2 F-EMAT3T, 3 F-EM-396, 3 F-EM-397, 6 F-GH25, 12 F-EM-185, 12 F-EM-30C, 15 F-EM-88, 1 F-55G, 150 F-RDK, 2 F-SSINK, 1 F-INPIC-2, 1 BP1280, 3 F-EM164, 3 F-EM505, 3 F-EM506, 4 F-GS4, 4 F-EM259: 1 F-TO28 28' TRAILER SYSTEM IS OPTIONAL. Optional Items P.O.A. to include appropriate electrical distribution system/panel/box, other.	\$485,240.00	new lower price 0429
SURGE CAPACITY/FIELD HOSPITAL SHELTER SYSTEMS WITH MODULAR 'SPOKE AND HUB' TYPE DESIGN			
FSI proudly offers a complete range of 'spoke and hub' designed shelter systems only. Each of the following systems includes interconnected FSI DAT series Isolation shelters w. double			
door 'airlock', full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures. All are designed			
to connect the isolation shelter to a central 'hub' shelter in the middle via double sided HD Velcro attachment points around the supplied four full man entry doors (1 on ea.			
side and one on ea. end) from each surge capacity patient shelter unit. Thus like size shelters can be attached end to end or side to side via the supplied side man doors			
** FSI does not include the following in our offered field hospitals (but recommended product lists are available on demand). Receiving/Classification Supplies; IV Supplies; Specific Patient			
Care Supplies; Diagnostic Supplies; Airway Management Supplies; Housekeeping/Misc. Equipment.			
** Payment terms for surge capacity systems differ from portable systems - If and when sold as a fully configured trailer system with multiple components in various sized trailers - the payment terms			
are 1/3 at time of order, 1/3 at time final inspection is offered (whether inspected or not), and 1/3 at time of shipment and prior to release to client.			
F-SCSS-43060	FSI Surge Capacity Modular Shelter System - includes qty. of 4 DAT3060-IS 10' X 20' X 9' isolation shelters only w. 1 F-SCSS3030ISH 11' X 11' central hub shelter, 5 INSULCAN double insulated canopies, 5 F-FLDS integral closed air duct 'plenum' system	\$84,640.00	new lower price 0429
F-SCSS3060-800	20 Bed/Person Medical Surge Capacity/Field Hospital System complete w. 4 DAT3060-IS shelters as above w.1 F-SCSS3030ISH 11' X 11' central hub shelter, 5 INSULCAN double insulated canopies, 5 F-FLDS integral closed air duct 'plenum' system 4 F-CD34, 16 F-CDC34, 8 F-1225-0500-STL, 1 F-GGG04582, 1 F-SS-SLED, 20 F-EM-262, 1 DAT3030S, 1 F-WSP33AA, 6 F-TDMSPC, 1 F-Z100WH, 1 FSI Heat 201, 1 F-HD300BT, 2 F-HST, 2 F-HSWHDD, 4 F-CP14, 2 F-EM396, 2 F-EM397, 4 F-GH25, 3 F-EM-185, 3 F-EM-30C, 4 F-EM-88, 50 F-RDK, 1 F-SSINK, 1 BP1280, 4 F-HAS, 1 F-55G, 2 F-GS4, 2 F-EM-259, 2 F-EM164, 1 F-EM505, 1 F-EM506, 1 F-TO20 20' trailer system based on wt. & space required.. Optional Items P.O.A. on demand to include appropriate electrical distribution system/panel/box other	\$229,900.00	new lower price 0429
F-SCSS-44070	qty. of 4 DAT4070-IS 13' X 23' X 9' isolation shelters only w. 1 F-SCSS3030ISH 11' X 11' central hub shelter, 5 INSULCAN double insulated canopies, 5 F-FLDS integral closed air duct 'plenum' system	\$97,400.00	new lower price 0429
F-SCSS4070-1200	40 Bed/Person Medical Surge Capacity/Field Hospital System complete w. the F-SCSS44070 qty. of 4 DAT4070-IS 13' X 23' X 9' isolation shelters as above w. 1 F-SCSS3030ISH 11' X 11' central hub shelter, 5 INSULCAN double insulated canopies, 5 F-FLDS integral closed air duct 'plenum' system, 4 F-CD34, 32 F-CDC34A, 12 F-1225-0500-STL, 4 F-HAS, 1 F-T30UCM, 1 F-ACC-30, 1 F-SS-SLED, 40 F-EM-262, 1 DAT3535S, 1 F-WSP33AA, 6 F-TDMSPC, 2 F-	\$315,110.00	new lower price 0429
F-SCSS-45672	qty. of 4 DAT5672-IS 18' X 24' X 9' isolation shelters only w. 1 F-SCSS3030ISH 11' X 11' central hub shelter, 5 INSULCAN double insulated canopies, 5 F-FLDS integral closed air duct 'plenum' system	\$148,490.00	new lower price 0429

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-SCSS5672-1725	48 Bed/Person Medical Surge Capacity/Field Hospital System complete w. the F-SCSS45672 qty. of 4 DAT5672-IS 18' X 24' X 9' isolation shelters as above w. 1 F-SCSS3030ISH 11' X 11' hub, 5 INSULCAN double insulated canopies, 5 F-FLDS integral closed air duct 'plenum' system, 4 F-CD56, 40 F-CDC56A, 16 F-1225-0500-STL, 4 F-SS-SLED, 1 F-T30UCM, 1 F-ACC-30, 48 F-EM-262, 1 DAT3060S, 1 F-WSP33AA, 9 F-TDMSPC, 1 FSI Heat 200, 1 FSI Heat 201, 1 F-HD600BT, 4 F-EMAT3T, 3 F-EM396, 3 F-EM397, 6 F-GH25, 12 F-EM-185, 12 F-EM-30C, 1 F-95GW 15 F-EM-88, 150 F-RDK, 2 F-SSINK, 1 F-INPIC-2, 1 BP1280, 3 F-EM164, 3 F-EM505, 3 F-EM506, 4 F-GS4, 4 F-EM259, 1 F-TO28 28' trailer based on 10 K wt. & space inc. Optional Items P.O.A. on demand to include appropriate electrical distribution system/panel/box, other.	\$554,280.00	new lower price 0429
F-SCSS-46012	qty. of 4 DAT7500-IS 24' X 40' X 11' isolation shelters w. 1 F-SCSS3030ISH 11' X 11' central hub shelter, 5 INSULCAN double insulated canopies, 5 F-FLDS integral closed air duct 'plenum' system	\$256,310.00	new lower price 0429
F-SCSS7500-52	52 Bed/Person Medical Surge Capacity/Field Hospital System complete w. SHELTERS. 5 shelters with plenums and inner canopies meant to be attached end to end or side to side. Includes - 2 F-SCSS7500-IS-24 twenty-four patient shelters, 1 F-SCSS4070-IS-4 four patient work/critical care/command shelter interconnected in the middle to one end of each of the 24 patient shelters; 2 F-SCSS3030-IS-ANT 100 sq ft anterooms to attach on the entry end of each 24 patient shelter; 2 F-LSC shelter carts for the 24 patient shelters; 1 F-FRC cart for 4 patient shelter and anteroom shelters; 7 F-GS11 large tarps; COTS/LINEN 48 F-EM262A cots; 4 F-EM560A-HBSR procedure cots; 5 F-EM262CC 10 bed carts; 1 F-EM262CCPR 8 bed cart; 10 F-EM56 mesh stretchers; 8 F-LINEM-6A disposable linen 20 kits sets; 6 F-RDK25 twenty-five set redress kits; GENERATORS 3 F-GGG168196 - 26K watt generators; 3 F-5FGC fuel cans; ELECTRICAL - 6 F-20A50F-TEXT-STL 50' electrical cords; 15 F-20A100FTEXT-STL 100' cords; 6 F-7500CAB5R-STL 110' multi tap cords; 6 F-6506G-CEP Spider power distribution box; POTABLE WATER DELIVERY 3 F-HD150BTPW 150 gallon potable water bladder tanks; 3 F-SSINK sinks; 3 F-SSINK-EB 5 gal. bottles for F-SSINK; 3 F-ACC-30 digital power conditioner	\$710,530.00	new lower price 0429
F-SCSS6012-3200	64 Bed/Person Medical Surge Capacity/Field Hospital System complete w. qty. of 4 DAT7500-IS 24' X 40' X 11' isolation shelters as above w. 1 F-SCSS3030ISH hub, 5 INSULCAN double insulated canopies, 5 F-FLDS integral closed air duct 'plenum' system, 1 F-T30UCM, 1 F-ACC-30, 8 F-CD56, 56 F-CDC56A, 32 F-1225-0500-STL, 4 F-SS-SLED, 64 F-EM-262, 1 DAT3060S, 1 DAT2020S, 2 F-WSP33AA, 11 F-TDMSPC, 1 FSI Heat 200, 2 FSI Heat 201, 1 F-Z100WH, 1 F-HD600BT, 1 F-HD300BT, 4 F-EMAT3T combo AC/Air heat/ozone decon, 4 F-EM-396, 4 F-EM397, 10 F-GH25, 16 F-EM-185, 16 F-EM-30C, 20 F-EM88, 200 F-RDK, 1 F-95GW, 2 BP1280, 2 F-SSINK, 1 F-INPIC-2, 5 F-EM164, 5 F-EM505, 5 F-EM506, 6 F-GS4, 6 F-EM-259, 1 F-TO28 28' trailer and 1 F-TO20 20' trailer based on 15 K wt. & space inc. Optional Items P.O.A. on demand to include appropriate electrical distribution system/panel/box, other	\$753,570.00	new lower price 0429
F-SCSS-49018	qty. of 4 DAT10800-IS 37' X 50' X 13' isolation shelters w. 1 F-SCSS3030ISH 11' X 11' central hub shelter, 5 INSULCAN double insulated canopies, 5 F-FLDS integral closed air duct 'plenum' system 11' central hub shelter, 5 INSULCAN double insulated canopies, 5 F-FLDS integral closed air duct 'plenum' system	\$373,160.00	new lower price 0429
F-SCSS9018-6000	120 Bed/Person Medical Surge Capacity/Field Hospital System complete w. 4 DAT10800-IS 37' X 50' X 13' isolation shelters as above w. 1 F-SCSS3030ISH 11' X 11' Hub, 5 INSULCAN double insulated canopies, 5 F-FLDS integral closed air duct 'plenum' system, 1 F-T30UCM 30 kW massive surge capacity generator system, 1 F-ACC-30 digital power conditioner, 16 F-CD56 center divider curtains, 108 F-CDC56A cross divider curtains, 60 F-1225-0500-STL portable lighting, 4 F-SS-SLED sleds to move shelters, 120 F-EM-262 hospital bed with cot/mattress pad/IV pole, 2 DAT3060S 3 line 3 or 4 stage shower systems to shower up to 6 personnel at one time, 1 DAT2020S single person decon shower for first responders/other, 3 F-WSP33AA waste pumps, 2 FSI Heat 200 - 14 gallon per min. water heaters, 3 FSI Heat 201 detergent injection systems, 1 F-Z100WH propane water heater, 2 F-HD600BT brown water bladder tanks, 1 F-HD300BT smaller brown water bladder tank, 20 F-TDMSPC elevation grids, 4 F-EMAT5T combo AC/Air heat/HEPA air filtrate/UVGI decon/Ozone decon machine, 4 F-EMAT3T combo AC/Air heat/HEPA air filtrate/UVGI decon/Ozone decon machine, 8 F-EM396 portable toilets, 8 F-EM397	\$1,293,390.00	new lower price 0429
** Payment terms for surge capacity systems differ from portable systems - If and when sold as a fully configured trailer system with multiple components in various sized trailers			
- the payment terms are 1/3 at time of order, 1/3 at time final inspection is offered (whether inspected or not), and 1/3 at time of shipment and prior to release to client.			
SURGE CAPACITY/FIELD HOSPITAL SHELTER SYSTEMS PER COMPONENT			
All shelters below include double interlocking air berms with inflation ports at each end,			
F-INSULCAN double insulated canopies, F-FLDS integral closed air duct 'plenum' system, F-STRSCR			
Polypropylene Strip Screens' for bump thru entry/exit w. minimal air flow disruption in man door areas. All surge shelters are designed			
to connect the isolation shelter to a central 'hub' shelter in the middle via double sided HD Velcro attachment points around the supplied four full man entry doors			
(1 on ea. side and one on ea. end) from each surge capacity patient shelter unit. Thus like size shelters can be attached end to end or side to side via the supplied side man doors			
F-SCSS1515-IS-ANT	FSI DAT Series Isolation Shelter - Approx. 10' W X 5' L X 9' H – Anteroom Shelter only w. double door 'airlock', 50 sq. ft. 70 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures. HD Velcro connector flaps on each end to attach one unit to another	\$8,340.00	new lower price 04/2
F-SCSS3030-IS-ANT	FSI DAT Series Isolation Shelter - Approx. 10' W X 10' L X 8' H – Anteroom Shelter only w. double door 'airlock', 100 sq. ft. 140 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures. HD Velcro connector flaps on each end to attach one unit to another	\$17,580.00	new lower price 04/2

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-SCSS3030-ISH	11' X 11' X 9' H central hub isolation shelter with four full size door openings, 121 sq ft., 130 lbs., to attach to any FSI Surge Capacity Shelter 200 sq. ft or larger - w. HD Velcro connector flaps man doors on 2 sides as well.	\$11,620.00	new lower price 04/2
DAT3713	Center Aisle isolation shelter - approx. 7' W X 13' L X 9' H 160 lbs. - with full size man door openings on either side to attach a larger surge capacity shelter via short approx. 12" L double zipper attachments - provides the ability to add these units end to end as well with HD Velcro connector flap points creating an infinitely long structurally strong, insulated, and ventilated walkway area between larger surge shelters on each side.	\$11,620.00	new lower price 04/2
DAT3725	Center Aisle isolation shelter - approx. 7' W X 25' L X 9' H - 260 lbs. - with full size man door openings on either side to attach a larger surge capacity shelter via short approx. 12" L double zipper attachments - provides the ability to add these units end to end as well with HD Velcro connector flap points creating an infinitely long structurally strong, insulated, and ventilated walkway area between larger surge shelters on each side.	\$19,270.00	new lower price 04/2
F-SCSS3015-IS	FSI Surge Capacity Shelter - Approx. 10' W X 15' L X 9' H (3 M X 4.5 M X 2.7 M) – Shelter only, w. double door 'airlock', 221 sq. ft. (20.5 M2) 240 lbs. (109 Kg) full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another 150 sq. ft. (13.5 M2) 215 lbs. (98 kg)	\$16,500.00	new lower price 04/2
F-SCSS3060-IS	Approx. 10' W X 20' L X 9' H – Shelter only w. double door 'airlock', 200 sq. Ft. 250 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another	\$18,970.00	new lower price 04/2
F-SCSS3370-IS	FSI Surge Capacity Shelter - Approx. 13' W X 17' L X 9' H (4 M X 5.2 M X 2.7 M) – Shelter only w. double door 'airlock', 221 sq. ft. (20.5 M2) 290 lbs. (109 Kg) full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another	\$18,970.00	new lower price 04/2
F-SCSS4070-IS	Approx. 13' W X 23' L X 9' H – Shelter only w. double door 'airlock', 300 sq. Ft. 290 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another	\$22,150.00	new lower price 04/2
F-SCSS4070-IS-4	Approx. 13' W X 23' L X 9' H – Shelter only w. double door 'airlock', 300 sq. Ft. 320 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another. Configured as 4 patient work/critical care/command shelter (47 sq ft. private rooms) as above w. 40" Center aisle w. F-CD34 w. over-lapped entry slits to ea. room, 4 F-CDC34A pre-strung cross divider curtains to make 4 rooms on one side, 190 sq ft work/command/storage/first responder rest area. 2 F-SD full H side man doors, 2 F-STRSCR strip screens over side man doors, 4 F-FL10 hanging HD Male velcro flanges to connect shelters end to end or side to side at man doors,1 added F-PEIDHD inflator deflator	\$24,220.00	new lower price 04/2
F-SCSS4070-IS-8	Approx. 13' W X 23' L X 9' H – Shelter only w. double door 'airlock', 300 sq. Ft. 350 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another. Configured as 8 patient care shelter (37 sq ft. private rooms) as above w. 40" Center aisle w. F-CD34 w. over-lapped entry slits to ea. room, 8 F-CDC34A pre-strung cross divider curtains to make 4 rooms on ea. side. 2 F-SD full H side man doors, 2 F-STRSCR strip screens over side man doors, 4 F-FL10 hanging HD Male velcro flanges to connect shelters end to end or side to side at man doors,1 added F-PEIDHD inflator deflator	\$25,180.00	new lower price 04/2
F-SCSS4360-IS-10	Approx. 17' W X 21' L X 9' H (5.2 M X 6.4 M X 2.7 M) – Shelter only w. double door 'airlock', 357 sq. ft. (33 M2) 399 lbs. (181 kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another. Configured as 10 patient care shelter (36 sq ft. private rooms) as above w. 38" Center aisle w. F-CD34 w. over-lapped entry slits to ea. room, 10 F-CDC34A pre-strung cross divider curtains to make 5 rooms on ea. side. 2 F-SD full H side man doors, 2 F-STRSCR strip screens over side man doors, 4 F-FL10 hanging HD Male velcro flanges to connect shelters end to end or side to side at man doors,1 added F-PEIDHD inflator deflator	\$39,690.00	new lower price 04/2
F-SCSS5672-IS	FSI DAT Series Field Hospital Pneumatic Shelters. Approx. 18' W X 24' L X 9' H – Shelter only w. double door 'airlock', 432 sq. Ft. 445 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another. All Surge Capacity shelters include double interlocking air berms with inflation ports at each end, F-INSULCAN double insulated canopies, F-FLDS integral closed air duct 'plenum' system, F-STRSCR Polypropylene Strip Screens' for bump thru entry/exit w. minimal air flow disruption in man door areas. All surge shelters are designed to connect the isolation shelter to a central 'hub' shelter in the middle via double sided HD Velcro attachment points around the supplied four full man entry doors (1 on ea. side and one on ea. end) from each surge capacity patient shelter unit. Thus like size shelters can be attached end to end or side to side via the supplied side man doors	\$34,250.00	new lower price 04/2
F-SCSS5672-IS-ASEH	Approx. 18' W X 24' L X 9' H – ALL SIDES ENTRY HUB Shelter only w. double door 'airlock', 432 sq. Ft. 455 lbs., full velcro closure air vents, clear vinyl windows, 8 HVAC Air ducts w. tie closures, HD Gusseted Velcro connector flaps on each end and sides to attach one unit to another. Large full entry double zipper closure door with inner matching man door on each end and double zipper closure man door on each side all complete with attached yet removeable air lock/vestibule zippered tent and floor connector pieces. 4 skylites. 4 F-STRSCR strip screens over side and end man doors. 1 added F-PEIDHD inflator deflator and 2nd complete set of valving on each opposite end for faster inflate deflate	\$35,600.00	new lower price 04/2

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-SCSS5672-IS-12	Approx. 18' W X 24' L X 9' H – Shelter only w. double door 'airlock', 432 sq. Ft. 445 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another. Configured as 12 patient care shelter (26 sq ft. private rooms) as above w. 40" Center aisle w. F-CD56 w. over-lapped entry slits to ea. room, 12 F-CDC56A pre-strung cross divider curtains to make 6 rooms on ea. side. 2 F-SD full H side man doors, 4 F-STRSCR strip screens over side/end man doors, 4 F-FL10 hanging HD Male velcro flanges to connect shelters end to end or side to side at man doors,1 added F-PEIDHD inflator deflator	\$49,990.00	new lower price 04/2
F-SCSS5800-IS	FSI DAT Series Field Hospital Pneumatic Shelters - Approx. 20' W X 26' L X 9' H (6 M X 8 M X 2.7 M) – Shelter only w. double door 'airlock', 520 sq. ft. (48 M2) 519 lbs. (235 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures. HD Velcro connector flaps on each end to attach one unit to another.	\$37,330.00	new lower price 04/2
F-SCSSDAT6000-IS	FSI DAT Series Field Hospital Pneumatic Shelters. Approx. 20' W X 30' L X 9' H – Shelter only w. double door 'airlock', 600 sq. Ft., 600 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another. All Surge Capacity shelters include double interlocking air berms with inflation ports at each end, F-INSULCAN double insulated canopies, F-FLDS integral closed air duct 'plenum' system, F-STRSCR Polypropylene Strip Screens' for bump thru entry/exit w. minimal air flow disruption in man door areas. All surge shelters are designed to connect the isolation shelter to a central 'hub' shelter in the middle via double sided HD Velcro attachment points around the supplied four full man entry doors (1 on ea. side and one on ea. end) from each surge capacity patient shelter unit. Thus like size shelters can be attached end to end or side to side via the supplied side man doors	\$44,800.00	new lower price 04/2
F-SCSSDAT6600-IS-C	FSI DAT Series Pneumatic Shelter - Approx. 20' W X 33' L X 10' H (6 M X 10 M X 3 M) - Shelter only w. double door 'airlock', 660 sq. ft. (61 M2) 615 lbs (279 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another. No center or cross divider curtains are offered herein but included in any case are floor hooks and ceiling hooks to accommodate 14 patients in approx. 38 sq ft rooms in case it is purchased in the future.	\$48,330.00	new lower price 04/2
F-SCSSDAT6600-IS-C-14	FSI DAT Series Pneumatic Shelter - Approx. 20' W X 33' L X 10' H (6 M X 10 M X 3 M) - Shelter only w. double door 'airlock', 660 sq. ft. (61 M2) 615 lbs (279 Kg), full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another, with 12 F-CDC56A ½ cross divider curtains creating 14 –approx. 38 sq ft rooms, and 2 F-CD56 full length center divider curtains with pass thru flaps creating a 40" full length center aisle. Also included in any case are floor hooks and ceiling hooks to accommodate this curtain layout in case it is purchased in the future	\$55,480.00	new lower price 04/2
F-SCSS6012-IS	FSI DAT Series Field Hospital Pneumatic Shelters. Approx. 20' W X 40' L X 11' H – Shelter only w. double door 'airlock', 800 sq. Ft. 735 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another. All Surge Capacity shelters include double interlocking air berms with inflation ports at each end, F-INSULCAN double insulated canopies, F-FLDS integral closed air duct 'plenum' system, F-STRSCR Polypropylene Strip Screens' for bump thru entry/exit w. minimal air flow disruption in man door areas. All surge shelters are designed to connect the isolation shelter to a central 'hub' shelter in the middle via double sided HD Velcro attachment points around the supplied four full man entry doors (1 on ea. side and one on ea. end) from each surge capacity patient shelter unit. Thus like size shelters can be attached end to end or side to side via the supplied side man doors	\$49,950.00	new lower price 04/2
F-SCSS7500-IS	FSI Surge Capacity Pneumatic Shelter - Approx. 24' W X 40' L X 11' H – Shelter only w. double door 'airlock', 960 sq. Ft. 1,025 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, HD Velcro connector flaps on each end to attach one unit to another. All Surge Capacity shelters include double interlocking air berms with inflation ports at each end, F-INSULCAN double insulated canopies, F-FLDS integral closed air duct 'plenum' system, F-STRSCR Polypropylene Strip Screens' for bump thru entry/exit w. minimal air flow disruption in man door areas. All surge shelters are designed to connect the isolation shelter to a central 'hub' shelter in the middle via double sided HD Velcro attachment points around the supplied four full man entry doors (1 on ea. side and one on ea. end) from each surge capacity patient shelter unit. Thus like size shelters can be attached end to end or side to side via the supplied side man doors	\$56,170.00	new lower price 04/2
F-SCSS7500-IS-SP	F-SCSS7500IS configured as 16 patient shelter (50 sq ft. private rooms) as above w. 40" Center aisle w. 2 F-CD56 w. over-lapped entry slits to ea. room, 14 F-CDC56A pre-strung cross divider curtains to make 16 rooms, 2 F-SD full H side man doors, 2 F-STRSCR strip screens over side man doors, 4 F-FL10 hanging HD Male velcro flanges to connect shelters end to end or side to side at man doors, approx. 1,225 lbs. - 2 added F-PEIDHD inflator deflators. All Surge Capacity shelters include double interlocking air berms with inflation ports at each end, F-INSULCAN double insulated canopies, F-FLDS integral closed air duct 'plenum' system, F-STRSCR Polypropylene Strip Screens' for bump thru entry/exit w. minimal air flow disruption in man door areas. All surge shelters are designed to connect the isolation shelter to a central 'hub' shelter in the middle via double sided HD Velcro attachment points around the supplied four full man entry doors (1 on ea. side and one on ea. end) from each surge capacity patient shelter unit. Thus like size shelters can be attached end to end or side to side via the supplied side man doors	\$69,450.00	new lower price 04/2

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-SCSS7500-IS-24	F-SCSS7500IS configured as 24 patient shelter (31 sq ft. private rooms) as above w. 40" Center aisle w. 2 F-CD56 w. over-lapped entry slits to ea. room, 24 F-CDC56A pre-strung cross divider curtains to make 24 rooms w. a 35 sq ft storage space, 2 F-SD full H side man doors, 2 F-STRSCR strip screens over side man doors, 4 F-FL10 hanging HD Male velcro flanges to connect shelters end to end or side to side at man doors, approx. 1,325 lbs. - 2 added F-PEIDHD inflator deflators	\$74,280.00	new lower price 04/2
F-SCSS9018-IS	Approx. 30' W X 50' L X 13' H – Shelter only w. double door 'airlock', 1500 sq. Ft. 1,320 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, zippered connector flaps on each end to attach one unit to another	\$93,560.00	new lower price 04/2
F-SCSS10800-IS	Approx. 37' W X 50' L X 13' H – Shelter only w. double door 'airlock', 1850 sq. Ft. 1,629 lbs., full velcro closure air vents, clear vinyl windows, HVAC Air ducts w. tie closures, zippered connector flaps on each end to attach one unit to another. **See key options in shelter accessories areas on pages 5/7 *Other sizes and scalable configurations available on a P.O.A. basis. These are fully integrated shelter systems. FSI also offers a complete range of accessories to outfit these shelter systems -- FSI will design a complete surge capacity system on demand to include all recommended appropriate AC, air heat, decon showers, toilets, etc. as in the FSI Small, Medium, and large Surge Capacity Systems above.	\$96,070.00	new lower price 04/2
SURGE CAPACITY/FIELD HOSPITAL SHELTER SYSTEMS MEDICAL SUPPORT SYSTEMS			
F-EA500A	Portable operating room table of medical grade stainless steel, molded body support tray to contain all fluids, folds flat, adj. from 21" - 32" H with 4 locking caster wheels, 80" L X 31" W, 55 lbs., wt. cap. 500 lbs., FDA Medical device # D037122	\$2,720.00	
F-TT-CACHE60	60 person Triage and Trauma product cache w. all necessary equipment for both the patient and healthcare provider for both Triage and Trauma	\$258,750.00	
** Payment terms for surge capacity systems differ from portable systems - If and when sold as a fully configured trailer system with multiple components in various sized trailers - the payment terms are 1/3 at time of order, 1/3 at time final inspection is offered (whether inspected or not), and 1/3 at time of shipment and prior to release to client.			
	FSI strongly recommends the purchase and use of ground sheets with every shower/shelter for maximum protection and longevity		
FSI ISOLATION CHAMBERS			
Patented containment chambers to safely transport victims of bio chem. incidents while protecting care givers from exposure; designed to adapt to all known stretchers.			
F-INPIC-2	ISO Chamber complete with PAPR w. rechargeable battery and charger, creates -negative/positive flow when connected to opt. HEPA air filter system; 8 - 4" W, re-sealable Red colored access ports to allow passage of O2/intravenous tubes from outside to patient; of HD vinyl materials, full head to foot HD Zipper; 7 flexible plastic arches for structural support; 2" W belt system w. 4 hand grips on ea. side to lift patient in chamber and/or to fasten chamber to stretcher/bed; 12 air exc./hr.; approx 77" L X 28"W X 19" H, Wt. approx. 11 lbs.; store size in supplied carry bag approx. 20" L X 27" W X 8" H	\$3,890.00	
F-INPIC-4	ISO Chamber complete with PAPR w. D cell Alkaline Batteries, creates -negative/positive flow when connected to opt. HEPA air filter system; 8 - 4" W, re-sealable Red colored access ports to allow passage of O2/intravenous tubes from outside to patient; of HD vinyl materials, full head to foot HD Zipper; 7 flexible plastic arches for structural support; 2" W belt system w. 4 hand grips on ea. side to lift patient in chamber and/or to fasten chamber to stretcher/bed; 12 air exc./hr.; approx 77" L X 28"W X 19" H, Wt. approx. 11 lbs.; store size in supplied carry bag approx. 20" L X 27" W X 8" H	\$3,780.00	
F-INPIC-1	F-INPIC replacement ISO chamber only - no pumps, filters, other	\$2,560.00	
F-INPIC-3	ISO Chamber complete with PAPR w. rechargeable battery and charger, creates -negative/positive flow when connected to Identical to CBRN filters; 8 - 4" W, re-sealable Red colored access ports to allow passage of O2/intravenous tubes from outside to patient; of HD vinyl materials, full head to foot HD Zipper; 7 flexible plastic arches for structural support; 2" W belt system w. 4 hand grips on ea. side to lift patient in chamber and/or to fasten chamber to stretcher/bed; 12 air exc./hr.; approx 77" L X 28"W X 19" H, Wt. approx. 11 lbs.; store size in supplied carry bag approx. 20" L X 27" W X 8" H	\$5,690.00	
F-INPIC-5	ISO Chamber complete with PAPR with Lithium batteries, creates -negative/positive flow when connected to opt. HEPA air filter system; 8 - 4" W, re-sealable Red colored access ports to allow passage of O2/intravenous tubes from outside to patient; of HD vinyl materials, full head to foot HD Zipper; 7 flexible plastic arches for structural support; 2" W belt system w. 4 hand grips on ea. side to lift patient in chamber and/or to fasten chamber to stretcher/bed; 12 air exc./hr.; approx 77" L X 28"W X 19" H, Wt. approx. 11 lbs.; store size in supplied carry bag approx. 20" L X 27" W X 8" H	\$4,870.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-INPIC-5A	ISO Chamber complete with PAPR w. D cell Alkaline Batteries, creates -negative/positive flow when connected to CBRN type air filter system; 8 - 4" W, re-sealable Red colored access ports to allow passage of O2/intravenous tubes from outside to patient; of HD vinyl materials, full head to foot HD Zipper; 7 flexible plastic arches for structural support; 2" W belt system w. 4 hand grips on ea. side to lift patient in chamber and/or to fasten chamber to stretcher/bed; 12 air exc./hr.; approx 77" L X 28"W X 19" H, Wt. approx. 11 lbs.; store size in supplied carry bag approx. 20" L X 27" W X 8" H	\$4,990.00	
F-INPIC-6	ISO Chamber complete with PAPR w. Lithium Batteries, creates -negative/positive flow when connected to CBRN type air filter system; 8 - 4" W, re-sealable Red colored access ports to allow passage of O2/intravenous tubes from outside to patient; of HD vinyl materials, full head to foot HD Zipper; 7 flexible plastic arches for structural support; 2" W belt system w. 4 hand grips on ea. side to lift patient in chamber and/or to fasten chamber to stretcher/bed; 12 air exc./hr.; approx 77" L X 28"W X 19" H, Wt. approx. 11 lbs.; store size in supplied carry bag approx. 20" L X 27" W X 8" H	\$5,690.00	
F-INPIC-GP	Special glove to attach to Isolation Chamber access port	\$210.00	
F-INPIC-MP	F-INPIC membrane port - alum. casing 5.5", natural rubber 1/16", screwable to 4" Flange	\$280.00	
F-INPIC-T620	Type 620 NBC Draeger type filter, guards against A2, B2, E2, K2, Hg-P3 - per filter for F-INPIC units	\$90.00	
F-INPIC-C2A1	Nato Style filter 40 mm for F-INPIC units	\$90.00	
F-INPIC-CBRN	CBRN rated filter 40 mm Nato Style for F-INPIC units	\$230.00	
F-INPIC-RCHG	Universal battery charger for F-INPIC PAPR rechargeable batteries for USA, Europe, Asia	\$430.00	
F-INPIC-LRCHG	F-INPIC PAPR 3 Lithium battery Pack	\$490.00	
F-T	Full service Training session – priced per day	\$1,920.00	
BP™ Series ROUND AIR INFLATABLE DECON POOLS/TANKS			
	Inflator deflator not supplied		
BP1540	Round Inflatable Decon Pool 5' diameter X 8" H	\$870.00	
BP1550	Round Inflatable Decon Pool 5' diameter X 12" H	\$1,000.00	
BP1560	Round Inflatable Decon Pool 5' diameter X 16" H	\$1,150.00	
BP2040	Round Inflatable Decon Pool 7' diameter X 8" H	\$1,040.00	
BP2060	Round Inflatable Decon Pool 7' diameter X 16" H	\$1,420.00	
BP2540	Round Inflatable Decon Pool 9' diameter X 8" H	\$1,500.00	
BP1280	Round Inflatable Decon Pool 12' diameter X 12" H	\$2,050.00	
BP™ SERIES ROUND INFLATABLE DECON POOL/TANK LINERS			
BP-1540 1550 1560 - DIL	inner liners - disposable for BP1540 5 ft dia. X 8" and BP1550 decon pools 5 ft X 12" as above	\$490.00	
BP-2040 2060-DIL	inner liners - disposable for BP2040 7 ft dia. X 8" and BP2060 decon pools 7 ft X 16" as above	\$720.00	
BP-2540-DIL	inner liner - disposable for BP2540 9' dia. X 8"	\$780.00	
BP-1280-DIL	inner liner - disposable for BP1280 12' dia. X12"	\$840.00	
FSI Round 'Onion Style' DAP series Decon Holding Pools			
DAP-ST5000NT	FSI Round 'Onion Style' DAP series Decon Holding Pools. Supplied with lid and 2" fill port as standard, compact, easy to use and store, tank expands as water enters pool. Round, Multi use, strong and durable, no assembly required, not for potable water, chemicals or fuel.500 gallon 1890 liter pool	\$3,520.00	
DAP-ST10000NT	FSI Round 'Onion Style' DAP series Decon Holding Pools. Supplied with lid and 2" fill port as standard, compact, easy to use and store, tank expands as water enters pool. Round, Multi use, strong and durable, no assembly required, not for potable water, chemicals or fuel.1000 gallon 3780 liter pool	\$4,540.00	
DAP™ SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS			
	Inflator deflator not supplied		
DAP448	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 4' X 4' X 8" H 75 gal 1100 Dtex denier. Inflator deflator not supplied	\$690.00	
DAP448-EC	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS ECONOMY 4' X 4' X 8" H 75 gal decon pool with single inflation deflation valve, no overpressure valve, no carry sleeve, lightweight 600 Dtex denier, limited use/disposable	\$280.00	
DAP4414	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 4' X 4' X 14" H 135 gal 1100 Dtex denier. Inflator deflator not supplied	\$860.00	
DAP4414-EC	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS ECONOMY 4' X 4' X 14" H 135 gal decon pool with single inflation deflation valve, no overpressure valve, no carry sleeve, lightweight 600 Dtex denier, limited use/disposable	\$460.00	
DAP468	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 4' X 6' X 8" H 110 gal 1100 Dtex denier Inflator deflator not supplied	\$820.00	
DAP488	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 4' X 8' X 8" H 150 gal 1100 Dtex denier. Inflator deflator not supplied	\$950.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
DAP488-EC	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS ECONOMY 4' X 8' X 8" H 150 gal decon pool with single inflation deflation valve, no overpressure valve, no carry sleeve, lightweight 600 Dtex denier, limited use/disposable. Inflator deflator not supplied	\$410.00	
DAP4108	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 4' X 10' X 8" H 150 gal 1100 Dtex denier. Inflator deflator not supplied.	\$1,120.00	
DAP668	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 6' X 6' X 8" H 175 gallons 1100 Dtex denier. Inflator deflator not supplied	\$1,080.00	
DAP4128	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 4' X 12' X 8" H 225 gal 1100 Dtex denier. Inflator deflator not supplied.	\$1,410.00	
DAP6128	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 6' X 12' X 8" H 335 gal 1100 Dtex denier. Inflator deflator not supplied.	\$1,560.00	
DAP1010	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 10' X 10' X 8" H 510 gal. 1100 Dtex denier. Inflator deflator not supplied.	\$1,970.00	
DAP1016	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 10' X 16' X 8" H 510 gal. 1100 Dtex denier. Inflator deflator not supplied.	\$2,240.00	
DAP1414	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 14' X 14' X 8" H 1000 gal. 1100 Dtex denier. Inflator deflator not supplied.	\$2,570.00	
DAP1515	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 15' X 15' X 8" H 1125 gal. 1100 Dtex denier. Inflator deflator not supplied.	\$2,710.00	
DAP816	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 8' X 16' X 8" H 680 gal. 1100 Dtex denier. Inflator deflator not supplied.	\$3,250.00	
DAP820	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 8' X 20' X 8" H 800 gal. 1100 Dtex denier. Inflator deflator not supplied.	\$3,830.00	
DAP1020	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 10' X 20' X 8" H 1020 gal. 1100 Dtex denier. Inflator deflator not supplied.	\$3,940.00	
DAP14248	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 14' X 24' X 8" H 1550 gal 1100 Dtex denier. Inflator deflator not supplied.	\$4,060.00	
DAP20208	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 20' X 20' X 8" H 1850 gal 1100 Dtex denier. Inflator deflator not supplied.	\$4,790.00	
DAP21268	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 21' X 26' X 8" H 2515 gal 1100 Dtex denier. Inflator deflator not supplied.	\$6,650.00	
DAP22428	DAP SERIES RECTANGULAR AIR INFLATABLE DECON POOLS/TANKS 22' X 42' X 8" H 4275 gal 1100 Dtex denier. Inflator deflator not supplied.	\$7,880.00	
DAP7138OE	FSI Open End "U" Shaped Decon Containment Berm. Dim -7ft X 13 ft pool X 8". The open section is one of the 13ft sides. Inflator deflator not supplied.	\$1,860.00	
	DAP™ DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS		
DAP448-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 4' X 4' X 8" H 75 gal	\$300.00	
DAP488-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 4' X 8' X 8" H 150 gal	\$480.00	
DAP668-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 6' X 6' X 8" H 175 gallons	\$570.00	
DAP4128-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 4' X 12' X 8" H 225 gal	\$640.00	
DAP1010-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 10' X 10' X 8" H 510 gal	\$720.00	
DAP1414-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 14' X 14' X 8" H 1000 gal.	\$810.00	
DAP1515-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 15' X 15' X 8" H 1125 gal.	\$810.00	
DAP820-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 8' X 20' X 8" H 800 gal.	\$810.00	
DAP1020-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 10' X 20' X 8" H 1020 gal.	\$810.00	
DAP6128-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 6' X 12' X 8" H 335 gal	\$810.00	
DAP14248-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 14' X 24' X 8" H 1550 gal	\$2,120.00	
DAP20208-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 20' X 20' X 8" H 1850 gal	\$2,540.00	
DAP21268-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 21' X 26' X 8" H 2515 gal	\$2,990.00	
DAP22428-DIL	DAP DISPOSABLE INNER LINERS FOR RECTANGULAR AIR INFLATION DECON POOLS/TANKS. 22' X 42' X 8" H 4275 gal	\$6,300.00	
	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS		
	Set up in seconds, no assembly required, 1.5" PVC outlet, frame of resistance welded 7/8" steel, HD PVC Liner, 22 oz. vinyl or XR-5 material.		

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-HMT-180-V	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 4' x 4' x 18" 150 gal / 700 liter material: 22 oz vinyl	\$1,550.00	
F-HMT-180-XR-5	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 4' x 4' x 18" 150 gal / 700 liter material: XR-5 material	\$1,970.00	
F-HMT-300-V	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 5' x 5' x 18" 250 gal / 1100 liter materials: 22oz. Vinyl	\$1,610.00	
F-HMT-300-XR-5	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 5' x 5' x 18" 250 gal / 1100 liter materials: XR-5 Material	\$2,080.00	
F-HMT-CO55-12-V	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 5' x 5' x 12" 187 gal. Combination foam and pop-up side berms Materials: 22oz. Vinyl	\$1,210.00	
F-HMT-CO55-12-XR-5	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 5' x 5' x 12" 187 gal. Combination foam and pop-up side berms Materials: XR-5	\$1,210.00	
F-HMT-360-V	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 4' x 8' x 18" 300 gal / 1300 liter materials: 22 oz. vinyl	\$1,680.00	
F-HMT-360-XR-5	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 4' x 8' x 18" 300 gal / 1300 liter materials: XR-5 Material	\$2,310.00	
F-HMT-540-V	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 4' x 12' x 18" 450 gal / 2000 liter Materials: 22 oz. vinyl	\$1,740.00	
F-HMT-540-XR-5	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 4' x 12' x 18" 450 gal / 2000 liter Materials: XR-5 material	\$2,390.00	
F-HMT-810-V	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 6' x 12' x 18" 675 gal / 3000 liter Materials: 22 oz. Vinyl	\$1,970.00	
F-HMT-810-XR-5	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 6' x 12' x 18" 675 gal / 3000 liter Materials: XR-5 material	\$2,500.00	
F-121812-V	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 12 ft X 18 ft. - lays flat when empty and sides stand up to hold waste water X 12" H with ¾" drains in corners, black in color. Materials: HD 22 oz. coated vinyl	\$2,110.00	
F-121812-XR-5	POP UP RECTANGULAR PORTABLE HAZ MAT DECON POOLS/TANKS. 12 ft X 18 ft. - lays flat when empty and sides stand up to hold waste water X 12" H with ¾" drains in corners, black in color. Materials: XR-5 material	\$2,710.00	
Overspray Liners			
F-1424	Outer overspray waste water containment liners of HD 22 oz. coated vinyl type materials – lays flat when empty and sides stand up to hold waste water X 6" H with ¾" drains in corners, black in color. Approx. 14' X 24'	\$4,720.00	
F-2126	Outer overspray waste water containment liners of HD 22 oz. coated vinyl type materials – lays flat when empty and sides stand up to hold waste water X 6" H with ¾" drains in corners, black in color. Approx. 21' X 26'	\$7,870.00	
F-2242	Outer overspray waste water containment liners of HD 22 oz. coated vinyl type materials – lays flat when empty and sides stand up to hold waste water X 6" H with ¾" drains in corners, black in color. Approx. 22' X 42'	\$9,440.00	
F-2282	Outer overspray waste water containment liners of HD 22 oz. coated vinyl type materials – lays flat when empty and sides stand up to hold waste water X 6" H with ¾" drains in corners, black in color. Approx. 22' X 82'e	\$18,750.00	
Snap up Containment Berms			
F-SU1836-12	FSI Snap up Containment Berms. 12' X 36' X 1' H snap up berm decon pool, weighs approx. 300 lbs., and holds approx. 2500 gall., meets all EPA/SPCC/Storm water regs. - tension reduced corners, fully test proof tested, HD and durable	\$5,910.00	
PORTABLE STORAGE TANK FOR DRAFTING/LIQUID STORAGE/OTHER			
F-1500-101030	PORTABLE STORAGE TANK FOR DRAFTING/LIQUID STORAGE/OTHER - Ideal for storing large amounts of liquid in a limited space; fabricated of a 22oz reinforced PVC tank liner. Heat sealed to give strong durable watertight seams - in a compact folding frame with open access; frame of marine grade aluminum; stores compactly yet quickly deployed; when set up is approx. 10' L X 10' W X 30" H -holds approx. 1,500 gallons of fluid (6,800 litres approx.). The unit collapses/folds up to an approx. 10' L X 11" W X 31" H size. A 2" or other hose outlet/drain if so specified is available.	\$3,580.00	
ECONOMY DECON SHOWER SYSTEMS not ANSI # 113 compliant			
F-ES56125	1/2 gallon per minute economy shower with hot water - complete with 8' hose and shower head, propane powered (disposable 16 oz. propane tank); 4 'D' cell batteries needed (not incl); adj. to 100 degrees F w. push button start instant hot water heater; 4' X 4' X 6.5' H open air full wrap around privacy curtain with privacy entry/exit slit; 4 gallon storage case for holding water; shower pole; and garden hose adapter supplied. Supplied w. 4 ft X 4 ft X 8" H pneumatic economy decon Pool (P-EID small inflator deflator is not supplied and is extra). NOT ANSI # 113 COMPLIANT	\$2,250.00	
F-TM6000	First Responder Tactical Haz mat Decon Shower w. approx. 50 gallon holding cap. platform, 1 - 55 gallon bladder, 1 - 12' X 14' ground tarp, 1 - 7 gpm gross rinse and spray wand shower system, 2 - 25' L of F-GH25 hose, No curtain/carry bag. Weighs approx. 90 lbs complete, 52" X 57" X 6" H	\$1,760.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-HM6010	The F-TM6000 as above complete w. curtain attachment and second 55 gallon bladder No carry bag. Weighs approx. 125 lbs. 52" X 61" X 6" H	\$3,750.00	
	No carry bag. Weighs approx. 125 lbs. 52" X 61" X 6" H		
F-TMHMCB	Carry bag for F-TM6000/F-HM6010	\$390.00	
F-NA6020	Non-ambulatory decon shower for single victim decon, 2 platforms to lie victim on, 1 = 26" X 26" X 6" H and 2 = 52" L X 26" W X 6" H, 1 - 55 gall. Bladder, 1 - 8' X 8' tarp, 1 - approx. 7 gpm spray wand only, 1 F-GH25 3/4" hose only, no curtain/carry bag weighs approx. 72 lbs.	\$1,270.00	
F-EM-182	Hazmat Decon Spray Hoop (2 piece)	\$1,450.00	
F-EM-183	Hazmat Decon Spray Hoop (4 piece)	\$1,670.00	
F-EM18-SB4	Storage Bag for Hazmat Decon Spray Hoops (2/4 piece)	\$620.00	
F-EM-184	Hazmat Decon Waste Pool	\$1,050.00	
	F-EM 182/183 Constructed of durable, lightweight, corrosion free aluminum pipe and tube.		
F-99000X	FSI-RS490 Shower kit complete, w. 5' X 5' catch basin framework, shower stand, spray wand, chem. resistant DuPont® Responder® fabric catch basin, PVC protective pad, deluxe carry case, 25 lbs. CURTAIN NOT INCLUDED	\$2,250.00	
F-99010X	FSI-RS491 Curtain attachment complete w. PVC framework, Responder® fabric curtain, carry case, 25 lbs.,	\$1,720.00	
ACCESSORIES FOR ALL FSI DECON SHELTER/SHOWER SYSTEMS			
WATER HEATING SYSTEMS			
	*All flow rates/heating capability are theoretical only using OEM supplied		
	information. FSI is not responsible for discrepancies/errors/etc.		
FSI Heat 200A	FSI Heat 200A Multi-Fuel Water Heater is a wheeled cart like unit - 440,000 btu, 14 gpm/56 LPM total flow rate, multi fuel capable (diesel # 1, 2, JP4, JP8, home heat oil, kerosene), portable water heater. It includes a Hot/Cold water mix valve with built in anti-scald mechanism, 3 – GHT water outlet with shutoff valves, in-line analog temperature gauge, and an attachment to hold a 7.5 gallon/30 L container for fuel. Max temperature: 210° F/99° C; Power requirement: 115V/1 Ph/60 Hz, 15 amps (also available in 220V models); Water Input connection: Single 1/2"/13 mm GHT; Water output connection; Weight: 330LBS/150 Kg.; Fuel: Diesel# 1 or 2, JP4, JP8, Home Heating Oil, Kerosene. certified to the ETL listed standard and certified to the CAN/CSA STD B140.11. Options: Booster pump also offered P.O.A. 10ft fuel line extension to allow connection to an external fuel source – priced P.O.A.	\$8,510.00	
FSI Heat 200ASM	FSI Heat 200A skid mounted only for permanent installation in DAT15T/DAT22T/other; 19" X 19" X 48" H; Weight = approx. 320 lbs. (150Kg) 440,000 btu, 14 gpm/56 LPM total flow rate, multi fuel capable (diesel # 1, 2, JP4, JP8, home heat oil, kerosene), portable water heater. It includes a Hot/Cold water mix valve with built in anti-scald mechanism, 3 – GHT water outlet with shutoff valves, in-line analog temperature gauge, and an attachment to hold a 7.5 gallon/30 L container for fuel. Max temperature: 210° F/99° C; Power requirement: 115V/1 Ph/60 Hz, 15 amps (also available in 220V models); Water Input connection: Single 1/2"/13 mm GHT; Water output connection: 3 - 3/4"/19 mm GHT outlets w. shutoff valves.; Fuel: Diesel# 1 or 2, JP4, JP8, Home Heating Oil, Kerosene. certified to the ETL listed standard and certified to the CAN/CSA STD B140.11	\$6,870.00	
FSI Heat 200	410,000 btu in/350,000 btu output, 14 gpm, multiple fuel (diesel #1 diesel #2 JP4 JP8 Home Heating Oil Kerosene) portable hot water heater, 50 degree F Temperature rise, 115 V/1 Ph/60 Hz, 15 amps, GFCI w. 35' power cable/plug. Single 1/2" NPT inlet X 4 GHT outlets w. shutoff valves, adj. thermostat, temp. limit switch, pressure switch, indicator lite, pressure relief valve/rupture disc, two wheel cart, HD 11 Gauge steel, approx. 330 lbs., 31" W X 51" H X 31" L Attached fuel tank also offers a disconnect to connect to customer supplied fuel source. Additional fittings supplied for use with optional FSI Heat 201/202 Detergent Injectors		DISC. 03/09
F-HOTBOX 200	Heating capacity at 30 degrees C. of approx. 790 gal/hour heated water in just seconds. Max. incoming H2O pressure is 120 psi (8 bar). Dim. approx. 16" L X 24" W X 38" H (40 cm L X 60 cm W X 96 cm H) Wt. approx. 170 lbs. (78 Kg) * <1 KW Generator needed.	\$12,940.00	
FSI HEAT 200S	Stove pipe double walled stack and draft diverter for FSI HEAT 200A as above	\$790.00	
F-HOTBOX 200S	Stove pipe stack and cap for PLYHEAT/HOTBOX 200/300 as above	\$1,300.00	
F-ZHTWH	# 5150 Water Heating System, portable wheeled, 70,000 BTU propane powered unit complete, 49 lbs./22 Kg w. cart, adjustable temperature controls, 13" L X 12" W X 40" H/33 X 30 X 101 cm, approx. 2.0 gpm/120 gallons per hour (8 litres/480 lph) of heated water FSI does not recommend for use with other than the smallest DAT1010S unit. Can increase water temp. by 50-70 degrees F	\$3,380.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-Z100WH	# 5170 Pro-100 Water Heating System, portable wheeled, 105,000 + BTU propane powered unit, 65 lbs./30 Kg w. cart. 14" L X 13" W X 40" H/35 X 33 X 101 cm, approx. Approx. 5.0 gpm/300 gallons per hour (20 lpm/1,200 lph) of heated water FSI does not recommend for use with other than the smaller DAT® series showers such as the DAT®1010S/2020S/2525S/26265S. For larger FSI DAT® series units FSI recommends multiple F-Z100WH units or the purchase of the larger capacity FSI heat 200 water heater. If purchased for use with larger capacity FSI DAT® series showers with more than one water inlet, FSI strongly recommends the purchase of the F-Z5191 extra hose as below. Can increase water temp. by 50-70 degrees F	\$4,060.00	
F - Z5191	25 ft of hose with shower nozzle & nozzle quick connection to F-ZHTWH/F-Z100WH	\$430.00	
PORTABLE SINK SYSTEMS			
F-SSINK	Portable sink offering drinking water as well. 110V, 15 amp, 44" X 29" X 19", 60 lbs., water heater preset at 110 degrees F and holds 2.5 gallons, just add a 5 gallon water bottle and commence use almost anywhere.	\$2,250.00	
F-SSINK-EB	Empty 5 gallon bottles for the F-SSINK	\$40.00	
F-PFAD-SS339	FSI PortaFlo portable triple basin 'gang type' sink system, hot and cold running water, 5 gallon fresh water tank/6 gallon waste water tank, highly durable, stainless sinks, approx. 85 lbs., 17.5" W X 26" L X 39" H; 4 caster wheels with safety locks	\$5,630.00	
PORTABLE TOILET SYSTEMS			
F-PAS12	FSI Portable Toilet System-lightweight and compact portable toilet kit with waste water tank. Easily fits in confined spaces. Ideal to use during emergency or disaster scenarios where bathroom facilities are unavailable. It connects to any water source using a standard garden hose. Built in waste pump moves waste through a 1" hose and into a 50 gallon tank placed outside the shelter or privacy tent. Package weight: Approx 60LBS; Toilet Dimensions: Height-15", Length-14", Width-6.5"; Base Dimensions: Length-36", Width-36", Height-1"; Water usage: Approx 1 pint per flush; Power requirement: 110 or 240V	\$2,900.00	
F-PAS12-PLB	PLUMBING FOR F-PAS12 OR F-SSINK	\$180.00	
WATER FILTRATION PURIFICATION SYSTEMS			
Portable water purification systems for all but salt water. F-FW series systems offer a sediment filter/.5 micron carbon filter/UV light			
	saturated 2X thus offering exceptional microbiological cleaning of the water		
F-FWRES-SS	Up to 1.0 gpm portable water purifier solar powered or use external battery, self prime, single tube, double pass, 20 ft. 12V ext. cord, 3/8" flexible inlet/outlet tubing, cigarette lighter plug adapter, 49 lbs., 9" H X 20" L X 17" W	\$9,850.00	
F-FWRES-BNS	Up to 1.0 gpm portable water purifier for with use external battery, self prime, single tube, double pass, 20 ft. 12V ext. cord, 3/8" flexible inlet/outlet tubing, cigarette lighter plug adapter, 9" H X 20" L X 17" W - NO solar power. Wt. 35 lbs.	\$9,060.00	
F-FWRES-TNS	Up to 1.0 gpm portable water purifier for with use external battery, self prime, single tube, double pass, 20 ft. 12V ext. cord, 3/8" flexible inlet/outlet tubing, cigarette lighter plug adapter, 9" H X 20" L X 17" W - NO solar power. Wt. 35 lbs. - TRUCK MOUNTED	\$8,610.00	
F-FWRES-RDK	Replacement Parts Kit for the F-FWRES series of portable water purifiers above. 1 per every 5 F-FWRES units recommended - includes 3 re-useable ditch filters, 2 - .50 micron pre-filters, and 2 carbon block .50 micron post filters	\$1,380.00	
F-FWOUT12	12 gpm portable water purifier, wheeled unit w, lift handles and frame, self prime, single tube, double pass, 20 ft. 12V ext. cord, 3/8" flexible inlet/outlet tubing, cigarette lighter plug adapter, 75 lbs., 24" H X 30" L X 27" W	\$30,040.00	
F-FWOUT12-RPK	Replacement Parts Kit for the F-FWOUT12 portable water purifier above. 1 per each 3 F-FWOUT12 units recommended - includes 3 re-useable ditch filters, 2 - .50 micron pre-filters, and 2 carbon block .50 micron post filters	\$3,660.00	
DETERGENT INJECTION SYSTEMS			
	*All flow rates are theoretical only using OEM supplied information. FSI is not responsible for discrepancies/errors/etc.		
FSI Heat 201	Dema Style Detergent Inducer w. filter for use with FSI Heat 200/200A or other water heaters .2 - 2% induction %	\$1,580.00	
FSI Heat 202	Dema/Dosmatic Style Detergent Inducer w. filter for use with FSI Heat 200/200A or other water heaters 3% - 10% induction % / dosing range	\$1,860.00	
P-PLYHEAT 201	Detergent inducer for use only with Plyheat 300 water heater, .2 - 2% induction	\$3,380.00	
FSI Heat 201C	Portable Wheeled Cart w. Dosatron Style 0.2 - 2% Detergent Inducer and filter for use with all Decon water heating systems	\$3,380.00	
F-HSP	4 gallon poly tank, decontamination hand sprayer with 48" hose and 18" wand w. brass adjustable cone nozzle -- 40-90 psi operating pressure	\$370.00	
F-MD2000D	Modular Mass Casualty Decontamination System Diesel 2000 Thermal Performance: 350,000 BTU Output: 19 gpm; 1,140 gph Temperature: Adjustable via thermostatically controlled anti-scald valve.	\$32,070.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
FLUID TRANSFER/WASTE PUMPS			
	*All flow rates are theoretical only using OEM supplied information.		
	FSI is not responsible for discrepancies/errors/etc.		
F-3316152FTP	Manual Fluid Transfer pump, poly construction w. dipstick & adapters for filling and draining tanks -- also inflates smaller decon pools etc.		\$130.00
F- WSP33AA	1/4 HP electric submersible WASTE PUMP, auto start, plastic case, thermal auto reset 30 gpm		\$650.00
F - BPWP	12V battery powered waste pump complete w. 3' wire to attach to 12V battery (not included), 1,500 GPH, uses 1 1/8" hose		\$240.00
F-SF294713-HD	FSI HIGH CAPACITY Transfer Pump -115-volt motor and fiberglass-reinforced thermoplastic pump housing, pre-wired pressure switch, self primes after the housing is initially filled with water. Discharge Flow 0 ft. @ 40 PSI= 11GPM660; Discharge Flow 15 ft. @ 40 PSI=8.2GPM; Discharge Flow 25 ft. @ 40 PSI=5.1GPM. Product Depth (in.) : 11, Product Height (in.) : 9.875, Product Weight (lb.) : 26, Product Width (in.) : 22.5		\$840.00
BROWN WATER HOLDING TANKS			
F - 300 BT	300 gallon bladder tank with attachments to spec.		\$910.00
F - 500 BT	500 gallon bladder tank with attachments to spec.		\$1,160.00
F-HD150BT	150 Gal. hd Bladder Tank, approx. 4' X 6' to spec. of HD 30 Mil XR-5 materials, w. fill/drain fitting adapter with 1-1/2-inch Iron Pipe Threads		\$800.00
F-HD300BT	Heavy Duty 300 Gallon Bladder Tank to spec. of HD 30 Mil XR-5 materials, approx. 6' X 7' W. fill/drain fitting adapter with 1-1/2-inch Iron Pipe Threads		\$1,550.00
F-HD600BT	Heavy Duty 600 Gallon Bladder Tank of HD 30 Mil XR-5 materials, approx. 10.5' x 7' W. fill/drain fitting adapter with 1-1/2-inch Iron Pipe Threads		\$1,920.00
F-HD1200BT	Heavy Duty 1200 Gallon Bladder Tank of HD 30 Mil XR-5 materials, approx. 12.5' X 9.5' W. fill/drain fitting adapter with 1-1/2-inch Iron Pipe Threads		\$6,080.00
F-HD2000BT	Heavy Duty 2000 Gallon Bladder Tank of HD 30 Mil XR-5 materials, approx. 12' X 13' W. fill/drain fitting adapter with 1-1/2-inch Iron Pipe Threads		\$7,320.00
HEAVY DUTY POTABLE WATER BLADDER TANKS			
F-HD25BTPW	FSI 25 GAL Potable Water Bladder Tank with carry handles. Made with HD XR-5 material. NSF 61 potable H2O approved fabric		\$570.00
F-HD150BTPW	150 Gal. Bladder Tank, approx. 4' X 6' 8130 XR-5 NSF 61 potable H2O approved fabric		\$800.00
F-HD500BTPW	500 Gal. Bladder Tank, Approx. 9' X 7' 8130 XR-5 NSF 61 potable H2O approved fabric		\$3,100.00
F-HD1000BTPW	Heavy Duty 1000 Gal. Bladder Tank, approx. 11' X 9' 8130 XR-5 NSF 61 potable H2O approved fabric		\$5,910.00
F-HD1500BTPW	Heavy duty 1500 Gal. Bladder Tank, approx. 13' X 11' 8130 XR-5 NSF 61 potable H2O approved fabric		\$6,750.00
F-HD3500BTPW	Heavy Duty 3500 Gal. Bladder Tank, approx. 13' X 11' 8130 XR-5 NSF 61 potable H2O approved fabric		\$10,299.00
F-HD5000BTPW	Heavy Duty 5,000 Gal. Bladder Tank of HD 8130 XR-5 NSF 61 potable H2O approved fabric		\$18,570.00
F-HD5500BTPW	Heavy Duty 5,500 Gal. Bladder Tank, approx. 13' X 11' 8130 XR-5 NSF 61 potable H2O approved fabric		\$19,000.00
F-HD10000BTPW	Heavy Duty 10,000 Gal. Bladder Tank of HD 8130 XR-5 NSF 61 potable H2O approved fabric		\$30,940.00
F-HD22000BTPW	Heavy Duty 22,000 Gal. Bladder Tank of HD 8130 XR-5 NSF 61 potable H2O approved fabric		\$34,999.00
F-HD25000BTPW	Heavy Duty 25,000 Gal. Bladder Tank of HD 8130 XR-5 NSF 61 potable H2O approved fabric		\$52,880.00
F-HD50000BTPW	Heavy Duty 50,000 Gal. Bladder Tank of HD 8130 XR-5 NSF 61 potable H2O approved fabric		\$108,010.00
Heavy Duty Chemical/Fuel Containment Bladder Tanks			
F-HDCF2000	Heavy Duty Chemical/Fuel Containment Bladder Tanks. 2,000 gallon XR-5 heavy duty 30 oz. fabric chemical/fuel containment bladder tank. 'A' rating for long term storage of hazardous materials such as Ethanol/50 % caustic/sulphuric acid/sodium bisulfate		\$7,850.00
DECONTAMINATION CLEANING AGENTS			
PTI25-1L	Petrotech cleaning and degreasing spill control product		\$80.00
PTI25-4L	Petrotech - four pack of quarts of the above		\$300.00
PTI25-5G	Petrotech five gallon pail as above		\$960.00
PTI25-55G	Petrotech fifty - five (55) gallon drum as above		\$12,380.00
RSCD-1L	Radicate - Stabilized liquid chlorine dioxide heavy duty cleaner		\$80.00
RSCD-4L	Radicate - FOUR PACK OF Quarts AS ABOVE		\$300.00
COMBO AIR HEAT AIR COOL AIR FILTRATION OTHER UNITS			
*All heating/cooling other capabilities are theoretical only using OEM supplied information.			

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
	FSI is not responsible for discrepancies/errors/etc. Humidity/Ducting methods/elevation/power supply/et. al. may affect actual product in operation. As a very rough rule of thumb 1 Ton/12,000 Btu of AC/Heat is required per 100 sq ft. of shelter.		
F-EMAT3T	Portable quadruple combination AC/Air Heat/HEPA/UVGI air filtration system/Ozone post event decontamination of shelters - ideal for surge capacity systems. HEPA filtration 99.99 % @ 0.3 micron/99.97 % at 0.1 micron, 18" X 24" X 12" - 1,100 CFM, 5,000 cubic ft. normal filter loading. AC = 36,000 BTU. Air heat = 68,000 BTU. Post event Ozone Decon. Manual positive or negative pressure control. Includes (3) 20' power cables, 220V, (2) 14" X 8' Lengths of HD ducting. 15 air changes per hr., approx. 400 lbs., 45" X 28" X 48". These units utilize an Air Safety Process which captures, contains and neutralizes all air borne bio-aerosols while providing climate control. These units can supply heating, cooling, HEPA filtration, UVGI, positive pressure (collective protection), negative pressure (medical isolation), continuous monitoring of isolation area and in one unit. The F-EMAT3T meets and exceed CDC guidelines for infectious isolation requirements. HEPA filtration is an acceptable means to filter radioactive particulates from the air. Create POSITIVE PRESSURE inside shelters, buildings and most enclosures and create a FRESH air environment.	\$47,250.00	
F-EMAT5T	Portable quadruple combination AC/Air Heat/HEPA/UVGI air filtration system/Ozone post event decontamination of shelters - ideal for surge capacity systems. HEPA filtration 99.99 % @ 0.3 micron/99.97 % at 0.1 micron, 24" X 24" X 12" - 2,400 CFM, 10,000 cubic ft. normal filter loading. Unit provides 60,000 btu cooling and 94,000 btu heat pump heat with 68,000 btu resistance heat. Post event Ozone Decon. Manual positive or negative pressure control. Includes (3) 20' power cables, 220V, (2) 14" X 8' Lengths of HD ducting. 30 air changes per hr., approx. 500 lbs., 68" X 36" X 68" The F-EMAT5T meets and exceeds CDC guidelines for infectious isolation requirements. These units utilize an Air Safety Process which captures, contains and neutralizes all air borne bio-aerosols while providing climate control. These units can supply heating, cooling, HEPA filtration, UVGI, positive pressure (collective protection), negative pressure (medical isolation), continuous monitoring of isolation area and in one unit. HEPA filtration is an acceptable means to filter radioactive particulates from the air. Create POSITIVE PRESSURE inside shelters, buildings and most enclosures and create a FRESH air environment.	\$59,070.00	
F-EMAT-5T-RF	Replacement HEPA filters for F-EMAT 3T and 5T Systems - spec. w order (sold each)	\$1,580.00	
F-EMAT3T-100PPC	Additional 100ft primary power cable for F-EMAT3T	\$3,170.00	
F-EMAT37-100APC	Additional 100ft auxiliary power cable for F-EMAT3T	\$3,170.00	
F-EMAT5T-100PPC	Additional 100ft power cable for F-EMAT5T	\$3,170.00	
F-HC-7400	Portable Multi combination AC/Air heat/HEPA air filtration/UVGI decon system. 15,000 CFM 110V/30,000 CFM Air Cool, 9,180 CFM Air Heat, HEPA air filtration 99.99 % @ 0.3 micron, UVGI decon. 46" H X 43" W X 35" D (116 X 109 X 89 cm), 235 lbs. (107 Kg). With 10" (25 cm) air returns, dual HD Ducting, dual high capacity condensers w. fans. Est. capability of 300 sq. ft. or less approx. 110V is standard unless specified 220V at time of order	\$18,570.00	
F- MOB-42HP	Portable combination 42,000 BTU air conditioner and 40,000 BTU Air Heater. Est. only = Heat/cool up to 500 sq ft./5,000 cu. Ft. 208/230-volt, single phase, pulls 26 amps, 1400 CFM, weighs 445 pounds. ** Generator required due to power draw of unit. Dim. 41" H X 57" L X 33" W. Complete with 12" X 25' white ducting, and remote thermostat	\$16,880.00	
F-MOB-60HP	Portable combination 5 TON 60,000 BTU air conditioner and w/ 11 kW Heat Pack = approx. 60,000 BTU Air Heater. 230-volt, single phase, pulls 94 total amps, 1950 CFM, weighs approx. 745 lbs. Est. only = Heat/Cool 900 sq. ft./9,000 cu. Ft. ** Generator required due to power draw of unit. Dim. 46" H X 73" L X 51" W w/o wheels. Stackable/Fork liftable. Complete with 12" X 25' white ducting, and remote thermostat	\$32,630.00	
F-MOB-10TACAH	Combo 10 Ton 126,000 BTU air cooling/115,600 BTU air heat unit, heats & cools 1500 sq ft., single duct, forklift required to move unit, generator needed. Detailed specs. avail. on request	\$54,570.00	
F-RS-CACH7.5	(FSI Combination Air conditioner/heater); at 192 lbs and just 30"H x 26.5"W x 30"D the F-RS-CACH7.5 is easily handled and placed in use by just one or two personnel; complete with a 20' power cord with plug end, a 30' thermostat cord with thermostat controller or on/off control switch located on the unit and two 8' lengths of high quality 12" ducting; formed with 16 gauge sheet steel; with convenient one person pull/push handle integrated into unit. All steel is powder coated in a black textured finish. Locking heavy duty swivel casters are mounted directly to cabinet; 1,000 cfm; 25.5K BTU Heat, 30K BTU AC; 30 amp. draw; 208-230/1/60	\$8,560.00	
F-HC-7000	Combo Portable 10" pneumatic wheeled Air Conditioner and Air Heater unit 110V, 20 amps, 14,000 BTU, cools approx. 300 sq ft. (est. only) with a single 10' L of 8" HD Ducting w. adj. strap, designed for HD outdoor use and applications. The air heater portion is 9,180 BTU, 30 amp - dimensions are 46" H X 22" W X 30" D, approx. 200 lbs.	\$8,440.00	
F-RS-1.4-ECU	FSI Portable ECU 1.4 ton 120/1/60-10amp 17,000 N/A 680 12" 580 lbs 32"H x 30"L x 26.0"W. Unit includes: power cable w/plug end, thermostat controller, thermostat controller cable, ducting (12"X10') and locking casters.		P.O.A.
F-RS-2.5- ECU	FSI Portable ECU (Reduced Size) - 2.5 Ton AC with 25,575 btu resistance heater. Unit includes: power cable w/plug end, thermostat controller, thermostat controller cable, ducting (12"X10') and locking casters. (30 AMP connection required for operation). Approx. 29"H X 59"L X 33"W. 330 LBS	\$10,810.00	
F-DI25HP0105CM	FSI Portable HVAC - 2.5 Ton/30,000btu AC - 30,000 btu Heat Pump/10kw resistance heat. Unit includes: power cable w/plug end, thermostat, thermostat cable and 2 ducting (14" X 8'). 208/230V 30AMP SINGLE PHASE 60HZ. 29"H X 59"L X 33"W. 330LBS **60Hz units will perform when plugged in to 50Hz (at 18% less performance)	\$15,750.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-DI35HP0100CM	FSI Portable HVAC - 3.5 Ton/42,000btu AC - 40,000 btu Heat Pump/10kw resistance heat. Unit includes: power cable w/plug end, thermostat, thermostat cable and 2 ducting (14" X 8'). 208/230V 30AMP SINGLE PHASE 60HZ. 40"H X 56"L X 35"W. 425LBS **60Hz units will perform when plugged in to 50Hz (at 18% less performance)	\$16,090.00	
F-DI40HP0100CM	FSI Portable HVAC - 4.0 Ton/48,000btu AC - 46,000 btu Heat Pump/10kw resistance heat. Unit includes: power cable w/plug end, thermostat, thermostat cable and 2 ducting (14" X 8'). 208/240V SINGLE PHASE 60HZ 35/41AMP. 42"H X 60"L X 34"W. 525LBS. **60Hz units will perform when plugged in to 50Hz (at 18% less performance)	\$24,310.00	
F-DI50HP0100CM	FSI Portable HVAC - 5.0 Ton/60,000btu AC - 60,000 btu Heat Pump/15kw resistance heat. Unit includes: power cable w/plug end, thermostat, thermostat cable and 2 ducting (14" X 8'). 208/240V SINGLE PHASE 60HZ. 52/61AMP. 42"H X 60"L X 34"W. 550LBS **60Hz units will perform when plugged in to 50Hz (at 18% less performance)	\$30,380.00	
AIR HEATING SYSTEMS			
*All heating capabilities are theoretical only using OEM supplied information. FSI is not responsible for discrepancies/errors/etc.			
Humidity/Ducting methods/elevation/ power supply/et. al. may affect actual product in operation. As a very			
rough rule of thumb 1 Ton/12,000 Btu of AC/Heat is required per 100 sq ft. of shelter.			
F-HS	Air Heating System for FSI SHELTERS. "CLIMAT 40A" 136,000 BTU, 110 V, diesel/kerosene/home heating oil fuel powered, with 12" X 25' Heavy Duty Ducting. Requires fuel line supply	\$6,500.00	
F-HST	Air Heating System for FSI SHELTERS. "CLIMAT 40A" 136,000 BTU, 110 V, w. thermostat diesel # 1 and # 2/kerosene/home heating oil fuel powered. W.12" X 25' Heavy Duty Ducting. With built in 10 gallon fuel tank ** will operate on both 50 or 60 Hz with no performance degradation	\$8,330.00	
F-HST400	Air Heating System 'Climat 130' 570,000 Btu, 110V, diesel/kerosene/home heating oil fuel powered, with 12" X 25' Heavy Duty Ducting. The F-HS/F-HST/F-HST400 air heaters are made in Canada and are CSA - UL - ULC approved in US and Canada CAN/CSA-B40.0-M87 - general requirements for oil burning equip. CSA B140.8-1967 Portable industrial oil-fired heaters UL-733 Oil fired air heaters and direct - fired heaters	\$18,850.00	
F-HSHDD	Additional 12/14" X 25' Heavy Duty Ducting for 'Climat 40A' Air Heater	\$790.00	
F-HSWHDD	A Wye complete w. two (2) 25' L of 8" Heavy Duty Ducting to allow for the heating of 2 rooms off one 'Climat 40A'	\$1,580.00	
F-ZHAS	# 5990 Hot Air Heating System, portable wheeled, 70,000 BTU propane powered unit, 64 lbs	\$3,600.00	
F-ZHASC	# 5990 Hot Air Heating System, portable wheeled, 70,000 BTU propane powered unit, 64 lbs, # 5190 Combo 900 CFM Blower/2 - 6' L X 8" dia. air ducts/gear bag for # 5990 Hot Air Sys.	\$5,070.00	
F-ZHASF	# 5198 115V, 900 CFM Forced Air Blower Fan for above # 5990 Hot Air System	\$1,270.00	
F-ZHASD	# 5199 Hot Air Ducting - two (2) 6' L X 8" dia. ducting tubes for # 5990 Hot Air System	\$1,270.00	
F-ZHASFD	# 5190 Combo 900 CFM Blower/2 - 6' L X 8" air ducts/gear bag for # 5990 Hot Air Sys.	\$1,590.00	
F-LVF90A	Oil Indirect fired 90,000 BTU air heater, 120V, 4 amp, 12 gallon tank, 16 hour run time, 530 cfm, output temp. 150 degrees F w. 14" X 15' duct w. clamps and duct adapter ring - heats up to 400 sq ft - approx. 100 lbs.		DISC.
F-HVF110	Oil Indirect fired 110,000 BTU air heater, 120V, 6 amp, 17gallon tank, 22 hour run time, 880 cfm, output temp. 160 degrees F w. 12" X 20' duct w. clamps and duct adapter ring - heats up to 450 sq ft - approx. 100 lbs.; approx. 49" L X 20" W X 31" H; runs on diesel # 1, # 2, kerosene, JP-8, Jet A fuels; easily maneuvered by one person on large pneumatic wheels. The F-HVF110/210/310 are CSA - UL - ULC approved in US and Canada CAN/CSA-B140.0-03 - general requirements for oil burning equip. CSA B140.8-1967 Portable industrial oil-fired heaters	\$4,480.00	
F-HVF180A	Oil indirect fired 180,000 BTU air heater, 120V, 7 amp, 14 gallon tank, 10 hr. run time, 1,475 cfm, output temp. 160 degrees F, approx. 176 lbs., w. 14" X 15' duct w. clamps and duct adapter ring - heats approx. 600 sq ft.		DISC.
F-HVF210	Oil indirect fired 205,000 BTU air heater, 120V, 9 amp, 28 gallon tank, 19 hr. run time, 1,530 cfm, output temp. 160 degrees F, approx. 180 lbs., w. 12" X 20' duct w. clamps and duct adapter ring - heats approx. 650 sq ft.; approx. 57" L X 23" W X 38" H; runs on diesel # 1, # 2, kerosene, JP-8, Jet A fuels; easily maneuvered by one person on large pneumatic wheels	\$6,770.00	
F-HVF300A	Oil indirect fired 290,000 BTU air heater, 120V, 12 amp, 26 gallon tank, 13 hr. run time, 2,650 cfm, output temp. 160 degrees F w. 14" X 15' duct w. clamps and duct adapter ring; approx. 272 lbs. - heats approx. 800 sq ft.		DISC.
F-HVF310	Oil indirect fired 300,000 BTU air heater, 120V, 12 amp, 36 gallon tank, 16 hr. run time, 2,500 cfm, output temp. 160 degrees F w. 18" X 25' duct w. clamps and duct adapter ring; approx. 270 lbs. - heats approx. 800 sq ft.; approx. 69" L X 28" W X 38" H; runs on diesel # 1, # 2, kerosene, JP-8, Jet A fuels; easily maneuvered by one person on large pneumatic wheels	\$7,920.00	
F-WDD1415HD	Additional 14" X 15' Flex Ducting for Air Heater for F-LVF90A, F-HVF180A, F-HVF300A RETURN AIR INTAKE ONLY		DISC.
F-WD12205	Additional 12" X 20' Flex Ducting w. clamps and duct adapter ring for Air Heater for F-HVF110/F-HVF210 RETURN AIR INTAKE ONLY	\$1,240.00	
F-WD1825	Additional 18" X 25' Flex Ducting w. clamps and duct adapter ring for Air Heater for F-HVF310 RETURN AIR INTAKE ONLY	\$1,470.00	
F-ARTWDA	Two way duct adapter to use one unit to duct into 2 shelter ducts or 2 separate shelters for F-HVF210/310 only	\$1,070.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-8347NR	Thermostat to control temperature setting; 5.5"L x 2"W x 1.75"H; Adj. from 30 degrees F to 110 degrees F; Four-post male plug, configured for the thermostat outlet on the heater; 30-foot cord- for models F-HVF110/210/310	\$280.00	
F-EF1	exhaust flue kit; w. rain cap approx. 24" tall	\$150.00	
F-B55T	Kerosene powered, non-vented, air heating unit, External use only	\$950.00	
F-E15	This electric portable air heater is a heavy duty construction heater, 110/120 volt with a built-in thermostat, 32 to 100 degree F scale, w. on/off switch. F-E15 fan generates far more air than 110V heaters. 1500 W 5,100 BTU/HR 116 CFM - not ductable - for inside space heater type use only.	\$790.00	
F-E3	This electric portable air heater is a heavy duty construction heater, 220 volt with a built-in thermostat, 32 to 100 degree F scale, w. on/off switch. 3000W 10,200 BTU/HR 205 CFM - not ductable - for inside space heater type use only.	\$1,020.00	
F-E9	This electric portable air heater is a heavy duty construction heater, 220 volt with a built-in thermostat, 32 to 100 degree F scale, w. on/off switch. 9000 W 30,700 BTU/HR 350 CFM - not ductable - for inside space heater type use only.	\$2,030.00	
F-E40	Ductable electric portable air heater is a heavy duty construction heater, 480V 3-PH with a built-in thermostat, 32 to 100 degree F scale, 133,000 BTU/HR, 1785 CFM w. one (1) 10 ft X 14" ducting supplied 40,000 W	\$6,750.00	
AIR COOLING SYSTEMS			
*All cooling capabilities are theoretical only using OEM supplied information. FSI is not responsible for discrepancies/errors/etc.			
	Humidity/Ducting methods/elevation/ power supply/et. al. may affect		
	actual product in operation. As a very rough rule of thumb 1 Ton/12,000 Btu of AC/Heat is required per 100 sq ft. of shelter.		
F-MOB-10TAC	10 Ton 126,000 BTU air cooling unit, cools 1500 sq ft., single duct, forklift required to move unit, generator needed - detailed specs. avail. on request	\$41,290.00	
F-WCAC-M300	FSI Next generation 12 Volt portable chiller that removes heat and partial humidity from the air. Approx. 19" X 19" X 25" - 20 lbs. w/o water/ice. equal to 8,000 BTU air conditioner with 3.5 amp draw on high/41 amps. Provides approx. 4/5 hours of effective cooling	\$2,430.00	
F-CP36	Portable HD Air Conditioning unit, 36,000 Btu output as third party certified by Intertek Test Labs- an independent outside testing facility similar to UL. This is a wheeled unit, and comes complete with all required inlet and exhaust ducting. * Low temperature operation ideal for cooling * Protected with an AFCI plug for added safety against the unwanted effects of electrical arcing * Offers an optional "Plug and Play" condensate pump that can be installed in just minutes * Operates automatically with easy-to-use programmable controls * Totally self-contained, portable design – Just roll it in. Plug it in. Turn it on. Dim. = 30" X 44" X 52", 540 lb. ship wt.	\$18,680.00	
F-HC-7360	Combo Portable Air Conditioner/Heater. 30,000 BTU., 220V, 20 amps, HD AC unit, 10" (25cm) Pneumatic wheels, in ideal conditions provides basic cooling approx. 400 sq ft. (37 M2) w. single 10' L X 8" (3M X 20cm) Dia. Ducting w. adj. strap, approx. 200 lbs. (76Kg) , 46" H X 22" W X 30" D (1.17 X 0.56 X 0.762 M) The air heater portion is 9,180 BTU, 30 amp .	\$10,750.00	
F-CP26	24,000 BTU 110V air conditioner, programmable, dual 4' cold air nozzles, instantly chills/dehumidifies in ideal conditions an est. 300 + sq. ft.	\$11,250.00	
F-CP26WAFK	Warm air flange kit # 481170-0191 with Warm air flexible duct kit # LAY45771-0060 for use when F-CP26 is to be placed inside shelters	\$370.00	
F-17KRS-AC	FSI Portable Air Conditioning unit. 1.4 Ton, 17,000 BTU, 120V. Wheeled frame mounted with locking casters. Approx weight =189 LBS. Includes thermostat and 12" X 8' ducting.	\$9,000.00	
F-CP14	13,200 BTU true 110V air conditioner, programmable, dual 4' cold air nozzles, approx. 153 lbs., 19" X 26" X 41", instantly chills/dehumidifies in ideal conditions an est. 200 + sq. ft.	\$9,000.00	
F-CP14D	2 - 15' ducting hoses to allow F-CP14/F-CP26 to be ducted into 2 FSI DAT series showers/shelters	\$430.00	
F-CP10	9,600 BTU true 110V air conditioner, programmable, 1 each intake/outtake 6' duct, window kit, operating range of 65-95 degrees F, whisper quiet 50 dB on low, in ideal conditions instantly chills/dehumidifies 150 + sq. ft.	\$7,090.00	
F-PC7	7,000 BTU true 110V AC unit, programmable w. remote, op. range is 65-85 degrees F 84 lbs., 15" X 18" X 33", instantly chills/dehumidifies in ideal conditions an est. 100 sq. ft. area. * The PC7/CP10/CP14/CP36 all have the Btu output third party certified by Intertek Test Labs- an independent outside testing facility similar to UL * The PC7/CP10/CP14/CP36 all come as 110V standard -- these same units will work in 50 Hz 220V or other voltage environs w. just slightly reduced performance by simply replacing the supplied plug w. plug needed for that area	\$1,810.00	
F-WCAC-M300C	Converter for 'Will Cool' above to convert from 12 volt to 110V	\$320.00	
F-RS-2.5-AC	FSI Portable AC Unit (Reduced Size) - 2.5 Ton/30,000 Btu Unit includes: power cable w/plug end, thermostat controller, thermostat controller cable, ducting (12"X10') and locking casters. (30 AMP service required for operation). THIS UNIT IS NOW REPLACED AS OF 01/11 BY THE F-D1-3.0RSS AS BELOW		DISCONTINUED 011
F-DI-3.0RSS	FSI Portable ECU - 3.0 Ton/36,000 Btu Cooling/Heating (heat pump) Unit includes: 30' power cable w/plug end, thermostat controller, thermostat controller cable, two (2) lengths of heavy duty PVC Ducting (14"X10') and locking casters. (30 AMP service required for operation). **60Hz units will perform when plugged in to 50Hz (at 18% less performance)	\$12,500.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
	INFLATION / DEFLATION DEVICES		
F - DCAT	Pre-owned, re-conditioned and certified Diving and/or SCBA cylinder complete with regulator/yoke and appropriate fittings	\$620.00	
F - SCBAF	Optional Air fitting to adapt from most low pressure SCBA cyl./ regulators to PPS Yellow or FSI Shelter/Showers Black Air Fill Hose	\$130.00	
F-SCBAF-H	Optional HIGH PRESSURE Air fitting to adapt from most SCBA HIGH PRESSURE Cyl./regulators to PPS yellow/FSI units black Air Fill Hose	\$160.00	
P-FH	Additional High Pressure FSI Black fill hose for all DAT series Showers/Shelters.	\$160.00	
P-EID	Electric 110V or 220V (please specify) electric inflator/deflator - complete with P-EIDLA	\$640.00	
P-EIDHD	Master Blaster 8HP/120V Inflator/deflator - never use SCBA/SCUBA bottles and HP fill again. Fills air berms of all DAT series 'rock hard' - as fast/faster than compressed air; 4.0 peak HP per motor, 29,250 ft/min. air flow; 9.5 amps - complete with P-EIDLA	\$990.00	
P-EIDLA	Locking adapter for use with P-EID and P-EIDHD for auto inflate once attached - frees personnel to work on other assignments - for use on all newer style DAT series units with yellow color valve	\$40.00	
P-EIDLAO	Locking adapter for use with P-EID and P-EIDHD for auto inflate assistance once attached - frees personnel to work on other close by assignments with special O ring insert TO USE WITH OLDER STYLE DAT SERIES SHOWERS AND SHELTERS. Some blow by should be expected based on twists/turns of products and hoses - inflation will still continue.	\$50.00	
F-MFP	Manual Foot Pump for use with all FSI DAT series showers/shelters with installed Halkey Roberts Inflation Deflation Valves	\$140.00	
F-HPMEFG	Gold color male end fitting only to attach to high pressure fill hoses to be used with golden color Female valves in DAT series showers and shelters and rescue boats	\$60.00	
F-HPMEFCFG	Gold color male end fitting complete with high pressure adapter pieces to attach to older style high pressure fill hoses to be used with golden color Female valves in DAT series showers and shelters and rescue boats	\$100.00	
F-HPFCGF	Golden Color Female high pressure valve fitting to thread into FSI DAT series shower or shelter as replacement for all gold color Female high pressure valve fitting	\$170.00	
F-HPFCSF	Golden Color Female high pressure valve fitting to thread into FSI DAT series shower or shelter as replacement for all silver color old style Female high pressure valve fitting	\$170.00	
F-MVC-202A	Replacement hose for P-EID Electric Inflator Deflator	\$100.00	
F-MVC-202AB	Replacement HD blue hose for P-EIDHD Electric Inflator Deflator	\$100.00	
	SHELTER INTERIOR/EXTERIOR LIGHTING		
P-L	Portable interior water proof lighting with 12-volt battery pack, 2 stage charger, pouch w. belt 11" fluorescent, 1' - 5' cord - NON-STRINGABLE	\$660.00	
P-LL	30 Watt fluorescent lighting w. on/off switch and a 48" hanging strap kit, 2,200 lumens, 20,000 hr. rated,	\$220.00	
P-LLL	50 Watt fluorescent lighting w. switch and set of 2 - 48" hanging straps, 4,300 lumens, 14,000 hr. rated, polycarb. 2.75" dia. outer tube w. soft end caps/water tight clamps, 6' power cord, 15 amp, all NEMA rated, vinyl reflector directs light where needed. NOT STRINGABLE	\$440.00	
F-1225-0500-STL	25 Watt fluorescent stringable lighting W/O switch. 2,200 lumens, 20,000 hr. rated, polycarb. small dia. outer tube w. domed end caps/water tight clamps, 5' power cord on one end and 1' lead wire with outlet on the other end, 120 VAC ballast inline, all NEMA rated, vinyl reflector directs light where needed. RECOMMENDED FOR ALL LARGER SHELTER SYSTEMS, SURGE SHELTERS, OR WHEREVER STRINGABLE ATTACHED LIGHTING IS DESIRED.	\$280.00	
F-TGS	Red or Blue color tube guard sleeves for P-LL/P-LLL/F-1225-0500-STL - please specify color with order	\$30.00	
F-1225-0500CC-STL	FSI Carrying case for the F-1225-0500-STL lighting. Up to 4 lights per case. Foam lined to protect lights during storage/transport. 55" long x 16" wide x 6.5" deep. Approx 22LBS.	\$430.00	
F-EM-258	Exterior Lighting Tripod 2 – 500 watt lights	\$480.00	
F-PIL1000	Inflatable light, 15 Amp, 110V, 60 Hz, 1000 Watt metal Halide bulb	\$7,160.00	
F-PIL1000G	Inflatable light, 1000 Watt metal Halide bulb w. Honda powered Eu2000i Generator	\$11,680.00	
F-NS6-1000 OPT	Will Burt Nite Scan Chief w. 2 X 500 watt 115/230 vac FRC Quartz halogen lite mast. To be installed on FSI DAT15T and/or MCI Trailer systems in a location as determined by FSI engineering	\$15,310.00	
F-S2000-A330	Halogen Scene Lighting System; 2000 watts, 15,000 sq ft. of space; 18 lbs, 110V, with 6-19 ft tripod telescoping extension (wt. 50 lbs.)	\$7,320.00	
F-SFLL-1M	FSI Foldable LED Lighting. Install in shelter once and never have to remove before folding the shelter. Comes with 2 strips of high intensity LED lights on a foldable platform. Made with water resistant rubberized housing to use even in decontamination showers. This product may only be used with pneumatic shelters. 3.28' L X 6" W. 0.23LBS. Requires FSI Part number F-SLLPS-24V power supply. Use approx. 2 lights per 5 foot length of shelter	\$320.00	
F-SFLLPS-24V	FSI Foldable LED Lighting Power Supply. Each power supply may run up to 5 F-SFLL-1M units. 110V	\$110.00	
	CONTAMINATED MAIL ISOLATION SYSTEM		

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-CMIS	FSI Contaminated Mail Isolation System. Designed to allow the self examination of all envelope and small package mail in an air tight environ. Place suspicious items in the FSI isolation/inspection unit and open in clear view. If a dangerous substance exists simply place entire unit with mail inside into sealed transport case for transport to a certified test lab. Unit is fully self contained -- No motors, No electricity, No air power, No tools needed. Comes complete with a full tutorial Cd re. how to recognize/secure/action/use	\$10,130.00	
COMMUNICATIONS PRODUCTS			
FSI-TCP	The FSI Tactical Command Package # FSI TCP "Briefcase Command Center" is a customizable, rugged, secure, battery powered communication system with full wireless satellite/cellular communications functionality. Due to the compact size and portability, users can take their entire field operations to the top of a building, the middle of a lake, or through streets blocked with tornado/hurricane/earthquake debris, ice, et al.	\$31,500.00	
F-COBRA	Emergency response software, CoBRA [®] (Chemical Biological Response Aide), is an extremely easy to use system that provides users with the necessary interactive tools, guides, ICS-NIMS forms and checklists to manage any critical incident. CoBRA [®] is customizable, allowing users to input their own plans, checklists, SOPs, blueprints and floor plans, and other data. CoBRA [®] software applications are sold as stand alone products or as part of integrated CoBRA [®] rugged computer solutions. This complete emergency response system can provide you with a more complete solution to offer responders.	\$9,290.00	
Elevation Grids/Flooring			
F-RREG	Rapid Roll Elevation Grids priced per sq. ft. (L X W) please spec. with order Lengths and Widths must be in multiples of 8"	\$40.00	
F - TDMSPC	Haz mat Decon Elevation Grid, 3' X 2' X 2 7/8" H	\$170.00	
F-TDMSPCA	As above – add-on 2 7/8" H level to elevation grids – per level	\$170.00	
F-TDMSPCB	Hazmat Decon Elevation grid in smaller size 24" L X 24" W X 2 7/8" H	\$170.00	
F-TDMSPCL	Hazmat Decon Elevation grid in larger size 48" L X 24" W X 2 7/8" H	\$200.00	
F-BTS1S	Sand/ camouflage tan colored only modular sheet flooring priced per 48" x 42" x 1" piece and interconnected and cut to size by the user at site or each piece can be modestly disassembled. For e.g. a 10 ft x 10 ft shelter would require 9 sheets for a floor that would be 10.5 ft x 12 ft and run under the shelter if not cut to size. Create a complete working floor for your emergency shelter for longer term use.	\$450.00	
F-BTS1S-AL	Attachment Loops with barbs to insert into F-BTS1S flooring to affix divider curtains to floor area - sold per pack of 100 only	\$60.00	
F-FITMAT-HUM	Heavy duty base flooring to lay on top of existing shelter floor. 3/4" thick, water proof, non-absorbent, anti-fungal, anti-microbial, 9760 lbs sq/ft static load, rubber subsurface. Each module is 12" X 12" with interlocking teeth to connect to each module. Priced per sq ft.	\$10.00	
Conveyors/ Limited use Backboards			
ALL NOW COME COMPLETE WITH RETRACTABLE BACKBOARD END STOPS AS STANDARD			
F-RS	Conveyor roller system priced per section. 18" W , H adjustable from 28 - 44" H Adjustable from 2' – 9' in L approx., 3 leg sets/unit, 7 wheels/axle, capacity per lineal foot is 226 pounds; can support approx. 1,300 pounds on a backboard; w. retractable backboard end stops. Shipped dimensions are 33" H X 48"W X 40" L Wt. 150 lbs.	\$1,420.00	
F-RSX24	Conveyor roller system priced per section. 24" W , H adjustable from 28 - 44" H Adjustable from 2' – 9' in L approx., 3 leg sets/unit, 7 wheels/axle, capacity per lineal foot is 226 pounds; can support approx. 1,300 pounds on a backboard; w. retractable backboard end stops. Shipped dimensions are 33" H X 48"W X 40" L Wt. 150 lbs.	\$1,690.00	
F-RS12	Conveyor roller system priced/section. Adjustable from 3' - 12'. 18" W , H adjustable from 28 - 44" H 4 leg sets/unit. 3 leg sets/unit, 7 wheels/axle, capacity per lineal foot is 226 pounds; can support approx. 1,300 pounds on a backboard; w. retractable backboard end stops. Shipped dimensions are 33" H X 48"W X 40" L Wt. 150 lbs.	\$2,510.00	
F-RS12X24	Conveyor roller system priced/section. Adjustable from 3' - 12'. 24" W , H adjustable from 28 - 44" H 4 leg sets/unit. 3 leg sets/unit, 7 wheels/axle, capacity per lineal foot is 226 pounds; can support approx. 1,300 pounds on a backboard; w. retractable backboard end stops. Shipped dimensions are 33" H X 48"W X 40" L Wt. 150 lbs.	\$2,650.00	
F-RS16	Conveyor roller system priced/section. Adjustable from 4' 3" - 16' 9". 5 leg sets/unit. 18" W , H adjustable from 28 - 44" H , capacity per lineal foot is 226 pounds; can support approx. 1,300 pounds on a backboard; w. retractable backboard end stops. Shipped dimensions are 33" H X 48"W X 40" L Wt. 150 lbs.	\$3,160.00	
F-RS24	Conveyor roller system priced per section. Adjustable from 6' -24' 18-24-Black Nylon rollers -- capacity per lineal foot is 226 pounds; can support approx. 1,300 pounds on a backboard - with a shipping weight of 353 lbs.; w. retractable backboard end stops. This unit has 7 leg sets, 7 wheels per axle and an expansion ration of 4:1	\$4,420.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-RS36	Conveyor roller system priced per section. Adjustable from 8' -36' 18-24-Black Nylon rollers -- capacity per lineal foot is 226 pounds; can support approx. 1,300 pounds on a backboard - with a shipping weight of 475 lbs.; w. retractable backboard end stops. This unit has 7 leg sets, 7 wheels per axle and an expansion ration of approx. 4:1	\$6,750.00	
	F-MX1 FSI ABS Plastic Backboards		
F-MX1	see EMS FSI Price list		
	Assorted Hoses		
F-GH	FSI LayFlat Hose - 3/4" Soft sided Garden Hose X 50' per length 300 psi layflat hose, coupled 3/4" GHT	\$100.00	
F-GH25	FSI LayFlat Hose - 3/4" Soft Sided Hose X 25' per length coupled 3/4" GHT Couplings, 300 psi layflat hose	\$80.00	
F-GH10	FSI LayFlat Hose - 3/4" Soft Sided Hose X 10' per length coupled 3/4" GHT Couplings, 300 psi layflat hose	\$70.00	
F-GH35	FSI LayFlat Hose - 3/4" Soft Sided Hose X 35' per length coupled 3/4" GHT Couplings, 300 psi layflat hose	\$80.00	
F-GH503510	FSI LayFlat Hose - 3/4" Soft Sided Hose X one L of 50', one L of 35' and one L of 10' per length coupled 3/4" GHT Couplings, 300 psi layflat hose - ideal for larger multi line shower systems such as DAT3535S/3060S/4070S/4099S	\$250.00	
F-GH5025	FSI LayFlat Hose - 3/4" Soft Sided Hose X one L of 50', and one L of 25' per length coupled 3/4" GHT Couplings, 300 psi layflat hose - ideal for mid sized shower systems such as DAT2525S/3030S	\$180.00	
F-10H	1" single jacket, rubber type lined, hypalon type coating, 500 psi test, coupled 1" NST alum.	\$210.00	
F-15H	1.5" Double Jacket, 800 psi test, yellow hypalon type coating fire hose, 50' L, coupled 1.5" NST aluminum	\$250.00	
F-17H	1.75" Double Jacket, 800 psi test, yellow hypalon type coating fire hose, 50' L coupled 1.75" X 1.5" NST aluminum	\$290.00	
F-25H	2.5" Double Jacket, 800 psi test, yellow hypalon type coating fire hose, 50' L coupled 2.5" NST aluminum	\$510.00	
F-30H	3" Double Jacket, 800 psi test, yellow hypalon type coating fire hose, 50' L coupled 3" X 2.5" NST aluminum	\$530.00	
	RESPONSE CARTS/SLEDS		
F-SS-SLED	Move even the heaviest FSI Shelter/Shower system on an aluminum framed/wheeled 10 lb.HD sled 24" W X 32" L X 10" H	\$540.00	
F-FRC	FSI Heavy Duty Shelter Cart. 90"L X 35"W X 60"H with polyurethane caster wheels, beaver tail style doors, 1 adjustable shelf. 2000 LBS capacity	\$4,420.00	
F-HFRC	FSI Heavy Duty Response Cart. Approx: 60"L X 35"W X 60"H with polyurethane caster wheels, 1 adj. shelf, cabinet style doors. 1,100 lbs. Capacity	\$3,270.00	
F-LSC	FSI Large Surge Shelter Cart. 72"L X 60"W X 60"H. Steel construction with drop down - beaver tail style doors and heavy duty polyurethane casters. 2500 LBS capacity.	\$5,070.00	
F-ACPW	Pneumatic wheel kit for either the F-HFRC/LSC as above in lieu of polyurethane caster wheels	\$230.00	
FSI-1109A	Reusable Crate FOR SHELTER SHIPPING OR STORAGE inside dimensions 72"(L)x58"(W)x47"(H). Will transport or store an FSI large Surge Capacity Shelter unit up to an F-SCSS7500-IS. Features 3/4" plywood construction; pallet blocks thru-bolted to base panel; 4-way pallet entry; ISPM-15 export compliant. Approximate empty crate weight: 377 lbs. Capacity: 1800LBS	\$1,990.00	
FSI-1109B	Reusable Crate FOR SHELTER SHIPPING OR STORAGE inside dimensions 72"(L)x58"(W)x47"(H) WITH 9 REMOVABLE CASTERS. Will transport or store an FSI large Surge Capacity Shelter unit up to an F-SCSS7500-IS. Features 3/4" plywood construction; pallet blocks thru-bolted to base panel; 4-way pallet entry; ISPM-15 export compliant. Approximate empty crate weight: 401 lbs. Capacity: 1800LBS	\$2,960.00	
	MISCELLANEOUS OPTIONS (eyewash/manifolds/adapters/pressure reducers/wet vac/etc.)		
F-SE4000	EYEWASH station 21 gallon capacity exceeds ANSI min. flow rate/time at capacity (ANSI minimum operation time of 15 minutes); 5 gal. intermittent use before recharge; use w. F-SE-4270 preservative as below	\$520.00	
F-SE4100	optional drench hose attachment to F-SE4000 allowing the user to use for spot body drenching	\$230.00	
F-SE-4210	8 oz. bottles of water preservative to keep water clean for up to 6 months. Per Box of 4 bottles	\$100.00	
F-MMU	Multi Manifold unit w. choice of 1 - 1.5" OR 2.5" Female swivel NST inlet X 3 OR 6 3/4" GHT Male outlets w. shutoffs to feed multiple showers. Fabricated of sch. 80 alum. pipe, w. ends of 3/16' 5052 alum; ball valves of brass. ** 1.5" X 3 - 3/4" GHT will be supplied as standard unless otherwise specified	\$1,050.00	
F-FWMU	Multi Manifold brass 1" reducing to 3/4" GHT F swivel inlet X 4 - 3/4" M GHT outlets ea. w. shutoff valve	\$140.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-AA1371534	Rigid aluminum F 1.5" Adapter to be NST unless otherwise specified X 3/4" M GHT	\$60.00	
F-AA1372515	Rigid aluminum F 2.5" Adapter to be NST unless otherwise specified X 1.5" M NST	\$60.00	
F-F25BSPX34GHT	Female 2.5" BSP to Male 3/4" GHT	\$140.00	
F-AA154RL2515	2-1/2" SWIVEL FEMALE-NH/NST X 1-1/2" MALE-NH/NST	\$90.00	
F-AA154RL1534	1-1/2" SWIVEL FEMALE NH/NST X 3/4" MALE GHT *NON-RETURNABLE*	\$170.00	
F-37R25G-2534	2 1/2" NH/NST Rigid Rocker Lug Female x 3/4" GHT Male	\$190.00	
F-GHTSTOR-1	FSI Rigid Aluminum Adapter 3/4" Male-GHT x 1" Storz *NON-RETURNABLE*	\$89.00	
F-GHTSTOR-15	FSI Rigid Aluminum Adapter 3/4" Male-GHT x 1-1/2" Storz *NON-RETURNABLE*	\$109.00	
F-ASC	Annual Service Call and 12 point check up on the FSI Systems		P.O.A.
F-T	Full service Training session – priced per day ** NO DISCOUNTS OFFERED ON TRAINING. NUMBER OF DAYS IS BASED ON LOCATION OF TRAINING. PRICED P.O.A.	\$1,970.00	
P-CPL	2.5" (65mm) male coupling x 3" Bowl NST -- fire hose thread, aluminum	\$150.00	
P-RP	Ropes and Pegs in a small bag	\$170.00	
F-WPRD	Compact, efficient, Water Pressure Restrictor -- to adjust incoming H2O pressure down to 45 PSI or lower within all FSI Decon Shower Systems	\$600.00	
F-VRTS	Valve repair/replacement tools -- to remove and replace DAT series air fill valves	\$110.00	
F-WDV	Wet Dry Vacuum to remove standing water from decon pools etc.	\$290.00	
F-A07	Hydrant wrench complete with single head spanner	\$90.00	
F-GW25215	gated wye 2.5" F NST inlet X two 1.5" M NST outlets; approx. 5 lbs. ea	\$680.00	
AIR FILTRATION SYSTEMS			
*All air filtration capabilities are theoretical only using OEM supplied data. FSI is not responsible for discrepancies/errors/etc. Humidity/Ducting methods/elevation/ power supply/et. al. may affect actual product in operation			
F-HAS	HEPA 400 CFM Air carbon filter cleaning unit - continuously clean 1,500 cu. ft. + of air with approx. 12 + air changes per hour. One unit will handle up to DAT3060/DAT3060S sized units and still meet CDC infectious isolation requirement of 12 ACH/HR air exchanges per hr. dimensions = 27" x 19" x 19" wt. = 53 lbs	\$1,550.00	
F-HASF	True Medical Grade, DOP tested and certified HEPA 400 replacement carbon filter only w. KI and KOH impregnates - blend is potassium iodide 10:1:1 ratio and mixed with activated carbon and zeolite - 10 parts AC, 1 part zeolite, 1 part potassium iodide	\$570.00	
F-PMFS	Portable Air Filtration System with 15' of 10"/4.55 M X 25 cm ducting to capture, contain, and neutralize airborne bio-contaminants for superior interior environmental air quality. 0-700 cfm, rapid change high flow HEPA filter, UVGI capable, visual/audio alarms, digital display, data log, variable speed, front and rear duct adapters, HD 16 gauge wheeled cabinet, 32" H X 13" W X 36" L/81 X 33 X 91 cm, 120 lbs/54 Kg. 115V 5 amp, 60 hz, 575 watts, 12 ft cord, 2 flow control inlets/outlets, 99.99% HEPA w. carbon poly pre-filter, UVGI 254 NM germicidal wavelength. Continuously clean 3,750 cu. ft. + of air with approx. 12 + air changes per hour. One unit will handle up to DAT5672 sized units and still meet CDC infectious isolation requirement of 12 ACH/HR air exchanges per hr.	\$16,880.00	
F-PH700	With patented Air Safety Technology the F-PH700 Portable Air Purifier with 15' of 10"/4.55 M X 25 cm ducting has two speeds...450 CFM and 700 CFM and can capture, contain and neutralize biohazards. HEPA filter rated at 99.99% efficiency at 0.3 microns. The unit includes UVGI decon via industry leading lamps, oversize HEPA filter, multiple speed fan, rapid change filter, air sampling, usage meter and carbonized pre-filter. The unit is manufactured in heavy-duty 16-gauge steel and includes a 12'/3.6 M power cord. Ozone generator for post event decon and/or odor abatement is also available P.O.A. as an option. Product specifics: 700 CFM, 34.5" x 16.5" x 32.5"/87 X 42 X 82 cm, 4.4 amps, 506 watts and a 152 lb./69 Kg shipping weight.	\$15,750.00	
F-PH1800	F-PH1800 Portable Air Purifier with 1800CFM to provide the required 12 Air Exchange per Hour in most FSI large shelter systems. Includes 15' x 10"/4.55 M X 25 cm ducting. Captures, contains and neutralizes biohazards. HEPA filter rated at 99.99% efficiency at 0.3 microns. The unit includes UV lamps, oversize HEPA filter, multiple speed fan, rapid change filter, air sampling, usage meter and carbonized pre-filter. The unit is manufactured in heavy-duty 16-gauge steel and includes a 12' power cord. Optional Ozone generators price P.O.A. for post event decon and/or odor abatement available upon request.	\$32,630.00	
F-RDS4110	FSI IONIZED HYDROGEN PEROXIDE BASED AIR STERILIZATION SYSTEM - sterilize 2,000 cubic feet rooms in approximately one hour or larger areas such as 24,000 cubic feet rooms in under three hours based on introducing outside air at safe levels . Comes complete w. software, training, certification, and a first year warranty. Consumables to operate the system estimated at 75.00 per cycle.	\$353,130.00	
O2 AIR CASCADE SYSTEMS			
8 Patient System RECOMMENDATION Qty: 1 F-MCA-OFMDS18-15LPM;			
Qty: 5 F-OSH-C; Qty: 1 F-OXH-CINTER-PCS			

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-MCA-OFMDS18-15LPM	8 PATIENT MCA OXYGEN FLOW METER DISTRIBUTION SYSTEM - Each set Includes: * CGA-540 Pressure Reducing Oxygen Regulator with 2ea 50psi Male DISS-1240 Check-Valve Outlets * 18ft. Leader Supply Hose * 8ea (0-15 LPM) Oxygen Flow meters on 55" Length Centers with lanyard hangers and 3ft. drop line hoses for each bed. Note: 2ea side center span hoses are 95" where side entrances are located. W. * Canvas Style Storage / Carry Bag	\$4,840.00	
F-OSH-C	OXYGEN STEEL H-CYLINDER -, 250 cubic foot = 7075 LITERS IN VOLUME PER CYLINDER - 5 NEEDED PER 8 PATIENT F-MCA-OFMDS18-15LPM	\$1,190.00	
F-OXH-CINTER-PCS	Per 8 patient OXYGEN H-CYLINDER HIGH PRESSURE SERIES INTERCONNECTS - Includes: 2ea BRASS HIGH PRESSURE "T" PORTS CGA-540 NUT & NIPPLE INLET x 2 MALE CGA-540 THREAD OUTLETS 2ea 24" HIGH PRESSURE STAINLESS-BRAIDED FLEXIBLE WHIP CONNECTIONS w/ CGA-540 HAND-TIGHT CONNECTIONS 4ea BRASS HIGH PRESSURE 90° ELBOWS, ¼" NPT MALE x ¼" NPT FEMALE.	\$790.00	
	4 Patient System RECOMMENDATION Qty: 1 F-OXH-CINTER-WAS; Qty: 6 F-OSH-C; Qty: 1 F-MCA-OFMDS20-25LPM		
F-OXH-CINTER-WAS	4 Patient OXYGEN H-CYLINDER HIGH PRESSURE SERIES INTERCONNECTS - Includes: 2ea BRASS HIGH PRESSURE "T" PORTS CGA-540 NUT & NIPPLE INLET x 2 MALE CGA-540 THREAD OUTLETS 2ea 24" HIGH PRESSURE STAINLESS-BRAIDED FLEXIBLE WHIP CONNECTIONS w/ CGA-540 HAND-TIGHT CONNECTIONS 4ea BRASS HIGH PRESSURE 90° ELBOWS, ¼" NPT MALE x ¼" NPT FEMALE.	\$990.00	
F-MCA-OFMDS20-25LPM	MCA OXYGEN FLOW METER DISTRIBUTION SYSTEM: Includes: CGA-540 Pressure Reducing Oxygen Regulator with 2ea 50psi Male DISS-1240 Check-Valve Outlets 20ft. Oxygen Supply Leader Hose 4ea (0-25 LPM) Oxygen Flow meters on 59" Length Centers with one center hose section @ 118" for over centrally located entrance and 5 Lanyard Support Hangers 4ea 36" oxygen Drop Hoses W. 1ea Canvas style Storage / Carry Bag	\$2,370.00	
F-MCA125P7-204XA	FSI 5 person Oxygen Distribution System with 50 PSI pressure regulator to attach to H-Cylinder. Complete with 20 ft leader hose attached to 5 adjustable flow meters (0 to 25 LPM) at 6ft intervals (18" drops). Ready to connect to nasal canula or non-rebreathing mask.	\$4,220.00	
F-270	ALL TERRAIN STYLE H / M CYLINDER TRANSPORT CART, Large Cylinder, Retractable, 10" Pneumatic Wheel	\$1,240.00	
FSI DISPOSABLE WASTE DRUMS			
	FSI offers 20, 30, 65, 95 gallon over pack drums with screw on lids that completely store and seal for transporting hazardous waste		
F-20G	FSI DISPOSABLE WASTE DRUMS. 20 gallon over pack drums with screw on lids that completely store and seal for transporting hazardous waste	\$170.00	
F-30G	FSI DISPOSABLE WASTE DRUMS. 30 gallon over pack drums with screw on lids that completely store and seal for transporting hazardous waste	\$180.00	
F-55G	FSI DISPOSABLE WASTE DRUMS. 65 gallon over pack drums with screw on lids that completely store and seal for transporting hazardous waste	\$530.00	
F-95G	FSI DISPOSABLE WASTE DRUMS. 95 gallon over pack drums with screw on lids that completely store and seal for transporting hazardous waste	\$570.00	
F-95GW	FSI DISPOSABLE WASTE DRUMS. Wheeled 95 gallon overpack waste drum with screw on lids that completely store and seal for transporting hazardous waste	\$620.00	
Generators/Power Conditioners			
*All Generator capabilities are theoretical only using OEM supplied data. FSI is not responsible for discrepancies/errors/etc.			
	Humidity/Temperature/elevation/grade/power supply/et. al. may affect actual product in operation		
F-T30UCM	Massive 120 bed surge capacity capable 30 kW, 1 phase, 60 Hz generator system 125 stand by amps, 27 kW prime power, 1565 lbs. so it should be trailer mounted but is moveable via forklift. Dim. 67" L X 35" W X 45" H, fully NEMA/NFPA/BS/CSA/UTE NF/VDE/ISO compliant. 4 cyl., uses approx. 3 gallons of diesel fuel/hr. at full power w. rad., alternator, control panel, fuel tank, exhaust, et al. See detailed specs.	\$37,690.00	
F-ACC-30	Massive 120 bed surge capacity capable Digital Power Conditioner to allow for the safe operation of all electrical equipment found in the heavily outside oriented FSI Medical Surge Capacity Systems. Portable at 123 lbs. but ideally trailer mounted w. F-T30UCM generator/large surge capacity system shelters/etc. Maintains tight voltage regulation while accepting wide range of input voltage, 50/60 Hz on request, Double IGBT conversion isolates from surges, dips, harmonics, transients. User selects 208/220/230/240 V, 30 A, dim. Approx. 22" H X 21" W X 12" D. See detailed specs.	\$11,250.00	
F-GGG168196	Guardian style Generator System. 26K Watt Peak, Portable with wheels. Includes Two 120V, 20 Amp outlets with GFCI, Two 120V 20 Amp outlets, Two 120V 30 Amp locking plug outlets, One 240V 50 Amp outlet, One 12V DC 10 Amp outlet, Transfer switch kit, Automatic idle control, Extended engine life – rate 3,000+ hours, Conveniently located control panel, Gasoline fueled, Push button circuit breakers, Full pressure lubrication, Single point lifting, Spin-on oil filter, Solid stat voltage regulator, GFI protection, Antivibration system, Battery charge cables, Full 1 1/4in. tubular frame, Pneumatic wheel kit, Electronic governor. Dimensions: 38 1/2 x 30 3/4 x 48 1/2.	\$11,790.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-GGG04582	Guardian style 30 HP, 22,500 watt, gasoline powered, HD Generator capable of powering smaller complete field surge capacity systems, pneumatic wheels, 16 gallon tank, 9 receptacles (Two 120 Volt 20 Amp outlets with GFCI, Two 120 Volt 20 Amp outlets, Two 120 Volt 30 Amp locking plug outlets, One 120/240 Volt 30 Amp locking plug outlet, One 240 Volt 50 Amp outlet, One 12 Volt DC 10 Amp outlet), electric start, air cooled, 49" L X 31" W X 36" H. 432 lbs.	\$8,440.00	
F-PX12000	Onan style 12,000 watt peak, 10,000 watt continuous, 22 HP electric start, 4 stroke OH engine, 11.4 gallon fuel tank, Gasoline / 7 individual outlets 4 wheel kit standard, volt and hour meters, 60 hz, 120V/240V, 329 lbs., 33" L X 30" W X 34" H,	\$9,000.00	
F-EM6500	Generator, 13 Hp, 1 cyl., OH Valve air cooled, 389 cc displace., el. Start, 6.6 gal. tank, AC output 120/240V, 6500 max., DC output 12V/100W, 227 lbs., 42" X 27" X 29"	\$10,130.00	
F-EM5500	REPLACED BY F-EM5550 as below 9 HP portable Generator, 5500 surge/4500 continuous watts, oil alert, panel has 2 - 120 and 2 - 20 amp outlets, and one 20 Amp, 120/240 v. twist lock outlet approx. 32" L X 24" W X 22" H, 6.5 gallon tank = 9 hours at full load, 203 lbs. F-EM5500 as standard has no wheel or handle kit included.		disc. 10/01/09
D F-EM5500-541-1295WK	Wheel Kit for F-EM5500 portable generator as above		disc. 10/01/09
D F-EM5500-181-0512	Air cleaner/air filter for F-EM5500 as above		disc. 10/01/09
F-EM5550	13 HP Portable generator, 5000 watts running, 5500 watts peak, 6.5 gallon fuel tank = 11.2 hours, of continuous operation at 1/2 load. Versatile 120 V, 20 A GFCI protected duplex, 120 V NEMA, L5-30 twist-lock and grounded 120/240 V, NEMA L14-30 receptacles. Automatic "low-oil shutdown". Approx. size without wheel kit 27" x 22" x 22". Weight without wheel kit 185 lbs. Standard wheel kit included.	\$4,500.00	
F-EM-2501	6,875 maximum watt Coleman 11 HP Tecumseh generator		DISC.
F-GMBE-5270A	Onan Portable generator. 5500 Max output, 6500 peak. Electric and recoil start. 6.6 gal/9hrs. Wt. 185 lbs. Replaces discontinued F-EM-2501	\$2,660.00	
F-5FGC	5 gallon fuel cans - empty	\$270.00	
	DIESEL POWERED GENERATORS		
F-DP7500DE	9 HP, air cooled, 418 cc, single cyl., direct inj., 4 stroke, diesel engine w. low oil shut off, e-start w. easy pull start back up, 24 hr. run time at full rated output, 7500 W surge output, max. AC output = 6500 W, rated AC output 6000 W, 13 gallon fuel tank w gauge, only 75 db noise, full power panel w. 4 pole single PH 120V AC & 1 Pole 120V/240V AC & 1 pole 12V DC output; 32 X 22 X 37", 255 lbs.	\$7,090.00	
F-FDI-5750	Diesel Generator Features Include: 5,750 WATT 9.0HP Air Cooled Diesel Engine, Totally Enclosed Deluxe Heavy Duty Rigid Steel Frame, Long 8-Hour Run Time, 6500W Surge Output, 4.0 Gallon Tank With Gauge, Decibel: 66dBA, Full Power Wise Digital Control Panel, Automatic Display the working & output Status, 3 Pole Single Phase 120V AC & 1 Pole 120V/240V AC & 1 Pole 12V DC Output Generator, Idle Control (Saves Fuel), Deluxe Wheels / Handle Bar Kit, Electric start with Remote controller, Three Months/1000 Hours warranty, package Size: 40"x25"x33" gross Weight: 400 lbs	\$10,970.00	
F-FDI-6500	Diesel Generator Features Include: 6,500 WATT 9.0HP Air Cooled Diesel Engine, Totally Enclosed Heavy Duty Rigid Steel Frame, Long 8-Hour Run Time, 7500W Surge Output, 4.0 Gallon Tank With Gauge, Decibel: 66dBA, Full Power Panel, 3 Pole Single Phase 120V AC & 1 Pole 120V/240V AC & 1 Pole 12V DC Output, Idle Control (Saves Fuel), Rare-Earth Permanent Magnet provide super clean power, Wheel / Handle Bar Kit, Three Months/1000 Hours Warranty, Package Size: 39"x24"x33", Gross Weight: 396 lbs.	\$12,380.00	
F-FDI-13500	Diesel Generator Features Include: 13,500 WATT 30.0HP Water Cooled Diesel Engine (EPA APPROVED), Totally Enclosed Heavy Duty Rigid Steel Frame, Long 8-Hour Run Time, 15000W Surge Output, 10.0 Gallon Tank With Gauge, Decibel: 72dba, Full Power Panel, 3 Pole Single Phase 120V AC & 2 Pole 120V/240V AC & 1 Pole 12V DC Output, Idle Control (Saves Fuel), Wheel / Handle Bar Kit, Three Months/1000 Hours Warranty, Package Size: 65"x29"x40". Gross Weight: 1001 lbs.	\$27,000.00	
F-FDI-16500	Diesel Generator Features Include: 16,500 WATT 30.0HP Water Cooled Diesel Engine (EPA APPROV), 18000W Surge Output, Totally Enclosed Heavy Duty Rigid Steel Frame, Long 8-Hour Run Time, 10.0 Gallon Tank With Gauge, Decibel: 72dba, Full Power Panel, 3 Pole Single Phase 120V AC & 2 Pole 120V/240V AC & 1 Pole 12V DC Output, Idle Control (Saves Fuel), Wheel / Handle Bar Kit Included, Three Months/1000 Hours Warranty, Package Size: 65"x29"x40". Gross Weight: 1001 lbs.	\$31,170.00	
F-FDI-20000	Diesel Generator Features Include: 20,000 WATT 39.0HP Water Cooled Diesel Engine (EPA APPROVED), Totally Enclosed Heavy Duty Rigid Steel Frame, Long 8-Hour Run Time, 22500W Surge Output, 10.0 Gallon Tank With Gauge, Decibel: 72dba, Full Power Panel, 2 Pole Single Phase 120V AC & 2 Pole 120V/240V AC & 1 Pole 12V DC Output, Idle Control (Saves Fuel), Wheel/Handle Bar Kit, Three Months/1000 Hours Warranty, Package Size: 73"x33"x48". Gross Weight: 1058 lbs.	\$33,750.00	
F-FDI-30000	Diesel Generator Features Include: 30,000 WATT 72 HP Water Cooled Diesel Engine, Fully Enclosed Heavy Duty Rigid Steel Frame, Long 12-Hour Run Time, 33500W Surge Output, 18.5 Gallon Tank, Decibel: 75dBA, Full Power Panel, Single Phase 120V AC & 240V AC Output, Idle Control (Saves Fuel), Heavy Duty Single Axle Trailer, Three Months/1000 Hours Warranty, Package Size: 85"x39"x51", Gross Weight: 4975 lbs.	\$56,250.00	
F-DI-40KW-TM	Trailer Mounted Diesel Generator - 40KW Diesel Generator Mounted on Dual Axle Trailer - 100 Gallon Fuel Tank. 4 cyl., 4 stroke, Water Cooled Diesel Engine, low oil shutoff, E start, Fully Enclosed Heavy Duty Rigid Steel Frame, Long 12-Hour Run Tim	\$60,240.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-50WTG	Trailer Mounted Diesel Generator Features Include: 50,000 WATT 76 HP/1800 RPM, 3900 cc, 4 cyl., 4 stroke, Water Cooled Diesel Engine, low oil shutoff, E start, Fully Enclosed Heavy Duty Rigid Steel Frame, Long 12-Hour Run Time, 50,000W Surge/Max. Output, 18.5 Gallon Tank, Decibel: 75dBA, Full Power Panel w. engine shutoff key, fuel meter, alarm lamp, lcd screen, normal/alarm lamps, AC terminal/circuit breaker, ATS receptacle, Emerg. switch/power outlets, Single Phase 120V AC & 240V AC Output w. max. 200A AC output, 30 % Idle Control (Saves Fuel), Heavy Duty Double Axle Trailer w. electric brakes, Three Months/1000 Hours Warranty, Package Size: 90" x 48" x 65", Gross Weight: 4975 lbs.	\$84,380.00	
F-DI-70KW-TM	Trailer Mounted Diesel Generator - 70KW Diesel Generator Mounted on Duel Axle Trailer - 100 Gallon Fuel Tank. 4 cyl., 4 stroke, Water Cooled Diesel Engine, low oil shutoff, E start, Fully Enclosed Heavy Duty Rigid Steel Frame, Long 12-Hour Run Tim	\$88,240.00	
F-DI-75KW-TM	Trailer Mounted Diesel Generator - 75KW Diesel Generator Mounted on Duel Axle Trailer - 100 Gallon Fuel Tank. 4 cyl., 4 stroke, Water Cooled Diesel Engine, low oil shutoff, E start, Fully Enclosed Heavy Duty Rigid Steel Frame, Long 12-Hour Run Time	\$93,380.00	
F-FDI-TMG-100KW	6CTA8.3-G, Type In-line 4-cycle, 6 cylinder, 100% Load Fuel Consumption is 207 gal/kw.h. Liquid cooled with electric start. Rated Voltage 380/220, 400/230,220v,230v, ETC., Phase Connection- single or 3 phase. Mounted on a dual axle trailer. Also includes a built in power panel with multiple 50AMP/30AMP/120V service. The unit will come complete with a 100 gallon diesel fuel tank. Dimensions- approx 122"L X 58"W X 64" H. Approx weight	\$135,950.00	
F-FDI-CW	For any Diesel generator as above but with HD castor wheels for ease of movement on most surfaces	\$2,250.00	
	Diesel Powered Generator with 5Ton HVAC Combo Trailers		
F-DI-5.0RSS16KW-TRL	Trailer Mounted ECU with 16KW Diesel Generator: 5.0 Ton (60,000 btu) AC/HP unit. 16KW Ricardo Diesel Generator with 100 gallon fuel tank. Units mounted to a duel axle DOT rated trailer.	\$72,920.00	
F-DI-5.0RSS20KW-TRL	Trailer Mounted ECU with 20KW Diesel Generator: 5.0 Ton (60,000 btu) AC/HP unit with 10KW Resistance Heater, 20KW Ricardo Diesel Generator with 100 gallon fuel tank. Units mounted to a duel axle DOT rated trailer.	\$74,480.00	
	Water Pressure Fire Pumps		
F-1064771914	128 PSI, 7920 GPH pressure pump, 195cc engine, 28 ft. max. suction lift, 2" ports, fresh water use only, 295 ft max. head, w. roll cage, no wheels, 85 lbs	\$2,570.00	
F-AK300	Portable, two stage, high efficiency water pressure pump. 6.0 HP Briggs & Stratton OHV Vanguard w/recoil start. Inlet size = 1 1/2" NPT Outlet size = 1-1/2" NPT; self prime to 19'; approx. 85 lbs. with roll cage; 30" X 19" X 21"; 50 gpm at 81 psi/20 gpm at 120 psi	\$6,080.00	
F-AK279	Portable, single stage, high efficiency water pressure pump. 6.0 HP Briggs & Stratton OHV Vanguard w/recoil start. Inlet size = 1 1/2" NPT Outlet size = 1-1/2" NPT	\$2,570.00	
F-7TMPHF-SHSK150	Suction Hose Kit; 16' suction hose 1.5", camlock adapters, 1.5" foot valve suction strainer	\$680.00	
F-TQ800-115-AS	FSI DEMAND PUMP - 1 HP Pressure Booster Pump 115V. MAX FLOW RATE: 23.5 GPM, MAX PRESSURE 60PSI. Designed for water supply and pressure or demand boosting where low or inadequate water pressure. 1" Inlet/outlet. Automatic restart function when the liquid temperature is over 131 F, the overload relay will trip and automatically stop the pump. Restarting will be attempted when the liquid temperature drops to 104 F. The motor has built-in thermal overload. Anti-cycling feature which prevents the pump from continuous starting and stopping when you have a dripping tap or minor leak in the system. Self-priming function which is able to pump water from the depth down to 25ft	\$1,050.00	
ELECTRICAL			
*All Electrical product capabilities are theoretical only using OEM supplied data. FSI is not responsible for discrepancies/errors/etc.			
	Power cords/Humidity/Temperature/elevation/grade/power supply/et. al. may affect actual products in operation		
F-6506G-CEP	FSI's 'Spider box' power distribution center features the latest in GFCI technology thus ensuring the highest level of electrical safety via open neutral and reverse phasing protection. UL listed/meets OSHA for outdoor use and extremely durable. Power 'on' indicator lites on GFCI, 240V High voltage shutoff, 1 - 50 AMP 125/250 Volt feed thru receptacle, 1 - 30 Amp 250 Volt non-GFCI receptacle, 6 - 20 amp 125 Volt GFCI indiv. protected receptacles. Input current: 50 amp 1 phase 125/250 volt A.C. 3 pole 4 wire. Trip level: 4-6 milliamps. Trip time: Less than .025 sec. nom.16 gauge steel chassis, 14 gauge steel top, 10 gauge steel legs. 3 Mil UL listed poly powder coat. 14.5" W X 21" L X 11" H. 28 lbs	\$1,410.00	
F-6220C-CEP	Major power Distribution panel 200A,120/208V CAM INPUT BOX ONLY – TRAILER/WALL MOUNT UNIT	\$10,410.00	
F-20A50FTEXT-STL	20A 50ft Extension cord with Twistlock on one end and a locking receptacle on the other	\$180.00	
F-20A100FTEXT-STL	20A 100ft Extension cord with Twistlock on one end and a locking receptacle on the other	\$290.00	
F-7500CAB5R-STL	20A 110ft Cord with multi tap outlets (5 outlets per cord) to daisy chain string P-LL/P-LLL lighting in shelters. (DISCONTINUED - OFFER PART NUMBER F-5000-3173-STL)		DISCONTINUED
F-5000-3172-STL	100' HEAVY DUTY WEATHERPROOF EXTENSION CORD. 10/4 SOW black cord with NEMA L14-30 add-on twist lock plug and NEMA L14-30R twist lock receptacle.	\$1,150.00	

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-5000-3173-STL	110' HEAVY DUTY WEATHERPROOF Multi-tap outlet cord. 12/3 SOOW yellow cord with 20 amp plug and with 1 - 20 amp receptacle (not twist locks) on one end, and four inline 20 amp outlets every 5 ft. Use as power distribution inside shelters	\$660.00	
F-5000-3169-STL	30' HEAVY DUTY WEATHERPROOF MULTI-TAP OUTLET CORD. 12/3 SOOW yellow cord with three blade NEMA 20A plug at one end and NEMA 20A receptacle on other end. Four inline 15 amp outlets, First inline outlet is 10' from plug and following outlets are spaced 5' apart. Ideal to use with DAT4070 or smaller shelters.	\$300.00	
F-5000-3170-STL	60' HEAVY DUTY WEATHERPROOF MULTI TAP EXTENSION CORD. 12/3 SOOW Yellow cord with 8 inline 15A outlets every 5ft starting on one end and 20AMP plug. Ideal to use with larger Shelter systems	\$580.00	
F-5000-3174-STL	100' HEAVY DUTY, WEATHERPROOF EXTENSION CORD 12/3 SOW black (or yellow) cord with standard 20AMP plug and standard 20AMP receptacle.	\$520.00	
F-6400S-CEP	100' 6/3 & 8/1 STOW CORD, W/ HUBBELL 50 AMP ENDS to connect F-6220C-CEP major distribution block to F-6506G-CEP FSI's 'Spider box' power distribution center	\$1,190.00	
Decon and Pandemic Flu Kits/Clothing/Blankets/Towels			
F-EM505	PANDEMIC Flu kit includes Coverall of 50gsm Sureshield, white, with hood, WECR style, one piece torso, double zipper flap, V-shape crotch, with 1.5cm reinforced stripe at crotch and armpit, elastic at wrists,waist and ankles. #5 zipper, no pockets, no printing on the coverall; Two pieces of vinyl gloves, natural colour; Two pieces of shoe cover, 40gsm PP, white, regular, latex elastic, size:L(39cmX16.5cm); Face mask with eye shield, white, made of 18gsm PP+20gsm meltbrown+ 25gsm PP, white. The eye shield is made of transparent plastic. The entire kit is packed in one polybag. There are 30 kits/carton per size -- sizes offered by the carton of 30 kits - includes S, M, L, XL, XXI, XXXL, XXXXL. PRICED PER CARTON	\$450.00	
F-EM506	PANDEMIC Flu kit includes Isolation Gown of 50gsm Sureshield, white, with ties at neck and waist,elastic cuffs; Face mask made of 18gsm PP+20gsm with eye shield made of transparent plastic , white. The entire kit is packed in one polybag. There are 30 kits/carton per size -- sizes offered by the carton of 30 kits includes S, M, L, XL, XXI, XXXL, XXXXL. PRICED PER CARTON	\$300.00	
F-PPDK	Pre/Post Decon Kit, self contained; bag # 1 contains decon modesty garment, personal effects bag and contaminated clothing bag with snap on ID bracelet to recover both after incident, brush, pen, shampoo; bag # 2 offers disposable towel, disposable gown/slippers, and anti-microbial wipe, Kit also available for Children on request at same price	\$60.00	
F-PPDK-PEB	Personal Effects Bag PEB and Snap Bracelet along with 4 pack of ID tags to go on both bag and bracelet to ID owner of PEB = 4.40 ea. Sold by 10 packs only	\$50.00	
F-RDK	Post Decon Redress Kit to include 3 sani dex wipes, 3 disposable towels, a blue privacy gown, 1 pr. Disposable booties, ID bracelet in a zip lock bag	\$30.00	
F-RDK25	Redress kits as above - priced per case of 25	\$680.00	
F-HPPEK	FSI Hospital PPE personal protection kit w. 1 Tyvek F suit, 1 pr. Hazmat booties, 1 pr. Powder free Nitrile gloves, 1 pr. HD Nitrile gloves, 1 Chem. Tape Strips, 1 personal privacy gown, 1 pr. Disposable booties, ID bracelet in a zip lock bag	\$110.00	
BLANKETS and TOWELS			
F-EM-30C	Disposable Yellow/Blue color only triage blankets 50" X 84" Approx. SOLD BY THE CASE of 48 ONLY	\$490.00	
F-EM-185	Disposable Towels: 1 Case of approx. 500	\$80.00	
NUCLEAR DETECTORS			
F-MBD	Micro Bomb Detector, flashing with audio alarm. Directional unit alerts for Alpha, Beta, Gamma, X, and Fast Neutron.	\$290.00	
Test Protocol Kits to detect, identify, and confirm presence of Anthrax,			
	Botulinum, Brucella, Q Fever, Tularemia, Ricin, SEB, Small Pox, VEE, and Plague with 99 % accuracy		
F-ILAT	A fast simple Initial Live Agent Test Protein Check kit , 99 % accurate, to Detect the suspected presence of Anthrax, Botulinum, Brucella, Q Fever, Tularemia, Ricin, SEB, Small Pox, VEE, and Plague with 99 % accuracy - priced per single kit As found on the 2005 IAB/SEL - kit, Protein test	\$80.00	
F-ADT	Agent Determination Test Kit Detects a biological agent as does F-ILAT above, and then Identifies with 99 % + accuracy which agent - all in one test -- without expensive complicated electronic test devices requiring constant calibration. As found on 2005 IAB/SEL - Kit, field assay	\$1,690.00	
F-AAT	Agent Authentication Test kit that in 15 minutes confirms the presence of biological agents as in F-ILAT above with 99.99 % accuracy.	\$11,710.00	
Hazardous Gases Identification Strips/Devices			

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
F-HMSS	Hazmat smart strip immediately ID's Nerve, Cyanide, Hydrogen Sulfide, Arsenic, Acids/Caustics, Flouride, Oxidizers, Chlorine - 12 hours operation/strip - 2 yr. shelf life	\$60.00	
F-SM8	Nerve Agent Detector -- immediately ID's V, G, H nerve agents, includes clip, peel and stick back, colour indicator on each card -- per unit	\$30.00	
WS425	Field water test kit checks for bacteria, lead, pesticides, nitrates, nitrites, chlorine, PH, and hardness -- check your water supply before becoming incapacitated - per kit	\$70.00	
F-CT10	10 yard rolls of Chemical Tape for use with all PPE type equipment - per 10 yd roll	\$30.00	
F-VITICG	Impregnated Sterile Decon Care Gloves. There are 8 gloves/pieces per pack and a total of 25 such packs per carton - sold only by the carton. Cleans, disinfects and decontaminates without the need for water - perfect for the sterile cleaning of injured personnel; Hypoallergenic, antibacterial (low pH), with cooling lotion; of bio-degradable needlepunch tissue 80 gr/m2, shelf life to 5 yrs., each glove approx. 6" X 10" in size	\$330.00	
SPILL CLEAN UP PRODUCTS			
F-MOBSK255	Oil only mobile spill cart includes 1 chem. Resistant cart, 200 sorbent pads 17" X 19", 4 B510 Sorbent booms, 12 sorbent socks = 3" X 4', 10 sorbent pillows = 10" X 10", 4 disposable bags, 1 shovel, 2 prs. Safety goggles, 2 pr. Nitrile gloves	\$3,830.00	
F-HZSK-95	95 gallon hazmat spill cart in sealable chem. resistant overpack drum, 150 sorbent pads 15" X 19", 6 sorbent socks 3" X 96", 7 - 18" X 18" pillows, 10 - disposal bags, 2 pairs nitrile gloves, 1 emerg.Resp. Guidebook, 1 - 1/2 lb. Plug 'n' dike, 1 pair goggles	\$1,020.00	
F-HMSORB-RL32-150	hazmat sorbent roll - S2-90 32" X 150' DW yellow perforated roll 1 per case	\$500.00	
F-HMSORB-RL16-150	hazmat sorbent roll - S2-91 16" X 150' DW yellow perforated roll 2 per case	\$500.00	
F-HMSORB-RL300	hazmat sorbent roll - S2-95 32" X 300' DW yellow perforated roll 1 per case	\$530.00	
F-SORENV300954495	100 ea. Oil sorbent pads 15" X 19" in a bundle/bale	\$110.00	
F-SORSKOPP	Spill kit only w. 10 pads, 1 pr. Gloves w. disposablebags for the gloves, and 2 sorbent socks	\$110.00	
Ground Tarps			
F-GS1	FSI Ground Tarp. 10' X 10' ground tarp of 13 oz HD vinyl, multiple colors, weighs approx. 9 lbs.	\$160.00	
F-GS5	FSI Ground Tarp. 10' X 12' ground tarp of 13 oz HD vinyl, multiple colors, weighs approx. 10 lbs.	\$190.00	
F-GS2	FSI Ground Tarp. 12' X 12' ground tarp of 13 oz HD vinyl, multiple colors, weighs approx. 14 lbs.	\$250.00	
F-GS3	FSI Ground Tarp. 12' X 20' ground tarp of 13 oz HD vinyl, multiple colors, weighs approx. 22 lbs.	\$390.00	
F-GS4	FSI Ground Tarp. 14' X 24' ground tarp of 13 oz HD vinyl, multiple colors, weighs approx. 30 lbs.	\$570.00	
F-GS1620	FSI Ground Tarp. 16' X 20' ground tarp of 13 oz HD vinyl, multiple colors, weighs approx. 29 lbs.		
F-GS11	FSI Ground Tarp. 19' X 25' ground tarp of 13 oz HD vinyl, multiple colors, weighs approx. 40 lbs.	\$700.00	
5 MINUTE MEALS FROM FSI			
F-5000	9 oz. Five Minute hot meals in multiple meal offerings - see literature - sold 12 per case only	\$90.00	
** Discounts on meals are list as shown - 10 % maximum			
All offered items involving electrical are priced based on 110V 60 Hz. 220V, 50 Hz may cost extra			
and NO PLUG will be supplied			
* WATCH FOR ADDITIONAL NEW PRODUCTS FROM FSI IN THE COMING MONTHS			
pop up style showers/shelters, UVGI/BIT Decon/ Bio-Chem filtration machines and filters, other			
All weights and measures are approximate only. FSI will not be liable for variations that do not impact fit, form, or function			
*All Electrical/Generator/HVAC/Filtration product capabilities are theoretical only using OEM supplied information.			
FSI is not responsible for discrepancies/errors/etc.			
Power cords/Humidity/Temperature/elevation/grade/power supply/et. al. may affect actual products in operation			
NON-CANCELABLE ORDERS			
** All orders placed for surge units/systems, all trailered units/systems, all new sizes or other than standard layout shelters and showers and accessories, specialty or one off items -- are all non-cancelable - all at FSI management discretion only!			
ALL PRICES ARE QUOTED FOB FSI N. AMERICA IN US \$			
FSI reserves the right to change the design or parts of/in its' products from time to time without notice and with no obligation to maintain a spare parts inventory or to make matching changes in products previously manufactured.			

FSI PROUDLY OFFERS NON-STANDARD PRODUCTS SUCH AS SPECIALTY DECON SHOWER AND SHELTER SYSTEMS TO			
All items above avail. From Multiple GSA Contract Holding Authorized FSI Distributors and on			
One or more Prime Vendor and State Contracts			
Fire Safety International, Inc., DAT, FSI North America, FSI, FSI North America a division			
of Fire Safety International, Inc. Safety Through Technology, QE Series, AL series,			
are ® Registered Trademarks. All rights will be protected.			
ALL FSI DAT® series Decon Shower Systems are ANSI # 113 compliant. FSI was a participating member of the ANSI/ISEA 113-200x new standards development			
committee charged with developing a performance standard for Fixed and Portable Decontamination Shower Systems.			
FSI Terms/Conditions of Sale Available on Request. All Prices in US \$ FOB FSI. Taxes if applicable are extra.			
Possession of this price list does not immediately or necessarily qualify holder access to FSI products or these prices			

11
11
11
11
11
11
11
11

