




TRUCK & AUTO
PARTS

WE KEEP YOU MOVING

2013

FUEL PUMPS CATALOG

BOMBA ELECTRICA COMBUSTIBLE



WWW.SAPCORP.NET



Fuel Pump Kits

P. 4-14

Modules

P.15-22

High Performance

P.23-25

Fuel Filters

P.26-28

Connectors

P.28

FUEL PUMP DIVISION

SAP USA offers superior quality and affordable electric fuel pumps and components for all types of automotive needs. All of our fuel pumps meet the OEM specifications from manufacturers such as SAP, Airtex, AC Delco, Bosch, Carter, Delphi, Walbro and more.





Customer service and superior quality is ensured with all of SAP products. All of our SAP USA products are sold under a limited warranty.

Do you need specific information regarding a pump, a pump's interchange number, or do you need to identify a pump based on an application? No problem. Our in-house support team is available to assist all downstream distributors with technical inquiries.

SAP USA is headquartered out of Miami, Florida, as well as a sales support in Philadelphia, Pennsylvania. SAP has been around for over 25 years and it is committed to distributing top-quality automotive parts throughout the world.





Other brands which are manufactured by SAP are: Buffalo, Bull, Gamma and T & J Water pumps. We also offer OE line such as: Delco Remy, Hendrickson Suspension, Bendix Air Brakes, Freightlighter, and an assortment of other brands. Contact us for more information.





We have an abundant selection of mechanical and universal fuel pumps, so make SAP USA your one-stop supplier for fuel pumps, repair kits, modules, and more.

Part No.	Make	Model	Year	Engine	Cylinder
SAP-143KIT  PSI: 90/100 Voltage: 12 GPH: 50 Pump Type: In-Tank	Dodge Jeep Dodge Dodge Dodge Chrysler Dodge Chrysler Chrysler Chrysler Chrysler Chrysler Fiat VW Dodge	Durango Grand Cherokee Ram 1500, Ram 2500, Ram 3500 Ram Van 2500, 3500 Charger Van 1500 Caravan Town & Country Voyager 300M, Concorde, Intrepid Stratus R/T Cirrus 4 Cyl Palio Golf Neon	1998-2005 1993-1997 1998-2005 1998-2005 1998-2005 1998-2005 2001-2004 2001-2004 2001-2004 1998-2004 2001-2004 2001-2004 2001-2004	v6, v8 v6, v8 v6, v8 v8 v6, v8 v8 v6 v6 v6 v6 v6 v6 v6 v6	4.7, 5.2, 5.9 4.0, 4.7, 5.2 3.7, 3.9, 5.2, 5.9 5.2, 5.9 3.6, 5.7, 6.4 5.2, 5.9 3.3, 3.8 3.3, 3.8 3.3, 3.8 3.2, 3.5 2.0, 2.4, 2.7, 3.0 2.4, 2.5
SAP-21132  PSI: 90 Voltage: 12 GPH: 40 Pump Type: In-Tank	Toyota Toyota Suzuki	Yaris Hilux Vigo Grand Vitara	2003-up 2010+	N/A	N/A
SAP-21132A  PSI: 90/100 Voltage: 12 GPH: 40 Pump Type: In-Tank	Toyota Toyota Suzuki	Yaris Hilux Vigo Grand Vitara	2003-up 2010+	N/A	N/A
SAP-314  PSI: 4 Voltage: 12 GPH: 20 Pump Type: In-Tank	Nissan Nissan	Tsuru III Sentra B13	1992	N/A	Carburetor systems





Part No.	Make	Model	Year	Engine	Cylinder
SAP-40106  PSI: 4/5 Voltage: 12 GPH: 30 Pump Type: In-Line	Universal	Universal	Universal	v4, v6, v8	Carburetor systems
SAP-50100  PSI: 90/100 GPH: 45/100 Pump Type: In-Tank	Toyota Toyota Toyota Mazda Mazda Hyundai	Yaris Fortuner 4 Runner 6 Asahi Atos	2003-up 2006+	N/A	N/A 2.7
SAP-5CA264  PSI: 100/110 Voltage: 12 GPH: 50 Pump Type: In-Tank	Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Dae Woo Dae Woo VW	Neon Breeze Lebaron New Yorker New Yorker Phantom R/T R/T Shadows, S. Turbo Spirit, S. R/T Stratus R/T Cirrus Caravan, Voyager, Town Country Lanos Nubira Golf	1996-1999 1996 1991-1995 1991-1994 1991-1995 1991-1994 1995-2000 1992-1994 1991-1994 1993-1994 1995-2000 1995-2000 1995-2000	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
SAP-63B10  PSI: 4 Voltage: 12 GPH: 20 Pump Type: In-Line	GM Mitsubishi Suzuki Chevrolet	Chevrolet Esteem Lancer 1300, 1500 Suzuki Swift Swift	N/A N/A N/A	N/A N/A N/A	N/A N/A N/A 1.3, 1.6 Carburetor system





Part No.	Make	Model	Year	Engine	Cylinder
SAP-63B12  PSI: 30/45 Voltage: 12 GPH: 22-30 Pump Type: In-Tank	Chevrolet	Swift	1998 - Current	N/A	1.3, 1.6
SAP-749  PSI 90-110 Voltage : 12 GPH 55 Pump Type : In-tank	Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler Chrysler	Town & Country Town & Country Caravan, Grand Caravan Caravan, Grand Caravan Monaco Dodge Truck 100/150/200/250/300/350 Truck Ram 1500 Truck Ram Charger Truck W100/150/200/250/300/350 Van B100/150/200/250/300/350 Van 1500, 2000, 3500 Truck Dakota	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	3.3 3.8 3.8 3.3 3.0 3.9, 5.2 3.9, 5.2, 5.9 5.2, 5.9 3.9, 5.2, 5.9 3.9, 5.2, 5.9 3.9, 5.2 2.5, 3.9, 5.2
SAP-9051R  PSI: 90/100 Voltage: 12 GPH: 45 Pump Type: In-Line	Volkswagen	Sedan	2003-up	v4	1.8
SAP-952  PSI: 90/100 Voltage: 12 GPH: 40 Pump Type: In-Tank	Audi	A4	1997-2000	v4	1.8





Part No.	Make	Model	Year	Engine	Cylinder
SAP-E2000  PSI: 95/100 Voltage: 12 GPH: 35/40 Pump Type: In-Line	Ford	LTD, Crown Victoria, XL, Country Squire	1986	v6	3.8
	Ford	Ranger Pickup	1986-1988	v6	2.3
	Ford	Mustang II	1983-1985	v8	2.3, 2.8, 5.0
	Ford	Thuunderbird	1983-1984	v4	2.3
	Ford	Thuunderbird L5	1984	v6	3.8
	Ford	Thuunderbird L6	1983-1984	v8	5.0
	Ford	Trucks all Models, Aeroestar	1983	v4	2.3
	Ford	Bronco L6	1987-1989	N/A	1.9
	Ford	Bronco L6	1985-1989	N/A	5.0, 5.8
	Ford	Bronco II	1986-1988	v6	2.9
	Ford	E100/350 Van & Super Duty Van L6	1987-1991	N/A	4.9
	Ford	E100/350 Van & Super Duty Van L7	1988-1991	v8	5.0/7.5
	Ford	E100/350 Van & Super Duty Van L8	1988-1990	N/A	5.8
	Ford	Ford Truck 100, 350	1987-1989	v6	4.9
	Ford	Ford Truck 100, 350	1985-1989	v8	5.0
	Ford	Ford Truck 100, 350	1988-1989	v8	5.8
	Ford	Ford Truck 100, 350	1987-1989	v8	7.5
	Ford	F250/350/450/550 Super Duty Pickup	1988-1989	v8	7.5 For external and internal injection systems
SAP-E2008  PSI: 4/5 Voltage: 12 GPH: 20/40 Pump Type: In-Tank	Ford	Pickup Truck	1985-1989	v4, v6, v8	1.3, 4.9, 5.0, 5.8, 7.5
	Ford	Pickup Truck	1986-1991	v6, v8	1.3, 4.9, 5.0, 5.8, 7.5
	Mercury	Pickup Truck	1984-1986	v4, v6, v8	2.3, 3.8, 5.0
	Volvo	Pickup Truck	1988-1991	v4	2.3
	Mazda	B2000	1996+		For carburetor systems
SAP-E2065  PSI: 90/110 Voltage: 12 GPH: 45 Pump Type: In-Tank	Ford	Aerostar	1991-1994	N/A	3.0
	Ford	Cougar	1989-1994	N/A	3.8, 4.8, 5.0
	Ford	Escort	1995-up	N/A	1.9
	Ford	Grand Marquis	1983-1992	N/A	5.0
	Ford	Mustang	1994-2001	v8	4.6
	Ford	Lebaron	1985-1985	N/A	N/A
	Ford	Lebaron	1985	N/A	2.2
	Dodge	600	1985	N/A	2.2
	Dodge	Aries	1985	N/A	2.2
	Dodge	Daytona	1985	N/A	2.2
	Dodge	Lancer	1985	N/A	2.2
	Renault	Clio	2005		
	Renault	Scenic	2005		
Renault	Twingo	2005			
SAP-E2066  PSI: 90/100 Voltage: 12 GPH: 45 Pump Type: In-Tank	Chevrolet	Dmax	2000-up		2.5, 2.8, 3.0, 3.5





Part No.	Make	Model	Year	Engine	Cylinder	
SAP-E2068  PSI: 90/110 Voltage: 12 GPH: 40-50 Pump Type: In-Tank	Acura	CL Integra, RSX, SLX, TL	1995-2004	v4, v6	1.8, 2.2, 2.3	
	Acura	CL Integra, RSX, SLX, TL	1995-2004	v4, v6	2.5, 3.0, 3.2	
	Chevrolet	Astra	1993-2003	v4	1.8, 2.2	
	Chevrolet	Atos	2000-2005	v4	1.0	
	Chevrolet	Corsa	2000-2003	v4	1.8	
	Chevrolet	Monza	2000-2003	v4	1.6	
	Chevrolet	Storm	1990-1993	v4	1.6, 1.8	
	Chevrolet	Tracker	1996-2004	v4, v6	1.6, 2.0, 2.5	
	Chrysler	Sebring	1995-2005	v4, v6	2.0, 2.4, 2.5	
	Dodge	Avenger, Colt, Ram 50 Pickup	1991-2005	v4, v6	1.5, 1.8, 2.4,	
	Dodge	Stealth, Stratus, Vista	1991-2005	v4, v6	2.5, 3.0	
	Eagle	2000 GTX, Summit, Talon	1991-1998	v4	1.5, 1.8, 2.4,	
	Hyundai	Atos, Accent, Elantra, Vision	2000+		2.5, 3.0	
	Chevrolet	Luv 2300	2000+		1.5, 1.8, 2.0, 2.4	
	SAP-E2111  PSI: 90/110 Voltage: 12 GPH: 40/50 Pump Type: In-Tank	Ford	Aspire	1994-1997	N/A	1.3
		Geo	Tracker	1989-1995	v4	1.6
		Mazda	Miata	1999-2002	N/A	1.8
		Mazda	B2200	1998+		
Suzuki		Samurai	1990-1995	N/A	1.6	
SAP-E2157  PSI: 95/110 Voltage: 12 GPH: 40/50 Pump Type: In-Tank	Ford	Contour	1995-1998	v4	2.5	
	Ford	Crown Victoria	1993-2000	v8	4.6	
	Ford	E150/350 Vans	1997-2003	v6, v8	4.2, 4.6	
	Ford	Explorer	1995-2000	v6, v8	4.0, 5.0	
	Ford	F150, 350	1997-1998	v6	4.2, 4.6	
	Ford	Fiesta	2001	v4	1.3	
	Ford	KA	2002	v4	1.6	
	Ford	Mustang	1994-1997	v6	3.8	
	Ford	Pickup F150, 250, 350	1997-2000	v8	5.0, 5.4	
	Ford	Probe	1993-1997	v4, v6	2.0, 2.5, 3.0	
	Ford	Ranger Pickup	1998	v4, v6	2.5, 3.0	
	Ford	Tempo	1994	v4, v6	2.3, 3.0	
	Lincoln	Town Car	1993-1996	v8	4.6	
	Mercury	Grand Marquis	1993-2000	v8	4.6	
	Mercury	Mystique	1995-1998	v4	2.0, 2.5	
Mercury	Villager	1998	v6	3.0		
SAP-E2157KC  PSI: 90-110 Voltage: 12 GPH: 45/50 Pump Type: In-Tank	Ford	Escort	2000			
	Ford	Escursion	1999-2000			
	Ford	Fiesta Icon	2001-2003			
	Ford	Focus	2000-2003			
	Ford	Mustang	1998-2003			
	Ford	Sable	1998-2004			
	Ford	Winstar	1996-2000			
	Ford		1998-2003			
Mazda	2					
Mazda	3					

Part No.	Make	Model	Year	Engine	Cylinder
SAP-E2158  PSI: 90/110 Voltage: 12 GPH: 45/50 Pump Type: In-Tank	Acura	Acura CL, TL	2001-2003	v6	3.2
	Ford	Contour	1997-1999	v4	2.0, 2.5
	Ford	Crown Victoria	1997-2002	v8	4.6
	Ford	E series Vans	1997-2002	v6, v8	5.4, 6.8
	Ford	Expedition	1997-2002	v8	4.0, 4.6, 5.4
	Ford	Explorer	1997-2001	v8	4.0, 5.0
	Ford	Pickup F150, 350	1997-2003	v8	4.2, 4.6, 5.4
	Ford	Ranger	1999-2001	v4, v6	2.5, 3.0, 4.0
	Kia	Sportage	1996	v4	2.0
	Lincoln	Navigator	1998-1999	v8	5.4
	Lincoln	Town Car	1997-2002	v8	4.6
	Mazda	2,3			
	Mercury	Grand Marquis	1997-2002	v8	4.6
	Mercury	Mountaineer	1998-2001	v8	4.0, 5.0
	Mercury	Mystique	1997-1999	v4	2.0, 2.5
	Mitsubishi	Montero, Sport	1999-2004	v4, v6	2.4, 3.0, 3.5
	Nissan	Sentra	2000-2001	v4	1.8
	SAP-E3507R  PSI: 115/125 Voltage: 12 GPH: 55/65 Pump Type: In-Tank	GM	Cavalier	2000-2004	N/A
GM		Malibu	2000-2004	N/A	3.1
GM		Grand AM	2000-2004	N/A	2.2, 3.4
GM		Alero	2000-2004	N/A	2.2, 3.4
GM		Sierra	1999-2004	N/A	4.3, 4.8, 5.3, 6.0
GM		Silverado	1999-2004	N/A	4.3, 4.8, 5.3, 6.0
GM		Sunfire	2000-2004	N/A	2.2, 2.4
Chevrolet		Blazer			Internal systems with modules
Hyundai		Tucson			
Citroen					
Peugeot					
SAP-E7006  PSI: 90/110 Voltage: 12 GPH: 45 Pump Type: In-Line	Jeep	Cherokee	1987-1990	v4	1.8
	Jeep	Cherokee	1991-1993	N/A	N/A
	Jeep	Comanche L6	1987	N/A	N/A
	Jeep	Comanche	1991-1992	N/A	N/A
	Jeep	Wagoner	1987-1990	N/A	N/A
	Jeep	Wrangler L6	1991-1993	N/A	N/A
			Injection System		
SAP-E8012  PSI: 4/5 Voltage: 12 GPH: 25 Pump Type: In-Line	Universal	Universal	Universal	v4, v6, v8	Carburetor Systems





Part No.	Make	Model	Year	Engine	Cylinder
SAP-E8229  PSI: 90/100 Voltage: 12 GPH: 45 Pump Type: In-Tank	Nissan Nissan Nissan Nissan Nissan Nissan Chevrolet Toyota	Altima KA 24 Sentra 1A Generation Pathfinder Tsubame Tsuru III Maxima Luv2300 Hilux	1997-1999 1996-1999 1998-2000 1997-1998 1998-2003 1995-1998	N/A v4 v6 v4 v4 v6	2.4 1.6 3.0 1.6 1.6 3.0
SAP-E8235  PSI: 90/110 Voltage: 12 GPH: 50 Pump Type: In-Tank	Acura Daihatsu Dodge Eagle Ford Mazda Mitsubishi	Legend Vigor Charade Colt Summint, Talon Festiva, Probe 323 Montero	1986 1988-1992 1989-1990 1989-1994 1989-1993	v4, 5L, v6 3L, v4 v4 v4 v4	1.8, 2.5, 2.7, 3.2 1.5, 1.6 1.5, 1.6, 1.8, 2.0 1.3, 2.2
SAP-E8272  PSI: 85/95 Voltage: 12 GPH: 60 Pump Type: In-Tank	Nissan Nissan Nissan Nissan Nissan	Altima KA 24 Maxima 24 Tsubame Tsuru III D 21	1993-1996 1991-1994 1993-1995 1993-1995	N/A N/A v4 N/A	2.4 3.0 1.6 1.6
SAP-E8303  PSI: 3.5/4/5 Voltage: 12 GPH: 30 Pump Type: External	Honda	Civic	Down - 1992	v8, v16	1.3, 1.5, 1.6 Carburetor Systems

Part No.	Make	Model	Year	Engine	Cylinder
SAP-E8310  PSI: 3.5/4.5 Voltage: 12 GPH: 30 Pump Type: External	Chevrolet	Super Carry	1992 - up	1000cc	Carburetor Systems
SAP-EP12B  PSI: 4/7 Voltage: 12 GPH: 31 Pump Type: In-Line	Universal	Universal	Universal	Universal	6, 8 external electric carburetor systems
SAP-EP240  PSI: 90/115 Voltage: 12 GPH: 40 Pump Type: In-Tank	BMW Buick Cadillac Chevrolet Chevrolet Chevrolet Chevrolet Pontiac Pontiac	N/A N/A N/A N/A N/A Blazer Mini Blazer N/A N/A	1991 1984-1992 1985-1988 1985-1992 1992-1996 1984-1986 1994-1995	v4 v4, v6 v4, v6 v6 v6 v4, v6 v4	1.8 N/A 2.8, 4.1 2.8, 3.1 3.4, 3.8 N/A 2.2 Vortex system
SAP-EP366  PSI: 85/90 Voltage: 12 GPH: 50 Pump Type: In-Tank	Acura Daihatsu Dodge Eagle Ford	Legend Vigor Charade Colt Summint, Talon Festiva, Probe	1986 1988-1992 1989-1990 1989-1994 1989-1993	v4, 5L, v6 3L, v4 v4 v4 v4	1.8, 2.5, 2.7, 3.2 N/A 1.5, 1.6 1.5, 1.6, 1.8, 2.0 1.3, 2.2

Part No.	Make	Model	Year	Engine	Cylinder
SAP-EP386  PSI: 14/22 Voltage: 12 GPH: 35 Pump Type: In-Tank	Nissan Nissan Nissan Nissan Dae Woo	Altima KA 24 Maxima 24 Tsubame Tsuru III Racer	1993-1996 1991-1994 1993-1995 1993-1995	N/A N/A v4 N/A	2.4 3.0 1.6 1.6 One point system, one injection
SAP-GCA3348  PSI: 120 Voltage: 12 GPH: 65 Pump Type: In-Line	Universal Chevrolet	Universal Blazer	Universal	Universal	Universal Multipoint vortex system
SAP-GCA733  PSI: 65/95 Voltage: 12 GPH: 40 Pump Type: In-Tank	BMW Buick Cadillac Chevrolet Chevrolet Pontiac Pontiac	N/A N/A N/A N/A N/A N/A N/A	1991 1984-1992 1985-1988 1985-1992 1992-1996 1984-1986 1994-1995	v4 v4, v6 v4, v6 v6 v6 v4, v6 v4	1.8 N/A 2.8, 4.1 2.8, 3.1 3.4, 3.8 N/A 2.2
SAP-P100  PSI: 90/110 Voltage: 12 GPH: 50 Pump Type: In-Tank	Nissan Nissan	Pickup D21 Pathfinder	1994-1998	v4	2.4





Part No.	Make	Model	Year	Engine	Cylinder
SAP-P181  PSI: 110 Voltage: 12 GPH: 60 Pump Type: In-Line	Jeep Eagle Dodge Renault	Cherokee Premeir Monaco Etual	1991-1998 1988-1992 1990	N/A N/A N/A	N/A N/A N/A External injection system
SAP-P211  PSI: 18 Voltage: 12 GPH: 50/60 Pump Type: In-Tank	VW VW	Golf GTI Jetta Carat	1988-1992 1992	v4 v4	1.8 1.8
SAP-P339E  PSI: 90 Voltage: 12 GPH: 55 Pump Type: In-Tank	Toyota	4Runner SR	1990	v4	2.4
	Toyota	4Runner SR	1993-1995	v6	3.0
	Toyota	Avalon, XL, XLS	1995-1996-1999	v6	3.0
	Toyota	Camry, Solara	1999-2001	v4	2.2
	Toyota	Camry CE, DX, DXL, LE, XLE	1992-1998	v4	2.2
	Toyota	Camry CE, DX, DXL, LE, XLE	1992-1993	v6	3.0
	Toyota	Celica GT, ST,	1992-1998	v4	1.8, 2.2
	Toyota	Corolla	1996	N/A	N/A
	Toyota	Trac	1993	v4	1.8
	Toyota	4 Runner SR5	1990-1995	v4	2.4
	Toyota	Corolla DX, LE	1993-1997	V4	1.6, 1.8
	Toyota	Land Cruiser L6	1989-1990	v6	4.0
	Toyota	MR2	1989-1988	v4	1.6
	Toyota	Paseo	1992, 1995, 1996-1998	v4	1.5
	Toyota	Pickup DXL, RN02, SRS	1990-1995	v4	2.4
	Toyota	Pickup DXL, RN02, SRS	1995-1998	v6	3.0
	Toyota	Prizm LSI	1993-1997	v4	1.6, 1.8
	Toyota	Rav4	1998	v4	2.0
	Toyota	Sienna	1998-2000	v6	3.0
	Toyota	Solara	1991-2001	v6	3.0
	Toyota	T100	1994-1998		
	Toyota	T100	1993, 1995-1996	v6	3.0, 3.4
	Toyota	Tacoma	1995-2001	v4	2.4, 2.7
Toyota	Tacoma	1995-2001	v6	3.4	
Toyota	Regular Cab	1995-1997	v4	2.4, 2.7	
Toyota	Regular Cab	1995-1997	v6	3.4	
Toyota	Tercel DLX, EX, LE, CE, DX, S	1990-1992, 1995-1998	v4	1.5 4.5	
SAP-TU200SB  PSI: 100/100 Voltage: 12 GPH: 50 Pump Type: In-Tank	Ford Ford	Explorer Pickup F150, 250, 350	1995-1997 1989-1996	v6, v8 v6, v8	4.0, 5.4 4.9, 5.0, 5.8 For system with module


Part No.	Make	Model	Year	Engine	Cylinder
SAP-9051  PSI: 100 Voltage: 12 GPH: 45 Pump Type: In-Tank	Volkswagen	Sedan	1993-2004	v6	1.6
SAP-905  PSI: 90/100 Voltage: 12 GPH: 40-45 Pump Type: In-Tank	Volkswagen	Combi	1993-1999	v4	1.8
SAP-9190  PSI: 100/110 Voltage: 12 GPH: 40/45 Pump Type: In-Tank	Volkswagen	Combi	1993-1999	v4	1.8
SAP-9191  PSI: 100/110 Voltage: 12 GPH: 40/45 Pump Type: In-Tank	Volkswagen	Derby, Jetta, Golf	1992-1994	v4	1.8





Part No.	Make	Model	Year	Engine	Cylinder
SAP-958  PSI: 90 Voltage: 12 GPH: 40/45 Pump Type: In-Tank	Volkswagen	Passat	1996-2000	v4, v6	1.8, 2.8
SAP-E2059M  PSI: 100/110 Voltage: 12 GPH: 50 Pump Type: In-Tank	Ford Ford Ford Ford Ford Ford	Explorer Truck F53 Stripped Chassis Truck Truck F 150 F 350	1995-1997 1991-1993 1989-1997 1989-1997	v6, v8 v8 v8 v6, v8	4.0, 5.4 6.1, 7.0 7.5 2.9, 4.0, 5.0, 5.7, 7.5 Front tank
SAP-E2064M  PSI: 100/110 Voltage: 12 GPH: 50 Pump Type: In-Tank	Ford Ford	F150, 250, 350, 45 Pickup Truck	1990-1996 1990-1997	N/A v6, v8	4.9, 5.0, 5.8, 7.5 Rear Tank
SAP-E3372  PSI: 70/90 Voltage: 12 GPH: 35/45 Pump Type: In-Tank	GM GM	Venture Silhouette, Montana, Trans, Sport Montana	1998-2000 1998-2000	v6 N/A	3.4 N/A

Part No.	Make	Model	Year	Engine	Cylinder
SAP-E3507  PSI: 115/125 Voltage: 12 GPH: 55/65 Pump Type: In-Tank	GM	Cavalier, Malibu	2000-2005	v4, v6	2.2, 2.4, 3.0
	GM	Oldsmobile Alero	2000-2004	v4, v6	2.4, 3.4
	GM	Pontiac Grand AM, Sunfire	2000-2005	v4, v6	2.2, 2.4, 3.4
SAP-E3537  PSI: 75/85 Voltage: 12 GPH: 20/30 Pump Type: In-Tank	GM	Buick Century, Regal, Pontiac Grand Prix	1998-2000	v6	3.1, 3.8
	GM	Oldsmobile Intrigue	1998-2000	v6	3.5, 3.8
SAP-E3542  PSI: 85/95 Voltage: 12 GPH: 40/50 Pump Type: In-Tank	GM	Buick Century, Custom & Limited	2000-2003	v6	3.1, 3.8
	GM	Pontiac Grand Prix	2001-2003	v6	3.1, 3.8
	GM	Impala, LS, Montecarlo LS & SS	2000-2003	v6	3.4, 3.8
	GM	Oldsmobile, Buick, Intrigue, Regal & LS	2000-2003	v6	3.5, 3.8
SAP-E3919  PSI: 40/50 Voltage: 12 GPH: 70/80 Pump Type: In-Tank	GM	Buick, Chevrolet Pontiac	1996-1998	v4	2.4
	GM	Buick Skylark, Pontiac Grand AM	1996-1998	v6	3.1
	GM	Cavalier, Sunfire	1996-1998	v4	2.2, 2.4
	GM	Oldsmobile Achieva	1996-1998	v4, v8	2.4, 3.1

Part No.	Make	Model	Year	Engine	Cylinder
SAP-E3940  PSI: 70/100 Voltage: 12 GPH: 50/65 Pump Type: In-Tank	GM GM	Safari, XT, Astro Chevrolet, Truck	1997-1999 1997-1999	v6 v6	4.3 N/A
SAP-E3943  PSI: 70/85 Voltage: 12 GPH: 40-55 Pump Type: In	GM	S10 Pickup, Sonoma	1997-2000	v4	2.2
SAP-E3947  PSI: 75/105 Voltage: 12 GPH: 50/70	GM	C1500, 2500, 3500, K1500, 2500, 3500	1997-2000 1997-2000	v6, v8	4.3, 5.0, 5.4, 7.4
SAP-E3950  PSI: 60/75 Voltage: 12 GPH: 30/45 Pump Type: In-Tank	GM GM GM	Cavalier, Grand AM, Sunfire Oldsmobile Alero, Cutlass Malibu	1999 1998-1999 1998-1999	v4, v6 v4 v6	2.2, 2.4, 3.4 2.4, 3.4 2.4, 3.1

Part No.	Make	Model	Year	Engine	Cylinder
SAP-E3952  PSI: 80/100 Voltage: 12 GPH: 50/60 Pump Type: In-Tank	GM GM	Pickup S10, S15 Sonoma Pickups Isuzu Hombre	1997-2002 1997-2000	v6 v6	4.3 4.3
SAP-E3956  PSI: 85/105 Voltage: 12 GPH: 55/65 Pump Type: In-Tank	GM N/A	C3500 HD Chassis Cab C3500, K3500	2001-2002 1998-2000	v8 v8	8.1 5.7, 7.4
SAP-E3966  PSI: 80/100 Voltage: 12 GPH: 50/60 Pump Type: In-Tank	GM	Express, Savanna	1997-2002	N/A	4.3, 5.0, 5.7, 7.4
SAP-E7030  PSI: 90/100 Voltage: 12 GPH: 40/55 Pump Type: In-Tank	Chrysler Chrysler	Caravan, Town & Country Voyager, Grand Voyager	1994-1995 1994-1995	v4, v6 v4, v6	2.5, 3.0, 3.3, 3.8 2.5, 3.0, 3.3, 3.8



Part No.	Make	Model	Year	Engine	Cylinder
SAP-E7040  PSI: 100/110 Voltage: 12 GPH: 50 Pump Type: In-Tank	Chrysler	Imperial, Lebaron	1991-1995	v4, v6	2.5, 3.0
	Chrysler	New Yorker	1991-1995	v6	3.3, 3.8
	Chrysler	Shadows	1991-1995	v4	2.2, 2.5
	Chrysler	Daytona, Dynasty	1991-1995	v4, v6	2.2, 2.5, 3.0, 3.3
	Chrysler	Spirit	1991-1995	v4	2.5
	Chrysler	Plymouth Accian, Sundance	1991-1995	v4, v6	2.2, 2.5, 3.0
SAP-E7054  PSI: 90/100 Voltage: 12 GPH: 50 Pump Type: In-Tank	Chrysler	Concord, Intripid, LHS, New Yorker	1993-1996	v6	3.3, 3.5
	Chrysler	Eagle Vision	1993-1996	v6	3.3, 3.5
SAP-E7075  PSI: 90/100 Voltage: 12 GPH: 45/55 Pump Type: In-Tank	GM	Buick Century, Custom & Limited	2000-2003	v6	3.1, 3.8
	GM	Pontiac Grand Prix	2001-2003	v6	3.1, 3.8
	GM	Impala, LS, Montecarlo LS & SS	2000-2003	v6	3.4, 3.8
	GM	Oldsmobile, Buick, Intrigue, Regal & LS	2000-2003	v6	3.5, 3.8
SAP-E7093  PSI: 110/125 Voltage: 12 GPH: 60/70 Pump Type: Ir	GM	Buick, Chevrolet Pontaic	1996-1998	v4	2.4
	GM	Buick Skylark, Pontaic Grand AM	1996-1998	v6	3.1
	GM	Cavalier, Sunfire	1996-1998	v4	2.2, 2.4
	GM	Oldsmobile Achieva	1996-1998	v4, v8	2.4, 3.1

Part No.	Make	Model	Year	Engine	Cylinder
SAP-E7097  PSI: 95/105 Voltage: 12 GPH: 45/55 Pump Type: In-Tank	GM GM	Safari, XT, Astro Chevrolet, Truck	1997-1999 1997-1999	v6 v6	4.3
SAP-MU1085  PSI: 90/110 Voltage: 12 GPH: 40/55 Pump Type: In-Tank	GM	S10 Pickup, Sonoma	1997-2000	v4	2.2
SAP-MU1314  Voltage: 12 Pump Type: In-Tank	GM GM GM GM GM GM GM GM GM GM	Silverado 1500 Silverado 1500 HD Silverado 2500 Silverado 2500 HD, 3500 Sierra 1500 Sierra 2500 Sierra 3500 Sierra 2500 HD Sierra 3500 Sierra Denali	2004-2007 2005-2007 2004 2004-2007 2004-2007 2004 2004-2007 2004-2007 2004-2007 2004-2007	v6, v8 v8 v8 v8 v6, v8 v8 v8 v8 v8 v8	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
SAP-MU86  PSI: 85/100 Voltage: 12 GPH: 30/35 Pump Type: In-Tank	GM	Silverado 1500, 2500, 3500	1999-2003	v6, v8	4.3, 5.0, 5.7









Part No.	Make	Model	Year	Engine	Cylinder
SAP-TE1054  PSI: 100 Voltage: 12 GPH: 45 Pump Type: In-Tank	GM GM GM	Astra Corsa - 1300 - 1400 Monza	2000-2004 2002-2005 2002-2005	v4 v4 v4	1.8, 2.2 1.4, 1.6 1.6
SAP-MU112  PSI: 90/110 Voltage: 12 GPH: 45/55 Pump Type: In-Tank	GM GM	S10 Blazer, GMC S15 Jimmy Oldsmobile Bravada	1997-1998 1997-1998	v6 v6	4.3 4.3
SAP-MU113  PICTURE NOT AVAILABLE PSI: 90/100 Voltage: 12 GPH: 45/55 Pump Type: In-Tank	GM	Chevy S10 Blazer, S15 Jimmy	1997-2002	v6, v8	N/A

Part No.	Make	Model	Year	Engine	Cylinder
0580254023 / 0580254040  PSI: 175/190 Voltage: 12 GPH: 50 Pump Type: In-Line	Audi Audi Audi	100/100 Quatro, 200/200 Quatro 5000CS, 5000S Quatro	1984-1991 1984-1991 1984-1991	v5 v5 v8	2.2, 2.3 2.1, 2.2 2.1, 2.2, 2.3, 3.6
580254044  PSI: 180 Voltage: 12 GPH: 260 Pump Type: In-Line, In-Tank	Porsche	Carrera Turbo	2006-up	N/A	N/A
0580254910  PSI: 90/100 Voltage: 12 GPH: 50 Pump Type: In-Line	Mercedes Benz Mercedes Benz	190, 190E, 260E, 280CE, 280SE 300E, 300SE, 450, 500	1975-1993 1975-1993	v4, v6, v8 v4, v6, v8	N/A N/A
0580254979  PSI: 150/170 Voltage: 12 GPH: 60 Pump Type: In-Line	Dodge Porsche	Viper Carrera	1992-1996 1986-1992	v10 N/A	8.0 3.3

Part No.	Make	Model	Year	Engine	Cylinder
0580254984  PSI: 160/180 Voltage: 12 GPH: 55 Pump Type: In-Line	Porsche Porsche Porsche	BMW 320 Dolorean M.B 280, 450	1997-1978 1982 1976-1977	v4 v6 v6, v8	2.0 2.8, 4.5
GSL392  PSI: 150 Voltage: 12 GPH: Pump Type: In-Line	Universal	Universal	Universal	Universal	Universal
GSS341  PSI: 130 Voltage: 12 Pump Type: In-Tank	Acura Honda Ford Chrysler Toyota Chevrolet	N/A N/A N/A N/A 4.5 Blazer	N/A N/A N/A N/A	N/A N/A N/A N/A	N/A N/A N/A N/A
GSS342  PSI: 130 Voltage: 12 Pump Type: In-Tank	Acura Honda Ford Chrysler Toyota Chevrolet	N/A N/A N/A N/A 4.5 Blazer	N/A N/A N/A N/A	N/A N/A N/A N/A	N/A N/A N/A N/A

Part No.	Make	Model	Year	Engine	Cylinder
<p>SAP-342</p>  <p>PSI: 130 Voltage: 12 Pump Type: In-Tank</p>	<p>N/A Toyota Chevrolet</p>	<p>N/A 4.5 Blazer</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>
<p>SAP-TESTER</p>  <p>LPH: Flow</p>	<p>N/A</p>	<p>N/A Diagnostics Flow PSI Amp Voltage</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>

Fuel Filters

Part No.	Model	Part No.	Model
SAP-FT0148 	Filter Type Friñon	SAP-F015 	For SAP-E240 SAP-EP386
SAP-F017 	For SAP-2068 SAP-E2157	SAP-F020 	For SAP-E2059 SAP-E2064 SAP-E2065 SAP-TU200SB
SAP-F021 	For SAP-E2059 SAP-E2064 SAP-E2065 SAP-TU200SB	SAP-F024 	For SAP-E2068 SAP-E2157 SAP-E2158
SAP-F027 	SAP-E2068 SAP-E2157	SAP-F029 	For SAP-E8235



Part No.	Model
SAP-F03	For SAP-EP240 SAP-EP386
	
SAP-F061	For SAP-E2068 SAP-E2157
	
SAP-F09	For SAP-EP240 SAP-EP386
	
SAP-F091	For SAP-E8229 SAPE8272
	

Part No.	Model
SAP-F041	For SAP-E2068
	
SAP-F078	For SAP-E3507R
	
SAP-F090	For SAP-E2068 SAP-50100
	
SAP-F63B11	For SAP-63B10
	

Fuel Filters

Part No.	Model	Part No.	Model
SAP-F773A	For SAP-GCA773	SAP-F773B	For SAP-GCA773, SAP-50100
			

Connectors

Part No.	Model	Part No.	Model
SAP-CS03	For SAP-E2157, SAP-E2157KC	SAP-CS04	For SAP-E2068, SAP-GCA3348
			

We Keep You Moving



**TRUCK & AUTO PARTS
SINCE 1983**

**5301 N.W. 74 Ave, Suite 200
Miami, Florida 33166**

Phone: +1 (305) 594-2844 · Fax: +1 (305) 599-2351

www.sapcorp.net · info@sapcorp.net