# GE ZONELINE®

Parts ਲੈ Accessories Guide



# Our genuine parts & accessories deliver

# RELIABLE COMFORT

Only genuine parts and accessories from GE Appliances keep your Zoneline<sup>®</sup> units running in peak condition. Our parts and accessories are constructed from high-quality materials for a guaranteed fit, convenient replacement and constant comfort.

## **CONTENTS**

- **4-14** ZONELINE PARTS AND ACCESSORIES
  - 15 ZONELINE.COM INFO
  - **16** VERTICAL ZONELINE
  - **18 ORDER INFORMATION**









## RAB71A (ALL ZONELINE SERIES\*)

#### **WALL CASE**

- Universal design
- Galvanized steel
- Expanded polystyrene foam insulation
- Baked-on enamel
- $\bullet$  Protected with a sealing compound to prevent rust
- Sealing compound

 $Also\ available\ with\ extended\ depths$  RAB7116: 16" deep | RAB7128: 28" deep RAB7124: 24" deep | RAB7131: 31" deep



RAB77A4
(ALL ZONELINE SERIES\*)

#### **SMC WALL CASE**

- $\bullet$  Universal design
- ullet Non-corrosive
- Constructed with fiberglass-reinforced polyester compound



#### RAB71B

#### (AZ45/65 SERIES\*)

#### **WALL CASE**

- Universal design
- Galvanized steel
- Expanded polystyrene foam insulation
- Baked-on enamel
- $\bullet$  Protected with a sealing compound to prevent rust
- ullet Color matched for AZ45/65 series

Also available with extended depths RAB7116B: 16" deep RAB7124B: 24" deep



#### RAB77B

#### (AZ45/65 SERIES\*)

#### **SMC WALL CASE**


- Universal design
- Non-corrosive
- Constructed with fiberglass-reinforced polyester compound
- Color matched for AZ45/65 series



#### RAD10 (ALL ZONELINE SERIES)

#### **INTERNAL/EXTERNAL DRAIN KIT**


- Provides positive control of condensate water
- Routes condensate to exterior or interior of the building
- Suitable provision (field applied) required for connection to drain system
- 1/2" OD copper assemblies
- Includes short right-angle tube and 6"-long straight tube



#### RAG60 (AZ SERIES)

#### STAMPED ALUMINUM EXTERIOR REAR GRILLE

- Standard size
- Protects chassis components
- Optimizes air flow
- Made of durable aluminum




<sup>\*</sup>Available while quantities last



#### RAG61/62/63 (AZ SERIES)

#### **ARCHITECTURAL REAR GRILLE**

- Improves appearance and protection
- Molded of high-impact polycarbonate



#### RAG67 (AZ SERIES)

#### **ALUMINUM ARCHITECTURAL OUTDOOR GRILLE**

- Extruded aluminum outdoor grille
- Grilles are paintable to match building décor



RAF452A while quantities last

## (AZ SERIES-25, 35 & 55 ONLY) REPLACEMENT ROOM CABINET

- Wraparound design with textured finish
- $\bullet \ \, \textbf{Injection-molded} \ \, \textbf{of high-impact polystyrene} \\$
- Fastens to chassis without tools or hardware
- Contains slide-out filters and 2-position reversible discharge louvers



**RAF452** while quantities last

#### (AZ SERIES-22, 32 & 52 ONLY)

#### REPLACEMENT ROOM CABINET

- Wraparound design with textured finish
- Injection-molded of high-impact polystyrene
- Fastens to chassis without tools or hardware
- Contains slide-out filters and 2-position reversible discharge louvers



RAF453A while quantities last

 $\textbf{WP71X10029} \ Also \ available \ through \ geappliance sparts. com$ 

#### (AZ SERIES—28, 29, 38, 39, 41, 58 & 61 ONLY)

## • Wraparound design with textured finish

- $\bullet$  Injection-molded with high-impact polystyrene
- $\bullet$  Fastens to chassis without tools or hardware
- $\bullet$  Contains slide-out filters and 2-position reversible discharge louvers



#### WP71X20960

#### (AZ SERIES-45 & 65 ONLY)

#### **REPLACEMENT ROOM CABINET**

- Wraparound design with textured finish
- Injection-molded with high-impact polystyrene
- Fastens to chassis without tools or hardware
- Contains slide-out filters
- Color matched for AZ45/65 series
- Available through geappliancesparts.com



#### RAK40 (AZ SERIES)

#### **AIR DEFLECTOR KIT**

- Adapts AZ chassis for use with older GE architectural grilles
- Aluminum deflector installed to condenser end sheet flanges to prevent condenser airflow recirculation
- $\bullet$  Also fits custom rear grilles



#### RAK6052

(AZ SERIES-22, 25, 28, 29, 32, 35, 38, 39, 41 & 61 ONLY)

**DUCT ADAPTER** (Not for 45, 52, 55, 58 or 65 Series)

- Allows Zoneline unit to heat or cool an adjacent room
- Attaches to top of wall case
- Can be applied to right or left of adapter
- $\bullet$  Zoneline 26 and 51 series not approved for ducted application



#### **RAK6053**

#### (AZ SERIES-45 & 65 ONLY)

#### **DUCT ADAPTER**

- Allows Zoneline unit to heat or cool an adjacent room
- Attaches to top of wall case
- Can be applied to right or left of adapter
- Color matched for AZ45/65 series



#### **RAK601/602**

(AZC & AZ SERIES—21, 22, 25, 28, 29, 31, 32, 35, 38, 39, 41 & 61 ONLY)

#### **DUCT EXTENSION, REGISTER & TRIM FLANGE**

- 44" long
- Includes air register and trim flange for secondary space
- Additional air register and trim flange (RAK602) can be ordered separately if two extensions are made
- For use with RAK6052



#### RAK601B/602B

#### (AZ SERIES-45 & 65 ONLY)

#### **DUCT EXTENSION, REGISTER & TRIM FLANGE**

- 44" long
- $\bullet$  Includes air register and trim flange for secondary space
- Additional air register and trim flange can be ordered separately if two extensions are made
- $\bullet$  For use with RAK6053
- Color matched for AZ45/65 series



#### **RAK7012**

## (AZ SERIES-22, 25, 32, 35, 28, 29, 38, 39, 41 & 61) DUCT ADAPTER FOR REPLACEMENT OF A-B WITH ROUNDED-FRONT AZ CHASSIS

- Lines up with duct extension where original chassis was a flat-top discharge A-B series
- Allows existing duct extension to be used without requiring relocation of wall hole
- Must use discharge grille, end plate and extension mounting hardware from old duct adapter



#### **RAK7013**

#### (AZ SERIES-45 & 65 ONLY)

## DUCT ADAPTER FOR REPLACEMENT OF A-B WITH SLANTED-FRONT AZ CHASSIS

- Lines up with duct extension where original chassis was a flat-top discharge A-B Series
- Allows existing duct extension to be used without requiring relocation of wall hole
- Must use discharge grille, end plate and extension mounting hardware from old duct adapter
- Color matched for AZ45/65 series



RAK7022 (AZ SERIES—22, 25, 28, 29, 32, 35, 38, 39, 41 & 61 ONLY)

## DUCT TRANSITION FOR REPLACEMENT OF AZC WITH ROUNDED-FRONT AZ CHASSIS

- Allows duct installation where original chassis was a slope-front discharge chassis (AZC/AZR/AZ21/AZ31)
- Allows existing duct extension to be used without requiring relocation of wall hole



#### **RAK7023**

(AZ SERIES-45 & 65 ONLY)

## DUCT TRANSITION FOR REPLACEMENT OF AZC WITH SLANTED-FRONT AZ CHASSIS

- Allows duct installation where original chassis was a slope-front discharge chassis (AZC/AZR/AZ21/AZ31)
- Allows existing duct extension to be used without requiring relocation of wall hole
- Color matched for AZ45/65 series



#### RAK204 (AZ SERIES)

#### **SUB-BASES**

- Made of heavy-gauge steel
- Full base enclosure with breakaway side channels
- 4-point leveling legs
- $\bullet$  Sub-base adapts to service conduit, circuit breakers and receptacles up to  $30~\mathrm{amps}$
- May also be used as a non-electrical sub-base to support the unit

KIT NO.	SUB-BASE	CIRCUIT AMPACITY	CHASEWAY	POWER CORD
RAK204U*	Standard	N/A	Not Included	Not Included
RAK204E15	Sub-Base 265V	15	Included	Not Included
RAK204E20	Sub-Base 265V	20	Included	Not Included
RAK204E30	Sub-Base 265V	30	Included	Not Included



# RAK204D (AZ SERIES —EXCLUDES 45 & 65) SUB-BASES WITH POWER CORD INCLUDED

- Made of heavy-gauge steel
- Full base enclosure with breakaway side channels
- 4-point leveling legs
- Sub-base adapts to service conduit, circuit breakers and receptacles up to 30 amps
- $\bullet$  May also be used as a non-electrical sub-base to support the unit
- 9-pin connector

KIT NO.	SUB-BASE	CIRCUIT AMPACITY	CHASEWAY	POWER CORD
RAK204D15P	Sub-Base 230/208V	15	Included	Included
RAK204D20P	Sub-Base 230/208V	20	Included	Included
RAK204D30P	Sub-Base 230/208V	30	Included	Included



#### RAK204D

#### (AZ SERIES-45 & 65 ONLY)

#### **SUB-BASES WITH POWER CORD INCLUDED**

- Made of heavy-gauge steel
- Full base enclosure with breakaway side channels
- 4-point leveling legs
- $\bullet$  Sub-base adapts to service conduit, circuit breakers and receptacles up to 30 amps
- $\bullet$  May also be used as a non-electrical sub-base to support the unit
- 4-pin connector

KIT NO.	SUB-BASE	CIRCUIT AMPACITY	CHASEWAY	POWER CORD
RAK204D15C	Sub-Base 230/208V	15	Included	Included
RAK204D20C	Sub-Base 230/208V	20	Included	Included
RAK204D30C	Sub-Base 230/208V	30	Included	Included



#### RAK205CW (AZ SERIES) CHASEWAY

• For wiring containment between junction box on chassis and RAK204U sub-base



RAK4157/4207/4307<sup>†</sup> (AZ SERIES-28, 29, 38, 39, 41, 55, 58 & 61 ONLY)

## 230/208-VOLT UNIVERSAL POWER SUPPLY KIT

• 9-pin connector with three 7" 12-gauge conductor wires

	KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY
-	RAK4157	230/208	2.4/2.32 kw	15
	RAK4207	230/208	3.3/3.2 kw	20
	RAK4307	230/208	4.7/4.53 kw	30



RAK5157/5207/5307<sup>+</sup> (AZ SERIES-28, 29, 38, 39, 41, 55, 58 & 61 ONLY)

## 265-VOLT UNIVERSAL POWER SUPPLY KIT

• 9-pin connector with three 7" 12-gauge conductor wires

KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY
RAK5157	265	2.4 kw	15
RAK5207	265	3.4 kw	20
RAK5307	265	4.8 kw	30



RAK3153A/3203A/3303A<sup>†</sup> (AZ SERIES—28, 29, 38, 39, 41, 55, 58 & 61 ONLY)

#### 15 & 20 AMP (230/208 VOLTS) UNIVERSAL POWER SUPPLY WITH LCDI

• 9-pin connector with three 7" 12-gauge conductor wires

KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY	
RAK3153A	230/208	2.4/2.32 kw	15	•
RAK3203A	230/208	3.3/3.2 kw	20	•
RAK3303A	230/208	4.7/4.53 kw	30	•



RAK5172/5202/5302<sup>†</sup> (AZ SERIES—28, 29, 38, 39, 41, 55, 58 & 61 ONLY)

#### 15, 20, & 30 AMP (265 VOLTS) UNIVERSAL POWER SUPPLY

- Branch circuit plug to be used only in connection to appropriate sub-base
- 9-pin connector with three 7" 12-gauge conductor wires

KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY	
RAK5172	265	2.4 kw	15	■G Nw#
RAK5202	265	3.4 kw	20	<b>●</b> G <b>●</b> w*
RAK5302	265	4.8 kw	30	( v )

 $<sup>\</sup>dagger$ The power connection kit determines the heater wattage and current requirements when it is plugged into the Zoneline unit. NOTE: 7,000 BTU models do not have 5,000-watt heaters.

 $<sup>\</sup>dagger\dagger Heater\ wattage\ may\ vary\ slightly\ among\ models.\ 30-amp\ heater\ wattage\ is\ reduced\ in\ low\ fan\ operation.$ 



#### RAK315D/320D/330D<sup>††</sup>

RAK330D shown

(AZ SERIES-45 & 65 ONLY)

## 230/208-VOLT DIRECT CONNECT POWER SUPPLY KIT

- 4-pin connector with three 7" 12-gauge conductor wires and low-voltage personality plug on 20 amp and 30 amp kits
- Junction box included

KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY
RAK315D	230/208	2.4/1.99 kw	15
RAK320D	230/208	3.4/2.8 kw	20
RAK330D	230/208	4.8/3.99 kw	30



#### RAK515D/520D/530D<sup>++</sup>

RAK530D shown

(AZ SERIES-45 & 65 ONLY)

## 265-VOLT UNIVERSAL DIRECT CONNECT POWER SUPPLY KIT

• 4-pin connector with three 7" 12-gauge conductor wires and low-voltage personality plug on 20 amp and 30 amp kits

KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY
RAK515D	265	2.4 kw	15
RAK520D	265	3.4 kw	20
RAK530D	265	4.8 kw	30



#### RAK315P/320P/330P<sup>++</sup>

RAK320P shown

(AZ SERIES-45 & 65 ONLY)

## 230/208-VOLT UNIVERSAL POWER CORD KIT

- Six-foot power cord with LCDI
- 4-pin connector
- Low-voltage personality plug on 20 amp and 30 amp kits

KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY	
RAK315P	230/208	2.4/1.96 kw	15	•
RAK320P	230/208	3.4/2.8 kw	20	1
RAK330P	230/208	4.8/3.99 kw	30	



#### RAK315SP/320SP/330SP<sup>++</sup>

 $RAK315SP\ shown$ 

(AZ SERIES-45 & 65 ONLY)

## 230/208-VOLT UNIVERSAL SHORT POWER CORD KIT

- Three-foot power cord WITHOUT LCDI
- 4-pin connector
- Low-voltage personality plug on 20 amp and 30 amp kits
- $\bullet$  Only for use in existing sub-bases with new AZ45/65 units
- ullet Junction box included

KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY	
RAK315SP	230/208	2.4/1.96 kw	15	•
RAK320SP	230/208	3.4/2.8 kw	20	1
RAK330SP	230/208	4.8/3.99 kw	30	



#### RAK515P/520P/530P<sup>++</sup>

 $RAK520P\ shown$ 

(AZ SERIES-45 & 65 ONLY)

## 265 VOLTS UNIVERSAL POWER SUPPLY

- Three-foot power cord WITHOUT LCDI
- 4-pin connector
- Low-voltage personality plug on 20 amp and 30 amp kits
- Only for use in existing sub-bases and with new AZ45/65 units

KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY	
RAK515P	265	2.4 kw	15	( vw d )
RAK520P	265	3.4 kw	20	(Na)
RAK530P	265	4.8 kw	30	( w/r



#### RAK4002A (AZ SERIES—25, 28, 29, 35, 38, 39, 41 & 61 ONLY)

## DIRECT-CONNECT JUNCTION BOX (230/208 & 265 VOLTS)

- Kit for permanent connection of 230/208and 265-volt units to building power supply
- Includes multi-circuit connector harness for use on value line units
- Junction box is included on 265-volt units



 $\textbf{RAK4002B} \ while \ quantities \ last$ 

#### (AZ SERIES-55 & 58 ONLY)

## DIRECT-CONNECT JUNCTION BOX (230/208 & 265 VOLTS)

- Kit for permanent connection of 230/208and 265-volt units to building power supply
- Includes multi-circuit connector harness for use on value line units
- Junction box is included on 265-volt units



#### **RAK4002C**

#### (AZ SERIES-45 & 65 ONLY)

## DIRECT-CONNECT JUNCTION BOX (230/208 AND 265 VOLTS)

- Kit for direct connection of 230/208-volt and 265-volt units to building power supply
- $\bullet$  Junction box is included on 265-volt units
- Junction box is included with RAK315, RAK320, RAK330, RAK315SP, RAK320SP and RAK330SP



RAK4002CW while quantities last

(AZ SERIES-EXCLUDES 45 & 65)
DIRECT-CONNECT JUNCTION BOX
WIRING (230/208 & 265 VOLTS)

- In-line 3-pin connector and wiring harness
- Allows easy disconnect of direct-connected applications



RAK8022 while quantities last

(AZ SERIES-22, 25, 32, 35, 52 & 55 ONLY)

#### **LOCKING DOOR KIT**

- Prevents access to Zoneline unit controls
- Includes key
- Provides two thumb screws for securing the room cabinet to the chassis on the lower right and left side



RAK8023 while quantities last

(AZ SERIES-28, 29, 38, 39, 41, 58 & 61 ONLY)

#### **LOCKING DOOR KIT**

- Prevents access to Zoneline unit controls
- Includes key
- Provides two thumb screws for securing the room cabinet to the chassis on the lower right and left side



RAA62 while quantities last

#### (AZ SERIES-22, 32 & 52 ONLY) REPLACEMENT FILTERS **FOR AZ MODELS**

- 10 pairs per box
- Sold in pairs
- Conveniently accessible through the front of the unit



RAA62A while quantities last

#### (AZ SERIES-25, 35 & 55 ONLY) REPLACEMENT FILTERS

- 10 pairs per box
- Sold in pairs
- Conveniently accessible through the front of the unit



(AZ SERIES—28, 29, 38, 39, 41, 58 & 61 ONLY)

#### REPLACEMENT FILTERS

- 10 pairs per box
- Sold in pairs
- Conveniently accessible through the front of the unit





#### RAA64

(AZ SERIES-45 & 65 ONLY)

#### **REPLACEMENT FILTERS**

- One pair per box
- Sold in pairs
- Conveniently accessible through the front of the unit

#### THIS UNIT IS CONTROLLED BY WALL THERMOSTAT

#### **RAK806**

#### (AZ SERIES-EXCLUDES 45 & 65) **UNIVERSAL COVER LABEL**

## (10 COVERS PER KIT)

- Covers control area, referring room occupant to use a remote thermostat
- Double-sided adhesive provided



**RAK901L** while quantities last

#### (AZ SERIES)

#### **WALL CASE INSULATION KIT**

- $\bullet$  Five pieces of 13" x 14" x 1/4" adhesive-backed polyethylene
- $\bullet$  Insulates inside of RAB71A or RAB71B wall case
- Minimizes the formation of moisture on wall case exterior



#### RAKCDC

(AZ SERIES-45 & 65 ONLY)

#### **CDC WIRING CONNECTOR**

- 3-wire connector
- Works with Central Desk Control system and thru wall fan option
- External fan option

#### **AZ45 SERIES**



#### RAK164D2 (AZ 25, 28, 29, 41, 45, 75 & 85) COOLING WITH ELECTRIC HEAT DIGITAL REMOTE THERMOSTAT

- 24V AC digital remote wall thermostat with single-stage cooling and single-stage heating for resistance heat models
- Requires 5-wire hookup



#### RAK164F2

(AZ 25, 28, 29,41,45,75 & 85) DIGITAL TWO FAN SPEED THERMOSTAT FOR ELECTRIC RESISTANCE

- Two fan speeds
- 24V AC digital remote wall thermostat with single-stage cooling and single-stage heating for resistance heat models
- Requires 5-wire hookup



#### **RAK164P2**

(AZ 25, 28, 29, 41, 45, 75 & 85) COOLING WITH ELECTRIC HEAT PROGRAMMABLE REMOTE THERMOSTAT

- 24V AC programmable remote wall thermostat with single-stage cooling and single-stage heating for resistance heat models
- Programmable for 7-day or 5+2-day programs
- Requires 5-wire hookup

#### **AZ65 SERIES**



#### RAK148D2

(AZ 35, 38, 39, 55, 58, 61, 65, 75 & 85) HEAT PUMP DIGITAL REMOTE THERMOSTAT

- 24V AC digital remote wall thermostat with single-stage cooling and 2-stage heating for heat pump models
- Requires 6-wire hookup



#### **RAK148F2**

(AZ 35, 38, 39, 55, 58, 61, 65, 75 & 85) DIGITAL TWO FAN SPEED THERMOSTAT FOR HEAT PUMP

- · Two fan speeds
- 24V AC digital remote wall thermostat with single-stage cooling and 2-stage heating for heat pump models
- Requires 6-wire hookup



#### RAK148P2

(AZ 35, 38, 39, 55, 58, 61, 65, 75 & 85) HEAT PUMP PROGRAMMABLE REMOTE THERMOSTAT

- 24V AC programmable remote wall thermostat with single-stage cooling and 2-stage heating for heat pump models
- Programmable for 7-day or 5+2-day programs
- Requires 6-wire hookup

#### **GE APPLIANCES ZONELINE® WARRANTY**

FOR THE PERIOD OF	GE APPLIANCES WILL REPLACE
ONE YEAR From the date of the original purchase	Any part of the air conditioner which fails due to a defect in materials or workmanship. During this limited one-year warranty, GE will provide, free of charge, all labor and related service costs to replace the defective part.
FIVE YEARS From the date of the original purchase	Sealed Refrigerating System, if any part of the Sealed Refrigerating System (the compressor, condenser, evaporator, and all connecting tubing) should fail due to a defect in materials or workmanship. During this limited five-year warranty, GE will provide, free of charge, all labor and related service costs to replace the defective part.
SECOND THROUGH FIFTH YEAR From the date of the original purchase	Fan Motors, Switches, Thermostat, Heater, Heater Protectors, Compressor Overload, Solenoids, Circuit Boards, Auxiliary Controls, Thermistors, Freeze Sentinel, Frost Controls, ICR Pump, Capacitors, Varistors and Indoor Blower Bearing, if any of these parts should fail due to a defect in materials or workmanship. During this additional four-year limited warranty, the customer will be responsible for any labor and related service costs.

#### **HOW TO ORDER**

Call or go online to get the products, parts and accessories you need from GE Appliances.

ZONELINE.COM | GEAPPLIANCES.COM | GEAPPLIANCEPARTS.COM | 800.432.2737 - GE FACTORY SERVICE

#### **ORDER GE APPLIANCES PARTS DIRECT**

When you order GE Appliances Parts direct, you'll be backed by quality and support you can count on:

- Original genuine parts
- Limited 1-year warranty
- Discounts and promotions
- Access to illustrated parts catalog
- Check status and availability

Apply for credit, speak to a GE Appliances Parts Specialist or buy genuine GE Appliances Parts at:

GECUSTOMERNET.COM | 800.851.6200

#### YOUR PRODUCT INFORMATION:

Locate your Zoneline's serial number:

- Remove cover
- Find the base pan, located at the bottom of the unit
- Serial number will be printed on the base pan

MY ACCOUNT NUMBER

MY SALES MANAGER





#### RAVWP6 (AZ SERIES—75/85)

#### **WALL PLENUM**

- Wall plenum for installation in walls less than 6" thick
- Wall plenum 19-3/4" x 32"
- Wall cutout dimensions 20" x 32-1/4"
- Warm gray-beige color



#### RAVWP12 (AZ SERIES—75/85)

#### **WALL PLENUM**

- Wall plenum for installation in walls less than 12" thick
- Wall plenum 19-3/4" x 32"
- $\bullet$  Wall cutout dimensions 20" x 32-1/4"
- $\bullet$  Warm gray-beige color



#### RAVWP8 (AZ SERIES—75/85) WALL PLENUM

- Wall plenum for installation in walls less than 8" thick
- Wall plenum 19-3/4" x 32"
- Wall cutout dimensions 20" x 32-1/4"
- Warm gray-beige color



#### RAVWP15 (AZ SERIES—75/85) WALL PLENUM

- $\bullet$  Wall plenum for installation in walls less than 15" thick
- Wall plenum 19-3/4" x 32"
- $\bullet$  Wall cutout dimensions 20" x 32-1/4"
- $\bullet$  Warm gray-beige color



#### RAVAL1 (AZ SERIES-75/85)

#### **ALUMINUM OUTDOOR GRILLE**

- Extruded aluminum outdoor grille for installation on RAVWP series wall plenums
- $\bullet$  Grille is 19-3/4" x 32" x 1-1/4"
- Mill finish



#### **RAVRG1** (AZ SERIES-75/85)

#### **ACCESS PANEL WITH RETURN AIR GRILLE**

- Access panel with return air grille for installation in closet wall
- Allows access/removal of Vertical Zoneline for cleaning or service
- Outside dimensions 30" x 50"
- Wall cutout dimensions 28" x 48"
- $\bullet$  Accepts 20" x 20" x 1" field-supplied filter
- Warm gray-beige color



#### **RAVRG2** (AZ SERIES-75/85)

#### **RETURN AIR GRILLE**

- Return air grille for installation in closet wall
- $\bullet$  Exterior dimensions 22-1/2" x 22-1/2"
- Wall cutout dimension 20-3/8" x 20-3/8"
- $\bullet$  Accepts 20" x 20" x 1" field-supplied filter
- Warm gray-beige color



#### **RAVRMS** while quantities last

#### (AZ SERIES-75/85)

#### WALL-MOUNTED ROOM **AIR SENSOR**

- Wall-mounted room air sensor provides Temperature Limiting and Freeze Sentinel capability
- Includes 3-meter conductor wire for hook-up to Vertical Zoneline
- Required for Motion Sensor/Door Switch applications

A-B series: Zoneline units built before 1987 - Zoneline I, II, III, and IV; AZC series: Zoneline units built from 1987 to 1992 - Zoneline 1000, 2000, 2500, 2700, 3000, 4000, 5000; AZ series: Zoneline units built after 1992 - Zoneline 21, 31, 26, 51 / Zoneline 22, 32, 52 / Zoneline 25, 35, 55 / Zoneline 28, 29, 38, 39, 41, 45, 58, 61, 65, 75, 85.



#### RAK5157/5207/5307<sup>+</sup> (AZ SERIES-75/85)

#### **265-VOLT UNIVERSAL POWER SUPPLY KIT**

• 9-pin connector with three 7" 12-gauge conductor wires

KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY
RAK5157	265	2.71 kw	15
RAK5207	265	3.55 kw	20
RAK5307	265	5.03 kw	30



#### RAK4157/4207/4307<sup>+</sup> (AZ SERIES-75/85)

#### 230/208-VOLT UNIVERSAL **POWER SUPPLY KIT**

• 9-pin connector with three 7" 12-gauge conductor wires

KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY
RAK4157	230/208	2,610/2,190	15
RAK4207	230/208	3,420/2,870	20
RAK7307	230/208	4,810/4,070	30



#### RAK3152/3202/3302<sup>+</sup> (AZ SERIES-75/85)

#### 15, 20, & 30 AMP (230/208 VOLTS) **UNIVERSAL POWER SUPPLY**

KIT NO.	VOLTS	HEATER WATTAGE	CIRCUIT AMPACITY	
RAK3152	230/208	2,610/2,190	15	·
RAK3202	230/208	3,420/2,870	20	
RAK3302	230/208	4,810/4,070	30	•

†The power connection kit determines the heater wattage and current requirements when it is plugged into the Zoneline unit. NOTE: 7,000 BTU models do not have 5,000-watt heaters.

## **ORDER INFORMATION**

#### **ZONELINE® PARTS ಲೆ ACCESSORIES**

NUMBER	DESCRIPTION	MODEL TYPE	PAGE NO.
RAA62	Replacement filters for AZ models (10 pairs per box) for 22, 32 & 52 only	AZ	13
RAA62A	Replacement filters (10 pairs per box) for 25, 35 & 55 only	AZ	13
RAA63	Replacement filters (10 pairs per box) for 28, 38, 41, 45, 58, 61 & 65 only	AZ	13
RAA64	Replacement filters (one pair per box) for 45 & 65 only	AZ	13
RAB71A	Wall case	All Zoneline	4
RAB77A4	SMC wall case	All Zoneline	4
RAB71B	Wall case, 45 & 65 only	AZ	4
RAB7116	Wall case, 16"		4
RAB7124	Wall case, 24"		4
RAB7128	Wall case, 28"		4
RAB7131	Wall case, 31"		4
RAB7116B	Wall case, 16", 45 & 65 only		4
RAB7124B	Wall case, 24", 45 & 65 only		4
RAB77B	SMC wall case, 45 & 65 only	AZ	4
RAD10	Internal/external drain kit	All Zoneline	5
RAF452	Replacement room cabinet (2-position louvers) for 22, 32 & 52 only	AZ	6
RAF452A	Replacement room cabinet (2-position louvers) for 25, 35 & 55 only	AZ	6
RAF453A	Replacement room cabinet (2-position louvers) for 28, 29, 38, 39, 41, 58 and 61 only	AZ	6
RAF454	Replacement room cabinet (2-position louvers) for 45 & 65 only	AZ	6
RAG60	Stamped aluminum exterior rear grille	AZ	5
RAG61	Architectural rear grille, beige	AZ	5
RAG62 RAG63	Architectural rear grille, maple	AZ AZ	5
RAG67	Architectural rear grille, dark brown Aluminum architectural outdoor grille	AZ	5
RAK40	Air deflector kit	AZ	6
RAK4002A	Direct-connect junction box 230/208V for 25, 35, 28, 29, 38, 39, 41, 45, 61 & 65 only	AZ	12
RAK4002B	Direct-connect junction box 230/208V for 55, 58 only	AZ	12
RAK4002C	Direct-connect junction box, 230/200V for 33, 35 only  Direct-connect junction box, 230/208V and 265V for 45 & 65 only	AZ	12
RAK4002CW	Direct-connect junction box, 230/208V and 265V excludes 45 & 65	AZ	12
RAK315P	Universal power supply, 15 amp for 45 & 65 only	AZ	11
RAK320P	Universal power supply, 20 amp for 45 & 65 only	AZ	11
RAK330P	Universal power supply, 30 amp for 45 & 65 only	AZ	11
RAK315D	230/208V Universal power supply, 15 amp for 45 & 65 only	AZ	11
RAK320D	230/208V Universal power supply, 20 amp for 45 & 65 only	AZ	11
RAK330D	230/208V Universal power supply, 30 amp for 45 & 65 only	AZ	11
RAK515D	265V Universal power supply, 15 amp for 45 & 65 only	AZ	11
RAK520D	265V Universal power supply, 20 amp for 45 & 65 only	AZ	11
RAK530D	265V Universal power supply, 30 amp for 45 & 65 only	AZ	11
RAK315SP	230/208V Universal power supply, short, 15 amp for 45 & 65 only	AZ	11
RAK320SP	230/208V Universal power supply, short, 20 amp for 45 & 65 only	AZ	11
RAK330SP	230/208V Universal power supply, short, 30 amp for 45 & 65 only	AZ	11
RAK515P	265V Universal power supply, 15 amp for 45 & 65 only	AZ	11
RAK520P	265V Universal power supply, 20 amp for 45 & 65 only	AZ	11
RAK530P	265V Universal power supply, 30 amp for 45 & 65 only	AZ	11
RAK4157	230/208V Universal power supply, 15 amp for 28, 29, 38, 39, 41, 55, 58 and 61 only	AZ	10
RAK4207	230/208V Universal power supply, 20 amp for 28, 29, 38, 39, 41, 55, 58 and 61 only	AZ	10
RAK4307	230/208V Universal power supply, 30 amp for 28, 29, 38, 39, 41, 55, 58 and 61 only	AZ	10
RAK5157	265V Universal power supply, 15 amp for 28, 29, 38, 39, 41, 55, 58 and 61 only	AZ	10
RAK5207	265V Universal power supply, 20 amp for 28, 29, 38, 39, 41, 55, 58 and 61 only	AZ	10
RAK5307	265V Universal power supply, 30 amp for 28, 29, 38, 39, 41, 55, 58 and 61 only	AZ	10
RAK3153A	230/208V Universal power supply, 15 amp for 28, 29, 38, 39, 41, 55, 58 and 61 only	AZ	10
RAK3203A	230/208V Universal power supply, 20 amp for 28, 29, 38, 39, 41, 55, 58 and 61 only	AZ	10
RAK3303A	230/208V Universal power supply, 30 amp for 28, 29, 38, 39, 41, 55, 58 and 61 only	AZ	10
RAK5172	Universal power supply, 15 amp, 265V for 28, 29, 38, 39, 41, 55, 58 & 61 only	AZ	10
RAK5202	Universal power supply, 20 amp, 265V for 28, 29, 38, 39, 41, 55, 58 & 61 only	AZ	10
RAK5302	Universal power supply, 30 amp, 265V for 28, 29, 38, 39, 41, 55, 58 & 61 only	AZ	10
RAK205CW	Chaseway for RAK204U sub-base	AZ	9
RAK204D15P	230/208V, 15 amp sub-base with power cord, excludes 45 & 65	AZ	8
RAK204D20P	230/208V, 20 amp sub-base with power cord, excludes 45 & 65	AZ	8
RAK204D30P	230/208V, 30 amp sub-base with power cord, excludes 45 & 65	AZ	8
RAK204D15PC	230/208V, 15 amp sub-base with power cord, 45 & 65 only	AZ	9
RAK204D20PC	230/208V, 20 amp sub-base with power cord, 45 & 65 only	AZ	9
RAK204D30PC	230/208V, 30 amp sub-base with power cord, 45 & 65 only	AZ	9

NUMBER	DESCRIPTION	MODEL TYPE	PAGE NO.
RAK204E15	265V, 15 amp sub-base	AZ	8
RAK204E20	265V, 20 amp sub-base	AZ	8
RAK204E30	265V, 30 amp sub-base	AZ	8
RAK204U	Sub-base without electrical devices or wiring	AZ	8
RAK601	Duct extension	AZC, AZ	7
RAK602	Air register and trim flange	AZC, AZ	7
RAK601B	Duct extension for 45 & 65 only	AZ	7
RAK602B	Air register and trim flange for 45 & 65 only	AZ	7
RAK6052	Duct adapter for 22, 32, 25, 35, 28, 29, 38, 39, 41 & 61 only	AZ	7
RAK6053	Duct adapter for 45 & 65 only	AZ	7
RAK7012	Duct adapter for replacement of A-B with rounded-front AZ chassis for 22, 32, 25, 35, 28, 29, 38, 39, 41 & 61 only	AZ	7
RAK7013	Duct adapter for replacement of A-B with slated-front AZ chassis for 45 & 65 only	AZ	7
RAK7022	Duct transition for replacement of AZC with rounded-front AZ chassis for 22, 32, 25, 35, 28, 29, 38, 39, 41, 45, 61 & 65 only	AZ	8
RAK7023	Duct transition for replacement of AZC with slanted-front AZ chassis for 45 & 65 only	AZ	8
RAK8022	Locking door kit for 22, 25, 32, 35, 52 & 55 only	AZ	12
RAK8023	Locking door kit for 28, 29, 38, 39, 41, 58 & 61 only	AZ	12
RAK806	Universal cover label (10 covers per kit), excludes 45 & 65	AZ	13
RAK901L	Wall case insulation kit	AZ	13
RAKCDC	CDC Wiring Connector for 45 & 65 only	AZ	13

#### **THERMOSTATS**

NUMBER	DESCRIPTION	PAGE NO.
RAK148D2	Heat pump digital remote thermostat	14
RAK148F2	Heat Pup digital 2 fan speed remote thermostat	14
RAK148P2	Heat pump programmable remote thermostat	14
RAK164D2	Cooling with electric heat digital remote thermostat	14
RAK164F2	Cooling with electric heat 2 fan speeds digital remote thermostat	14
RAK164P2	Cooling with electric heat programmable remote thermostat	14

#### **VERTICAL ZONELINE UNITS**

NUMBER	DESCRIPTION	MODEL TYPE	PAGE NO.
RAK3152	230/208V power connection kit (15 amp) for line-cord-connected units vertical series	AZ	17
RAK3203	230/208V power connection kit (20 amp) for line-cord-connected units vertical series	AZ	17
RAK3302	230/208V power connection kit (30 amp) for line-cord-connected units vertical series	AZ	17
RAK4157	230/208V power connection kit (15 amp) for permanently connected units	AZ	17
RAK4207	230/208V power connection kit (20 amp) for permanently connected units	AZ	17
RAK4307	230/208V power connection kit (30 amp) for permanently connected units	AZ	17
RAK5157	265V power connection kit (15 amp) for permanently connected units	AZ	17
RAK5207	265V power connection kit (20 amp) for permanently connected units	AZ	17
RAK5307	265V power connection kit (30 amp) for permanently connected units	AZ	17
RAVAL1	Exterior grille—19-3/4" W x 32" H	AZ	17
RAVRG1	Access panel—28" W x 48" H cutout	AZ	17
RAVRG2	Return air grille—20-3/8" W x 20-3/8" H cutout	AZ	17
RAVRMS	Freeze Sentinel/Temperature-limiting room sensor	AZ	17
RAVWP6	Wall plenum for up to 6" thick walls	AZ	16
RAVWP8	Wall plenum for up to 8" thick walls	AZ	16
RAVWP12	Wall plenum for up to 12" thick walls	AZ	16
RAVWP15	Wall plenum for up to 15" thick walls	AZ	16

## **GE ZONELINE®**

## A Story of American Invention

In 1961, the GE Zoneline® PTAC began making its way into hotels and motels across the country, changing the face of comfort on the road.



Now, over 50 years later, GE Zoneline has been reinvented in Louisville, Kentucky, to meet the changing needs of America's hotel industry. The newest GE Zoneline PTACs are engineered to be more reliable, efficient, quieter and incredibly easy to install and maintain.

**RELIABLE** | With over one million units installed across the U.S. and remarkably low service issues, GE Zoneline PTACs offer unrivaled reliability, consistent performance and constant guest comfort.

**UNMATCHED SERVICE** SUPPORT | GE Appliances is the only manufacturer with a dedicated factory service network and field team. Our technicians service your Zoneline—and any other GE appliances you have—in no time, so guest comfort is not compromised.

**DISTRIBUTION** | Eight U.S. distribution centers and strategically located warehouses mean faster delivery times

