



General Orthopedic Instruments

Ortho Select GmbH
Eltastrasse 2
D – 78573 Wurmlingen
Germany

Tel: +49-(0)7461-96632-30
Fax: +49-(0)7461-96632-35


info@ortho-select.de
www.ortho-select.de

Drill Bits – Quick Coupling

6900-0-0002	1,1 mm/60 mm
6900-0-0003	1,5 mm/85 mm
6900-0-0004	1,5 mm/110/85 mm
6900-0-0005	2,0 mm/100 mm
6900-0-0006	2,0 mm/125 mm
6900-0-0007	2,5 mm/110 mm
6900-0-0008	2,5 mm/180 mm
6900-0-0009	2,7 mm/100 mm
6900-0-0010	2,7 mm/125 mm
6900-0-0011	3,2 mm/145 mm
6900-0-0012	3,2 mm/195 mm
6900-0-0013	3,5 mm/110 mm
6900-0-0014	3,5 mm/195 mm
6900-0-0015	4,5 mm/145 mm
6900-0-0016	4,5 mm/195 mm
6900-0-0017	3,5 mm/145 mm
6900-0-0018	5,0 mm/145 mm
6900-0-0019	2,7 mm/110 mm

Drill Bits – straight shaft

6900-0-0020	1,1 mm / 45 mm
6900-0-0021	1,5 mm / 70 mm
6900-0-0022	2,0 mm / 85 mm
6900-0-0023	2,5 mm / 95 mm
6900-0-0024	2,7 mm / 110 mm
6900-0-0025	3,2 mm / 130 mm
6900-0-0026	3,2 mm / 180 mm
6900-0-0027	3,5 mm / 110 mm
6900-0-0028	3,5 mm / 180 mm
6900-0-0029	4,5 mm / 130 mm
6900-0-0030	4,5 mm / 180 mm
6900-0-0031	6,5 mm / 150 mm
6900-0-0032	3,2 mm / 106 mm
6900-0-0038	4,0 mm / 120 mm
6900-0-0039	4,0 mm 180 mm



Drill Bits – three Flutes – Quick Coupling

6900-0-0035	2,5 mm / 230 mm
6900-0-0036	3,2 mm / 230 mm
6900-0-0037	4,5 mm / 195 mm

Countersinks – Quick Coupling

6900-0-0040	1,5 / 2,0 mm
6900-0-0041	2,7 / 3,5 / 4,0 mm
6900-0-0042	4,5 / 6,5 mm T-Handle



Taps - Quick Coupling

6900-0-0045	1,5 mm/50/20 mm (Dental)
6900-0-0046	2,0 mm/53/24 mm (Dental)
6900-0-0047	2,7 mm/100/33mm
6900-0-0048	3,5 mm/110/83 mm (TIN)
6900-0-0049	4,0 mm/110/47 mm
6900-0-0050	4,5 mm/125/59 mm
6900-0-0051	6,5 mm calibr./200/25 mm
6900-0-0052	3,5 mm calibr./175/50 mm
6900-0-0053	4,5 mm calibr./175/50 mm
6900-0-0054	4,5 mm /125/70 mm
6900-0-0055	4,5 mm /180/110 mm



Insert Drill Sleeve

6900-0-0060	2,5/3,5 mm
6900-0-0061	4,5/3,2 mm
6900-0-0075	6,0/5,0 mm
6900-0-0076	5,0/4,0 mm
6900-0-0077	4,0/3,0 mm




Parallel Drill Sleeve

6900-0-0062	2,0 mm
-------------	--------




Double Drill Sleeve

6900-0-0063	1,1 / 1,5 mm
6900-0-0064	1,5 / 2,0 mm
6900-0-0065	2,0 / 2,7 mm
6900-0-0066	2,5 / 3,5 mm
6900-0-0067	4,5 / 3,2 mm
6900-0-0068	6,5 / 3,2 mm



Universal Drill Sleeve

6900-0-0069	3,5 mm
6900-0-0070	4,5 mm



Drill Guide – Neutral and Load

6900-0-0071	2,7 mm
6900-0-0072	3,5 mm
6900-0-0073	4,5 mm



Pointed Drill Guide

6900-0-0079	
-------------	--



Mini Quick Coupling Handle

6900-0-0080	
-------------	--



Mini, Bulb, Quick Coupling Handle
6900-0-0081



Small Quick Coupling Handle
6900-0-0082



T-Handle, small
6900-0-0083



T-Handle with Jacobs Chuck
6900-0-0084



Screwdriver Insert – Quick Coupling

- 6900-0-0090 Cruxiform/Phillips
- 6900-0-0091 1,5 mm hex
- 6900-0-0092 2,5 mm hex, 100 mm
- 6900-0-0093 2,5 mm hex, 135 mm
- 6900-0-0094 2,5 mm hex, 165 mm
- 6900-0-0095 3,5 mm hex, 100 mm
- 6900-0-0096 3,5 mm hex, 165 mm




Screw Drivers

- 6900-0-0104 1,5 mm hex
- 6900-0-0097 Philipps Head, 200 mm
- 6900-0-0098 for slotted head, 200 mm
- 6900-0-0099 for single head, 200 mm
- 6900-0-0100 2,5 mm hex, 210 mm
- 6900-0-0101 2,5 mm hex, 270 mm
- 6900-0-0102 3,5 mm hex, 245 mm
- 6900-0-0103 3,5 mm hex, 300 mm



Holding Sleeves (for screw size)

- 6900-0-0105 1,5 mm
- 6900-0-0106 2,0 mm
- 6900-0-0107 2,7/3,5 mm
- 6900-0-0108 3,5/4,0 mm
- 6900-0-0109 4,5/6,5 mm



- A ... Phillips Head
- B... Slotted Head
- C... Single Head
- D ...Hexagonal Head

General Orthopedic Instruments

Depth Gauges

6900-0-0156 30 mm with prot. cap
6900-0-0157 38 mm with prot. cap
6900-0-0158 50 mm
6900-0-0159 110 mm
6900-0-0160 120 mm



Sharp Hook

6900-0-0201




Screw Holding Forceps

6900-0-0205 small
6900-0-0206 large



Wrench SW 11

6900-0-0208




Socket Wrench SW 11

6900-0-0209



Ball Spike – straight – 300 mm

6900-0-0210




Spiked Disk, 25 mm

6900-0-0211



Quick coupling Adapter- Jakobs Chuck

6900 0 0212



Bending Iron for Mini Plates

6900-0-0165




Bending Iron for Small Plates

6900-0-0166 right
6900-0-0167 left




LANE Bone Holding Forceps
6900-1-0001 330 mm w/o ratchet
6900-1-0002 330 mm with ratchet
6900-1-0003 450 mm with ratchet



VERBRUGGE Self Centering bone Holding Forceps
6900-0-0122 150 mm
6900-0-0123 190 mm
6900-0-0124 240 mm
6900-0-0125 260 mm
6900-0-0126 280 mm




VERBRUGGE Bone Holding Forceps
6900-1-0004 250 mm
6900-1-0005 260 mm
6900-1-0006 270 mm
6900-1-0007 175 mm




LEWIN Bone Holding Forceps
6900-1-0008 190 mm



Reduction Forceps
6900-0-0130 narrow, w. point, 130 mm
6900-0-0131 broad, w. point, 130 mm
6900-0-0132 w. point, 130 mm
6900-0-0133 w. point, 205 mm



Stagbeetle Forceps
6900-0-0134 120 mm



Reduction Forceps w. serrated jaws
6900-0-0135 140 mm




Reduction Forceps, speed lock
6900-0-0136 170 mm
6900-0-0137 240 mm




FARABEUZ Reduction Forceps
6900-0-0138 190mm
6900-0-0139 250 mm




Reduction Forceps for use with screws
6900-0-0140 340 mm




6900-0-0141 200 mm, angled down
6900-0-0142 240mm, angled down
6900-0-0143 400 mm, straight




Reduction Forceps, pointed ball tips
6900-0-0145 250 mm, Ring-Handle



Reduction Forceps 3 pointed balls
6900-0-0144 400 mm



Reduction Forceps, Asymmetric
6900-0-0146




SEMB Bone Holding Forceps
6900-1-0009 200 mm



LOWMANN Bone Clamp
6900-1-0010 130 mm
6900-1-0011 185 mm
6900-1-0012 200 mm




GERSTER Bone Clamp
6900-1-0013




STILLE-LUER Bone Rongeur
6900-1-0014 230 mm




STILLE-LUER Bone Rongeur
6900-1-0015 260 mm straight
6900-1-0016 260 mm curved




LEKSELL-STILLE Bone Rongeur
6900-1-0017 230 mm broad
6900-1-0018 230 mm small




RUSKIN Bone Rongeur
6900-1-0019 180 mm, curved



STILLE-RUSKIN Bone Rongeur
6900-1-0020 230 mm




ZAUFAL-JANSEN Bone Rongeur
6900-1-0021 190 mm




BÖHLER Bone Rongeur
6900-1-0022 150 mm, straight
6900-1-0023 150 mm, curved




BEYER Bone Rongeur
6900-1-0024 180 mm




LUER Bone Rongeur
6900-1-0025 straight
6900-1-0026 curved



LEMPERT Bone Rongeur
6900-1-0027 160 mm, straight
6900-1-0028 160 mm, curved



LEMPERT Bone Rongeur
6900-1-0029 190 mm, straight
6900-1-0030 190 mm curved



HOHMANN Bone Lever
6900-1-0033 8 mm
6900-1-0034 18 mm
6900-1-0035 43 mm
6900-1-0036 70 mm



HOHMANN Bone Lever
6900-1-0037 43 mm
6900-1-0038 22 mm



BENNETT Bone Lever
6900-1-0040



Bone Lever for Knee
6900-1-0041 270 mm
6900-1-0042 175 mm



Mallet
6900-1-0044 500 gr



Mallet
6900-1-0045 250 gr, 42 mm



SMITH PETERSEN Bone Chisel
straight

6900-1-0046 6 mm
6900-1-0047 9 mm
6900-1-0048 13 mm
6900-1-0049 16 mm
6900-1-0050 19 mm
6900-1-0051 25 mm
6900-1-0052 32 mm



curved

6900-1-0053 6 mm
6900-1-0054 9 mm
6900-1-0055 13 mm
6900-1-0056 16 mm
6900-1-0057 19 mm
6900-1-0058 25 mm
6900-1-0059 32 mm



STILLE Bone Chisels

6900-1-0060 10 mm
6900-1-0061 15 mm
6900-1-0062 20 mm
6900-1-0063 25 mm



LAMBOTTE Mini bone Chisels


6900-1-0069 3 mm
6900-1-0070 6 mm
6900-1-0071 10 mm



LAMBOTTE Bone Chisels

Straight

6900-1-0072 6,5 mm
6900-1-0073 15 mm
6900-1-0074 20 mm
6900-1-0075 25 mm
6900-1-0076 30 mm
6900-1-0077 38 mm
6900-1-0078 44 mm



Curved

6900-1-0079 6,5 mm
6900-1-0080 15 mm
6900-1-0081 20 mm
6900-1-0082 25 mm
6900-1-0083 30 mm
6900-1-0084 38 mm
6900-1-0085 44 mm



BRUNS Bone Curette, 230 mm

- 6900-1-0086 Fig 1
- 6900-1-0087 Fig 2
- 6900-1-0088 Fig 3
- 6900-1-0089 Fig 4
- 6900-1-0090 Fig 5
- 6900-1-0091 Fig 6
- 6900-1-0092 Fig 7
- 6900-1-0093 Fig 8
- 6900-1-0094 Fig 9



SIMON Bone Curette, 240 mm

- 6900-1-0095 Fig 1
- 6900-1-0096 Fig 2
- 6900-1-0097 Fig 3
- 6900-1-0098 Fig 4
- 6900-1-0099 Fig 5
- 6900-1-0100 Fig 6



SMITH-PETERSEN Gouge

Straight

- 6900-1-0101 6 mm
- 6900-1-0102 9 mm
- 6900-1-0103 13 mm
- 6900-1-0104 16 mm
- 6900-1-0105 19 mm
- 6900-1-0106 25 mm



Curved

- 6900-1-0111 6 mm
- 6900-1-0112 9 mm
- 6900-1-0113 13 mm
- 6900-1-0114 16 mm
- 6900-1-0115 19 mm
- 6900-1-0116 25 mm



STILLE Gouge

- 6900-1-0107 10 mm
- 6900-1-0108 15 mm
- 6900-1-0109 20 mm
- 6900-1-0110 25 mm



PARTSCH Gouge, 170 mm

Hollow

- 6900-1-0117 2 mm
- 6900-1-0118 3 mm
- 6900-1-0119 4 mm
- 6900-1-0120 5 mm
- 6900-1-0121 6 mm
- 6900-1-0122 7 mm
- 6900-1-0123 8 mm

Straight

- 6900-1-0124 2 mm
- 6900-1-0125 3 mm
- 6900-1-0126 4 mm
- 6900-1-0127 5 mm
- 6900-1-0128 6 mm
- 6900-1-0129 7 mm
- 6900-1-0130 8 mm



SEMB Elevators

- 6900-1-0131 175 mm
- 6900-1-0132 210 mm
- 6900-1-0134 175 mm
- 6900-1-0135 210 mm
- 6900-1-0136 205 mm straight
- 6900-1-0137 205 mm curved



Periosteal Elevators

- 6900-1-0140 14 mm
- 6900-1-0141 14 mm
- 6900-1-0142 20 mm
- 6900-1-0143 14 mm
- 6900-1-0144 6mm



Mini LEXER Gouge, 180 mm

straight

- 6900-1-0153 4 mm
- 6900-1-0154 6 mm
- 6900-1-0155 8 mm

hollow

- 6900-1-0156 4 mm
- 6900-1-0157 6 mm
- 6900-1-0158 8 mm



LEXER Gouge, 220 mm

Straight

- 6900-1-0180 10 mm
- 6900-1-0181 15 mm
- 6900-1-0182 20 mm
- 6900-1-0183 25 mm



Hollow

- 6900-1-0184 10 mm
- 6900-1-0185 15 mm
- 6900-1-0186 20 mm
- 6900-1-0187 25 mm



LEXER Gouge, hollow straight

- 6900-1-0150 5 mm
- 6900-1-0151 10 mm
- 6900-1-0152 15 mm



curved


- 6900-1-0195 5 mm
- 6900-1-0196 10 mm
- 6900-1-0197 15 mm



LISTON Bone Cutting Forceps

straight

- 6900-1-0160 140 mm
- 6900-1-0161 170 mm
- 6900-1-0162 190 mm
- 6900-1-0163 220 mm




curved

- 6900-1-0165 140 mm
- 6900-1-0166 170 mm
- 6900-1-0167 190 mm
- 6900-1-0168 220 mm


STILLE-LISTON Bone Cutting Forceps

- 6900-1-0170 270 mm straight
- 6900-1-0171 270 mm curved



RUSKIN-LISTON Bone Cutting Forceps

- 6900-1-0176 185 mm
- 6900-1-0177 185 mm



FARABEUFG Raspatory

- 6900-1-0190 straight
- 6900-1-0191 curved



General Orthopedic Instruments

PUTTI Raspatory
6900-1-0193 270 mm
6900-1-0194 300 mm



WILLINGER Raspatory 160 mm
6900-1-0212



STILLE Plaster Shear
6900-1-0200 240 mm
6900-1-0201 230 mm
6900-1-0202 260 mm
6900-1-0203 370 mm




HENNIG Plaster Spreader 280 mm
6900-1-0207



WIGMORE Plaster Saw
6900-1-0204 190 mm



ENGEL Plaster Saw
6900-1-0205



BERGMANN Plaster Saw
6900-1-0206



Electronic Plaster Saw
9999-0-0001 230V~/50 Hz
5 m cable with EURO plug
9999-0-0002 110V~/50 Hz
3 m cable with US plug

500 Watts
6500 – 24000 oscillations
ininitely variable
complete with carton
1 pc. Sawblade 50 mm for normal plaster
1 pc. Sawblade 65 mm for normal plaster
1 pair wrenches for saw blade changing
1 instruction manual



Power Vac
9999-0-0003 230V~/50 Hz
5 m cable with EURO plug
9999-0-0004 110V~/50 Hz
3 m cable with US plug

antistatic hose
adjustable suction power
activation/deactivation by power switch of plaster
saw
3 sec. Deferred activation
particle size min. 0,3 microns



Power Drill
Battery Driven Drill with closure cover
6998-0-0010

Voltage: 9,6V
Rated capacity of battery: 1,2 Ah
Speed: 630 rev/min
Max torque: 6,5 Nm
Weight incl. Battery: 1250 grams
Motor output: 70W
Type as per guideline of:
EN 60601-1-2:1993
EN 60601-1:1990 and A1:1993 and A2:1995
MED.UMW
Protection type: IP66

Power Drill Battery
6998-0-0011

Ni MH (nickel metal hydride)
Under normal level:
1,2V – 1250 mAh - 125 mA – 16 h
Under high loads:
1250 mA – 1,2 h



Power Drill Charger for 2 Batteries
6998-0-0012 220 V~/50 Hz

Rated voltage: 230 V
Rated frequency: 50 Hz
Rated input: 14 VA
Rated output voltage: 12 V
Rated output current: 1100 mA max.
Protection class: II
Protection type as per DIN EN 529: IPX0



Air Drill
6998-0-0005

without picture:

6998-0-0006 Air Hose 3 m

6998-0-0007 Air Hose 5 m



Power Drill Jacobs Chuck
up to 7,0 mm round and triangular shanks
with chuck key
6998-0-0021



Power Drill Quick Action Chuck
for drill wires 0,8 mm - 3,0 mm
6998-0-0022



Power Drill Adaptor for AO/AESCULAP
Attachements
6998-0-0023



Power drill Adaptor for DIN Attachements
6998-0-0024



Power Drill Chuck for acetabular and
intramedullary reaming (100 r/min)
6998-0-0025




Power Drill oscillating saw standard
connection for AO saw blades
6998-0-0026



Sleeve for K-wires
6998-0-0027

Saw Blades SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0100 90,0/13,0/1,27/1,37




Saw Blades SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0101 90,0/13,0/0,89/1,0



Saw Blades SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0102 90,0/19005/1,27/1,37




Saw Blades SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0103 90,0/25,4/1,47/1,47




Saw Blades SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0104 90,0/25,4/1,19/1,19




Saw Blades SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0105 90,0/25,4/0,89/1,0




Saw Blades SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0106 90,0/25,4/1,0/1,0



Sagittal Saw Blades for Hip / crossed
SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0110 27,0/6,0/0,4/0,6




Sagittal Saw Blades for Hip / crossed
SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0111 23,0/14,0/0,4/0,58




Sagittal Saw Blades for Hip / crossed
SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0112 48,0/14,0/0,4/0,66




Sagittal Saw Blades for Hip / crossed
SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm

6999-9-0113 48,0/27,0/0,4/0,66



Sagittal Saw Blades for Hip / crossed
SYNTHES/AO/SODEM
(Depth/Width/Mat.Thickness/Cut.Thickness) in mm


6999-9-0114 68,0/27,0/0,6/0,81



RALK Hand Drill
6900-0-0312




Fingerring Cutter
6900-1-0320



Lead Hand
6900-1-0213 for adults
6900-1-0214 for children



GIGLI Handle
1000-0-0053



GIGLI Wire Saw
1000-0-0055 300 mm
1000-0-0056 400 mm
1000-0-0057 500 mm
1000-0-0058 600 mm
1000-0-0059 700 mm

Bone Mill
6998-0-1000



Cutting Wheel for Bone Mill
6998-0-1001 4,0 mm
6998-0-1002 3,0 mm



Fixation Device for bone Mill
6998-0-1003



Instrument Maintenance Spray
NEODISHER IP Spray
6999-0-0040

without picture