

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
AHLMANN	AS 15 T	100,0	R10	R10	-	-
AHLMANN	AS 15 TS	100,0	R10	R10	-	-
AHLMANN	AS 210	130,0	R10	R10	-	-
BELL	L 1506 E HIGH LIFT	99,6	R10	R10	-	-
BELL	L1506E HIGH LIFT	99,6	R10	R10	-	-
BELL	L 1506 E	100,8	R10	R10	-	-
BELL	L 1506 E (AFRICA)	100,8	R10	R10	-	-
BELL	L1506E	107,9	R10	R10	-	-
BELL	L 1706 E HIGH LIFT	114,3	R10	R10	-	-
BELL	L1706E HIGH LIFT	115,1	R10	R10	-	-
BELL	L 1706 E TIER 4	125,7	R10	R10	-	-
BELL	L1706E	126,7	R10	R10	-	-
BELL	L 1706 E TIER 2	126,7	R10	R10	-	-
BELL	L1706E TIER 3	126,7	R10	R10	-	-
BELL	L 2106 E HIGH LIFT	127,1	R10	R10	-	-
BELL	L2106E HIGH LIFT	127,2	R10	R10	-	-
BELL	L1806E HIGH LIFT	135,2	R10	R10	-	-
BELL	L 2106 E TIER 4	141,1	R10	R10	-	-
BELL	L2106E	141,2	R10	R10	-	-
BELL	L2106E TIER 3	141,2	R10	R10	-	-
BELL	L 2106 E TIER 2	141,6	R10	R10	-	-
BELL	L 1806 E TIER 4	150,8	R10	R10	-	-
BELL	L1806E	150,8	R10	R10	-	-
BELL	L1806E TIER 3	150,8	R10	R10	-	-
BELL	L 1806 E TIER 2	152,7	R10	R10	-	-
BELL	L 2606 E HIGH LIFT	170,9	R10	R14	-	-
BELL	L2606E HIGH LIFT	171,0	R10	R14	-	-
BELL	L 2706 E	185,3	R10	R14	-	-
BELL	L2706E	185,4	R10	R14	-	-
BELL	L 2606 E TIER 4	190,4	R14	R18	-	-
BELL	L2606E	190,4	R14	R18	-	-
BELL	L2606E TIER 3	190,4	R14	R18	-	-
BELL	L 2606 E TIER 2	191,3	R14	R18	-	-
CASE	1221E Z-BAR	100,3	R10	R10	-	-
CASE	621 F XT INTERIM TIER 4	101,3	R10	R10	-	-
CASE	621 F XT TIER 4	101,3	R10	R10	-	-
CASE	621 BXT	101,4	R10	R10	-	-
CASE	621 E	103,4	R10	R10	-	-
CASE	621 EXT	103,4	R10	R10	-	-
CASE	621 DXT	103,9	R10	R10	-	-
CASE	621F TC	103,9	R10	R10	-	-
CASE	621 F TC	103,9	R10	R10	-	-
CASE	621 F XT TIER 3	103,9	R10	R10	-	-
CASE	621 BXR	104,2	R10	R10	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
CASE	621 CXT	104,4	R10	R10	-	-
CASE	621 B	104,6	R10	R10	-	-
CASE	621 EXR	106,4	R10	R10	-	-
CASE	621 F LONG REACH	110,1	R10	R10	-	-
CASE	621 F XR TIER 3	110,1	R10	R10	-	-
CASE	621F LONG REACH	110,2	R10	R10	-	-
CASE	621 D	110,4	R10	R10	-	-
CASE	621 F TIER 4	113,1	R10	R10	-	-
CASE	621 DXR	113,8	R10	R10	-	-
CASE	721 B	114,3	R10	R10	-	-
CASE	721 BXR	116,4	R10	R10	-	-
CASE	721 EXT	117,8	R10	R10	-	-
CASE	721 F XT TIER 3	117,8	R10	R10	-	-
CASE	721 F XT TIER 4	117,8	R10	R10	-	-
CASE	721 F XT INTERIM TIER 4	117,8	R10	R10	-	-
CASE	721 DXT	117,9	R10	R10	-	-
CASE	721 C	119,1	R10	R10	-	-
CASE	621F WH	121,1	R10	R10	-	-
CASE	721 CXR	122,1	R10	R10	-	-
CASE	821 BXR	123,0	R10	R10	-	-
CASE	621 F XR TIER 4	124,8	R10	R10	-	-
CASE	621F WH XR	124,8	R10	R10	-	-
CASE	821 CXR	126,1	R10	R10	-	-
CASE	721 EXR	131,7	R10	R10	-	-
CASE	721E Z BAR	132,5	R10	R10	-	-
CASE	721 BXT	133,2	R10	R10	-	-
CASE	721 CXT	136,5	R10	R10	-	-
CASE	721 F XR TIER 3	138,8	R10	R10	-	-
CASE	721 F XR TIER 4	138,8	R10	R10	-	-
CASE	721 F XR INTERIM TIER 4	138,9	R10	R10	-	-
CASE	721 F TIER 4	139,5	R10	R10	-	-
CASE	721 F TIER 3	139,6	R10	R10	-	-
CASE	721 D	139,8	R10	R10	-	-
CASE	721 E	139,8	R10	R10	-	-
CASE	721 F WH XR	145,6	R10	R10	-	-
CASE	821 B	147,5	R10	R10	-	-
CASE	821 F TIER 3	147,8	R10	R10	-	-
CASE	821 F TIER 4	147,8	R10	R10	-	-
CASE	821F	147,8	R10	R10	-	-
CASE	821 C	150,6	R10	R10	-	-
CASE	821 F XR TIER 3	154,1	R10	R10	-	-
CASE	821 F XR TIER 4	154,1	R10	R10	-	-
CASE	821 F XR INTERIM TIER 4	154,2	R10	R10	-	-
CASE	821 E	161,6	R10	R14	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
CASE	921 F TIER 4	167,0	R10	R14	-	-
CASE	921 F XR TIER 4	169,8	R10	R14	-	-
CASE	921 F TIER 2	173,9	R10	R14	-	-
CASE	921 F INTERIM TIER 4	173,9	R10	R14	-	-
CASE	921 F XR INTERIM TIER 4	177,1	R10	R14	-	-
CASE	821 EXR	184,0	R10	R14	-	-
CASE	1021 F TIER 2	187,2	R10	R14	-	-
CASE	1021 F TIER 4	187,2	R10	R14	-	-
CASE	1021 F INTERIM TIER 4	187,2	R10	R14	-	-
CASE	921 F XR TIER 2	188,3	R10	R14	-	-
CASE	1021 F XR INTERIM TIER 4	189,1	R10	R14	-	-
CASE	1021 F XR TIER 2	189,1	R10	R14	-	-
CASE	1021 F XR TIER 4	189,1	R10	R14	-	-
CASE	921 B	197,1	R14	R18	-	-
CASE	921 EXR	197,7	R14	R18	-	-
CASE	921 E	197,8	R14	R18	-	-
CASE	921 C	203,0	R14	R18	-	-
CASE	921 BXR	212,1	R14	R18	-	-
CASE	1221E XR	214,6	R14	R18	-	-
CASE	921 CXR	218,3	R14	R18	-	-
CASE	1121 F INTERIM TIER 4	222,2	R18	R23	-	-
CASE	1121 F XR INTERIM TIER 4	224,4	R18	R23	-	-
CASE	1221 F XR	226,8	R18	R23	-	-
CASE	1121 F TIER 2	237,9	R18	R23	-	-
CASE	1121 F TIER 4	237,9	R18	R23	-	-
CASE	1121 F XR TIER 2	240,3	R18	R23	-	-
CASE	1121 F XR TIER 4	240,3	R18	R23	-	-
CASE	1221 F	247,9	R19	R23	-	-
CATERPILLAR	924 K INTERIM TIER 4	100,2	R10	R10	-	-
CATERPILLAR	926 M	100,2	R10	R10	-	-
CATERPILLAR	924 K TIER 3	101,4	R10	R10	-	-
CATERPILLAR	924 F	101,7	R10	R10	-	-
CATERPILLAR	IT 28 F	103,0	R10	R10	-	-
CATERPILLAR	938 G HIGH LIFT	103,8	R10	R14	-	-
CATERPILLAR	938 G SERIES 2 HIGH LIFT	104,1	R10	R14	-	-
CATERPILLAR	928 H Z	107,4	R10	R10	-	-
CATERPILLAR	938 G	108,4	R10	R14	-	-
CATERPILLAR	IT 38 G SERIES II	109,0	R10	R10	-	-
CATERPILLAR	938 G SERIES 2	109,4	R10	R14	-	-
CATERPILLAR	938 F	111,1	R10	R14	-	-
CATERPILLAR	924 G	112,0	R10	R10	-	-
CATERPILLAR	IT 28 G	112,0	R10	R10	-	-
CATERPILLAR	928 G	114,9	R10	R10	-	-
CATERPILLAR	928 G Z	114,9	R10	R10	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	938 F HIGH LIFT	115,4	R10	R14	-	-
CATERPILLAR	930 M HIGH LIFT	118,2	R10	R10	-	-
CATERPILLAR	930 K HIGH LIFT INTERIM TIER 4	118,3	R10	R10	-	-
CATERPILLAR	930 K INTERIM TIER 4	121,2	R10	R10	-	-
CATERPILLAR	930 M	121,2	R10	R10	-	-
CATERPILLAR	938 H HI LIFT	123,0	R10	R14	-	-
CATERPILLAR	930 K HIGH LIFT TIER 3	123,4	R10	R10	-	-
CATERPILLAR	IT 38 G	124,1	R10	R10	-	-
CATERPILLAR	938 K HIGH LIFT INTERIM TIER 4	124,1	R10	R14	-	-
CATERPILLAR	938 M HIGH LIFT	124,1	R10	R14	-	-
CATERPILLAR	IT 38 F	125,0	R10	R10	-	-
CATERPILLAR	IT 38 H	125,4	R10	R10	-	-
CATERPILLAR	930 H	126,0	R10	R10	-	-
CATERPILLAR	950 G HIGH LIFT	126,1	R14	R18	-	-
CATERPILLAR	930 K TIER 3	126,4	R10	R10	-	-
CATERPILLAR	936 E	126,6	R10	R14	-	-
CATERPILLAR	938 K INTERIM TIER 4	129,1	R10	R14	-	-
CATERPILLAR	938 M	129,1	R10	R14	-	-
CATERPILLAR	938 K HIGH LIFT TIER 3	130,5	R10	R14	-	-
CATERPILLAR	950 G	131,5	R14	R18	-	-
CATERPILLAR	950 G SERIES II	131,5	R14	R18	-	-
CATERPILLAR	962 H HIGH LIFT	131,5	R14	R18	-	-
CATERPILLAR	960 F	133,0	R14	R18	-	-
CATERPILLAR	950 F II CT	133,2	R14	R18	-	-
CATERPILLAR	930 G	134,8	R10	R14	-	-
CATERPILLAR	930 H HIGH LIFT	135,4	R10	R14	-	-
CATERPILLAR	938 K TIER 3	135,4	R10	R14	-	-
CATERPILLAR	938 H HIGH LIFT	136,0	R10	R14	-	-
CATERPILLAR	950 B	137,1	R14	R18	-	-
CATERPILLAR	950 F SERIES 2 HIGH LIFT	138,1	R14	R18	-	-
CATERPILLAR	962 H	140,9	R14	R18	-	-
CATERPILLAR	962 G SERIES II	141,4	R14	R18	-	-
CATERPILLAR	950 H HIGH-LIFT	141,7	R14	R18	-	-
CATERPILLAR	938 H	142,0	R10	R14	-	-
CATERPILLAR	930 G HIGH LIFT	144,6	R10	R14	-	-
CATERPILLAR	950 F SERIES 2	146,7	R14	R18	-	-
CATERPILLAR	950 GC	147,0	R14	R18	-	-
CATERPILLAR	962 G	148,3	R14	R18	-	-
CATERPILLAR	950 H	150,1	R14	R18	-	-
CATERPILLAR	962 G PL	152,0	R14	R18	-	-
CATERPILLAR	966 G SERIES II HIGH LIFT	152,8	R14	R18	-	-
CATERPILLAR	950 K POWER PACKAGE	154,5	R14	R18	-	-
CATERPILLAR	966 G HIGH LIFT	158,0	R14	R18	-	-
CATERPILLAR	966 K HIGH LIFT	159,0	R14	R18	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	950 K	161,0	R14	R18	-	-
CATERPILLAR	966 M HIGH LIFT	162,0	R14	R18	-	-
CATERPILLAR	966 M XE HIGH LIFT	162,0	R14	R18	-	-
CATERPILLAR	950 M HIGH LIFT	165,0	R14	R18	-	-
CATERPILLAR	962 K	168,1	R14	R18	-	-
CATERPILLAR	966 G SERIES II	169,1	R14	R18	-	-
CATERPILLAR	IT 62 H	170,0	R14	R18	-	-
CATERPILLAR	950 M AUXILIARY COUNTERWEIGHT	170,5	R14	R18	-	-
CATERPILLAR	966 M AGGREGATE HANDLER	171,0	R14	R18	-	-
CATERPILLAR	966 M XE AGGREGATE HANDLER	171,0	R14	R18	-	-
CATERPILLAR	950 K HIGH LIFT	171,8	R14	R18	-	-
CATERPILLAR	966 K	173,4	R14	R18	-	-
CATERPILLAR	966 K XE	173,4	R14	R18	-	-
CATERPILLAR	966 M	173,4	R14	R18	-	-
CATERPILLAR	966 M XE	173,4	R14	R18	-	-
CATERPILLAR	950 M	174,0	R14	R18	-	-
CATERPILLAR	966 G	174,3	R14	R18	-	-
CATERPILLAR	962 M HIGH LIFT	176,0	R14	R18	-	-
CATERPILLAR	966 F SERIES 2 HIGH LIFT	176,5	R14	R18	-	-
CATERPILLAR	962 M AGGREGATE HANDLER	176,6	R14	R18	-	-
CATERPILLAR	962 M	177,0	R14	R18	-	-
CATERPILLAR	970 F	183,0	R14	R18	-	-
CATERPILLAR	966 H	188,0	R14	R18	-	-
CATERPILLAR	972 G HIGH LIFT	188,7	R14	R18	-	-
CATERPILLAR	972 G SERIES II HIGH LIFT	188,7	R14	R18	-	-
CATERPILLAR	972 M HIGH LIFT	189,0	R14	R18	-	-
CATERPILLAR	972 M XE HIGH LIFT	189,0	R14	R18	-	-
CATERPILLAR	972 M XE AGGREGATE HANDLER	190,0	R14	R18	-	-
CATERPILLAR	972 K HIGH LIFT	190,1	R14	R18	-	-
CATERPILLAR	972 G	195,7	R18	R23	-	-
CATERPILLAR	972 G SERIES II	195,7	R18	R23	-	-
CATERPILLAR	972 M	196,0	R18	R23	-	-
CATERPILLAR	972 M XE	196,0	R18	R23	-	-
CATERPILLAR	972 K	196,0	R18	R23	-	-
CATERPILLAR	972 M EXTENDED CAPACITY	198,2	R18	R23	-	-
CATERPILLAR	972 M XE EXTENDED CAPACITY	198,2	R18	R23	-	-
CATERPILLAR	966 F SERIES 2	201,0	R14	R18	-	-
CATERPILLAR	962 K HIGH LIFT	201,7	R14	R18	-	-
CATERPILLAR	966 H HIGH LIFT	203,0	R14	R18	-	-
CATERPILLAR	980 M AGGREGATE HANDLER	211,0	R18	R23	-	-
CATERPILLAR	980 H	212,0	R23	R29	-	-
CATERPILLAR	972 K EXTENDED CAPACITY	215,6	R18	R23	-	-
CATERPILLAR	972 H HIGH LIFT	222,8	R18	R23	-	-
CATERPILLAR	980 M	224,0	R23	R29	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

BRAND	MODEL	MIN BOF, kN	C-REX		ProClaws	
			GP	HD/XHD	GP	HD/XHD
CATERPILLAR	980 K AGGREGATE HANDLER	224,8	R18	R23	-	-
CATERPILLAR	972 H	230,2	R18	R23	-	-
CATERPILLAR	980 K	238,2	R23	R29	-	-
CATERPILLAR	980 M HIGH LIFT	241,0	R23	R29	-	-
CATERPILLAR	980 K HIGH LIFT	241,8	R23	R29	-	-
CATERPILLAR	972 G SERIES II PLUS	242,0	R23	R29	-	-
CATERPILLAR	980 G	242,0	R23	R29	-	-
CATERPILLAR	980 G HIGH LIFT	242,0	R23	R29	-	-
CATERPILLAR	972 H PLUS	245,0	R18	R23	-	-
CATERPILLAR	980 G SERIES II	248,0	R23	R29	-	-
CATERPILLAR	980 G SERIES II HIGH LIFT	248,0	R23	R29	-	-
CATERPILLAR	982 M AGGREGATE HANDLER	251,0	R23	R29	-	-
CATERPILLAR	982 M	260,0	R23	R29	-	-
CATERPILLAR	980 C	262,0	R23	R29	-	-
CATERPILLAR	980 H HIGH LIFT	276,0	R23	R29	-	-
CATERPILLAR	986 H TIER 2	341,3	R29	R35	-	-
CATERPILLAR	986 H TIER 3	341,3	R29	R35	-	-
CATERPILLAR	986 H HIGH LIFT TIER 2	355,3	R29	R35	-	-
CATERPILLAR	986 H HIGH LIFT TIER 3	355,3	R29	R35	-	-
CATERPILLAR	988 F II	366,8	R35	R35	-	-
CATERPILLAR	988 G	460,0	R35	R35	-	-
CATERPILLAR	994 H EXTENDED HIGH LIFT	1167,9	-	-	W40	W40
CATERPILLAR	994 H HIGH LIFT	1217,3	-	-	W40	W40
CATERPILLAR	994 K HIGH LIFT	1245,6	-	-	W40	W40
CATERPILLAR	994 K	1252,7	-	-	W40	W40
CATERPILLAR	994 H	1261,5	-	-	W40	W40
CATERPILLAR	988 K BLOCK HANDLER	432	R35	R35	-	-
CATERPILLAR	988 G	460	R35	R35	-	-
CATERPILLAR	988 H	481,1	R35	R35	-	-
CATERPILLAR	988 H LONG BOOM	519,4	R35	R35	-	-
CATERPILLAR	988 G	548	R35	R35	-	-
CATERPILLAR	992 K	549	-	-	W25	W30
CATERPILLAR	990 K HIGH LIFT	555,9	-	-	W25	W25
CATERPILLAR	990 H HIGH LIFT	568	-	-	W25	W25
CATERPILLAR	992 K HIGH LIFT	568,5	-	-	W25	W30
CATERPILLAR	992 K	573,35	-	-	W25	W30
CATERPILLAR	990 K	589,9	-	-	W25	W25
CATERPILLAR	990 H	602	-	-	W25	W25
CATERPILLAR	992 G HIGH LIFT	602	-	-	W25	W30
CATERPILLAR	992 G	615	-	-	W25	W30
CATERPILLAR	990	618,9	-	-	W25	W25
CATERPILLAR	990 SERIES II	655	-	-	W25	W25
CATERPILLAR	992 D	658	-	-	W25	W30
CATERPILLAR	993 K HIGH LIFT	673	-	-	W30	W30

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
CATERPILLAR	993 K	674	-	-	W30	W30
CATERPILLAR	994 F SUPER HIGH LIFT	693	-	-	W40	W40
CATERPILLAR	993 K HIGH LIFT	708,5	-	-	W30	W30
CATERPILLAR	994 D	886	-	-	W40	W40
CATERPILLAR	994 H SUPER HIGH LIFT	988,7	-	-	W40	W40
CCMG	CL938	115,0	R10	R10	-	-
CCMG	CL955	160,0	R10	R14	-	-
CCMG	CL956	160,0	R10	R14	-	-
CCMG	CL958	160,0	R10	R14	-	-
CHANGLIN	947H	134,0	R10	R10	-	-
CHANGLIN	948	134,0	R10	R10	-	-
CHANGLIN	ZL 40H	134,0	R10	R10	-	-
CHANGLIN	958	160,0	R10	R14	-	-
CHANGLIN	ZL 50G-7	160,0	R10	R14	-	-
CHANGLIN	ZL50G-6	160,0	R10	R14	-	-
CHANGLIN	956	165,0	R10	R14	-	-
CHANGLIN	957H (CUMMINS)	165,0	R10	R14	-	-
CHANGLIN	957H (SHANGCHAI)	165,0	R10	R14	-	-
CHANGLIN	957S (CUMMINS)	165,0	R10	R14	-	-
CHANGLIN	957S (SHANGCHAI)	165,0	R10	R14	-	-
CHANGLIN	957Z	165,0	R10	R14	-	-
CHANGLIN	959	165,0	R10	R14	-	-
CHANGLIN	ZL 60H	186,0	R10	R14	-	-
CHANGLIN	967H (CUMMINS)	190,0	R10	R14	-	-
CHANGLIN	967H (SHANGCHAI)	190,0	R10	R14	-	-
CHANGLIN	980	220,0	R14	R18	-	-
CHANGLIN	ZL 75H	220,0	R14	R18	-	-
CHANGLIN	996	264,0	R18	R23	-	-
CHENG GONG	ZL30B-3	102,0	R10	R10	-	-
CHENG GONG	CG932H	106,0	R10	R10	-	-
CHENG GONG	CG948H	120,0	R10	R10	-	-
CHENG GONG	CG946G	133,0	R10	R10	-	-
CHENG GONG	CG956C	170,0	R10	R14	-	-
CHENG GONG	CG956G	170,0	R10	R14	-	-
CHENG GONG	CG956H	170,0	R10	R14	-	-
CHENG GONG	CG958H	180,0	R10	R14	-	-
CHENG GONG	ZL50E-3	180,0	R10	R14	-	-
CHENG GONG	CG990H	260,0	R18	R18	-	-
CHINZEN	ZL35E	112,0	R10	R10	-	-
CHINZEN	ZL50D	145,0	R10	R10	-	-
CHINZEN	ZL50E	145,0	R10	R10	-	-
CHINZEN	ZL50F	145,0	R10	R10	-	-
CHINZEN	ZL50G	170,0	R10	R14	-	-
CUKUROVA	940	132,8	R10	R10	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
CUKUROVA	940 TIER 2	132,8	R10	R10	-	-
CUKUROVA	940 TIER 3	132,8	R10	R10	-	-
CUKUROVA	980	187,0	R10	R14	-	-
DAEWOO	MEGA 200	103,0	R10	R10	-	-
DAEWOO	MEGA 200 III	103,0	R10	R10	-	-
DAEWOO	MEGA 200-V	103,0	R10	R10	-	-
DAEWOO	MEGA 250-V	129,0	R10	R10	-	-
DAEWOO	MEGA 250 III	129,4	R10	R10	-	-
DAEWOO	MEGA 300 III	176,5	R10	R14	-	-
DAEWOO	MEGA 300-V	181,0	R10	R14	-	-
DAEWOO	MEGA 400 III	214,8	R14	R18	-	-
DAEWOO	MEGA 400 III PLUS	214,8	R14	R18	-	-
DAEWOO	MEGA 400-V	216,0	R14	R18	-	-
DAEWOO	MEGA 500-V	264,0	R18	R23	-	-
DOOSAN	DL200 HIGH LIFT	98,1	R10	R10	-	-
DOOSAN	DL 200 - 3	98,8	R10	R10	-	-
DOOSAN	DL 200 - 5	100,0	R10	R10	-	-
DOOSAN	DL 220 - 5	101,0	R10	R10	-	-
DOOSAN	DL220	102,0	R10	R10	-	-
DOOSAN	MEGA 200-VTC	102,0	R10	R10	-	-
DOOSAN	DL 200 - 3 TC	102,4	R10	R10	-	-
DOOSAN	DL 200 A	103,0	R10	R10	-	-
DOOSAN	DL 200 A (LOW)	103,0	R10	R10	-	-
DOOSAN	DL 200 A HIGH LIFT	103,0	R10	R10	-	-
DOOSAN	DL200	103,0	R10	R10	-	-
DOOSAN	DL200 TC	103,0	R10	R10	-	-
DOOSAN	MEGA 200-V	103,0	R10	R10	-	-
DOOSAN	DL 220 - 3	105,2	R10	R10	-	-
DOOSAN	DL 250 - 5	106,0	R10	R10	-	-
DOOSAN	DL 250 TC - 5	107,0	R10	R10	-	-
DOOSAN	DL 250 - 3 HL	114,2	R10	R10	-	-
DOOSAN	DL 250 - 3 LONG LIFT	114,2	R10	R10	-	-
DOOSAN	DL 250 - 3 TC	115,5	R10	R10	-	-
DOOSAN	DL 250 A	117,6	R10	R10	-	-
DOOSAN	DL 250 HIGH LIFT	119,6	R10	R10	-	-
DOOSAN	DL 250 - 3	120,6	R10	R10	-	-
DOOSAN	DL 250 HOMOLOGATION	124,5	R10	R10	-	-
DOOSAN	DL 250 TC	127,4	R10	R10	-	-
DOOSAN	MEGA 250V	129,0	R10	R10	-	-
DOOSAN	DL 250	129,4	R10	R10	-	-
DOOSAN	MEGA 250V TIER 2	129,4	R10	R10	-	-
DOOSAN	DL 300 HIGH LIFT	156,9	R10	R10	-	-
DOOSAN	DL300	158,9	R10	R14	-	-
DOOSAN	DL 350 - 5 HIGH LIFT	159,9	R10	R14	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
DOOSAN	DL 300 A HIGH LIFT	161,0	R10	R14	-	-
DOOSAN	DL 300	162,0	R10	R14	-	-
DOOSAN	DL 300 - 5 HIGH LIFT	162,9	R10	R14	-	-
DOOSAN	DL 350 - 5	164,0	R10	R14	-	-
DOOSAN	DL350	167,6	R10	R14	-	-
DOOSAN	DL 300 - 5	167,9	R10	R14	-	-
DOOSAN	DL 300 A	168,0	R10	R14	-	-
DOOSAN	DL300-3 HIGH LIFT	168,0	R10	R14	-	-
DOOSAN	DL350-3 HIGH LIFT	168,0	R10	R14	-	-
DOOSAN	DL300-3	169,0	R10	R14	-	-
DOOSAN	DL350-3	169,0	R10	R14	-	-
DOOSAN	DL 420 A	197,0	R10	R14	-	-
DOOSAN	DL 420 - 5 HIGH LIFT	200,9	R14	R14	-	-
DOOSAN	DL420-3 HIGH LIFT	201,0	R14	R14	-	-
DOOSAN	DL 400 HIGH LIFT	205,0	R14	R18	-	-
DOOSAN	DL 420 HIGH LIFT	205,0	R14	R18	-	-
DOOSAN	DL 420 HIGH LIFT TIER 1	205,0	R14	R18	-	-
DOOSAN	DL 420 - 5	209,9	R14	R18	-	-
DOOSAN	DL 420	210,0	R14	R18	-	-
DOOSAN	DL420-3	210,0	R14	R18	-	-
DOOSAN	DL 420 TIER 1	210,0	R14	R18	-	-
DOOSAN	DL 400	220,0	R14	R18	-	-
DOOSAN	DL 450 - 5 HIGH LIFT	227,9	R14	R18	-	-
DOOSAN	DL450-3 HIGH LIFT	228,0	R14	R18	-	-
DOOSAN	DL 450 - 5	230,9	R14	R18	-	-
DOOSAN	DL450-3	231,0	R14	R18	-	-
DOOSAN	DL 450 TIER 3	239,0	R14	R18	-	-
DOOSAN	DL 550 - 5	246,0	R14	R23	-	-
DOOSAN	DL 550 - 5 HIGH LIFT	253,0	R18	R23	-	-
DOOSAN	DL550-3 HIGH LIFT	253,0	R18	R23	-	-
DOOSAN	DL 550 HIGH LIFT	253,0	R18	R23	-	-
DOOSAN	DL 550	260,0	R18	R23	-	-
DOOSAN	DL550-3	260,0	R18	R23	-	-
DOOSAN	DL500	273,0	R18	R23	-	-
DOOSAN	DL500 HIGH LIFT	295,0	R18	R23	-	-
DOOSAN DAEWOO	MEGA 200-V	103,0	R10	R10	-	-
DOOSAN DAEWOO	MEGA 250-V	129,0	R10	R10	-	-
DOOSAN DAEWOO	DL 300	162,0	R10	R14	-	-
DOOSAN DAEWOO	MEGA 300-V	181,0	R10	R14	-	-
DOOSAN DAEWOO	MEGA 400-V	216,0	R14	R18	-	-
DOOSAN DAEWOO	DL 400	220,0	R14	R18	-	-
DOOSAN DAEWOO	MEGA 500-V	264,0	R18	R23	-	-
DRESSTA	520 CH	104,5	R10	R10	-	-
DRESSTA	520 EH	104,5	R10	R10	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
DRESSTA	520 E	120,2	R10	R10	-	-
DRESSTA	520 G	120,2	R10	R10	-	-
DRESSTA	520 C	120,3	R10	R10	-	-
DRESSTA	534E	136,0	R10	R10	-	-
DRESSTA	534	140,0	R10	R10	-	-
DRESSTA	534 C	140,0	R10	R10	-	-
DRESSTA	L-34	140,0	R10	R10	-	-
DRESSTA	L-34 B	140,0	R10	R10	-	-
DRESSTA	530 E	190,6	R10	R14	-	-
DRESSTA	530 H	190,6	R10	R14	-	-
DRESSTA	535	225,0	R14	R18	-	-
DRESSTA	540	238,5	R14	R18	-	-
DRESSTA	540 B	238,5	R14	R18	-	-
DRESSTA	555 B	251,6	R14	R18	-	-
DRESSTA	555C EXTRA	266,9	R18	R23	-	-
DRESSTA	555 C	267,0	R18	R23	-	-
DRESSTA	555C EXTRA HIGH LIFT	280,6	R18	R23	-	-
DRESSTA	555 C EXTRA HIGH LIFT	280,6	R18	R23	-	-
DRESSTA	560 C	296,0	R18	R23	-	-
DRESSTA	560E EXTRA	317,7	R18	R23	-	-
DRESSTA	560 E	319,3	R18	R23	-	-
DRESSTA	560E EXTRA HIGH LIFT	332,7	R23	R29	-	-
DRESSTA	560 E EXTRA HIGH LIFT	332,7	R23	R29	-	-
FIAT - HITACHI	W 130	101,0	R10	R10	-	-
FIAT - HITACHI	W 130 PL	104,0	R10	R10	-	-
FIAT - HITACHI	FR 130-2	113,7	R10	R10	-	-
FIAT - HITACHI	W 170 PL	126,0	R10	R10	-	-
FIAT - HITACHI	W 170	132,4	R10	R10	-	-
FIAT - HITACHI	FR 160-2	157,0	R10	R10	-	-
FIAT - HITACHI	W 190	164,8	R10	R14	-	-
FIAT - HITACHI	W190 EVOLUTION	168,0	R10	R14	-	-
FIAT - HITACHI	W190 LB EVOLUTION	168,0	R10	R14	-	-
FIAT - HITACHI	W190 LB	177,5	R10	R14	-	-
FIAT - HITACHI	W 230	179,5	R10	R14	-	-
FIAT - HITACHI	W 230 EVOLUTION	183,0	R10	R14	-	-
FIAT - HITACHI	W 270 LONG BOOM	190,7	R14	R18	-	-
FIAT - HITACHI	W 270 LB EVOLUTION	200,0	R14	R18	-	-
FIAT - HITACHI	W 270 EVOLUTION	206,0	R14	R18	-	-
FIAT - HITACHI	W 270	215,8	R14	R18	-	-
FIAT - HITACHI	FR 220-2	216,0	R14	R18	-	-
FIAT - HITACHI	FW 350	219,0	R18	R23	-	-
FIAT - HITACHI	W 350	219,0	R18	R23	-	-
FIAT - HITACHI	FW 450	437,4	R35	R35	-	-
FIAT - HITACHI	W 450	437,4	R35	R35	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
FIAT KOBELCO	W 130	101,0	R10	R10	-	-
FIAT KOBELCO	W 130 PL	104,0	R10	R10	-	-
FIAT KOBELCO	W 130 EVOLUTION	113,0	R10	R10	-	-
FIAT KOBELCO	W 170 PL	126,0	R10	R10	-	-
FIAT KOBELCO	W 170 EVOLUTION	145,0	R10	R14	-	-
FIAT KOBELCO	W 190 (LONG BOOM) EVOLUTION	168,0	R14	R18	-	-
FIAT KOBELCO	W 190 EVOLUTION	168,0	R14	R18	-	-
FIAT KOBELCO	W 230 EVOLUTION	183,0	R14	R18	-	-
FIAT KOBELCO	W 270 (LONG BOOM) EVOLUTION	200,0	R14	R18	-	-
FIAT KOBELCO	W 270 EVOLUTION	206,0	R14	R18	-	-
FIAT KOBELCO	W 350	219,0	R14	R18	-	-
FIAT KOBELCO	W 450	437,4	R35	R35	-	-
FOTON LOVOL	FL935E	120,0	R10	R10	-	-
FOTON LOVOL	FL936F (WEICHAI)	120,0	R10	R10	-	-
FOTON LOVOL	FL936F (YUCHAI)	120,0	R10	R10	-	-
FOTON LOVOL	FL938G (DEUTZ)	125,0	R10	R10	-	-
FOTON LOVOL	FL938G (LOVOL)	125,0	R10	R10	-	-
FOTON LOVOL	FL956F (SHANGCHAI)	165,0	R10	R14	-	-
FOTON LOVOL	FL956F (WEICHAI)	165,0	R10	R14	-	-
FOTON LOVOL	FL955F	175,0	R10	R14	-	-
FOTON LOVOL	FL958G (SHANGCHAI)	185,0	R10	R14	-	-
FOTON LOVOL	FL958G (WEICHAI)	185,0	R10	R14	-	-
FOTON LOVOL	FL966F (SHANGCHAI)	200,0	R14	R14	-	-
FOTON LOVOL	FL966F (WEICHAI)	200,0	R14	R14	-	-
FURUKAWA	325-II	103,0	R10	R10	-	-
FURUKAWA	320 E	105,0	R10	R10	-	-
FURUKAWA	335 E	129,0	R10	R10	-	-
FURUKAWA	335 II	129,0	R10	R10	-	-
FURUKAWA	345 E	156,0	R10	R10	-	-
FURUKAWA	345 II	156,0	R10	R10	-	-
FURUKAWA	355 E	183,0	R10	R14	-	-
FURUKAWA	355 II	183,0	R10	R14	-	-
FURUKAWA	365 E	199,0	R14	R18	-	-
FURUKAWA	365 II	199,0	R14	R18	-	-
FURUKAWA	375	276,0	R23	R29	-	-
FURUKAWA	385 II	377,5	R29	R35	-	-
HALLA	HA 290 E	156,9	R10	R10	-	-
HALLA	HA 380	215,7	R14	R18	-	-
HELI	ZL30G	100,0	R10	R10	-	-
HELI	ZL35E	100,0	R10	R10	-	-
HELI	ZL50E	164,0	R10	R14	-	-
HELI	ZL50G	164,0	R10	R14	-	-
HITACHI	ZW 150	98,8	R10	R10	-	-
HITACHI	ZW 140 PL	100,3	R10	R10	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
HITACHI	ZW 140 PL - 5B	100,3	R10	R10	-	-
HITACHI	ZW 150 - 5B HIGH LIFT	102,3	R10	R10	-	-
HITACHI	ZW 150 HIGH LIFT	102,3	R10	R10	-	-
HITACHI	ZW 150 PL - 5B	106,9	R10	R10	-	-
HITACHI	ZW 150 PL	106,9	R10	R10	-	-
HITACHI	ZW 180 - 5 B	107,9	R10	R10	-	-
HITACHI	ZW 180 PL	108,6	R10	R10	-	-
HITACHI	ZW 140 - 5B HIGH LIFT	109,3	R10	R10	-	-
HITACHI	ZW 140 HIGH LIFT	109,4	R10	R10	-	-
HITACHI	ZW 180 PL - 5B	111,8	R10	R10	-	-
HITACHI	LX 145 E-2	112,0	R10	R10	-	-
HITACHI	ZW 140 HIGH LIFT (RUS)	113,9	R10	R10	-	-
HITACHI	ZW 180	114,0	R10	R10	-	-
HITACHI	ZW 180 - 5 B HIGH LIFT	114,7	R10	R10	-	-
HITACHI	ZW 180 HIGH LIFT	115,0	R10	R10	-	-
HITACHI	LX 170 E-2	119,0	R10	R10	-	-
HITACHI	ZW 180 (RUS)	119,0	R10	R10	-	-
HITACHI	ZW 180 HIGH LIFT (RUS)	122,0	R10	R10	-	-
HITACHI	ZW 220 HIGH LIFT (RUS)	152,0	R10	R14	-	-
HITACHI	ZW 220	153,9	R10	R14	-	-
HITACHI	ZW 220 HIGH LIFT	154,0	R10	R14	-	-
HITACHI	ZW 220 - 5B HIGH LIFT	154,3	R10	R14	-	-
HITACHI	ZW 220 - 5B	160,3	R10	R14	-	-
HITACHI	LX 210 E	162,0	R10	R14	-	-
HITACHI	ZW 250 HIGH LIFT (RUS)	162,8	R10	R14	-	-
HITACHI	ZW 250 HIGH LIFT	163,0	R10	R14	-	-
HITACHI	ZW 250 - 5B HIGH LIFT	163,4	R10	R14	-	-
HITACHI	ZW 250	165,6	R10	R14	-	-
HITACHI	ZW 220 (RUS)	169,2	R10	R14	-	-
HITACHI	ZW 250 - 5B	169,5	R10	R14	-	-
HITACHI	ZW 310 HIGH LIFT	177,0	R14	R14	-	-
HITACHI	ZW 310 HIGH LIFT (RUS)	181,4	R14	R14	-	-
HITACHI	ZW 250 (RUS)	182,9	R14	R14	-	-
HITACHI	ZW 310	186,2	R14	R14	-	-
HITACHI	ZW 310 - 5B	200,0	R14	R14	-	-
HITACHI	ZW 310 - 5B HIGH LIFT	200,0	R14	R14	-	-
HITACHI	LX 290 E-2	207,0	R14	R18	-	-
HITACHI	ZW 330-5B	210,0	R14	R18	-	-
HITACHI	ZW 330-5B HIGH LIFT	210,0	R14	R18	-	-
HITACHI	ZW 310 (RUS)	213,6	R14	R18	-	-
HITACHI	ZW 330 (RUS)	225,9	R14	R18	-	-
HITACHI	ZW 330	226,0	R14	R18	-	-
HITACHI	LX 300-7	237,0	R14	R18	-	-
HITACHI	LX 360 E	237,0	R14	R18	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
HITACHI	ZW 370 - 5B HIGH LIFT	240,1	R23	R23	-	-
HITACHI	ZW 370 - 5B	243,1	R23	R23	-	-
HITACHI	ZW 370	245,0	R23	R23	-	-
HITACHI	ZW 370 G (RUS)	245,2	R23	R23	-	-
HITACHI	ZW 370 G HIGH LIFT (RUS)	266,7	R23	R23	-	-
HITACHI	ZW 550	377,0	R29	R35	-	-
HITACHI	ZW 550 TIER 3	377,0	R29	R35	-	-
HITACHI	ZW 550 G (RUS)	377,5	R29	R35	-	-
HITACHI	LX 450-7	400,0	R29	R35	-	-
HITACHI	ZW 550 G HIGH LIFT (RUS)	402,1	R29	R35	-	-
HYUNDAI	HL 730 TM-7	98,9	R10	R10	-	-
HYUNDAI	HL 730 TM-7A	98,9	R10	R10	-	-
HYUNDAI	HL 740-3	103,0	R10	R10	-	-
HYUNDAI	HL 740 TM-7	104,4	R10	R10	-	-
HYUNDAI	HL 740 TM-7A	104,4	R10	R10	-	-
HYUNDAI	HL 730 XTD-3	105,2	R10	R10	-	-
HYUNDAI	HL 740 TM-3	105,5	R10	R10	-	-
HYUNDAI	HL 740 TM - 9A	106,2	R10	R10	-	-
HYUNDAI	HL 740 XTD - 9A	108,7	R10	R10	-	-
HYUNDAI	HL 940 XT	108,8	R10	R10	-	-
HYUNDAI	HL 740 - 9A	110,3	R10	R10	-	-
HYUNDAI	HL 940	110,3	R10	R10	-	-
HYUNDAI	HL 740-7S	110,8	R10	R10	-	-
HYUNDAI	HL 740 XTD-7	115,0	R10	R10	-	-
HYUNDAI	HL 740 XTD-7A	115,0	R10	R10	-	-
HYUNDAI	HL 740 XTD-9S	115,0	R10	R10	-	-
HYUNDAI	HL 740-7A	115,7	R10	R10	-	-
HYUNDAI	HL 740-9S	116,4	R10	R10	-	-
HYUNDAI	HL 740-7	116,5	R10	R10	-	-
HYUNDAI	HL 757XTD-9A	121,7	R10	R10	-	-
HYUNDAI	HL 757-9A	122,8	R10	R10	-	-
HYUNDAI	HL 757 XTD-7A	123,1	R10	R10	-	-
HYUNDAI	HL 757 XTD-9S	123,1	R10	R10	-	-
HYUNDAI	HL 757 XTD-7	123,2	R10	R10	-	-
HYUNDAI	HL 750 XTD	124,1	R10	R10	-	-
HYUNDAI	HL 757-7	124,7	R10	R10	-	-
HYUNDAI	HL 757-7A	124,7	R10	R10	-	-
HYUNDAI	HL 757-9S	124,7	R10	R10	-	-
HYUNDAI	HL 757-7S	124,9	R10	R10	-	-
HYUNDAI	HL 757TM-9A	125,5	R10	R10	-	-
HYUNDAI	HL 955 XT	126,6	R10	R10	-	-
HYUNDAI	HL 955 XTD	126,6	R10	R10	-	-
HYUNDAI	HL 750	127,0	R10	R10	-	-
HYUNDAI	HL 955	127,4	R10	R10	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
HYUNDAI	HL 757 TM-7A	127,6	R10	R10	-	-
HYUNDAI	HL 757 TM-7	127,7	R10	R10	-	-
HYUNDAI	HL 750 TM	134,3	R10	R10	-	-
HYUNDAI	HL 760 XTD-7A	153,4	R10	R10	-	-
HYUNDAI	HL 760 XTD-9S	153,4	R10	R10	-	-
HYUNDAI	HL 960 XT	153,4	R10	R10	-	-
HYUNDAI	HL 760 XTD-7	153,5	R10	R10	-	-
HYUNDAI	HL 760 XTD - 9A	155,1	R10	R10	-	-
HYUNDAI	HL 760-7A	156,4	R10	R10	-	-
HYUNDAI	HL 760-9S	156,4	R10	R10	-	-
HYUNDAI	HL 960	156,4	R10	R10	-	-
HYUNDAI	HL 760-7	156,4	R10	R10	-	-
HYUNDAI	HL 760 - 9A	159,1	R10	R14	-	-
HYUNDAI	HL 760 - 9A WASTE HANDLER	159,1	R10	R14	-	-
HYUNDAI	HL 760 XTD	166,7	R10	R14	-	-
HYUNDAI	HL 760	167,8	R10	R14	-	-
HYUNDAI	HL 770 XTD	197,2	R10	R14	-	-
HYUNDAI	HL 770 XTD-7	200,3	R14	R14	-	-
HYUNDAI	HL 770 XTD-7A	200,3	R14	R14	-	-
HYUNDAI	HL 770XTD-9S	200,3	R14	R14	-	-
HYUNDAI	HL 770-7A	203,5	R14	R18	-	-
HYUNDAI	HL 770-9S	203,5	R14	R18	-	-
HYUNDAI	HL 770-7	203,6	R14	R18	-	-
HYUNDAI	HL 770 XTD - 9A	209,7	R14	R18	-	-
HYUNDAI	HL 970 XT	212,9	R14	R18	-	-
HYUNDAI	HL 970 XTD	212,9	R14	R18	-	-
HYUNDAI	HL 770 - 9A	213,1	R14	R18	-	-
HYUNDAI	HL 970	213,5	R14	R18	-	-
HYUNDAI	HL 770	223,4	R14	R18	-	-
HYUNDAI	HL 780 XTD - 9A	226,8	R14	R18	-	-
HYUNDAI	HL 780 - 9A	232,9	R18	R23	-	-
HYUNDAI	HL780-9 BLOCK HANDLER	233,7	R18	R23	-	-
HYUNDAI	HL 780 XTD-7A	234,1	R18	R23	-	-
HYUNDAI	HL 780 XTD-9S	234,1	R18	R23	-	-
HYUNDAI	HL 780 XTD-3	234,6	R18	R23	-	-
HYUNDAI	HL 780-3	237,4	R18	R23	-	-
HYUNDAI	HL 980 XTD	239,0	R18	R23	-	-
HYUNDAI	HL 980	241,6	R18	R23	-	-
HYUNDAI	HL 780-3 A	243,4	R18	R23	-	-
HYUNDAI	HL 780-7 A	243,4	R18	R23	-	-
HYUNDAI	HL 780-9S	243,4	R18	R23	-	-
INTENSUS (XCMG)	WL40G	140,0	R10	R10	-	-
INTENSUS (XCMG)	WL50G	170,0	R10	R14	-	-
INTENSUS (XCMG)	ZL 50 G	170,0	R10	R14	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
INTENSUS (XCMG)	LW 640 G	198,0	R10	R14	-	-
INTENSUS (XCMG)	WL 60G	198,0	R10	R14	-	-
JCB	416 HT	100,4	R10	R10	-	-
JCB	416 BHT	100,4	R10	R10	-	-
JCB	416 S	100,4	R10	R10	-	-
JCB	416 S AGRI	100,4	R10	R10	-	-
JCB	437 HT HL	101,0	R10	R10	-	-
JCB	416 HT SUPER HIGH LIFT	101,4	R10	R10	-	-
JCB	416 S AGRI SUPER HIGH LIFT	101,4	R10	R10	-	-
JCB	430 ZX (ASHOK LEYLAND)	101,7	R10	R10	-	-
JCB	430 ZX (JCB)	101,7	R10	R10	-	-
JCB	426 BHT	107,0	R10	R10	-	-
JCB	432 ZX	121,1	R10	R10	-	-
JCB	435 S HIGH LIFT	122,6	R10	R10	-	-
JCB	435 S	123,0	R10	R10	-	-
JCB	426 BZX	128,0	R10	R10	-	-
JCB	434 S AGRI	128,0	R10	R10	-	-
JCB	434 S AGRI HIGH LIFT	128,0	R10	R10	-	-
JCB	436 HT (PERKINS)	131,0	R10	R10	-	-
JCB	426 E HT	137,9	R10	R10	-	-
JCB	426 E HT HIGH LIFT	137,9	R10	R10	-	-
JCB	426 HT	137,9	R10	R10	-	-
JCB	426 HT HIGH LIFT	137,9	R10	R10	-	-
JCB	427 HT	138,0	R10	R10	-	-
JCB	427 HT HL	138,0	R10	R10	-	-
JCB	446 BHT	140,0	R10	R10	-	-
JCB	456 E ZX HIGH LIFT	142,0	R10	R10	-	-
JCB	456 ZX HIGH LIFT TIER 2	142,0	R10	R10	-	-
JCB	457 ZX HIGH LIFT	142,0	R10	R10	-	-
JCB	456 E HT	143,0	R10	R10	-	-
JCB	456 HT TIER 2	143,0	R10	R10	-	-
JCB	457 HT INTERIM TIER 4	143,0	R10	R10	-	-
JCB	426 E ZX	144,9	R10	R10	-	-
JCB	426 ZX	144,9	R10	R10	-	-
JCB	427 ZX	144,9	R10	R10	-	-
JCB	456 E HT SUPER HIGH LIFT	145,0	R10	R10	-	-
JCB	456 HT SUPER HIGH LIFT TIER 2	145,0	R10	R10	-	-
JCB	457 HT SUPER HIGH LIFT	145,0	R10	R10	-	-
JCB	456 WASTEMASTER	145,0	R10	R10	-	-
JCB	436 BHT	147,0	R10	R10	-	-
JCB	436 E HT	147,0	R10	R10	-	-
JCB	436 E HT HI LIFT	147,0	R10	R10	-	-
JCB	436 HT HI LIFT	147,0	R10	R10	-	-
JCB	436 HT HIGH LIFT	147,0	R10	R10	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
JCB	436 HT TIER 2	147,0	R10	R10	-	-
JCB	436 HT TIER 3	147,0	R10	R10	-	-
JCB	437 HT	147,0	R10	R10	-	-
JCB	457 ZX HL	151,0	R10	R10	-	-
JCB	436 E HT SUPER HI LIFT	153,0	R10	R10	-	-
JCB	436 HT SUPER HI LIFT	153,0	R10	R10	-	-
JCB	436 HT SUPER HIGH LIFT	153,0	R10	R10	-	-
JCB	436 WASTEMASTER	153,0	R10	R10	-	-
JCB	437 HT SHL	153,0	R10	R10	-	-
JCB	456 E ZX	161,0	R10	R14	-	-
JCB	456 HT TIER 3	161,0	R10	R14	-	-
JCB	456 ZX TIER 2	161,0	R10	R14	-	-
JCB	457 ZX INTERIM TIER 4	161,0	R10	R14	-	-
JCB	457 HT TIER 4	161,0	R10	R14	-	-
JCB	446 BZX	162,0	R10	R14	-	-
JCB	457 HT SHL	163,0	R10	R14	-	-
JCB	456 ZX HIGH LIFT TIER 3	164,0	R10	R14	-	-
JCB	446 ZX HI LIFT	164,0	R10	R14	-	-
JCB	455 ZX	164,0	R10	R14	-	-
JCB	456 ZX TIER 3	165,0	R10	R14	-	-
JCB	457 ZX TIER 4	172,0	R14	R18	-	-
JCB	446 ZX	172,0	R14	R18	-	-
JCB	456 HT SUPER HIGH LIFT TIER 3	175,0	R14	R18	-	-
JCB	437 ZX	175,9	R14	R18	-	-
JCB	436 E ZX	176,0	R14	R18	-	-
JCB	436 ZX TIER 2	176,0	R14	R18	-	-
JCB	436 ZX TIER 3	176,0	R14	R18	-	-
JCB	436 BZX	176,0	R14	R18	-	-
JCB	456B ZX	183,0	R14	R18	-	-
JCB	467 ZX	199,0	R14	R18	-	-
JINGONG	753-II	145,0	R10	R10	-	-
JINGONG	755-II	145,0	R10	R10	-	-
JINGONG	756	160,0	R10	R14	-	-
JINGONG	757-II	170,0	R10	R14	-	-
JOHN DEERE	544 K (BRAZIL)	99,1	R10	R10	-	-
JOHN DEERE	544 K TIER 3	99,1	R10	R10	-	-
JOHN DEERE	544 K TIER 4	99,1	R10	R10	-	-
JOHN DEERE	544K	99,1	R10	R10	-	-
JOHN DEERE	544 J	100,8	R10	R10	-	-
JOHN DEERE	624 K POWERLLEL TIER 2	105,5	R10	R10	-	-
JOHN DEERE	624 K POWERLLEL TIER 3	105,5	R10	R10	-	-
JOHN DEERE	624 K POWERLLEL TIER 4	105,5	R10	R10	-	-
JOHN DEERE	624K POWERLLEL	105,5	R10	R10	-	-
JOHN DEERE	624 K TOOL CARRIER TIER 2	107,6	R10	R10	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
JOHN DEERE	624 K TOOL CARRIER TIER 3	107,6	R10	R10	-	-
JOHN DEERE	624 K TOOL CARRIER TIER 4	107,6	R10	R10	-	-
JOHN DEERE	624K TOOL CARRIER	107,6	R10	R10	-	-
JOHN DEERE	624 K HIGH LIFT	114,3	R10	R10	-	-
JOHN DEERE	624 K HIGH LIFT (BRAZIL)	114,3	R10	R10	-	-
JOHN DEERE	624 K HIGH-LIFT TIER 2	114,3	R10	R10	-	-
JOHN DEERE	624 K HIGH-LIFT TIER 3	114,3	R10	R10	-	-
JOHN DEERE	624K HIGH-LIFT	114,3	R10	R10	-	-
JOHN DEERE	624 J HIGH LIFT	115,1	R10	R10	-	-
JOHN DEERE	644 K POWERLLEL [HYBRID]	117,9	R10	R10	-	-
JOHN DEERE	644 K POWERLLEL TIER 2	117,9	R10	R10	-	-
JOHN DEERE	644 K POWERLLEL TIER 3	117,9	R10	R10	-	-
JOHN DEERE	644 K POWERLLEL TIER 4	117,9	R10	R10	-	-
JOHN DEERE	644K POWERLLEL	117,9	R10	R10	-	-
JOHN DEERE	624K WH HIGH LIFT	120,1	R10	R10	-	-
JOHN DEERE	624 K (BRAZIL)	125,7	R10	R10	-	-
JOHN DEERE	624 K TIER 2	125,7	R10	R10	-	-
JOHN DEERE	624 K TIER 3	125,7	R10	R10	-	-
JOHN DEERE	624 K TIER 4	125,7	R10	R10	-	-
JOHN DEERE	624K	125,7	R10	R10	-	-
JOHN DEERE	624 J	126,6	R10	R10	-	-
JOHN DEERE	724 K HIGH LIFT (BRAZIL)	127,1	R10	R10	-	-
JOHN DEERE	724 K HIGH-LIFT TIER 2	127,1	R10	R10	-	-
JOHN DEERE	724 K HIGH-LIFT TIER 3	127,1	R10	R10	-	-
JOHN DEERE	724K HIGH-LIFT	127,1	R10	R10	-	-
JOHN DEERE	624K WH	132,4	R10	R10	-	-
JOHN DEERE	644 K HIGH LIFT	135,1	R10	R10	-	-
JOHN DEERE	644 K HIGH LIFT (BRAZIL)	135,1	R10	R10	-	-
JOHN DEERE	644 K HIGH LIFT [HYBRID]	135,1	R10	R10	-	-
JOHN DEERE	644 K HIGH-LIFT TIER 2	135,1	R10	R10	-	-
JOHN DEERE	644 K HIGH-LIFT TIER 3	135,1	R10	R10	-	-
JOHN DEERE	644K HIGH-LIFT	135,1	R10	R10	-	-
JOHN DEERE	724 K HIGH LIFT	136,1	R10	R10	-	-
JOHN DEERE	724K WH HIGH LIFT	136,4	R10	R10	-	-
JOHN DEERE	644K WH HIGH LIFT	136,4	R10	R10	-	-
JOHN DEERE	724 K (BRAZIL)	141,1	R10	R10	-	-
JOHN DEERE	724 K TIER 2	141,2	R10	R10	-	-
JOHN DEERE	724 K TIER 3	141,2	R10	R10	-	-
JOHN DEERE	724K	141,2	R10	R10	-	-
JOHN DEERE	644 K (BRAZIL)	150,8	R10	R10	-	-
JOHN DEERE	644 K [HYBRID]	150,8	R10	R10	-	-
JOHN DEERE	644 K TIER 2	150,8	R10	R10	-	-
JOHN DEERE	644 K TIER 3	150,8	R10	R10	-	-
JOHN DEERE	644 K TIER 4	150,8	R10	R10	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
JOHN DEERE	644K	150,8	R10	R10	-	-
JOHN DEERE	724 K TIER 4	153,0	R10	R10	-	-
JOHN DEERE	644K WH	153,3	R10	R10	-	-
JOHN DEERE	724K WH	153,3	R10	R10	-	-
JOHN DEERE	744K WH HIGH LIFT	157,3	R10	R10	-	-
JOHN DEERE	744K II HIGH LIFT TIER 2	170,9	R10	R14	-	-
JOHN DEERE	744K II HIGH LIFT TIER 3	170,9	R10	R14	-	-
JOHN DEERE	744K II HIGH LIFT TIER 4	170,9	R10	R14	-	-
JOHN DEERE	744K HIGH-LIFT INTERIM TIER 4	170,9	R10	R14	-	-
JOHN DEERE	744K HIGH-LIFT TIER 2	170,9	R10	R14	-	-
JOHN DEERE	744K HIGH-LIFT TIER 3	170,9	R10	R14	-	-
JOHN DEERE	824 K - II HIGH LIFT (BRAZIL)	171,9	R10	R14	-	-
JOHN DEERE	824K HIGH LIFT INTERIM TIER 4	171,9	R10	R14	-	-
JOHN DEERE	824K HIGH LIFT TIER 2	171,9	R10	R14	-	-
JOHN DEERE	824K HIGH-LIFT	171,9	R10	R14	-	-
JOHN DEERE	824K II HIGH LIFT TIER 2	171,9	R10	R14	-	-
JOHN DEERE	824K II HIGH LIFT TIER 3	171,9	R10	R14	-	-
JOHN DEERE	824K II HIGH LIFT TIER 4	171,9	R10	R14	-	-
JOHN DEERE	744K WH	176,8	R10	R14	-	-
JOHN DEERE	824K INTERIM TIER 4	183,3	R10	R14	-	-
JOHN DEERE	824K TIER 2	183,3	R10	R14	-	-
JOHN DEERE	824K TIER 3	183,3	R10	R14	-	-
JOHN DEERE	824 K - II (BRAZIL)	183,5	R10	R14	-	-
JOHN DEERE	824K II TIER 2	183,5	R10	R14	-	-
JOHN DEERE	824K II TIER 3	183,5	R10	R14	-	-
JOHN DEERE	824K II TIER 4	183,5	R10	R14	-	-
JOHN DEERE	744 K - II (BRAZIL)	190,4	R14	R18	-	-
JOHN DEERE	744K II TIER 2	190,4	R14	R18	-	-
JOHN DEERE	744K II TIER 3	190,4	R14	R18	-	-
JOHN DEERE	744K II TIER 4	190,4	R14	R18	-	-
JOHN DEERE	744K INTERIM TIER 4	190,4	R14	R18	-	-
JOHN DEERE	744K TIER 2	190,4	R14	R18	-	-
JOHN DEERE	744K TIER 3	190,4	R14	R18	-	-
JOHN DEERE	844 K - II (BRAZIL)	212,5	R18	R23	-	-
JOHN DEERE	844K II TIER 2	212,5	R18	R23	-	-
JOHN DEERE	844K II TIER 3	212,5	R18	R23	-	-
JOHN DEERE	844K II TIER 4	212,5	R18	R23	-	-
JOHN DEERE	844K-II	212,5	R18	R23	-	-
JOHN DEERE	844K	212,9	R18	R23	-	-
KAELBLE	SL 14 B	113,0	R10	R10	-	-
KAELBLE	SL 18 F	175,0	R10	R14	-	-
KAELBLE	SL 20 B	175,0	R10	R14	-	-
KAELBLE	SL 18 G	185,0	R10	R14	-	-
KAELBLE	SL 22	202,0	R14	R14	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
KAELBLE	SL 26	248,0	R14	R18	-	-
KAELBLE	SL 28	248,0	R14	R18	-	-
KAELBLE	SL 28B	252,0	R14	R18	-	-
KAWASAKI	65 ZV - 2	100,0	R10	R10	-	-
KAWASAKI	65 ZV - 2 HIGH LIFT	100,2	R10	R10	-	-
KAWASAKI	65 ZV - 2 SUPER HIGH	100,2	R10	R10	-	-
KAWASAKI	67 Z 7 HIGH LIFT	101,0	R10	R10	-	-
KAWASAKI	67 Z 7	105,0	R10	R10	-	-
KAWASAKI	65 ZV	106,7	R10	R10	-	-
KAWASAKI	65 TMV - 2	107,1	R10	R10	-	-
KAWASAKI	70 Z 7 HIGH LIFT	110,0	R10	R10	-	-
KAWASAKI	70 Z 7	120,0	R10	R10	-	-
KAWASAKI	70 Z IV - 2	122,6	R10	R10	-	-
KAWASAKI	70 ZV - 2 HIGH LIFT	123,9	R10	R10	-	-
KAWASAKI	70 ZV - 2	124,0	R10	R10	-	-
KAWASAKI	70 TMV - 2	130,3	R10	R10	-	-
KAWASAKI	70 ZV	134,8	R10	R10	-	-
KAWASAKI	80 Z 7 HIGH LIFT	139,0	R10	R10	-	-
KAWASAKI	80 Z 5	146,0	R10	R10	-	-
KAWASAKI	85 Z 7 HIGH LIFT	152,0	R10	R10	-	-
KAWASAKI	80 Z 7	152,0	R10	R10	-	-
KAWASAKI	85 Z 7	154,0	R10	R10	-	-
KAWASAKI	80 Z IV-2	156,0	R10	R10	-	-
KAWASAKI	80 ZV - 2	161,0	R10	R14	-	-
KAWASAKI	85 Z 5	164,0	R10	R14	-	-
KAWASAKI	80 ZV	174,4	R10	R14	-	-
KAWASAKI	85 Z IV-2	177,0	R10	R14	-	-
KAWASAKI	85 ZV - 2	177,0	R10	R14	-	-
KAWASAKI	90 Z 5	190,0	R10	R14	-	-
KAWASAKI	85 ZV	193,4	R10	R14	-	-
KAWASAKI	90 Z 7 INTERIM TIER 4	196,0	R10	R14	-	-
KAWASAKI	90 Z 7 HIGH LIFT INTERIM TIER 4	196,0	R10	R14	-	-
KAWASAKI	90 Z 7 HIGH LIFT TIER 4	199,0	R14	R14	-	-
KAWASAKI	90 Z 7 TIER 4	199,0	R14	R14	-	-
KAWASAKI	92 Z 7	199,0	R14	R14	-	-
KAWASAKI	92 Z 7 HIGH LIFT	199,0	R14	R14	-	-
KAWASAKI	90 ZV - 2	205,9	R14	R18	-	-
KAWASAKI	90 Z IV-2	208,0	R14	R18	-	-
KAWASAKI	90 ZV - 2 HIGH LIFT	221,9	R14	R18	-	-
KAWASAKI	90 ZV	222,8	R14	R18	-	-
KAWASAKI	95 Z 7 HIGH LIFT	225,0	R14	R18	-	-
KAWASAKI	92 ZV - 2	226,0	R14	R18	-	-
KAWASAKI	95 Z 7	239,0	R18	R23	-	-
KAWASAKI	95 Z IV-3	243,0	R18	R23	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
KAWASAKI	95 ZV	245,0	R18	R23	-	-
KAWASAKI	95 ZV - 2	245,0	R18	R23	-	-
KAWASAKI	95 ZV - 2 HIGH LIFT	281,2	R18	R23	-	-
KAWASAKI	95 Z 7 XTREME	303,0	R18	R23	-	-
KAWASAKI	115 ZV	377,0	R29	R29	-	-
KAWASAKI	115 ZV-2	377,0	R29	R29	-	-
KAWASAKI	115 Z IV-3	385,0	R29	R29	-	-
KOMATSU	WA 250 PZ-6	105,2	R10	R10	-	-
KOMATSU	WA 270-3 ACTIVE	107,0	R10	R10	-	-
KOMATSU	WA 200-5	110,0	R10	R10	-	-
KOMATSU	WA 250 PZ-5	112,4	R10	R10	-	-
KOMATSU	WA380-6 WASTE HANDLER HIGH LIFT	114,1	R10	R14	-	-
KOMATSU	WA 250 - 6 HIGH LIFT	117,3	R10	R10	-	-
KOMATSU	WA 250 PT-5	121,0	R10	R10	-	-
KOMATSU	WA 250 - 6	121,0	R10	R10	-	-
KOMATSU	WA380-6 WASTE HANDLER	121,4	R10	R14	-	-
KOMATSU	WA 320-3 ACTIVE PLUS	126,0	R14	R18	-	-
KOMATSU	WA 250-5	128,0	R10	R10	-	-
KOMATSU	WA 320 - 5 (BRAZIL)	129,2	R14	R18	-	-
KOMATSU	WA 270 - 7	131,2	R10	R10	-	-
KOMATSU	WA 320 - 6 HIGH LIFT	133,4	R14	R18	-	-
KOMATSU	WA 320 - 5	134,0	R14	R18	-	-
KOMATSU	WA 320 PZ-6	141,3	R14	R18	-	-
KOMATSU	WA 380-6 HIGH LIFT	147,0	R14	R18	-	-
KOMATSU	WA470-6 WASTE HANDLER	150,1	R18	R23	-	-
KOMATSU	WA 380-3 ACTIVE	155,0	R14	R18	-	-
KOMATSU	WA 380-5	155,0	R14	R18	-	-
KOMATSU	WA 430-6 HIGH LIFT	157,0	R14	R18	-	-
KOMATSU	WA470-6 WASTE HANDLER HIGH LIFT	157,0	R18	R23	-	-
KOMATSU	WA 380 - 6	157,8	R14	R18	-	-
KOMATSU	WA 380 - 8	157,9	R14	R18	-	-
KOMATSU	WA 380 Z - 6	157,9	R14	R18	-	-
KOMATSU	WA 380 - 6 (LATAM)	157,9	R14	R18	-	-
KOMATSU	WA 380 - 7	157,9	R14	R18	-	-
KOMATSU	WA 430-6	159,0	R14	R18	-	-
KOMATSU	WA 320 - 7	161,5	R14	R18	-	-
KOMATSU	WA 400-5	162,4	R14	R18	-	-
KOMATSU	WA 380-3	162,8	R14	R18	-	-
KOMATSU	WA430-6 WASTE HANDLER HIGH LIFT	162,9	R14	R18	-	-
KOMATSU	WA 430 - 6 HIGH LIFT (LATAM)	163,1	R14	R18	-	-
KOMATSU	WA 380 - 6 (BRAZIL)	169,6	R14	R18	-	-
KOMATSU	WA 470-3 MAGNUM ACTIVE PLUS	179,0	R18	R23	-	-
KOMATSU	WA 430 - 6 (LATAM)	179,4	R14	R18	-	-
KOMATSU	WA 430 - 6 (BRAZIL)	180,4	R14	R18	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
KOMATSU	WA 470-3 ACTIVE PLUS	182,0	R18	R23	-	-
KOMATSU	WA 420-3 ACTIVE PLUS	182,7	R14	R18	-	-
KOMATSU	WA 360 - 6 HIGH LIFT (LATAM)	183,3	R14	R18	-	-
KOMATSU	WA 470-5	184,0	R18	R23	-	-
KOMATSU	WA 470 - 6 HIGH LIFT	186,5	R18	R23	-	-
KOMATSU	WA450-6 HIGH LIFT	186,5	R18	R23	-	-
KOMATSU	WA 470 - 6 HIGH LIFT (LATAM)	186,5	R18	R23	-	-
KOMATSU	WA 470 - 8 HIGH LIFT	186,5	R18	R23	-	-
KOMATSU	WA 470 - 7 HIGH LIFT	189,0	R18	R23	-	-
KOMATSU	WA 470-6 LC HIGH LIFT	189,0	R18	R23	-	-
KOMATSU	WA 470 - 6	192,0	R18	R23	-	-
KOMATSU	WA 470 - 6 (BRAZIL)	192,0	R18	R23	-	-
KOMATSU	WA 470 - 6 (LATAM)	192,0	R18	R23	-	-
KOMATSU	WA 470 - 7	192,0	R18	R23	-	-
KOMATSU	WA 470 - 8	192,0	R18	R23	-	-
KOMATSU	WA450-6	192,2	R18	R23	-	-
KOMATSU	WA 470-6 LC	194,0	R18	R23	-	-
KOMATSU	WA 470-3	203,0	R18	R23	-	-
KOMATSU	WA430-6 WASTE HANDLER	207,9	R18	R23	-	-
KOMATSU	WA 480-6	211,8	R18	R23	-	-
KOMATSU	WA 480-5	216,0	R18	R23	-	-
KOMATSU	WA 480-6 LC	240,0	R18	R23	-	-
KOMATSU	WA 500-6	245,0	R23	R29	-	-
KOMATSU	WA 500 - 6 R	245,2	R23	R29	-	-
KOMATSU	WA 500 - 7	245,2	R23	R29	-	-
KOMATSU	WA 500 - 3	248,0	R23	R29	-	-
KOMATSU	WA 500 - 3 HIGH LIFT	255,1	R23	R29	-	-
KOMATSU	WA 500-6 HIGH LIFT	285,7	R23	R29	-	-
KOMATSU	WA 500 - 6 R HIGH LIFT	285,8	R23	R29	-	-
KOMATSU	WA 500 - 7 STEEL MILL	308,1	R23	R29	-	-
KOMATSU	WA 500 - 7 HIGH LIFT	320,0	R23	R29	-	-
KOMATSU	WA 600-3	369,0	R35	R35	-	-
KOMATSU	WA 600-1	445,7	R35	R35	-	-
KOMATSU	WA 1200 - 6 HIGH LIFT	1236	-	-	W40	W40
KOMATSU	WA 1200 - 6 HIGH LIFT	1236	-	-	W40	W40
KOMATSU	WA 1200 - 6 HIGH LIFT	1236	-	-	W40	W40
KOMATSU	WA 1200-3	1274	-	-	W40	W40
KOMATSU	WA 1200 - 6	1275	-	-	W40	W40
KOMATSU	WA 1200 - 6	1275	-	-	W40	W40
KOMATSU	WA 1200 - 6	1275	-	-	W40	W40
KOMATSU	WA 900-1	609	-	-	W25	W30
KOMATSU	WA 700 - 3	634,4	-	-	W25	W25
KOMATSU	WA700-3	634,4	-	-	W25	W25
KOMATSU	WA 700-1	634,5	-	-	W25	W25

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
KOMATSU	WA700-3	635	-	-	W25	W25
KOMATSU	WA 800-3 LOAD & CARRY	657	-	-	W25	W25
KOMATSU	WA 800 - 3 EO SHORT BOOM	657,3	-	-	W25	W25
KOMATSU	WA 800 - 3 SHORT BOOM	657,3	-	-	W25	W25
KOMATSU	WA 900 - 3	666	-	-	W25	W30
KOMATSU	WA 900 - 3 EO	666	-	-	W25	W30
KOMATSU	WA 800 - 3	676,6	-	-	W25	W25
KOMATSU	WA 800 - 3 EO	676,6	-	-	W25	W25
KOMATSU	WA 900 - 3 EO HIGH LIFT	703	-	-	W25	W30
KOMATSU	WA 900 - 3 HIGH LIFT	703	-	-	W25	W30
KOMATSU	WA 800 - 3 EO HIGH LIFT	703,5	-	-	W25	W30
KOMATSU	WA 800 - 3 HIGH LIFT	703,5	-	-	W25	W30
KOMATSU	WA 800 - 3 HIGH LIFT	704	-	-	W25	W30
KOMATSU	WA 800-2	800,2	-	-	W25	W30
LETOURNEAU	L-950	711,7	-	-	W25	W25
LETOURNEAU	L-950 HIGH LIFT	734	-	-	W25	W30
LETOURNEAU	L-1100	822,9	-	-	W30	W30
LETOURNEAU	L-1350 HIGH LIFT	971,4	-	-	W40	W40
LETOURNEAU	L-1350	978,6	-	-	W40	W40
LIEBHERR	L 534	100,0	R10	R10	-	-
LIEBHERR	L 538	100,0	R10	R10	-	-
LIEBHERR	L 522 (Z-BAR)	102,0	R10	R10	-	-
LIEBHERR	L 534 (Z-BAR)	105,0	R10	R10	-	-
LIEBHERR	L 538 (Z BAR)	105,0	R10	R10	-	-
LIEBHERR	L 542 2PLUS 1 (Z-BAR)	105,0	R10	R10	-	-
LIEBHERR	L 550 2PLUS2 Z BAR INDUSTRIAL ARM	105,0	R10	R14	-	-
LIEBHERR	L 556 2PLUS2 Z BAR INDUSTRIAL ARM	110,0	R10	R14	-	-
LIEBHERR	L 538 2PLUS 1 (Z-BAR)	113,0	R10	R14	-	-
LIEBHERR	L 542 (Z-BAR)	114,0	R10	R14	-	-
LIEBHERR	L550 HIGH LIFT	115,0	R10	R14	-	-
LIEBHERR	L 538 (Z-BAR)	117,0	R10	R14	-	-
LIEBHERR	L 531 B	118,0	R10	R14	-	-
LIEBHERR	L556 HIGH LIFT	120,0	R10	R14	-	-
LIEBHERR	L 550 INDUSTRIAL LIFT	124,9	R10	R14	-	-
LIEBHERR	L 544	125,0	R10	R14	-	-
LIEBHERR	L 544 2PLUS2	125,0	R14	R18	-	-
LIEBHERR	L 550 2PLUS2	125,0	R14	R18	-	-
LIEBHERR	L 550 2PLUS2 HIGH LIFT	125,0	R14	R18	-	-
LIEBHERR	L 556 2PLUS2 HIGH LIFT	125,0	R14	R18	-	-
LIEBHERR	L 556 INDUSTRIAL LIFT	129,9	R14	R18	-	-
LIEBHERR	L 554	130,0	R14	R18	-	-
LIEBHERR	L 554 2 PLUS2	130,0	R14	R18	-	-
LIEBHERR	L 556 2PLUS2	130,0	R14	R18	-	-
LIEBHERR	L 541 B	132,0	R14	R18	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
LIEBHERR	L 550	140,0	R14	R18	-	-
LIEBHERR	L 556	149,9	R14	R18	-	-
LIEBHERR	L 580 2PLUS2 HIGH LIFT	150,0	R14	R18	-	-
LIEBHERR	L 586 2PLUS2 BLOCK HANDER	150,0	R14	R18	-	-
LIEBHERR	L 566 2PLUS2 HIGH LIFT	155,0	R14	R18	-	-
LIEBHERR	L 576 2PLUS2 HIGH LIFT	155,0	R14	R18	-	-
LIEBHERR	L 551 B	162,0	R14	R18	-	-
LIEBHERR	L 580 HIGH LIFT	174,9	R14	R18	-	-
LIEBHERR	L 580	175,0	R14	R18	-	-
LIEBHERR	L 580 2 PLUS 2	175,0	R14	R18	-	-
LIEBHERR	L 580 2PLUS2	175,0	R14	R18	-	-
LIEBHERR	L576 HIGH LIFT	175,0	R18	R18	-	-
LIEBHERR	L 564	185,0	R14	R18	-	-
LIEBHERR	L 564 2 PLUS 2	185,0	R14	R18	-	-
LIEBHERR	L 566 HIGH LIFT	190,0	R18	R18	-	-
LIEBHERR	L 574	190,0	R18	R18	-	-
LIEBHERR	L 574 2 PLUS 2	190,0	R18	R18	-	-
LIEBHERR	L 574 S 2 PLUS 2	190,0	R18	R18	-	-
LIEBHERR	L 576 2PLUS2	190,0	R18	R23	-	-
LIEBHERR	L 580 INTERIM TIER 4	190,0	R18	R23	-	-
LIEBHERR	L576	190,0	R18	R23	-	-
LIEBHERR	L 566	199,9	R18	R23	-	-
LIEBHERR	L 566 INDUSTRIAL LIFT	199,9	R18	R23	-	-
LIEBHERR	L 580 INDUSTRIAL LIFT	199,9	R18	R23	-	-
LIEBHERR	L 566 2PLUS2	200,0	R18	R23	-	-
LIEBHERR	L 586 2PLUS2 HIGH LIFT	230,0	R23	R29	-	-
LIEBHERR	L 586 2PLUS2	235,0	R23	R29	-	-
LIUGONG	CLG 835 III TOOL CARRIER	107,0	R10	R10	-	-
LIUGONG	842 II	120,0	R10	R10	-	-
LIUGONG	842 III TOOL CARRIER	120,0	R10	R10	-	-
LIUGONG	842 IV TOOL CARRIER	120,0	R10	R10	-	-
LIUGONG	CLG 842 III TOOL CARRIER	120,0	R10	R10	-	-
LIUGONG	CLC 842	125,0	R10	R10	-	-
LIUGONG	CLG 842 II (CUMMINS)	125,0	R10	R10	-	-
LIUGONG	CLG 842 II (SHANGCHAI)	125,0	R10	R10	-	-
LIUGONG	842 III	136,0	R10	R10	-	-
LIUGONG	842 IV	136,0	R10	R10	-	-
LIUGONG	CLG 842 III	136,0	R10	R10	-	-
LIUGONG	CLG 842 IV	136,0	R10	R10	-	-
LIUGONG	CLG 856 III TOOL CARRIER	153,0	R10	R10	-	-
LIUGONG	856 II	158,0	R10	R10	-	-
LIUGONG	CLC 856	158,0	R10	R10	-	-
LIUGONG	CLG 856 III	160,0	R10	R14	-	-
LIUGONG	856 III	162,0	R10	R14	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
LIUGONG	856 III TOOL CARRIER	162,0	R10	R14	-	-
LIUGONG	856 IV	164,0	R10	R14	-	-
LIUGONG	856 H	181,0	R10	R14	-	-
LIUGONG	862	198,0	R10	R14	-	-
LIUGONG	862 III	198,0	R10	R14	-	-
LIUGONG	CLG 877 III	213,0	R14	R18	-	-
LIUGONG	877 II	218,0	R14	R18	-	-
LIUGONG	877 III	218,0	R14	R18	-	-
LIUGONG	888 III	260,0	R18	R23	-	-
LIUGONG	CLC 888	260,0	R18	R23	-	-
LIUGONG	CLG 888 III	260,0	R18	R23	-	-
LJUNGBY MASKIN	L13	110,0	R10	R10	-	-
LJUNGBY MASKIN	L 10	111,8	R10	R10	-	-
LJUNGBY MASKIN	L 12	113,8	R10	R10	-	-
LJUNGBY MASKIN	L 14	116,7	R14	R14	-	-
LJUNGBY MASKIN	L 17	117,8	R18	R18	-	-
LJUNGBY MASKIN	L15	120,0	R14	R14	-	-
LJUNGBY MASKIN	L18	155,9	R18	R18	-	-
LJUNGBY MASKIN	L20	180,0	R18	R18	-	-
LJUNGBY MASKIN	L25	230,0	R23	R23	-	-
LJUNGBY MASKIN	L30	250,0	R23	R29	-	-
LONKING	CDM833	100,0	R10	R10	-	-
LONKING	CDM835E	100,0	R10	R10	-	-
LONKING	CDM833 TIER 2	100,0	R10	R10	-	-
LONKING	CDM835E TIER 2	100,0	R10	R10	-	-
LONKING	CDM843	115,0	R10	R10	-	-
LONKING	CDM843 TIER 2	115,0	R10	R10	-	-
LONKING	CDM853	155,0	R10	R10	-	-
LONKING	CDM855	170,0	R10	R14	-	-
LONKING	CDM855E	170,0	R10	R14	-	-
LONKING	CDM855F	170,0	R10	R14	-	-
LONKING	CDM856D	170,0	R10	R14	-	-
LONKING	CDM856E	170,0	R10	R14	-	-
LONKING	CDM855 TIER 2	170,0	R10	R14	-	-
LONKING	CDM855E TIER 2	170,0	R10	R14	-	-
LONKING	CDM855F TIER 2	170,0	R10	R14	-	-
LONKING	CDM856D TIER 2	170,0	R10	R14	-	-
LONKING	CDM856E TIER 2	170,0	R10	R14	-	-
LONKING	CDM858	170,0	R10	R14	-	-
LONKING	ZL50C	170,0	R10	R14	-	-
LONKING	CDM860	200,0	R14	R14	-	-
LONKING	CDM860 TIER 2	200,0	R14	R14	-	-
LONKING	CDM860K	200,0	R14	R14	-	-
LUNENG	LN935	120,0	R10	R10	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
LUNENG	LN936	120,0	R10	R10	-	-
LUNENG	LN938	120,0	R10	R10	-	-
LUNENG	LN939	120,0	R10	R10	-	-
LUNENG	LN956	175,0	R10	R14	-	-
LUNENG	LN958	180,0	R10	R14	-	-
LUNENG	LN959	180,0	R10	R14	-	-
LUQING	LQ936	138,0	R10	R10	-	-
LUQING	LQ952	172,3	R10	R14	-	-
LUQING	LQ956	172,3	R10	R14	-	-
MANITOU	AS 210	105,0	R10	R10	-	-
NEW HOLLAND	W 130 C TC TIER 2	101,3	R10	R10	-	-
NEW HOLLAND	W130C TC	103,9	R10	R10	-	-
NEW HOLLAND	W 130 C TC TIER 3	103,9	R10	R10	-	-
NEW HOLLAND	W 130	104,4	R10	R10	-	-
NEW HOLLAND	W 130 C TIER 2	106,6	R10	R10	-	-
NEW HOLLAND	W 130 C LONG REACH TIER 3	110,1	R10	R10	-	-
NEW HOLLAND	W130C LONG REACH	110,2	R10	R10	-	-
NEW HOLLAND	W 130 B	112,3	R10	R10	-	-
NEW HOLLAND	W 130 TC	112,6	R10	R10	-	-
NEW HOLLAND	W 130 B LONG BOOM	116,0	R10	R10	-	-
NEW HOLLAND	W 170 C TC TIER 3	117,8	R10	R10	-	-
NEW HOLLAND	W 130 BTC	119,0	R10	R10	-	-
NEW HOLLAND	W130B LR	121,7	R10	R10	-	-
NEW HOLLAND	W 170 C TC TIER 2	123,9	R10	R10	-	-
NEW HOLLAND	W 170 BTC	128,5	R10	R10	-	-
NEW HOLLAND	W 170 TC	128,5	R10	R10	-	-
NEW HOLLAND	W 170	129,1	R10	R10	-	-
NEW HOLLAND	W 170 B	129,7	R10	R10	-	-
NEW HOLLAND	W 170 C LONG REACH TIER 2	131,5	R10	R10	-	-
NEW HOLLAND	W 170 C TIER 2	132,2	R10	R10	-	-
NEW HOLLAND	W 170 C LONG REACH TIER 3	138,8	R10	R10	-	-
NEW HOLLAND	W170C LR	138,9	R10	R10	-	-
NEW HOLLAND	W 170 C TIER 3	139,6	R10	R10	-	-
NEW HOLLAND	W170C	140,0	R10	R10	-	-
NEW HOLLAND	W170B LR	146,6	R10	R10	-	-
NEW HOLLAND	W 190 C TIER 3	147,8	R10	R10	-	-
NEW HOLLAND	W 190 C TIER 2	152,7	R10	R10	-	-
NEW HOLLAND	W 190 C LONG REACH TIER 3	154,1	R10	R10	-	-
NEW HOLLAND	W 190 B LONG BOOM	159,6	R10	R14	-	-
NEW HOLLAND	W 190 C LONG REACH TIER 2	159,6	R10	R14	-	-
NEW HOLLAND	W 230 C	167,0	R10	R14	-	-
NEW HOLLAND	W 190	168,0	R10	R14	-	-
NEW HOLLAND	W 190 (LONG BOOM)	168,0	R10	R14	-	-
NEW HOLLAND	W 190 B	175,0	R10	R14	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
NEW HOLLAND	W 230 C LONG REACH	176,9	R10	R14	-	-
NEW HOLLAND	W 230	183,0	R10	R14	-	-
NEW HOLLAND	W 190 B LR	184,0	R10	R14	-	-
NEW HOLLAND	W270C	187,2	R10	R14	-	-
NEW HOLLAND	W270C LONG REACH	189,1	R10	R14	-	-
NEW HOLLAND	W 270 (LONG BOOM)	200,0	R14	R14	-	-
NEW HOLLAND	W 270 C LONG REACH	202,5	R14	R18	-	-
NEW HOLLAND	W 270 C	205,5	R14	R18	-	-
NEW HOLLAND	W 270	206,0	R14	R18	-	-
NEW HOLLAND	W 270 B	206,0	R14	R18	-	-
NEW HOLLAND	W 300 C	222,2	R18	R23	-	-
NEW HOLLAND	W 300 C LONG REACH	224,4	R18	R23	-	-
NEW HOLLAND	W300C	237,9	R18	R23	-	-
NEW HOLLAND	W300C LONG REACH	240,3	R18	R23	-	-
O&K	L 20 PZ	101,0	R10	R10	-	-
O&K	L 25,5	108,0	R10	R10	-	-
O&K	L 20 B	109,0	R10	R10	-	-
O&K	L 25 C	113,0	R10	R10	-	-
O&K	L 20,6	120,0	R10	R10	-	-
O&K	L 25 B	122,0	R10	R10	-	-
O&K	L 25,6	148,5	R10	R10	-	-
O&K	L 35,5	159,0	R10	R14	-	-
O&K	L 35 B	163,0	R10	R14	-	-
O&K	L 45 C	182,0	R10	R14	-	-
O&K	L 45,5	182,0	R10	R14	-	-
O&K	L 45 B	188,0	R10	R14	-	-
OOK	XZ636	120,6	R10	R10	-	-
OOK	XZ636L	120,6	R10	R10	-	-
OOK	XZ656-I	140,0	R10	R10	-	-
OOK	XZ657	145,0	R10	R10	-	-
OOK	XZ657-I	145,0	R10	R10	-	-
OOK	XZ657-II	145,0	R10	R10	-	-
OOK	XZ656-II	170,0	R10	R14	-	-
OOK	XZ667	180,0	R10	R14	-	-
PALAZZANI	PL 1105	109,8	R10	R10	-	-
PAUS	RL 1252	104,0	R10	R10	-	-
PAUS	RL 1252-B	104,0	R10	R10	-	-
POWERPLUS	PP948T-III	120,0	R10	R10	-	-
POWERPLUS	PP938T-III	127,0	R10	R10	-	-
POWERPLUS	PP950P-III	134,0	R10	R10	-	-
POWERPLUS	PP950P-III TIER 2	134,0	R10	R10	-	-
POWERPLUS	PP966S-III	160,0	R10	R14	-	-
POWERPLUS	PP966T-III	170,0	R10	R14	-	-
POWERPLUS	PP966T-III TIER 2	170,0	R10	R14	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
POWERPLUS	PP968T-III	170,0	R10	R14	-	-
POWERPLUS	PP968T-III TIER 2	170,0	R10	R14	-	-
POWERPLUS	PP980S-III	204,0	R14	R18	-	-
POWERPLUS	PP980T-III	204,0	R14	R18	-	-
PPS DETVA	CET 500	205,0	R14	R18	-	-
SAMSUNG	SL 120-2	105,9	R10	R10	-	-
SAMSUNG	ST 120-2	111,0	R10	R10	-	-
SAMSUNG	SL 150-2 (1)	132,6	R10	R10	-	-
SAMSUNG	SL 150-2 (2)	132,6	R10	R10	-	-
SAMSUNG	SL 180-2 (1)	164,0	R10	R14	-	-
SAMSUNG	SL 180-2 (2)	164,0	R10	R14	-	-
SAMSUNG	SL 250-2	195,7	R10	R14	-	-
SAMSUNG	SL 330-2	270,0	R18	R23	-	-
SCHAEFF	SKL 873	123,0	R10	R10	-	-
SDLG	LG 948 L LONG BOOM	110,0	R10	R10	-	-
SDLG	LG 948 L	120,5	R10	R10	-	-
SDLG	LG 946 L	124,9	R10	R10	-	-
SDLG	LG946L	125,0	R10	R10	-	-
SDLG	LG 958 L LONG BOOM	146,0	R10	R10	-	-
SDLG	LG 959 LONG BOOM	146,0	R10	R10	-	-
SDLG	LG952L	150,0	R10	R10	-	-
SDLG	LG 958 L TIER 3	152,0	R10	R10	-	-
SDLG	LG 959 TIER 3	152,0	R10	R10	-	-
SDLG	LG 952 H	156,9	R10	R10	-	-
SDLG	LG 953	156,9	R10	R10	-	-
SDLG	LG953	160,0	R10	R14	-	-
SDLG	LG 958 L (DALIAN)	168,0	R10	R14	-	-
SDLG	LG 958 L (WEICHAI)	168,0	R10	R14	-	-
SDLG	LG 958 L TIER 2	180,0	R10	R14	-	-
SDLG	LG 956 L	180,0	R10	R14	-	-
SDLG	LG 956 L (DALIAN)	180,0	R10	R14	-	-
SDLG	LG 956 L (LINGONG)	180,0	R10	R14	-	-
SDLG	LG 956 L (WEICHAI)	180,0	R10	R14	-	-
SDLG	LG 959 TIER 2	180,0	R10	R14	-	-
SDLG	LG 958 L (DEUTZ)	180,0	R10	R14	-	-
SDLG	LG 959 L	180,0	R10	R14	-	-
SDLG	LG 953 N	185,0	R10	R14	-	-
SDLG	LG 953 N UNDERGROUND	185,0	R10	R14	-	-
SDLG	LG953N	185,0	R10	R14	-	-
SDLG	LG969L	197,9	R10	R14	-	-
SDLG	LG 968	198,0	R10	R14	-	-
SDLG	LG 968 TIER 2	198,0	R10	R14	-	-
SDLG	LG968V	198,0	R10	R14	-	-
SDLG	LG 978	216,0	R14	R18	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
SDLG	LG 979	216,0	R14	R18	-	-
SDLG	LG 989	244,0	R14	R18	-	-
SINOWAY	SWL30	100,0	R10	R10	-	-
SINOWAY	SWL 40F	134,0	R10	R10	-	-
SINOWAY	SWL 40F-II	134,0	R10	R10	-	-
SINOWAY	SWL 50D	145,0	R10	R10	-	-
SINOWAY	SWL 50F	165,0	R10	R14	-	-
SINOWAY	SWL 60	175,0	R10	R14	-	-
SINOWAY	SWL 50E	185,0	R10	R14	-	-
SINOWAY	SWL75F	220,0	R14	R18	-	-
SINOWAY	SWL 80 G	260,0	R18	R18	-	-
TEREX	TXL 200-2	103,0	R10	R10	-	-
TEREX	TL 210	106,0	R10	R10	-	-
TEREX	SKL 200	113,0	R10	R10	-	-
TEREX	SKL 873 SP	113,0	R10	R10	-	-
TEREX	TL 200	113,0	R10	R10	-	-
TEREX	SKL 260	119,9	R10	R10	-	-
TEREX	TL 260	119,9	R10	R10	-	-
TEREX	SKL 873	123,0	R10	R10	-	-
TEREX	TXL 250	129,0	R10	R10	-	-
TEREX	TL 310	153,6	R10	R10	-	-
TEREX	SL 18 G	185,0	R10	R14	-	-
TEREX	TL 420	202,0	R14	R14	-	-
TEREX	SL 22	210,0	R14	R18	-	-
TEREX	TXL 400	220,0	R18	R23	-	-
TEREX	TL 450	228,0	R18	R23	-	-
TEREX	SL 28 B	252,0	R18	R23	-	-
TEREX	TXL 500-2	273,0	R18	R23	-	-
TEREX KAEUBLE	SL 14 B	113,0	R10	R10	-	-
TEREX KAEUBLE	SL 18 G	185,0	R10	R14	-	-
TEREX KAEUBLE	SL 22	202,0	R14	R18	-	-
TEREX KAEUBLE	SL 28 B	248,0	R18	R23	-	-
TEREX SCHAEFF	SKL 873	123,0	R10	R10	-	-
TIANGONG	ZL30H	100,0	R10	R10	-	-
VENIERI	VF 9015	99,0	R10	R10	-	-
VENIERI	13 , 63	117,6	R10	R10	-	-
VENIERI	11 , 63	125,5	R10	R10	-	-
VENIERI	18 , 63	153,1	R10	R10	-	-
WERKLUST	WG 18 D	100,0	R10	R10	-	-
WERKLUST	WG 18 E	100,0	R10	R10	-	-
WERKLUST	WG 35 E	117,7	R10	R10	-	-
WERKLUST	WG 40 E	117,7	R10	R10	-	-
WERKLUST	WG 35 B	122,6	R10	R10	-	-
WERKLUST	WG 35 C	122,6	R10	R10	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
WERKLUST	WG 35 D	122,6	R10	R10	-	-
WERKLUST	WG 45 C	137,3	R10	R10	-	-
WERKLUST	WG 45 D	142,2	R10	R10	-	-
WERKLUST	WG 45 E	142,2	R10	R10	-	-
VOLVO	L 70 C	99,1	R10	R10	-	-
VOLVO	L 60 G Z	103,4	R10	R10	-	-
VOLVO	L 70 E	106,9	R10	R10	-	-
VOLVO	L 90 F	113,1	R10	R10	-	-
VOLVO	L 90 D	114,0	R10	R10	-	-
VOLVO	L 90 E	114,1	R10	R10	-	-
VOLVO	L 90 F LONG BOOM	115,1	R10	R10	-	-
VOLVO	L 90 E HIGH LIFT	116,1	R10	R10	-	-
VOLVO	L 90 C	118,2	R10	R10	-	-
VOLVO	L 90 G LONG BOOM	132,0	R10	R10	-	-
VOLVO	L 90 G	134,0	R10	R10	-	-
VOLVO	L 90 H	138,0	R10	R10	-	-
VOLVO	L 90 H LONG BOOM	139,7	R10	R10	-	-
VOLVO	L 120 D	151,1	R10	R14	-	-
VOLVO	L 120 C	152,5	R10	R14	-	-
VOLVO	L 110 G	157,7	R10	R14	-	-
VOLVO	L 110 H	157,7	R10	R14	-	-
VOLVO	L 110 H LONG BOOM	161,0	R10	R14	-	-
VOLVO	L 120 H	161,0	R10	R14	-	-
VOLVO	L 120 H LONG BOOM	161,0	R10	R14	-	-
VOLVO	L 120 G	163,7	R10	R14	-	-
VOLVO	L 110 G LONG BOOM	165,1	R10	R14	-	-
VOLVO	L 110 E	166,0	R10	R14	-	-
VOLVO	L 110 F	166,7	R10	R14	-	-
VOLVO	L 120 E	168,3	R10	R14	-	-
VOLVO	L 90 G Z	168,7	R10	R14	-	-
VOLVO	L 120 G Z LONG BOOM	169,3	R10	R14	-	-
VOLVO	L 120 G LONG BOOM	169,7	R10	R14	-	-
VOLVO	L 120 F	170,1	R10	R14	-	-
VOLVO	L 105	173,0	R10	R14	-	-
VOLVO	L 120 F LONG BOOM	176,1	R10	R14	-	-
VOLVO	L 150 C	176,3	R10	R14	-	-
VOLVO	L 120 G Z	177,1	R10	R14	-	-
VOLVO	L 150 E	179,1	R10	R14	-	-
VOLVO	L 150 E HIGH LIFT	179,1	R10	R14	-	-
VOLVO	L 150 F	179,1	R10	R14	-	-
VOLVO	L 110 F LONG BOOM	183,7	R10	R14	-	-
VOLVO	L 150 D	184,4	R10	R14	-	-
VOLVO	L 110 E HIGH LIFT	186,0	R10	R14	-	-
VOLVO	L 105 LONG BOOM	186,0	R10	R14	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

BRAND	MODEL	MIN BOF, kN	C-REX		ProClaws	
			GP	HD/XHD	GP	HD/XHD
VOLVO	L 150 F LONG BOOM	188,1	R14	R18	-	-
VOLVO	L 150 G INTERIM TIER 4	201,1	R14	R18	-	-
VOLVO	L 150 G TIER 2	201,1	R14	R18	-	-
VOLVO	L 150 H TIER 4	201,3	R14	R18	-	-
VOLVO	L 150 H TIER 2	201,3	R14	R18	-	-
VOLVO	L 150 G LONG BOOM INTERIM TIER 4	210,1	R14	R18	-	-
VOLVO	L 150 G LONG BOOM TIER 2	210,1	R14	R18	-	-
VOLVO	L 150 H LONG BOOM TIER 2	210,3	R14	R18	-	-
VOLVO	L 180 D	210,3	R14	R18	-	-
VOLVO	L 150 H LONG BOOM TIER 4	210,3	R14	R18	-	-
VOLVO	L 180 C	211,5	R18	R23	-	-
VOLVO	L 180 G INTERIM TIER 4	224,8	R18	R23	-	-
VOLVO	L 180 G TIER 2	224,8	R18	R23	-	-
VOLVO	L 180 H TIER 2	224,9	R18	R23	-	-
VOLVO	L 180 H TIER 4	224,9	R18	R23	-	-
VOLVO	L 180 E	225,1	R18	R23	-	-
VOLVO	L 180 E HIGH LIFT	225,1	R18	R23	-	-
VOLVO	L 180 F	225,1	R18	R23	-	-
VOLVO	L 220 G INTERIM TIER 4	228,2	R18	R23	-	-
VOLVO	L 220 G TIER 2	228,2	R18	R23	-	-
VOLVO	L 180 H LONG BOOM TIER 4	228,8	R18	R23	-	-
VOLVO	L 180 G LONG BOOM INTERIM TIER 4	228,8	R18	R23	-	-
VOLVO	L 180 G LONG BOOM TIER 2	228,8	R18	R23	-	-
VOLVO	L 180 H LONG BOOM TIER 2	228,8	R18	R23	-	-
VOLVO	L 220 H TIER 2	228,9	R23	R29	-	-
VOLVO	L 220 H TIER 4	228,9	R23	R29	-	-
VOLVO	L 180 F LONG BOOM	229,1	R23	R29	-	-
VOLVO	L 220 E	231,0	R23	R29	-	-
VOLVO	L 220 E HIGH LIFT	231,0	R23	R29	-	-
VOLVO	L 220 F	231,0	R23	R29	-	-
VOLVO	L 220 H LONG BOOM TIER 4	231,9	R23	R29	-	-
VOLVO	L 220 G LONG BOOM INTERIM TIER 4	232,2	R23	R29	-	-
VOLVO	L 220 G LONG BOOM TIER 2	232,2	R23	R29	-	-
VOLVO	L 220 H LONG BOOM TIER 2	232,2	R23	R29	-	-
VOLVO	L 220 F LONG BOOM	234,0	R23	R29	-	-
VOLVO	L 220 D	236,3	R23	R29	-	-
VOLVO	L 250 H LONG BOOM	263,0	R29	R29	-	-
VOLVO	L 250 G LONG BOOM INTERIM TIER 4	263,6	R29	R29	-	-
VOLVO	L 250 G LONG BOOM	284,3	R29	R29	-	-
VOLVO	L 250 G INTERIM TIER 4	290,6	R29	R29	-	-
VOLVO	L 250 H	291,0	R29	R29	-	-
VOLVO	L 250 G	311,1	R29	R29	-	-
VOLVO	L 330 E	464,4	R35	R35	-	-
VOLVO	L 330 D	469,5	R35	R35	-	-

GENERAL SELECTION GUIDE - LOADER

For more information visit combiwearparts.com.

			C-REX		ProClaws	
BRAND	MODEL	MIN BOF, kN	GP	HD/XHD	GP	HD/XHD
VOLVO	L 350 F	472,8	R35	R35	-	-
VOLVO	L 330 C	499,7	R35	R35	-	-
WORLD	W136	100,0	R10	R10	-	-
WORLD	W156	150,0	R10	R10	-	-
XCMG	LW 300 F	120,0	R10	R10	-	-
XCMG	LW 300 F HIGH LIFT	120,0	R10	R10	-	-
XCMG	LW 300 F LONG BOOM	120,0	R10	R10	-	-
XCMG	LW 300 K	120,1	R10	R10	-	-
XCMG	LW 300 K HIGH LIFT	120,1	R10	R10	-	-
XCMG	LW 300 K LONG BOOM	120,1	R10	R10	-	-
XCMG	LW 400 K (CUMMINS)	130,0	R10	R10	-	-
XCMG	LW 400 K (SHANGCHAI)	130,0	R10	R10	-	-
XCMG	LW 500 F	158,0	R10	R10	-	-
XCMG	LW 500 F LONG BOOM	158,0	R10	R10	-	-
XCMG	LW 500 K	170,0	R10	R14	-	-
XCMG	LW 500 K LONG BOOM	170,0	R10	R14	-	-
XCMG	LW 500 KL	170,0	R10	R14	-	-
XCMG	ZL 50 G	170,0	R10	R14	-	-
XCMG	ZL50G	170,0	R10	R14	-	-
XCMG	LW 600 K	201,0	R14	R14	-	-
XCMG	LW 800 K	260,0	R18	R23	-	-
XCMG	LW 900 K	260,0	R18	R23	-	-
XGMA	958II	177,0	R10	R14	-	-
YIXIANG	LW500K-II	170,0	R10	R14	-	-
YIXIANG	ZL50G	170,0	R10	R14	-	-
YIXIANG	LW600K	201,0	R14	R14	-	-
YUTONG	931A	103,0	R10	R10	-	-
YUTONG	936H	103,0	R10	R10	-	-
YUTONG	953A	175,0	R10	R14	-	-
YUTONG	956H	175,0	R10	R14	-	-
YUTONG	966H	175,0	R10	R14	-	-