

Celebrating

20 YEARS



of Manufacturing in Australia
Setting the standard of Quality and Service



Price List 2018 - 2019

GENERIC REPLACEMENT CELLS TO SUIT ORIGINAL MODEL:

PAGE		PAGE	
1	Aquachlor Generic	32	Hurlcon/Astral VX/E SERIES Generic
2	Aquajoy Std. /Unique/Auto Elite Generic	33	Hurlcon /Astral Viron Equilibrium Series Generic
3	Aquaswim Generic	34	K - Chlor cell Standard Generic
4	Aquapower Generic	35	K - Chlor cell Self Clean Generic
5	Auto Chlor Bayonet Push On Generic	36	KGS DIGITALS Plastic Unit
6	Auto Chlor Bayonet Wing Nut Generic	37	KCD DIGITALS Metal Unit
7	Auto Chlor Standard Screw On Generic	38	Pristine Self Clean - Metal Unit
8	Auto Chlor Self Clean Screw On Generic	39	Paramount Generic
9	Auto Chlor Bipolar /SM Series Self Clean Generic	40	Pool Power Standard Generic
10	Chloromatic P Series Generic	41	Pool Power RP Generic
11	Chloromatic ESR Series Generic	42	Poolrifik Generic
12	Chloromatic ESC and BSMC Generic	43	Poolrite/Enduro/Surechlor PC HC Series Generic
13	Clearwater B Series Bayonet Generic	44	Poolrite/Enduro/Surechlor 2000/3000 Series Generic
14	Clearwater B Series Bayonet Generic	45	Poolrite/Enduro/Surechlor/AKS Generic
15	Clearwater C Series Screw On Generic	46	Poolrite/Enduro/Surechlor 4000 Series
16	Clearwater C Series Screw On Generic	47	Magna Blue Generic
17	Clearwater LM2 Series Generic	48	Poolstore Q Generic
18	Clearwater D Series Generic	49	Salchlor Generic
19	Clearwater Ei, Ei2 and EL Series Generic Original	50	Salchlor/Long Tang Generic
20	Clearwater LM3 Series Generic	51	Salchlor/Long Tang/Wands Generic
21	Clearwater/Zodiac TRI Series Generic	52	Saltmate Generic
22	Compuchlor/FPI/Saltking Generic	53	Saltygem Generic
23	Compuchlor AUTO FPI/Saltking Generic	54	Sapphire Generic
24	Compuchlor CPSC Generic	55	Stroud Generic
25	Crystal Clear Generic	56	Waterchlor Generic
26	Crystal Clear/Focus ROK/Pentair Generic	57	Waterchlor/Electrochlor Generic
27	Dura Chlor Convection Cell Generic	58	Flow Through QT Generic
28	Dura Chlor Convection Cell and Wands Generic	59	Flow Through QT Generic
29	Eaquip Generic	60	Lead Repair Kits Generic
30	Emaux Generic	61	Lead Repair Kits Generic
31	EVOLUTION RP/M Original		

WELCOME - from everyone at Kawana Chlorinator Spares P/L

We are a manufacturing business producing a large range of generic replacement chlorinator cells and spare parts.*

THESE ARE OUR TERMS AND CONDITIONS OF SALES & REPAIRS:

PRICING: Recommended Retail Price throughout this price list is only a guideline & it is entirely up to the salesperson to use their discretion as to what retail price is charged.

WARRANTY: From the date of purchase

This warranty only applies if the unit is installed & looked after properly. Warranty will be voided if the cell is: not cleaned when necessary, hard abrasives used or if connected in reverse. It is strongly advised that the units be installed in a weatherproof environment. If fault is caused by water damage, warranty will be voided.

Domestic cells come with a **Full Two (2)** year warranty.

Commercial cells come with a **Full One (1)** year warranty.

K-Chlor Digital Gold Chlorinators carry a **Full Four (4)** year warranty on the power pack for **domestic and commercial** pools.

If in doubt please ask, we are only a phone call away!

TARIFF 33: If the unit has been hard wired (T33) it is the customer's responsibility to pay either their electrician or our electrician for the disconnection & re installation costs. All freight costs remain the responsibility of the customer.

FREIGHT CHARGES: Freight applies to all replacement cells & new chlorinators.

REPAIRS: Charges apply to all repairs, unless otherwise arranged or under warranty. A minimum charge will apply if a repair job is quoted on & the job is not completed.

ORDERING: Ordering of cells and chlorinators may be done over the phone or e – mail.
Order Numbers or Customer Names are essential.

PAYMENTS: Terms of payment on credit applications are strictly 30 days EOM. If the payment is not received by the due date, the supplement of goods will be delayed until full payment on the overdue account is received.

***THROUGHOUT THESE LISTINGS THE USE OF PRODUCT NAMES & PHOTOS IS A DESCRIPTIVE GUIDE ONLY, & IN NO WAY INTENDS TO INFER OR SUGGEST THAT ANY OF THE PRODUCTS ARE THE ORIGINAL AS PRODUCED BY ANY OTHER MANUFACTURER.**

GENERIC CELLS TO SUIT AQUACHLOR*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	C 140	GENERIC REPLACEMENT AQUACHLOR C140 'O' RING, LOCKING RING STANDARD CELL	5 PLATES SOLID	146mm	10 grams per hour
	C 220	GENERIC REPLACEMENT AQUACHLOR C220 'O' RING, LOCKING RING STANDARD CELL	7 PLATES SOLID	120mm	16 grams per hour
	C 260	GENERIC REPLACEMENT AQUACHLOR C260 'O' RING, LOCKING RING STANDARD CELL	7 PLATES SOLID	146mm	20 grams per hour
	C 520	GENERIC REPLACEMENT AQUACHLOR C520 'O' RING, LOCKING RING STANDARD CELL	7 PLATES SOLID	220mm	30 grams per hour
	C260 SC	GENERIC REPLACEMENT AQUACHLOR C260 'O' RING, LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	166mm	26 grams per hour
	C330 SC	GENERIC REPLACEMENT AQUACHLOR C330 'O' RING, LOCKING RING REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	220mm	33 grams per hour








* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT AQUAJoy UNIQUE*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	A/J 60 L/S	GENERIC REPLACEMENT AQUAJoy 60 LOW SALT, 'O' RING, LEAD, HORIZONTAL STANDARD CELL	5 PLATES SOLID	120mm	12 grams per hour
	A/J 90 L/S	GENERIC REPLACEMENT AQUAJoy 90 LOW SALT, 'O' RING, LEAD, HORIZONTAL STANDARD CELL	5 PLATES SOLID	166mm	15 grams per hour
	A/J 90 H/S	GENERIC REPLACEMENT AQUAJoy 90 HIGH SALT, 'O' RING, LEAD, HORIZONTAL STANDARD CELL	5 PLATES SOLID	120mm	12 grams per hour
	A/J 150 L/S	GENERIC REPLACEMENT AQUAJoy 150 LOW SALT, 'O' RING, LEAD, HORIZONTAL STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour
	A/J 150H/S	GENERIC REPLACEMENT AQUAJoy 150 HIGH SALT, 'O' RING, LEAD, HORIZONTAL STANDARD CELL	5 PLATES SOLID	166mm	15 grams per hour
	V 90	GENERIC REPLACEMENT AQUAJoy V 90, LEAD, VERTICAL STANDARD CELL	2 TUBE PLATES MESH	150mm	16 grams per hour
	V 150	GENERIC REPLACEMENT AQUAJoy V 150, LEAD, VERTICAL STANDARD CELL	2 TUBE PLATES MESH	200mm	20 grams per hour
	UNIQUE RP 90	GENERIC REPLACEMENT UNIQUE AUTO ELITE RP 90, LEAD SELF CLEANING CELL	6 PLATE SOLID	166mm	20 grams per hour
	UNIQUE RP 150	GENERIC REPLACEMENT UNIQUE AUTO ELITE RP 150, LEAD SELF CLEANING CELL	6 PLATE SOLID	200mm	30 grams per hour




* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT AQUASWIM*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	A/S 90	GENERIC REPLACEMENT AQUASWIM 90, 'O' RING, LEAD, HORIZONTAL STANDARD CELL	3 PLATES SOLID	200mm	10 grams per hour
	A/S 120	GENERIC REPLACEMENT AQUASWIM 120, 'O' RING, LEAD, HORIZONTAL STANDARD CELL	5 PLATES SOLID	165mm	15 grams per hour
	A/S 150	GENERIC REPLACEMENT AQUASWIM 150, 'O' RING, LEAD, HORIZONTAL STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour
	A/S 3 PL VERT.	GENERIC REPLACEMENT AQUASWIM 3 PLATES, 'O' RING, LEAD, VERTICAL STANDARD CELL	3 PLATES MESH	280mm	10 grams per hour
	A/S 5 PL VERT.	GENERIC REPLACEMENT AQUASWIM 5 PLATE, 'O' RING, LEAD, VERTICAL STANDARD CELL	5 PLATES MESH	280mm	20 grams per hour
	A/S 110 SC	GENERIC REPLACEMENT AQUASWIM 110 SC, 'O' RING, LEAD, HORIZONTAL, REVERSE POLARITY, SELF CLEAN CELL	6 PLATES SOLID	166mm	20 grams per hour
	A/S 210 SC	GENERIC REPLACEMENT AQUASWIM 210SC, 'O' RING, LEAD, HORIZONTAL, REVERSE POLARITY, SELF CLEAN CELL	6 PLATES SOLID	200mm	30 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT AQUAPOWER*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	AQUA POWER RP18	GENERIC REPLACEMENT AQUAPOWER RP18, LOCKING RING, BARREL UNIONS, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	75mm	18 grams per hour
	AQUA POWER RP23	GENERIC REPLACEMENT AQUAPOWER RP23, LOCKING RING, BARREL UNIONS, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	100mm	23 grams per hour
	AQUA POWER RP30	GENERIC REPLACEMENT AQUA POWER RP30, LOCKING RING, BARREL UNIONS, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	125mm	30 grams per hour

AUSTRALIAN MADE

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT AUTO CHLOR PUSH ON BAYONET*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	AC E P/ON	GENERIC REPLACEMENT AUTO CHLOR E' CELL PUSH ON BAYONET STANDARD CELL	5 PLATES SOLID	146mm	15 grams per hour
	AC K P/ON	GENERIC REPLACEMENT AUTO CHLOR K' CELL PUSH ON BAYONET STANDARD CELL	7 PLATES SOLID	120mm	20 grams per hour
	AC S P/ON	GENERIC REPLACEMENT AUTO CHLOR S' CELL PUSH ON BAYONET STANDARD CELL	7 PLATES SOLID	146mm	25 grams per hour
	AC P P/ON	GENERIC REPLACEMENT AUTO CHLOR P' CELL PUSH ON BAYONET STANDARD CELL	7 PLATES SOLID	200mm	35 grams per hour
	AC F P/ON	GENERIC REPLACEMENT AUTO CHLOR F' CELL PUSH ON BAYONET STANDARD CELL	7 PLATES SOLID	275mm	50 grams per hour
	MINI SPA P/ON	GENERIC REPLACEMENT AUTO CHLOR MINI SPA PUSH ON BAYONET STANDARD CELL	3 PLATES SOLID	146mm	8 grams per hour
	JAYMAC 300 P/ON	GENERIC REPLACEMENT AUTO CHLOR JAYMAC 300 (K' CELL) PUSH ON BAYONET STANDARD CELL	7 PLATES SOLID	120mm	20 grams per hour
	JAYMAC 350 P/ON	GENERIC REPLACEMENT AUTO CHLOR JAYMAC 350 (S' CELL) PUSH ON BAYONET STANDARD CELL	7 PLATES SOLID	146mm	25 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT AUTO CHLOR WING NUTS BAYONET*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	AC E W/N	GENERIC REPLACEMENT AUTO CHLOR E' CELL WING NUT BAYONET, STANDARD CELL	5 PLATES SOLID	146mm	15 grams per hour
	AC K W/N	GENERIC REPLACEMENT AUTO CHLOR K' CELL WING NUT BAYONET, STANDARD CELL	7 PLATES SOLID	120mm	20 grams per hour
	AC S W/N	GENERIC REPLACEMENT AUTO CHLOR S' CELL WING NUT BAYONET, STANDARD CELL	7 PLATES SOLID	146mm	25 grams per hour
	AC P W/N	GENERIC REPLACEMENT AUTO CHLOR P' CELL WING NUT BAYONET, STANDARD CELL	7 PLATES SOLID	200mm	35 grams per hour
	AC F W/N	GENERIC REPLACEMENT AUTO CHLOR F' CELL WING NUT BAYONET, STANDARD CELL	7 PLATES SOLID	275mm	50 grams per hour
	MINI SPA W/ NUT	GENERIC REPLACEMENT AUTO CHLOR MINI SPA WING NUT BAYONET, STANDARD CELL	3 PLATES SOLID	146mm	8 grams per hour
	JAYMAC 300 W/N	GENERIC REPLACEMENT AUTO CHLOR JAYMAC 300 (K' CELL) WING NUT BAYONET, STANDARD CELL	7 PLATES SOLID	120mm	20 grams per hour
	JAYMAC 350 W/N	GENERIC REPLACEMENT AUTO CHLOR JAYMAC 350 (S' CELL) WING NUT BAYONET, STANDARD CELL	7 PLATES SOLID	146mm	25 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT AUTO CHLOR STANDARD SCREW ON*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	AC MINI	GENERIC REPLACEMENT AUTO CHLOR AC MINI, 'O' RING, SCREW ON STANDARD CELL	5 PLATES SOLID	100mm	8 grams per hour
	AC 15	GENERIC REPLACEMENT AUTO CHLOR AC 15, 'O' RING, SCREW ON STANDARD CELL	5 PLATES SOLID	146mm	15 grams per hour
	AC 20	GENERIC REPLACEMENT AUTO CHLOR AC 20, 'O' RING, SCREW ON STANDARD CELL	7 PLATES SOLID	120mm	20 grams per hour
	AC 25	GENERIC REPLACEMENT AUTO CHLOR AC 25, 'O' RING, SCREW ON STANDARD CELL	7 PLATES SOLID	146mm	25 grams per hour
	AC 35	GENERIC REPLACEMENT AUTO CHLOR AC 35, 'O' RING, SCREW ON STANDARD CELL	7 PLATES SOLID	200mm	35 grams per hour
	AC 50	GENERIC REPLACEMENT AUTO CHLOR AC 50, 'O' RING, SCREW ON STANDARD CELL	7 PLATES SOLID	275mm	50 grams per hour







* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.



GENERIC CELLS TO SUIT AUTO CHLOR SELF CLEAN SCREW ON*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	RP 7	GENERIC REPLACEMENT AUTO CHLOR RP 7, 'O' RING, SCREW ON REVERSE POLARITY SELF CLEAN CELL	5 PLATES SOLID	100 mm	7 grams per hour
	RP 15	GENERIC REPLACEMENT AUTO CHLOR RP 15, 'O' RING, SCREW ON REVERSE POLARITY SELF CLEAN CELL	5 PLATES SOLID	146 mm	15 grams per hour
	RP 20	GENERIC REPLACEMENT AUTO CHLOR RP 20, 'O' RING, SCREW ON REVERSE POLARITY SELF CLEAN CELL	7 PLATES SOLID	120 mm	20 grams per hour
	RP 25	GENERIC REPLACEMENT AUTO CHLOR RP 25, 'O' RING, SCREW ON REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	146mm	25 grams per hour
	RP 35	GENERIC REPLACEMENT AUTO CHLOR RP 35, 'O' RING, SCREW ON REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	200mm	35 grams per hour
	RP 50	GENERIC REPLACEMENT 2x AUTO CHLOR RP 25, 'O' RINGS, SCREW ON REVERSE POLARITY, SELF CLEAN CELLS	7 PLATES SOLID	2 X 146mm	2 X 25 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.






GENERIC CELLS TO SUIT AUTO CHLOR BIPOLAR/SM SERIES SELF CLEANING*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	RP 25/13PL	GENERIC AUTO CHLOR RP 25 13 PLATES 'O' RING, SCREW ON REVERSE POLARITY SELF CLEAN CELL	13 PLATES SOLID	120mm	25 grams per hour
	RP 36	GENERIC REPLACEMENT AUTO CHLOR RP 36 13 PLATES, 'O' RING, SCREW ON REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	146mm	36 grams per hour
	RP 64	GENERIC REPLACEMENT AUTO CHLOR RP 64 13 PLATES, 'O' RING, SCREW ON REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	220mm	64 grams per hour
	RP 92	GENERIC REPLACEMENT AUTO CHLOR RP 92 15 PLATES, 'O' RING, SCREW ON REVERSE POLARITY, SELF CLEAN CELL	15 PLATES SOLID	275mm	92 grams per hour
	RP 50 HD	GENERIC REPLACEMENT AUTO CHLOR RP 50 HD 8 PLATES, 'O' RING, SCREW ON REVERSE POLARITY, SELF CLEAN CELL	8 PLATES SOLID	270mm	50 grams per hour
	RP 100 HD	GENERIC REPLACEMENT AUTO CHLOR RP 100 HD 11 PLATES, 'O' RING, SCREW ON REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID x 2 CELLS	2 x 270mm	2 x 50 grams per hour

	SM 20	GENERIC REPLACEMENT AUTO CHLOR SM 20, O'RING SELF CLEAN CELL	7 PLATES SOLID	130mm	20 grams per hour
	SM 30	GENERIC REPLACEMENT AUTO CHLOR SM 30, O'RING SELF CLEAN CELL	13 PLATES SOLID	110mm	30 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT CHLOROMATIC P SERIES*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	P 50	GENERIC REPLACEMENT CHLOROMATIC 'P' 50, 'O' RING, LEAD, STANDARD CELL	5 PLATES SOLID	110mm	11 grams per hour
	P 75	GENERIC REPLACEMENT CHLOROMATIC 'P' 75 'O' RING, LEAD, STANDARD CELL	5 PLATES SOLID	175mm	14 grams per hour
	P 100	GENERIC REPLACEMENT CHLOROMATIC 'P' 100, 'O' RING, LEAD, STANDARD CELL	5 PLATES SOLID	220mm	16 grams per hour
	P 125	GENERIC REPLACEMENT CHLOROMATIC 'P' 125, 'O' RING, LEAD, STANDARD CELL	5 PLATES SOLID	280mm	20 grams per hour
	P 150	GENERIC REPLACEMENT CHLOROMATIC 'P' 150, 'O' RING, LEAD, STANDARD CELL	5 PLATES SOLID	280mm	20 grams per hour



* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.




GENERIC CELLS TO SUIT CHLOROMATIC ESR SERIES*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	ESR 110	GENERIC REPLACEMENT CHLOROMATIC ESR 110, 'O' RING, LOCKING RING, STANDARD CELL	5 PLATES SOLID	146mm	10 grams per hour
	ESR 160	GENERIC REPLACEMENT CHLOROMATIC ESR 160, 'O' RING, LOCKING RING, STANDARD CELL	7 PLATES SOLID	120mm	16 grams per hour
	ESR 200	GENERIC REPLACEMENT CHLOROMATIC ESR 200, 'O' RING, LOCKING RING, STANDARD CELL	7 PLATES SOLID	146mm	20 grams per hour
	ESR 240	GENERIC REPLACEMENT CHLOROMATIC ESR 240, 'O' RING, LOCKING RING, STANDARD CELL	7 PLATES SOLID	166mm	24 grams per hour
	ESR 300	GENERIC REPLACEMENT CHLOROMATIC ESR 300, 'O' RING, LOCKING RING, STANDARD CELL	7 PLATES SOLID	220mm	30 grams per hour
	C260	GENERIC REPLACEMENT CHLOROMATIC C260, 'O' RING, LOCKING RING, STANDARD CELL	7 PLATES SOLID	146mm	20 grams per hour
	C520	GENERIC REPLACEMENT CHLOROMATIC C520, 'O' RING, LOCKING RING, STANDARD CELL	7 PLATES SOLID	220mm	30 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.







GENERIC CELLS TO SUIT CHLOROMATIC ESC/BSMC SERIES*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	ESC 16	GENERIC REPLACEMENT CHLOROMATIC ESC 16, 'O' RING, LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	9 PLATES SOLID	180mm	16 grams per hour
	ESC 24 / 36 / 48	GENERIC REPLACEMENT CHLOROMATIC ESC 24/36/48 'O' RING, LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	180mm	24/36/48 grams per hour

	BSMC 13	CHLOROMATIC REPLACEMENT BSMC 13 REVERSE POLARITY, SELF CLEAN CELL	9 PLATES SOLID	101mm	13 grams per hour
	BSMC 20	CHLOROMATIC REPLACEMENT BSMC 20 REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	101mm	20 grams per hour
	BSMC 26	CHLOROMATIC REPLACEMENT BSMC 26, REVERSE POLARITY, SELF CLEAN CELL	17 PLATES SOLID	101mm	26 grams per hour







* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT CLEARWATER B SERIES BAYONET*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	C/W B 140	GENERIC REPLACEMENT CLEARWATER B 140, 'O' RING, BAYONET STANDARD CELL	7 PLATES SOLID	120mm	15 grams per hour
	C/W B 170	GENERIC REPLACEMENT CLEARWATER B 170 'O' RING, BAYONET STANDARD CELL	7 PLATES SOLID	146mm	18 grams per hour
	C/W B 200/270	GENERIC REPLACEMENT CLEARWATER B 200/270 'O' RING, BAYONET STANDARD CELL	7 PLATES SOLID	166mm	21 grams per hour
	C/W B330/250 UNI 25 BAYONET	GENERIC REPLACEMENT CLEARWATER B 330/250 'O' RING, BAYONET STANDARD CELL	7 PLATES SOLID	200mm	26 grams per hour
	C/W B 400	GENERIC REPLACEMENT CLEARWATER B 400 'O' RING, BAYONET STANDARD CELL	7 PLATES SOLID	120mm	20 grams per hour
	C/W B 500	GENERIC REPLACEMENT CLEARWATER B 500 'O' RING, BAYONET STANDARD CELL	7 PLATES SOLID	200mm	52 grams per hour






* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT CLEARWATER B SERIES BAYONET*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	C/W B SPA PRINCESS	GENERIC REPLACEMENT CLEARWATER B SPA PRINCESS 'O' RING, BAYONET STANDARD CELL	3 PLATES SOLID	146mm	8 grams per hour
	LS4000	GENERIC REPLACEMENT CLEARWATER B LS4000 (B200/270) 'O' RING, BAYONET STANDARD CELL	7 PLATES SOLID	166mm	21 grams per hour
	HS7000 UNI 25 BAYONET	GENERIC REPLACEMENT CLEARWATER BHS70000 (B250/330) 'O' RING, BAYONET STANDARD CELL	7 PLATES SOLID	200mm	26 grams per hour
	TS190	GENERIC REPLACEMENT CLEARWATER B TS190 (B200/270) 'O' RING, BAYONET STANDARD CELL	7 PLATES SOLID	166mm	21 grams per hour
	BH4000	GENERIC REPLACEMENT CLEARWATER B BH4000 (B140) 'O' RING, BAYONET STANDARD CELL	7 PLATES SOLID	120mm	15 grams per hour
	BH7000	GENERIC REPLACEMENT CLEARWATER B BH7000 (B170) 'O' RING, BAYONET STANDARD CELL	7 PLATES SOLID	146mm	18 grams per hour








* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT CLEARWATER C SERIES SCREW ON*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	C/W C 140	GENERIC REPLACEMENT CLEARWATER C 140 'O' RING, LOCKING RING SCREW ON STANDARD CELL	7 PLATES SOLID	120mm	15 grams per hour
	C/W C 170	GENERIC REPLACEMENT CLEARWATER C 170 'O' RING LOCKING RING SCREW ON STANDARD CELL	7 PLATES SOLID	146mm	18 grams per hour
	C/W C 200/270	GENERIC REPLACEMENT CLEARWATER C 200/270 'O' RING, LOCKING RING SCREW ON STANDARD CELL	7 PLATES SOLID	166mm	21 grams per hour
	C/W C 330/250 UNI 25 SCREW ON	GENERIC REPLACEMENT CLEARWATER C 330/250 'O' RING, LOCKING RING SCREW ON STANDARD CELL	7 PLATES SOLID	200mm	26 grams per hour
	C/W SPA PRINCESS	GENERIC REPLACEMENT CLEARWATER C SPA PRINCESS 'O' RING, LOCKING RING SCREW ON STANDARD CELL	3 PLATES SOLID	146mm	8 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT CLEARWATER C SERIES SCREW ON*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	C/W C 400	GENERIC REPLACEMENT CLEARWATER C 400 'O' RING, LOCKING RING SCREW ON STANDARD CELL	7 PLATES SOLID	120mm	20 grams per hour
	C/W C 500	GENERIC REPLACEMENT CLEARWATER C 500 'O' RING, LOCKING RING SCREW ON STANDARD CELL	7 PLATES SOLID	200mm	52 grams per hour
	LS4000	CLEARWATER REPLACEMENT C LS4000 (C200/270) 'O' RING, LOCKING RING SCREW ON STANDARD CELL	7 PLATES SOLID	166mm	21 grams per hour
	HS7000 UNI 25 SCREW ON	GENERIC REPLACEMENT CLEARWATER C HS7000 (C250/330) 'O' RING, LOCKING RING SCREW ON STANDARD CELL	7 PLATES SOLID	200mm	26 grams per hour
	TS190	GENERIC REPLACEMENT CLEARWATER C TS190 (C200/270) 'O' RING, LOCKING RING SCREW ON STANDARD CELL	7 PLATES SOLID	166mm	21 grams per hour
	BH4000	GENERIC REPLACEMENT CLEARWATER C BH4000 (C140) 'O' RING, LOCKING RING SCREW ON STANDARD CELL	7 PLATES SOLID	120mm	15 grams per hour
	BH7000	GENERIC REPLACEMENT CLEARWATER C BH7000 (C170) 'O' RING, LOCKING RING SCREW ON STANDARD CELL	7 PLATES SOLID	146mm	18 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT CLEARWATER LM2 SERIES*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	LM -1 S/1;S2	GENERIC REPLACEMENT CLEARWATER LM 1 S/1; S2 REVERSE POLARITY SELF CLEAN CELL	7 PLATES SOLID	152mm	21 grams per hour
	LMQ	GENERIC REPLACEMENT CLEARWATER LM Q REVERSE POLARITY SELF CLEAN CELL	8 PLATES SOLID	152mm	24 grams per hour
	LM2 15	GENERIC REPLACEMENT CLEARWATER LM2 15 REVERSE POLARITY SELF CLEAN CELL	7 PLATES SOLID	82mm	15 grams per hour
	LM2 20	GENERIC REPLACEMENT CLEARWATER LM2 20 REVERSE POLARITY SELF CLEAN CELL	9 PLATES SOLID	82mm	20 grams per hour
	LM2 24	GENERIC REPLACEMENT CLEARWATER LM2 24 REVERSE POLARITY SELF CLEAN CELL	7 PLATES SOLID	130mm	24 grams per hour
	LM2 30	GENERIC REPLACEMENT CLEARWATER LM2 30 REVERSE POLARITY SELF CLEAN CELL	9 PLATES SOLID	130mm	30 grams per hour
	LM2 40	GENERIC REPLACEMENT CLEARWATER LM2 40 REVERSE POLARITY SELF CLEAN CELL	11 PLATES SOLID	152mm	40 grams per hour



* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.




GENERIC CELLS TO SUIT CLEARWATER D SERIES*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	D 10	GENERIC REPLACEMENT CLEARWATER D 10 REVERSE POLARITY SELF CLEAN CELL	5 PLATES SOLID	100mm	10 grams per hour
	D 15	GENERIC REPLACEMENT CLEARWATER D 15 REVERSE POLARITY SELF CLEAN CELL	7 PLATES SOLID	100mm	15 grams per hour
	D 20	GENERIC REPLACEMENT CLEARWATER D 20 REVERSE POLARITY SELF CLEAN CELL	9 PLATES SOLID	100mm	20 grams per hour
	D 25/ Aqua sphere	GENERIC REPLACEMENT CLEARWATER D 25 REVERSE POLARITY SELF CLEAN CELL	11 PLATES SOLID	100mm	25 grams per hour
	D 30	GENERIC REPLACEMENT CLEARWATER D 30 REVERSE POLARITY SELF CLEAN CELL	13 PLATES SOLID	100mm	30 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC AND ORIGINAL CELLS TO SUIT CLEARWATER Ei, Ei2 AND EL SERIES*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	ORIGINAL Ei 18 OLD VERSION	ORIGINAL REPLACEMENT CLEARWATER EI 18 REVERSE POLARITY SELF CLEAN CELL	11 PLATES SOLID	66mm	18 grams per hour
	ORIGINAL Ei 25 OLD VERSION	ORIGINAL REPLACEMENT CLEARWATER EI 25 REVERSE POLARITY SELF CLEAN CELL	11 PLATES SOLID	82mm	25 grams per hour

	Ei2 18 NEW VERSION	GENERIC REPLACEMENT CLEARWATER Ei2 18 NEW VERSION REVERSE POLARITY SELF CLEAN CELL	11 PLATES SOLID	66mm	18 grams per hour
	Ei2 25 NEW VERSION	GENERIC REPLACEMENT CLEARWATER Ei2 25 NEW VERSION REVERSE POLARITY SELF CLEAN CELL	11 PLATES SOLID	82mm	25 grams per hour
	EL 25	GENERIC REPLACEMENT CLEARWATER EL 25 NEW VERSION REVERSE POLARITY SELF CLEAN CELL	11 PLATES SOLID	80mm	25 grams per hour




* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT CLEARWATER LM3 SERIES*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	LM3 15	GENERIC REPLACEMENT CLEARWATER LM3 15 REVERSE POLARITY SELF CLEAN CELL	7 PLATES SOLID	82mm	15 grams per hour
	LM3 20	GENERIC REPLACEMENT CLEARWATER LM3 20 REVERSE POLARITY SELF CLEAN CELL	9 PLATES SOLID	82mm	20 grams per hour
	LM3 24	GENERIC REPLACEMENT CLEARWATER LM3 24 REVERSE POLARITY SELF CLEAN CELL	7 PLATES SOLID	130mm	24 grams per hour
	LM3 30	GENERIC REPLACEMENT CLEARWATER LM3 30 REVERSE POLARITY SELF CLEAN CELL	9 PLATES SOLID	130mm	30 grams per hour
	LM3 40	GENERIC REPLACEMENT CLEARWATER LM3 40 REVERSE POLARITY SELF CLEAN CELL	11 PLATES SOLID	152mm	40 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT CLEARWATER/ZODIAC TRI ELECTRODE SERIES*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	TRI COMPACT	GENERIC REPLACEMENT CLEARWATER/ZODIAC TRI COMPACT ELECTRODE, REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID	46mm	18 grams per hour
	TRI MID	GENERIC REPLACEMENT CLEARWATER/ZODIAC TRI MID ELECTRODE, REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID	76mm	25 grams per hour
	TRI LARGE	GENERIC REPLACEMENT CLEARWATER/ZODIAC TRI LARGE ELECTRODE, REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID	105mm	36 grams per hour





* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT COMPUCHLOR / FPI / SALTKING*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	M 140	GENERIC REPLACEMENT COMPUCHLOR M 140 'O' RING, LEAD STANDARD CELL	3 PLATES MESH	320mm	15 grams per hour
	M 140 NO CAP	GENERIC REPLACEMENT COMPUCHLOR M 140 MESH ONLY, STANDARD CELL	3 PLATES MESH	320mm	15 grams per hour
	M 140 ANODE	GENERIC REPLACEMENT COMPUCHLOR M 140 ANODE MESH STANDARD	1 PLATE MESH	300mm	
	M 140 CATH.	GENERIC REPLACEMENT COMPUCHLOR M 140 CATHODE MESH STANDARD	1 PLATE MESH	320mm	
	L 210	GENERIC REPLACEMENT COMPUCHLOR L 210 'O' RING, LEAD, STANDARD CELL	3 PLATES MESH	480mm	20 grams per hour
	L 210 NO CAP	GENERIC REPLACEMENT COMPUCHLOR L 210 MESH ONLY, STANDARD CELL	3 PLATES MESH	480mm	20 grams per hour
	L 210 ANODE	GENERIC REPLACEMENT COMPUCHLOR L 210 ANODE MESH STANDARD	1 PLATE MESH	460mm	
	L 210 CATH.	GENERIC REPLACEMENT COMPUCHLOR L 210 CATHODE MESH STANDARD	1 PLATE MESH	480mm	
	S 70	GENERIC REPLACEMENT COMPUCHLOR S 70, 'O' RING, LEAD STANDARD CELL	3 PLATES MESH	180mm	8 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT COMPUCHLOR AUTO / FPI / SALTKING*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	AUTO 75	GENERIC REPLACEMENT COMPUCHLOR AUTO 75, 'O' RING, LEAD REVERSE POLARITY SELF CLEAN CELL	2 PLATES SOLID	180mm	8 grams per hour
	AUTO 150	GENERIC REPLACEMENT COMPUCHLOR AUTO 150, 'O' RING, LEAD REVERSE POLARITY SELF CLEAN CELL	2 PLATES SOLID	310mm	15 grams per hour
	AUTO 200	GENERIC REPLACEMENT COMPUCHLOR AUTO 200, 'O' RING, LEAD REVERSE POLARITY SELF CLEAN CELL	2 PLATES SOLID	475mm	20 grams per hour
	AUTO 300	GENERIC REPLACEMENT COMPUCHLOR AUTO 300 'O' RING, LEAD, REVERSE POLARITY, SELF CLEAN CELL	4 PLATES SOLID	320mm	30 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT COMPUCHLOR CPSC*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	CPSC 08	GENERIC REPLACEMENT COMPUCHLOR CPSC 08, REVERSE POLARITY, SELF CLEAN CELL	2 PLATES SOLID	200mm	08 grams per hour
	CPSC 16	GENERIC REPLACEMENT COMPUCHLOR CPSC 16, REVERSE POLARITY, SELF CLEAN CELL	4 PLATES SOLID	165mm	15 grams per hour
	CPSC 24	GENERIC REPLACEMENT COMPUCHLOR CPSC 24, REVERSE POLARITY, SELF CLEAN CELL	5 PLATES SOLID	165mm	20 grams per hour
	CPSC 36	GENERIC REPLACEMENT COMPUCHLOR CPSC 36, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	200 mm	30 grams per hour
	CPSC 48	GENERIC REPLACEMENT COMPUCHLOR CPSC 48, REVERSE POLARITY, SELF CLEAN CELL	10 PLATES SOLID	200mm	40 grams per hour





* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT CRYSTAL CLEAR*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	EC 1500 CS220	GENERIC REPLACEMENT CRYSTAL CLEAR CS220 'O' RING, LEAD, BLACK & BLUE LOCKING RINGS, STANDARD CELL	5 PLATES SOLID	165mm	15 grams per hour
	EC2000 CS260	GENERIC REPLACEMENT CRYSTAL CLEAR CS260 'O' RING, LEAD, BLACK & BLUE LOCKING RINGS, STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour
	EC3000 CS390	GENERIC REPLACEMENT CRYSTAL CLEAR CS390 'O' RING, LEAD, BLACK & BLUE LOCKING RINGS, STANDARD CELL	7 PLATES SOLID	200mm	30 grams per hour
	EC4000 CS520	GENERIC REPLACEMENT CRYSTAL CLEAR CS520 'O' RING, LEAD, BLACK & BLUE LOCKING RINGS, STANDARD CELL	9 PLATES SOLID	200mm	40 grams per hour
	RP2000 SRC250	GENERIC REPLACEMENT CRYSTAL CLEAR SRC250 'O' RING, LEAD, BLUE LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	5 PLATES SOLID	200mm	20 grams per hour
	RP3000 SRC380	GENERIC REPLACEMENT CRYSTAL CLEAR SRC380 'O' RING, LEAD, BLUE LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	200mm	30 grams per hour
	RP4000 40 RP	GENERIC REPLACEMENT CRYSTAL CLEAR 40 RP 'O' RING, LEAD, BLUE LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	9 PLATES SOLID	200mm	40 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT CRYSTAL CLEAR/FOCUS ROK/PENTAIR*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	FOCUS ROK 15	GENERIC REPLACEMENT FOCUS ROK 15 LOCKING RING, BARREL UNIONS, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	100mm	15 grams per hour
	FOCUS ROK 25	GENERIC REPLACEMENT FOCUS ROK 25 LOCKING RING, BARREL UNIONS, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	125mm	25 grams per hour
	FOCUS ROK 35	GENERIC REPLACEMENT FOCUS ROK 35 LOCKING RING, BARREL UNIONS, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	150mm	35 grams per hour
	FOCUS ROK 45	GENERIC REPLACEMENT FOCUS ROK 45 LOCKING RING, BARREL UNIONS, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	175mm	45 grams per hour







* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT DURACHLOR CONVECTION CELL*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	40 X 300 MESH	GENERIC REPLACEMENT DURACHLOR 40 X 300 MESH STANDARD CELL	3 PLATES MESH	320mm	
	40 X 300 ANODE MESH	GENERIC REPLACEMENT DURACHLOR 40 X 300 ANODE MESH STANDARD	1 PLATE MESH	290mm	
	40 X 300 CATHODE MESH	GENERIC REPLACEMENT DURACHLOR 40 X 300 CATHODE MESH STANDARD	1 PLATE MESH	320mm	
	40 X 300 PL	GENERIC REPLACEMENT DURACHLOR 40 X 300 PLATE STANDARD	3 PLATES SOLID	320mm	
	40 X 300 ANODE PL	GENERIC REPLACEMENT DURACHLOR 40 X 300 ANODE PLATE STANDARD	1 PLATE SOLID	290mm	
	40 X 300 CATHODE PL	GENERIC REPLACEMENT DURACHLOR 40 X 300 CATHODE PLATE STANDARD	1 PLATE SOLID	320mm	
	40 X 500 MESH	GENERIC REPLACEMENT DURACHLOR 40 X 500 MESH STANDARD CELL	3 PLATES MESH	520mm	
	40 X 500 ANODE MESH	GENERIC REPLACEMENT DURACHLOR 40 X 500 ANODE MESH STANDARD	1 PLATE MESH	490mm	
	40 X 500 CATHODE MESH	GENERIC REPLACEMENT DURACHLOR 40 X 500 CATHODE MESH STANDARD	1 PLATE MESH	520mm	

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT DURACHLOR CONVECTION CELL AND WANDS*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	40 X 500 PL	GENERIC REPLACEMENT DURACHLOR 40 X 500 PLATE STANDARD CELL	3 PLATES SOLID	520mm	
	40 X 500 ANODE PL	GENERIC REPLACEMENT DURACHLOR 40 X 500 ANODE PLATE STANDARD	1 PLATE SOLID	490mm	
	40 X 500 CATH- ODE PL	GENERIC REPLACEMENT DURACHLOR 40 X 500 CATHODE PLATE STANDARD	1 PLATE SOLID	520mm	
	WAND 2 MTR LEAD	GENERIC REPLACEMENT DURACHLOR 2 METER LEAD WAND			
	WAND 4 MTR LEAD	GENERIC REPLACEMENT DURACHLOR 4 METER LEAD WAND			
	WAND 6 MTR LEAD	GENERIC REPLACEMENT DURACHLOR 6 METER LEAD WAND			
	WAND 10 MTR LEAD	GENERIC REPLACEMENT DURACHLOR 10 METER LEAD WAND			
	WAND 15 MTR LEAD	GENERIC REPLACEMENT DURACHLOR 15 METER LEAD WAND			



* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT EAQUIP*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	EAQ 20 A	GENERIC REPLACEMENT EAQUIP 20 AMP 'O' RING, LEAD, LOCKING RING, STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour
	EAQ 30 A	GENERIC REPLACEMENT EAQUIP 30 AMP 'O' RING, LEAD, LOCKING RING, STANDARD CELL	7 PLATES SOLID	200mm	30 grams per hour
	EAQ 20 A S/C	GENERIC REPLACEMENT EAQUIP 20 AMP 'O' RING, LEAD, LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	6 PLATES SOLID	166mm	20 grams per hour
	EAQ 30 A S/C	GENERIC REPLACEMENT EAQUIP 30 AMP 'O' RING, LEAD, LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	6 PLATES SOLID	200mm	30 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.








GENERIC CELLS TO SUIT EMAUX SSC*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	SSC 15	GENERIC REPLACEMENT CHLOROMATIC SSC 15, 'O' RING, LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	9 PLATES SOLID	180mm	16 grams per hour
	SSC 25/50	GENERIC REPLACEMENT CHLOROMATIC SSC 25/50 'O' RING, LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	180mm	25/50 grams per hour

AUSTRALIAN MADE

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

ORIGINAL CELLS TO SUIT EVOLUTION CHLORINATOR -RP/M*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	EVO-LUTION A15	EVOLUTION REPLACEMENT A 15 'O' RING, RESIN HEAD, LEAD, REVERSE POLARITY, SELF CLEAN CELL	3 PLATES SOLID	200mm	15 grams per hour
	EVO-LUTION A20	EVOLUTION REPLACEMENT A 20 'O' RING, RESIN HEAD, LEAD, REVERSE POLARITY, SELF CLEAN CELL	4 PLATES SOLID	200mm	20 grams per hour
	EVO-LUTION A25	EVOLUTION REPLACEMENT A 25 'O' RING, RESIN HEAD, LEAD, REVERSE POLARITY, SELF CLEAN CELL	5 PLATES SOLID	200mm	25 grams per hour
	EVO-LUTION A30	EVOLUTION REPLACEMENT A 30 'O' RING, RESIN HEAD, LEAD, REVERSE POLARITY, SELF CLEAN CELL	6 PLATES SOLID	200mm	30 grams per hour
	EVO-LUTION A35	EVOLUTION REPLACEMENT A 35 'O' RING, RESIN HEAD, LEAD, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	200mm	35 grams per hour
	EVO-LUTION M15	EVOLUTION REPLACEMENT M 15 'O' RING, RESIN HEAD, LEAD, MANUAL CLEAN CELL	3 PLATES SOLID	200mm	15 grams per hour
	EVO-LUTION M 25	EVOLUTION REPLACEMENT M25 'O' RING, RESIN HEAD, LEAD, MANUAL CLEAN CELL	5 PLATES SOLID	200mm	25 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT HURLCON VX*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	VX 6	GENERIC REPLACEMENT HURLCON VX 6, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	100mm	22 grams per hour
	VX7	GENERIC REPLACEMENT HURLCON VX 7, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	150mm	24 grams per hour
	VX9	GENERIC REPLACEMENT HURLCON VX 9, REVERSE POLARITY, SELF CLEAN CELL	9 PLATES SOLID	150mm	30 grams per hour
	VX11	GENERIC REPLACEMENT HURLCON VX 11, REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID	150mm	40 grams per hour
	VX13	GENERIC REPLACEMENT HURLCON VX 13, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	150mm	50 grams per hour
	E25	GENERIC REPLACEMENT HURLCON E25 VX 6, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	100mm	22 grams per hour
	E35	GENERIC REPLACEMENT HURLCON E35 VX 9, REVERSE POLARITY, SELF CLEAN CELL	9 PLATES SOLID	150mm	30 grams per hour







* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT VIRON/EQUILIBRIUM CELL*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	V18	GENERIC REPLACEMENT VIRON/EQUILIBRIUM V18, REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID	65mm	18 grams per hour
	V25	GENERIC REPLACEMENT VIRON/EQUILIBRIUM V25, REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID	100mm	25 grams per hour
	V35	GENERIC REPLACEMENT VIRON/EQUILIBRIUM V35, REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID	125mm	35 grams per hour
	V45	GENERIC REPLACEMENT VIRON/EQUILIBRIUM V45, REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID	150mm	45 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT K-CHLOR CELLS STANDARD*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	AC MINI	GENERIC REPLACEMENT K - CHLOR AC MINI, 'O' RING, SCREW ON, STANDARD CELL	5 PLATES SOLID	100mm	8 grams per hour
	AC 15	GENERIC REPLACEMENT K - CHLOR AC 15, 'O' RING, SCREW ON, STANDARD CELL	5 PLATES SOLID	146mm	15 grams per hour
	AC 20	GENERIC REPLACEMENT K - CHLOR AC 20, 'O' RING, SCREW ON, STANDARD CELL	7 PLATES SOLID	120mm	20 grams per hour
	AC 25	GENERIC REPLACEMENT K - CHLOR AC 25, 'O' RING, SCREW ON, STANDARD CELL	7 PLATES SOLID	146mm	25 grams per hour
	AC 35	GENERIC REPLACEMENT K - CHLOR AC 35, 'O' RING, SCREW ON, STANDARD CELL	7 PLATES SOLID	200mm	35 grams per hour
	AC 50	GENERIC REPLACEMENT K - CHLOR AC 50, 'O' RING, SCREW ON, STANDARD CELL	7 PLATES SOLID	275mm	50 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT K-CHLOR CELLS SELF CLEAN*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	RP 7	GENERIC REPLACEMENT K - CHLOR RP 7, 'O' RING, SCREW ON REVERSE POLARITY SELF CLEAN CELL	5 PLATES SOLID	100 mm	7 grams per hour
	RP 15	GENERIC K - CHLOR REPLACEMENT RP 15 'O' RING, SCREW ON, REVERSE POLARITY, SELF CLEAN CELL	5 PLATES SOLID	146mm	15 grams per hour
	RP 20	GENERIC REPLACEMENT K - CHLOR RP 20 'O' RING, SCREW ON, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	120mm	20 grams per hour
	RP 25	GENERIC REPLACEMENT K - CHLOR RP 25 'O' RING, SCREW ON, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	146mm	25 grams per hour
	RP 35	GENERIC REPLACEMENT K - CHLOR RP 35 'O' RING, SCREW ON REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	200mm	35 grams per hour
	RP 50	GENERIC REPLACEMENT 2 X K - CHLOR RP 25 'O' RINGS, SCREW ON, REVERSE POLARITY, SELF CLEAN CELLS	2 X RP 25 CELLS SOLID PLATES	2 X 146mm	2 X 25 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

ORIGINAL CELLS TO SUIT K-CHLOR DIGITAL GOLD CHLORINATOR SELF CLEAN - PLASTIC UNIT*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	KGS 15	K - CHLOR REPLACEMENT KGS 15 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	125mm	15 grams per hour
	KGS 20	K - CHLOR REPLACEMENT KGS 20 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	152mm	20 grams per hour
	KGS 25	K - CHLOR REPLACEMENT KGS 25 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	9 PLATES SOLID	143mm	25 grams per hour
	KGS 30	K - CHLOR REPLACEMENT KGS 30 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID	143mm	30 grams per hour
	KGS 35	K - CHLOR REPLACEMENT KGS 35 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	143mm	35 grams per hour
	KGS 50	K - CHLOR REPLACEMENT KGS 50 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	212mm	50 grams per hour
	KGS 75	K - CHLOR REPLACEMENT KGS 75 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	21 PLATES SOLID	200 mm	75 grams per hour
	KGS 100	K - CHLOR REPLACEMENT KGS 100 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	21 PLATES SOLID	245mm	100 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

ORIGINAL CELLS TO SUIT K-CHLOR DIGITAL CHLORINATOR SELF CLEAN - METAL UNIT*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	KCD 15	K - CHLOR REPLACEMENT KCD 15 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	125mm	15 grams per hour
	KCD 20	K - CHLOR REPLACEMENT KCD 20 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	152mm	20 grams per hour
	KCD 25	K - CHLOR REPLACEMENT KCD 25 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	9 PLATES SOLID	143mm	25 grams per hour
	KCD 30	K - CHLOR REPLACEMENT KCD 30 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID	143mm	30 grams per hour
	KCD 35	K - CHLOR REPLACEMENT KCD 35 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	143mm	35 grams per hour
	KCD 50	K - CHLOR REPLACEMENT KCD 50 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	212mm	50 grams per hour
	KCD 100	K - CHLOR REPLACEMENT KCD 100 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	21 PLATES SOLID	245mm	100 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

ORIGINAL CELLS TO SUIT PRISTINE CHLORINATOR SELF CLEAN - METAL UNIT*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	PRISTINE 15	PRISTINE 15 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	125mm	15 grams per hour
	PRISTINE 20	PRISTINE 20 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	7 PLATES SOLID	152mm	20 grams per hour
	PRISTINE 25	PRISTINE 25 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	9 PLATES SOLID	143mm	25 grams per hour
	PRISTINE 30	PRISTINE 30 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	11 PLATES SOLID	143mm	30 grams per hour
	PRISTINE 35	PRISTINE 35 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	143mm	35 grams per hour
	PRISTINE 50	PRISTINE 50 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	212mm	50 grams per hour
	PRISTINE 100	PRISTINE 100 'O' RING, SCREW ON, LEAD, REVERSE POLARITY, SELF CLEAN CELL	21 PLATES SOLID	245mm	100 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT PARAMOUNT CELL*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	PARA 240	GENERIC REPLACEMENT PARAMOUNT 240 'O' RING, LEAD, COMPLETE VERTICAL STANDARD CELL	3 PLATES MESH	480mm	18 grams per hour
	PARA 240 NO CAP	GENERIC REPLACEMENT PARAMOUNT 240 STANDARD	3 PLATES MESH	480mm	18 grams per hour
	PARA 240 ANODE	GENERIC REPLACEMENT PARAMOUNT 240 ANODE MESH STANDARD	1 PLATE MESH	460mm	
	PARA 240 CATHODE	GENERIC REPLACEMENT PARAMOUNT 240 CATHODE MESH STANDARD	1 PLATE MESH	480mm	
	PARA 20A OPAL	GENERIC REPLACEMENT PARAMOUNT OPAL 20 AMP 'O' RING, LEAD, LOCKING RING, HORIZONTAL STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour




* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT STANDARD POOL POWER*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	PP 100	GENERIC REPLACEMENT POOL POWER 100, 'O' RING, STANDARD CELL	5 PLATES SOLID	166mm	15 grams per hour
	PP 200	GENERIC REPLACEMENT POOL POWER 200, 'O' RING, STANDARD CELL	7 PLATES SOLID	146mm	18 grams per hour
	PP 300	GENERIC REPLACEMENT POOL POWER 300, 'O' RING, STANDARD CELL	7 PLATES SOLID	166mm	21 grams per hour
	PP 400	GENERIC REPLACEMENT POOL POWER 400, 'O' RING, STANDARD CELL	7 PLATES SOLID	200mm	26 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT POOL POWER RP*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	RP18	GENERIC REPLACEMENT POOL POWER RP 18, LOCKING RING, BARREL UNIONS, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	75mm	18 grams per hour
	RP23	GENERIC REPLACEMENT POOL POWER RP 23, LOCKING RING, BARREL UNIONS, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	100mm	23 grams per hour
	RP30	GENERIC REPLACEMENT POOL POWER RP 30, LOCKING RING, BARREL UNIONS, REVERSE POLARITY, SELF CLEAN CELL	13 PLATES SOLID	125mm	30 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT POOLRIFIK*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	P/RIFIK 10A	GENERIC REPLACEMENT POOLRIFIK 10 AMP, LEAD 'O' RING, LOCKING RING, STANDARD CELL	3 PLATES SOLID	200mm	10 grams per hour
	P/RIFIK 15A	GENERIC REPLACEMENT POOLRIFIK 15 AMP, LEAD 'O' RING, LOCKING RING, STANDARD CELL	5 PLATES SOLID	165mm	15 grams per hour
	P/RIFIK 20A	GENERIC REPLACEMENT POOLRIFIK 20 AMP 'O' RING, LEAD, LOCKING RING, STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour
	P/RIFIK 25A	GENERIC REPLACEMENT POOLRIFIK 25 AMP 'O' RING, LEAD, LOCKING RING, STANDARD CELL	5 PLATES SOLID	240mm	25 grams per hour
	P/RIFIK 30A	GENERIC REPLACEMENT POOLRIFIK 30 AMP 'O' RING, LEAD, LOCKING RING, STANDARD CELL	7 PLATES SOLID	200mm	30 grams per hour
	P/RIFIK 20A S/C	GENERIC REPLACEMENT POOLRIFIK 20 AMP 'O' RING, LEAD, LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	6 PLATES SOLID	166mm	20 grams per hour
	P/RIFIK 30A S/C	GENERIC REPLACEMENT POOLRIFIK 30 AMP 'O' RING, LEAD, LOCKING RING, REVERSE POLARITY, SELF CLEAN CELL	6 PLATES SOLID	200mm	30 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT POOLRITE / ENDURO / SURECHLOR PC HC SERIES*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	PC 60	GENERIC REPLACEMENT POOLRITE PC 60, NO INSERT, STANDARD CELL	6 PLATES MESH	75mm	9 grams per hour
	PC 90	GENERIC REPLACEMENT POOLRITE PC 90, NO INSERT, STANDARD CELL	8 PLATES MESH	122mm	15 grams per hour
	PC 150	GENERIC REPLACEMENT POOLRITE PC 150, NO INSERT, STANDARD CELL	8 PLATES MESH	166mm	20 grams per hour
	HC 60	GENERIC REPLACEMENT POOLRITE HC 60 'O' RING, INSERT, STANDARD CELL	6 PLATES MESH	75mm	9 grams per hour
	HC 90	GENERIC REPLACEMENT POOLRITE HC 90 'O' RING, INSERT, STANDARD CELL	8 PLATES MESH	122mm	15 grams per hour
	HC 150	GENERIC REPLACEMENT POOLRITE HC 150 'O' RING, INSERT, STANDARD CELL	8 PLATES MESH	166mm	20 grams per hour






* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT POOLRITE / ENDURO / SURECHLOR 2000 / 3000 SERIES*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	2000 / 100	GENERIC REPLACEMENT POOLRITE SURECHLOR 2000/100 'O' RING STANDARD CELL	3 PLATES SOLID	200mm	10 grams per hour
	2000 / 200 ESN 190	GENERIC REPLACEMENT POOLRITE SURECHLOR 2000/200 ENDURO ESN 190 'O' RING STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour
	2000 / 300 ESN 290	GENERIC REPLACEMENT POOLRITE SURECHLOR 2000/300 ENDURO ESN 290 'O' RING STANDARD CELL	7 PLATES SOLID	200mm	30 grams per hour
	SC 160	GENERIC REPLACEMENT POOLRITE SURECHLOR 3000 SC 160 'O' RING STANDARD CELL	3 PLATES SOLID	200mm	10 grams per hour
	SC 210	GENERIC REPLACEMENT POOLRITE SURECHLOR 3000 SC 210 'O' RING STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour
	SC 310	GENERIC REPLACEMENT POOLRITE SURECHLOR 3000 SC 310 'O' RING STANDARD CELL	7 PLATES SOLID	200mm	30 grams per hour
	NSC 160	GENERIC REPLACEMENT POOLRITE SURECHLOR NSC160 'O' RING STANDARD CELL	5 PLATES SOLID	165mm	15 grams per hour




* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT POOLRITE / ENDURO / SURECHLOR / AKS*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	AKS150 SC25TS /ENDURO HC 140	GENERIC REPLACEMENT POOLRITE SURECHLOR AKS 150 ENDURO HC 140, 'O' RING REVERSE POLARITY SELF CLEAN CELL	6 PLATES SOLID	200mm	15 grams per hour
	AKS 250 SC35TS /ENDURO HC 240	GENERIC REPLACEMENT POOLRITE SURECHLOR AKS 250, ENDURO HC 240, 'O' RING REVERSE POLARITY SELF CLEAN CELL	8 PLATES SOLID	200mm	25 grams per hour
	AKS 350 ENDURO HC 340	GENERIC REPLACEMENT POOLRITE SURECHLOR AKS 350 ENDURO HC 340, 'O' RING REVERSE POLARITY SELF CLEAN CELL	10 PLATES SOLID	200mm	35 grams per hour
	AKS 700	GENERIC REPLACEMENT 2XPOOLRITE SURECHLOR AKS 350, 'O' RINGS REVERSE POLARITY SELF CLEAN CELLS	2xAKS 350 CELLS SOLID	2 X 200mm	2 X 35 grams per hour
	SC 25	GENERIC REPLACEMENT POOLRITE SURECHLOR AKS 150 SC25, 'O' RING REVERSE POLARITY SELF CLEAN CELL	6 PLATES SOLID	200mm	15 grams per hour
	SC 35	GENERIC REPLACEMENT POOLRITE SURECHLOR AKS 250 SC35, ENDURO HC 240, 'O' RING REVERSE POLARITY SELF CLEAN CELL	8 PLATES SOLID	200mm	25 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT POOLRITE / ENDURO / SURECHLOR 4000 SERIES*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	4000/15	GENERIC REPLACEMENT POOLRITE SURECHLOR 4000/15 'O' RING HOUSING AND LOCKING RING SELF CLEAN CELL	7 PLATES SOLID	143mm	15 grams per hour
	4000/25	GENERIC REPLACEMENT POOLRITE SURECHLOR 4000/25 'O' RING HOUSING AND LOCKING RING SELF CLEAN CELL	10 PLATES SOLID	143mm	25 grams per hour
	4000/35	GENERIC REPLACEMENT POOLRITE SURECHLOR 4000/35 'O' RING HOUSING AND LOCKING RING SELF CLEAN CELL	13 PLATES SOLID	143mm	35 grams per hour

AUSTRALIAN MADE

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.



GENERIC CELLS TO SUIT MAGNA BLUE*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	20	GENERIC REPLACEMENT MAGNA BLUE 20 'O' RING HOUSING AND LOCKING RING SELF CLEAN CELL	7 PLATES SOLID	143mm	20 grams per hour
	30	GENERIC REPLACEMENT MAGNA BLUE 30 'O' RING HOUSING AND LOCKING RING SELF CLEAN CELL	10 PLATES SOLID	143mm	30 grams per hour
	40	GENERIC REPLACEMENT MAGNA BLUE 40 'O' RING HOUSING AND LOCKING RING SELF CLEAN CELL	13 PLATES SOLID	143mm	40 grams per hour

AUSTRALIAN MADE

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.



GENERIC CELLS TO SUIT POOLSTORE 'Q'*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	Q7	GENERIC REPLACEMENT POOLSTORE Q7 'O' RING, LEAD LOCKING RING STANDARD CELL	5 PLATES SOLID	165mm	15 grams per hour
	Q12	GENERIC REPLACEMENT POOLSTORE Q12 'O' RING, LEAD LOCKING RING STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour
	Q18	GENERIC REPLACEMENT POOLSTORE Q18 'O' RING, LEAD, LOCKING RING STANDARD CELL	7 PLATES SOLID	200mm	30 grams per hour

AUSTRALIAN MADE

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT SALCHLOR / LONG TANG*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	12" COMP MESH	GENERIC REPLACEMENT SALCHLOR 12" MESH STANDARD CELL	3 PLATES MESH	375mm	5 grams per hour
	12" ANODE MESH	GENERIC REPLACEMENT SALCHLOR 12" ANODE MESH STANDARD	1 PLATE MESH	330mm	
	12" CATH MESH	GENERIC REPLACEMENT SALCHLOR 12" CATHODE MESH STANDARD	1 PLATE MESH	375mm	
	12" COMP PL	GENERIC REPLACEMENT SALCHLOR 12" PLATE STANDARD CELL	3 PLATES SOLID	375mm	5 grams per hour
	12" ANODE PL	GENERIC REPLACEMENT SALCHLOR 12" ANODE PLATE STANDARD	1 PLATE SOLID	330mm	
	12" CATH-ODE PL	GENERIC REPLACEMENT SALCHLOR 12" CATHODE PLATE STANDARD	1 PLATE SOLID	375mm	
	15" COMP MESH	GENERIC REPLACEMENT SALCHLOR 15" MESH STANDARD CELL	3 PLATES MESH	450mm	5 grams per hour







* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT SALCHLOR / LONG TANG*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	15" ANODE MESH	GENERIC REPLACEMENT SALCHLOR 15" ANODE MESH STANDARD	1 PLATE MESH	410mm	
	15" CATH MESH	GENERIC REPLACEMENT SALCHLOR 15" CATHODE MESH STANDARD	1 PLATE MESH	450mm	
	15" COMP PL	GENERIC REPLACEMENT SALCHLOR 15" PLATE STANDARD CELL	3 PLATES SOLID	450mm	5 grams per hour
	15" ANODE PL	GENERIC REPLACEMENT SALCHLOR 15" ANODE PLATE STANDARD	1 PLATE SOLID	410mm	
	15" CATH PL	GENERIC REPLACEMENT SALCHLOR 15" CATHODE PLATE TANDARD	1 PLATE SOLID	450mm	
	LONG TANG	GENERIC REPLACEMENT SALCHLOR LONG TANG 'O' RING, LEAD STANDARD CELL	2 TUBE PLATES MESH	250mm	16 grams per hour
	LONG TANG ANODE	GENERIC REPLACEMENT SALCHLOR LONG TANG ANODE STANDARD	1 TUBE PLATE MESH	250mm	








* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT SALCHLOR / WANDS*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	LONG TANG CATHODE	GENERIC REPLACEMENT SALCHLOR LONG TANG CATHODE STANDARD	1 TUBE PLATE MESH	250mm	
	WAND 2 MTR LEAD	GENERIC REPLACEMENT SALCHLOR 2 METRE LEAD WAND			
	WAND 4 MTR LEAD	GENERIC REPLACEMENT SALCHLOR 4 METRE LEAD WAND			
	WAND 6 MTR LEAD	GENERIC REPLACEMENT SALCHLOR 6 METRE LEAD WAND			
	WAND 10 MTR LEAD	GENERIC REPLACEMENT SALCHLOR 10 METRE LEAD WAND			
	WAND 15 MTR LEAD	GENERIC REPLACEMENT SALCHLOR 15 METRE LEAD WAND			



* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT SALTMATE*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	S/MATE 90	GENERIC REPLACEMENT SALTMATE 90 'O' RING, LEAD HORIZONTAL STANDARD CELL	3 PLATES SOLID	200mm	10 grams per hour
	S/MATE 120	GENERIC REPLACEMENT SALTMATE 120 'O' RING, LEAD HORIZONTAL STANDARD CELL	5 PLATES SOLID	165mm	15 grams per hour
	S/MATE 150	GENERIC REPLACEMENT SALTMATE 150 'O' RING, LEAD HORIZONTAL STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour
	S/MATE 3 PL VERT.	GENERIC REPLACEMENT SALTMATE 3 PLATE 'O' RING, LEAD VERTICAL STANDARD CELL	3 PLATES MESH	280mm	10 grams per hour
	S/MATE 5 PL VERT.	GENERIC REPLACEMENT SALTMATE 5 PLATE 'O' RING, LEAD VERTICAL STANDARD CELL	5 PLATES MESH	280mm	20 grams per hour
	S/MATE 110 SC	GENERIC REPLACEMENT SALTMATE 110 SC 'O' RING, LEAD, HORIZONTAL REVERSE POLARITY SELF CLEAN CELL	6 PLATES SOLID	166mm	20 grams per hour
	S/MATE 210 SC	GENERIC REPLACEMENT SALTMATE 210SC 'O' RING, LEAD, HORIZONTAL REVERSE POLARITY SELF CLEAN CELL	6 PLATES SOLID	200mm	30 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT SALTY GEM*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	SALTY GEM RP20	SALTY GEM RP20 GENERIC REPLACEMENT CELLS 'O' RING, RESIN HEAD & LEAD, SELF CLEAN CELL	7 PLATES SOLID	200mm	20 grams per hour
	SALTY GEM RP30	SALTY GEM RP30 GENERIC REPLACEMENT CELLS 'O' RING, RESIN HEAD & LEAD, SELF CLEAN CELL	10 PLATES SOLID	200mm	30 grams per hour

AUSTRALIAN MADE

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT SAPPHIRE*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	10 A SAPP	GENERIC REPLACEMENT SAPPHIRE 10 AMP 'O' RING, LEAD, LOCKING RING STANDARD CELL	3 PLATES SOLID	200mm	10 grams per hour
	15 A SAPP	GENERIC REPLACEMENT SAPPHIRE 15 AMP 'O' RING, LEAD, LOCKING RING STANDARD CELL	5 PLATES SOLID	165mm	15 grams per hour
	20 A SAPP	GENERIC REPLACEMENT SAPPHIRE 20 AMP 'O' RING, LEAD, LOCKING RING STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour
	25 A SAPP	GENERIC REPLACEMENT SAPPHIRE 25 AMP 'O' RING, LEAD, LOCKING RING STANDARD CELL	5 PLATES SOLID	240mm	25 grams per hour
	30 A SAPP	GENERIC REPLACEMENT SAPPHIRE 30 AMP 'O' RING, LEAD, LOCKING RING STANDARD CELL	7 PLATES SOLID	200mm	30 grams per hour
	38 A SAPP	GENERIC REPLACEMENT SAPPHIRE 38 AMP 'O' RING, LEAD, LOCKING RING STANDARD CELL	7 PLATES SOLID	250mm	38/40 grams per hour
	20 A SAPP S/C	GENERIC REPLACEMENT SAPPHIRE 20 AMP 'O' RING, LEAD, LOCKING RING REVERSE POLARITY SELF CLEAN CELL	6 PLATES SOLID	166mm	20 grams per hour
	30 A SAPP S/C	GENERIC REPLACEMENT SAPPHIRE 30 AMP 'O' RING, LEAD, LOCKING RING REVERSE POLARITY SELF CLEAN CELL	6 PLATES SOLID	200mm	30 grams per hour




* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT STROUD*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	140C	GENERIC REPLACEMENT STROUD 140C 'O' RING, LEAD, LOCKING RING STANDARD CELL	3 PLATES SOLID	200mm	10 grams per hour
	220C	GENERIC REPLACEMENT STROUD 220C 'O' RING, LEAD, LOCKING RING STANDARD CELL	5 PLATES SOLID	165mm	15 grams per hour
	260C	GENERIC REPLACEMENT STROUD 260C 'O' RING, LEAD, LOCKING RING STANDARD CELL	5 PLATES SOLID	200mm	20 grams per hour
	520C	GENERIC REPLACEMENT STROUD 520C 'O' RING, LEAD, LOCKING RING STANDARD CELL	7 PLATES SOLID	200mm	40 grams per hour




* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT WATERCHLOR*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	W'CO26	GENERIC REPLACEMENT WATERCHLOR 26 'O' RING, LEAD STANDARD CELL	7 PLATES SOLID	160mm	20 grams per hour
	W'CO 40	GENERIC REPLACEMENT WATERCHLOR 40 'O' RING, LEAD STANDARD CELL	7 PLATES SOLID	240mm	30 grams per hour
	W'CO 30RP	GENERIC REPLACEMENT WATERCHLOR 30RP 'O' RING, LEAD REVERSE POLARITY SELF CLEAN CELL	6 PLATES SOLID	200mm	30 grams per hour

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.






GENERIC CELLS TO SUIT WATERCHLOR / ELECTROCHLOR*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	ELECTROCHLOR RP20	GENERIC REPLACEMENT ELECTROCHLOR RP20, 'O' RING, REVERSE POLARITY SELF CLEAN CELL	6 PLATES SOLID	200mm	20 grams per hour
	ELECTROCHLOR RP25	GENERIC REPLACEMENT ELECTROCHLOR RP25, 'O' RING, REVERSE POLARITY SELF CLEAN CELL	6 PLATES SOLID	230mm	25 grams per hour
	ELECTROCHLOR RP30	GENERIC REPLACEMENT ELECTROCHLOR RP30, 'O' RING, REVERSE POLARITY SELF CLEAN CELL	6 PLATES SOLID	270mm	30 grams per hour

AUSTRALIAN MADE






* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT FLOW THROUGH CELL QT*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	QT 90 F/T	GENERIC REPLACEMENT QT 90 FLOW THROUGH, LEAD STANDARD CELL	2 TUBE PLATES MESH	150mm	16 grams per hour
	QT 90 F/T U/E	GENERIC REPLACEMENT QT 90 FLOW THROUGH WITH UNION ENDS WITH LEAD STANDARD CELL	2 TUBE PLATES MESH	150mm	16 grams per hour
	QT 90 VENTURI	GENERIC REPLACEMENT QT 90 VENTURI WITH LEAD STANDARD CELL	2 TUBE PLATES MESH	150mm	16 grams per hour
	QT 300 F/T	GENERIC REPLACEMENT QT 300 FLOW THROUGH, LEAD STANDARD CELL	2 TUBE PLATES MESH	200mm	20 grams per hour
	QT 300 F/T U/E	GENERIC REPLACEMENT QT 300 FLOW THROUGH WITH UNION ENDS LEAD STANDARD CELL	2 TUBE PLATES MESH	200mm	20 grams per hour
	QT 300 VENTURI	GENERIC REPLACEMENT QT 300 VENTURI WITH LEAD STANDARD CELL	2 TUBE PLATES MESH	200mm	20 grams per hour


* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC CELLS TO SUIT FLOW THROUGH CELL QT*

MODEL	CODE	PRODUCT DESCRIPTION	PLATES	LENGTH	GRAMS PER HOUR
	QT 400 F/T	GENERIC REPLACEMENT QT 400 FLOW THROUGH, LEAD STANDARD CELL	2 TUBE PLATES MESH	250mm	25 grams per hour
	QT 400 F/T U/E	GENERIC REPLACEMENT QT 400 FLOW THROUGH WITH UNION ENDS WITH LEAD STANDARD CELL	2 TUBE PLATES MESH	250mm	25 grams per hour
	QT 400 VENTURI	GENERIC REPLACEMENT QT 400 VENTURI WITH LEAD STANDARD CELL	2 TUBE PLATES MESH	250mm	25 grams per hour
	QT EZY F/T	GENERIC REPLACEMENT EZY 300 FLOW THROUGH, LEAD STANDARD CELL	2 TUBE PLATES MESH	200mm	20 grams per hour
	QT EZY VENTURI	GENERIC REPLACEMENT EZY 300 VENTURI, LEAD STANDARD CELL	2 TUBE PLATES MESH	200mm	20 grams per hour







* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC LEAD REPAIR KITS

MODEL	CODE	PRODUCT DESCRIPTION
	AC 25 LRK	LEAD REPAIR KIT TO SUIT AUTO CHLOR AC/RP 15/20/25 AMP CELLS
	AC 35/50 LRK	HEAVY DUTY LEAD REPAIR KIT TO SUIT AUTO CHLOR AC/RP 35/50 AMP CELLS
	CW LRK	UNIVERSAL LEAD REPAIR KIT TO SUIT CLEARWATER B AND C SERIES CELLS
	ESC/ EMAUX LRK	LEAD REPAIR KIT TO SUIT CHLOROMATIC ESC/ EMAUX CELLS
	ESR/ POOL POWER STD LRK	LEAD REPAIR KIT TO SUIT CHLOROMATIC ESR/POOL POWER STANDAR CELLS
	ELEC- TRO LRK	LEAD REPAIR KIT TO SUIT ELECTROCHLOR CELLS
	LM2 LRK	LEAD REPAIR KIT TO SUIT CLEARWATER LM2 SERIES CELLS

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

GENERIC LEAD REPAIR KITS

MODEL	CODE	PRODUCT DESCRIPTION
	PROBE WIRE	WATER SENSOR REPLACEMENT PROBE WIRE
	PPOWER RP LRK	LEAD REPAIR KIT TO SUIT POOL POWER/ AQUAPOWER CELLS
	SURE-CHLOR LRK	LEAD REPAIR KIT TO SUIT SURECHLOR CELLS
	UNI LRK	UNIVERSAL LEAD REPAIR KIT TO SUIT CLEARWATER B AND C SERIES CELLS/ SAPPHIRE/CRYSTAL/ AQUASWIM/AQUAJOY/
	VX LRK	LEAD REPAIR KIT TO SUIT HURLCON VX CELLS
	FULL RE-PLACEMENT LEAD	WE DO STOCK COMPLETE LEADS TO SUIT ALL THE ABOVE CELL MAKES AND MODELS

* Throughout these listings the use of product names and photos is a descriptive guide only and in no way intends to infer or suggest that any of the products are the original as produced by any other manufacturer.

Kawana Chlorinator Spares

1/18 Textile Avenue, Warana Qld 4575

ph: (07) 5493 9039

e: kkawanac@bigpond.net.au

www.kawanachlorinatorspar.com.au

ABN: 91 108 083 307



Kawana Chlorinator Spares

1/18 Textile Avenue, Warana Qld 4575

ph: (07) 5493 9039

e: kkawanac@bigpond.net.au

www.kawanachlorinatorspar.com.au

ABN: 91 108 083 307