

allure®

Genuine Value Retail Sales Guide



April 15, 2021

Includes September Update and Pricing - Effective 9/14/21

Transitional Shades

Distributed by

 **MDS** Midwest
WINDOW FASHIONS Designer
Supply

www.midwestdesignersupply.com



Prices subject to change without notice

888-523-2611
262-524-1007 (fax)

INDEX

SPECIFICATION CHARTS	PRICING	PRODUCT INFORMATION
<p>Fabric Information</p> <p>Size Standards</p> <ul style="list-style-type: none"> Small Cassette Large Cassette Modern Cassette Board Mounted Accu-Rise Modernaire Couplitaire Sidelight Arches Couplitaire Privacy System II & WireFree Motorization EZ Charge Motorization <p>Design Options</p> <ul style="list-style-type: none"> Lift Systems Options Chart Couplitaire Lift System Options All Other Options <p>Finished Dimensions & Mounting Requirements</p> <ul style="list-style-type: none"> Small Cassette Large Cassette Modern Cassette Board Mounted Modernaire Couplitaire Sidelight 	<p>Standard, Board Mounted & Modernaire Transitional</p> <ul style="list-style-type: none"> Chart A Chart 1 Chart 2 Chart 3 Chart 4 Chart 5 Chart 6 Lifting System Surcharges Design Options Surcharges Standalone Valance Surcharges Arch Surcharges <p>Couplitaire Transitional Surcharges</p> <ul style="list-style-type: none"> Charts 1 & 2 Accu-Rise Surcharge Options & Surcharges 	<ul style="list-style-type: none"> Small and Large Cassette Modern Cassette Board Mounted System II Sonesse 28 WF Ultra 30 WireFree EZ Charge Accu-Rise Modernaire Couplitaire Sidelight Specialty Shapes <p>Design Options</p> <ul style="list-style-type: none"> Valance Options Design Options <p>Measuring & Installation</p>

• Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included before sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and we cannot be responsible for trip charges or reinstallation charges. **Repairs or remakes must be requested within 30 days of invoice date.**

* Use the Previous button to return to your previous view (web version only)

* Use the Index button to return to the Table of Contents

Allure Fabric Information

Fabric Name	Price Chart	Max Shade Width	Solid Vane Size*	Sheer Vane Size*	Vane Alignment	Headrail/Valance Fabric ~	# of Colors
Angelique	4	102"	3"	2"	Y	Double Layer	4
Appeal	2	94"	3"	2"	Y	Single Layer	1
Artistry	3	96"	3 1/2"	2 3/4"	Y	Single Layer/Double Layer	4
Aurora	3	102"	3 3/4"	2 3/4"	Y	Double Layer	4
Blake	2	102"	3"	2"	Y	Double Layer	3
Bliss	3	110"	3"	2"	Y	Single Layer/Double Layer	3
Callie	3	96"	3"	2"	Y	Double Layer	3
Captivation	5	94"	3"	2"	Y	Double Layer	1
Chanel	5	102"	2 7/8"	2"	Y	Single Layer	1
Covert	4	108"	3"	2"	Y	Double Layer +	5
Coy	5	102"	4"	2 3/4"	Y	Double Layer	4
Delight	5	110"	3"	2"	Y	Single Layer/Double Layer	2
Demure	3	110"	3"	2"	Y	Double Layer	1
Discreet	5	110"	3"	2"	Y	Double Layer	2
Divine	4	110"	3"	2"	Y	Double Layer	3
Elegance	2	108"	3"	2"	Y	Double Layer	3
Entice	A	110"	3"	2"	Y	Single Layer/Double Layer	11
Felicity	5	102"	4 1/2"	3 1/4"	Y	Double Layer	1
Garbo	4	108"	3"	2"	Y	Single Layer	3
Glamour	4	94"	3"	2"	Y	Single Layer/Double Layer	2
Grace	1	96"	4"	2 3/4"	Y	Double Layer	4
Hush	6	90"	3"	2"	Y	Single Layer	1
Hypnotic	5	110"	3"	2"	Y	Single Layer	3
Intrigue	4	110"	3"	2"	Y	Single Layer/Double Layer	2
Isabelle	4	110"	5"	3 1/8"	Y	Double Layer	4
Keiria	4	102"	4"	2 3/4"	Y	Double Layer	3
Laila	5	102"	4"	2 3/4"	Y	Single Layer	4
Lena	4	102"	4 1/2"	2 1/2"	Y	Double Layer	3
Luminescence	5	92"	3"	2"	Y	Single Layer	4
Melody	3	102"	3"	2"	Y	Double Layer	3
Muse	5	110"	4"	2 3/4"	N/A	Double Layer	2
Mystic	1	110"	3"	2"	Y	Single Layer/Double Layer	17
Mystic Wide	2	110"	4 1/2"	3 1/2"	Y	Single Layer	1
Phoenix	4	94"	3"	2"	Y	Double Layer	2
Pizzazz	2	88"	3"	2"	Y	Double Layer	1
Reserved	6	110"	3"	2"	Y	Single Layer	1
Rhumba	3	110"	3"	2"	Y	Single Layer/Double Layer	3
Ritz	2	108"	3"	2"	Y	Double Layer	2
Roxie	1	108"	3"	2"	Y	Single Layer	5
Spotlight	2	108"	3"	2"	Y	Double Layer	2
Temptation	5	108"	4 1/2"	2 3/4"	Y	Double Layer	2
Tenley	3	102"	3"	2"	Y	Double Layer	3
Twilight	5	90"	3"	2"	Y	Double Layer	1
Utopia	6	110"	3"	2"	Y	Single Layer	2
Xanadu	1	110"	3"	2"	Y	Single Layer	5
Zen	4	108"	5"	3 1/2"	Y	Double Layer	3

~ For some materials *Single / Double Layer* is dependent on color. [View Color-Coordination Chart](#) for details.

* Vane size may vary up to 1/4"

** Entice Colors: Anthracite and Latte are double layer

** Rhumba Color: Travertine is single layer

+ Not available with fabric wrapped valance

Size Standards

Pattern	Small Cassette		Large Cassette		Modern Cassette		Board Mounted		Accu-Rise	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Angelique	102"	90"	102"	120"	102"	110"	102"	84"	N/A	N/A
Appeal	94"	84"	94"	84"	94"	84"	94"	84"	72"	60"
Artistry	96"	96"	96"	120"	96"	120"	96"	96"	72"	60"
Aurora	102"	96"	102"	120"	102"	120"	102"	84"	72"	60"
Blake	102"	96"	102"	120"	102"	120"	102"	96"	72"	60"
Bliss	110"	88"	110"	120"	110"	120"	110"	80"	72"	60"
Callie	96"	96"	96"	96"	96"	96"	96"	84"	72"	60"
Captivation	94"	120"	94"	120"	94"	120"	94"	112"	72"	60"
Chanel	102"	110"	102"	120"	102"	120"	102"	102"	72"	60"
Covert	108"	78"	108"	120"	108"	120"	108"	70"	N/A	N/A
Coy	102"	84"	102"	120"	102"	120"	102"	78"	72"	60"
Delight	110"	102"	110"	120"	110"	120"	110"	96"	72"	60"
Demure	110"	102"	110"	120"	110"	120"	110"	96"	72"	60"
Discreet	110"	84"	110"	120"	110"	110"	110"	78"	72"	60"
Divine	110"	110"	110"	120"	110"	120"	110"	102"	72"	60"
Elegance	108"	120"	108"	120"	108"	120"	108"	102"	72"	60"
Entice	110"	96"	90"	120"	110"	120"	110"	88"	72"	60"
Felicity	102"	78"	102"	120"	102"	120"	102"	70"	72"	60"
Garbo	108"	96"	108"	120"	108"	120"	108"	88"	72"	60"
Glamour	94"	120"	94"	120"	94"	120"	94"	112"	72"	60"
Grace	96"	84"	96"	84"	96"	84"	96"	78"	72"	60"
Hush	90"	96"	90"	120"	90"	120"	90"	88"	72"	60"
Hypnotic	110"	96"	110"	96"	110"	96"	110"	96"	72"	60"
Intrigue	110"	96"	110"	120"	110"	120"	110"	88"	72"	60"
Isabelle	110"	84"	110"	120"	110"	120"	110"	78"	N/A	N/A
Keiria	N/A	N/A	102"	96"	102"	84"	N/A	N/A	N/A	N/A
Laila	102"	60"	102"	120"	102"	110"	102"	54"	N/A	N/A
Lena	102"	90"	102"	120"	102"	120"	102"	84"	72"	60"
Luminescence	92"	96"	92"	120"	92"	120"	92"	84"	72"	60"
Melody	102"	84"	102"	102"	102"	102"	102"	78"	72"	60"
Muse	110"	96"	110"	120"	110"	120"	110"	84"	72"	60"
Mystic	110"	96"	110"	120"	110"	120"	110"	88"	72"	60"
Mystic Wide	110"	96"	110"	120"	110"	120"	110"	88"	72"	60"
Phoenix	94"	72"	94"	96"	94"	96"	94"	60"	N/A	N/A
Pizzazz	88"	110"	88"	120"	88"	120"	88"	98"	72"	60"
Reserved	110"	84"	110"	120"	110"	120"	110"	78"	72"	60"
Rhumba	108"	96"	108"	120"	108"	120"	108"	88"	72"	60"
Ritz	108"	102"	108"	120"	108"	120"	108"	96"	72"	60"
Roxie	108"	60"	108"	120"	108"	90"	N/A	N/A	N/A	N/A
Spotlight	108"	110"	108"	120"	108"	120"	108"	102"	72"	60"
Temptation	N/A	N/A	108"	120"	108"	102"	N/A	N/A	N/A	N/A
Tenley	102"	102"	102"	120"	102"	120"	102"	96"	72"	60"
Twilight	90"	96"	90"	120"	90"	120"	90"	96"	72"	60"
Utopia	110"	84"	110"	120"	110"	120"	110"	84"	72"	60"
Xanadu	110"	72"	110"	120"	110"	110"	110"	60"	72"	60"
Zen	108"	120"	108"	120"	108"	120"	108"	102"	72"	60"
	Minimum Width	Minimum Height	Minimum Width	Minimum Height	Minimum Width	Minimum Height	Minimum Width	Minimum Height	Minimum Width	Minimum Height
	15"	12"	15"	12"	15"	12"	15"	12"	24"	12"

* Fabric wrapped bottom rail or valance not available

Size Standards

Pattern	Modernaire		Couplitaire*		Sidelight		Arches	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Angelique	102"	84"	96"	84"	32"	84"	84"	46"
Appeal	94"	84"	94"	84"	32"	84"	84"	46"
Artistry	96"	96"	96"	96"	32"	84"	84"	46"
Aurora	102"	84"	96"	84"	32"	84"	84"	46"
Blake	102"	96"	96"	96"	32"	84"	84"	46"
Bliss	110"	80"	96"	80"	32"	84"	84"	46"
Callie	96"	84"	96"	84"	32"	84"	84"	46"
Captivation	94"	112"	94"	96"	32"	84"	84"	46"
Chanel	102"	102"	96"	96"	32"	84"	84"	46"
Covert	108"	70"	96"	70"	N/A	N/A	84"	46"
Coy	102"	78"	96"	78"	32"	84"	84"	46"
Delight	110"	96"	96"	96"	32"	84"	84"	46"
Demure	110"	96"	96"	96"	32"	84"	84"	46"
Discreet	110"	78"	96"	78"	32"	84"	84"	46"
Divine	110"	102"	96"	96"	32"	84"	84"	46"
Elegance	108"	102"	96"	96"	N/A	N/A	84"	46"
Entice	110"	88"	96"	88"	32"	84"	84"	46"
Felicity	102"	70"	96"	70"	32"	84"	84"	46"
Garbo	108"	88"	96"	88"	32"	84"	84"	46"
Glamour	94"	112"	94"	96"	32"	84"	84"	46"
Grace	96"	78"	96"	78"	32"	84"	84"	46"
Hush	90"	88"	90"	88"	32"	84"	84"	46"
Hypnotic	110"	96"	96"	96"	32"	84"	84"	46"
Intrigue	110"	88"	96"	88"	32"	84"	84"	46"
Isabelle	110"	78"	96"	78"	32"	84"	84"	46"
Keiria	N/A	N/A	N/A	N/A	32"	84"	84"	46"
Laila	102"	54"	96"	54"	32"	84"	84"	46"
Lena	102"	84"	96"	84"	32"	84"	84"	46"
Luminescence	92"	84"	92"	84"	N/A	N/A	84"	46"
Melody	102"	78"	96"	78"	32"	84"	84"	46"
Muse	110"	84"	96"	84"	32"	84"	84"	46"
Mystic	110"	88"	96"	88"	32"	84"	84"	46"
Mystic Wide	110"	88"	96"	88"	32"	84"	84"	46"
Phoenix	94"	60"	94"	60"	32"	84"	84"	46"
Pizzazz	88"	98"	88"	96"	32"	84"	84"	46"
Reserved	110"	78"	96"	78"	32"	84"	84"	46"
Rhumba	108"	88"	96"	88"	32"	84"	84"	46"
Ritz	108"	96"	96"	96"	32"	84"	84"	46"
Roxie	N/A	N/A	N/A	N/A	32"	84"	84"	46"
Spotlight	108"	102"	96"	96"	32"	84"	84"	46"
Temptation	N/A	N/A	N/A	N/A	32"	84"	84"	46"
Tenley	102"	96"	96"	96"	32"	84"	84"	46"
Twilight	90"	96"	90"	96"	32"	84"	84"	46"
Utopia	110"	84"	96"	84"	32"	84"	84"	46"
Xanadu	110"	60"	96"	60"	32"	84"	84"	46"
Zen	108"	102"	96"	96"	32"	84"	84"	46"
	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height	Min Width	Min Height
	15"	12"	15"	12"	6"	12"	15"	7 1/2"

* For Couplitaire privacy shade lifting system specifications, please refer to the [Genesis Retail Sales Guide](#)

Couplitaire Privacy Fabric Information

Size Standards	Couplitaire™			
	Price Chart	Opacity	Maximum Width	Maximum Height
Boho Eclipse	2	5	92"	84"
Linen	1	5	84"	96"
Minimalist	1	5	96"	96"
Mystic	1	3	96"	96"
Pearlescent*	1	5	96"	96"
Serene	1	5	96"	96"
SheerWeave 7200	2	5	96"	84"
Superwide	1	5	96"	96"

* Please refer to the Size Standards for the Allure shade maximum width.
 * 2-On-1 Headrail Maximum width equals maximum width of the privacy fabric
 * Pearlescent will be railroaded
 For privacy shade lifting system specifications, please refer to the [Genesis Retail Sales Guide](#)

Couplitaire Privacy Fabric Information - Motorization

Size Standards	System II		Sonesse 28 WireFree		Ultra 30 WireFree		EZ Charge V2/X2	
	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height	Max Width	Max Height
Boho Eclipse	92"	84"	92"	84"	92"	84"	92"	84"
Linen	84"	96"	84"	96"	84"	96"	84"	96"
Mystic	96"	96"	96"	96"	96"	96"	96"	96"
Minimalist	96"	96"	96"	96"	96"	96"	96"	96"
Pearlescent	96"	96"	96"	96"	96"	96"	96"	96"
Serene	96"	96"	96"	96"	96"	96"	96"	96"
SheerWeave 7200	96"	84"	96"	84"	96"	84"	96"	84"
Superwide	96"	96"	96"	96"	96"	96"	96"	96"

Design Options

Lift System Availability	Small Cassette	Large Cassette	Modern Cassette	Board Mounted	Modernaire	Sidelight	Special Shapes
Clutch	Y	Y	Y	Y	Y	N/A	N/A
Accu-Rise	Y	Y	Y	Y	Y	N/A	N/A
System II	Y	Y	Y	Y	Y	N/A	N/A
Sonesse 28 WF	Y	Y	Y	Y	Y	N/A	N/A
Ultra 30 WireFree	Y	Y	Y	Y	Y	N/A	N/A
EZ Charge V2 & X2	Y	Y	Y	Y	Y	N/A	N/A

For Hard-Wired Motorization option availability, please see the [Lafayette Motorization Solutions Guide](#).

Couplitaire Lift System Options Availability	Clutch	EZ-Lift/ Accu-Rise	System II	Sonesse 28 WireFree	Ultra 30 WireFree	EZ-Charge V2 & X2
Allure Shade	Standard	Option	Option	Option	Option	Option
Privacy Shade	Option	EZ-Lift Std.	Option	Option	Option	Option
2-On-1 Headrail Allure Shade (Front), Privacy Shade Single	Standard (L & R control)	Option	Option	Option	Option	Option

Options Availability	Small Cassette	Large Cassette	Modern Cassette	Board Mounted	Accu-Rise	Modernaire	Couplitaire	Sidelight	Special Shapes
No Charge Options									
Extension Brackets	Y	Y	Y	Y	Y	Y	Y	N/A	Y
Spacer Blocks	Y	Y	Y	Y	Y	Y	Y	N/A	Y
Cassette/Rail Color Substitution	Y	Y	Y	Y	Y	Y	N/A	N/A	N/A
Cassette Size	Y	Y	N/A	Y	Y	N/A	N/A	N/A	N/A
Plastic Bead Chain Color Substitution	Y	Y	Y	Y	N/A	Y	Y	N/A	N/A
Magnetic Hold Down Brackets	Y	Y	Y	Y	Y	Y	N/A	Y	N/A
Optional Bead Chain Lengths	Y	Y	Y	Y	N/A	Y	Y	N/A	N/A
Vane Alignment	Y	Y	Y	Y	Y	Y	Y	Y	N/A
Exposed Roller	Y	Y	Y	Y	Y	Y	Y	N/A	N/A
Majesty Wood Valance	N/A	N/A	N/A	Y	Y	N/A	Y	N/A	N/A
Noble 4 5/8" Wood Valance	N/A	N/A	N/A	Y	Y	N/A	Y	N/A	N/A
P Clip Safety Tensioner	Y	Y	Y	Y	N/A	Y	Y	N/A	N/A
Surcharge Options									
Mixed Metal Designer Accents	Y	Y	Y	N/A	N/A	N/A	N/A	N/A	N/A
Metal Bead Chain	Y	Y	Y	Y	N/A	Y	Y	N/A	N/A
2-On-1 Headrail	Y	Y	Y	Y	N/A	N/A	Y	N/A	N/A
Fabric Wrapped Bottom Rail	Y	Y	Y	Y	Y	Y	Y	Y	N/A
7" Fabric Wrapped Valance Upgrade	N/A	N/A	N/A	Y	Y	N/A	Y	N/A	N/A
FR Coating/Antimicrobial	Y	Y	Y	Y	Y	Y	Y	Y	Y

Notes:

Fabric Wrapped bottom rail or valance not available for pattern Covert.

For Hard-Wired Motorization availability, please see the [Lafayette Motorization Solutions Guide](#).

*Valances available for Accu-Rise or motorized lifting systems only if shade is Board Mounted or Couplitaire.

Finished Dimensions & Mounting Requirements

Small Cassette	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	- 1 1/16"	11/16"	3/8"	1/2"	1 3/8"	3 5/8"	1 1/8"
Accu-Rise	- 1/8"	Ordered Width	-15/16"	15/32"	15/32"	N/A	1 3/8"	3 5/8"	1 1/8"
System II	- 1/8"	Ordered Width	- 1 1/16"	5/8"	7/16"	1/2"	1 3/8"	3 5/8"	1 1/8"
Sonesse 28 WireFree	- 1/8"	Ordered Width	- 1 1/16"	5/8"	7/16"	1/2"	1 3/8"	3 5/8"	1 1/8"
Ultra 30 WireFree	- 1/8"	Ordered Width	- 1 1/16"	5/8"	7/16"	1/2"	1 3/8"	3 5/8"	1 1/8"
EZ Charge*	- 1/8"	Ordered Width	- 1 3/16"	3/4"	7/16"	1/2"	1 3/8"	3 5/8"	1 1/8"

Large Cassette	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	- 1 1/4"	11/16"	9/16"	1/2"	1 1/4"	4 7/16"	2"
Accu-Rise	- 1/8"	Ordered Width	-1"	1/2"	1/2"	N/A	1 3/8"	4 7/16"	2"
System II	- 1/8"	Ordered Width	- 1 1/16"	5/8"	7/16"	1/2"	1 1/4"	4 7/16"	2"
Sonesse 28 WireFree	- 1/8"	Ordered Width	- 1 1/16"	5/8"	7/16"	1/2"	1 1/4"	4 7/16"	2"
Ultra 30 WireFree	- 1/8"	Ordered Width	- 1 1/16"	5/8"	7/16"	1/2"	1 1/4"	4 7/16"	2"
EZ Charge*	- 1/8"	Ordered Width	- 1 3/16"	3/4"	7/16"	1/2"	1 1/4"	4 7/16"	2"

Modern Cassette	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	- 1 1/16"	11/16"	3/8"	1/2"	1 3/8"	3 3/4"	1 1/8"
Accu-Rise	- 1/8"	Ordered Width	-15/16"	-15/32"	-15/32"	N/A	1 3/8"	3 3/4"	1 1/8"
System II	- 1/8"	Ordered Width	- 1 1/16"	3/4"	7/16"	1/2"	1 3/8"	3 3/4"	1 1/8"
Sonesse 28 WireFree	- 1/8"	Ordered Width	- 1 1/16"	11/16"	7/16"	1/2"	1 3/8"	3 3/4"	1 1/8"
Ultra 30 WireFree	- 1/8"	Ordered Width	- 1 1/16"	11/16"	7/16"	1/2"	1 3/8"	3 3/4"	1 1/8"
EZ Charge*	- 1/8"	Ordered Width	- 1 3/16"	7/8"	7/16"	1/2"	1 3/8"	3 3/4"	1 1/8"

Board Mounted	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	1/2"	1"	3 3/4"	2"
Accu-Rise	- 1/8"	Ordered Width	-3/4"	-3/8"	-3/8"	N/A	1"	3 3/4"	2"
System II	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	1/2"	1"	3 3/4"	2"
Sonesse 28 WireFree	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	1/2"	1"	3 3/4"	2"
Ultra 30 WireFree	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	1/2"	1"	3 3/4"	2"
EZ Charge*	- 1/8"	Ordered Width	- 1 1/4"	3/4"	1/2"	1/2"	1"	3 3/4"	2"

Finished Dimensions & Mounting Requirements

Modernaire	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch	- 1/8"	Ordered Width	- 1 3/16"	9/16"	5/8"	N/A	1 1/8"	2 3/8"	2 3/8"
Accu-Rise	- 1/8"	Ordered Width	-3/4"	-3/8"	-3/8"	N/A	1 1/8"	2 3/8"	2 3/8"
System II	- 1/8"	Ordered Width	- 1 3/16"	9/16"	1/2"	N/A	1 1/8"	2 3/8"	2 3/8"
Sonesse 28 WireFree	- 1/8"	Ordered Width	- 1 3/16"	9/16"	1/2"	N/A	1 1/8"	2 3/8"	2 3/8"
Ultra 30 WireFree	- 1/8"	Ordered Width	- 1 3/16"	9/16"	1/2"	N/A	1 1/8"	2 3/8"	2 3/8"
EZ Charge	- 1/8"	Ordered Width	- 1 3/8"	3/4"	1/2"	N/A	1 1/8"	2 3/8"	2 3/8"

Couplitaire	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
Standard Clutch - Allure	- 1/8"	Ordered Width	- 1"	9/16"	7/16"	1/2"	2"	6 1/4"	2"
Standard Clutch - Privacy	- 1/8"	Ordered Width	- 1 3/16"	5/16"	7/16"	N/A	---	---	---
Accu-Rise - Allure	- 1/8"	Ordered Width	- 1 3/16"	7/16"	3/8"	N/A	2"	6 1/4"	2"
Cordless - Privacy	- 1/8"	Ordered Width	- 3/4"	5/16"	5/16"	N/A	---	---	---
System II - Allure	- 1/8"	Ordered Width	- 1"	5/8"	3/8"	1/2"	1"	6 1/4"	2"
System II - Privacy	- 1/8"	Ordered Width	- 1"	5/8"	3/8"	N/A	---	---	---
Sonesse 28 WireFree - Allure	- 1/8"	Ordered Width	- 1"	5/8"	3/8"	1/2"	1"	6 1/4"	2"
Sonesse 28 WireFree - Privacy	- 1/8"	Ordered Width	- 1"	5/8"	3/8"	N/A	---	---	---
Ultra 30 WireFree - Allure	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	1/2"	1"	6 1/4"	2"
Ultra 30 WireFree - Privacy	- 1/8"	Ordered Width	- 1 1/8"	5/8"	1/2"	N/A	---	---	---
EZ Charge* - Allure	- 1/8"	Ordered Width	- 1 1/8"	11/16"	7/16"	1/2"	1"	6 1/4"	2"
EZ Charge* - Privacy	- 1/8"	Ordered Width	- 1 1/8"	11/16"	7/16"	N/A	---	---	---

Sidelight	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			Light Gap			Mounting Requirements		
	Inside Mount	Outside Mount	Fabric Width	Control Side	Idle Side	2-on-1 Headrail Center Gap	Inside Minimum Mounting Depth	Flush Mount	Outside Minimum Flat Vertical Surface
	- 1/2"	Ordered Width	- 3/4"	3/16"	3/16"	N/A	1 1/4"	1 1/4"	1 1/4"

Fabric Wrapped & Wood Valances	Finished Dimensions <small>(All finished dimensions are based on ordered height or width)</small>			
	No Returns		Returns	
	Inside Mount	Outside Mount	Inside Mount	Outside Mount
Fabric Wrapped/Masonite	- 1/8"	Ordered Width	+ 11/16"	+ 13/16"
Fabric Wrapped/1/2" MDF	- 1/8"	Ordered Width	+ 1 3/8"	+ 1 1/2"
Noble	- 1/8"	Ordered Width	+ 1 3/8"	+ 1 1/2"
Majesty	- 1/8"	Ordered Width	+ 1 3/8"	+ 1 1/2"

Pricing - Cassette, Board Mounted & Modernaire Transitional Shades

Cassette, Board Mounted & Modernaire Chart A		Fabrics: Entice											
		Shade Width Up To:											
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"
Shade Height Up To:	30"	207	236	265	292	325	354	380	405	432	514	625	660
	36"	218	249	280	312	347	376	407	434	456	538	649	687
	42"	223	256	289	318	356	387	418	445	467	549	658	698
	48"	227	263	296	327	365	396	427	456	478	558	669	707
	54"	236	274	309	343	383	414	447	476	496	576	687	727
	60"	243	280	316	352	392	425	460	489	507	587	698	738
	66"	247	287	325	360	400	436	472	500	518	598	709	752
	72"	252	294	332	367	412	447	483	514	529	607	718	760
	78"	289	316	358	400	447	487	527	563	583	612	723	765
	84"	294	323	367	407	456	498	538	574	594	618	729	772
	90"	305	336	383	427	478	520	565	600	618	640	754	798
	96"	309	343	392	436	487	532	576	614	629	652	765	809
	102"	316	349	398	445	498	543	589	625	640	663	774	820
	108"	320	356	407	454	507	554	600	638	652	674	785	832
114"	325	363	414	463	516	565	612	649	663	685	796	843	
120"	332	369	423	472	527	576	625	663	674	696	807	856	

Cassette, Board Mounted & Modernaire Chart 1		Fabrics: Grace , Mystic , Roxie , Xanadu													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	108"
Shade Height Up To:	30"	216	245	272	296	329	358	387	412	445	523	627	665	738	794
	36"	227	263	300	332	372	405	438	465	480	578	687	727	809	869
	42"	236	274	314	347	389	423	458	487	498	600	712	754	838	900
	48"	245	287	327	363	405	443	478	507	518	623	736	780	867	932
	54"	260	307	352	392	438	476	516	547	554	665	780	827	920	989
	60"	269	318	365	407	456	498	540	572	576	692	807	856	954	1,025
	66"	278	332	380	425	474	518	563	594	600	716	834	885	985	1,058
	72"	289	343	396	440	494	538	585	618	634	736	856	909	1,012	1,087
	78"	320	363	418	467	523	574	623	660	665	743	865	918	1,023	1,096
	84"	329	374	432	483	540	592	643	683	694	758	880	934	1,040	1,118
	90"	338	385	445	498	558	612	663	703	723	783	905	960	1,069	1,147
	96"	347	396	458	514	574	629	685	725	734	805	929	985	1,098	1,178
	102"	356	407	472	529	592	647	705	745	760	827	954	1,012	1,127	1,209
	108"	365	418	485	543	609	667	725	767	778	849	978	1,038	1,156	1,240
114"	374	429	498	558	625	685	745	789	823	872	1,003	1,063	1,185	1,272	
120"	383	440	512	574	643	705	765	809	845	896	1,027	1,089	1,214	1,303	

Lifting System Surcharges	
Accu-Rise	112
Motorization	View Motorization Pricing

Pricing - Cassette, Board Mounted & Modернаire Transitional Shades

Cassette, Board Mounted & Modернаire Chart 2		Fabrics: Appeal, Blake, Elegance, Mystic Wide, Pizzazz, Ritz, Spotlight													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	108"
Shade Height Up To:	30"	243	285	323	358	400	436	472	500	518	623	743	787	874	940
	36"	254	298	338	376	420	458	496	527	540	652	772	818	909	978
	42"	265	312	356	396	443	483	523	554	565	680	803	849	945	1,016
	48"	276	325	372	414	463	505	547	580	589	707	832	883	980	1,054
	54"	296	352	403	449	503	549	594	629	634	760	889	943	1,049	1,127
	60"	307	367	420	469	525	574	623	658	672	792	920	976	1,087	1,169
	66"	320	380	438	489	547	598	649	687	692	823	954	1,012	1,127	1,212
	72"	332	396	458	512	572	625	678	712	716	852	987	1,047	1,167	1,252
	78"	387	443	514	574	643	705	767	807	812	900	1,038	1,103	1,227	1,318
	84"	398	458	532	596	667	732	796	834	843	934	1,074	1,138	1,269	1,363
	90"	412	474	552	618	692	758	825	863	872	965	1,107	1,176	1,309	1,407
	96"	423	489	569	638	716	785	854	889	903	998	1,143	1,212	1,352	1,452
	102"	436	505	589	660	738	812	883	916	934	1,029	1,176	1,249	1,392	1,494
	108"	447	523	607	683	763	838	912	943	963	1,063	1,212	1,285	1,434	1,538
114"	460	538	627	703	787	863	940	972	994	1,094	1,245	1,320	1,474	1,583	
120"	472	554	645	725	812	889	969	998	1,023	1,125	1,280	1,358	1,514	1,627	

Cassette, Board Mounted & Modернаire Chart 3		Fabrics: Artistry, Aurora, Bliss, Callie, Demure, Melody, Rhumba, Tenley													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	108"
Shade Height Up To:	30"	254	289	327	363	407	465	503	534	540	660	776	823	916	985
	36"	269	309	347	387	434	498	540	572	576	703	823	872	972	1,043
	42"	285	327	369	412	460	532	578	612	634	747	869	920	1,025	1,103
	48"	300	345	392	436	487	567	614	649	678	789	914	969	1,080	1,160
	54"	316	365	412	460	514	600	652	689	712	834	960	1,018	1,136	1,220
	60"	332	383	434	485	540	634	689	727	756	876	1,007	1,067	1,192	1,278
	66"	347	400	454	509	569	667	727	767	800	920	1,054	1,118	1,245	1,338
	72"	363	420	476	534	596	703	763	805	856	963	1,098	1,167	1,300	1,396
	78"	403	447	523	578	652	772	820	867	912	980	1,118	1,187	1,323	1,420
	84"	418	465	543	605	678	800	856	905	934	1,023	1,163	1,234	1,376	1,478
	90"	434	483	569	627	700	823	892	940	978	1,063	1,207	1,280	1,429	1,534
	96"	447	500	587	643	718	852	927	978	1,023	1,105	1,249	1,327	1,480	1,589
	102"	463	518	600	665	745	883	963	1,016	1,045	1,145	1,294	1,374	1,534	1,647
	108"	478	536	623	687	769	916	998	1,052	1,078	1,187	1,338	1,420	1,587	1,703
114"	494	554	647	712	796	947	1,034	1,089	1,156	1,227	1,383	1,467	1,638	1,758	
120"	507	572	667	734	820	980	1,069	1,127	1,189	1,269	1,427	1,514	1,692	1,816	

Lifting System Surcharges	
Accu-Rise	112
Motorization	View Motorization Pricing

Pricing - Cassette, Board Mounted & Modernaire Transitional Shades

Cassette, Board Mounted & Modernaire Chart 4		Fabrics: Angelique , Covert , Divine , Garbo , Glamour , Intrigue , Isabelle , Keiria , Lena , Phoenix , Zen													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	108"
Shade Height Up To:	30"	287	329	369	412	460	525	567	603	614	749	856	907	1,012	1,074
	36"	303	347	392	436	487	558	605	643	649	794	932	987	1,098	1,180
	42"	320	367	414	460	516	594	645	683	685	838	978	1,036	1,154	1,240
	48"	336	385	436	487	543	629	683	723	736	883	1,025	1,087	1,212	1,300
	54"	352	405	458	512	572	663	720	763	778	927	1,074	1,138	1,267	1,363
	60"	367	425	480	536	598	698	758	800	816	972	1,120	1,187	1,325	1,423
	66"	385	443	503	560	627	734	796	829	840	1,016	1,167	1,238	1,380	1,483
	72"	400	463	525	585	656	767	836	865	880	1,060	1,216	1,289	1,438	1,543
	78"	447	496	563	632	707	827	900	940	952	1,078	1,234	1,309	1,460	1,569
	84"	463	514	585	654	734	860	936	974	989	1,120	1,280	1,358	1,514	1,627
	90"	478	532	605	678	760	894	974	1,009	1,029	1,163	1,325	1,407	1,569	1,685
	96"	494	549	627	703	787	927	1,009	1,043	1,067	1,205	1,372	1,454	1,623	1,743
	102"	509	567	647	727	814	960	1,047	1,078	1,105	1,247	1,416	1,503	1,676	1,800
	108"	525	587	669	749	840	994	1,083	1,112	1,143	1,289	1,460	1,552	1,732	1,858
114"	540	605	689	774	867	1,027	1,118	1,147	1,180	1,332	1,507	1,600	1,785	1,916	
120"	556	623	709	798	892	1,060	1,156	1,180	1,218	1,374	1,552	1,647	1,838	1,974	

Cassette, Board Mounted & Modernaire Chart 5		Fabrics: Captivation , Chanel , Coy , Delight , Discreet , Felicity , Hypnotic , Laila , Luminescence , Muse , Temptation , Twilight													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	108"
Shade Height Up To:	30"	298	358	405	452	505	580	629	667	672	798	883	936	1,040	1,118
	36"	325	383	434	483	540	625	678	718	734	878	943	998	1,114	1,183
	42"	347	407	463	516	576	672	729	765	769	936	1,020	1,083	1,207	1,280
	48"	372	434	492	547	614	716	778	812	823	994	1,100	1,167	1,303	1,383
	54"	396	458	518	580	649	760	827	858	874	1,052	1,183	1,256	1,403	1,489
	60"	414	483	547	614	685	807	878	905	925	1,109	1,249	1,327	1,480	1,574
	66"	436	507	576	645	720	852	927	952	978	1,167	1,320	1,403	1,565	1,665
	72"	456	532	605	678	758	898	976	998	1,029	1,225	1,392	1,476	1,649	1,756
	78"	478	567	647	725	812	960	1,047	1,078	1,105	1,247	1,416	1,505	1,678	1,803
	84"	498	589	674	756	847	1,003	1,094	1,123	1,154	1,303	1,476	1,567	1,749	1,878
	90"	520	614	700	787	880	1,047	1,140	1,167	1,205	1,358	1,534	1,629	1,818	1,954
	96"	540	638	727	818	916	1,089	1,189	1,212	1,254	1,414	1,594	1,692	1,889	2,029
	102"	563	660	756	849	949	1,134	1,236	1,256	1,303	1,467	1,652	1,754	1,960	2,103
	108"	583	685	783	880	985	1,176	1,283	1,300	1,352	1,523	1,712	1,818	2,029	2,178
114"	605	709	809	912	1,018	1,220	1,332	1,345	1,403	1,578	1,769	1,880	2,100	2,254	
120"	627	732	836	940	1,054	1,263	1,378	1,389	1,452	1,634	1,829	1,943	2,169	2,329	

Lifting System Surcharges	
Accu-Rise	112
Motorization	View Motorization Pricing

Pricing - Cassette, Board Mounted & Modernaire Transitional Shades

Cassette, Board Mounted & Modernaire Chart 6		Fabrics: Hush , Reserved , Utopia													
		Shade Width Up To:													
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	102"	108"
Shade Height Up To:	30"	312	365	412	465	523	589	632	685	743	820	960	1,018	1,134	1,218
	36"	334	394	449	509	574	634	694	754	818	894	1,023	1,085	1,207	1,298
	42"	354	412	483	552	618	685	749	816	885	952	1,083	1,149	1,280	1,376
	48"	376	440	518	594	665	738	809	880	954	1,027	1,145	1,216	1,354	1,454
	54"	396	472	556	636	714	794	869	947	1,025	1,105	1,207	1,280	1,427	1,534
	60"	416	494	585	672	752	836	916	998	1,083	1,165	1,269	1,347	1,500	1,612
	66"	438	520	618	707	794	883	969	1,056	1,145	1,232	1,329	1,412	1,576	1,692
	72"	458	547	649	745	836	929	1,020	1,114	1,205	1,300	1,405	1,478	1,652	1,778
	78"	507	574	683	783	878	978	1,074	1,172	1,267	1,367	1,465	1,556	1,738	1,847
	84"	527	598	714	820	918	1,025	1,125	1,227	1,329	1,434	1,536	1,632	1,823	1,938
	90"	547	625	745	858	960	1,072	1,178	1,285	1,392	1,500	1,607	1,707	1,909	2,029
	96"	567	652	778	896	1,003	1,118	1,229	1,343	1,454	1,567	1,678	1,785	1,994	2,120
	102"	587	678	809	932	1,045	1,167	1,283	1,400	1,516	1,634	1,752	1,860	2,080	2,212
	108"	607	703	843	969	1,087	1,214	1,334	1,456	1,576	1,703	1,823	1,936	2,165	2,303
114"	627	729	874	1,007	1,129	1,260	1,387	1,514	1,638	1,769	1,894	2,014	2,252	2,394	
120"	647	756	905	1,045	1,172	1,307	1,440	1,572	1,700	1,836	1,965	2,092	2,338	2,485	

Lifting System Surcharges	
Accu-Rise	112
Motorization	View Motorization Pricing

Pricing - Surcharges

Lifting System Surcharges	
Accu-Rise	112
Motorization	View Motorization Pricing

Design Options Surcharges															
2-On-1 Headrail	Price as two separate shades and add \$56														
Sidelight Shade	Deduct 40% from shade price														
Metal Bead Chain	Add \$25 per shade														
Fabric Wrapped Bottom Rail	Add \$29 per shade														
Light Gap Stop (Per Ft.)	View common surcharges														
Palladian Shelf - Finished (Per Ft.)	View common surcharges														
Palladian Shelf - Unfinished (Per Ft.)	View common surcharges														
FR or Antimicrobial Coating (Per Sq. Ft.)	View common surcharges														
Shade Width Up To:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"
Mixed Metal Designer Accents	52	56	60	67	72	76	83	87	94	98	105	109	114	123	127
7" Valance Upgrade (board mounted only)	16	16	18	18	20	20	23	23	25	25	27	29	32	34	36

Standalone Valance Option Surcharges															
Shade Width Up To:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"
4 5/8" Fabric Wrapped Valance	123	127	132	138	145	156	187	207	220	247	274	298	325	349	376
7" Fabric Wrapped Valance	132	136	140	147	156	167	200	220	234	265	294	320	343	369	396

Arch Surcharges					
Standard Arch	165				
Shade Width Up To:	36"	48"	60"	72"	84"
Framed Arch	574	672	763	856	956
Routed Framed Arch	789	883	976	1074	1165

Pricing - Couplitaire Transitional Shades

Couplitaire Surcharge Chart 1		Shade Width Up To:											
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"
Shade Height Up To:	30"	136	147	163	174	187	198	209	220	234	245	258	267
	36"	138	152	169	183	196	209	220	236	247	258	274	283
	42"	143	158	176	192	207	220	236	249	260	274	289	300
	48"	147	163	185	200	216	229	247	263	274	287	303	318
	54"	149	167	192	207	225	243	258	274	285	300	320	334
	60"	156	172	196	214	234	249	267	283	296	314	332	345
	66"	158	176	203	223	243	260	278	296	309	327	345	360
	72"	163	183	209	234	252	272	289	312	325	343	360	378
	78"	165	185	216	240	260	280	300	323	336	356	376	396
	84"	169	189	223	249	269	292	314	336	349	369	394	412
	90"	172	194	229	256	278	300	325	347	360	380	407	425
	96"	176	200	238	265	287	314	336	360	374	398	423	443

To price: Add this surcharge to base shade price from tables on pages 11 - 19

Couplitaire Surcharge Chart 2		Shade Width Up To:											
		24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"
Shade Height Up To:	30"	152	169	189	203	220	236	249	265	278	292	305	323
	36"	160	178	198	216	234	252	265	280	296	312	327	345
	42"	167	185	209	227	247	265	280	298	316	332	347	365
	48"	172	192	218	238	258	276	294	314	329	347	365	385
	54"	176	198	225	249	269	289	309	329	345	363	385	405
	60"	183	205	236	258	280	303	323	343	360	380	400	423
	66"	187	212	245	267	292	316	336	358	376	398	418	443
	72"	192	218	254	278	303	329	349	374	394	414	436	463
	78"	196	223	263	287	316	340	363	389	407	429	452	480
	84"	200	229	269	296	325	352	374	400	420	443	469	496
	90"	207	238	278	305	336	363	389	416	436	463	485	516
	96"	212	245	287	318	349	378	405	432	454	480	505	538

To price: Add this surcharge to base shade price from tables on pages 11 - 19

Lifting System Surcharges	
Accu-Rise	112
Motorization	View Motorization Pricing

Design Options Surcharges																
2-On-1 Headrail	Price as two separate shades and add \$52															
Metal Bead Chain	Add \$25 per shade															
Fabric Wrapped Bottom Rail	Add \$29 per shade															
Light Gap Stop (Per Ft.)	View common surcharges															
Palladian Shelf - Finished (Per Ft.)	View common surcharges															
Palladian Shelf - Unfinished (Per Ft.)	View common surcharges															
	Shade Width Up To:	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"	84"	90"	96"	102"	108"
7" Valance Upgrade (board mounted only)		16	16	18	18	20	20	23	23	25	25	27	29	32	34	36

Important note: 2-On-1 headrail only applies to the Allure Transitional Shade and with clutch lifting system only (not available with Accu-Rise). It will have a **single** privacy fabric shade at the back; therefore **standard maximum width will still apply**.

Product Information - Small and Large Cassette

Product Features

- Fits rectangular window openings
 - Clutch operated with beaded loop chain
 - Includes a fabric insert, color coordinated cassette
 - Color coordinated beaded loop chain, bottom rail and end caps
- [View Color Coordination](#)

Size Standards

- [Cassettes](#)

Important Child Safety Note

The revised American National Standard Institute for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16" - 54"	36"	Over 102"	96"
54 1/16" - 66"	48"		

• For inside mount - Chain length must be at least 6" shorter than ordered length to ensure proper tensioner installation.

Hardware Included

- [Installation Brackets](#)
- [Cord Tension Lock](#)

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Ordering Notes

- [Vane Alignment](#) - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- For 2-On-1 headrail, controls must be on left and right side.
- Allure transitional shades will come set to stop in the closed position at ordered length.
- Max width for 2-on-1 headrail is 156"

Caution

- Fabric Covered Large Cassette - With certain fabrics, ([Fabric Information](#)) Large Cassette will have sheer and solid fabric layered to create a unique appearance (See photo). Therefore a Small Cassette and Large Cassette will not have the same appearance within a room.



Pricing





Available in: White, Vanilla, Brushed Nickel, Bronze and Black

Shade Operation

The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.



Small Cassette



Large Cassette



Double Layered Large Cassette

Product Information - Modern Cassette

Modern Cassette System Features

- Fits rectangular window openings.
- Available in Black, Bronze, Brushed Nickel, Vanilla and White. [View Color Coordination](#)
- Fabric inserted into front of cassette.
- The metal hem and end caps help prevent the shade material from rolling completely into the cassette.

Size Standards

- [Cassettes](#)

Important Child Safety Note

The revised American National Standard Institute for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16" - 54"	36"	Over 102"	96"
54 1/16" - 66"	48"		

- For inside mount - Chain length must be at least 6" shorter than ordered length to ensure proper tensioner installation.

Hardware Included

- [Installation Brackets](#)
- [Cord Tension Lock](#)

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)


Ordering Notes

- [Vane Alignment](#) - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- For 2-On-1 headrail, controls must be on left and right side.
- Allure transitional shades will come set to stop in the closed position at ordered length.
- Max width for 2-on-1 headrail is 156"


Pricing



Available in: Black, Bronze, Brushed Nickel, Vanilla and White



Modern Cassette



Double Layered Modern Cassette

Product Information - Board Mounted

Product Features

- Board Mounted Shade with Fabric Wrapped Valance is wrapped in shade material
- 4 5/8" high valance, fabric has velcro attachment to the board.
- 3" returns (measured from the back of valance) unless specified

Size Standards

- Board Mounted
- Accu-Rise

Important Child Safety Note

The revised American National Standard Institute for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16" - 54"	36"		
54 1/16" - 66"	48"		

• For inside mount - Chain length must be at least 6" shorter than ordered length to ensure proper tensioner installation.

Hardware Included

- Installation Brackets
- Cord Tension Lock

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Ordering Notes

- **Vane Alignment** - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- **Exact Return size** for fabric wrapped valance may be requested.
- For 2-On-1 headrail, controls must be on left and right side.
- Allure transitional shades will come set to stop in the closed position at ordered length.
- Boards and Valances over 95" will be spliced. Valance will have a 2" fabric keystone to cover the splice.


Caution

- Fabric Covered Valance - With certain fabrics, fabric covered valance will have sheer and solid fabric layered to create a unique appearance. See [Fabric Information](#) for fabrics that will be double layered.

Pricing

Shade Operation


The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves, the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.



(Standard) 4 5/8" Fabric Wrapped Valance



(Optional) 7" Fabric Wrapped Valance



Valance with Splice

Product Information - Somfy Battery Operated Series



Size Standards

- Cassettes
- Board Mounted
- Modernaire
- Couplitaire

Battery and Rechargeable Motorization	Allure Transitional Shades				
	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.
System II	17"	108"	12"	120"	64
Sonesse 28 WireFree	25"	108"	12"	120"	64
Ultra 30 WireFree	31"	108"	12"	120"	80

[View Fabric Width Restrictions](#)

System II Information (1.1Nm)

- 12V DC Motor
- Can be powered via 8AA Lithium batteries, Solar Pack Kit, Transformer, hardwired, or rechargeable battery pack
- Adjustable speed 10 - 28 RPM
- Compatible with all of Somfy's RTS transmitters



System II Motor

Sonesse 28 WireFree Information

- Built in lithium-ion rechargeable battery (2600 mAh)
- Adjustable speed 10 - 28 RPM
- Compatible with all of Somfy's RTS transmitters
- 40 decibels
- Soft Start/Soft Stop



R28 Wirefree Motor

Ultra 30 Wirefree Information (2Nm)

- Built in Lithium-ion rechargeable battery (2600 mAh)
- Adjustable speed 10-28 RPM
- Compatible with all of Somfy's RTS transmitters
- Ultra quiet sound level (38 decibels)
- Soft Start/Soft Stop



Ultra 30 Wirefree Motor

Finished Dimensions & Mounting Requirements

Pricing

- To price, add [motorization surcharges](#) to shade price.

Ordering Notes

- Order Transmitter(s) or Wall Switch(s) as required.
- Check for other options required that are available.
- Choose left or right side for power cord and motor.
- Window length is required so that the limits can be set

Product Information - Somfy Battery Operated Series



Somfy myLink Overview

- WiFi to RTS bridge that can control up to 16 channels of RTS motorized products using the Somfy myLink apps for iOS and Android devices.
- Using the app, users can send immediate RTS commands, create Scenes and Schedules.
- Users can access their myLinks from anywhere with the apps' remote access feature.
- Multiple myLinks can be joined within the same system for multi-zone control.
- Can also serve as an IP to RTS bridge for 3rd party control systems.
- Amazon Alexa integration
- IFTTT (If This Then That)



Options - Controls



Situ 1 Channel Remote



Situ 5 Channel Remote



Sixteen Channel Telis RF Transmitter



Five Channel Variation Transmitter



Five Channel Decoflex Wall Switch

Design Options Availability	System II	Sonesse 28 WireFree	Ultra 30 WireFree
No Charge Options			
Extension Brackets	Y	Y	Y
Spacer Blocks	Y	Y	Y
Cassette/Rail Color Substitution	Y	Y	Y
Cassette Size	Y	Y	Y
Magnetic Hold Down Brackets	Y	Y	Y
Vane Alignment	Y	Y	Y
Exposed Roller	Y	Y	Y
Majesty Wood Valance	Y	Y	Y
Noble 4 5/8" Wood Valance	Y	Y	Y
Surcharge Options			
Mixed Metal Designer Accents	Y	Y	Y
2-On-1 Headrail	Y	Y	Y
Fabric Wrapped Bottom Rail	Y	Y	Y
7" Fabric Wrapped Valance Upgrade	Y	Y	Y
FR Coating/Antimicrobial	Y	Y	Y

Motorization Services

- Customer Service Motorization Skill Set > 800-342-5523 > motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

Product Information - EZ Charge™ Lithium Rechargeable Series



EZ Charge Product Features

- Battery powered motor with remote control, wall switch or app interface (all purchased separately).
- Lithium-ion battery is internal and rechargeable.
- Remote offers up to 15 channels separately or in groups.
- Electronic stop setting.
- Rechargeable battery can offer 6 to 12 months on a single charge under normal conditions. Charger has a 12' cord sold separately. Extension cables sold separately.
- 6 hours for a full peak charge (from a complete dead to a full charge).
- Warning sound when battery charge is low.
- Economical child safe solution with no cords.
- 5 Year Motor Warranty



Size Standards

- Cassettes
- Board Mounted
- Modernaire
- Couplitaire

	Allure Transitional Shades				
	Minimum Width	Maximum Width	Minimum Height	Maximum Height	Maximum Sq.Ft.
EZ-Charge V.2	24"	102"	12"	120"	64
EZ-Charge X2	32"	102"	12"	120"	80

[View Fabric Width Restrictions](#)

EZ Charge Version 2.0 (1.1Nm)(2200 mAh)

- Adjust speed: 40 RPM (30 RPM or 20 RPM)

EZ Charge X2 (Q-2Nm)(2600 mAh)

- Adjust speed: 28 RPM (24 RPM or 20 RPM)

Options

- [Design Options Headrail Availability](#)
- [Design Options Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Finished Dimensions & Mounting Requirements

Pricing

- To price, add [motorization surcharges](#) to shade price.

Product Information - EZ-Charge Rechargeable Series



EZ Charge Pulse Bridge

- Allows for app control over any of your EZ Charge Series motors
- Set and manage up to 20 scenes
- Set and manage up to 20 timers
- Manage multiple hubs under multiple locations. Easily switch between office and home. Allows for up to 5 hubs under each location
- Allows for third party serial integration
- Amazon Alexa compatible
- IFTTT (If This Then That)



Pulse Bridge

EZ Charge Repeater

- Extends the RF range of operation up to 120 feet for ARC enabled products
- Operates by plugging the USB power adapter into a power outlet and then plugging the USB Repeater into the USB power adapter
- Press any button on the remote control and the blue light on the USB Repeater will flash three times. This means the USB Repeater is transmitting the signal
- Power adapter not included



Options - Controls



EZ-Charge
15 Channel Remote Control



EZ-Charge Charger with 12 foot cord



EZ-Charge Wall Switch

Design Options Availability	EZ Charge V.2	EZ Charge X2
No Charge Options		
Extension Brackets	Y	Y
Spacer Blocks	Y	Y
Cassette/Rail Color Substitution	Y	Y
Cassette Size	Y	Y
Magnetic Hold Down Brackets	Y	Y
Vane Alignment	Y	Y
Exposed Roller	Y	Y
Majesty Wood Valance	Y	Y
Noble 4 5/8" Wood Valance	Y	Y
Surcharge Options		
Mixed Metal Designer Accents	Y	Y
2-On-1 Headrail	Y	Y
Fabric Wrapped Bottom Rail	Y	Y
7" Fabric Wrapped Valance Upgrade	Y	Y
FR Coating/Antimicrobial	Y	Y

Motorization Services

- Customer Service Motorization Skill Set > 800-342-5523 > motor@lafvb.com
- Technical Support by trained Customer Service Agents
- Assistance in the specification of motorization applications
- Liason between dealers/designers, electricians and home automation integrators.

Product Information - Accu-Rise



Product Features

- Fits rectangular window openings
- Available with [Small/Large Cassette](#), [Modern Cassette](#), [Board Mounted](#) and [Modernaire](#)
- Color-coordinated end cap, bottom rail and brackets
[View Color Coordination](#)

Size Standards

- Cassettes
- Board Mounted
- Modernaire
- Couplitaire

Hardware Included

- Installation Brackets

Finished Dimensions & Mounting Requirements

Options

- No Charge Options and Availability
- Surcharge Options and Availability
- Design Option Details
- Exclusions

Ordering Notes

- **Vane Alignment** - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.

Caution

- Accu-Rise is meant to be raised or lowered by applying controlled, level, pushing or pulling force to the center of the bottom rail. Acute application of force can cause fabric to roll over itself and/or cause the material to tear. Operating the shade off center will cause skewing damage to the ends of the fabric. Care should be taken when using the handle on Accu-Rise shade with fabric wrapped bottom rail. Do not allow the handle to move along the bottom rail or fabric could be damaged.


Shade Operation

- The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.


Pricing




Accu-Rise Handle




Small Cassette



Board Mounted



Modernaire (OB)



Modernaire (IB)

Product Information - Modenaire

Product Features

- Fits rectangular window openings
- Clutch operated with beaded loop chain
- Color coordinated beaded chain and bottom rail
- [View Color Coordination](#)
- Uses the Modenaire headrail (with no cassette)
- Available in colors: White, Black and Vanilla

Shade Operation

The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view.



Size Standards

- [Modenaire](#)

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Hardware Included

- [Installation Brackets](#)
- [Cord Tension Lock](#)

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16" - 54"	36"		
54 1/16" - 66"	48"		

* For inside mount - Chain length must be at least 6" shorter than ordered length to ensure proper tensioner installation.

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Ordering Notes

- [Vane Alignment](#) - Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.
- Headrail color must be requested at time of order.
- Allure transitional shades will come set to stop in the closed position at ordered length.

Caution

With light filtering fabrics there may be a light gap between the shade and the bottom of the mounting board on inside mount.


Pricing




Outside Mount



Inside Mount



Modenaire (IB)



Modenaire (OB)

Product Information - Couplitaire

Product Features

- Fits rectangular window openings
- Clutch operated with beaded loop chain on Allure shade.
- Cordless standard on Privacy shade
- Includes a 4 5/8" Board Mounted Fabric Wrapped Valance in Allure shade material
- Color coordinated beaded chain, bottom rail and end caps for Allure shade. [View Color Coordination](#)
- Fabric wrapped bottom rail on Privacy shade

Size Standards

- Couplitaire
- Accu-Rise

Important Child Safety Note

The revised American National Standard for Safety of Corded Window Covering products requires that shades with cord loops must be mounted with functioning cord tensioners that have not been modified from original specifications.

Hardware Included

- [Installation Brackets](#)
- [Cord Tension Lock](#)

Continuous Bead Chain Drops

Shade Length	Drop	Shade Length	Drop
Up to 22"	12"	66 1/16" - 78"	60"
22 1/16" - 30"	18"	78 1/16" - 90"	72"
30 1/16" - 42"	24"	90 1/16" - 102"	84"
42 1/16" - 54"	36"		
54 1/16" - 66"	48"		

• For inside mount - Chain length must be at least 6" shorter than ordered length to ensure proper tensioner installation.

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Ordering Notes

- [Vane Alignment](#) - **Must be requested at time of order. We can not guarantee vane alignment for more than 4 shades together.**
- To price, add the Allure fabric base price to the Couplitaire privacy fabric surcharge.
- Allure transitional shades will come set to stop in the closed position at ordered length.

Caution


- Fabric Covered Valance - Will have sheer and solid fabric layered to create a unique appearance - [Fabric Information](#)
- Maximum Width of Allure shade will be dependent on maximum width of [Privacy fabric](#) selected. Maximum width will be the smaller width of the two selected.
- 2-On-1 Headrail applies to Allure Transitional shade only. Will have a single privacy shade so max width will still apply.
- For 2-On-1 headrail, controls must be on left and right side.

Pricing

- To price, add [Couplitaire Surcharge](#) to base price charts.
- If both Allure Transitional Shade and Privacy Shade are to be motorized, motorization surcharge is to be doubled.

Shade Operation

The transition of light is created with dual layers of fabric alternating between sheer and semi-opaque or opaque horizontal fabric vanes. As the fabric moves the layers bypass on the window creating different levels of light-filtering options. You can raise and lower your shades while still controlling the amount of light and your view. The Cordless system is lowered by pulling shade or giving a slight tug to lift.



Product Information - Sidelight

Product Features

- Fits rectangular window openings
- Cannot be raised or lowered but allows rotating the vanes to open or closed position
- Color coordinated bottom rail and end caps
[View Color Coordination](#)

Size Standards

- Sidelight

Hardware Included

- Installation Brackets

Finished Dimensions & Mounting Requirements

Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)


Caution

Place the fabric preserving tab on the edge of a solid fabric vane at the optimal operation level of the shade. Always avoid direct contact with the fabric. Natural oils found in our skin can cause even clean hands to leave permanent stains on some fabrics.

Shade Operation

Transitional Shade sidelights are operated by gently pulling up or down on the fabric preserving tab placed on a solid fabric vane. Moving this tab up or down will cause the fabric to begin rotating around stationary rails mounted directly to the top and bottom of the sidelight. (See image below) Operation of the Sidelight Transitional Shade allows changes to the vane openness but will not change the overall width or height of the shade.


Pricing



Product Information - Specialty

Product Features - Allure Arches

- Standard Allure Arch
 - Allure fabric in the fixed open or fixed closed position
 - Wood Frame
 - Gimp Trim and Staples
 - Painted or stained frame to color coordinate
- Framed Allure Arch
 - Finished look with minimized light gap in arch opening
 - 14 Finishes available: Gardenia, Navajo White, Natural, Cottage Pine, Buckeye, Mahogany, Java Roast, Thunder, Ebony Wash, Snow White, Harmony, Moonshine, Revere Pewter, and Accessible Beige.
- Routed Framed Allure Arch
 - Provides a notched edge on backside so face will fit flush against window frame for easier installation and reduced light gap
 - Available for the arch portion only or full frame
 - 14 Finishes available: Gardenia, Navajo White, Natural, Cottage Pine, Buckeye, Mahogany, Java Roast, Thunder, Ebony Wash, Snow White, Harmony, Moonshine, Revere Pewter, and Accessible Beige.



Standard Arch with gimp and wood frame

Size Standards

- [Arches](#)


Options

- [No Charge Options and Availability](#)
- [Surcharge Options and Availability](#)
- [Design Option Details](#)
- [Exclusions](#)

Ordering Notes

- To price Standard Allure Arch, add surcharge price to the Allure shade base price
- To price Framed Allure Arch and Routed Framed Arch, add width based surcharge to the Allure shade base price

Pricing



Routed Framed Arch (Back View)
Rout on Arch or All Sides



Framed Arch
Available in 14 colors



Online Template Service

- Lafayette produced - Flat fee.
- To order a factory-made template visit the Lafayette web site at www.lafvb.com, www.lafayetteinteriorfashions.com
 - Print and complete template order form to be submitted via fax
 - Complete and submit web-based order form online

Design Options - Valances and Metal Accents

Fabric Wrapped Valances


- Available on board mounted Allure shades.
- A board wrapped in shade material, attached with velcro to a painted or stained color coordinated dust cover.
- 4 5/8" or 7" valance, fabric has velcro attachment to the board.
- Maximum width of valance is fabric width. Valances over 95" will have a splice. A fabric keystone is included to cover 2" splice.
- On certain fabrics, ([Fabric Information](#)) Fabric Wrapped Valance will have sheer and solid fabric layered to create a unique appearance.



Valance with Splice

Mixed Metal Designer Accents

- The face of the cassette can be covered with one of the six Designer Accent materials. The front and back of the bottom rail is also wrapped in the same selection.
- Available for Small and Large Cassette, Sundown, Accu-Rise and motorized systems.
 - Maximum width 120".
 - For 2-on-1 Headrail use overall width to price.
 - Hardware is color-coordinated to Allure material unless specified.
 - Colors available: Brushed Sterling, Brushed Titanium, Brushed Graphite, Bronze Shimmer, Radiant Cashmere, and Bronze Pearl. Samples are available using [MySwatch](#)




Cassette with Mixed Metal Accents

Fabric Wrapped Valances Returns

- **Exact Returns** - Return size can be specified to be oversized or undersized due to installation needs. Exact return size is measured from the back of the valance face to the end of the return.

Minimum Return: 1", Maximum Return 7"



Majesty and Noble Wood Valances

- Available with board mounted Allure shades.
- Valances are available in 14 colors: Accessible Beige, Buckeye, Cottage Pine, Ebony Wash, Gardenia, Harmony, Java Roast, Mahogany, Moonshine, Natural, Navajo White, Revere Pewter, Snow White, & Thunder. Sample chips are available using MySwatch.
- Standard return is 2 7/8" from back of valance to wall.
- Valance is velcro attached to the board

Majesty Valance
4 1/2" height
5/8" thick



Noble Valance
4 5/8" height
1/2" thick



Product Information - Design Options Information

Bead Chain Options

- Available on Cassettes, Board Mounted and Couplitaire
- Plastic bead chain colors are White, Vanilla, Black, Brown, Sierra Tan, and Gray.
- Bead chain is color coordinated to the shade color.
- Bead chain lengths are 12", 18", 24", 36", 48", 60", 72", 84" and 96".
- Bead chain lengths must be at least 6" shorter than window length for inside mounts to properly install tensioner.

Metal Bead Chains

- Available with a clutch lifting system as a surcharge option
- Finishes available: Stainless Steel, Antique Bronze, Gun Metal, Burnished Copper.



Stainless Steel Antique Bronze Gun Metal Burnished Copper

2-on-1 Headrail

- Two shades share a common headrail
- Overall max width is maximum single shade width with a [fabric wrapped valance](#), with wood valances: 96"



Vane Alignment

- Alignment of the semi-opaque or opaque fabric vanes can be guaranteed within 1/4" if shades are ordered at the **same time**, in the **identical style, color and height, and room number specified**. We can not guarantee vane alignment for more than 4 shades together. Must be same headrail type.
- [View Fabric Information](#)



Exposed Roller

- Allure transitional shades will come set to stop in the closed position at ordered length. The exposed roller option has the stop set to come past order length and allow for minor adjustments.

Fabric Wrapped Bottom Rail

- Bottom Rail is wrapped in shade material
- Fabric does not cover the entire back side of the bottom rail in order to comply with the CPSC child safety label requirements
- Not available with fabric Covert



Fabric Wrapped Front




Fabric Wrapped Back



Standard Bottom Rail

Light Gap Stop

- Blocks light gap for shades inside mounted in rectangular openings.
- Comes with self adhesive tape attached for installation.
- Projection is 1 5/8".
- Ordered by lineal foot.
- Made of PVC and available in 5 colors: Black, Bronze, Gray, Vanilla and White




Measuring & Installation Information


Small, Large, Modern Cassette & Accu-Rise Brackets

Small Cassette, Accu-Rise - Item 80-30053-XX

Colors: 03 Black, 09 Vanilla, 11 White, 38 Bronze, 53 Sierra Tan, 90 Bright Zinc.
Large Cassette - Item # 100-37000-82




Small Cassette



Large Cassette


Modernaire Bracket

Item # 80-20053-11



Couplitaire Bracket

Item # PT-SV32



Sidelight Bracket


Item # 15-2009



Optional Extension Bracket

Item # PT-SV32


Item # PT-SV30



2 3/4" PROJECTION BRACKET
OR
3 5/8" PROJECTION BRACKET

Optional Spacer Block

Item # SP-31




Button Catch for Arch

Receiver - Item # B0-07000-034

Catch - Item #702664


Screw - Item TFP-04051-034



Magnetic Hold Downs

- Magnets are applied to bottom rail and hold down magnets are attached to the window frame to hold the bottom rail in place when the shade is lowered.

Item # 15-9108




Optional Hold Downs

- Metal is inserted at the ends of the bottom rail and hold down brackets are attached to the window frame to hold the bottom rail in place when the shade is lowered.


Item # 80-37053-xx

03-Black, 09-Vanilla, 11-White, 38-Bronze



Bottom Rail

- The shape is designed to keep the two fabric layers closer together as they move through the bottom rail.



Cord Tension Lock

- Standard on all Allure shades with Clutch system.
- Must be secured to the wall to provide the necessary tension for the shade to operate.
- Available in white, vanilla, black, brown, clear, or gray. Will coordinate with the fabric color.



P Clip Safety Tensioner

- An option in place of a cord tension lock. The clear P-Clip has a torsion spring that will open the tensioner and prevents the chain from sliding through it. The tensioner will then render the shade partially inoperable if it is loose from the wall.



Shipping Position




Attached to Wall

Measuring & Installation Information

Best Practices for Measuring

- Always use a steel tape or a metal ruler for measuring.
- Always measure every window even though they look the same.
- Check for obstructions that could affect operation of the shade.
- For Inside Mount (jamb to jamb in a window or door, wall to wall in a room), give exact inside to inside width measurements, and top to bottom length measurements of the area to be covered.
- Measure the width in at least three places and specify the narrowest width.
- Measure the length in at least three places and specify the shortest length.
- Take two diagonal measurements. If there is a greater than 3/8" difference in diagonal measurements, outside mount is strongly recommended to avoid irregular light gaps.
- For Outside Mount, measure the exact width and height of the area to be covered.



Measuring for Allure Shades

- All shade pricing is based on the width and the window opening height. Orders are accepted for inside or outside dimensions, to the nearest 1/16".
- It is critical that the shade brackets be mounted so that the shade is level when installed.
- For an Inside Mount, measure the exact width between the jambs (inside) where the shade is to be mounted. If the end caps are not tightly secured it is possible the shade will not fit in the opening.
- For an Outside Mount, we recommend that the brackets be placed to allow a minimum of 1 1/2" to 2" overlap on each side of the casement. Measure between the point where the brackets are to be placed and specify that as an outside width.
- For Length, measure the full length of the window opening from the top frame to the lower sill to determine your window length.

General Advisories

Please examine all merchandise and packages for accuracy and make sure all parts, brackets, etc. are included **before** sending them to be installed. While we constantly strive to make sure each order is exact and complete, we do occasionally make mistakes, and **we cannot be responsible for trip charges or reinstallation charges. Repairs or remakes must be requested within 30 days of invoice date.**

Allure Care & Cleaning

The operating system of the Allure Transitional Shade dusts the fabric when the panel is rotated thereby reducing the care necessary for the shade. The shade can be feather dusted or vacuumed at a low setting. Allure fabrics are primarily Polyester. Spots can be cleaned with a damp sponge and mild soap. To avoid discoloration, do not use chemical cleaners. Ultrasonic cleaning is not recommended.

Palladian Window Shelf


- Double beaded hardwood shelf designed to mount horizontally in arched or angled openings to serve as divider and mounting surface for any window fashions product
- Allows area above shelf to be covered differently or uncovered
- Finishes available from Heartland Woods
- Palladian shelf has a 1/32" per foot tolerance for warpage
- Inside Mount Applications only

Size Standards

- Height: 1 1/2"
- Depth: 4" (Can be cut down to 2" minimum upon request)
- Maximum Length: 8'

Ordering Notes

- Must be installed below the radius of window as routed ends are square
- Specify exact width from jamb to jamb. A 1/16" deduction will be taken by Lafayette
- Ordered separate from blind or shade (Priced by lineal foot - round up from exact width to next highest lineal foot)
- Exclusions: Outside mount applications



Oeko-Tex™ Rating for Mirage Fabric

The Oeko-Tex Standard 100 provides the textile and clothing industry with a globally uniform standard for the objective assessment of harmful substances. Raw materials, intermediate and end products at all stages of processing throughout the manufacturing chain, including accessories, are tested and certified. Certification is obtained by application in writing from the manufacturer to one of the authorized test institutes or official offices around the globe. The samples submitted are tested exclusively in the member institutes in Europe and Japan in order to ensure a consistently high level of testing. The mark "Confidence in Textiles - Test for harmful substances according to Oeko-Tex Standard 100" states that the marked product fulfills the conditions specified in this standard, are under the supervision of an institute belonging to the International Association for Research and Testing in the field of Textile Ecology (Oeko-Tex). The mark is not a quality label. The mark relates only to the as-produced state of the textile and says nothing about other properties of the product such as e.g. fitness for use, reaction to cleaning processes, physiological behaviour in respect to clothing, properties relating to use in buildings, burning behaviour etc.

Flame Retardant (FR) Coating or Antimicrobial

- A flame retardant or antimicrobial coating is available for Allure fabrics without these inherent properties. The shade is fabricated then sent to an external facility for the flame coating or antimicrobial process. Allow four to six weeks extra delivery time for this service. Standard shipping is included. Call for quote on flame retardant or antimicrobial coating.



Midwest
Designer
Supply

1-888-523-2611

**Midwest Designer Supply, Inc.
N30W22377 Green Road Ste C
Waukesha, WI 53186
(262) 523-2600
Fax (262) 524-1007
www.midwestdesignersupply.com**

MDS - your one source for window fashions.