





The information within this guide must be used in conjunction with the information in the Audi Owner's Manuals. Refer to your vehicle's Owner's Manual for all information and warnings. By using this guide, you acknowledge that you are aware of and have read the warnings and information provided in the Owner's Manual on the topics in this guide and will use this information to augment that material.

To learn more about your features, call your Audi Technologist.

1.855.750.TECH (8324)

Audi Brand Specialist (Business Card Placeholder)

auditechnology.com




Table of Contents

MMI® Controls	1
BLUETOOTH® Pairing	7
Audi connect®	11
Navigation	15
Automatic Climate Control	19
Memory Seats	
Windshield Wipers	25
Cruise Control	27
Start-Stop System	29
Tire Pressure Monitoring System (TPMS)	31
Clock Setting	33
Automatic Trunk	35
Brakes	37

MMI® Controls

Audio & Navigation



The MMI® system consists of the MMI® display screen and the MMI® control panel. This panel is composed of a control knob, control buttons and function buttons.


The MMI® Touch can be used to write letters and numbers or access Preset Radio stations. When in writing mode, to enter a **space**, drag your finger from left to right on the pad. To **delete** a character, drag your finger from right to left. While in Navigation mode, after pressing the control knob, the touch pad can be used to move along the map in the desired direction.

Pressing one of the eight function buttons such as **RADIO** or **NAV** displays that features options in each corner of the MMI® screen.

The four control buttons surrounding the control knob correspond to the four corners of the MMI® display. Selecting the desired button will access sub menus.

To make a selection or confirm a request, simply turn the control knob and press to select the option.

While operating the menus and functions, you can return to a previous screen by pressing the BACK button.



MMI® Controls

cont.

Media Function Button


- Access available media from connected sources and Audi Music Interface (AMI).
- ► BLUETOOTH® Audio, SD card, DVD, Jukebox, and Audi Music Interace (AMI).
- ► The iPod® AMI cable comes standard with your vehicle.

Volume |-----

Pressing will mute audio when in Radio mode and pause when playing media. Holding the button down will turn the system off.

Track Advance Buttons |-

The arrow buttons allow you to move through audio tracks and radio stations.



Steering Wheel Controls

In addition to the MMI® control panel you can use the multifunction steering wheel controls to display specific MMI® features in the Driver Information System.

Simply press the buttons to display the MMI® modes.

The thumbwheel can be used to scroll through the options. Press it to make a selection.

Press the button to display | submenu options for that mode.



The button is used to activate Voice Recognition. The volume thumbwheel is used to adjust the volume, pressing it will mute audio.

Pressing www will repeat the last Navigation announcement when navigation is active.


The button places the transmission into manual mode.

MMI® Controls

cont.

Setting Station Presets

You can set any mix of up to 50 Presets from FM, AM or Sirius options.





NOTE: Occasionally, tall buildings and tunnels may interrupt the satellite signal. For more information, please refer to the SiriusXM® brochure in your glove box.



BLUETOOTH® Pairing: MMI®

Initial Setup

BLUETOOTH® pairing is a one-time procedure. Once paired via BLUETOOTH®, your phone will automatically connect when you start your vehicle and your phone's contacts automatically synchronize, allowing you to retrieve contacts and make and receive calls through the infotainment system. For more information regarding phone compatibility visit audiusa.com/bluetooth.



To pair a phone:

- 1. Switch ignition to accessories mode.
- 2. Activate your phone's BLUETOOTH® function and set to Pairing or Search mode.

Select Audi MMI® when it appears on the phone's screen.

ON

Not Paired

Bluetooth

Devices

Audi MMI 0584

NOTE: See your phone's owner's manual for specific BLUETOOTH® activation instructions. Vehicle should be stationary with the parking brake engaged while performing this operation.




4. Use the MMI® control knob to select Yes.



 Confirm the six-digit PIN displayed matches the PIN displayed on your phone, and select Yes



6. Select Pair on your phone to complete the pairing process.




NOTE: Once paired, the BLUETOOTH® symbol appears in the MMI® screen along with network strength bars, and it will be displayed whenever a paired phone is connected to the infotainment system.











2. Say, "Call" < Name from directory> (e.g., "Call John Smith").

3. To confirm the request, say "Yes". The number will be dialed.

I+ 回 参 all Coogle 3G all

NOTE: If multiple numbers are stored for a given contact, the system will ask which number you wish to dial. When calling by name using voice recognition, you must say the name as it is stored in your phone book.

Natural Language Commands

You may also speak natural language commands using the Ow button.

Verbal destination commands can be given while in any screen.

Your Audi MMI® Navigation system has many Global Voice Recognition commands available. This means that you can access any function or while another function or mode is active.

Commands such as:

- Enter Number
- Enter Destination
- Presets
- Media

- Redial
- Online Destination
- ► FM. AM

You can begin your request from any screen.

Once your requested function is active, you can continue with commands for that mode.

For example:

- **Enter Number**
- Dial
- Repeat
- Correction

To cancel Voice Recognition while active, say "Cancel" after the beep or press the 🕥 button until system responds with cancelled.

Refer to your owner's manual for further commands.



10



Audi connect®

Initial Setup

Audi connect® can provide you with Google Earth™, Google Voice™ Local Search, Wi-Fi Hotspot, Online Services (fuel prices, weather information, travel information, news feeds) and myAudi Destinations.



Audi connect® Configuration:

- 1. Ensure SIM card (provided by dealer) is present in the SIM slot.
- 2. Press the **TEL** function button.
- ${\it 3. \ Press\ the\ Settings\ control\ button.}$

Vehicle should be stationary with the parking brake engaged while performing this operation.



Wi-Fi Configuration







COMP

B **③**

The default password can be used. Or a new password can be entered.

NOTE: Most devices use Encryption type WPA2 as the default.



7. Select Apply settings to save your password.



Data Configuration



scroll to Data connection and select.



13

0 0

Always pay careful attention to the road, and do not drive while distracted. The features and technologies discussed are optional, may require an additional subscription when it is safe and appropriate. The Wi-Fi hotspot feature is intended for passenger use only.

Audi connect® services are only available where there is mobile network coverage. You can obtain more information from your current service provider.

Important Safety Instructions and Warnings which you must read, are listed on the last panel under Audi connect®.

Audi Navigation

Setting a Destination

Your MMI® Navigation system has extraordinary capabilities to enhance your drive with user-definable views, routing selections and more. Get started with setting destinations and discover more as you become familiar with the interface.

To set a destination:

- 1. Press the **NAV** function button. |--
- 2. Select the Destination control button. |-







3. Select Address from the Navigation Menu.



4. Select City/Zip code field and enter information.



5. Continue by entering Street and House number.



6. When complete, select Start route guidance.

Please drive safely. Enter destinations while vehicle is stationary away from traffic. Always pay careful attention to the road, and do not drive while distracted.

Audi Navigation

cont.

Setting a Destination (Voice Recognition)

To set a Destination with voice commands:

- 1. Press the button.
- Say "Enter Address." (Other commands are available on screen.)
 See Owner's Manual for complete list of commands.
- After the beep, speak the address; for example "2024 Main St, Los Angeles, California." (Speak street number as single digits.) The system will respond with repeating the address for confirmation.
- 4. System will respond, "The list is being loaded," it will repeat the address, and then ask if you would like to start route guidance; after the beep say, "Yes" and guidance will begin.



NOTE: The MMI® will display the most frequently used voice commands while waiting for your response. When pressing the 👪 button, the last navigation announcement will be repeated.

Google Voice™ Local Search (Online Destinations)*:



TEXT A8NAV8 to 38981

Do not text and drive. Message and data rates may apply.

*Google Voice™ Local Search requires Audi connect®, and may require an additional subscription with separate terms and conditions.

The features and technologies discussed are optional, and should be used only when it is safe and appropriate.

Cellular connectivity is dependent on available cellular signal.



Automatic Climate Control



AUTO Setting

The AUTO setting of your Climate Control System maintains the cabin temperature to your selected temperature by regulating the temperature, fan speed and airflow. Once activated, there is no need to alter the settings. When AUTO is selected, AC will come on automatically to condition the air.

NOTE: AC is used to dehumidify the air.

Synchronize Zones

Pressing the SYNC button will synchronize both the driver and passenger side controls to the same temperature, fan speed and airflow. The Synchronization disengages once a passenger adjusts their temperature setting. With optional 4-zone climate control, rear temperature settings are also synchronized.

Dual Temperature Settings

Temperature settings can be operated independently for each side of the cabin using the control knobs. AUTO will maintain separate temperatures for the driver and front passenger.





Automatic Climate Control

cont.

Fan Speed


Fan speed can be operated independently. To change the speed, press the button followed by turning either the Driver or Passenger control knob.

Recirculation

The recirculation function prevents outside air and odors from entering the cabin. It may also be used in conjunction with AC to cool the cabin more quickly.

Airflow

The airflow selector 3 directs air to the floor, panel or defrost vents, or a combination.



MMI® Display

Your climate control adjustments such as Temperature, Fan speed and Airflow can be seen on your display for convenience.







NOTE: Temperature display only shown with MMI® Navigation system. The ideal fan speed to heat or cool your interior will be displayed with a 🛕 on the fan speed level.





Memory Seats

Setting Your Memory Seats and Mirrors









1. Adjust the seat and mirror to your desired positions.

- 2. Press the SET button located on the driver's door.
- 3. Press one of the numbered memory buttons until you hear a tone; the memory position is saved. |- -

The side mirrors and steering wheel position are programmed along with the seat position. When you press and hold your numbered memory button, they will adjust automatically.

Recalling Memory Seat Settings

There are two ways to recall memory seat settings:

- 1. Press the desired memory button while the door is open.
- 2. Or with the door closed, press and hold the desired memory button until the memory position is reached.



Windshield Wipers



Wash

Pull the stalk toward you to spray washer fluid.


Rain Sensing Wipers

To activate rain-sensing wipers:

- 1. From the "OFF" position, move the wiper stalk up one click.
- 2. The rain sensor will automatically turn the wipers on when it begins to rain, adjusting wipe frequency with rainfall intensity.
- 3. The lever on the top of the stalk controls the sensitivity.

 Move it left for less sensitivity and right for more sensitivity.

NOTE: Turn off the wipers before going through a car wash. The headlight washer system only functions when the headlights are on. The headlights and optional nightvision system camera are washed in intervals.



Continuous Wipe

- "LOW": From the "OFF" position, move the wiper stalk up two clicks.
- "HIGH": From the "OFF" position, move the wiper stalk up three clicks.

Single/Quick Wipes

Single/quick wipe: From the "OFF" position, press the wiper stalk down once briefly.

NOTE: For faster wiping, press the wiper stalk down once and hold for two seconds.



Cruise Control

Activate

To activate, pull the control stalk toward you.



Set Cruising Speed

At your desired speed, press the SET button at the end of the stalk. The set speed and the illuminated GRUSE icon are shown in the Driver Information Display.



Changing Speed

There are three ways to change your speed:


- 1. Accelerate or decelerate, then press **SET** again.
- To increase/decrease speed in 1 mph increments, or 2.5 mph increments with adaptive cruise control, tap the stalk up or down.
- Hold the stalk up or down to increase/decrease speed in 5 mph increments; release when desired speed is reached.

Cancel/Resume

To cancel and resume cruise control:

- 1. Press the brake pedal or push the stalk slightly away from you.
- 2. The **CRUSE** light will go off.
- To resume, pull the stalk towards you; you will return to your set speed.

Your most recently set speed appears as a small icon in the Driver Information Display. It remains in memory until you turn your Audi off.



Optional Adaptive Cruise Control (ACC)

Helps maintain a safe distance between you and vehicles in front of you, eliminating the need reset your cruise control after braking. When you approach a slower-moving vehicle in front of you, ACC will automatically slow down to that vehicle's speed and maintain a safe distance. When the vehicle is no longer present, ACC will accelerate back to the stored speed.

There are four preset distance settings that can be adjusted using the distance switch on top of the stalk. The default is distance three and will reset to that each time you turn on the ignition.

Please refer to your owner's manual for additional information.



Start-Stop System

This advanced Audi technology is design to help save fuel and reduce CO_2 emissions at the same time. It shuts off the engine when you stop at traffic signals or during certain stop-and-go driving. When the system shuts off the engine, the Start-Stop System light $\begin{array}{c|c} & --- & --$





Start-Stop ON or OFF? The choice is yours.

If you wish to turn off the Start-Stop System, simply press the button located below the Audi multimedia panel or MMI® display. The button will illuminate to tell you the Start-Stop is off. The engine will continue to run when the vehicle is stopped at traffic signals or during stop-and-go driving. Of course, you will not receive the potential fuel savings or CO₂ reduction benefit. Once you have turned off Start-Stop, it will remain off until you press the button to turn it back on.



NOTE: This feature is available on the A8 3.0T and A8 4.0T vehicles only.



Tire Pressure Monitoring System (TPMS)

Correct Tire Pressure


If the TPMS indicator light is on:



- 1. Check the tire pressure in all tires as soon as possible.
- 2. Inflate your tires to the specifications on the door jamb label.



Reset TPMS Indicator Light



- button.
- 2. Select the Car Systems Control button.



3. Select Servicing & checks.



4. Select Tire pressure monitoring.



- 5. Select Store tire pressures.
- 6. Then select Yes, store now.

NOTE: Tire pressure is affected by temperature changes. When dramatic weather changes occur and the TPMS indicator light is activated follow proper tire maintenance instructions. Once tires have been properly filled, reset the system.



Clock Setting: MMI®

To set time with GPS:

- 1. Press the MENU function button. |-
- 2. Press the Time control button.
- 3. Using the control knob, scroll to Time source.
- 4. Make sure the Time source is set to GPS.
- 5. Ensure the time zone is accurate for your location.

NOTE: Turn on Daylight Savings time to allow the clock to change automatically.



TEXT A8CLOCK1 to 38981

Do not text and drive. Message and data rates may apply.





To manually adjust the time:

- 1. Refer to Set time with GPS and follow steps 1-3.
- 2. Rotate the control knob to Manual and select.
- 3. Turn the knob until you reach Time; select to activate.
- 4. Turn the knob to the desired hour and press to set.
- 5. The minute display is now highlighted; repeat the selection process.
- 6. Save the time by pressing the control knob.

Vehicle should be stationary with the parking brake engaged while performing this operation.





Automatic Trunk

Opening the Automatic Trunk



The automatic trunk can be opened and closed automatically. There are three ways to open the automatic trunk:

Option 1



Option 2



▶ Pull the switch on the driver's door.

Option 3



▶ Press the micro-switch located above the license plate.

NOTE: Photo may not represent actual vehicle

Closing the Automatic Trunk

There are two ways to close the automatic trunk:

- 1. Press the button on the center of the trunk lid; the trunk moves to the closed position and the soft close mechanism locks.
- 2. With the ignition ON, pull and hold the switch in the driver's door until the trunk is closed.

Hands-Free Trunk Release*

To open the trunk using the Hands-free Trunk Release feature:

- 1. You must be carrying your vehicle key (e.g., in your pocket, hand, purse, ect.).
- 2. The ignition must be off.
- 3. Be sure that you have firm footing, then move your foot in a straight forward and backward motion under the center rear of the bumper.
 - ▶ Do not touch the bumper.
 - ▶ Once the system recognizes the movement, the trunk will open.

*Hands free trunk release feature is available with Optional Convenience package





Brakes

Brake Noise

The majority of today's vehicles use semi-metallic brake pads, which offer excellent performance. Because of the metal-to-metal contact involving semi-metallic pads, the sounds generated by the brake system under normal operation can be greater than the sounds produced by vehicles equipped with previous-generation brake pads. Depending on the local environment, weather conditions and individual driving patterns, sounds from the braking system may be more or less apparent.

Frequent, aggressive brake application increases the wear of brake components and can reduce the potential for brake noise. Frequent, light brake application allows glazing to develop on the brake surface, which increases the potential for brake noise.



Brake Dust

Brake dust is a result of friction created by brake pads and discs during braking. As brake pads and discs make contact during braking, they wear down, which causes dust particles to be expelled. This is a normal characteristic of all brake systems and is not an indicator of a defect.



Important Safety Instructions and Warnings

Audi connect®

- Only use Audi connect® services when road and traffic conditions permit. Using these services could increase the risk of an accident. Some Audi connect® services are only available when the vehicle is stationary to reduce the risk of distracting the driver.
- ► To reduce the risk of a collision, use the Audi connect® services with a Wi-Fi hotspot in the rear seat only if the vehicle is in motion or only when the vehicle is stationary.
- As the driver, do not allow usage of the Wi-Fi hotspots to distract you from driving, as it could increase the risk of an accident.
- It is only safe to use laptops and similar mobile devices when the vehicle is stationary because, like all loose objects, they could be thrown around the inside of the vehicle in a crash and cause serious injuries. Store these types of devices securely while driving.
- ▶ Do not use any Wi-Fi devices in the front seats within range of the airbags. Read and follow the safety precautions in the separate vehicle owner's manual in the "Airbag System" chapter under "Important information about the front airbag system".

Automatic Climate Control

- ▶ Reduced visibility is dangerous and can cause accidents.
- ► For safe driving it is very important that all windows be free of ice. snow and condensation.
- Completely familiarize yourself with the proper use and function of the heating and ventilation system and especially how to defog and defrost the windows.
- ► Never use the windshield wiper/washer system in freezing weather until you have warmed the windshield first, using the heating and ventilation system. The washer solution may freeze on the windshield and reduce visibility.
- ▶ Do not use the recirculation for extended periods of time. The windows could fog up since no fresh air can enter the vehicle. If the windows fog up, press the air recirculation button again immediately to switch off the air recirculation function or select defrost.

BLUETOOTH® Pairing

- Collisions and injuries can occur if the driver is distracted.
 Speaking on or using a phone while driving can distract the driver from traffic.
- ► Select the volume settings so that the acoustic signals from the outside are still audible (e.g., the sirens of emergency rescue vehicles.) Observe legal regulations.
- ► In areas with no or poor mobile network coverage and possibly in tunnels, garages and subways, phone conversations may be

- interrupted, and it may be impossible to make phone calls, even emergency calls!
- ► In some countries, emergency calls may only be supported when the mobile phone is connected to a mobile phone package which has a SIM card that is "not blocked" and/or has sufficient credit on it.
- ► Unmounted or improperly mounted mobile phones can fly around in the event of a sudden driving or braking maneuver or a collision. This may cause injury.
- ► Never place or mount a mobile phone on doors, on the windshield or on or near the area on the steering wheel marked "AIRBAG," the instrument panel, the seat backrests or the areas between these points and the driver/passengers. Mobile phones can lead to serious injuries in cases of collisions, especially when the airbags are inflated.
- Always switch off your mobile telephone at gas stations or wherever there is a fire or explosion hazard. Electromagnetic radiation can cause sparks which can start fires.
- ► The mobile phone will automatically connect to the mobile network when the Bluetooth connection to the mobile phone package is disconnected.
- Using a radio device in the vehicle without a connection to an external antenna might exceed electromagnetic radiation thresholds. This also applies if the external antenna is not installed properly.

• Keep a distance of at least eight inches between the antennas of the mobile phone and a pacemaker, since mobile phones can affect the functionality of a pacemaker.

- ► Do not carry a mobile phone on standby mode in the breast pocket directly on top of a pacemaker.
- If interference is suspected, immediately switch off the mobile phone.
- Always keep the armrest closed while driving. The center armrest can interfere with the driver's elbow movement and thus cause collisions and severe injuries.

Brakes

- ▶ Do not press the accelerator pedal inadvertently if the vehicle is stationary and the engine is running and a gear is selected. Otherwise the vehicle will start to move immediately and could result in a crash.
- Driving with bad brakes can cause a collision and serious personal injury.
- New brake pads don't have the best stopping power and must be "broken-in" during the initial 100 to 150 miles (150 to 200 kilometers) of normal city driving. You can compensate for this by pressing the brake pedal more firmly. This also applies later when new pads are installed.
- ► You should perform braking maneuvers for the purpose of cleaning the brake system only if road conditions permit.

Other road users must not be put at risk - you may cause an accident!

- ▶ Before descending a steep grade, reduce speed and shift transmission into a lower gear or lower driving range. Do not ride the brakes or hold the pedal down too long or too often. This could cause the brakes to get hot and diminish braking efficiency.
- ► Do not "ride the brakes" by resting your foot on the pedal when you do not intend to brake. This may cause the brakes to overheat, premature wear and increased stopping distance.
- ▶ Under certain climatic and operating conditions such as passing through water, driving in heavy rain or after washing the vehicle, the effectiveness of the brakes can be reduced. In winter, ice can accumulate on the brake pads, linings, discs and drums. Carefully apply brakes for a test. Brakes will dry and ice coatings will be cleaned off after a few careful brake applications.
- Driving for an extended period of time on salt-covered roads without using your brakes can also affect braking efficiency. Clean off accumulated salt coating from brake discs and pads with a few careful brake applications.
- If you damage the front spoiler, or if you install a different spoiler, be sure the airflow to the front brakes is not obstructed. Otherwise the brake system could overheat reducing the effectiveness of the entire brake system.

- ► Failure of one brake circuit will impair the braking capability resulting in an increased stopping distance. Avoid driving the vehicle and have it towed to the nearest Audi dealer or qualified workshop.
- ▶ Never let the vehicle roll to a stop with the engine shut off.
- If the brake booster is not working, the brake pedal must be pressed considerably harder to make up for the lack of booster assistance.

Cruise Control

- Always pay attention to traffic even when the cruise control is switched on. You are always responsible for your speed and the distance between your vehicle and other vehicles.
- ► For safety reasons, the cruise control should not be used in the city, in stop-and-go traffic, on twisting roads and when road conditions are poor (such as ice, fog, gravel, heavy rain and hydroplaning) - risk of accident.
- ► Turn off the cruise control temporarily when entering turn lanes, highway exit lanes or in construction zones.
- ▶ Please note that inadvertently "resting" your foot on the accelerator pedal causes the cruise control not to brake. This is because the cruise control is overridden by the driver's acceleration.
- ► If a brake system malfunction such as overheating occurs when the cruise control system is switched on, the braking

function in the system may be switched off. The other cruise control functions remain active as long as the indicator light

▶ You should only return to the saved speed if it is not too fast for the current traffic conditions - risk of an accident!

Memory Seats

- ▶ Never adjust the driver's or front passenger's seat while the vehicle is moving. If you do this while the vehicle is moving, you will be out of position. Always adjust the driver's or front passenger's seat when the vehicle is not moving.
- ▶ Be careful when adjusting the seat height. Check to see that no one is in the way, or serious injury could result!
- ▶ Because the seats can be electrically adjusted with the ignition off, never leave children unattended in the vehicle. Unsupervised use of the electric seat adjustments may cause serious injury.
- ▶ To reduce the risk of injury in the case of sudden braking or accident, front passengers must never ride in a moving vehicle with the backrest reclined. Safety belts and the airbag system only offer maximum protection when the backrest is upright and the safety belts are properly positioned on the body. The more the backrest is reclined, the greater the risk of personal injury from an incorrect seating position and improperly positioned safety belts.

- ▶ The power adjustment for the individual seats also works with the ignition. For this reason, children should never be left unattended in the vehicle - they could be injured!
- ▶ Exercise caution when adjusting the seats. Unsupervised or careless seat adjustment can pinch fingers or hands causing injuries.
- ▶ Vehicles with a pass through in the center console have seating for four. The long center console between the two rear seats is not a seating position. Therefore, a safety belt is not provided.
- ▶ Do not use the front passenger's seat for seating when it is in the reclining position. This increases the risk of serious injury or death.
- ▶ Never adjust the reclining position when the front passenger's seat is occupied. This increases the risk of injury.
- ▶ Do not tilt the display if the driver's view of the right exterior mirror will be obstructed.
- ▶ Make sure the area between the leg support and the front passenger's seat backrest is clear before folding the leg support in so that you are not pinched.
- head restraints or with head restraints that are not properly adjusted increases the risk of serious or fatal neck injury dramatically.
- ▶ For safety reasons, the seat setting should only be recalled

when the vehicle is stationary - otherwise you risk having an

▶ If necessary, you stop the process by pressing the OFF button or any of the memory buttons.

Navigation & Infotainment

- ▶ The demands of traffic require your full attention.
- ▶ Obey all traffic laws when driving.
- ▶ The route calculated by the navigation system is a recommendation for reaching your destination. Obey traffic lights, stopping restrictions, one-way streets, lane change restrictions, etc.

Start-Stop System

- ▶ Never let the vehicle roll with the engine switched off. You could lose control over the vehicle. This can lead to a collision and serious injuries.
- ▶ The brake booster and the steering support do not work while the engine is switched off. More force is required to stop and to steer the vehicle.
- ► All seats are equipped with head restraints. Driving without → To reduce the risk of injuries, make sure that the Start-Stop System is turned off when working in the engine compartment.

Tire Pressure Monitoring System (TPMS)

▶ If the tire pressure indicator appears in the instrument

cluster display, one or more of your tires is significantly under inflated. Reduce your speed immediately and avoid any hard steering or braking maneuvers. Stop as soon as possible and check the tires and their pressures. Inflate the tire pressure to the proper pressure as indicated on the vehicle's tire pressure label. Driving on a significantly under-inflated tire causes the tire to overheat and can lead to tire failure. Under-inflation also is likely to impair the vehicle's handling and stopping

- ▶ The driver is responsible for maintaining the correct tire pressures. You must check the tire pressures regularly.
- ▶ Under certain conditions (such as a sporty driving style, winter conditions or unpaved roads), the pressure monitor indicator may be delayed.
- Ask your authorized Audi dealer if run flat tires may be used on your vehicle. Your vehicle registration becomes invalid if you use these tires when not permitted. Damage to your vehicle or accidents could also result.

Trunk

ability.

- ▶ After closing the rear lid, always pull up on it to make sure that it is properly closed. Otherwise it could open suddenly when the vehicle is moving.
- ▶ To help prevent poisonous exhaust gas from being drawn into the vehicle, always keep the rear lid closed while

driving. Never transport objects larger than those which fit completely into the luggage area, because then the rear lid cannot be fully closed.

- ▶ Never leave your vehicle unattended especially with the rear lid left open. A child could crawl into the car through the luggage compartment and pull the lid shut, becoming trapped and unable to get out. To reduce the risk of personal injury, never let children play in or around your vehicle. Always > Medical experts warn that cell phones can interfere with the keep the rear lid as well as the vehicle doors closed when not in use.
- ▶ Never close the rear lid inattentively or without checking first. Although the closing force of the rear lid is limited, you can still seriously injure yourself or others.
- ▶ Always ensure that no one is within range of the rear lid when it is moving, in particular close to the hinges and the upper and lower edges - fingers or hands can be pinched.
- ▶ Never try to interfere with the rear lid or help it when it is being opened or closedautomatically.

Voice Recognition

▶ Driving requires your complete and undivided attention. As the driver, you have complete responsibility for safety in traffic. Only use the MMI® system when traffic conditions permit and always in a way that allows you to maintain complete control over your vehicle.

- ► Adjust the volume of the audio system so signals from outside the vehicle such as police and fire sirens can be heard easily at all times.
- ▶ Always follow the safety precautions when using the Audi connect® services and when using the wireless hotspot.
- ▶ Obey all applicable laws regarding use of telephones in vehicles.
- function of pacemakers. Always maintain a minimum distance of 20 centimeters between the cell phone antenna and the pacemaker.
- ▶ Do not carry the cell phone in a pocket directly over the pacemaker when the phone is switched on.
- ▶ Switch the cell phone off immediately if you suspect it may be interfering with the pacemaker.
- ▶ Do not use voice recognition system in emergencies because your voice may change in stressful situations. It may take longer to dial the number or the system may not be able to dial it at all. Dial the emergency number manually.
- ▶ Switch your cell phone off in areas at risk for an explosion. These locations are not always clearly marked. They may include gas stations, equipment that stores or transports fuel or chemicals, or locations where fuel vapors (such as propane or gasoline vapor in vehicles or buildings), chemicals or large quantities of dust particles (such as flour, sawdust or metal)

nay be present in the air. This also applies to all other ocations where you would normally switch your vehicle off. Pay attention to the traffic reports when making a call. Please devote your full attention to driving. As the driver,	Notes
ou have complete responsibility for safety in traffic. Only	
ise the functions in such a way that you always maintain omplete control over your vehicle in all traffic situations.	
Windshield Wipers	
Wiper blades are crucial for safe driving! Only when they are in good condition are they able to clear the windows	
properly to provide uncompromised visibility. Worn or lamaged wiper blades are a safety hazard.	
The rain sensor is only designed to assist and support he driver. It remains entirely the driver's responsibility	
o monitor outside weather conditions and to manually	
ctivate the wipers as soon as rain or drizzle reduces risibility through the windshield.	
Dirty windshield wiper blades can impair your view. This an lead to accidents.	
For your safety, you should replace the wiper blades once or twice a year. See your authorized Audi dealer for	
eplacement blades.	
Notes	

Notes		

Audi Truth in Engineering

A8 | **S8**

2014 | A8 | S8

Audi of America auditechnology.com