## GOLANG AND UADMIN WINDOWS INSTALLATION INSTRUCTIONS

First of all, go to https://golang.org/dl/ to install Golang.

For Windows, click the MSI link.

Featured downloads

 Microsoft Windows Windows 7 or later, Intel 64-bit processor go1.12.windows-amd64.msi 117MB)		Apple macOS macOS 10.10 or later, Intel 64-bit processor go1.12.darwin-amd64.pkg (120MB)	Linux Linux 2.6.23 or later, Intel 64-bit processor go1.12.linux-amd64.tar.gz (121MB)
Source go1.12.src.tar.gz (21MB)	J		

The setup will download automatically.



Once downloaded, click the setup for the installation.

If you see this form (computing space requirements), wait until the next form pop up. This might take a long time to process.



If you see this pop up, click Yes, Uninstall to update the version of Golang.



Click Next on the following form until you finish the installation.

In Local Disk C, make sure you have Go and TDM-GCC folders. To download TDM-GCC visit this site: <u>http://tdm-gcc.tdragon.net/download</u>

PC → Local Disk (C:)		
Name A	Date modified 9/2/2018 3:33 PM	Type File folder
ESD .	1/17/2018 2:59 AM	File folder
FFOutput	9/19/2015 9:21 PM	File folder
FRST	8/10/2016 5:54 PM	File folder
Go	3/9/2019 10:04 PM	File folder
HP	6/29/2018 4:19 PM	File folder
LocalDatabaseApp	5/14/2018 6:56 AM	File folder
MATS	8/9/2016 6:26 PM	File folder
MSOCache	4/17/2015 9:13 PM	File folder
PerfLogs	9/15/2018 3:33 PM	File folder
PHP	11/30/2018 5:59 AM	File folder
Program Files	5/5/2019 3:42 PM	File folder
Program Files (x86)	5/13/2019 7:48 AM	File folder
ProgramData	5/13/2019 7:48 AM	File folder
Python27	11/28/2018 10:16	File folder
📊 sqlite	6/11/2018 6:37 PM	File folder
SQLServer2017Media	5/13/2018 10:25 PM	File folder
SWSetup	6/29/2018 4:24 PM	File folder
system.sav	6/29/2018 4:24 PM	File folder
TDM-GCC-64	11/11/2018 9:42 AM	File folder
TEMP	3/25/2018 9:54 PM	File folder

From C:/ directory, go to Users/YourPCName path. Ensure if go-work folder is existing on that path. If you do not have go-work folder, you can create the folder manually. The purpose of go-work is to store all packages that you have downloaded in Github.com.

s PC > Local Disk (C:) > Users > romnick-pc >

Name	Date modified	Туре
CoffeeFinderApp	4/29/2015 7:47 PM	File folder
Contacts	4/21/2019 7:01 AM	File folder
👩 Creative Cloud Files	7/3/2018 2:10 AM	File folder
🦽 Creative Cloud Files (archived) (1)	3/27/2018 1:26 PM	File folder
🛄 Desktop	5/13/2019 11:08 PM	File folder
🟥 Documents	5/14/2019 7:34 AM	File folder
🖶 Downloads	5/15/2019 8:56 AM	File folder
🚖 Favorites	4/21/2019 7:01 AM	File folder
go-work	3/9/2019 10:47 PM	File folder
GuitarSolo	4/20/2015 9:43 PM	File folder
📙 jdk1.8.0	4/18/2015 8:15 AM	File folder

To set up Go configuration, go to Control Panel and click on System.

All Control Panel Items				-
	Control Panel Items			v ひ Search Control Panel
Adjust your computer's settings				View by: Large icons
Administrative Tools	AutoPlay	Backup and Restore (Windows 7)	RitLocker Drive Encryption	🛃 Color Management
Credential Manager	Date and Time	Default Programs	Device Manager	Devices and Printers
Ease of Access Center	File Explorer Options	File History	Flash Player (32-bit)	Fonts
lndexing Options	Infrared	Internet Options	실 Java	
🔊 Mail	Mouse	Network and Sharing Center	Phone and Modem	Power Options
Programs and Features	Nealtek HD Audio Manager	Recovery	Region	RemoteApp and Desktop Connections
Security and Maintenance	Sound	Speech Recognition	Storage Spaces	💿 Sync Center
System	Taskbar and Navigation	Troubleshooting	User Accounts	Windows Defender Firewall
🔛 Windows To Go	Work Folders			

Next, click on Advanced System Settings.



## Click on Environment Variables

System Propertie	s				×			
Computer Name	Hardware	Advanced	System Protection	Remote				
You must be logged on as an Administrator to make most of these changes. Performance								
Visual effects,	, processor s	cheduling, m	emory usage, and vir	tual memory				
				Settings				
User Profiles								
Desktop settir	ngs related to	o your sign-in						
				Settings				
Startup and R	ecovery							
System startup, system failure, and debugging information								
Settings								
Environment Variables								
		ОК	Cancel	Арр	ly			

Set GOPATH on User Variables and GOROOT on System Variables

**Environment Variables** 

Variable	Value
GOOGLE_API_KEY	no
GOOGLE_DEFAULT_CLIENT_ID	no
GOOGLE_DEFAULT_CLIENT	no
GOPATH	C:\Users\romnick-pc\go-work
OneDrive	C:\Users\romnick-pc\OneDrive
OneDriveConsumer	C:\Users\romnick-pc\OneDrive
Path	C:\Users\romnick-pc\.cargo\bin:C:\Program Files (x86)\Vim\vim81:
	New Edit Delete
stem variables	
stem variables Variable	Value
stem variables Variable ComSpec	Value C:\WINDOWS\system32\cmd.exe
stem variables Variable ComSpec DriverData	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData
stem variables Variable ComSpec DriverData FSHARPINSTALLDIR	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\
stem variables Variable ComSpec DriverData FSHARPINSTALLDIR GOROOT	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\ C:\Go\
stem variables Variable ComSpec DriverData FSHARPINSTALLDIR GOROOT MSMPI_BIN	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\ C:\Go\ C:\Program Files\Microsoft MPI\Bin\
stem variables Variable ComSpec DriverData FSHARPINSTALLDIR GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\ C:\Go\ C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8
stem variables Variable ComSpec DriverData FSHARPINSTALLDIR GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\ C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows NT
rstem variables Variable ComSpec DriverData FSHARPINSTALLDIR GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\DriverS\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\ C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows NT New Edit Delete

On User Variables, select PATH then click Edit button.

Environment Vari	ablec	
EIIVIIUIIIIEIIL VAI	antes	

Х

GOOGLE_DEFAULT_CLIENT   no     GOPATH   C:\Users\romnick-pc\go-work     OneDrive   C:\Users\romnick-pc\OneDrive     OneDriveConsumer   C:\Users\romnick-pc\OneDrive     Path   C:\Users\romnick-pc\AppData\Local\Temp     TEMP   C:\Users\romnick-pc\AppData\Local\Temp     TMP   C:\Users\romnick-pc\AppData\Local\Temp	Variable	Value	^
GOPATH   C:\Users\romnick-pc\go-work     OneDrive   C:\Users\romnick-pc\OneDrive     OneDriveConsumer   C:\Users\romnick-pc\OneDrive     Path   C:\Users\romnick-pc\.cargo\bin;C:\Program Files (x86)\Vim\vim81;     TEMP   C:\Users\romnick-pc\AppData\Local\Temp     TMP   C:\Users\romnick-pc\AppData\Local\Temp	GOOGLE_DEFAULT_CLIENT	no	
OneDrive   C:\Users\romnick-pc\OneDrive     OneDriveConsumer   C:\Users\romnick-pc\OneDrive     Path   C:\Users\romnick-pc\.cargo\bin;C:\Program Files (x86)\Vim\vim81;     TEMP   C:\Users\romnick-pc\AppData\Local\Temp     TMP   C:\Users\romnick-pc\AppData\Local\Temp	GOPATH	C:\Users\romnick-pc\go-work	
OneDriveConsumer   C:\Users\romnick-pc\OneDrive     Path   C:\Users\romnick-pc\.cargo\bin;C:\Program Files (x86)\Vim\vim81;     TEMP   C:\Users\romnick-pc\AppData\Local\Temp     TMP   C:\Users\romnick-pc\AppData\Local\Temp	OneDrive	C:\Users\romnick-pc\OneDrive	
Path   C:\Users\romnick-pc\.cargo\bin;C:\Program Files (x86)\Vim\vim81;     TEMP   C:\Users\romnick-pc\AppData\Local\Temp     TMP   C:\Users\romnick-pc\AppData\Local\Temp	OneDriveConsumer	C:\Users\romnick-pc\OneDrive	
TEMP C:\Users\romnick-pc\AppData\Local\Temp   TMP C:\Users\romnick-pc\AppData\Local\Temp	Path	C:\Users\romnick-pc\.cargo\bin;C:\Program Files (x86)\Vim\vim81;	
TMP C:\Users\romnick-pc\AppData\Local\Temp *	TEMP	C:\Users\romnick-pc\AppData\Local\Temp	
	ТМР	C:\Users\romnick-pc\AppData\Local\Temp	۷

In Edit Environment variable form, add the **%USERPROFILE%\go\bin** then click OK.

## Edit environment variable

C:\Users\romnick-nc\-cargo\bin	New
C\Program Files (x86)\Vim\vim81	INCOV
C\Users\romnick-nc\ iunvter	Edit
%USERPROFILE%\go\bin	Cure
	Browse
	browsen
	Delete
	Move Up
	Move Down
	Edit text
OK	Cancel

 $\times$ 

On System Variables, select PATH then click Edit button.

**Environment Variables** 

Variable	Value	^
GOOGLE_DEFAULT_CLIENT	no	
GOPATH	C:\Users\romnick-pc\go-work	
OneDrive	C:\Users\romnick-pc\OneDrive	
OneDriveConsumer	C:\Users\romnick-pc\OneDrive	
Path	C:\Users\romnick-pc\.cargo\bin;C:\Program Files (x86)\Vim\vim81;	
TEMP	C:\Users\romnick-pc\AppData\Local\Temp	T
ТМР	C:\Users\romnick-pc\AppData\Local\Temp	4
	New Edit Delete	
stem variables		
stem variables Variable	Value	^
stem variables Variable GOROOT	Value C:\Go\	^
stem variables Variable GOROOT MSMPI_BIN	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\	^
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8	^
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows_NT	^
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS PATH	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows_NT C:\Program Files (x86)\Common Files\Oracle\Java\javapath;set PAT	^
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS PATH PATHEXT	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows_NT <u>C:\Program Files (x86)\Common Files\Oracle\Java\javapath;set PAT</u> .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC	^
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS PATH PATHEXT PROCESSOR ARCHITECTURE	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows_NT <u>C:\Program Files (x86)\Common Files\Oracle\Java\javapath;set PAT</u> .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC AMD64	~
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS PATH PATHEXT PROCESSOR ARCHITECTURE	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows_NT C:\Program Files (x86)\Common Files\Oracle\Java\javapath;set PAT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC AMD64 New Edit Delete	~

In Edit Environment variable form, add the following highlighted below then click OK.

Edit environment variable

C:\Program Files (x86)\Java\jdk1.8.0_161\bin C:\Windows\Microsoft.NET\Framework64\v4.0.30319 C:\TDM-GCC-64\bin	
C:\Windows\Microsoft.NET\Framework64\v4.0.30319 C:\TDM-GCC-64\bin	
C:\TDM-GCC-64\bin	Edit
C:\PHP	Browse
C:\Program Files\Mono\bin	
C:\Program Files (x86)\Microsoft Visual Studio\Shared\Python36_64	Delete
C:\Users\romnick-pc\AppData\Roaming\Python\Python36\Scripts	
C:\Go\bin	
	Move Up
	Move Down
	E Part a
	Edit text
ОК	Cancel

**Note:** Changes made to the environment variable may not apply until the next time you log into your computer.

After you restart your computer, open your Command Prompt (cmd) then type **go** command. You should see this result.

es. Con	nmand Prompt		-	$\times$
Micros (c) 20	oft Windows [ 18 Microsoft	Version 10.0.17134.590] Corporation. All rights reserved.		^
C:\Use Go is	rs∖romnick-pc a tool for ma	>go naging Go source code.		
Usage:				
	go ≺command	> [arguments]		
The co	mmands are:			
	bug build clean doc env fix fmt generate get install list mod run test tool version vet	start a bug report compile packages and dependencies remove object files and cached files show documentation for package or symbol print Go environment information update packages to use new APIs gofmt (reformat) package sources generate Go files by processing source download and install packages and dependencies compile and install packages and dependencies list packages or modules module maintenance compile and run Go program test packages run specified go tool print Go version report likely mistakes in packages		~

 $\times$ 

If Git software is not installed, you will see this error:

C:\Users\romnick-pc>go get -u github.com/uadmin/uadmin/... go: missing Git command. See https://golang.org/s/gogetcmd package github.com/uadmin/uadmin/...: exec: "git": executable file not found in %PATH%

To fix this, you need to download Git in Windows. https://git-scm.com/downloads



Click Next button consecutively for the installation process.

Make sure you have Git folder in your Program Files.

> Local Disk (C:) → Program Files →				
Name	Date modified	Туре	Size	
AMD	5/23/2018 5:01 PM	File folder		
Application Verifier	5/13/2018 11:36 PM	File folder		
ASUS	5/23/2018 5:01 PM	File folder		
AutoHotkey	6/30/2018 1:35 AM	File folder		
Common Files	5/24/2018 9:25 AM	File folder		
DB Browser for SQLite	8/25/2018 9:38 PM	File folder		
dotnet	5/13/2018 11:20 PM	File folder		
Easeware	5/19/2018 7:59 AM	File folder		
📙 fik Canadian Updater	8/25/2018 5:57 AM	File folder		
Git	3/9/2019 10:38 PM	File folder		
HP	5/18/2018 4:35 PM	File folder		
IIS	5/24/2018 9:25 AM	File folder		

On System Variables, select PATH then click Edit button.

**Environment Variables** 

Variable	Value	^
GOOGLE_DEFAULT_CLIENT	no	
GOPATH	C:\Users\romnick-pc\go-work	
OneDrive	C:\Users\romnick-pc\OneDrive	
OneDriveConsumer	C:\Users\romnick-pc\OneDrive	
Path	C:\Users\romnick-pc\.cargo\bin;C:\Program Files (x86)\Vim\vim81;	
TEMP	C:\Users\romnick-pc\AppData\Local\Temp	I
ТМР	C:\Users\romnick-pc\AppData\Local\Temp	~
	New Edit Delete	
stem variables		
stem variables Variable	Value	^
stem variables Variable GOROOT	Value C:\Go\	^
stem variables Variable GOROOT MSMPI_BIN	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\	^
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8	^
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows_NT	^
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS PATH	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows_NT C:\Program Files (x86)\Common Files\Oracle\Java\javapath;set PAT	^
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS PATH PATHEXT	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows_NT <u>C:\Program Files (x86)\Common Files\Oracle\Java\javapath;set PAT</u> .COM;:EXE;:BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC	^
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS PATH PATHEXT PROCESSOR ARCHITECTURE	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows_NT C:\Program Files (x86)\Common Files\Oracle\Java\javapath;set PAT .COM;:EXE;:BAT;.CMD;.VBS;.VBE;:JS;:JSE;.WSF;:WSH;:MSC AMD64	~
stem variables Variable GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS PATH PATHEXT PROCESSOR ARCHITECTURE	Value C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows_NT C:\Program Files (x86)\Common Files\Oracle\Java\javapath;set PAT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC AMD64 New Edit Delete	

Add C:\Program Files\Git\cmd inside it.

Edit environment variable

set PATH=%PATH%	New
C:\Program Files (x86)\Java\jdk1.8.0_161\bin	
C:\Windows\Microsoft.NET\Framework64\v4.0.30319	Edit
C:\TDM-GCC-64\bin	
C:\PHP	Browse
C:\Program Files\Mono\bin	
C:\Program Files (x86)\Microsoft Visual Studio\Shared\Python36_64	Delete
C:\Users\romnick-pc\AppData\Roaming\Python\Python36\Scripts	
C:\Go\bin	
C:\Program Files\Git\cmd	Move Up
	Move Down
	Edit text
	-
	-
	-
ОК	Cancel

**Note:** Changes made to the environment variable may not apply until the next time you log into your computer.

After restarting, now open Command Prompt and type Git. You should see this result.

Command Prompt	-	$\times$
Microsoft Windows [Version 10.0.17134.590] (c) 2018 Microsoft Corporation. All rights reserved.		^
C:\Users\romnick-pc>git usage: git [version] [help] [-C <path>] [-c <name>=<value>] [exec-path[=<path>]] [html-path] [man-path] [info-path] [-p]paginate   -P  no-pagen] [no-replace-objects] [bare] [git-dir=<path>] [work-tree=<path>] [namespace=<name>] <command/> [<args>]</args></name></path></path></path></value></name></path>		
These are common Git commands used in various situations:		
start a working area (see also: git help tutorial) clone Clone a repository into a new directory init Create an empty Git repository or reinitialize an existing one		
work on the current change (see also: git help everyday) add Add file contents to the index mv Move or rename a file, a directory, or a symlink reset Reset current HEAD to the specified state rm Remove files from the working tree and from the index		
examine the history and state (see also: git help revisions) bisect Use binary search to find the commit that introduced a bug grep Print lines matching a pattern log Show commit logs show Show various types of objects status Show the working tree status		
grow, mark and tweak your common history		~

Now let's install uAdmin. Type the following command in the Command Prompt as shown below. Make sure you have go-work\src\github.com in C:\Users\yourPCname path.

## Installation

```
go get -u github.com/uadmin/uadmin/...
```

If you go to C:/Users/yourPCname/go-work/src/github.com path, you will notice that the uAdmin packages saved in that path.

This	s PC > Local Disk (C:) > Users > rom	nnick-pc > go-work > src > github.co	m
^	Name	Date modified Type	
		5/16/2019 10:23 PM File fold	ler
	📙 go-sql-driver	5/16/2019 10:23 PM File fold	ler
	📙 jinzhu	5/16/2019 10:24 PM File fold	ler
н.		5/16/2019 10:24 PM File fold	ler
	📙 nfnt	5/16/2019 10:24 PM File fold	ler
	🚽 pquerna	5/16/2019 10:24 PM File fold	ler
	tealeg	5/16/2019 10:25 PM File fold	ler
	uadmin	5/16/2019 10:24 PM File fold	ler

Now go to C:\Users\yourPCname\go-work\bin. Ensure if uadmin.exe is existing on that path. If that file does not exist, go to C:\Go\bin and check that file as well then move it into the go-work\bin path.

This PC > Local Disk (C:) > Users > romnick-pc > go-work > bin

^	Name	Date modified	Туре	Size
	📧 dlv.exe	3/24/2019 10:37 AM	Application	15,884 KB
	📧 gocode.exe	3/24/2019 10:36 AM	Application	12,746 KB
	📧 gocode-gomod.exe	3/24/2019 10:37 AM	Application	12,162 KB
	📧 godef.exe	3/24/2019 10:37 AM	Application	9,468 KB
	📧 golint.exe	3/24/2019 10:38 AM	Application	6,407 KB
	📧 go-outline.exe	3/24/2019 10:36 AM	Application	4,651 KB
	📧 gopkgs.exe	3/24/2019 10:36 AM	Application	5,482 KB
	📧 gorename.exe	3/24/2019 10:37 AM	Application	6,380 KB
	📧 goreturns.exe	3/24/2019 10:38 AM	Application	8,435 KB
	📧 go-symbols.exe	3/24/2019 10:36 AM	Application	4,436 KB
	📧 guru.exe	3/24/2019 10:37 AM	Application	9,448 KB
	📧 todo.exe	3/9/2019 10:47 PM	Application	26,175 KB
	📧 uadmin.exe	3/9/2019 11:45 PM	Application	22,531 KB

Open your Environment Variables once again.

System	Propertie	25				×
Compu	ter Name	Hardware	Advanced	System Protection	Remote	
You Per Vis	must be lo formance ual effects	gged on as a , processor s	an Administrat cheduling, ma	ortomakemostoft emonyusage, and vi	hese change rtual memory Settings	s.
- Us De	er Profiles - sktop settir	ngs related to	o your sign-in		Settings	
Sta Sy:	rtup and R stem startuj	ecovery o, system fail	ure, and deb	ugging information	Settings	]
			ОК	Environme	ent Variables. App	 Iv
					. ++	

Make sure that your GOPATH set to the go-work folder because this is where uadmin.exe is located inside the bin folder.

**Environment Variables** 

 $\times$ 

Variable	Value
GOOGLE_API_KEY	no
GOOGLE_DEFAULT_CLIENT_ID	) no
GOOGLE_DEFAULT_CLIENT	no
GOPATH	C:\Users\romnick-pc\go-work
OneDrive	C:\Users\romnick-pc\OneDrive
OneDriveConsumer	C:\Users\romnick-pc\OneDrive
Path	C:\Users\romnick-pc\.cargo\bin:C:\Program Files (x86)\Vim\vim81:
	New Edit Delete
stem variables	
stem variables Variable	Value
stem variables Variable ComSpec	Value C:\WINDOWS\system32\cmd.exe
stem variables Variable ComSpec DriverData	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData
stem variables Variable ComSpec DriverData FSHARPINSTALLDIR	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\
stem variables Variable ComSpec DriverData FSHARPINSTALLDIR GOROOT	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\ C:\Go\
stem variables Variable ComSpec DriverData FSHARPINSTALLDIR GOROOT MSMPI_BIN	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\ C:\Go\ C:\Program Files\Microsoft MPI\Bin\
rstem variables Variable ComSpec DriverData FSHARPINSTALLDIR GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\ C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8
rstem variables Variable ComSpec DriverData FSHARPINSTALLDIR GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\ C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows NT
rstem variables Variable ComSpec DriverData FSHARPINSTALLDIR GOROOT MSMPI_BIN NUMBER_OF_PROCESSORS OS	Value C:\WINDOWS\system32\cmd.exe C:\Windows\System32\Drivers\DriverData C:\Program Files (x86)\Microsoft SDKs\F#\10.1\Framework\v4.0\ C:\Go\ C:\Program Files\Microsoft MPI\Bin\ 8 Windows NT New Edit Delete

**Note:** Changes made to the environment variable may not apply until the next time you log into your computer.

After restarting, open your Command prompt and type the following commands below to install or update uAdmin version. If you are in the C:\Users\yourPCname> directory, follow the instructions below.

cd go-work\src\github.com\uadmin\uadmin\cmd\uadmin

go install

uadmin

uadmin version

Command Prompt

Microsoft Windows [Version 10.0.17763.475] (c) 2018 Microsoft Corporation. All rights reserved. C:\Users\romnick-pc>cd go-work\src\github.com\uadmin\uadmin\cmd\uadmin C:\Users\romnick-pc\go-work\src\github.com\uadmin\uadmin\cmd\uadmin>go install C:\Users\romnick-pc\go-work\src\github.com\uadmin\uadmin\cmd\uadmin≻uadmin Usage: uadmin COMMAND [-e email] [-d domain] This tools allows you to publish your project online Commands: publish This publishes your project online prepare Generates folders and prepares static and templates version Shows the version of uAdmin Arguments: -e, --email -d, --domain Your email. This is required for you to be able to maintain your project. You can choose your domain name which will customize your URL Get full documentation online: https://uadmin.readthedocs.io/en/latest/ C:\Users\romnick-pc\go-work\src\github.com\uadmin\uadmin\cmd\uadmin>uadmin version INFO ] 0.1.1 C:\Users\romnick-pc\go-work\src\github.com\uadmin\uadmin\cmd\uadmin>\_

Congrats, now you know how to install Golang and uAdmin framework from scratch.